## DEPARTMENT OF HEALTH AND HUMAN SERVICES

**Health Care Financing Administration** 

42 CFR Parts 405, 410, 413, 414, 415, 424, and 485

[HCFA-1006-FC]

RIN 0938-AI52

Medicare Program; Revisions to Payment Policies and Adjustments to the Relative Value Units Under the Physician Fee Schedule for Calendar Year 1999

**AGENCY:** Health Care Financing Administration (HCFA), HHS.

**ACTION:** Final rule with comment period.

SUMMARY: This final rule makes several policy changes affecting Medicare Part B payment. The changes that relate to physicians' services include: resourcebased practice expense relative value units (RVUs), medical direction rules for anesthesia services, and payment for abnormal Pap smears. Also, we are rebasing the Medicare Economic Index from a 1989 base year to a 1996 base year. Under the law, we are required to develop a resource-based system for determining practice expense RVUs. The Balanced Budget Act of 1997 (BBA) delayed, for 1 year, implementation of the resource-based practice expense RVUs until January 1, 1999. Also, BBA revised our payment policy for nonphysician practitioners, for outpatient rehabilitation services, and for drugs and biologicals not paid on a cost or prospective payment basis. In addition, BBA permits certain physicians and practitioners to opt out of Medicare and furnish covered services to Medicare beneficiaries through private contracts and permits payment for professional consultations via interactive telecommunication systems. Furthermore, we are finalizing the 1998 interim RVUs and are issuing interim RVUs for new and revised codes for 1999. This final rule also announces the calendar year 1999 Medicare physician fee schedule conversion factor under the Medicare Supplementary Medical Insurance (Part B) program as required by section 1848(d) of the Social Security Act. The 1999 Medicare physician fee schedule conversion factor is \$34.7315.

**DATES:** *Effective date:* This rule this rule is effective January 1, 1999.

Applicability date: Part 405 subpart D is applicable for private contract affidavits signed and private contracts entered into on or after January 1, 1999.

This rule is a major rule as defined in Title 5, United States Code, section

804(2). Pursuant to 5 U.S.C. section 801(a)(1)(A), we are submitting a report to the Congress on this rule on October 30, 1998.

Comment date: We will accept comments on interim RVUs for selected procedure codes identified in Addendum C and on interim practice expense RVUs for all codes as shown in Addendum B. Comments will be considered if we receive them at the appropriate address, as provided below, no later than 5 p.m. on January 4, 1999. ADDRESSES: Mail written comments (1 original and 3 copies) to the following address: Health Care Financing Administration, Department of Health and Human Services, Attention: HCFA-1006-FC, P.O. Box 26688, Baltimore, MD 21207-0488.

If you prefer, you may deliver your written comments (1 original and 3 copies) to one of the following addresses:

Room 443–G, Hubert H. Humphrey Building, 200 Independence Avenue, SW., Washington, DC 20201, or Room C5–14–03, 7500 Security Boulevard, Baltimore, MD 21244– 1850.

Because of staffing and resource limitations, we cannot accept comments by facsimile (FAX) transmission. In commenting, please refer to file code HCFA-1006-FC. Comments received timely will be available for public inspection as they are received, generally beginning approximately 3 weeks after publication of a document, in Room 443-G of the Department's offices at 200 Independence Avenue, SW., Washington, DC, on Monday through Friday of each week from 8:30 a.m. to 5 p.m. (phone: (202) 690-7890).

#### FOR FURTHER INFORMATION CONTACT:

Roberta Epps, (410) 786–4503 (for issues related to outpatient rehabilitation services).

Stephen Heffler, (410) 786–1211 (for issues related to the Medicare Economic Index).

Anita Heygster, (410) 786–4486 (for issues related to private contracts).

Jim Menas, (410) 786–4507 (for issues related to Pap smears and medical direction for anesthesia services).

Robert Niemann, (410) 786–4569 (for issues related to the drugs and biologicals policy).

Regina Walker-Wren, (410) 786–9160 (for issues related to physician assistants, nurse practitioners, clinical nurse specialists, and certified nursemidwives).

Craig Dobyski, (410) 786–4584 (for issues related to teleconsultations). Stanley Weintraub, (410) 786–4498 (for issues related to practice expense

relative value units and all other issues).

#### SUPPLEMENTARY INFORMATION:

Copies: To order copies of the **Federal** Register containing this document, send your request to: New Orders, Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-7954. Please specify the date of the issue requested, and enclose a check or money order payable to the Superintendent of Documents, or enclose your Visa, Discover, or Master Card number and expiration date. Credit card orders can also be placed by calling the order desk at (202) 512-1800 (or toll free at 1-888-293-6498) or by faxing to (202) 512-2250. The cost for each copy is \$8. As an alternative, you can view and photocopy the Federal Register document at most libraries designated as Federal Depository Libraries and at many other public and academic libraries throughout the country that receive the Federal Register.

This **Federal Register** document is also available from the Federal Register online database through GPO Access, a service of the U.S. Government Printing Office. Free public access is available on a Wide Area Information Server (WAIS) through the Internet and via asynchronous dial-in. Internet users can access the database by using the World Wide Web; the Superintendent of Documents home page address is http:/ /www.access.gpo.gov/nara/index.html, by using local WAIS client software, or by telnet to swais.access.gpo.gov, then login as guest (no password required). Dial-in users should use communications software and modem to call 202-512-1661; type swais, then login as guest (no password required).

To assist readers in referencing sections contained in this preamble, we are providing the following table of contents. Some of the issues discussed in this preamble affect the payment policies but do not require changes to the regulations in the Code of Federal Regulations. Information on the regulation's impact appears throughout the preamble and not exclusively in part IX.

## **Table of Contents**

- I. Background
  - A. Legislative History
- B. Published Changes to the Fee Schedule II. Specific Proposals for Calendar Year 1998; Response to Comments
  - A. Resource-Based Practice Expense Relative Value Units
  - 1. Resource-Based Practice Expense Legislation
  - 2. Proposed Methodology for Computing Practice Expense Relative Value Units
  - 3. Other Practice Expense Policies

- 4. Refinement of Practice Expense Relative Value Units
- 5. Reductions in Practice Expense Relative Value Units for Multiple Procedures
- 6. Transition
- B. Medical Direction for Anesthesia Services
- C. Separate Payment for a Physician's Interpretation of an Abnormal Papanicolaou Smear
- D. Rebasing and Revising the Medicare Economic Index
- III. Implementation of the Balanced Budget
  - A. Payment for Drugs and Biologicals
  - B. Private Contracting with Medicare
  - C. Payment for Outpatient Rehabilitation Services
  - 1. BBA 1997 Provisions Affecting Payment for Outpatient Rehabilitation Services
  - a. Reasonable Cost-Based Payments b. Prospective Payment System for
- Outpatient Rehabilitation Services
  - (1) Overview
  - (2) Services Furnished by Skilled Nursing **Facilities**
  - (3) Services Furnished by Home Health
  - (4) Services Furnished by Comprehensive Outpatient Rehabilitation Facilities
  - (5) Site-of-Service Differential
  - (6) Mandatory Assignment
  - 2. Uniform Procedure Codes for Outpatient Rehabilitation Services
  - 3. Financial Limitation
  - a. Overview
  - b. Use of Modifiers to Track the Financial Limitation
  - c. Treatment of Services Exceeding the Financial Limitation
  - 4. Qualified Therapists
  - 5. Plan of Treatment
  - D. Payment for Services of Certain Nonphysician Practitioners and Services Furnished Incident to their Professional Services
  - E. Payment for Teleconsultations in Rural Health Professional Shortage Areas
- IV. Refinement of Relative Value Units for Calendar Year 1999 and Responses to **Public Comments on Interim Relative** Value Units for 1998
  - A. Summary of Issues Discussed Related to the Adjustment of Relative Value Units
  - B. Process for Establishing Work Relative Value Units for the 1999 Fee Schedule
- V. Physician Fee Schedule Update and Conversion Factor for Calendar Year
- VI. Provisions of the Final Rule
- VII. Collection of Information Requirements
- VIII. Regulatory Impact Analysis
  - A. Regulatory Flexibility Act
  - B. Resource-Based Practice Expense Relative Value Units
  - C. Medical Direction for Anesthesia Services
  - D. Separate Payment for a Physician's Interpretation of an Abnormal Papanicolaou Smear
  - E. Rebasing and Revising the Medicare **Economic Index**
  - F. Payment for Nurse Midwives' Services
  - G. BBA Provisions Included in This Proposed Rule

H. Impact on Beneficiaries

Addendum A—Explanation and Use of Addenda B and C

Addendum B-Relative Value Units (RVUs) and Related Information

Addendum C—Codes with Interim RVUs

In addition, because of the many organizations and terms to which we refer by acronym in this final rule, we are listing these acronyms and their corresponding terms in alphabetical order below:

AANA: American Association of Nurse Anesthetists

ABC: Activity based costing ABN: Advance Beneficiary Notice

AHE: Average hourly earnings

AMA: American Medical Association ANCC: American Nurses Credentialing Center

ASA: American Society of Anesthesiologists ASOPA: American Society of Orthopedic Physician Assistants

AWP: Average wholesale price BBA: Balanced Budget Act of 1997

**BLS: Bureau of Labor Statistics** 

CAAHEP: Commission on Accreditation of Allied Health Education Programs

CF: Conversion factor

CFR: Code of Federal Regulations

CMSAs: Consolidated Metropolitan Statistical Areas

CORF: Comprehensive outpatient rehabilitation facility

CPEPs: Clinical Practice Expert Panels

CPI: Consumer Price Index

CPI-U: Consumer Price Index for All Urban Consumers

CPS: Current Population Survey

CPT: [Physicians'] Current Procedural Terminology

CRNA: Certified Registered Nurse Anesthetist DME: Durable medical equipment DMEPOS: Durable medical equipment,

prosthetics, orthotics, and supplies

DRG: Diagnosis-related group EAC: Estimated acquisition cost

ECI: Employment Cost Index

ES-202 Data: Bureau of Labor Statistics from State unemployment insurance agencies

ESRD: End-stage renal disease

FDA: Food and Drug Administration

FMR: Fair market rental

FQHC: Federally qualified health center

GAAP: Generally accepted accounting principles

GAF: Geographic adjustment factor GPCI: Geographic practice cost index

HCFA: Health Care Financing Administration HCPAC: Health Care Professionals Advisory Committee

**HCPCS: HCFA Common Procedure Coding** System

HHA: Home health agency

HHS: [Department of] Health and Human Services

HMO: Health maintenance organization HPSA: Health professional shortage area HRSA: Health Resources and Services

Administration HUD: [Department of] Housing and Urban Development

IPLs: Independent Physiologic Laboratories MedPAC: Medicare Payment Advisory Commission

MEI: Medicare Economic Index MGMA: Medical Group Management Association

MSA: Metropolitan Statistical Area MSA: Medicare Supplemental Insurance MVPS: Medicare volume performance standard

NAIC: National Association of Insurance Commissioners

NBCOPA: National Board on Certification for Orthopedic Physician Assistants

NCCPA: National Council on Certification of Physician Assistants

NPI: National provider identifier

OBRA: Omnibus Budget Reconciliation Act OTIP: Occupational therapist in independent practice

PC: Professional component

PHS: Public Health Service PMSA: Primary Metropolitan Statistical Area

PPI: Producer price index

PPS: Prospective payment system

PTIP: Physical therapist in independent practice

RBRVS: Resource Based Relative Value Scale

RHC: Rural health clinic

RUC: [AMA's Specialty Society] Relative [Value] Update Committee

RN: Registered nurse

RVU: Relative value unit SMS: Socioeconomic Monitoring System

SNF: Skilled nursing facility TC: Technical component

TEFRA: Tax Equity and Fiscal Responsibility

UPIN: Uniform provider identifier number

## I. Background

## A. Legislative History

Since January 1, 1992, Medicare has paid for physicians' services under section 1848 of the Social Security Act (the Act), "Payment for Physicians" Services." This section contains three major elements: (1) A fee schedule for the payment of physicians' services; (2) a sustainable growth rate for the rates of increase in Medicare expenditures for physicians' services; and (3) limits on the amounts that nonparticipating physicians can charge beneficiaries. The Act requires that payments under the fee schedule be based on national uniform relative value units (RVUs) based on the resources used in furnishing a service. Section 1848(c) of the Act requires that national RVUs be established for physician work, practice expense, and malpractice expense.

Section 1848(c)(2)(B)(ii)(II) of the Act provides that adjustments in RVUs because of changes resulting from a review of those RVUs may not cause total physician fee schedule payments to differ by more than \$20 million from what they would have been had the adjustments not been made. If this tolerance is exceeded, we must make adjustments to the conversion factors (CFs) to preserve budget neutrality.

B. Published Changes to the Fee Schedule

In the June 5, 1998, proposed rule (63 FR 30820), we listed all of the final rules published through October 31, 1997 relating to the updates to the RVUs and revisions to payment policies under the physician fee schedule. In the June 5, 1998 proposed rule (63 FR 30818), we discussed several policy options affecting Medicare payment for physicians' services including resourcebased practice expense RVUs, medical direction rules for anesthesia services, and payment for abnormal Pap smears. Also, we discussed the rebasing of the Medicare Economic Index from a 1989 base year to a 1996 base year. Further, based on BBA, we proposed revising our payment policy for nonphysician practitioners, for outpatient rehabilitation services, and for drugs and biologicals not paid on a cost or prospective payment basis. In addition, based on BBA, we discussed implementing new payment policies for certain physicians and practitioners who opt out of Medicare and furnish covered services to Medicare beneficiaries through private contracts. And finally, based on BBA, we discussed teleconsultation services.

This final rule affects the regulations set forth at 42 CFR part 405, which consists of regulations on Federal health insurance for the aged and disabled; part 410, which consists of regulations on supplementary medical insurance benefits; part 414, which consists of regulations on the payment for Part B medical and other health services; part 415, which pertains to services furnished by physicians in providers, supervising physicians in teaching settings, and residents in certain settings; part 424, which pertains to the conditions for Medicare payment; and part 485, which pertains to conditions of participation: specialized providers.

## II. Specific Proposals for Calendar Year 1998; Response to Comments

In response to the publication of the June 5, 1998 proposed rule, we received approximately 14,000 comments. We received comments from individual physicians, health care workers, and professional associations and societies. The majority of the comments addressed the proposal related to the resource-based practice expense policy.

The proposed rule discussed policies that affect the number of RVUs on which payment for certain services would be based. Certain changes implemented through this final rule are subject to the \$20 million limitation on

annual adjustments contained in section 1848(c)(2)(B)(ii)(II) of the Act.

After reviewing the comments and determining the policies we will implement, we have estimated the costs and savings of these policies and added those costs and savings to the estimated costs associated with any other changes in RVUs for 1999. We discuss in detail the effects of these changes in the Regulatory Impact Analysis (section IX).

For the convenience of the reader, the headings for the policy issues in this section correspond to the headings used in the June 5, 1998 proposed rule. More detailed background information for each issue can be found in the June 5, 1998 proposed rule.

- A. Resource-Based Practice Expense Relative Value Units
- 1. Resource-Based Practice Expense Legislation

Section 121 of the Social Security Act Amendments of 1994 (Public Law 103–432), enacted on October 31, 1994, required us to develop a methodology for determining resource-based practice expense RVUs for each physician's service that would be effective for services furnished in 1998. In developing the methodology, we were required to consider the staff, equipment, and supplies used in providing medical and surgical services in various settings.

The legislation specifically required that, in implementing the new system of practice expense RVUs, we apply the same budget-neutrality provisions that we apply to other adjustments under the physician fee schedule.

On August 5, 1997, the President signed the BBA into law. Section 4505(a) of BBA delayed the effective date of the resource-based practice expense RVU system until January 1, 1999. In addition, BBA provided for the following revisions in the requirements to change from a charge-based practice expense RVU system to a resource-based method.

Instead of paying for all services entirely under a resource-based system in 1999, section 4505(b) of BBA provided for a 4-year transition period. The practice expense RVUs for the year 1999 will be the product of 75 percent of charge-based RVUs (1998) and 25 percent of the resource-based RVUs. For the year 2000, the percentages will be 50 percent charge-based and 50 percent resource-based. For the year 2001, the percentages will be 25 percent charge-based and 75 percent resource-based. For subsequent years, the RVUs will be totally resource-based.

Section 4505(e) of BBA provided that, for 1998, the practice expense RVUs be adjusted for certain services in anticipation of the implementation of resource-based practice expenses beginning in 1999. Practice expense RVUs for office visits were increased.

For other services whose practice expense RVUs (determined for 1998) exceeded 110 percent of the work RVUs and were provided less than 75 percent of the time in an office setting, the 1998 practice expense RVUs were reduced to a number equal to 110 percent of the work RVUs. This limitation did not apply to services that had a proposed resource-based practice expense RVU in the June 5, 1998 proposed rule that was an increase from its 1997 practice expense RVU.

The total of the reductions under this provision was less than the statutory maximum of \$390 million. The procedure codes affected and the final RVUs for 1998 were published in the October 31, 1997 final rule (62 FR 59103).

Section 4505(d)(2) of BBA required that the Secretary transmit a report to the Congress by March 1, 1998, including a presentation of data to be used in developing the practice expense RVUs and an explanation of the methodology. A report was submitted to the Congress in early March 1998. Section 4505(d)(3) required that a proposed rule be published by May 1, 1998, with a 90-day comment period. For the transition to begin on January 1, 1999, a final rule must be published by October 30, 1998.

BBA also required that we develop new resource-based practice expense RVUs. In developing these new practice expense RVUs, section 4505(d)(1) required us to—

- Utilize, to the maximum extent practicable, generally accepted accounting principles that recognize all staff, equipment, supplies, and expenses, not just those that can be tied to specific procedures, and use actual data on equipment utilization and other key assumptions;
- Consult with organizations representing physicians regarding the methodology and data to be used; and
- Develop a refinement process to be used during each of the four years of the transition period.
- 2. Proposed Methodology for Computing Practice Expense Relative Value Units (See Addendum B in the June 5, 1998 proposed rule (63 FR 30888) for a detailed technical description of the proposed methodology.)

In the June 5, 1998 proposed rule (63 FR 30827), we proposed a methodology

for computing resource-based practice expense RVUs that uses the two significant sources of actual practice expense data we have available: the Clinical Practice Expert Panel (CPEP) data and the American Medical Association's (AMA's) Socioeconomic Monitoring System (SMS) data. This methodology is based on an assumption that current aggregate specialty practice costs are a reasonable way to establish initial estimates of relative resource costs of physicians' services across specialties. It then allocates these aggregate specialty practice costs to specific procedures and, thus, can be seen as a "top-down" approach.

#### Practice Expense Cost Pools

We used actual practice expense data by specialty, derived from the 1995 through 1997 SMS survey data, to create six cost pools: administrative labor, clinical labor, medical supplies, medical equipment, office supplies, and all other expenses. There were three steps in the creation of the cost pools.

Step 1: We used the AMA's SMS survey of actual cost data to determine practice expenses per hour by cost category. The practice expenses per hour for each physician respondent's practice was calculated as the practice expenses for the practice divided by the total number of hours spent in patient care activities by the physicians in the practice. The practice expenses per hour for the specialty are an average of the practice expenses per hour for the respondent physicians in that specialty.

Step 2: We determined the total number of physician hours, by specialty, spent treating Medicare patients. This was calculated from physician time data for each procedure code and the Medicare claims data. The primary sources for the physician time data were surveys submitted to the AMA's Specialty Society Relative Value Update Committee (RUC) and surveys done by Harvard for the initial establishment of the work RVUs.

Step 3: We then calculated the practice expense pools by specialty and by cost category by multiplying the practice expenses per hour for each category by the total physician hours.

## Cost Allocation Methodology

For each specialty, we separated the six practice expense pools into two groups and used a different allocation basis for each group.

• For group one, which includes clinical labor, medical supplies, and medical equipment, we used the CPEP data as the allocation basis. The CPEP data for clinical labor, medical supplies, and medical equipment were used to

allocate the clinical labor, medical supplies, and medical equipment cost pools, respectively.

- For group two, which includes administrative labor, office expenses, and all other expenses, a combination of the group one cost allocations and the physician fee schedule work RVUs were used to allocate the cost pools.
- For procedures performed by more than one specialty, the final procedure code allocation was a weighted average of allocations for the specialties that perform the procedure, with the weights being the frequency with which each specialty performs the procedure on Medicare patients.

## Other Methodological Issues

Professional and Technical Component Services

Using the methodology described above, the professional and technical components of the resource-based practice expense RVUs do not necessarily sum to the global resourcebased practice expense RVUs since specialties with different practice expenses per hour provide the components of these services in different proportions. We made two adjustments to the methodology, depending on the specific HCFA Common Procedure Coding System (HCPCS) code, so that the professional and technical component practice expense RVUs for a service sum to the global practice expense RVUs.

Practice Expenses per Hour Adjustments and Specialty Crosswalks

Since many specialties identified in our claims data did not correspond exactly to the specialties included in the practice expenses tables from the SMS survey data, it was necessary to crosswalk these specialties to the most appropriate SMS specialty category. (See Table 3 in the June 5, 1998 proposed rule (63 FR 30833) for a listing of all proposed crosswalks.)

We also made the following adjustments to the practice expense per hour data:

- We set the medical materials and supplies practice expenses per hour for the specialties of "Oncology" and "Allergy and Immunology" equal to the medical materials and supplies practice expenses per hour for "All Physicians," stating that we make separate payment for the drugs furnished by these specialties.
- We based the administrative payroll, office, and other practice expenses per hour for the specialties of "Physical Therapy" and "Occupational Therapy" on data used to develop the

salary equivalency guidelines for these specialties. We set the remaining practice expense per hour categories equal to the "All Physicians" practice expenses per hour from the SMS survey data.

- Due to uncertainty concerning the appropriate crosswalk and time data for the nonphysician specialty "Audiologist," we derived the resource-based practice expense RVUs for codes performed by audiologists from the practice expenses per hour of the other specialties that perform these codes.
- Because we believed that the use of the average practice expenses per hour should create the appropriate practice expense pool for radiology, we did not attempt to differentiate the practice expenses per hour for radiologists according to who owned the equipment.

## Time Associated With the Work Relative Value Units

The time data resulting from the refinement of the work RVUs have been, on the average, 25 percent greater than the time data obtained by the Harvard study for the same services. We increased the Harvard time data in order to ensure consistency between these data sources.

For services such as radiology, dialysis, and physical therapy, and for many procedures performed by independent physiological laboratories and the nonphysician specialties of clinical psychologist and psychologist (independent billing), we calculated estimated total physician times for these services based on work RVUs, maximum clinical staff time for each service as shown in the CPEP data, or the judgment of our clinical staff.

We calculated the time for Current Procedural Terminology (CPT) codes 00100 through 01996 using the base and time units from the anesthesia fee schedule and the Medicare allowed claims data.

We received the following comments on our proposed methodology to calculate resource-based practice expense RVUs:

### Top-Down Methodology

Comment: Most of the physician specialty societies commenting on our proposed general methodology supported the use of the top-down approach as the most reasonable methodology for developing resource-based practice expense RVUs, and the most responsive approach to the requirements of BBA. This was echoed by comments from several nonphysician organizations, the Association of American Medical Colleges, and the Medical Group Management

Association, as well as several hundred individual commenters.

These commenters supported the topdown method for a variety of reasons:

- down method for a variety of reasons:It reflects the relative values of
- physicians' actual practice expenses.It uses the best available sources of aggregate practice expense data.
- It recognizes specialty-specific indirect costs.
- It does not rely upon arbitrary, distorting data adjustments such as "linking" and "scaling."
- It is conducive to refinement. MedPAC also agreed that this approach is necessary, because of limitations in the CPEP process and because the top-down approach assures that all practice costs are reflected in the RVUs.

However, several organizations, mainly representing primary care physicians and supported by comments from individual physicians, opposed the use of a top-down methodology to develop practice expense RVUs. They argued that the top-down approach is not resource-based but, rather, rewards higher paid physicians who have spent more in the past, regardless of the extent to which these expenditures contributed to patient care. Thus, the commenters claimed that the top-down approach perpetuates the inequities in the current charge-based practice expense RVUs that the implementation of a resourcebased practice expense system was supposed to correct.

One commenter also claimed that the top-down approach is not responsive to the requirements of BBA, as the methodology is not based on generally accepted accounting principles. Further, the commenter argued that this new proposal is not more responsive to the concerns of the medical community in general but, rather, only benefits those specialties whose income was projected to decline under the bottom-up

A specialty society representing clinical oncology opposed the top-down methodology because—

- It does not actually measure appropriate input resource costs and thus pays for inefficiencies;
- It overpays hospital-based and underpays office-based services; and
- The RVUs for individual codes cannot be refined because of the use of macro-specialty per hour costs.

There were several comments that expressed concern about the more specific impacts of the methodology. A major primary care organization pointed out that, under the 1997 proposed rule, an internist would have had to provide only 15 midlevel established patient office visits to obtain the practice

expense reimbursement of a single coronary triple-bypass graft, compared to 40 visits under our current proposal. One organization opposed the use of the top-down approach because of the estimated reduction in payments to radiology and radiation oncology. Another commenter, representing pathologists, expressed concern that because pathology received small gains under the bottom-up method, but a 10 percent reduction under the top-down, there are possible flaws in the top-down methodology.

A few of the above comments specifically recommended that we adopt a new bottom-up approach that is responsive to the BBA, the General Accounting Office (GAO), and the concerns of the medical community. Another organization commented that both top-down and bottom-up methodologies are inherently flawed, and that we should consider an entirely new payment algorithm using type of practice. One of the major primary care organizations concluded that the topdown methodology is only a reasonable starting point that will need to be improved during refinement in order to meet the original intent of improving practice-expense payments for undervalued primary care and other office-based services.

Response: As we stated in our proposed rule, BBA requires us to 'utilize, to the maximum extent practicable, generally accepted cost accounting principles which recognize all staff, equipment, supplies, and expenses, not just those which can be tied to specific procedures\*\*\*\* still believe that the top-down methodology is more responsive to this BBA requirement. By using aggregate specialty practice costs as the basis for establishing the practice expense pools, the top-down method recognizes all of a specialty's costs, not just those linked to specific procedures.

We also believe that the other reasons outlined in the proposed rule for preferring the top-down method are still valid. It answers many of the criticisms and questions from the medical community and the GAO regarding the bottom-up method's indirect practice expense allocation method, treatment of administrative costs, and use of caps and linking.

However, we agree that a possible weakness of the top-down approach is that it may perpetuate historical inequities in the current charge-based practice expense RVUs. More highly paid physicians would presumably have more revenues that could subsequently be spent on their practices. We believe

this issue should be discussed during the refinement process.

Comment: One major organization commented that we will need to develop an alternative method for new and revised codes that are not included in the SMS data because having multiple methods would lead to questionable validity.

Response: It will not be necessary to develop an alternate methodology for refinement of new and revised codes. Once direct inputs are assigned to the new and revised codes, allocation to these codes will follow the same methodology used for all other services. (See Section II.A.4, Refinement of Practice Expense RVUs.)

Comment: Two major primary care organizations expressed concern that we did not consult with the physician community about our intention to abandon, rather than refine, our originally proposed bottom-up approach, since they had assumed we would only be modifying our original methodology. They commented that this is of greater concern in light of BBA's requirement that we consult with physicians regarding our methodology and of GAO's recommendation that we refine, with no mention of replacing, the bottom-up method. One of the comments stated, that as the GAO found the bottom-up method acceptable, their society would like the GAO's assurance that the new method is sound.

Response: We believe we carried out the BBA requirement to consult with physician organizations. There were extensive consultations with physicians, including the validation panels, the cross specialty panel, and the indirect cost symposium. During the course of each of these meetings, physicians and others pointed out serious problems with the bottom-up methodology. We have had two multispecialty meetings this year to explain our proposed methodology and have also had numerous meetings and discussions with many specialty societies. During all these meetings we carefully listened to all points of view and to suggestions for developing the new proposal. Following this lengthy consultation process, we published our new proposal with a 90-day comment period. This provided further opportunities for all interested groups to review and comment on this proposal.

It is true that the GAO did not recommend that we totally replace our bottom-up approach. It is our understanding that the GAO was not asked to review alternative methods. In any case, their report did not recommend against adopting a new methodology. Their report did point out

several significant weaknesses in our original approach that we believed were better responded to by adopting a top-down methodology.

Comment: One organization urged that we publish the practice-expense RVUs three ways, using a top-down, a bottom-up, and a hybrid approach that uses SMS data for indirect costs and CPEP data for direct costs. The bottomup and hybrid approaches should reflect the recommendations previously received relating to scaling, linking, and the treatment of administrative costs. This could provide a basis for developing comments that compare the interim practice expense RVUs with those derived from a modified bottomup approach. The commenter stated that we should be open to considering arguments for a change in the interim practice expense RVUs based on a group's determination that the values under the bottom-up approach were more accurate.

Response: We believe that we proposed the methodology for developing resource-based practice expense RVUs that best responds to the requirements of the Social Security Act Amendments of 1994 and BBA. From a practical standpoint, it would be very difficult to deal with the inconsistencies between RVUs for various services that have been derived from totally different methodologies.

#### SMS Data

Comment: Almost all specialty society commenters, and many individual commenters, raised questions concerning shortcomings in the SMS data, though several commented that SMS is the most appropriate data source to use in developing specialty-specific practice expense RVUs. As we noted in the proposed rule, the AMA itself pointed out that the survey had not been designed to support the development of practice expense RVUs. The AMA also stated that the sample size, the response rate, and the fact that data was collected on the physician level, rather than the practice level, raised methodological issues. Many commenters echoed these concerns, and many raised what they saw as further general methodological

• MedPAC expressed concern about three types of potential errors in the SMS data: the sampling error and nonresponse error originally identified in our proposed rule and measurement error. Some of this measurement error could occur because the survey measures physician-level rather than practice-level costs, as noted above. In addition, there could be measurement error by using a self-reported survey if

no mechanism exists to verify the information provided.

MedPAC suggested that we could reduce these errors through additional data collection, perhaps implementing a subsample of SMS survey participants, through an analysis of nonresponse error that compares respondents with nonrespondents, through AMA's plans to do a practice-level survey every other year, and through considering methods, other than actual audits, to verify survey responses.

- Several of the smaller specialties, such as maxillofacial, pediatric, vascular and thoracic surgeons, cardiology and gynecology subspecialties, geriatricians, and pulmonologists expressed concern with the validity and reliability of SMS data for those specialty and subspecialty groups not adequately represented in the SMS survey. A commenter also stated that academic and hospital-based specialties, such as critical care and neonatology, were not appropriately represented. Many specialty societies requested that we consider practice expense data obtained by underrepresented specialty and subspecialty groups.
- Several nonphysician specialties, though supporting the use of SMS data, raised the need to modify the survey to include nonphysicians in the future. A commenter stated that, because nonphysicians were not represented in the SMS survey, we have been forced to make an educated guess about which specialties they most resemble. Another commenter pointed out that the SMS data contains no information about osteopathic physicians.
- Several specialties, regardless of their overall sample size, expressed concerns about the combining together of subspecialties with differing practice costs. For example, organizations representing cardiologists commented that it is not known how many in their sample were providing evaluation and management services, as opposed to performing equipment intensive procedures that have much higher costs. Two specialty societies representing nuclear physicians, along with several hundred individual commenters, objected to the small sample of this subspecialty, with its high costs related to the use of radiopharmaceuticals, being combined with radiologists into a single practice expense pool. The comments recommended that we increase nuclear medicine's practice expense RVUs by 20 percent.

Similarly, a vascular surgery organization objected to being combined with cardiothoracic surgeons, who made up 75 percent of the sample and whose practice style differs substantially from vascular surgeons. An organization representing pediatrics expressed concern that pediatric subspecialties were grouped together with their adult counterparts, such as gastroenterology. The AMA commented on this point that it plans refinements for future surveys to enhance the utility of the data.

- Several commenters noted that the survey consisted of physician-owned practices, despite the trend toward more physicians working as employees, resulting in a possible bias toward solo or small group practices. For example, one commenter stated that the majority of emergency room physicians now work as employees or under contract. Another commenter asserted that the majority of pediatricians list their status as "employed." The AMA commented, in this regard, that a key refinement to the SMS survey will be the development of a practice-level survey to complement the current process.
- One commenter questioned our assumption that physician respondents to SMS share practice expenses equally with all other physician owners in the practice, since there is no data to show that this is the prevalent method.
- An organization representing nurses commented that issues related to changes in acuity and case mix in ambulatory care are not being addressed, particularly as they pertain to the increased professionalization of clinical staff types. The organization argued that there is a need to incorporate into the survey process a clearer distinction between the types of clinical staff that are employed based on specialty practice.
- Concerns were raised by some commenters that the SMS data did not always include the actual costs of a given specialty. Several organizations representing radiologists, radiation oncologists, and cardiologists commented that the methodology employed by the SMS survey consistently underestimated the actual costs of equipment. Organizations representing emergency room physicians, supported by the comment from the AMA, argued that the significant costs of both stand-by time and uncompensated care are not reflected in the SMS data and that these costs need to be recognized.

A gastroenterology specialty society asserted that the SMS data grossly understated actual expenses when compared to its own study. Two commenters stated that costs for home visits, such as travel expenses and insurance, are not adequately represented in the data. One organization commented that the SMS

data fails to adequately incorporate resources, including billing, nursing time, and transportation costs for audiologists utilized in settings such as skilled nursing facilities.

One commenter stated that the added costs for compliance with federal initiatives, such as anti-fraud and abuse efforts and the new evaluation and management documentation guidelines, are not yet reflected in the SMS data. These costs should be recognized during the refinement process and included in future surveys.

 On the other hand, several commenters argued that costs were included in the SMS data that should be excluded because they are paid for separately from the physician fee schedule. One commenter pointed to separately reimbursable supplies and drugs, and another to the costs of taking physician staff into the hospital, as examples of costs included in SMS that could lead to a double payment by Medicare. A society representing vascular surgeons commented that the technical component of noninvasive vascular laboratory testing falls into this ''gray zone.'

 A national specialty society commented that the AMA analysis of the "zero" responses by specialty by cost categories (that is, those cost categories where respondents indicated there were no costs) shows that a significant percentage of pathologists' responses for direct cost categories are zero as compared to the "zero" response rates for all physicians. The comment requested that the SMS pathology data be cleared of all "zero" responses for all cost categories, not just for the total cost category, prior to the calculation of mean costs. For the purpose of calculating practice expense per hour for pathology, the society said, we should only use data from pathologists who incur a particular cost.

• There were a number of comments concerning the SMS data on the specialty-specific physician patient care hours, which is one of the variables used to compute the practice expense per hour for each specialty:

• Many specialty societies stated their concern that in the calculation of the specialty-specific practice expense per hour, specialties working the longest hours are disadvantaged. One commenter pointed out that practice expense is not uniformly distributed over the course of a given day; there are less costs when patient care takes place after, rather than during, office hours.

Another commenter argued that our approach assumes that all of the patient care hours in the SMS survey are reflected in our claims data. However,

the commenter stated, much time spent in patient care activities is not billable, such as the involvement of transplant surgeons in patient care after the initial assessments but prior to the actual transplants.

One specialty society stated that hospital-based physicians' hours of work are probably overstated, as they will include total time spent in the facility and not just hours of providing patient services. One commenter questioned both the accuracy of the SMS data on hours worked per week, as well as our assumption that the level of practice expense incurred increases proportionally with the hours spent in patient care. An organization stated that physician reports of number of hours are less reliable than the reports of costs and are prone to overstatement. For these reasons, five specialty societies recommended using a standardized work week, usually a 40-hour week, for all specialties.

• Many other specialty groups argued equally vehemently against any standardization of the patient care hours. One group commented that subjective adjustments to the SMS data, especially those which reallocate practice expenses among specialties, should be avoided. The comment added that suggestions that a standardized 40-hour work week be imposed on the data should be rejected because the proposal is driven by an arbitrary, subjective presumption that cross-specialty practice expense variations are "too large."

Ånother group argued that, as many physicians work more than a 40-hour week, such an adjustment would introduce additional error into the data and distort the relationship between different specialties' practice expenses per hour.

• Three organizations were concerned about the advantage given to specialties that use nonphysician practitioners who are not reimbursable. In such cases, the physician would incur practice expense costs, but the time of practitioners would not be included in the physician patient care hours in the denominator of the practice expense per hour calculation.

On the other hand, another commenter stated that we should not adjust the SMS data for midlevel practitioners, such as optometrists or audiologists, as physician practices employing midlevel practitioners are likely to be more complex than a physician-only operation.

• One specialty society commented that the demographics of the SMS survey are not clear, as there are no assurances that the sample is not biased

towards one particular area of the country and does not exclude some

Response: We believe that most of the above comments identified important areas for needed future improvement in our data collection efforts on aggregate specialty-specific practice expense. However, although the SMS survey was not initially intended to be used to develop practice expense RVUs, we believe it is the best available source of data on actual multispecialty practice costs that allows us to recognize all staff, equipment, supplies, and expenses, not just those that can be tied to specific procedures. Many specialties supported this.

For example, a specialty society commented, "As with any complex database, the AMA SMS database is not perfect. It is, however, the best available source of data for aggregate practice expenses." The Medical Group Management Association (MGMA) stated in its comment that, "The SMS survey data is the most appropriate and only primary data set in existence to determine specialty specific costs pools."

We also need to point out that many of the weaknesses in the SMS data could well be found in any other survey, whether undertaken by us, some other national group, or a medical specialty society. Problems with sample size and response rate have plagued other previous attempts to gather reliable data on practice expenses. Problems with measurement error may be a serious impediment for survey data that is collected with the purpose of influencing the level of a given specialty's practice expense pool. In fact, we believe one advantage of the current SMS data is that they were collected before the 1997 and 1998 proposed rules were published.

We recognize that some specialties are under-represented or not appropriately represented in the SMS data and some are not included at all. We also acknowledge that additional data may need to be obtained and some adjustments made. One of our most important tasks during the immediate refinement period will be to work with the AMA and the medical community to consider possible ways to improve the representativeness of the aggregate specialty-specific data so that sampling error is decreased. As part of the refinement, we will also need to develop strategies to eliminate as many sources of nonresponse and measurement error as possible. (For further information on our refinement efforts to improve the accuracy of our

data, see Section II.A.4, Refinement of Practice Expense RVUs.)

As indicated earlier, we believe an advantage of the SMS data we used is that it was collected prior to the proposed rule. In fact, it was collected prior to the original proposal in 1997 that was delayed by BBA and that would have resulted in large redistributions among specialties.

We are very concerned, though, about the potential biases that may exist in any subsequent survey data collected by the SMS process or other surveys. We especially believe there is a problem in using data collected and submitted to us by individual specialties. We believe it is more appropriate to use data collected at the same time by an independent surveyor for a wide variety of specialties that both gain and lose under the proposal.

Further, now that it is widely known how these survey data are being used, every specialty has an incentive to ensure that their data are as high as possible in future surveys. We agree with MedPAC that it may not be possible for Medicare to audit these data and that it is essential that alternatives be established by SMS and others. Perhaps specialty data that significantly changes in a future survey should be selectively audited by SMS through an independent auditor or other appropriate entity before being considered for use by us. We will consult with physician groups and others about this during the refinement

Comment: One national organization suggested the use of MGMA survey data either as a supplement or alternative to SMS in the future.

Response: We do not believe that the MGMA survey could currently be used as an alternative to SMS. As we noted in our proposed rule, due to selective sampling and low response rate, this survey is not representative of the population of physicians and cannot be used to derive code-specific RVUs. This view is based on consultations with MGMA representatives. However, we do believe that this survey data can be used as one way to validate the general accuracy of the SMS data. We have analyzed the MGMA data and have concluded that, in general, it supports the relative specialty-specific ranking of the practice expense per hour data derived from the SMS survey.

Comment: One specialty society recommended using median, instead of mean, values to calculate each specialty's practice expense per hour. This comment argued that the use of medians would eliminate outliers and is statistically more appropriate.

However, three other organizations specifically commented supporting our decision to use mean SMS data rather than median data. These comments asserted that, particularly with a small sample, use of the median would obscure any major differences in practice costs within a specialty.

Response: We will continue to calculate the practice expenses per hour by using the mean values for each specialty, at least for the purposes of this final rule. This is another issue that can be revisited during the refinement period.

Comment: Organizations representing emergency room physicians, as well as several hundred individual commenters, claimed that the SMS data seriously under-represented the true practice costs of emergency care. The commenters stated that the SMS data, as noted above, did not include costs of uncompensated care, much of it mandated under the Federal Emergency Medical Treatment and Active Labor Act (Public Law 99–272), nor stand-by expenses.

In addition, the comments argued, the SMS data failed to capture a representative cross-section of their types of practice arrangements; the SMS survey focused on physician owners, but the majority of emergency room physicians work as employees or under contract. Therefore, one commenter asserted, SMS did not include the largest single expense for most emergency physicians: the costs associated with employment by practice management firms, which can total between 30–40 percent of the physician's fee.

One of the specialty societies included with its comments the results of a study it commissioned, which showed that the mean practice expense per hour for emergency physicians was \$27.33, more than double the \$13 per hour based on SMS, even without including uncompensated care. If we are not willing at this time to substitute this survey data for that from the SMS, the organization recommended, with support from a comment from the AMA, that we crosswalk emergency medicine to the practice expense per hour for "All Physicians," which is \$67.50.

Response: Though many specialties must deal with the issue of uncompensated care, we do agree that it may pose a particular problem for emergency physicians, who are obligated under law to treat any patient regardless of the patient's ability or willingness to pay for treatment. Therefore, the amount of patient care hours spent on uncompensated care could be significantly higher for

emergency medicine than for any other specialty. These issues require further examination. In the meantime, we will make an adjustment in our calculation of the practice expense per hour for emergency medicine by using the "All Physicians" practice expense per hour to calculate the administrative labor and other expenses cost pool. We will continue to calculate the clinical labor, supply, equipment, and office cost pools using the SMS-derived data, as it seems unlikely that, as a hospital-based specialty, emergency medicine's costs for these categories would approximate those of the average physician.

Comment: Many commenters argued that the reductions published in the June 5, 1998, NPRM for services without work RVUs were inappropriate. The commenters represented a wide spectrum of specialties including radiology, radiation oncology, cardiology, independent physiological and other laboratories, psychology, audiology, dermatology, and others. These comments focused on the fact that AMA does not survey some of the entities that provide these services. They argued that the CPEP data are flawed and the indirect allocation methodology is biased.

Response: Although it is true that the AMA does not survey the entities that provide some of these services, this does not necessarily mean that these services are inadequately represented in the SMS data. If these services (or in the case of technical component services, the associated global services) are provided in the practices of physician owners surveyed by the SMS in the same proportion as they are reflected in our claims data, the practice expense per hour calculations and the practice expense pools are reasonable.

If the CPEP data accurately contain the direct cost inputs for these services, then the direct practice expense pool is being allocated appropriately. With regard to the indirect allocation methodology, we are modifying it to increase the weight of the direct costs in the allocation, as discussed elsewhere.

However, the possibility exists that inaccuracies in the CPEP data for these services are causing the substantial reductions seen in the NPRM.

Therefore, because we are not altering the CPEP at this time, as an interim solution until the CPEP data for these services have been validated, we have created a practice expense pool for all services without work RVUs regardless of the specialty that provides them. We allocated this practice expense pool to procedure codes using the current practice expense relative value units.

While we are not convinced by the comments that were received to date regarding a bias in the SMS survey data against these services, we acknowledge those concerns and will examine this issue during the refinement process.

Comment: The College of American Pathologists (CAP) requested that patient care time included in the SMS data that is spent in autopsies and supervision of technicians and paraprofessionals be excluded from the patient care hours used to calculate the practice expense per hour for pathology services. The commenter stated that these are Part A services for which pathologists rarely incur any direct costs. The AMA supported these adjustments and estimated the percentage of total pathology patient care hours attributable to autopsy and supervision services at 6 and 15 percent, respectively.

CAP also asked that some portion of the patient care hours category of "personally performing nonsurgical laboratory procedures including reports" be eliminated for 1999 when determining pathologists' total patient care hours, as the SMS data includes both Part A and Part B services. CAP stated that we should work with the CAP and the AMA to determine the

appropriate adjustment. Response: Since pathologists have more Part A reimbursement than any other specialty, we will decrease the number of patient care hours by 6 percent for autopsies and 15 percent for supervision services. However, until we have more information about the appropriate adjustment for "personally performing non-surgical laboratory procedures including reports," the hours for those services cannot be eliminated from our calculations. This point, as well as the general issue of nonbillable hours, should be revisited during refinement.

Comment: Many specialty societies have commented on specific problems with the SMS data that affect their own specialty and have requested that we supplement or replace the SMS data with data provided with their comments.

Response: There is not sufficient time before publication of the final rule to begin to validate either the methodology or findings of the submitted data. Since changes in any specialty's practice expense per hour would have an impact on other specialties, we do not believe it would be equitable to make any sweeping changes without the adequate review that the refinement process can achieve. In addition, we stated in our proposed rule that, for those larger specialties included in the SMS survey,

"we are unlikely to make any changes in the final rule\*\*\*\*" Therefore, we will continue to use the SMS-derived practice expense per hour for these specialties, but will ensure that all of the submitted data will be considered during the refinement process.

#### CPEP Data

Comment: Though one major specialty society commented that the CPEP data, in general, is relatively sound, many comments pointed out problems with the CPEP process and with the data derived from that process:

- One group commented that the CPEPs did not have adequate representation from practice managers; that there was no uniform policy dealing with issues such as duplication of time or efficiencies that might result from performing more than one task at a time; and that there was inadequate time allotted for CPEPs to meet.
- Several subspecialties pointed out that they were not included in the CPEP process and that this could have led to the undervaluing of their services.
- Several commenters recommended that we use the CPEP data as validated and refined by the validation panels.
- One organization commented that the CPEP data are flawed since only 200 codes were reviewed by validation panels.
- One primary care group argued that we should not abandon edits and modifications to raw CPEP data, as many codes are performed by more than one specialty, and inaccuracies in the CPEP data can affect several specialties.
- Two organizations commented that the CPEPs used what is now obsolete salary and benefits data, at least for sonographers and vascular technologists. One of these comments pointed out that for some codes, a different cost was computed for the same equipment. Another specialty society recommended that a review of prices and quantities for supplies and equipment be included as part of the refinement process.
- Two commenters were concerned that the CPEP data include expenses that can be billed separately. A primary care specialty society argued that we should edit out all direct inputs for services to hospital patients. The comment mentioned that since these services are paid for outside of the practice expense RVUs, failure to exclude these inputs can distort relativity across categories of services such as surgical services and office visits.
- One commenter clarified that the costs of therapy aides are a part of practice expense and should be

reflected in the CPEP data, while the services of therapy assistants are included in the work RVUs.

Response: We are aware that the raw CPEP data we have used in our proposed methodology need further review. We also share many of the concerns raised by those commenting on the issue. However, we believe that the CPEP resource estimates, which were developed by practitioners representing all the major specialties, are the best procedure level data available at this time.

Under our top-down methodology, the CPEP inputs are used solely to allocate each specialty's practice expense pool to the procedures performed by that specialty. We have always believed that the relative input estimates within families of codes for each specialty's CPEP data were generally appropriate. In addition, the most contentious CPEP values were the varying estimates for the administrative staff times, and these values are not utilized in our top-down approach.

We chose not to apply the edits, caps, or linking that had originally been proposed in our 1997 proposed rule as part of our bottom-up methodology. These edits had met with severe criticism from the medical community and were questioned by the GAO. We also did not use the revised inputs from the validation panels we held in October 1997, as these panels only came to consensus on about 200 codes, and we were not convinced that all of the revised values were correct. However, we know that there is much needed improvement in the CPEP data, and the identification and correction of any CPEP errors whether in staff times supplies, equipment, or pricing will be a major focus of our refinement process.

Comment: One specialty society commented that we erred in not incorporating increases in staff time recommended by validation panels. Partly as a result, the practice expense RVUs for gastroenterologists' out-of-office billing, scheduling, and record keeping are inadequate.

Another commenter stated that there were discrepancies in the administrative data for skilled nursing facility services, with subsequent visit codes being assigned only half of the billing time of initial visits. A third commenter requested that we standardize the administrative staff types according to the validation panels' recommendations. Three commenters stated that we do not account for the costs of maintaining an office full-time when the physician is providing services out of the office.

Response: As stated above, under our proposed methodology, CPEP administrative staff times have no effect on the practice expense RVUs calculated for any code. The costs of maintaining an office while the physician is providing services in a facility should be captured in the SMS cost data and, thus, are a part of each specialty's practice expense pool. As these would be indirect costs, they would be included in the practice expense for each service by use of our allocation methodology, which utilizes both directs costs and the physician work RVUs.

Comment: Almost 30 specialty societies submitted specific CPT codelevel changes for the CPEP input data for clinical and administrative labor time, supplies, and equipment for just under 3000 CPT codes. In addition, many commenters included lists of codes with practice expense RVUs that were considered anomalous, either within a code family, or in relation to comparable codes. We also received comments from several organizations with recommendations for revised crosswalks for those codes not valued by the CPEPs, as well as recommended in-office inputs for some codes that are now being done in the office, but were only given practice expense RVUs for the facility setting.

Response: We had intended to make the CPEP revisions requested by a given specialty as part of the final rule if the recommendations appeared reasonable and if there would be no significant impact on any other specialty. However, given the huge volume of recommended revisions—over a third of the codes in the fee schedule would be affected—acceptance of the recommended changes across the board would almost certainly have a spill-over impact on many subspecialties and between sites-of-service.

We believe it would be more responsible and fair to allow the medical specialties to participate collectively in the needed revisions as part of the refinement process. The deferral of the CPEP revisions is in no way a reflection on the effort and thought that the commenters obviously expended in arriving at their recommendations. All the code-specific comments referred to above will be considered at the start of the refinement period. (See Section II.A.4, Refinement of Practice Expense RVUs)

Comment: Many organizations, representing both surgical and primary care specialties, expressed concern that we averaged CPEP data for the same procedures valued by more than one

CPEP. Different rationales were offered for this concern:

- Averaging could have disturbed the relative rankings of codes within CPEPs.
- Straight averaging significantly overstated the costs of evaluation and management services.
- Averaging CPEP costs altered practice expense relationships within the evaluation and management family of services, particularly with respect to emergency department evaluation and management codes.
- The inclusion of estimates from those not performing the procedures, including nonphysicians, could have distorted the values for those services.

Likewise, different solutions were offered to answer the concerns:

- One specialty society recommended that we link the CPEP data rather than relying on straight averages.
- Two organizations recommended using frequency-weighted averages.
- Five groups recommended that the CPEP costs for redundant codes be based on the inputs from the dominant specialty's CPEP panel.

Response: As we are making no other changes in the CPEP data for this final rule, we will continue to use straight averaging for the redundant CPEP codes for the purposes of this final rule. This issue will be considered further during refinement.

Comment: Two commenters requested the inclusion in practice expense of the procedure-related supplies which are brought into a skilled nursing facility (SNF). One of these commenters made the same request for home visits.

Response: Home visits are to be paid using the non-facility RVUs. Therefore, any supplies that would be used are already included in the payment. As for the SNF setting, this is an issue for refinement. We would need more information about the supplies and why the SNF is not responsible for providing them.

Comment: The American College of Surgeons sent a list of new crosswalked codes where CPEP data had inadvertently been duplicated in our database.

*Response:* We thank the commenter for pointing out this discrepancy, and these duplications have been deleted.

## **Physician Time**

Comment: One major specialty society recommended that efforts be undertaken to move toward greater consistency in physician time data. The commenter was concerned that since these data are derived from eight different sources using different methodologies, our inflation of the Harvard time data raises even more concern about consistency.

Three major organizations, two representing primary care and the other a surgical specialty, recommended that we use the unadjusted Harvard and RUC survey data. One reason given was the implication for the work RVUs of any proposed revisions to the time data. The RUC commented that, while the RUC physician time data may be greater than Harvard time data for the same codes, it may be incorrect to assume that all Harvard time data should be increased. The RUC and several other organizations requested that we provide a description of the methodology we used to make adjustments to the data in both the RUC and Harvard physician time databases so they can comment on the validity of the changes.

Response: The physician time data used for the development of the practice expense pools are based on the Harvard resource-based RVUs study and RUC survey data that were developed as part of the refinement of the work RVUs. Both sets of data were based on physician surveys. However, the RUC data, gathered in the process of refining the work values of many CPT codes, are more current and, on average, exceeded the original Harvard values by 25 percent. As a matter of consistency and fairness to those services not yet refined by the RUC, we increased the Harvard time data in proportion to the increases for related services. A detailed description of the methodology we employed to make all adjustments in physician time will be placed on the HČFA Homepage.

We still believe this adjustment is appropriate and we will continue to use the adjusted values in our calculations for this final rule. However, as the time values attributed to each procedure play an important role in the determination of each specialty's practice expense pool, we believe that ensuring the increased accuracy and consistency of physician time data should be addressed as part of the refinement of the practice expense RVUs.

Comment: Three surgical specialty societies commented that evaluation and management times have been artificially inflated due to rounding. A small increase in time would disproportionately inflate high volume procedures that take little time.

Response: In our proposed rule, we expressed concern that imprecision in the time estimates for any high volume services that have relatively little time associated with them may potentially bias the practice expense methodology in favor of the specialties that perform these services. We stated at that time that this issue should be examined as

part of the refinement of the resourcebased practice expense RVUs.

*Comment:* There were several other comments regarding the accuracy of the physician time data:

• The RUC acknowledged that some of the RUC physician time data may not

be absolutely precise.

• One specialty society, as well as the AMA, pointed out that there are some problems with the accuracy of the physician time data for psychotherapy services. For example, the times assigned to psychotherapy codes that include evaluation and management services are equal to and, in some cases, less than the psychotherapy codes that do not include these services.

 One commenter stated that the physician time data, as computed in the Harvard studies, are not current and are likely to be inappropriate for use in computing practice expense RVUs.

• The American College of Surgeons commented that physician time for pediatric surgery codes is based on erroneously low physician time data from the original Harvard study, rather than the time data from the special study of pediatric services performed by the same Harvard study team for the American Pediatric Surgical Association in 1992. The latter data were used as the basis for the work RVUs assigned to 48 pediatric surgical services.

• A surgical specialty society commented that the physician time does not compensate its members for longer hours and cited examples of nonbillable time, such as standby time for cardiac catheterization and supervision of residents and interns. The society suggested that this be considered during

refinement.

• One commenter stated that travel time for home visits is not included in either the work or practice expense RVUs. The commenter suggested that travel time for house calls should be equal to the work equivalent of the lowest office service times 3, for an average of 15 minutes. Further, a modifier should be used to cover instances where travel exceeds the average.

 The American Society of Transplant Surgeons identified physician times for several services that it believes are inaccurate and recommended adjusted

times for these services.

Response: As stated above, we will ensure that all identified anomalies and inaccuracies in the physician time data are considered as part of the refinement process.

Comment: The American College of Radiology commented that for our topdown approach we had used a level three office visit (99213) as a benchmark for estimating physician time for radiology codes. They suggested that it would be more appropriate to use the intravenous pyelography procedure (CPT 74400) instead of the office visit used in our methodology.

Response: Although we agree that 99213 may be an inappropriate benchmark since it is not often performed by radiologists, we are not convinced that the average work per unit time of codes on the radiology fee schedule is equivalent to CPT 74400. Instead, we are using the weighted average work per unit time for CPT 71010 and 71020 as the benchmark. These two services represent over approximately one-third of the total allowed services in the radiology fee schedule, while CPT 74400 represents less than two-tenths of one percent. We will work with the medical community to develop time estimates for radiology procedures that will make the imputation of time from the work estimates unnecessary.

Comments: The American
Occupational Therapy Association
commented that the practice expense
pool for occupational therapy codes was
understated because the time values of
15 minutes that we arbitrarily assigned
were too low. They included a list of
time values we should use for each

code.

The American Hospital Association also objected to the reductions in times for outpatient rehabilitation codes and urged the use of the actual surveyed times for all procedure codes in the range 97001 through 97770.

Response: We believe that the time of 15 minutes we assigned to these codes is appropriate and does not lead to an underestimation of the practice expense pool for outpatient rehabilitation services. The outpatient rehabilitation codes in this range are timed codes and are billed in 15 minute increments. Also, we have been told by some physical therapy associations that at times, some of the 15 minute period time may be performed by therapy aides or assistants. (Note: We plan to review this issue during a future five-year review of work RVUs.) Finally, it is common for these timed codes to be billed in multiple units during one therapy session. Thus, any therapist's work prior to or after the visit is spread across more than one unit, rather than applied to each unit.

## Crosswalk Issues

Comment: The American Academy of Maxillofacial Prosthetics (AAMP) and the American College of Prosthodontists commented that crosswalking is not valid for maxillofacial prosthetic codes since this specialty does not correspond to any other medical specialty included in the SMS data and its practice expense values are much higher than other medical specialties in the SMS survey. AAMP submitted several studies from its own organization and from the American Dental Association, as well as two studies published in professional journals that report the results of polls of prosthodontic practitioners, including information on overhead expenses. The AAMP recommended that this data be used to calculate its practice expense per hour.

Response: We agree that maxillofacial prosthetics does not correspond closely with any other medical specialty. It also is not a separately-identified specialty in either the SMS survey or the Medicare claims database.

Though the AAMP submitted survey data compiled by both its own organization and the American Dental Association, the format, definitions, and methodology of these surveys were not consistent with those of the SMS survey. For example, the 1993 AAMP survey did not survey practice expense, but rather the "percent overhead of gross collections for 1992." The American Dental Association surveys counted dentist shareholder and employee dentist income as practice expense in many tabulations.

Because of these methodological differences from the SMS data, we are not able at this time to use the information in the submitted surveys to calculate a comparable practice expense per hour for maxillofacial prosthetics.

For this final rule we will create a practice expense pool for the maxillofacial prosthetic codes (CPT 21076 through 21087) and crosswalk this pool to the practice expense per hour for "All Physicians." We had imputed physician times for these services in our proposed rule. However, we are now using the physician times utilized in calculating the work RVUs for the same services. In addition, until the CPEP data for these codes can be validated, we will allocate the practice expense pool to the specific services using the current RVUs. We hope to work with the specialty society as part of the refinement process in order to develop a reliable method of deriving accurate practice expense RVUs for maxillofacial prosthetics.

Comment: The American Optometric Association (AOA) disagreed with our crosswalk of optometry to the average practice expense per hour for "All Physicians," that results in a practice expense per hour of \$67.50. The commenter stated that AOA understands that the crosswalk decision

was based, at least in part, on the 1997 survey conducted by AOA which had been provided to us. This survey has been conducted regularly since 1990 and was included with the comment, along with a study commissioned by the AOA entitled "Results of the First National Census of Optometrists." Using data from this survey and study, AOA computed an \$89.53 practice expense per hour for optometry, significantly higher than the average for "All Physicians."

Response: As in the above request, the data submitted by AOA are not easily comparable to the SMS data. For example, the AOA calculation used medians rather than means, and retirement and fringe benefits were not counted as median net income, but rather as practice expense. It is therefore not possible, without further information, consultation, and analysis, for us to calculate a practice expense per hour that would be comparable with that of other specialties. During the refinement period we will be working with specialties not represented in the SMS survey to identify the data needed to enable us to determine accurate practice expense RVUs for their services.

Comment: Although generally supporting the crosswalk to General Internal Medicine, the American Chiropractic Association (ACA) submitted data from the 1997 survey results of ACA's biannual survey of the chiropractic profession. This survey shows considerably lower direct patient care hours than SMS shows for General Internists. Therefore, the ACA requested that we use its data to calculate the practice expense per hour for Doctors of Chiropractic, stating that we should accept specialty societies' data over SMS data if they were collected in a comparable manner.

*Response:* The survey submitted by the commenter indicated that the patient care hours worked by chiropractors are significantly lower than those of general internists to whom chiropractors' practice expense per hour is crosswalked. However, the hours of direct patient care a week shown in the survey were defined more narrowly than in the SMS data. For example, the 29 hours of patient care a week calculated in the submitted survey did not include the hours spent for documentation, administration, and billing, activities that we have considered to be included in the direct patient care hours for other specialties. In addition, there are insufficient details in the survey for us to determine its comparability to the SMS data and we will maintain the crosswalk for

chiropractors for this final rule. We do intend, however, to revisit this issue during the refinement process.

Comment: The American Podiatric Medical Association, Inc. (APMA) objected to its crosswalk to general surgery because it believes that there is little similarity between the two specialties based on site-of-service and types of services provided. General surgery services are typically performed in the facility setting, while the high volume podiatry services are almost entirely done in the office. In addition, the comment stated that podiatrists work fewer hours than general surgeons.

The comment also included the results from APMA's 1996 and 1998 surveys of podiatric practice, as well copies of the surveys themselves. According to the comment, these surveys show that the actual practice expense per hour for podiatry is \$91.50 and APMA recommends that we use this data in place of our proposed crosswalk.

The American Academy of Orthopaedic Surgeons also disagreed with the crosswalk for podiatry, but recommended that podiatry be crosswalked to orthopaedic surgery in the short run, as 70 percent of the codes billed by podiatrists are those that are shared with orthopaedic surgery.

Response: Because of significant methodological differences between the submitted surveys and the SMS data (for example, only gross and net incomes are surveyed) we are not able at this time to calculate a practice expense per hour in total, let alone for each of the different cost pools.

However, we are persuaded that the crosswalk to general surgery is not appropriate for the reasons cited in the comment, and we are changing the crosswalk to "All Physicians." We will be working with all specialties not represented in the SMS data to ensure that we obtain comparable information to calculate their practice expenses per hour.

Comment: The Joint Council of Allergy, Asthma, and Immunology stated that, in calculating the allergists' practice expense per hour, we reduced the supply category practice expense per hour to that of "All Physicians," because we believed that we made a separate payment for the drugs used. However, this is not true for immunotherapy drugs provided by allergists, as the cost of these drugs is included in the practice expense RVUs. Therefore an adjustment needs to be made.

*Response:* The commenter is correct and the adjustment has been made to

the medical supplies practice expense per hour.

Comment: The American Society of Clinical Oncology commented that since the SMS supply cost data for chemotherapy codes included the costs of expensive chemotherapy drugs, which are paid for separately, we used the lower supply costs for "All Physicians" for their supply cost pool. The commenter argued that this fails to recognize that, in addition to the cost of the drugs, chemotherapy administration has extra supply costs in excess of that for "All Physicians." Also, although chemotherapy drugs are generally among the costliest drugs, the cost of drugs was probably included in other specialties' supply costs as well, and all specialties should be treated in the same manner.

The Association of Community
Cancer Centers, the Society of
Gynecologic Oncologists, and the
American Society of Hematology also
disagreed with our adjustment for drug
costs, as did the AMA, which called our
method of correcting for the double
counting of drugs inequitable and
imprecise. The American Society of
Hematology recommended increasing
the supply per hour costs to 125 percent
of the "All Physicians" level.

Response: It is true that other specialties may have some drug costs included in their SMS supply cost data, but we believe that the total costs for chemotherapy drugs are far greater than are the drug costs included for any other specialty. Failure to make an adjustment for these high drug costs would lead to a gross distortion in the supply cost pool for oncology.

We also are not convinced that the other supply costs for oncologists would necessarily exceed that of "All Physicians," and we will continue to crosswalk oncology's supply costs to that category's practice expense per hour. We do agree that during refinement we need to consider development of a methodology for removing separately billable supplies and services from the SMS data so that the Medicare program avoids making duplicate payments. We also will work with the oncology specialty to ensure that their practice expense per hour for the supply category adequately reflects the actual costs of other oncology

Comment: The American Association of Oral and Maxillofacial Surgeons objected to the crosswalk of oral surgery and maxillofacial surgery to the practice expense per hour of "All Physicians." They recommended a crosswalk to either otolaryngology or plastic surgery, as most of the medical procedures billed

by oral and maxillofacial surgeons can be crosswalked to these two specialties. The commenter argued that because of their significantly higher practice expenses, oral and maxillofacial surgery should not be in the same practice expense pool as manipulative therapists and optometrists, as this dilutes the practice expenses for these surgical services. In addition, the 1996 Harvard Study grouped oral and maxillofacial surgery under otolaryngology and plastic surgery.

Response: We do not currently have sufficient data to make such a change in our crosswalk. This is an issue that can be addressed during the refinement

period.

Comment: The American College of Cardiology and the American Society of Echocardiography disagreed with the crosswalk of Independent Physiologic Laboratories (IPLs) to "All Physicians." The comment recommended that IPLs' practice expense per hour be crosswalked to cardiologists, as 60 percent of IPL billings are in the 93000 series and for the 13 highest volume IPL codes, cardiologists account for 40 percent of claims. The Society of Vascular Technology/Society of Diagnostic Medical Sonographers also expressed concern that our crosswalk of IPLs did not adequately recognize their costs and recommended that we use the figure of \$176 per hour based on the studies cited in the comment.

Response: As discussed above, we will be creating a separate practice expense pool for all services without physician work, which will include those technical component services done by IPLs and by cardiologists.

Comment: The Society of Gynecologic Oncologists requested that we consider using multiple crosswalks to determine practice expense per hour for specialties that provide interdisciplinary care. The comment stated that the true reflection of practice expense per hour for a gynecologic oncologist is a hybrid of the practice expense per hour for the specialties of obstetrics and gynecology and oncology.

Response: It is not clear whether this is desirable or what data would be used to weight such a split between more than one specialty. Many physicians belong to more than one specialty or subspecialty. This is another issue that can be discussed during the refinement period.

Comment: The American Geriatrics Society disagreed with our crosswalk of geriatrics to the General Internal Medicine practice expense per hour. The comment stated that geriatricians typically have higher costs than internists because of the need for more

office space and more health care professionals on staff. Since many geriatricians are family physicians, geriatrics should be cross-walked to family practice.

Response: We believe that geriatricians are typically more like internists than family practitioners, so for the final rule we will not change the crosswalk. However, we are open to receiving data that would demonstrate that a crosswalk to family practice would be more appropriate.

However, we would note that geriatrics is a relatively small specialty and the services performed by them are frequently done by other specialties. Thus, changes in the practice expense per hour data for geriatricians would not likely have a significant impact on the RVUs for services they perform.

Comment: One commenter made recommendations for revisions or additions to our proposed crosswalks for several nursing subspecialties. Another specialty society commented that under the physician fee schedule we have chosen to pay nonphysician practitioners a percentage of the physician reimbursement, and crosswalking to specialties with higher practice expense per hour rates than general internal medicine or general surgery is not logical or reasonable. Another organization also recommended that data from nurse practitioners and physician assistants be excluded from the practice expense pool calculations.

Response: We will further consider appropriate crosswalks for nursing subspecialties during the refinement period.

Comment: The American Hospital Association and the American Occupational Therapy Association recommended that we crosswalk all of the practice expense pools for outpatient rehabilitation services to the "All Physicians" practice expense category, rather than using the salary equivalency guidelines for the administrative, office, and other pool.

Response: We believe that using the "All Physicians" practice expense per hour for the administrative, office, and other pool would considerably overstate the actual practice expense for occupational therapy. We have carefully examined outpatient therapy practice costs for the development of the salary equivalency guidelines, and believe that these better approximate the actual expenses for this cost pool. We will continue to use the salary equivalency guidelines to calculate this portion of the practice expense pool for occupational therapy for this final rule.

Comment: The American Speech-Language Hearing Association commented that it is not appropriate to use the practice expense per hour data from physicians that perform audiology tests and it submitted a 1993 survey, "Audiology Services—Scale of Relative Work," as part of its comments.

Response: As we stated above, we are creating a single practice expense pool for all services, such as audiology, that have no work RVUs. This practice expense pool, created by using the average clinical staff time per procedure from the CPEP data and the "All Physicians" practice expense per hour, raises practice expense RVUs for audiology services relative to those previously proposed. However, during the refinement process we will be considering all data submitted on any of these services, including the study submitted with the above comment.

Calculation of Practice Expense Pools— Other Issues

Comment: Several organizations commented on potential problems with the Medicare claims data, which are used as one component of the specialty-specific practice expense pool calculation.

 Many commenters were concerned about reliance on Medicare claims data to determine the size of each specialty's practice expense pool. The comments claimed that to the extent that the Medicare population is not representative of the general population, there is a bias against specialties whose patient population does not match Medicare's. Several organizations, representing the gamut of medical specialties, urged us to work during the refinement period with organizations for whom we have no, or inadequate, historical claims utilization information and to acquire nationally representative claims data that include Medicare, Medicaid, and private payer data.

One of these commenters recommended that, if this is not feasible, we should conduct sensitivity analyses to explore the influence Medicare service utilization patterns may have on private payers. The specialty-specific utilization data are crucial for the final step of volume-weighted averaging that brings the individual specialty scales onto one scale, particularly when involving services performed very frequently by specialties that see relatively few Medicare patients.

For example, the comment argued, to the extent that the cost estimates for evaluation and management (E&M) services provided by obstetricians and gynecologists and pediatricians differ significantly from those of specialties that account for the bulk of E&M services provided to Medicare patients, the use of an all-payer claims database would probably yield different RVUs for E&M services.

• Several surgical specialties urged that we clean the Medicare claims data to eliminate obvious errors, such as data showing a sometimes significant number of nonsurgeons or physician assistants performing complex surgeries that can only be performed by surgical specialties. This misreporting can decrease a specialty's practice expense pool and should either be reassigned or excluded during refinement.

One of the commenters recommended that Medicare claims data be reviewed for the existence of a second listed surgical specialty identifier. In addition, physician assistants' claims should use the -AS modifier, and calculations should use only the time that is assigned to the intraoperative period.

- Three specialty organizations commented that many physicians' self-designated specialties are incorrectly classified in our claims data. For example, many cardiologists and geriatricians may bill as internists, which may affect the respective practice expense pools. Until these data become more accurate, one of the commenters recommended that the specialty practice expense pools be recalculated on an annual basis.
- An organization representing transplant surgeons commented that, as transplant surgery is not a designated specialty in the Medicare claims database, many transplant surgeons designate themselves as general surgeons, who have the lowest practice expense per hour of any surgical specialty. The comment argued that this has led to a significant underestimation of the costs associated with transplant surgery.

Response: We would be interested in receiving any reliable national utilization data on the procedure code level though, to date, we are not aware of the existence of such a data source. We plan during the refinement period to work with the medical community in order to pinpoint problems in the Medicare claims data, to develop strategies to improve their accuracy, and, if possible, to find reliable supplemental data for those specialties not appropriately represented in the Medicare database.

Comment: One organization commented that the Medicare frequency numbers for occupational therapy codes will be understated because BBA requires that all outpatient therapy services be paid under the Medicare Physician Fee Schedule beginning January 1, 1999.

Response: We disagree. We have not included estimates for frequencies of expected services of outpatient therapy services in computing the practice expense RVUs. BBA specified that we pay for these services using the physician fee schedule. BBA did not incorporate these services into the fee schedule.

Comment: Many organizations representing radiation oncology, as well as numerous individual commenters, argued that we erroneously combined the SMS radiation oncology survey data with that of radiology. The commenters argued that these two specialties should be dealt with separately, as radiation oncology utilizes different codes and has considerably higher costs than radiology.

Response: We had combined radiation oncology and radiology together into one practice expense pool because of the small sample of radiation oncologists in the SMS data. However, we now agree with the commenters that these are two different specialties with differing practice costs. Therefore, we have separated them into two separate practice expense cost pools in order to calculate the practice expense per hour for each of the specialties. For radiology, excluding radiation oncology, the total practice expense per hour is \$55.90. This is comprised of \$17.90 for nonphysician payroll per hour (\$9.70 for clerical payroll), \$12.80 for office expense, \$4.50 for supply expenses, \$7.70 for equipment expense, and \$12.90 for other expenses. For radiation oncology, the total practice expense per hour is \$68.30. This is comprised of \$23.70 for nonphysician payroll per hour (\$9.20 for clerical payroll), \$11.30 for office expense, \$6.20 for supplies expense, \$11.00 for equipment expense, and \$16.20 for other expenses.

Allocation of Practice Expense Pools to Codes

Comment: Several organizations commented on our use of work RVUs as part of the allocation formula for indirect practice expense costs:

• A primary care specialty group stated that we should not allocate the indirect practice expenses using the work RVUs, since there is no reason to believe that the costs of providing the service, such as the cost of utilities, would vary by the intensity, where the costs would vary by time. We should, therefore, use time rather than work in our indirect allocation.

Another primary care organization commented that using work as one allocator for indirect expenses inappropriately gives surgical procedures with higher work RVUs substantially higher administrative costs for billing activities than is given to evaluation and management services. We should develop a standardized method to address administrative staff costs.

- Five other organizations argued that allocating indirect costs based on a combination of direct costs and physician work RVUs is inappropriate and treats unfairly chemotherapy and radiation oncology services as well as other technical component services, since they typically are assigned no work RVUs. Various recommendations were made by these commenters to rectify what they see as discrimination against these technical component services:
- + Indirect costs should be based on direct costs.
- + Physician time or clinical staff time should be used instead of work.
- + We could allocate 50 percent of the indirect costs based on direct costs and 50 percent based on physician work or time.
- + As an alternative for chemotherapy services, work could be imputed by using the work to time ratio for other hematology or evaluation and management services.

One commenter recommended that we vary the indirect cost allocation methodology in recognition of the practice patterns of particular specialties.

 One accounting organization commented that the use of work REUS is arbitrary and argued for the use of total dollars actually spent to perform the procedures, not indirect splits, suggesting the use of Activity Based Costing as a preferable methodology.

Response: In this final rule, we will use an allocation method for the final rule that is basically similar to our proposed allocation method. It is widely recognized by accountants and others that there is no single best method of allocating indirect expenses to individual services. If we used physician time as an allocator of indirect expenses, we would be using the same values, whose accuracy have already been questioned by some commenters, both to create the practice expense pools and to allocate these pools to individual services. If we used only direct costs, we would be giving full weight to CPEP values that have not yet been refined. We agree that the use of physician work as an allocator is not preferable in the long term. It likely provides maximum advantage to hospital-based services in which the

physician incurs relatively few direct

For this final rule, we are making a technical change to the allocation method for indirect costs by using direct costs and the work REUS scaled using the Medicare conversion factor instead of a factor calculated using the physician time data. Because of questions raised by commenters concerning the time data adjustments, we believe that it is more appropriate to convert the work REUS into dollars using the Medicare conversion factor (expressed in 1995 dollars, consistent with the AMA SMS survey data). This will give somewhat less weight to work while, at the same time, avoiding a major methodological change until it has been examined further. We intend to work with the medical community during refinement so that we ensure that our allocation methodology is both appropriate and equitable.

Comment: Many major specialty societies, both primary care and surgical, commented that we should not apply a different methodology for allocating the practice expense pools to the radiology codes than we do to all other codes. One commenter argued that multiplying the current charge-based practice expense RVUs for radiology codes by some percentage cannot yield

a resource-based system. Organizations representing urologists, pulmonologists, cardiologists, and ophthalmologists commented that the uniform reductions made in the radiology codes to maintain relative values assumed that all radiology services are done only by radiologists, when many of these procedures are performed by these other specialties. A commenter stated that decisions regarding the practice expense values for radiology codes done predominantly by other specialists should not be made by one specialty. These organizations recommended that the practice expense RVUs for their codes be established using the allocation methodology used for all other services.

One specialty society, representing diagnostic vascular testing, commented that the use of the existing radiology relatives to allocate practice expense to the code level results in significantly larger decreases in the technical component than in the professional component of their services. The commenter recommended that if we continue to use the radiology relatives, then we should reduce the professional components of the codes more than the technical components because practice expenses are greater for the technical component than for the professional component.

The AMA supported the use of the radiology relative values for actual radiology services, but recommended that this methodology should be applied only to services that are performed predominantly by radiologists.

The American College of Radiology endorsed the radiology relativity of the radiology RVUs without exception, and they would oppose the exclusion of individual radiology procedures since this is inconsistent with the concept of radiology relative values. They argued that maintaining the relativity of the radiology fee schedule—

 Is consistent with generally accepted accounting principles because it is based on surveys and physician panels;

· Is widely accepted;

 Solves rank order anomalies caused by raw CPEP data;

- Simplifies the derivation of the professional component, technical component, and global practice expense RVUs:
- Is mandated by law, as the Omnibus Budget Reconciliation Act of 1989 stated that for radiology services "the Secretary shall base the relative values on the relative values developed under section 1395m(b)(1)(A)\*\*\*\*"; and
- They also argue that we have recognized and honored the statutory obligation to maintain the relationships in the radiology relative value scale.

Another national organization representing diagnostic imaging services also suggested keeping the radiology fee schedule as the allocator for radiology, rather than the direct costs from the CPEP data, as there would be even greater reductions on codes we allocated using the CPEP relatives.

*Response:* Because the majority of specialties that perform radiology services object to the use of the current practice expense RVUs for radiology services, we cannot continue to use these RVUs. However, since we are not making changes to the CPEP data for this final rule and since the American College of Radiology has not had sufficient opportunity to comment on the CPEP data because of our proposed use of the current radiology RVUs, we are using the current radiology RVUs to allocate the direct cost pools of the specialty radiology until such time as the CPEP data for radiology services have been validated. We will not use the current radiology RVUs for any other specialty

It should be noted that radiology services or components of radiology services that lack work RVUs are handled as described in the section on services without work RVUs. This alters the impact of using the current

radiology RVUs for the specialty radiology since we set the global portion of a radiology service equal to the sum of the technical and professional components.

Comment: One specialty society commented that, for one important high volume pathology service, the proposed total professional component practice expense RVU payment would be \$11.37, approximately \$2 short of the administrative labor costs alone. The commenter wanted more information on how our method splits administrative costs between the professional and technical components. The commenter requested that we provide a data set of the RVUs for administrative labor, office expenses, and other expenses that result from our allocation method, with a break-out of the professional and technical component RVUs for services that have both components, so that the appropriateness of the allocation method can be evaluated.

Response: Our methodology was described in the proposal, and we also provided additional detailed data files that we used to develop the proposed values. We will try to make additional data available if the request is further specified.

Comment: The American College of Cardiology expressed concern that, though it might be necessary to weight average the allocation to codes according to the practice expense per hour of the different specialties performing the service, this defeats the intent of Congress to recognize actual costs and could also lead to negative incentives. The commenter suggested that this is an issue that we and the specialties should pursue.

The American Society of Echocardiography more specifically commented that we should not include in the calculations for cardiovascular diagnostic tests the even more unrepresentative data for internists coding for these procedures. The society maintained that because of the low equipment costs for internists, this blend dilutes the RVUs allocated to these codes.

Response: The statute is very specific that Medicare is not to pay specialty differentials. Therefore, weight averaging of the CPEP inputs among specialties that do a service seems appropriate.

## Other Issues

Comment: Many commenters, representing a broad spectrum of specialties, expressed concern that reductions in payment for specific services could have a negative impact on access to care. Many of these

commenters recommended that we monitor access and quality of care issues that may arise as a result of the implementation of a resource-based practice expense system.

Response: Maintaining access to high quality health care for Medicare beneficiaries is, and will continue to be, a high priority, and we will monitor available relevant data. However, we do not anticipate that the implementation of resource-based practice expense RVUs should lead to any major impediments to access to care. Any impacts of this new system are being transitioned in over a 4-year period, during which we will be refining both the practice expense per hour data and the direct cost inputs. We will be working closely with the medical community during this refinement period, and we are confident that we will achieve a resource-based practice expense system that will maintain our beneficiaries' access to the best possible medical care.

Comment: One commenter was concerned about how the monthly capitated payment for end-stage renal disease (ESRD) services was handled under the top-down approach. The commenter argued that, though the "building block" process used for the work RVUs for these services does not translate perfectly for practice expense values, this approach should still be utilized to calculate the practice expense RVUs. In addition, the commenter questioned our choice of CPT 99213, a mid-level office visit, to calculate physician time for ESRD services.

Response: We allocated the practice expense pool to ESRD services using the CPEP inputs, as we did for almost all other services. We also believe that the intensity of an average evaluation and management service provides a reasonable estimate of physician time. These issues can be further analyzed during refinement.

Comment: Two commenters noted that costs associated with the supervision of diagnostic tests were not included in the technical component amounts.

Response: In separate carrier manual instructions, we are revising the level of physician supervision required for many diagnostic services. For example, we are changing the requirements for most ultrasound procedures from personal or direct supervision to general supervision. We believe the required supervision for any remaining services that are at the personal supervision level are generally already reflected in the work RVUs. Therefore, we do not

believe that there are additional costs for physician supervision.

Comment: One commenter indicated that there will be a marked increase in the volume of services paid under the physician fee schedule as a result of BBA changes in payment for outpatient therapy services. The commenter maintained that this increase should not adversely affect future budget neutrality adjustments.

Response: Although payment for these outpatient therapy services are based on payment amounts contained in the physician fee schedule, these services are not included as part of the fee schedule pool for budget neutrality calculations.

Comment: One commenter argued that the budget neutrality adjustment is inappropriately applied because it does not recognize the savings provided by the elimination of the facility payments for endoscopic procedures that will move to the office setting.

Response: The statute specifies that there shall be budget neutrality for physician fee schedule services. The budget neutrality adjustment does not take into account payments to facilities.

Comment: Two commenters suggested that any fiscal adjustments made to comply with BBA should be reflected in the conversion factor, or other ratio, rather than be included in the calculation of the practice expense RVUs, so that other payer reimbursement would not be affected.

Response: We do not completely understand these comments, but we believe the request is consistent with our practice of making budget-neutrality adjustments on the conversion factor.

Comment: Several commenters requested additional impact analyses such as—

- Comparison of actual practice expense by specialty with expected practice expense payments, both by amount and by percent, for both our proposed practice expense payments and the current fee schedule practice expense RVUs;
- Comparison of impacts by geographic area, including rural and urban impacts;
- Analysis of impacts on hospital, academic, and community-based physicians;
- Analysis of total Medicare and non-Medicare impact using national claims case mix data; and
- An analysis that would demonstrate to other payers the degree to which our proposed payment rates are less than actual practice costs.

Response: We lack the data to provide some of the requested analyses. For example, we do not have national

claims case mix data and are unaware of the existence of such data. With regard to rural and urban impacts, in the June 5, 1998 proposed rule we discussed the limitations of such analyses given the structure of the Medicare payment localities. We are unsure what the commenters are specifically requesting on the issue of actual costs since we have based the resource-based practice expense RVUs on the best available source of multispecialty actual cost data: the SMS survey. Cost analyses at the individual practice level are problematic since, for example, we do not have physician cost reports, but we are open to concrete suggestions on how to perform such analyses. We also note that the Medicare public use files are an excellent source of data for commenters who wish to perform additional analyses that they believe are possible with the data sources available to us.

Comment: One commenter requested that we make clear to Medicare contractors that hospital-based pathologists who incur technical component costs for nonhospital patients can be paid for both the technical and professional components.

Response: This is a long-standing policy, and we are not aware of any general problems in this regard. However, we would be willing to discuss the issue with individual carriers if the commenter provides more specific information.

Comment: One commenter recommended that we recalibrate the allocation of RVUs to the pools for physician work, practice expense and malpractice, as this allocation has remained constant since the resource-based relative value scale was implemented in 1992.

Response: We are recalibrating the allocation this year to match the Medicare Economic Index (MEI) weights. For example, work goes from 54.2 percent of the total to 54.5 percent, the practice expense portion goes from 41.0 percent to 42.3 percent, and the malpractice portion goes from 4.8 percent to 3.2 percent. (See Section II.D, "Rebasing and Revising the Medicare Economic Index.") In order to prevent the work RVUs from changing as a result of this, we are altering only the practice expense and malpractice RVUs. The changes to the practice expense and malpractice RVUs due to this are offset by an adjustment to the conversion factor.

Comment: One commenter recommended that we should limit the magnitude of the changes in physician payments resulting from the shift to resource-based payment for practice

expenses by imposing some reasonable limit on payment increases and decreases for individual services. The commenter maintains that section 1848(c)(4) of the Act, which authorizes the Secretary of Health and Human Services to, "establish ancillary policies, as may be necessary to implement this section," provides statutory authority on which to base such a policy. The comment pointed out that we invoked this section in 1991 with reference to the transition to resource-based payment for physician work.

Response: We believe that Congress intended the transition period to be the mechanism by which we would mitigate the impacts of any changes in payment brought about by the shift to resource-based practice expense. Therefore, we believe it would be inappropriate for us to impose further limits on payment

increases or decreases.

Comment: One commenter maintained that the proposal violates both the Regulatory Flexibility Act and the Paperwork Reduction Act of 1980 because the adequate filings required in both of these Acts did not accompany the proposal. Additionally, the commenter stated that we did not cite any evidence to support its contention that a Regulatory Impact Statement is not required.

Response: We had included a Paperwork Reduction Act (PRA) section in HCFA–1006-P that meets the requirements of the PRA of 1980.

One commenter stated that we do not cite any evidence in either of our proposals to support our contention that no regulatory impact statement is required. There may be some confusion about the purpose of an impact statement and the difference between a regulatory impact statement and a regulatory impact analysis (RIA). A regulatory impact statement is a brief rational on why an analysis was not conducted. An RIA is a complete analysis based on recent available data and is more extensive.

An RIA was conducted in the proposed rule of June 5, 1998 (63 FR 30866). Absent this analysis, we would be required to furnish an impact statement. Therefore, there is no violation of either the RIA or Regulatory Flexibility Act requirements.

### 3. Other Practice Expense Policies

Site-of-Service Payment Differential

As part of the resource-based practice expense initiative, we are replacing the current policy that systematically reduces the practice expense RVU by 50 percent for certain procedures performed in facilities with a policy that

would generally identify two different levels (facility and nonfacility) of practice expense RVUs for each procedure code depending on the siteof-service.

Some services, by the nature of their codes, are performed only in certain settings and will have only one level of practice expense RVU per code. Many of these are evaluation and management codes with code descriptions specific as to the site of service. Other services, such as most major surgical services with a 90-day global period, are performed entirely or almost entirely in the hospital, and we are generally providing a practice expense RVU only for the out-of-office or facility setting.

In the majority of cases, however, we will provide both facility and nonfacility practice expense RVUs. The higher nonfacility practice expense RVUs are generally used to calculate payments for services performed in a physician's office and for services furnished to a patient in the patient's home, or facility or institution other than a hospital, skilled nursing facility (SNF), or ambulatory surgical center (ASC). For these services, the physician typically bears the cost of resources, such as labor, medical supplies, and medical equipment associated with the physician's service.

The lower facility practice expense RVUs generally are used to calculate payments for physicians' services furnished to hospital, SNF, and ASC patients. The costs for nonphysicians' services and other items, including medical equipment and supplies, are typically borne by the hospital, by the

SNF, or the ASC.

We received the following comments on our site-of-service payment differential proposal.

Comment: We received several comments concerning the appropriateness of our site-of-service proposal:

- Several specialty groups commented that they agreed with eliminating the site-of-service differential and replacing it with two levels of payment.
- A national specialty society representing gastroenterologists, as well as several hundred individual commenters, strongly opposed the elimination of the current site-of-service differential and replacement of it with the facility and nonfacility resource-based practice expense RVUs. The comments argued that we should not have established different practice expense RVUs for facility and nonfacility settings for gastrointestinal endoscopy codes 43234 through 45385 because:

- It is unsafe to do these procedures in the office and will thus jeopardize patient safety;
- It creates an incentive to provide care in the inappropriate office setting; and
- It is not authorized by legislation, is against the intent of BBA to have different payment levels for different settings, and is likely to result in legal challenge.

The commenter recommended that we drop the office and out-of-office differential in practice expense payment.

- One organization commented that our site-of-service proposal will exacerbate the ability to subsidize uncompensated care and suggested exempting teaching physicians from the new site-of-service provision. It also suggested that HCFA should also monitor the effects of the site-of-service policy.
- The AMA, the American Hospital Association, and three other organizations commented that payment differentials should not provide an incentive for physicians and patients to choose one site over another. Some physician groups are concerned that the differential will accelerate the shift of some services from facility to nonfacility settings at the expense of patient safety. They asserted that claims data on changes in place of service should be made available and this issue should be one focus of refinement efforts.

Response: We believe that, to the extent that the differing RVUs for inoffice and out-of-office services reflect the relative differences in practice costs for performing those services, we have not created incentives to provide services in inappropriate settings. We are required by both the Social Security Act Amendments of 1994 and BBA to develop resource-based practice expense RVUs, based on physicians' actual costs. All of our data indicate that physicians' practice expenses are higher in the office, where the physician must incur all the costs of staff, equipment, and supplies, than in a facility that provides and is paid separately for these resources. As the facility and nonfacility costs to the physician can vary by a considerable amount, we believe that adopting a single average payment for both sites would consistently underpay in-office procedures, and overpay those performed in a facility and would thus be inherently inequitable, not resourcebased, and contrary to the intent of the law. Furthermore, we are not aware of any studies showing that codes 43234 through 45385 are being unsafely performed in offices. We have complete

confidence that physicians will continue to exercise their best clinical judgment as to the most appropriate setting for their patients.

Comment: One specialty society stated its support for the proposed change in the site-of-service payment, as long as it does not result in nonpayment for services actually provided. For example, there are no practice expense RVUs for emergency intubation in the nonfacility setting, though this service may occasionally have to be performed in the office.

*Response:* If a service for which there are only facility RVUs is performed in the office, the facility rate will be paid.

Comment: The American Urological Association commented that certain codes—50590, 52234, 52235, 52240, 52276, and 52317 were inappropriately assigned nonfacility PERVUs, as it is not safe to perform these services in the office.

Response: We would need more data to demonstrate that performing these services in the office is not appropriate before we would eliminate the nonfacility RVUs. We are willing to review such information during the refinement process. Such information should be submitted to HCFA, Office of Clinical Standards and Quality.

Comment: Two societies representing pulmonologists commented that critical care is listed with facility and nonfacility practice expense RVUs, although it is nearly always performed in an inpatient setting.

One organization representing psychiatrists noted that CPT codes 90816 through 90829 are restricted to the inpatient hospital and partial hospital and residential care settings, and that CPT code 90870, electroconvulsive therapy, would not generally be performed in an office setting. The commenter recommended that the final rule list RVUs for only the facility setting.

Response: We are not deleting RVUs proposed for the nonfacility setting in this final rule, but will be considering this issue during refinement. We would note, however, that services performed in the residential care setting would be paid by using the nonfacility RVUs.

Comment: One commenter pointed out that in our proposed rule we list the services that, by nature of their codes, would only have one level of practice expense; this list includes codes 99321 through 99333 and 99341 through 99350. However, in Addendum C, both facility and nonfacility values are given and the facility values for most of these codes. These inconsistencies should be corrected. Another commenter

submitted a list of some codes where the facility practice expense RVUs are higher than the in-office values.

Response: We thank the commenters for pointing out these discrepancies. The instances of higher facility RVUs are an artifact of our indirect methodology and reflect the differing mix of specialties performing a service in each setting. We will look at this more closely during the refinement process.

Comment: One specialty society commented that the dual energy x-ray absorptiometry codes have the same practice expense RVUs for both the inoffice and out-of-office setting. The comment recommended that the inoffice RVUs be adjusted to reflect the high costs of equipment for the office-based physician.

Response: More specific data will be needed on the actual costs of the equipment so that we can address any changes to the CPEP data during the refinement process.

Comment: Three organizations representing outpatient therapy services commented that, though outpatient rehabilitation providers will be paid the nonfacility rate, there are higher costs for providing rehabilitation services in an SNF or hospital than in a doctor's office. These costs are not reflected in the CPEP data and are grossly underestimated in the practice expense RVUs. There should be a special higher site-of-service differential to be applied when outpatient therapy services are furnished in provider settings.

Response: The site-of-service differential is intended to ensure that the Medicare program avoids making duplicate payments to practitioners and facilities for the same services. BBA specified that outpatient therapy services, which prior to January 1, 1999 have been paid by Medicare using a cost reimbursement system, should be paid using the physician fee schedule effective January 1, 1999. As discussed more fully in the June 5, 1998 proposed rule, we believe it would be inappropriate, and inconsistent with how we pay for other services under the fee schedule, to pay a higher rate for these outpatient rehabilitation services when they are provided in an SNF or hospital.

Comment: One specialty organization recommended that we confirm that facility-based practice expenses exclude only those practice expenses that are actually provided and paid for by the facility. We should provide a data file summarizing which resources are deemed to be provided by facilities, so that physician organizations can identify any errors or anomalies in

HCFA's assumptions. For example, vitreoretinal physicians must often provide clinical staff for out-of-office procedures, and it is essential that there is a mechanism for the physician to be reimbursed.

Response: The differential between the facility-based and office-based practice expenses is determined by the CPEP inputs for staff labor time, supplies and equipment attributed to each site and the mix of specialties providing the services in each site. We will consider further adjustments to the CPEP inputs during the refinement period.

Comment: The American Speech-Language-Hearing Association commented that the extra costs for patient acuity and travel should be added to the site of service differential.

Response: This is an issue for which specific data is needed and that should be addressed during the refinement period.

Additional Relative Value Units for Additional Office-Based Expenses for Certain Procedure Codes

Usually office medical supplies or surgical services in the physician's office are included in the practice expense portion of the payment for the medical or surgical service to which they are incidental. The November 1991 final rule (56 FR 59522) included a policy for 44 procedure codes that allowed a practice expense RVU of 1.0 to pay for the supplies that are used incident to a physician's service but generally are not the type of routine supplies included in the practice expense RVUs for specific services. This list of procedure codes was expanded in the December 1993 final rule (58 FR 63854). Included in this list of procedures for which an additional amount may be paid for supplies if the procedure is performed in a physician's office are closing a tear duct (CPT code 68761) and billing for a permanent lacrimal duct implant (HCPCS A4263), inserting an access port (CPT code 36533) and billing for an implantable vascular access portal/catheter (A4300), and performing cystoscopy procedures and billing for a surgical tray (A4550).

We proposed to revise this policy under the resource-based practice expense system. We believe the supply costs that this policy is designed to cover were included in the supply inputs identified by the CPEPs and the AMA's SMS survey. Thus, they were included in the practice expense RVUs for each relevant procedure code. Therefore, we proposed to discontinue separate payment for supply codes A4263, A4300, A4550, and G0025.

Below are the comments we have received on this issue:

Comment: While two primary care organizations agreed with our proposal to discontinue separate payment for select supply codes, three other specialty societies opposed elimination of the current payment for these supplies. One comment argued that incident-to supplies were not counted in the CPEP process, and the other that this separate payment is a preferred method of recognizing added costs to physicians.

*Response:* We believe that the current practice expense RVUs include the payment for these supplies. However, we are willing to consider evidence that the CPEP inputs do not reflect the appropriate use of these supplies for any service during the refinement process.

Comment: The AMA, as well as four physician specialty organizations, recommended phasing out separate payment for supplies during the transition instead of implementing it all at once in 1999.

Response: We agree and we will be phasing out the separate payment for these supplies over the transition period.

### Anesthesia Services

Although physician anesthesia services are paid under the physician fee schedule, these services do not have practice expense RVUs. Rather, payment for physician anesthesia services is determined based on the sum of allowable base and time units multiplied by a locality-specific anesthesia CF.

Since the beginning of the physician fee schedule, overall budget neutrality and work adjustments have been made to the anesthesia CF and not to the base and time units. We are following the same process and making an adjustment to the anesthesia CF to move anesthesia services under the resource-based practice expense system. The adjustment to the anesthesia CF is 3.0 percent (phased in other the transition period).

## 4. Refinement of Practice Expense Relative Value Units

Section 4505(d)(1)(C) of BBA requires the Secretary to develop a refinement process to be used during each of the 4 years of the transition period. In the June 5, 1998 proposed rule, we proposed keeping the practice expense RVUs as interim RVUs until at least the fall of 1999, and possibly beyond 1999, if we believe more time is needed to identify and correct errors. We also solicited recommendations for a refinement process in subsequent years.

In the June 1998 proposed rule, we did not propose a specific process for a long-term refinement process. Rather, we set out the parameters for an acceptable refinement process for practice expense RVUs. Such a refinement process would enable us to do the following:

• Review and refine practice expense and hour data.

We suggested that we would be prepared in the future to refine the practice expense and hour data of those specialties well-represented in the SMS data if we receive compelling evidence that the SMS data are incorrect. We invited comments on potential revisions to the SMS survey or alternative sources of data and on the need to confirm, through audit or other means, the survey data that would be used for long term refinement.

• Obtain and review practice expense and hour data for specialties or practitioners not included in the SMS survey.

We invited comments on the appropriateness of our crosswalks and suggested that any arguments that the practice expense and hour data should be changed would be strengthened by the submission of survey data comparable to the SMS data.

 Address anomalies, if any, in the code-specific Harvard and RUC physician time data.

We proposed that we would not revisit work RVU issues that have been already addressed as part of the 5-year review.

• Address anomalies, if any, in the code-specific CPEP data on clinical staff types and times, quantity and cost of medical supplies, and quantity and cost of medical equipment.

We proposed that the codes identified by commenters as having possible errors during the comment periods of the proposed rule and the final rule will constitute the universe of codes whose code-specific CPEP data should be reviewed, as it was not our intention to review the inputs for all the codes on an annual basis. We also proposed that we obtain the advice of practicing physicians on the appropriateness of recommended changes to the CPEP inputs. We suggested two principal options for obtaining that advice, either HCFA-convened multiple specialty panels or the RUC or new organization like the RUC that includes broad representation across all specialties and includes nonphysician practitioners. The panels would need to meet no later than the summer of 1999 to consider the comments we received on both the proposed rule and the final rule. We

invited comments on these options and solicited any other recommendations.

• Refine, as needed, our process of developing practice expense RVUs for codes not addressed by the CPEP process, for example, codes that were new in 1996, 1997, and 1998.

We developed practice expense RVUs for codes that were new in 1996, 1997, and 1998 by comparing the new codes to other comparable codes for which we had actual CPEP data and we invited comments on the appropriateness of our crosswalks. Also, we solicited new code-specific data on clinical staff types and times, quantity and cost of medical supplies, and quantity and cost of medical equipment.

• Develop practice expense RVUs for codes that will be new in 1999 and beyond.

Because of time constraints, we proposed that we develop interim practice expense RVUs for new 1999 codes by preparing a crosswalk of CPEP data from existing codes. Though the practice expense values for these codes will be subject to comment, the interim values will serve as the basis of payment during 1999.

Beyond 1999, we proposed two possible options that could be used to develop practice expense RVUs for new codes. First, we could continue to crosswalk new codes to existing codes and review comments we receive with the assistance of our multiple specialty panels. Second, we could request the RUC or a RUC-like organization to provide recommended practice expense RVUs or recommended inputs before publication of the proposed rule, as we do with work RVUs. We invited comments on these options and solicited any other recommendations. Following are the comments that we have received on our proposal for refinement of the resource based practice expense RVUs:

*Comment:* The RUC submitted the following comments on the refinement process:

- The RUC stated its interest in reviewing any comments that we receive on the accuracy of the physician time data for specific codes.
- The RUC commented that many members of the RUC, the RUC's Advisory Committee and the Health Care Professionals Advisory Committee (HCPAC) observed or participated in the entire CPEP process. The comment stated that, based on that experience and on extensive subsequent discussion, it became clear that the RUC, through its experience in developing physician work relative value units, should also seek involvement in developing

recommendations on practice expense relative values.

• The RUC comment contained the following proposal for refinement of the CPEP data:

The RUC proposed the development of a new Advisory Committee, the RUC Practice Expense Advisory Committee (PEAC) to review comments on the code-specific CPEP data (that is, clinical staff types and times, quantity and cost of medical supplies, and quantity and cost of medical equipment) during the refinement period. This committee would report to the RUC, which would make final recommendations to HCFA. The committee composition would mirror the RUC and include additional representation from the American Nurses Association, the American Academy of Physician Assistants, the Medical Group Management Association, and four other non-MD and DO organizations to encourage input from nurses and practice managers in the process.

The committee would include one representative from the following organizations:

- Chair (To be selected by the Chair of the RUC);
  - · American Medical Association;
  - American Osteopathic Association;
  - CPT Editorial Panel;
- Health Care Professionals Advisory Committee;
- Two rotating seats for the RUC Advisory Committee (currently held by Rheumatology and Child Psychiatry);
  - American Academy of Dermatology;
- American Academy of Family Physicians;
  - American Academy of Neurology;
  - American Academy of Ophthalmology;
- American Academy of Orthopaedic Surgeons;
- American Academy of Otolaryngology— Head and Neck Surgery, Inc.;
- American Academy of Pediatrics;
- American Academy of Physician Assistants;
- American Association of Neurological Surgeons;
  - American College of Cardiology;
- American College of Emergency Physicians;
- American College of Obstetricians and Gynecologists;
  - American College of Physicians;
  - American College of Radiology;
  - American College of Surgeons;
  - American Nurses Association;
  - American Psychiatric Association;American Society of Anesthesiologists;
  - American Society of Internal Medicine;
- American Society of Internal Medic
- American Society of Plastic and Reconstructive Surgeons;
- American Urological Association;
- College of American Pathologists;
- Medical Group Management Association; and
  - · Society of Thoracic Surgeons.

Four seats would be added to include other organizations representing nursing or practice managers, for example, National Federation of Licensed Practical Nurses or American Licensed Practical Nurses Association, American Association of Medical Assistants, Association of Surgical Technologists, Professional Association of Health Care Office Managers, and Healthcare Financial Management Association.

Also contributing to this refinement process would be 80 members of the RUC Advisory Committee, representing those specialty societies with a seat in the AMA House of Delegates who have elected to participate in the RUC process. The RUC process will also include input from the HCPAC, which represents audiologists, chiropractors, nurses, occupational therapists, optometrists, physical therapists, physician assistants, podiatrists, psychologists, social workers, and speech-language pathologists.

The RUC has not yet implemented the PEAC, pending the initial response(s) to the proposed rule. However, the RUC has authorized the RUC Chair to convene the PEAC in a timely fashion and requests that we share all comments we wish to have reviewed regarding changes to the CPEP data with the RUC soon after the conclusion of the comment period on the final rule. The RUC would assure that all members of the RUC Advisory Committee and **HCPAC Advisory Committee are** contacted regarding the comments and will solicit interest in bringing recommendations forward to the PEAC on these comments. Specialty societies would collect additional data and, where possible, form a consensus recommendation with other interested specialty societies or HCPAC organizations. After considering the comments and the specialty society recommendation, the PEAC would present a report with their recommendations to the RUC which would submit its recommendations to us, along with its usual submission of work relative value recommendations, at the end of May.

The RUC comment contained the following proposal for refinement of the crosswalk for 1996, 1997, 1998, and 1999 new codes. The RUC proposes that the PEAC, when constituted, also review any comments on the final rule that are forwarded by us regarding the appropriateness of crosswalks and extrapolated code-specific data for those codes that were new in 1996, 1997, 1998, and 1999. The RUC would encourage specialty societies and HCPAC organizations to collect data or evidence to support new code-specific

data on clinical staff types and times, quantity and cost of medical supplies, and quantity and cost of medical equipment for each of those new services that are frequently performed.

The RUC comment also contained the following proposal for the development of practice expense RVUs for codes that will be new in 2000 and beyond. The RUC proposes that recommendations for practice expense RVUs for new codes in 2000 and beyond be developed simultaneously with the work RVU recommendations. After a new code is approved by the CPT Editorial Panel, specialty societies would conduct a survey that would include a section on physician work and a section on direct expense inputs for that service. The specialty society would then present their recommendations on both the work and practice expense RVUs, along with all of their supporting data from the survey, to the RUC to review. The RUC would review both RVUs and submit the recommendations to us in a format similar to its current submission.

The RUC comment stated that the majority of the discussion on the expense inputs would focus on the clinical staff time and, potentially, the comparison between this time and the physician time. This time information will not be available for new codes. If we were to utilize two different processes for work and practice expenses for new codes, it would be necessary to establish a process to reconcile differences in time between the two sets of recommendations. The RUC comment recommended that the RUC process represents the best choice for reviewing this relationship and providing verifiable recommendations. The comment also recommended that for new codes for services performed by nonphysicians only, the RUC HCPAC Review Board would review both work and practice expense RVUs and would submit their recommendations to us directly. Throughout the updating process of practice expense, the RUC will also seek the input of nurses, practice managers, and others who have expertise in physician practice expense. *Comment:* Almost all specialty

Comment: Almost all specialty societies and individuals commenting on refinement, as well as MedPAC and the AMA, agreed that the RUC or a group like the RUC should undertake the refinement of the CPEP input data for individual procedure codes, including reviewing our crosswalks for CPT codes new in 1996 through 1999, and recommending practice expense values for codes that will be new in 2000 and beyond. Several specialty societies, while supporting the role of the RUC in handling the complex issue

of refining CPEP data, stated that the RUC would need to include nonphysicians such as practice administrators and nurses in order to accomplish this task, as staff in management roles have more expertise than practitioners on the intricacies of practice management and the details of practice expenses. The American Podiatric Medical Association commented that podiatry must have full participation on an equal basis with other physicians' specialties; membership on the HCPAC would not be sufficient. The American Academy of Audiology has also commented that they want an audiologist to be represented on any group refining RVUs and the American Occupational Therapy Association commented on the need for therapy representatives. The Society of Vascular Technology/Society of Diagnostic Sonographers commented that they would support the use of a RUC-like group only if there would be appropriate representation of technical component service providers; otherwise they would not favor the RUC handling refinement issues.

Response: As previously described, there are four key data items we used for our methodology. Three are needed to develop practice expense "pools" per specialty, and the fourth is needed to allocate these aggregate practice cost pools to individual CPT codes. The data sources we used are as follows:

## Practice Cost Pools

1. AMA SMS survey data for practice costs per hour, by specialty.

2. Harvard and RUC data for length of time to perform each service

3. Medicare claims frequency data for each procedure.

## Allocation to Individual CPT Codes

4. ABT CPEP resource inputs per CPT code.

Refinement requires consideration of three broad types of activities:

1. Review of broad strategy and general methodology issues. Examples of these types of activities include review of the basic methodology, formulas for allocation of indirect expenses, development of criteria for consideration of alternative data sources, survey sample size consideration, development of possible approaches to validate survey data, and other similar methodology issues.

2. Refinement of specialty level practice cost per hour data.

3. Refinement of detailed code level data (CPEP data, procedure time data).

The RUC has proposed to be involved in the refinement process by creating a subcommittee to advise it, referred to as

the Practice Expense Advisory Committee (PEAC). It would consist of over 35 members (RUC specialties supplemented by other groups such as MGMA, nurses, practice managers and others). The vast majority of specialties that commented on the refinement process indicated their support for the RUC proposal or for a similar process.

### Initial Refinement Process

We continue to believe that our proposed general methodology is sound and responsive to the BBA requirements. We did receive a large variety of comments about broad methodology issues, practice expense per hour data, and detailed code level data. As described elsewhere, we have made some adjustments to our original proposal for a select number of situations in which we were convinced an adjustment was appropriate at this time. We are considering other comments for possible future refinement. The values of all codes will be considered interim for 1999 and for future years during the transition period. Rather than specify a detailed refinement process at this time, we will continue to work with the professional community to further develop the refinement process. We will modify the process as necessary during the period, based on our experiences and recommendations received.

Our plans to start the initial refinement process are as follows:

1. We plan to establish a mechanism to receive independent advice for dealing with broad practice expense RVU technical and methodological issues. We are considering contractor support and/or other ways of obtaining independent advice and assessments of comments that we have already received or will receive in the future about important technical issues, especially those that result in major redistributions among specialties. We welcome continuing advice and specific recommendations from the GAO, MedPAC, and the Practicing Physicians Advisory Council. We will also continue to actively consult with physician and other groups about these issues. We are particularly interested in receiving additional comments and suggestions about methodology from organizations that have a broad range of interests and expertise in practice expense and survey issues. All comments will be considered, but we especially encourage organizations that represent a broad range of physician, practitioner, and provider groups (for example, groups that represent both "winning" and "losing" specialties) with expertise in practice costs issues to

make specific recommendations regarding the following methodology issues:

• Bias in "Top Down" methodology. Some commenters believe the methodology we are using to establish initial practice expense RVUs is flawed. They indicate that it is inappropriate to pass through costs and that the method will perpetuate inequities among specialties because high revenue specialties have more to spend on their practices. One possible way of dealing with this issue is to further analyze the differences in practice costs per hour by specialty to determine the 'reasonableness'' of these differences. Edits or other adjustments in practice costs data could be established if

appropriate.

 Validation of data. It is difficult to establish an unbiased method for refining and validating practice costs data. Data from the SMS survey are selfreported. There could be major incentives in the future for respondents to expand the definition and reporting of "costs" for purposes of this methodology. In addition, we would expect that individual specialties would be likely to bring undervalued practice expense RVUs to our attention, but would not have an incentive to report overvalued practice expense RVUs. We welcome comments on the following:

 What specific methods should HCFA use to validate key components of the data used for establishing practice

expense RVUs?

+ What specific approaches should be used to ensure fairness among specialties?

+ Should we, for example, require that the specialty obtain review by an independent auditor before we consider

changes in the data?

- Čriteria for using alternative survey data. The primary source of practice costs per hour data was the AMA's SMS survey. Some specialties have already requested that alternative, supplementary, or more recent data be used. We welcome comments on what specific criteria should be established for use of these alternative data?
- Allocation of indirect expenses. We allocated indirect expenses to individual CPT codes based on physician work and direct expenses. Some commenters suggest that indirect expenses should be allocated by alternative methods, such as physician time and direct expenses, or just direct expenses. We would welcome your recommendations.
- 2. RUC/PEAC. We would welcome comments from the RUC/PEAC or any other organization or individual for individual code level data-both for

resource inputs and time data. The RUC and PEAC would function as an entity independent from us, much like the current RUC operates for purposes of providing comments on work RVUs. We also recognize the RUC/PEAC may wish to comment on other aspects of the process, such as methodology. We would consider such comments along with those received from others and would likely discuss them as part of the process described in paragraph 1 above. However, we wish to emphasize that, as in our dealings with the current RUC, we would retain the ultimate authority and responsibility to establish practice expense RVUs.

3. Comments on the refinement process.

We seek comments January 4, 1999 and suggestions on any aspect of the refinement process as described above.

Comment: All but one of the organizations commenting on the issue, as well as many individual commenters, recommended that we keep the practice expense RVUs as interim for the 4 years of the process. One national specialty society recommended we make the revised practice expense RVUs interim for 1 year, only extending the period based on the number of misvalued procedures identified and also ensuring that only changes based on compelling evidence are made.

Response: We stated in our proposed rule that we would keep the practice expense RVUs as interim through at least through 1999. Due to the complexity of the issues that need to be addressed during refinement, we now believe that a longer period could be needed to finalize all the RVUs. Therefore, as stated above, we will be keeping all the RVUs as interim throughout the transition period.

Comment: Many commenters recommended acceptance of information from alternative data sources during the refinement period, including data provided by specialty societies. One commenter suggested that we develop a standard survey instrument for specialties to use. Another organization commented that we should consider using MGMA's cost survey as an alternative source of information that could be used to supplement, validate, or otherwise expose further areas of refinement in the SMS, or perhaps be a substitute for SMS in the future. This comment also stated that we should remain open to challenges about current practice expense per hour calculations from all specialties, even from those larger specialties represented in the SMS survey, in both the short and long term. Many commenters also recommended

that we develop a process for validating any supplemental data that we use.

Response: We believe that the refinement process that we outlined above is responsive to these concerns. One of the major purposes of the technical support and advice mentioned will be to help us to determine what additional data, whether from large or small specialties, are needed, whether submitted information is valid, and whether and how alternative sources of data, such as the MGMA survey, can be used to validate the assumptions used to create the practice expense pools.

Comment: One specialty society commented that we should conduct specialty-specific surveys for all HCFA-designated specialties during the refinement period. The comment stated that it is not reasonable for us to put the burden of "oversample" costs, which exceed \$100,000 on the HCFA-designated specialties that the AMA has chosen not to include in its annual survey sample.

Response: Decisions on what surveys are needed, what the criteria should be for those surveys, who should conduct the surveys, and who should fund them will be made as we address these issues during refinement.

Comment: One organization recommended that the refinement process distinguish between intraspecialty refinement issues that can be resolved within a specialty, and interspecialty refinement issues which change the cost pool of one specialty with respect to all other specialties.

Response: Again, we believe that our chosen refinement process addresses this concern. The intra-specialty refinement issues will, for the most part, revolve around adjustments to the CPEP data and will be referred to the PEAC for their recommendations. Those issues that affect the relative size of the practice expense pools are generally more fundamental methodological questions for which we will seek technical and methodological input as well as input from the medical community.

Comment: One national organization commented that the SMS data appears to be the best data available for the purpose of determining practice expense RVUs and that SMS data closely mirrors the specialty's own data. The comment recommended that refinement should focus on identifying the proper inputs for particular codes, rather than adjusting the current SMS data, or revamping the design of the survey, which currently does not reflect a bias towards inflating practice expenses for individual specialties.

Response: We agree that the SMS survey is, at present, the best data available for determining aggregate specialty-specific practice costs. We believe one of the purposes of refinement is to pinpoint where appropriate adjustments need to be made in the data that we use. We also agree, as mentioned above, that we will need to develop a system to validate the accuracy of data collected in the future.

Comment: One commenter recommended that we ensure that cost-saving innovations are not discouraged by the refinement process. This means that the practice expense scale should not be refined to immediately reflect the full impact of every cost-saving development, or specialties will be permanently discouraged from implementing such innovations.

Response: We are required by law to develop practice expense relative values that are resource-based. Therefore, we do not believe that we could develop an alternative approach that would only apply to cost-saving innovations. We also do not believe that the use of resource-based practice expense RVUs will have a significant effect on cost-saving innovations; on the contrary, the use of a prospectively determined payment system, in itself, offers an incentive for any individual practitioner to cut costs.

Comment: Two commenters recommended that codes for entirely new procedures and technologies have their practice expense values taken from the all-specialty practice expense pool; two organizations recommended that codes that apply to new technologies to replace current procedures come from the pertinent specialty's pool.

Response: There would be no budget neutrality adjustment for new codes that represent entirely new procedures and technologies. However, we believe that, in the majority of cases (since we would typically expect some type of substitution of new services for more established services) a budget neutrality adjustment would be appropriate. In such a case, we would spread the adjustment across all services. However, new codes that merely replace existing services would only affect the pertinent specialty's pool at the time when the practice expense pools are recalculated.

Comment: A primary care specialty group recommended that we leave undisturbed the Harvard and RUC time data during the refinement period because of the implications for the work RVUs assigned to codes, while a surgical specialty group recommended that we remain open to revising the Harvard physician time data.

Response: The physician time data plays an important role in determining the size of each specialty's practice expense pool and, for this reason, it is important that this data be as accurate as possible. Therefore, we cannot rule out the need for adjustments in the time data during the refinement period. However, according to our chosen refinement process, requests to adjust the physician time data would be initially referred to the RUC. We believe that the RUC will understand the implications that changes in physician times could have for the work RVUs.

Comment: One commenter agreed with our proposal that we address potential bias toward specialties which use more midlevel providers during the refinement period.

*Response*: This is one of the issues on which we will be seeking input during the refinement period.

Comment: The AMA, supported by comments from two physician specialty groups, recommended that, to avoid confusion, we publish only the blended set of values each year, but make a list of the resource-based practice expense RVUs available to interested parties. Any proposed changes in the resource-based practice expense RVUs could then be published in the spring proposed rules. Four organizations recommended that both sets of RVUs be published throughout the period.

Response: We are publishing both sets of RVUs in Addenda B and C.

5. Reductions in Practice Expense Relative Value Units for Multiple Procedures

Comment: Two commenters expressed agreement with our decision not to propose further multiple procedure reductions.
Gastroenterologists stated that multiple procedure reductions should not apply to GI procedures done through different

to GI procedures done orifices.

Response: Although we have not made a specific proposal with respect to multiple procedures thus far, we may do so in the future. We continue to believe there are efficiencies when more than one service is performed during a single encounter.

### 6. Transition

## The Proposed Rule

The transition to resource-based practice expenses, enacted in section 4505(b) of BBA, requires practice expense RVUs in 1999 to be based 75 percent on the existing charge-based practice expense system and 25 percent on the new resource-based system. In 2000, the shares are 50 percent of the

former and 50 percent the latter, and in 2001, the shares are 25 percent and 75 percent, respectively. Beginning in 2002, practice expense RVUs are entirely resource-based.

In our October 31, 1997 final rule (62 FR 59052), we indicated that we would use, as the first factor in the transition formula, the 1998 practice expense RVUs actually used for payment. ("The practice expense RVUs for 1999 will be based on the product of 75 percent of the previous year's practice expense RVUs (1998) and 25 percent of the resource-based practice expense RVUs.") In response to this statement, we received a comment suggesting that we consider interpreting the law to use 1997 practice expense RVUs as the starting point for the transition. This interpretation would have eliminated from the transition the 1998 changes in practice expenses enacted by section 4505 of BBA. Those commenting contended that the 1998 changes applied only to 1998 and should not be included in the first practice expense factor in the transition formula. Using 1997 RVUs would have resulted in higher payments for certain specialty procedures and lower payments for office visits during 1999, 2000, and 2001. Beginning in 2002, the starting point for the transition does not matter because the transition will be complete and practice expenses will be based entirely on the new resource-based system.

When we developed the proposed rule, we specifically considered the suggestion that we use actual 1997 practice expense RVUs as the starting point for the transition. In the proposed rule we indicated that we did not believe that we could use 1997 practice expense RVUs for several reasons. First, this approach seemed to us contrary to the statute's intent of moving toward a resource-based payment system; also, the interpretation could potentially result in a "yo-yoing" of practice expense RVUs for certain services between 1998 and future years. We pointed out that practice expense RVUs for office medical visits, explicitly increased by the Congress in 1998. could be reduced in 1999 only to be increased again when the practice expenses are fully resource-based.

We also stated that we would not use 1997 practice expense RVUs as the starting point for the transition because this result was inconsistent with our construction of similar reductions, enacted in OBRA 1993, to practice expense values for 1994, 1995, and 1996. We also indicated that we would reject the only other possibility, using 1991 practice expense RVUs; using 1991

RVUs would be unacceptable since to do so would exclude the effects of the series of reductions to practice expense RVUs mandated by the Congress between 1993 and 1998 and would instead return the system to outmoded practice expense RVUs established at the very inception of the fee schedule. We indicated that we believed this to be a poor alternative. Basing the transition on data for 1991, from which the original practice expenses were derived, would require us to retrospectively impute charge data for the many new procedure codes that had been added since the beginning of the fee schedule. It also would have been contrary to the statutory scheme, which is moving steadily toward a resource-based payment system. We indicated that adoption of 1991 data for the transition starting point would not gradually transition payments to the new resource-based system, but instead would represent an abrupt change in direction. This result is at odds with the purpose of a transition and inconsistent with other transitions in Medicare. Therefore, the June 1998 rule proposed to use the 1998 practice expense RVUs for purposes of the transition formula in 1999, 2000, and 2001.

We received comments strongly supporting the approach we took in the proposed rule, as well as strongly opposing our approach. These comments centered on section 1848(c)(2)(C)(ii) of the Act. That provision requires practice expense RVUs to be computed by multiplying "base allowed charges" by a practice expense percentage. BBA then requires that this "product" be used as the first factor in the transition formula. A crossreference to section 1848(c)(2)(D) of the Act appears to require base allowed charges to be generated from charge data for 1991. However, we believe that a number of other factors demonstrate the irrationality of using data for 1991 as the transition starting point. Using data for 1991 would be a total aberration from the course of the past 7 years of congressional directives to decrease practice expense RVUs from which office-based and visit codes were generally excepted and would turn the clock back without any congressional direction to do so. We have analyzed both the statutory language and the context in which it is found, and we have determined that the best accommodation of the two is to use current 1998 practice expense RVUs as the basis for the transition to the resource-based practice expense system.

We have considered, among other things, that we are authorized by law to make such ancillary policies as are necessary to implement section 1848 of the Act; that the equation, based on 1991 average allowed charges that the law seems to instruct us to use as the transition starting point, ignores consistent legislative direction since 1993, as well as our consistent implementation; that we have not used the average allowed charge provision since the establishment of practice expense RVUs in 1991, that it has no ready application to the more than 2000 codes developed since 1992, and, therefore, that using 1991 allowed charges for the transition creates a significant administrative burden, unintended by the Congress, particularly given the short time period for implementation; that the language describing the transition formula and the language describing the "product" upon which it is based are internally inconsistent; that our implementation of adjustments in accordance with section 1848(c)(2)(G) of the Act is consistent with our implementation of the OBRA 1993 3-year reductions; that the Congress is familiar with our implementation, has amended section 1848(c) of the Act since the implementation, and has not acted legislatively to alter our implementation prospectively. In addition, we note that the Physician Payment Review Commission (PPRC) studied resourcebased practice expenses for a number of years, that the Congress is familiar with PPRC's data and analyses, and that the results of our transition are consistent with the results PPRC predicted. In sum, we believe that our construction of the law most appropriately resolves the tensions inherent in the practice expense transition provisions of the BBA.

We address below the specific comments we received with respect to transition issues.

Comment: Some commenters, mainly societies representing surgical specialties, opposed our proposed approach and indicated that our proposal to use the 1998 practice expense RVUs in the transition formula is in conflict with the language and intent of BBA. These commenters argued that section 1848(c)(2)(C)(ii)(I) and (II) of the Act require that the practice expense charge data relied upon in 1991 to establish the 1992 practice expense RVUs be used for the first factor in the transition formula. They also contend that the adjustments to the 1998 practice expense RVUs, required by BBA, were intended to accomplish a one-time redistribution of RVUs from specialty codes to primary care codes and that using these RVUs during the transition would perpetuate

the redistribution for three more years. These commenters claimed that this transition would redistribute an estimated additional \$490 million from specialists to office-based codes.

These commenters assert that the charge-based factor in the transition must be the formula in section 1848(c)(2)(C)(ii) of the Act that established practice expense RVUs as the product of (I) the base allowed charges for a service, and (II) the practice expense percentage for the service. Base allowed charges are defined in section 1848(c)(2)(D) of the Act as "with respect to a physician's service, the national average allowed charges for the service . . . for services furnished during 1991, as estimated by the Secretary using the most recent data available." (The practice expense percentage is defined in section 1848(c)(3)(C)(ii) of the Act.) Therefore, according to these commenters, the reference in the transition provision that RVUs be determined based on "such product" requires us to use 1991 average charges to compute 1999 RVUs.

Response: We disagree with these commenters. We believe that the formula in section 1848(c)(2)(C)(ii) of the Act is internally inconsistent, that it was intended for the establishment of the original practice expense RVUs, that it has no ready application to the 2,000 codes new or revised since 1991, and that it produces results inconsistent with the balance of section 1848(c)(2)(C)of the Act. The commenters' construction of the law would eviscerate the changes the Congress made to practice expense RVUs since 1993 and would require that we revert to the beginning of the program in the absence of congressional direction to do so.

First, we believe that the reference to 'such product'' in section 1848(c)(2)(C)(ii) of the Act supports our view that the Congress contemplated that the first factor in the transition formula would be based on RVUs and not on 1991 average allowed charges. Under the commenters' reading, the transition formula requires that in 1999 we multiply 75 percent of a product based on average allowable charges and 25 percent of the resource-based RVUs. However, "average allowed charges" are expressed as dollar figures, while the resource-based factor is expressed in RVUs. This internal inconsistency suggests that the Congress contemplated instead that both factors in the formula would be expressed in RVUs and that we would use current RVUs produced under section 1848(c)(2)(C) of the Act for the first factor in the transition.

Moreover, although the Congress has not repealed section 1848(c)(2)(C)(ii)(I)

and (II) of the Act, the provisions have not been applied in the fee schedule computations since 1992 when the first practice expenses were established. The language of the provisions indicate the inappropriateness of their application here. Thus, section 1848(c)(2)(D) of the Act, incorporated by reference, provides for use of average allowed charges "as estimated by the Secretary using the most recent data available." This language would seem to require us to use 1998 data to recompute 1991 charges, surely an unintended result. In addition, in 1993, the Congress required us to compute practice expenses RVUs on a basis other than that contained in section 1848(c)(2)(C)(ii) of the Act: effective January 1, 1994, section 1848(c)(2)(E) of the Act provided for a "[r]eduction in practice expense relative value units for certain services." The Congress did not explicitly state that the amendment applied notwithstanding the existing language of section 1848(c)(2)(C)(ii) of the Act; instead, the amendment operated without recourse to that provision at all. The amendment envisioned that reductions would be made to the "relative value units [being] applied" at that time, not to charges for 1991. At the end of the period for which reductions were specified in section 1848(c)(2)(E) of the Act, practice expense RVUs did not revert to 1992 values based on 1991 charges; RVU changes produced by section 1848(c)(2)(E) of the Act were permanent and carried forward into the next year's (1997) practice expense RVUs. These more recent and more specific provisions added by the Congress in subsequent years obviously control over the original provision, and the commenters' argument, if adopted, would wipe out the effects of these intervening changes in the law. We believe that it is far more rational and consistent with congressional intent to harmonize the computation during the 4-year transition period with recent legislative changes rather than reverting back to a system from 1991 that has been unused since that time.

Section 1848(c)(2)(G) of the Act, like section 1848(c)(2)(E) of the Act, provides specified reductions for specified services for a particular year to lower excessively high practice expense RVUs; it explicitly raises low RVUs attributable to office visit codes. Section 1848(c)(2)(E) of the Act also provides that "the aggregate amount of reductions" to practice expense RVUs for services furnished in 1998 cannot exceed \$390 million. We believe that the Congress intended that RVU changes resulting from application of section

1848(c)(2)(G) of the Act be treated in the same way as we had treated changes resulting from application of section 1848(c)(2)(E) of the Act, that is, that the RVU changes produced by section 1848(c)(2)(G) of the Act would be permanent and carried forward into the next year's fee schedule.

Accepting the comments advocating use of the 1991 average allowed charges in the transition formula would present other difficulties. We did not establish average allowed charge RVUs for codes new or revised since 1991. Thus, using 1991 average allowed charges in the transition would require us to retroactively impute average allowed charges for procedure codes that did not exist in 1991. This would be a significant administrative burden, particularly given the obligation to have these amendments implemented by January 1, 1999.

We believe that the Congress intended that we devote our efforts to developing the resource-based practice expense system and refining practice expense RVUs, rather than to creating a set of imputed charges for new codes to be used only for the transition. BBA explicitly requires the Secretary to develop a process to refine resourcebased practice expense RVUs during each year of the transition (see section 4505(d)(1)(C) of the Act). On the other hand, there is no mention of our refining what 1991 national average allowed charges would have been for more than 2,000 new codes. It is unlikely that the Congress contemplated that we would pursue the imputation of 1991 charges in the limited time we had to retool the resource-based practice expense system, especially given that the imputed values would have no utility after 2001.

Additionally, we note that section 1848(c)(4) of the Act provides authority for us to "establish ancillary policies (with respect to the use of modifiers, local codes, and other matters) as may be necessary to implement this section." We view this situation as one appropriate for the application of the ancillary policies provision. We believe, as we have noted, that the statutory language and the context in which it appears are at odds and create an ambiguity that we must resolve based on the design of the section as a whole and the congressional policies underlying it, and we are using section 1848(c)(4) of the Act for that purpose. In order to rationally implement section 1848(c) of the Act, we will use 1998 RVUs for the first factor in the transition formula.

*Comment:* The surgical specialty societies argue that implementing

section 1848(c)(2)(G) of the Act in the same manner as section 1848(c)(2)(E) of the Act is prohibited because the "adjustments in relative value units for 1998" are limited to \$390 million and that including the reduced practice expense RVUs in the base for the transition makes reductions total more than \$390 million.

Response: We do not agree with that statement. We believe that the commenters are misreading the limitation on the "aggregate" reallocation; that limitation applies only to amounts attributable to services furnished in 1998. The law requires us to "increase the practice expense relative value units for office visit procedure codes during 1998 by a uniform percentage which [HCFA] estimates will result in an aggregate increase in payments for such services equal to the aggregate decrease in payments" for the overpriced practice expenses. The provision simply contemplates that we add the increase for each service and assure that the total of all increases is equal to the total of all decreases in payments for the overpriced practice expenses. This provision does not restrict the use of the 1998 practice expense RVUs in future years. To read the law as these commenters suggest would be to reverse years of intentional redistribution of practice expense RVUs mandated by the Congress.

Comment: Primary care groups who commented on the proposed rule asserted that the 1998 "down payment" (the increased practice expense RVUs for office visit codes created by section 1848(c)(2)(G)) of the Act was a step in the direction of the ultimate resource-based system. On the other hand, a surgical group believed that we were biased because we presumed that a resource-based practice expense RVU system would lead to a reduction in most specialty codes and a corresponding increase in primary care codes.

*Response:* The trend in practice expense RVU redistributions under a resource-based system is clear, and section 1848(c)(2)(G) of the Act is another step in that progression, consistent with the preceding redistributions which the Congress mandated in 1993. The direction of payment changes for major categories of service-increases for medical visits and reductions for surgical procedures—has been mandated by the Congress, implemented by HCFA, and known to the public for some time. The exception of office-based services from the 1993 practice expense RVU reductions clearly indicated that the Congress intended a

relative redistribution toward those services. While the Congress could not know, on a procedure-by-procedure basis, the impact of the new resource-based system, it was cognizant of the general direction of a resource-based system before it enacted section 121 of the Social Security Act Amendments of 1994, mandating resource-based practice expense RVUs.

Establishment of a resource-based system for practice expenses has been discussed for some time. In 1992, the PPRC, a statutorily established Commission that provided advice and recommendations to the Congress, issued a report titled "Practice Expenses Under the Medicare Fee Schedule: A Resource-Based Approach" (Number 92-1). That report described the Commission's research on a resourcebased alternative for calculating practice expense RVUs. It showed the direction of the projected redistributions. The report showed that RVUs for the category of evaluation and management services (medical visits or primary care services) would increase and the category of surgical procedures would decrease

In its 1993 Annual Report to the Congress, the Commission specifically recommended that the Congress enact a resource-based system for payment of practice expenses. The report, at page 147, indicated:

The Commission has long questioned the appropriateness of these charge-based practice expense and malpractice expense relative values as part of the Medicare Fee Schedule. Since it suggested the OBRA 89 approach as an interim measure in the Annual Report to Congress 1989, the Commission has been working to develop methods for calculating practice expense and malpractice expense relative values that are more consistent with the reform goals of resource-based payments (PPRC 1989). This work has lead to the identification of methods for calculating these two components that the Commission thinks are more appropriate than the OBRA 89 formulas. Both the practice expense and malpractice expense methods have been described in previous reports to Congress, and each is the topic of a special research report issued by the Commission (PPRC 1992b: PPRC 1992c).

In the same report, the Commission specifically recommended:

The Congress should revise the practice expense component of the Medicare Fee Schedule so that it will be resource-based. Practice expense relative values should be based on data about the direct costs incurred in delivering each service and an incentiveneutral formula to allocate indirect costs. A transition to new practice expense relative values should be introduced beginning in 1997. This date will allow for completion of the current fee schedule transition process

and for development and refinement of the resource-based approach.

Id. This report also showed the impact of a resource-based system for four major categories of services. The Commission estimated that the total payment for evaluation and management services would increase by 12 percent, that diagnostic procedures would decrease by 19 percent, that surgical global services would decrease by 29 percent and that technical procedures would not be changed. (These impacts reflect the total Medicare payment; when measured relative to the practice expense component alone, there would be greater percentage changes.) Thus, the PPRC reports put the Congress on notice about the direction of changes under a resource-based system.

The Congress, in section 13513 of OBRA 1993, enacted reductions in the practice expense component payment to move toward resource-based practice expense RVUs. (The Congress also used these reductions to achieve savings in the Medicare program.) The Congress specifically exempted from reduction any services that were performed at least 75 percent of the time in an office setting. Therefore, the impact of the reductions fell on surgical procedures, and the largest impact occurred for those procedure codes for which the practice expense RVUs most exceeded work RVUs. The structure of section 1848(c)(2)(E) of the Act—reduction of one-quarter of the amount of excess practice expense in each of 3 years was itself a transition to moderately reduce practice expense RVUs for nonoffice-based codes rather than to decrease them precipitously.

Section 121 of the Social Security Act Amendments of 1994 required us to develop and implement resource-based practice expense RVUs effective January 1, 1998. Section 4505 of the BBA postponed the change to resource-based values, but included another round of reductions for certain non-visit codes. We agree with the comment that the 1998 payment changes were simply another step in the ongoing process moving payments in the direction of the resource-based practice expense system.

Comment: Groups representing primary care physicians supported our proposal, stating that using 1997 RVUs for the transition would cause some RVUs to "ping-pong" between 1998 practice expense RVUs and the transition years. Some commenters opposing the transition policy in the proposed rule stated that the "yo-yoing" of practice expense values around the transition was not inconsistent with the statutory scheme.


Response: We agree that it is inconsistent with the statutory scheme to create sharp reversals in practice expense RVUs. A transition in the direction of a resource-based practice expense system began in 1993, and a one-time upward spike in RVUs for surgical procedures, which ignores the changes previously made, would be inconsistent with congressional intent and with the very purpose of a transition.

In response to comments on our proposed rule, we have examined the impact of the transition more precisely for a limited set of procedures. While this example is illustrative only, it shows that using 1991 average allowed charges in the transition formula

(disregarding the 1998 redistribution, the OBRA 1993 practice expense payment reductions, and all budget neutrality adjustments) would result in marked payment spikes in 1999 for procedures whose fully-implemented resource-based practice expense RVUs are lower than their 1998 practice expense RVUs.

The chart below illustrates the changes in practice expense RVUs for each year from 1992 through 1998 and the estimated practice expense RVUs for 1999, 2000, 2001, and 2002, using data for 1991 and 1998 RVUs as alternative starting points for the transition. The chart shows the figures for cataract removal and intraocular lens insertion (CPT code 66984); the practice expense RVUs for cataract surgery decreased under both the OBRA 1993 and BBA reductions. Practice expense RVUs for cataract surgery will decrease between 1998 and 2002 when the resource-based system is fully implemented. The chart shows that there would be smooth, moderate decreases between 1998 and 2002, as we understand the Congress to have intended, if the 1998 practice expense RVUs are used in the transition formula. The chart also shows that there would be large increases in 1999 practice expense RVUs (compared to 1998 and even compared to earlier years) if the transition practice expense RVUs were based on 1991 average allowed charges. There would indeed be spikes in Medicare payments unless the 1998 practice expense RVUs are used in the transition formula, as we understand the Congress to have intended, during 1999, 2000, and 2001.

BILLING CODE 4120-01-P



Comment: Commenters opposing the proposed policy stated that the legislative history does not indicate that the Congress shares our concern about sharp changes in the redistribution of practice expense RVUs.

Response: We believe, instead, that the shape of the reductions made by section 1848(c)(2)(G) of the Act evidences the Congress' concern on this point. That provision explicitly exempted from reduction any procedure if the in-office or out-of-office practice expense RVUs would have increased under our June 1997 proposed rule. Thus, the Congress specifically chose not to reduce RVUs for a procedure if they were subsequently to be increased under the resource-based system. In this way, the law reflects congressional intent to avoid perverse shifts in practice expense RVUs during the

Comment: Commenters opposed to the proposed rule also suggested that the OBRA 1993 changes codified at section 1848(c)(2)(E) of the Act were intended by the Congress to be temporary and apply only during 1994, 1995, and 1996.

Response: We disagree; the provisions were scored legislatively as permanent reductions, and we note that we implemented the OBRA changes in that way. Moreover, the Congress has acquiesced in our implementation of section 1848(c)(2)(E) of the Act. As discussed earlier, the OBRA 1993 reductions for practice expenses were designed to achieve Medicare savings while moving the system in the direction it would ultimately move under a resource-based system, greater relative payments for office-based procedures. The Congressional Budget Office and the Administration "scored" section 13513 of OBRA as having permanent savings, from which it can be inferred that the payment reductions were permanent. Until we received this comment in response to the proposed rule, it had not been suggested that our implementation of section 1848(c)(2)(E)of the Act was contrary to congressional intent. In fact, the Congress has since amended section 1848(c) of the Act without legislatively altering our implementation of section 1848(c)(2)(E)of the Act. We believe that the Congress' failure to take contrary legislative action on our implementation of section 1848(c)(2)(E) of the Act indicates that we have implemented that provision as the Congress intended.

Comment: One specialty society commented that there should be no transition for services that are new in 1999 and beyond.

Response: The law is silent as to whether there should be a transition for new services in 1999 and beyond. However, we agree with the commenter and will not provide a transition for codes representing services that are new beginning in 1999.

Comment: One specialty society suggested that we consider asking the Congress for additional transition time due to the disruption caused by the year 2000 computer systems overhaul.

Response: For 1999, we plan to make routine provider payment updates and other BBA changes. These pose minimal  $\,$ risks to contractors' year 2000 (Y2K) efforts and, therefore, can be done. Routine updates between October 1, 1999 and April 1, 2000 may need to be delayed because they would occur during a critical timeframe in late 1999 and early 2000 when final Y2K testing and refinements must be accomplished. We will actively consult with interested professional groups, the Congress and other parties as we develop our plans to achieve Y2K compliance while causing minimum disruption in fee schedule updates.

Comment: A surgical group suggested that we limit the magnitude of the changes in physician payments by imposing some reasonable limit on payment increases and decreases for individual services. They argue that such an approach is advisable because of what they believe is uncertainty about the accuracy of the resource-based RVIIs

Response: We do not believe that it is appropriate to place limits on increases or decreases in payments as a result of the implementation of the new system. We believe that the Congress addressed concerns about the accuracy of new values by explicitly providing for a transition and requiring a refinement process to be used each year of the transition. We believe that, in so doing, the Congress indicated its view of the appropriate contours of relief from the effects of redistribution of practice expense RVUs.

## Resolution

We have considered all of the comments on our proposal to use 1998 practice expense RVUs in the formula for the 1999, 2000, and 2001 transition to fully resource-based practice expense values. We believe that use of 1998 practice expense RVUs is most consistent with the statutory design for resource-based practice expense and that using 1991 average allowed charges for this purpose would be antithetical to this scheme and to the purpose of providing a smooth transition. Thus, we are using the current, 1998, practice

expense relative values in the transition formula for 1999 through 2001.

#### Revisions to the Regulations

We are revising § 414.22 (Relative value units (RVUs)), paragraph (b), (Practice expense RVUs), to state that for services beginning January 1, 1999, the practice expense RVUs will be based on a blend of 75 percent of practice expense RVUs used for payment in 1998 and 25 percent of the relative practice expense resources involved in furnishing the service. For services beginning January 1, 2000, the practice expense RVUs will be based on a blend of 50 percent of the 1998 PE RVUs and 50 percent of the relative practice expense resources involved in furnishing the service. For services beginning January 1, 2001, the practice expense RVUs will be based on a blend of 25 percent of the 1998 practice expense RVUs and 75 percent of the relative practice expense resources involved in furnishing the service. For services beginning January 1, 2002, the practice expense RVUs will be based on 100 percent of the relative practice expense resources involved in furnishing the service.

There will be only one level of practice expense RVUs per code for the following categories of services: those that have only the technical component of the practice expense RVUs; only the professional component practice expense RVUs; certain evaluation and management services, such as hospital or nursing facility visits that are furnished exclusively in one setting; and major surgical services. For other services, there will be two different levels of practice expense RVUs per code. The lower practice expense RVUs will apply to services furnished to hospital or ASC or SNF patients. The higher practice expense RVUs will apply to services furnished in a physician's office or services other than visits but performed in a patient's home and services furnished to patients in a nursing facility or an institution other than a hospital, ASC, or SNF.

Result of evaluation of comments: Based on our evaluation of all comments received on our proposed resource-based practice expense methodology, we have made the following modifications:

• Creation of a separate pool for services with work RVUs equal to zero. We created a separate practice expense pool for services with work RVUs equal to zero (including the technical components of services with professional and technical components) using the top-down methodology except we used the average clinical staff time

from the CPEP data (since these codes by definition do not have physician time) and, as an interim measure, we used the current 1998 practice expense RVUs to allocate the direct cost pools (clinical labor, medical supplies, and medical equipment). For services with professional and technical components paid under the physician fee schedule, the global practice expense RVUs are set equal to the sum of the professional and technical components.

- Allocation of the indirect cost pool.
   In the indirect allocation methodology, we are converting the work RVUs to dollars using the Medicare conversion factor (expressed in 1995 dollars for consistency with the SMS survey years).
- SMS based practice expenses per hour. For the specialty of emergency medicine, we are using the "All Physician" practice expense per hour to create practice expense cost pools for the categories "clerical payroll" and "other expenses."

For the specialty of pathology, we are removing the supervision and autopsy hours reimbursed through Part A of the Medicare program from the practice expense per hour calculation.

For the specialty of podiatry, we are using the "All Physician" practice expenses per hour to create the practice expense cost pools.

For the specialty of allergy/ immunology, we are using the "allergy/ immunology" supply practice expenses per hour to create the supply practice expense pool.

We are splitting the "radiology" practice expenses per hour into "radiation oncology" practice expenses per hour and "radiology other than radiation oncology" practice expenses per hour and using these split practice expenses per hour to create practice expense cost pools for these specialties.

- Corrections to code crosswalks. We had inadvertently crosswalked some codes in settings where CPEP data existed. We have removed these crosswalks.
- Use of the current practice expense relatives for radiology services. For the specialty of radiology, we are using the current practice expense relatives for radiology services, as an interim measure, to allocate radiology's direct practice expense cost pools. For all other specialties that perform radiology services, we are using the CPEP relatives for radiology services in the allocation of that specialty's direct practice expense cost pools. Note that radiology services or components of radiology services that lack work relative value units are handled as described above under "Creation of a separate pool for

services with work relative value units equal to zero."

- Physician's time for radiology codes. For radiology codes for which we lacked Harvard or RUC survey data, we calculated the physician's time using the average work per unit time of CPT codes 71010 and 71020.
- Maxillofacial prosthetics. For maxillofacial prosthetics, we are using the "All Physician" practice expenses per hour to create practice expense cost pools and, as an interim measure, allocating these pools using the current practice expense RVUs.

## B. Medical Direction for Anesthesia Services

## General Requirements

The conditions for payment of medical direction for anesthesia services are included in § 415.110 (Conditions for payment: Medically directed anesthesia services). Before January 1999, the regulations referred to these conditions as applying to services furnished directly or concurrently. The reference to services furnished directly is not correct. It suggests that the physician personally performing the anesthesia services only has to provide the same kind of services as the physician medically directing the anesthesia service. In fact, the physician personally performing the anesthesia service must perform the entire anesthesia service alone. This policy is included in § 414.46(c)(1)(i) (Additional rules for payment of anesthesia services, Physician personally performs the anesthesia procedure). Therefore, we are deleting the reference in § 415.110 to services furnished directly.

The December 1995 final rule (60 FR 63152) allows the physician's medical direction of a certified registered nurse anesthetist (CRNA) performing a single anesthesia service. However, this provision did not take effect until January 1, 1998. This policy was incorporated in § 414.46(d)(iii) (Additional rules for payment of anesthesia services, Anesthesia services medically directed by a physician). A program memorandum explaining this policy was issued to the Medicare carriers in January 1998.

In the June 1998 proposed rule, we proposed revising § 415.110 (Conditions for payment: Medically directed anesthesia services) so that it is consistent with § 414.46(d)(iii) by stating that medical direction can apply to the single anesthesia service furnished by a CRNA.

The law provides that the payment allowance for the physician's medical direction furnished on or after January 1, 1998, is 50 percent of the fee schedule amount that would have been paid if the anesthesia service was furnished by the physician alone.

Both the ASA and the American Association of Nurse Anesthetists (AANA) have pointed out that our medical direction requirements are outdated and too restrictive. The requirements are oriented to the administration of a general anesthetic, which was the predominant mode of practice when the regulations were originally implemented. There are other types of anesthesia, such as regional, spinal or epidural anesthesia, and monitored anesthesia care, that are becoming more common and for which the Associations argue, the current requirements are not completely appropriate. For example, in monitored anesthesia care, there is no definable emergence as there is for general anesthesia.

Also, the AANA has advised us that requiring the presence of the anesthesiologist for induction for all cases may not be appropriate and may delay the start of surgery and result in the inefficient use of operating room time. In addition, the ASA has advised us that neither the regulations nor the operating instructions explain the level of documentation required by the anesthesiologist to support the payment for the medical direction service. The ASA believes that the lack of instructions for medical documentation and the concerns about payment audits have reportedly prompted anesthesiologists to overly document anesthesia records.

The ASA and the AANA reached substantial consensus on a revised recommended set of medical direction requirements. The only area that they had a difference of opinion was with respect to the pre-anesthetic exam and evaluation. The ASA favored the requirement that the physician personally perform the examination and the AANA initially favored the requirement that the physician ensure that the examination and evaluation be performed by a qualified individual. We chose the proposed language as a compromise position. We reviewed their recommendations and proposed revising our regulations in § 415.110 (Conditions for payment: Anesthesia services) to reflect current anesthesia practice arrangements. Namely, we proposed to-

• Provide that the physician either perform the pre-anesthesia examination and evaluation or review one performed by another qualified individual;

- No longer require the physician to be present during induction and emergence on all anesthesia cases; and
  - Require that the physician—
- + Monitor the course of anesthesia at intervals medically indicated by the

nature of the procedure and the patient's condition;

+ Remain physically present in the facility and immediately available for

diagnostic and therapeutic emergencies; and

+ Provide indicated post-anesthetic or ensure that it is provided by a qualified individual.

#### SUMMARY OF PROPOSED CHANGES TO MEDICAL DIRECTION REQUIREMENTS

| For each patient the physician— |  |   |  |  |
|---------------------------------|--|---|--|--|
|                                 | Current regulations  | Proposed regulations  |  |  |
| (i)                             | Performs a pre-anesthetic examination and evaluation   | Performs a pre-anesthetic examination and evaluation, or reviews one performed by another qualified individual permitted by the State to administer anesthesia.     |  |  |
| (ii)                            | Prescribes the anesthesia plan.  | Participates in the development of the anesthesia plan and gives final approval of the proposed plan.   |  |  |
| (iii)                           | Personally participates in the most demanding procedures in the anesthesia plan including induction and emergence.   | Personally participates in the most demanding aspects of the anesthesia plan.   |  |  |
| (iv)                            | Ensures that any procedures in the anesthesia plan that<br>he or she does not perform are performed by a qualified<br>individual as defined in program operating instructions. | Ensures that any aspect of the anesthesia plan not performed by the anesthesiologist is performed by a qualified individual as specified in operating instructions. |  |  |
| (v)                             | Monitors the course of anesthesia at frequent intervals  | Monitors the course of anesthesia at intervals medically indicated by the nature of the procedure and the patient's condition.                                      |  |  |
| (vi)                            | Remains physically present and available for immediate diagnosis and treatment of emergencies.   | Remains physically present in the facility and immediately available for diagnostic and therapeutic emergencies.  |  |  |
| (vii)                           | Provides indicated post-anesthesia care  | Provides indicated post-anesthesia care or ensures that it is provided by a qualified individual.   |  |  |

Comment: Almost all commenters recommended that we drop the proposed medical direction requirements and retain the current requirements. They pointed out that the proposed regulations would significantly relax the requirements for physician involvement in the provision of anesthesia care when a qualified nonphysician anesthetist is providing these services. They believe these changes would be to the detriment of patients and would diminish the current standards of care. The focus of these commenters' concerns was on the proposed requirements that the medically directing physician—(1) Could review a pre-anesthetic examination and evaluation performed by a qualified individual permitted by State law to administer anesthesia; and (2) ensure that indicated post-anesthesia care is provided by a qualified individual.

Several commenters also pointed out that the proposed requirement that the physician participate in the most demanding procedures in the anesthesia plan could be construed as meaning that the medically directing physician does not have to participate in any aspect of anesthesia care. Commenters also objected to the proposed requirement that the physician remain physically present in the facility and immediately available for diagnostic and therapeutic emergencies. The commenters pointed out that the proposed requirement is too

lax and could be interpreted to mean the medically directing physician could be located anywhere in the facility.

Response: The medical direction requirements specify the activities that the medically directing physician, who is usually an anesthesiologist, must perform in order for the carrier to allow payment for a physician's service under the physician fee schedule. The medical direction requirements are not quality of care standards. As one commenter pointed out, these requirements are minimum requirements. Practicing anesthesiologists can, if they choose, furnish a level of services beyond the minimum standards.

As we noted in the proposed rule, we had decided to propose revised medical direction requirements because of concerns that the ASA and the AANA presented. We had asked the ASA and AANA to work together, to the extent practicable, to come up with a revised set of medical direction requirements. In February 1998, we met with both groups and heard their views and concerns. At that time, with the exception of the first proposed requirement that the CRNA be able to furnish the preanesthesia exam and evaluation and have the medically directing physician review it, it was our understanding that the leadership of both groups agreed to the uniform revised requirements.

However, because of concerns raised by their membership, the ASA and several State anesthesiologist societies are now requesting, for the most part, that we retain the current requirements, established in 1983.

We have decided to retain the current requirements (that is, requirements (i) and (ii), and (iv) through (vii)) in the preceding table and make only one technical revision in requirement (iii) at the present time. We will study the medical direction issue further and may propose to make a change in the future. The technical revision pertains to the requirement that the physician participate in the most demanding procedures in the anesthesia plan including, induction and emergence. We published a final rule in the **Federal Register** on March 2, 1983 (48 FR 8928) in which the current requirements for medical direction were included to implement section 108 of TEFRA of 1982. Since general anesthesia was the usual mode of practice for anesthesia services, the requirement reflected this practice. However, since 1983, other types of anesthesia care, such as regional anesthetics and monitored anesthesia care have become more common. One of our objectives was to revise the current requirement so that it is consistent with current anesthesia practices. As a result, we have decided that the medically directing physician must be present at induction and emergence for general anesthesia. That final requirement is as follows: The medically directing physician participates in the most demanding

aspects of the anesthesia plan, including, if applicable, induction and emergence.

## **Documentation Requirements**

The current regulations do not specifically include medical record documentation requirements for medical direction. The proposed regulations state that the physician inclusively documents in the patient's medical record that the conditions set forth in paragraph (a)(1) of § 415.110 have been satisfied, specifically documenting personal participation in the most demanding aspects of the anesthesia plan.

The ASA asked initially that we include the medical documentation requirements in the regulations so that physicians, carrier staff, and other claims/medical record auditors have a clear and uniform understanding of the documentation requirements.

In addition, within the past 2 years, we have established medical documentation requirements for teaching physicians, including teaching anesthesiologists, that specify the amount of documentation needed to support the claim for the physician's service when the attending physician is involved in a medical/surgical case with a resident. We sought to establish some level of reasonable documentation for the medically directing physician considering that—(1) The teaching anesthesiologist is paid as if he or she personally performed the anesthesia service alone (that is, 100 percent of the fee); (2) the medically directing anesthesiologist is paid 50 percent of the total fee; and (3) the documentation requirements for the teaching anesthesiologist, as found at § 415.178, are that the record demonstrates the physician's presence or participation in the administration of the anesthesia. The operating instructions in MCM section 15016 specifically require that the teaching physician document in the medical records that he or she was present during the critical (or key) portions of the procedure, including induction and emergence. The teaching anesthesiologist's presence is not required during the preoperative or postoperative visits with the beneficiary.

Comment: The AANA asked that we revise the medical documentation requirements to require that the physician alone personally document the record; the Association stated that the CRNA should not have to document the physician's participation since the CRNA may not agree concerning the extent of the physician's participation in the case.

Response: We believe the proposed regulation text accomplishes this objective since it clearly says the physician must document the medical record. However, for purposes of further clarity, we will accept the commenter's recommendation.

Comment: The ASA asked us if their interpretation of the proposed medical documentation requirement is correct. ASA interprets the provision as allowing an anesthesiologist to state in the medical record that the medical direction standards have been met, without enumerating each such standard, and as requiring the anesthesiologist to specify in the record those demanding aspects of the case in which he or she personally participated.

Response: We understand the ASA's concerns about the medical direction requirements. We do not wish to make the act of medical documentation overly burdensome to the anesthesiologist. However, the medical record must include an amount of documentation to enable a medical records' auditor to conclude that the physician was sufficiently involved to support the payment of a medical direction fee.

The medical direction requirements specify certain functions or services that the physician must perform and cannot delegate to the directed qualified individual. We do not believe it is onerous to require the medically directing physician to document that he or she performed the pre-anesthetic exam and evaluation, provided indicated post-anesthesia care, and was present during the most demanding procedures, including induction and emergence where indicated. We also expect that there would be some indication in the record that the medically directing physician was present during some portion of the anesthesia monitoring.

Limited Activities Permitted During Medical Direction

The preamble to the final regulations (48 FR 8928) to implement section 108 of TEFRA of 1982 allows the medically directing physician to respond to medical emergencies and obstetrical patients in labor and also continue to furnish medical direction. The specific preamble language is as follows:

"We do not expect that a physician who is directing the administration of anesthesia to four surgical patients would be involved *routinely* in furnishing any additional services to other patients. However, addressing an emergency of short duration in the immediate area, or administering an epidural or caudal anesthetic to ease labor pain, or periodic rather than

continuous monitoring of an obstetrical patient, would not substantially diminish the scope of control exercised by the physician in directing the administration of anesthesia to surgical patients. However, the carriers will review hospital records to ensure that such circumstances do not occur frequently, are of short duration, and do not constitute a diminution of the physician's involvement in the surgical procedure."

In addition, the preamble addressed the specific question of whether the medically directing physician could perform certain routine tasks, such as receiving patients entering the operating suite for the next surgery, checking on or discharging patients in the recovery room and handling scheduling matters. The preamble included the following

response to this comment:

We agree that a physician may appropriately receive patients entering the operating suite for the next surgery while directing concurrent anesthesia procedures. However, checking or discharging patients in the recovery room and handling scheduling matters is not compatible with our reimbursing the physician on a reasonable charge basis (now physician fee schedule basis) for directing concurrent anesthesia procedures. The time devoted to such activities potentially can be extensive and would diminish the degree of involvement in the concurrent care beyond levels acceptable for purposes of reasonable charge reimbursement (now physician fee schedule payment)." This continues to be our position.

Comment: Some commenters asked whether the policy of allowing certain other activities during medical direction would continue since the proposed regulation did not specifically address this matter. Also, the ASA asked whether this list of activities was exclusive or whether other similar services of short duration could be performed without violating the medical direction payment standards. The ASA did not provide examples of the kinds of services they would consider "other limited services of short duration."

Response: We believe this comment goes beyond our proposal. We will continue the policy enunciated in the preamble to the final TEFRA section 108 regulations. We will not expand or limit the current policy until we receive and have our medical staff evaluate information from the anesthesia societies on the specific services or the kinds of circumstances for which they are seeking an expansion of the policy. We invite comments on this issue.

Result of evaluation of comments: We have decided to include the following

set of requirements for medical direction in § 415.110 of this final rule. For each patient, the physician—

(i) Performs a pre-anesthetic examination and evaluation:

(ii) Prescribes the anesthesia plan;(iii) Personally participates in the

most demanding aspects of the anesthesia plan, including, if applicable, induction and emergence;

(iv) Ensures that any procedures in the anesthesia plan that he or she does not perform are performed by a qualified individual as defined in program operating instructions;

(v) Monitors the course of anesthesia administration at frequent intervals;

(vi) Remains physically present and available for immediate diagnosis and treatment of emergencies; and

(vii) Provides indicated postanesthesia care.

Also, the physician directs no more than four anesthesia services concurrently and does not perform any other services while he or she is directing the single or concurrent services so that all of the conditions for medical direction are met. The physician can attend to medical emergencies and perform other limited services as allowed by Medicare instructions and still be deemed to have medically directed anesthesia procedures.

The physician alone inclusively documents in the patient's medical record that the medical direction requirements have been met, specifically documenting that he or she performed the pre-anesthetic exam and evaluation, provided indicated post-anesthesia care, and was present during the most demanding procedures, including induction and emergence, where applicable.

## C. Separate Payment for a Physician's Interpretation of an Abnormal Papanicolaou Smear

As stated in the proposed rule (63 FR 30841), with the exception of services to hospital inpatients, we do not allow separate payment for a physician's interpretation of an abnormal Pap smear. Under our proposed rule, separate payment may be allowed for a physician's interpretation of the abnormal Pap smear furnished for any patient on or after January 1, 1999.

About 10 percent of Pap smears are abnormal and are interpreted by a physician, usually a pathologist. If a physician interprets an abnormal Pap smear for a patient, other than a hospital inpatient, payment for a physician's interpretation (and the underlying test) is made under the clinical laboratory fee schedule payment for the Pap smear

test. The physician negotiates with the laboratory for payment for the physician's service.

The College of American Pathologists requested that we recognize separate payment for a physician's interpretation of an abnormal Pap smear in all settings. We believe this would establish an understandable and uniform definition of physicians' services across sites. Therefore, we proposed recognizing, under the physician fee schedule, separate payment for a physician's interpretation of an abnormal Pap smear in all settings.

The Pap smear test may be furnished by a hospital or an independent laboratory. For hospital inpatients, the Pap smear test is paid to the hospital on a prospective payment basis. For other than hospital inpatients, the Pap smear test is paid under the clinical laboratory fee schedule to the hospital laboratory or independent laboratory. For services to hospital patients, the Pap smear interpretation usually is furnished by the hospital pathologist who can bill for the professional component of the service. If the independent laboratory's pathologist furnishes the Pap smear interpretation, payment can be made to the pathologist or the independent laboratory if it is an appropriate reassignee.

We received 25 comments from individuals and organizations on our proposal to recognize separate payment for a physician's interpretation of an abnormal Pap smear. All of the commenters supported our proposal.

Comment: Several commenters stated that our policy in section 15020 of the Medicare Carriers Manual that allows separate payment for a physician's interpretation of a Pap smear for a hospital inpatient only as long as there is an abnormality, is too restrictive. They pointed out that regulations implementing the Clinical Laboratory Improvement Amendments at § 493.1257(c)(1) require a pathologist to confirm all Pap smears identified by the screening personnel as showing an abnormality. This includes, by regulation, all smears thought to show "reactive or reparative changes, atypical squamous or glandular cells of undetermined significance, or to be in the premalignant (dysplasia, cervical intraepithelial neoplasia or all squamous intraepithelial lesions including human papilloma virusassociated changes) or malignant category.'

Response: Our regulation will permit separate payment for a physician's interpretation of an abnormal Pap smear in all settings as long as—(1) The laboratory's screening personnel suspect an abnormality; and (2) the physician reviews and interprets the smear.

We contrast these services with other services of laboratory physicians that we considered hospital services. For example, the services of the physician that involve the review of Pap smears as part of the laboratory's quality control assurance procedures are considered hospital services and payable only to the hospital. Such services include reviewing slides that are considered normal by the cytotechnologist but are routinely reviewed by a pathologist, because of the risk status of the patient, as part of a random sample selected for quality review.

Comment: Two commenters recommended that we treat a physician's interpretation of an abnormal blood smear similar to the interpretation of an abnormal Pap smear.

Response: This comment is outside the scope of our proposal. Our proposal did not address abnormal blood smears. However, we will look into this issue next year as part of our review of physician fee schedule policies.

Comment: One commenter pointed out that the percentage of Pap smears that are abnormal or thought to be abnormal by the cytotechnologist and that require a physician's interpretation can vary considerably from geographical area to area and among laboratories within an area. The commenter wanted to point out that the fact that some laboratory-specific percentages of Pap smears that are interpreted to be abnormal are above 10 percent is not necessarily indicative of unacceptable utilization levels.

Response: We appreciate the commenter's clarification. In our proposal, we stated that "about 10 percent of Pap smears are abnormal and are interpreted by a physician." We note that the 10 percent is a national estimate and that differences among laboratories could vary from this amount based on the population that the laboratory serves.

Result of evaluation of comments: We are allowing separate payment for a physician's interpretation of a Pap smear to any patient (that is, hospital or nonhospital patient) as long as—(1) The laboratory's screening personnel suspect an abnormality; and (2) the physician reviews and interprets the Pap smear.

## D. Rebasing and Revising the Medicare Economic Index

Background

The Medicare Economic Index (MEI) represents a weighted sum of the annual price changes of the inputs used to produce physicians' services. It attempts

to present an equitable measure for the changes in the costs of physician time and operating expenses. The MEI now in use was rebased and revised as stipulated in a final rule published in the **Federal Register** (57 FR 55896) on November 25, 1992.

The MEI is comprised of two broad components, which are physician net income and physician practice expenses. Physician net income is comprised of wages, salaries, and benefits. The physician practice expense portion is comprised of six major categories: (1) Nonphysician employee compensation, including the wages and salaries and benefits of nonphysician employees in physicians' offices; (2) office expenses; (3) medical materials and supplies; (4) professional liability insurance; (5) medical equipment; and (6) other professional expenses.

We believe that it is desirable to rebase and revise the index periodically, in order that the expense shares and proxies will reflect approximate current conditions. Therefore, we are rebasing the MEI to reflect 1996 physician expenses. We chose 1996 as the base year for two main reasons: (1) The 1996 data were the most recent available data

for most of the data sources we are using; and (2) the 1996 data were representative of the changing distribution of physician earnings and practice expenses over time. We have selected what we believe is the most appropriate proxy for each expense category. We will continue to adjust the physician and nonphysician employee compensation for economy-wide labor productivity, to avoid accounting for both physician practice productivity and economy-wide productivity in the physician update framework.

We determined the number and composition of expense categories based on the criteria used to develop the previous MEI expenditure weights and our other input price index expenditure weights (for more information on these criteria, see the November 25, 1992 final rule (57 FR 55900)). To determine the expenditure weights, we used currently available, valid data sources on physician earnings and practice expenses.

While we consulted numerous data sources, we used five sources to determine the rebased and revised MEI expenditure weights: (1) The 1997 American Medical Association

Socioeconomic Monitoring System (AMA SMS) survey (1996 data); (2) the March 1997 Bureau of Labor Statistics (BLS) Employment Cost Index; (3) the 1992 Bureau of the Census Asset and Expenditure Survey (the latest available); (4) the 1996 Bureau of the Census Current Population Survey; and (5) the *Medical Economics* continuing survey published October 1997 (1996 data). No one data source provided all of the information needed to determine expenditure weights according to our criteria.

Rebasing and Revising the Medicare Economic Index

In the June 5, 1998 **Federal Register** (63 FR 30841), we published a proposed rebased and revised MEI. In that rule, we discussed in detail the methodology and data sources used to rebase and revise the MEI. The final rebased and revised MEI will have a 1996 base year and use the same data sources we proposed in the June 5, 1998 rule. Therefore, the weights and price proxies in this final rule are the same as those we proposed and are shown in Tables 1 and 2.

TABLE 1.—REVISED MEDICARE ECONOMIC INDEX EXPENDITURE CATEGORIES, WEIGHTS, AND PRICE PROXIES

| Expense category                   | Weights |         | Droposed price proving                   |  |
|------------------------------------|---------|---------|--|--|
| Expense category                   | 1989 ¹  | 199612  | Proposed price proxies                   |  |
| otal                               | 100.000 | 100.000 |  |  |
| Physician Earnings <sup>4</sup>    | 54.155  | 54.460  |  |  |
| Vages and Salaries                 | 45.342  | 44.197  | AHE–Private <sup>3</sup> .               |  |
| Benefits 5                         | 8.813   | 10.263  | ECI–Ben: Private <sup>3</sup> .          |  |
| Physician Practice Expenses        | 45.845  | 45.540  |  |  |
| Nonphysician Employee Compensation | 16.296  | 16.812  |  |  |
| Employee Wages and Salaries        | 13.786  | 12.424  |  |  |
| Prof/Tech Wages                    | 3.790   | 5.662   | ECI–W/S: Private P&T <sup>3</sup> .      |  |
| Managers Wages                     | 2.620   | 2.410   | ECI–W/S: Private Admin <sup>3</sup> .    |  |
| Clerical Wages                     | 5.074   | 3.830   | ECI–W/S: Private Clerical <sup>3</sup> . |  |
| Services Wages                     | 2.233   | 0.522   | ECI–W/S: Private Service <sup>3</sup> .  |  |
| Craft Wages                        | 0.069   |         |  |  |
| Employee Benefits 5                | 2.510   | 4.388   | ECI–Ben: Priv. White Collar 3.           |  |
| Office Expenses                    | 10.280  | 11.581  | CPI(U)–Housing                           |  |
| Medical Materials and Supplies     | 5.251   | 4.516   | PPI Drugs/PPI Surg. Appl/CPI(U) Med Sup. |  |
| Professional Liability Insurance   | 4.780   | 3.152   | HCFA-Prof. Liab. Phys. Prem. Survey.     |  |
| Medical Equipment                  | 2.348   | 1.878   | PPI-Medical Instruments and Equip.       |  |
| Other Professional Expense         | 6.890   | 7.601   |  |  |
| Automobile                         | 1.400   | 1.300   | CPI(U)–Private Transportation.           |  |
| All Other                          | 5.490   | 6.301   | CPI(U)–All Items less Food and Energy 1. |  |

<sup>&</sup>lt;sup>1</sup> Due to rounding, weights may not sum to 100.000 percent.

<sup>&</sup>lt;sup>2</sup> Sources: Socioeconomic Monitoring System 1997 Survey of Physicians, Center for Health Policy Research, American Medical Association; Anne L. Finger, "What it costs to run a practice," *Medical Economics*, October 27, 1997; U.S. Department of Labor, Bureau of Labor Statistics; and U.S. Department of Commerce, Bureau of the Census, 1992 Asset and Expenditure Survey, and 1997 Current Population Survey.

<sup>&</sup>lt;sup>3</sup> Net of change in the 10-year moving average of output per man-hour for the nonfarm business sector.

<sup>&</sup>lt;sup>4</sup> Includes employee physician payroll.

<sup>&</sup>lt;sup>5</sup> Includes paid leave.

TABLE 2.—PERCENT DISTRIBUTION OF NONPHYSICIAN PAYROLL EXPENSE BY OCCUPATIONAL GROUP: 1996

| BLS occupational group           | Expenditure shares 1 |
|----------------------------------|----------------------|
| Total Professional and Technical | 100.000              |
| Workers                          | 45.570               |
| Managers                         | 19.399               |
| Clerical Workers                 | 30.831               |
| Service Workers                  | 4.199                |

<sup>&</sup>lt;sup>1</sup>These weights were derived from the 1996 Current Population Survey, U.S. Bureau of the Census

The time series of percent changes in the current and rebased MEI are presented and compared in Table 3.

TABLE 3.—ANNUAL PERCENT CHANGE
IN THE CURRENT AND REVISED
MEDICARE ECONOMIC INDEX

| Years<br>ending<br>June 30   | Current<br>MEI 89-<br>base per-<br>cent<br>change  | Revised<br>MEI 96-<br>base per-<br>cent<br>change  | Dif-<br>ference  |
|--|--|--|--|
| 1985<br>1986<br>1987<br>1989<br>1990<br>1991<br>1992<br>1993<br>1994<br>1995<br>1996<br>1997<br>1998<br>Average: | 3.3<br>3.3<br>3.0<br>3.6<br>3.4<br>3.0<br>3.2<br>2.8<br>2.1<br>2.1<br>2.0<br>2.0<br>2.2<br>2.5 | 3.2<br>3.1<br>2.8<br>3.5<br>3.4<br>3.2<br>3.3<br>2.7<br>2.2<br>2.1<br>2.0<br>1.8<br>2.2<br>2.3 | 0.0<br>-0.2<br>-0.2<br>-0.1<br>0.0<br>0.2<br>0.1<br>-0.1<br>0.0<br>0.0<br>-0.2 |
| 1985–<br>1998  | 2.7  | 2.7  | 0.0  |

The CY 1999 increase in the MEI, one of the components used to update the physician fee schedule, is 2.3 percent.

We received numerous Comments on the rebased and revised MEI. Each Comment, with a response, is provided below. The Comments are organized into four major sections: index structure, expenditure weights, price proxies, and productivity adjustment.

#### **Index Structure**

Comment: A commenter believed we should re-examine the structure of the MEI, rather than make minor changes to an index that was developed in 1972 when physicians were paid reasonable charges.

Response: The structure of the MEI consists of weights associated with each of the cost categories, price proxies for each of the cost categories, and an overall adjustment for changes in productivity. The 1996-based MEI

structure is identical to the revised structure we proposed on September 9, 1991 that was based on issues discussed at a public conference on March 19, 1987, thoroughly reviewed by the industry through a public Comment period, and ultimately adopted in 1992. This commenter did not offer any specific recommendations for change, and we know of no structural change we could make to improve the MEI. Consequently, the structure of the MEI will remain the same.

Comment: A commenter suggested that we indicate in the annual physician fee schedule proposed rule what the forecasted MEI would be under the different options considered and under the agency's final recommendation. The commenter noted that forecast data generally are provided when the agency updates the hospital market basket.

Response: The physician fee schedule is updated by a statutory-specified formula equal to the MEI plus or minus an update adjustment factor. The agency does not consider various options and make an update recommendation. The MEI for a year is based on changes in prices for prior periods. The performance adjustment is based on actual data; no options are considered. Thus, the situation for physician updates is not analogous to the hospital update process where changes in hospital payments are based on forecasts of the hospital market basket increase in the upcoming Federal fiscal year. In the case of physicians, the changes in the physician payment levels are based on the most current historical and performance data available.

Comment: A commenter believed that we should establish a regular schedule for updating weights of various elements of the MEI so that the index reflects the most recent data and information available.

Response: In the past, more frequent rebasing would have resulted in little or no difference in the update factors. For this current rebasing, the 1989-based MEI and the 1996-based MEI grew at the same rate on average between 1985—1998 as shown in Table 3. We will continue to monitor changes in the structure of physician costs as they might affect the MEI and we will update and rebase as needed.

Comment: A commenter believed that the MEI should contain an adjustment reflecting the fact that different inputs are used when services are provided by a SNF.

Response: Part of the fundamental design of the Medicare fee schedule is that payment is based on the service performed without regard to the place where the service is performed. The MEI

is consistent with that design and provides a single national factor to update payments under the fee schedule, regardless of the site of service or the specialty of the health professional.

## Expenditure Weights

Comment: One commenter was concerned that the proposed MEI does not reflect adequately the much larger portion of practice expenses the average obstetrician-gynecologist pays for professional liability insurance as compared to other specialties. The commenter pointed out that professional liability consists of 6.88 percent of the obstetrician-gynecologist's practice expenses, but only 3.2 percent of the practice expense of all physicians.

Response: The purpose of the MEI is to recognize the aggregate "pure price" increase of providing physicians services, regardless of specialty or site of service. Therefore, all input costs across all specialties are considered when determining the appropriate cost weights. The resulting cost weights, along with the price proxies and productivity adjustment, are used to calculate a national average percent change in the inputs used to provide physicians' services. This national average percent change is used to update the national payments under the fee schedule. We recognize that professional liability expenses as a portion of total expenses are above the average for some specialties and below the average for other specialties. However, differences in regional or specialty costs are accounted for by the GPCI or the RVU weight, respectively.

The only change to the professional liability insurance price proxy is that premiums are now collected for \$1 million/\$3 million of coverage on a quarterly basis, as opposed to premiums for \$100,000/\$300,000 of coverage on an annual basis. We continue to survey the same professional liability insurers that we surveyed for the 1989-based MEI.

## Price Proxies

Comment: Several commenters suggested the price proxy for the physician earnings component should be the Employment Cost Index (ECI) for professional and technical workers, rather than the average hourly earnings (AHEs) for total nonfarm workers, for two reasons. First, the rationale for using a proxy of a highly heterogenous group no longer exists under the current payment system. Thus, our concern regarding circularity (increases in physician fees, which are tied to prevailing charges, are linked to

increases in physician payments) is no longer an issue. Second, earnings of professional workers are used as the proxy for the physician work component in the GPCI while AHEs for total nonfarm workers are used for physician earnings in the MEI. The commenter believes that we should use earnings for professional workers as the proxy in the MEI to be consistent with the GPCI.

Response: The commenters have raised issues that need to be clarified regarding the most fair and relevant price proxy to use for the physician work component of the MEI. The commenters are correct that circularity does not now exist between charge levels for individual physicians and subsequent Medicare fee levels for all physicians in the aggregate. However, paying based on a fee schedule does not override the need for us to continue to use fair and relevant price proxies.

We believe that the current price proxy, AHEs in the nonfarm business economy, is still the most appropriate proxy to use for the physician work component. AHEs continue to best meet the criteria of the 1972 Senate Finance Committee report shown in the June 5, 1998 Federal Register (63 FR 30844), including the criterion of "fairness to all concerned." AHEs are also the best general earnings wage variable of which we are aware for our specific purpose. As a measure of equitable payment increases, AHEs reflect the impact of supply, demand, and economy-wide productivity for the average worker in society. By using the AHEs as the price proxy for physician time, the physician wage component captures this parity in rates of increase for physicians and the average worker in society.

The ECI for professional and technical workers includes occupations like engineer, architect, mathematical and computer scientist, and other types of technicians. Excess supply or excess demand for professional and technical workers on average can cause their wages to move differently than wages are moving in the overall economy or for a specific professional and technical occupation, such as a physician. Consequently, the ECI for professional and technical workers does not necessarily provide a good normative indicator of the percent increases in general earnings. Therefore, the ECI for professional and technical workers would fail to meet the criteria of fairness in the Senate Finance Committee report.

The commenters are correct that the proxy for physician work time in the GPCI is different than the price proxy in the MEI. This design reflects the different purposes of the GPCI and the

MEI. The GPCI determines how total outlays are allocated among localities based on relative input price levels for each locality, or the "pieces of the pie." Thus, the GPCI price proxy needs to validly reflect the relative levels of the specific category being proxied. The MEI, on the other hand, determines the aggregate increase in total outlays, or the "size of the pie." These different purposes require that different proxies be used. Thus, the purpose of the proxy in this case is to measure the normative change in physician earnings. Our other input price indexes (market baskets), like the prospective payment system (PPS) hospital market basket and the HHA market basket, also use different price proxies than the geographic adjustment variable for similar reasons.

We are going to carefully monitor the price proxy used for physician work time in the MEI to ensure that it continues to be the most appropriate price proxy available for that purpose.

Comment: Several commenters' suggested that the nonphysician employee compensation component of the MEI should be adjusted using a price proxy that reflects the increased skill mix of staff in physicians' offices.

Response: The MEI is a Laspeyres (fixed-weight) index that measures the normative "pure price" increase associated with physicians' services. Our other input price indexes, for hospitals, home health agencies, and skilled nursing facilities, are Laspeyres indexes as well. Changes in skill mix are appropriately captured in the volumeand-intensity adjustment in the fee schedule update, as they are with similar update formulas for our other payment programs, for example, PPS hospitals. By capturing skill mix shifts in the volume-and-intensity adjustment, we are able to appropriately separate quantity and "pure price" effects in the update framework. If we included positive and negative skill mix shifts in the MEI, there would be doublecounting. Therefore, we will not adjust for changes in skill mix for the nonphysician employee compensation components of the MEI.

Comment: A commenter recommended that we adjust the office expense component using a price proxy based on inflation in commercial rents rather than inflation as measured by the housing component of the CPI for urban consumers.

Response: The CPI-U for housing is a comprehensive measure of changes in the cost of housing, including rent, owners' equivalent rent, insurance, maintenance and repair services, fuels, utilities, telephones, furnishings, and housekeeping services. Note that the

GPCI also uses a consumer rather than a commercial rent index. The GPCI uses an index of Fair Market Rents (FMR) published by the Department of Housing and Urban Development for use in the Section 8 rental subsidy program because a valid indicator of commercial rents was not available. This measure does not meet the criterion of timeliness to be used in an input price index as it is only available prospectively on an annual basis. It would not represent historical data or be available quarterly like the rest of the proxies in the MEI.

Comment: One commenter questioned why we proposed using wholesale price changes, as measured by producer price indices (PPI), to measure cost changes for medical supplies and equipment. The commenter believed most physician practices are small entities that are unlikely to be able to purchase supplies and equipment at wholesale prices.

Response: In revising and rebasing the MEI, we selected wage and price proxies based on relevance, reliability, fairness, timeliness, and length of time a series had been established. Relevance means that the price proxy should represent price changes for goods or services within the expense category. We believe that use of the PPI for medical instruments and equipment appropriately captures price changes for the offices of physicians. Note that movement in the PPI at any given time is followed within a few months by approximately the same movement in the CPI. If this were not true, retailers would soon be out of business as their expenses rose but their revenues did not. Movement in the PPI essentially drives movement in the CPI, albeit with a slight lag. An increase in the wholesale level for a commodity will be followed by the same approximate increase in the retail level. Over time, the PPI does not move faster or slower than does the CPI. As mentioned in our June 5, 1998 proposed rule (63 FR 30846), use of the PPI for medical instruments and equipment as the price proxy for medical equipment is consistent with the 1989-based MEI.

## Productivity Adjustment

Comment: A commenter proposed the elimination of the productivity adjustments to both the physician and nonphysician personnel components. The commenter believed the validity of the proposed MEI is compromised severely by this productivity adjustment.

Response: The Medicare fee schedule is appropriately adjusted for "pure price" inflation using a price index that approximates a price change in a freely functioning, competitive market. In

such a market, competitive forces lead to increased efficiencies (productivity). Therefore, a competitive output price does not rise as fast as a competitive input price, with the difference reflecting this increased efficiency (productivity). Thus, the input prices in the MEI need to be appropriately adjusted for productivity to approximate a freely functioning, competitive output price change. The PPS hospital input price index (market basket) is similarly adjusted for productivity, but the adjustment is included as a separate component of the PPS update framework.

The commenter believed that using economy-wide labor productivity to make the adjustment to the MEI input prices was inappropriate because physician productivity is lower than economy-wide productivity. While it is true that service industry productivity tends to be lower than economy-wide productivity, there is wide variation in productivity among specific sectors of the service industry. For physicians, the substantial influence they have over the volume and intensity of services provided to their patients allows them to increase output and, therefore, productivity.

The commenter provided information on the declining number of patient contacts per physician as evidence of declining productivity. To estimate productivity per physician, however, the large increase in volume and intensity of services per contact has to be accounted for. An approximation of the change in volume and intensity of physicians' services is the increase in allowed charges per enrollee in excess of the MEI increase (shown in the 1998 Annual Report of the Board of Trustees of the Federal Supplementary Medical Insurance Trust Fund). The increase in allowed charges per enrollee from Table II.F3. of this report has exceeded the MEI increase by 3.1 percentage points in 1994, 5.8 percentage points in 1995, and 2.1 percentage points in 1996. These data show that volume-and-intensity increases for physicians' services are still high relative to economy-wide productivity, which has historically grown around 1 percentage point annually on a 10-year moving average basis.

Economy-wide labor productivity increases automatically result in economy-wide wage rate increases as less worker time or other inputs are needed to produce the same outputs. Thus, the AHEs wage variable implicitly includes productivity increases in the overall economy. The productivity adjustment to the MEI factors out these economy-wide productivity increases.

However, an individual physician practice still benefits from its own productivity increases in excess of economy-wide productivity increases. This means each individual physician practice is allowed to reap the rewards of having high productivity. Thus, it is both technically correct and fair to both providers and payers to adjust the MEI input prices by economy-wide productivity increases.

#### Result of Evaluation of Comments

As proposed, we rebased the MEI to 1996. We used the same data sources (for base year weights and price proxies) and methodology as explained in the June 5, 1998 proposed rule. The percent change in the MEI for CY 1999 is 2.3 percent.

# III. Implementation of the Balanced Budget Act

In addition to the resource-based practice expense relative value units, BBA provides for revisions to the payment policy for drugs and biologicals, includes a provision allowing private contracting with Medicare beneficiaries, institutes payment for outpatient rehabilitation services based on the physician fee schedule, and changes the policy for nonphysician practitioners and for teleconsultations.

## A. Payment for Drugs and Biologicals

Before January 1, 1998, drugs and biologicals not paid on a cost or prospective payment basis were paid based on the lower of the estimated acquisition cost (EAC) or the national average wholesale price (AWP) as reflected in sources such as the Red Book, Blue Book, or Medispan. (For purposes of this discussion, we will use the term "drugs" to refer to both drugs and biologicals). Examples of drugs that are paid on this basis are drugs furnished incident to a physician's service, drugs furnished by pharmacies under the durable medical equipment (DME) benefit, and drugs furnished by independent dialysis facilities that are not included in the end-stage renal disease (ESRD) composite rate payment.

Section 4556 of BBA established payment for drugs not paid on a cost or prospective payment basis at the lower of the actual billed amount or 95 percent of the AWP, effective January 1, 1998. In this final rule, we are revising the current regulations at § 405.517 to conform to this statutory change. This regulation is removing the EAC and provide for payment at the lower of the actual charge on the Medicare claim or 95 percent of the AWP.

Also, we are revising the method of calculating the AWP. Our current regulations provide that, for multiple-source drugs, the AWP equals the median AWP of the generic forms of the drug. The AWP of the brand name products is ignored on the presumption the brand AWP is always higher than the generic AWPs. While this may have been true when the policy was first promulgated, it is not always true now. Therefore, the AWP for multiple-source drugs would equal the lower of the median price of the generic AWPs or the lowest brand name AWP.

Comment: We received some comments on the proposed methodology for determining the AWP in the case of multi-source drugs. Some commenters suggested we use the average AWP instead of the median AWP. Others objected to the use of the lowest brand AWP saying that in all cases all AWPs, both generic and brand, should be used. One commenter stated that the law does not distinguish brand AWP from generic AWP; therefore, we should not make this distinction.

Response: We agree that the law does not define the term "average wholesale price," and, therefore, does not distinguish brand AWP from generic AWP or average versus median price. However, we believe it is within our general authority in implementing the statute to define terms that do not have explicit statutory definitions. We believe that when there is an array of charges, the median is an appropriate measure of central tendency. This is consistent with many other areas of the program in which the median is used. With respect to distinguishing between brand and generic AWPs, as we stated in the final rule titled "Medicare Program; Fee Schedule for Physicians" Services (BPD-712-F)," published in the **Federal Register** on November 25, 1991 (56 FR 59502), when this policy was promulgated, the brand AWP was believed to be always greater than the generic AWPs (56 FR 59507). Now there is evidence from the Office of Inspector General (OIG) in its report titled "The Impact of High-Priced Generic Drugs on Medicare and Medicaid" (OEI-03-97-00510) that this is no longer true. From a series of OIG reports spanning the past 10 years, it is clear that the AWP is higher than the amount typically paid for drugs by physicians who bill the program. It is also true that when a brand AWP is lower than the median generic AWP, typically there are also other generic AWPs that are as low as or lower than this brand AWP. We believe, therefore, that the payment allowance resulting from this methodology will be adequate.

Comment: Some commenters objected to a payment allowance of less than the AWP. One commenter alleged that not all physicians can buy drugs at less than retail prices. Another commenter stated that only large physician practices can obtain bulk purchase discounts. Another commenter suggested that we monitor access to drugs. Another suggested that we study actual acquisition costs before implementing the limit of 95 percent of AWP. Two commenters stated that physicians should not be burdened with maintaining price controls or cost containment or tracking the prices of drugs. Physicians should only be responsible for choosing the best drug and not be responsible for the cost of the drug. Furthermore, if physicians are not paid sufficiently for the drugs they now inject, they will stop injecting drugs and refer patients to the hospital instead. This will cost the program much more.

Response: First, the law now requires that the Medicare program limit its payment allowance to 95 percent of the AWP. Furthermore, there are numerous reports by the OIG over the past 10 years showing that significant discounts from the AWP are common and are not related to bulk purchases. In the absence of evidence to the contrary of the OIG findings, we believe it is reasonable to set the payment limit as we have proposed. With respect to the comment that physicians will refer patients to hospitals for injections, we believe that for the reasons stated and because payment for outpatient hospital services will be changed to a prospective payment basis, this will not occur.

Comment: One commenter stated that our definition of "brand" should be "the product of the innovator company." The commenter objected to considering other manufacturers' products that are marketed under a proprietary name other than the generic chemical name of the drug on a "brand"

the drug as a "brand."

Response: Our definition of "brand" is any product that is marketed under a name other than the generic chemical name of the drug. If a manufacturer chooses to market its product under a proprietary name rather than the generic chemical name of the drug, we believe this is a brand. We do not limit the definition of "brand" to the innovator company product or any product manufactured under a direct license from the innovator. Furthermore, we believe that it is an unreasonable administrative burden to require our contractors to determine which of the thousands of AWPs they must look up, to also determine which of those are innovator drugs or licensed by the innovator company.

Comment: Two commenters supported our proposal stating that our proposal was consistent with the statute.

*Response:* We agree with this comment.

Comment: A commenter stated that radiopharmaceuticals are drugs, but because of their unique nature they do not have AWPs. Therefore, the commenter recommended that we pay for radiopharmaceutical drugs at the billed amount.

Response: We agree that radiopharmaceutical drugs do not have AWPs, and, therefore, require a different pricing methodology. However, we do not agree that these drugs should be paid at the amount billed to the program. Currently, our contractors determine an allowance for these drugs that is reasonable in light of prices paid by physicians who use them. We will continue this policy of local pricing by our contractors.

Result of evaluation of comments: We are adopting our proposal with further clarifications. The Medicare allowed charge for drugs and biologicals is the lower of 95 percent of the median generic AWP or 95 percent of the lowest brand AWP. A "brand" product is defined as a product that is marketed under a labeled name that is other than the generic chemical name of the drug or biological. The allowed charge for drugs and biologicals that do not have an AWP is determined by the local Medicare contractor considering the prices paid by physicians and suppliers who use them.

# B. Private Contracting with Medicare Beneficiaries

Section 4507 of BBA 1997 amended section 1802 of the Act to permit certain physicians and practitioners to opt-out of Medicare and to provide through private contracts services that would otherwise be covered by Medicare. This rule conforms the regulations to sections 1802(b) and 1862(a)(19) of the Act. In addition, this rule contains ancillary policies that we believe are necessary to clarify what it means when a physician or practitioner "opts-out" of Medicare, and to otherwise effectuate the Congress" intent in enacting section 4507 of BBA 1997.

The private contracting provision is effective for private contracts entered into on, or after, January 1, 1998. We implemented private contracting through a series of operating instructions for Medicare carriers and information that carriers were instructed to provide to physicians and practitioners.

The Medicare claims submission and private contracting rules apply only when a physician or practitioner furnishes Part B Medicare-covered services to a beneficiary who is enrolled in Medicare Part B. The private contracting rules do not apply to individuals who have only Medicare Part A, to individuals who are age 65 or over but who do not have Medicare, or to services that Medicare does not cover.

### **General Issues**

State of Law Before Section 4507 of the BBA

Comment: Some commenters disagreed with our view that private contracting is not valid except as specified in section 4507 of the BBA. They believed that section 1848(g) of the Act does not preclude private contacting. In addition, they believed that the claims submission requirements apply only to "services for which payment is made" under the fee schedule and, therefore, by definition, do not apply if no claim is submitted.

Response: We continue to believe that under the Act, private contracts between beneficiaries and physicians or practitioners are not enforceable unless they meet the requirements of section 4507 of the BBA. The mandatory claims submission rules of section 1848(g)(4) of the Act specify that: "For services furnished on or after September 1, 1990, within 1 year after the date of providing a service for which payment is made under this part on a reasonable charge or fee schedule basis, a physician, supplier or other person (or an employer or facility in the cases described in section 1842(b)(6)(A))-

- (i) Shall complete and submit a claim for such service on a standard claim form specified by the Secretary to the carrier on behalf of a beneficiary, and
- (ii) May not impose any charge related to completing and submitting such a form."

Because there must be a claim to Medicare before payment can be made, the meaning of the phrase ". . . for which payment is made on a reasonable charge or fee schedule basis . (emphasis added)" must be to define the universe of claims to which the mandatory claims submission rules apply as being those services for which Medicare makes payment on a fee schedule or reasonable charge basis once a claim is submitted. The only exceptions the law provides to the mandatory claims submission rules are those found in the private contracting provisions of section 1802(b) of the Act and those implied by the phrase "on

behalf of the beneficiary." In addition, one cannot omit the word "basis" and argue that the claims submission requirement applies only to services for which "payment is made under this part on a reasonable charge or fee schedule." The word "basis" has meaning and was specifically included because it defines a universe of services to which the provision applies. The clear intention of the claims submission provision is to apply to all services for which payment is made under part B on a reasonable charge or fee schedule basis, but not to include services for which payment is made under part B on a reasonable cost basis (for example, hospital outpatient department services).

The phrase ". . . for which payment is made . . . ." cannot, as commenters contend, mean that the mandatory claims submission rules apply only if payment is actually made in an instant case. That reading would mean the mandatory claims rules would never apply where no payment was made because of the absence of a submitted claim, rendering the mandatory claims

provision meaningless.

Moreover, the limiting charge rules of section 1848(g)(1)(A) of the Act establish explicit limits on the charges of a nonparticipating physician or nonparticipating supplier or other person who does not accept payment on an assignment-related basis for a physician's services furnished to an individual who is enrolled in Part B. The only exception to these limits is that found in the private contracting provisions of section 1802(b) of the Act.

Comment: Commenters disagree that the limiting charge applies in the absence of a claim. They believe that if the claims submission rule can be waived by the beneficiary, then the limiting charge rule can also be waived

by the beneficiary.

Response: As noted above, there is specific language in section 1848(g) of the Act that indicates that the physician, supplier, or other person must submit the claim "on behalf of the beneficiary." In contrast, there is no language included in the flat prohibition in section 1848(g)(1)(A)(i) of the Act against nonparticipating physicians, suppliers, and other persons charging more than the limiting charge. For these reasons, we believe that we have no discretion to waive the limiting charge, except when the criteria established by section 4507 of the BBA are met.

Participating physicians, suppliers, and other persons who have agreed to always take assignment on claims for Medicare covered services, and nonparticipating physicians, suppliers, and other persons who take assignment,

have also implicitly agreed to submit claims because one cannot take assignment on a claim unless one submits a claim. Moreover, because taking assignment means agreeing to accept Medicare allowed amounts as payment in full for covered services, they have also voluntarily agreed not to collect more than deductibles and coinsurance from all patients they see. For these reasons, signing a participation agreement, or accepting assignment by a nonparticipating physician, precludes private contracting outside of section 4507 of the BBA.

Claims for services that are not reasonable and necessary according to Medicare standards

Comment: Commenters asked that we clarify that there is no limit on the amount physicians and practitioners may charge beneficiaries when services furnished are denied as not reasonable and necessary, and the physician or practitioner has provided the advance beneficiary notice (ABN). Some commenters also asked that we clarify that when an ABN is provided, there is no private contract. They indicated that some physicians and practitioners are refusing to furnish non-covered services to beneficiaries, because they believe that giving an ABN will compel them to opt-out of Medicare.

Response: When a physician or practitioner furnishes a service that does not meet Medicare's criteria for being reasonable and necessary, and the physician or practitioner has furnished the beneficiary with an ABN that advises the beneficiary that for this reason there is a likelihood of denial of the claim by Medicare, there are no limits on what the physician or practitioner may charge the beneficiary. An ABN that states that the physician or practitioner believes that the service will not be covered by Medicare is not a private contract. The act of providing an ABN does not then require that the physician or practitioner opt-out of Medicare so that he or she avoids being at risk of having a penalty assessed for a limiting charge violation. Hence, physicians and practitioners should not hesitate to furnish services to Medicare beneficiaries when the physician or practitioner believes that those services are in accordance with accepted standards of medical care, even when those services do not meet Medicare's particular and often unique coverage requirements.

Beneficiaries in Medicare risk HMOs and Medicare+Choice organizations

Comment: Some commenters wanted us to reaffirm that a physician or

practitioner may charge without regard to the limiting charge, when he or she furnishes a service to a beneficiary who is enrolled in a Medicare risk plan and the plan will not pay for that service. In addition, we were requested to address what happens in situations in which the beneficiary appeals the denial of the service and the Medicare risk plan subsequently agrees to pay the claim. Commenters asked that we define what is meant by "covered services," for purposes of physicians and practitioners being able to charge Medicare risk plan or Medicare+Choice (M+C) organization enrollees more than the Medicare fee schedule, without having the physician or practitioner opt-out of Medicare for services not covered by the plan or the M+C organization.

Response: When a Medicare beneficiary enrolls in a Medicare risk plan (either currently under section 1876 of the Act or after January 1, 1999, under the M+C program), that beneficiary has Medicare coverage only to the extent that the services are covered under the risk plan according to the plan's rules for coverage. A risk plan may deny payment for a service if the beneficiary has not abided by the rules for coverage of care under the risk plan. (Examples of non-adherence to the plan's rules could be a beneficiary acquiring care without the required plan prior authorization, or acquiring care from a non-network physician if coverage is limited to network physicians.) In that situation there is no plan coverage of that service and the beneficiary is fully liable for the payment of the service, even when payment would have been made under original Medicare if the beneficiary were not in the risk plan. In these types of situations, the physician or practitioner may charge the beneficiary without regard to the limiting charge for the service furnished, and no claim need be submitted for the non-covered service. A private contract is not needed and the physician or practitioner need not optout of Medicare.

We would caution, however, that if the beneficiary seeks plan payment and the plan pays for the service, either initially or on appeal, then the physician or practitioner is entitled to receive no more than the amount he or she would have received under original Medicare. An adjustment would then have to be made to ensure that the beneficiary received a refund for any amount in excess of the Medicare allowed amount (if the physician participates in original Medicare) or the Medicare limiting charge (if the physician does not participate in original Medicare).

Application to Medicaid

Comment: A commenter wanted us to revise the final rule to specify that a physician or practitioner who opts-out of Medicare may not bill Medicaid for services he or she furnishes to individuals who are enrolled in both Medicare and Medicaid.

Response: There is nothing in section 4507 of the BBA that prohibits either dually eligible Medicare and Medicaid beneficiaries, or Medicare providers, from entering into a private contract, or that prohibits these providers from billing Medicaid for Medicaid covered services.

Excluded physicians and practitioners who opt-out

A physician or practitioner may be excluded from Medicare by the Office of Inspector General (OIG) for violations of the law according to sections 1128, 1156, and 1892 of the Act. An excluded physician or practitioner may not furnish, order, prescribe, or certify the need for Medicare-covered items and services (except as permitted in 42 CFR 1001.1901) for the term of the exclusion. A physician or practitioner must request and be granted reinstatement by the OIG before billing Medicare.

Comment: A commenter asked that we not permit excluded physicians and practitioners to opt-out. She believes that we need to clarify the relationship between opting-out and being excluded. She believes that if we permit excluded physicians and practitioners to opt-out, all the rules that apply to excluded physicians and practitioners can and should apply to physicians and practitioners who have opted-out. For example, excluded physicians cannot order covered services. Commenters also wanted us to agree that a private contract entered into by an excluded physician or practitioner would be recognized by us and the Office of the Inspector General as a notice to the beneficiary that the physician or practitioner is excluded, because the private contract must say whether the physician or practitioner is excluded.

Response: Section 1802(b)(2)(B) of the Act says, "[s]uch contract shall also clearly indicate whether the physician or practitioner is excluded from participation under the Medicare program under section 1128." We have interpreted this to mean that, although excluded physicians can enter into private contracts, they must not only indicate their excluded status through the contract, but also still abide by the terms of their sanction under section 1128 of the Act. Practically speaking, this means that excluded physicians or

practitioners may file affidavits and enter into private contracts, but that all the provisions of section 1128 of the Act and regulatory requirements pertaining to section 1128 of the Act, such as perencounter issuances of ABNs, must still apply. Further, although section 1802(b)(2)(B) of the Act specifically mentions exclusions under section 1128 of the Act, the Secretary also has authority to exclude physicians and practitioners under sections 1156 and 1892 of the Act for the reasons specified therein. We believe it was Congress's intent to require clear notice of any exclusion, regardless of the specific statutory basis for it, in the contract with the beneficiary. Therefore, we have added language to §§ 405.415 and 405.425 to require a physician or practitioner provide clear notice of any exclusion, be it under section 1128, 1156, or 1892 or any other provision of the Act. We have also added language to § 405.440 to make clear that excluded physicians and practitioners are bound by the standards in 42 CFR § 1001.1901 for obtaining Medicare payment for emergency or urgent care services.

Grandfathering of physicians and practitioners who already opted-out

Comment: Commenters requested affirmation that the physicians and practitioners who have already optedout will not have to file either revised affidavits or revised private contracts to meet the new standards contained in these regulations.

Response: We agree. These regulations are effective for private contracts entered into on or after January 1, 1999, and for affidavits submitted to carriers on or after January 1, 1999.

The provisions of section 4507 of the BBA were effective for private contracts entered into on or after January 1, 1998. We have therefore implemented the provisions of section 4507 of the BBA through operational instructions. Specifically, we issued Medicare program memoranda to implement the law in November 1997, January 1998, April 1998, July 1998. Medicare carriers have provided the information in these documents to all physicians and practitioners as they were released throughout the year. If physicians and practitioners submit affidavits in accordance with these program memoranda before January 1, 1999, they have opted-out of Medicare for the 2year opt-out period, and need not submit revised affidavits to comply with the regulations. Similarly, when they have entered into private contracts with Medicare beneficiaries before January 1, 1999, they need not revise the private

contracts or have beneficiaries sign second private contracts.

Comment: Commenters requested that physicians and practitioners who have opted-out before the regulations take effect, be provided with an opportunity to terminate their opt-out within 90 days of the date the new rules are effective, under the terms of early termination of opt-out.

Response: We agree. We have provided a special one time 90-day early termination opportunity for physicians and practitioners who opted-out during 1998, and who are willing to terminate their opt-out by complying with the requirements of §§ 405.445(b) (3) and (4) and 405.445(c).

#### Charitable care

Comment: Commenters indicated that physicians and practitioners should be permitted to opt-out of Medicare to do charitable care. They believed that because currently physicians and practitioners must collect deductible and coinsurance, they can be found to have made an illegal remuneration if they do not. They believed that the deductible and coinsurance are a financial burden for beneficiaries who do not have Medicaid. In addition, they believed that physicians and practitioners should be able to privately contract on a patient-by-patient basis, when they choose to offer free services to Medicare patients in need of those

Response: A physician or practitioner need not opt-out of Medicare to furnish services for which they do not charge, nor need they opt-out when either the deductible or coinsurance or both are waived because of indigence. Under current law, regulations, and instructions, nothing prevents a physician or practitioner from not charging a beneficiary for medical services. Moreover, longstanding Medicare policy permits physicians and practitioners to waive Medicare deductibles and coinsurance, when the physician's or practitioner's analysis of the beneficiary's financial information leads him or her to believe that collecting either the deductible or coinsurance or both would impose a hardship on the beneficiary. This policy has long been stated in Medicare Carrier Manual section 5220, and was stated as a permitted exception to the prohibition on the waiver of the deductible and coinsurance in section 231(h) of Health Insurance Portability and Accountability Act of 1996 (Public Law 104-191).

However, the commenter is correct that the provision of free services can become problematic in some cases, as for example, when a charge is not made as an inducement for the beneficiary to return for covered services, or as an inducement for the beneficiary to provide referrals. The commenter is also correct that indigence is the only explicitly permitted basis for waiver of either the deductible or coinsurance or both.

### **Definitions (§ 405.400)**

#### Beneficiary

Comment: Commenters wanted the definition of "beneficiary" clarified to indicate that it applies only to individuals who are enrolled in original Medicare and does not apply to individuals who are enrolled in Medicare risk plans, or, after January 1, 1999, the M+C organizations.

Response: We have not made this change. The commenters are under the mistaken impression that a physician or practitioner may opt-out of original Medicare, but continue to be paid by an M+C organization for Medicare-covered services furnished to a beneficiary who is enrolled in an M+C organization. Instead, under the law and as specified in these regulations at § 405.220, a physician or practitioner who opts-out of Medicare may not provide services for which payment is made by Medicare, including where payment is made to the physician or practitioner by an M+C organization for services to a Medicare beneficiary enrolled in such an organization.

### Emergency care services

Comment: Some commenters raised the question of whether we would use the "prudent layperson" definition of emergency medical condition of § 422.2, instead of the provider agreement definition of the term at § 489.24. The commenter believed that the "prudent lay person" definition is preferable.

Response: We agree. In order to give both beneficiaries and physicians and practitioners the greatest protection and flexibility in medical decision-making, we have decided to adopt the more inclusive "prudent layperson" standard of § 422.2, which was recently published as part of the M+C regulations at 63 FR 34968.

### Legal representative

Comment: Some commenters objected to permitting a beneficiary's "legal representative" signing a private contract, because the law makes no provision for this action. They believed the regulations should permit no one but the beneficiary to sign a private contract.

Response: We permit a beneficiary's legal representative to sign a private

contract so that beneficiaries who have legal representatives will not be treated differently than beneficiaries who do not have legal representatives. We can foresee a situation in which the legal representative of a beneficiary believes that signing a private contract that allows the physician or practitioner to furnish care would be in the beneficiary's best interest, and, we believe that, if legal representatives have the right to do so under applicable State law, they should not be precluded from doing so by Medicare regulations.

Comment: Some commenters stated that the proposed definition of "legal representative" is too restrictive. These commenters believed that we should define a "legal representative" to be any person permitted by State law to make health care decisions on behalf of the beneficiary. They believed that we defer to State law under the M+C rules, and that there is no reason to make a different rule for private contracting.

Some commenters requested that the definition of "legal representative" be expanded to include any person who would be willing to pay the beneficiary's bill, as, for example, family members. Some commenters stated that we should not define "legal representative" or use the term. Rather we should state that the private contract must be recognized under State law as a legally binding contract on the beneficiary, thereby letting the State determine when someone other than the beneficiary may sign it.

Some commenters indicated that the definition is not clear and should be revised. They wanted the revision to reflect differences in State law, or differences in the scope of the court order that appointed the beneficiary's legal guardian, by defining "legal representative" as "the beneficiary's court-appointed surrogate (guardian, conservator or other State law terminology) who has authority to enter into a contract for health care services. Some commenters indicated that the regulation should be revised to clarify that the "legal representative" accepts responsibility for making payment from the beneficiary's financial resources or from the beneficiary's estate, but is not responsible for making payments using the legal representative's personal funds. In addition, commenters wanted the regulation to clarify that the legal representative is not personally liable for the beneficiary's bills.

Commenters also indicated that the party who can make health decisions may not be the same party who can make financial decisions. These commenters believed that private contracting involves both health and

financial decisions, and, thus, that both parties should have to consult and agree before any one party enters into a private contract on behalf of a beneficiary.

Response: We believe that the question of who should be allowed to enter into a private contract should be determined in accordance with State law. Therefore, we have changed the definition of legal representative as specified in § 405.400 to be: "one or more individuals who, as determined by applicable State law, has the legal authority to enter into the contract with the physician or practitioner on behalf of the beneficiary."

Comment: One commenter requested that the regulation require that the court order or power of attorney document establishing a "legal representative" be attached to the contract.

*Response:* We leave this matter to the States to regulate in accord with their applicable contract and agency laws.

## Physician

*Comment:* Some commenters wanted optometrists to be able to opt-out.

Response: Section 1802(b)(5)(B) of the Act defines a physician according to the definition given in section 1861(r)(1) of the Act, which defines a physician as a doctor of medicine or osteopathy. For the purposes of opting-out and private contracting, the Congress did not define the term physician to mean the many other types of health care professionals as listed in section 1861(r)(2) through (5) of the Act. Optometrists are included in the definition only at section 1861(r)(4) of the Act.

## **General Rules (§ 405.405)**

Two-year opt-out period

Comment: Many commenters objected to the requirements that when a physician or practitioner opts-out of Medicare, he or she must agree to sign private contracts with all Medicare beneficiaries, for all services furnished to Medicare beneficiaries for 2 years (other than emergency and urgent care services). These commenters believed that the 2-year requirement transforms private contracting from a vehicle for maximizing patient choice and access to services, into a barrier to the acquisition of services by the patient from the physician or practitioner of the patient's choice.

Response: The statute specifies that, in order to privately contract, the physician or practitioner must file an affidavit with Medicare. In the affidavit he or she must agree to enter into private contracts with Medicare beneficiaries (except in the case of those

who require emergency or urgent services) for 2 years.

Effect of opt-out that occurs during a continuum of care

Comment: Commenters asked that we clarify the effect of private contracting when the beneficiary is in a continuum of care that overlaps the opt-out period. For example, what will happen when a beneficiary is in the midst of a course of chemotherapy and the physician chooses to opt-out?

Response: When a Medicare beneficiary is in a continuum of care such as a course of chemotherapy and the physician chooses to opt-out of Medicare, the beneficiary may either privately contract with the physician, or the beneficiary may acquire the remainder of the care from a physician who has not opted-out of Medicare. If a physician or practitioner has opted-out of Medicare by filing an affidavit with the carrier, then he or she must enter into a private contract with every beneficiary to whom he or she furnishes care, except in situations where the beneficiary requires emergency or urgent care.

# Conditions for Properly Opting-Out of Medicare (§ 405.410)

Advance notice of opt-out

Comment: A commenter requested that we require that physicians and practitioners give 60 days advance notice of their intention to opt-out. For nonparticipating physicians, this would be 60 days prior to filing the affidavit. For participating physicians, this would be 60 days before the calendar quarter in which their opt-out becomes effective. The notice would be given to beneficiaries treated by the physician or practitioner within 3 years, and to new beneficiaries with pending appointments.

The commenter knew of cases where beneficiaries traveled long distances for medical services without having been informed that the physician or practitioner had opted-out. Then, after arriving for the appointment, the beneficiaries had to leave without receiving the needed medical services, because they could not afford to enter into a private contract. According to the commenter, the beneficiaries in these cases suffered anxiety, distress, expense, and a delay in receiving the needed medical services. Those negative consequences could have been avoided if the beneficiaries had been advised, at the time the appointment was made or earlier, that the physicians had optedout of Medicare. The commenter believed that the absence of advance

notice leaves beneficiaries subject to duress in the physician's or practitioner's office.

Response: We have not imposed an advance notice requirement for physicians and practitioners who optout. We do not believe that kind of requirement is warranted. Moreover, the 60-day advance notice the commenter requested may cause physicians and practitioners to refuse to provide services during those 60 days, possibly resulting in the delay of needed medical services.

However, we hope that organizations will encourage member physicians and practitioners who have opted-out to notify the Medicare beneficiaries to whom they provide care as soon as possible after they file the affidavit. We also hope that these physicians or practitioners require that their office staff advise beneficiaries, at the time the beneficiary makes an appointment, that the physician or practitioner has optedout of Medicare. Advance notice would spare beneficiaries the inconvenience, anxiety, duress, and delay in receiving needed medical services that might otherwise occur if they cannot enter into the private contract.

There are also significant administrative and good will advantages to the physician or practitioner of these notices. Advance notices will prevent the beneficiary from being surprised and possibly upset or angry in the office. Moreover, they will minimize the ill will that may occur if the beneficiary is asked to enter into a private contract at the time of the appointment as a condition of seeing the physician or practitioner, without being given advance notice. In addition, an advance notice will minimize the chance that beneficiaries will leave without having received the needed services, and result in an avoidable loss of income and time for the physician or practitioner.

We also hope that beneficiary organizations will encourage beneficiaries when they make an appointment to seek out information on whether they will need to sign a private contract before seeing a physician or practitioner. Then, the beneficiary could make a thoughtful and careful decision, in an environment less stressful than the physician's or practitioner's office.

Although we hope that the physician and practitioner communities will cooperate to provide an appropriate advance notice, we are concerned about the scenarios presented by the commenter and will continue to consider whether further guidance is needed.

Notice of change in participation status

Comment: A commenter indicated that there should be a mechanism for beneficiaries who have not signed private contracts, to be notified when they receive either emergency or urgent care services from an opt-out physician or practitioner who participated in Medicare before opting-out (and cannot sign a private contract at that time), that the physician or practitioner is now a nonparticipating physician or practitioner. That notification would benefit the beneficiary because the beneficiary's financial liability for those services will rise as a result of the change in the Medicare status of the physician or practitioner.

Response: We believe that this recommendation is an impractical burden to impose on physicians and practitioners, and is of little value to the beneficiary who needs emergency or urgent care services. When a beneficiary needs emergency or urgent care services, he or she probably does not have the alternative to seek care from a participating physician.

Signage

Comment: A commenter asked that we require that physicians and practitioners who opt-out to post a sign in a conspicuous space in his or her office in 5-inch type, stating that the physician or practitioner has opted-out of Medicare. Then beneficiaries will know when they enter the office that they will be required to sign a private contract to acquire non-emergency or urgent care services.

Response: We have not adopted this suggestion. As noted earlier we hope the physician and practitioner communities will cooperate to provide an appropriate advance notice to beneficiaries. We believe that a sign such as the commenter recommends would provide little or no value to the beneficiary who has already come to the physician or practitioner's office, and is about to be asked to enter into a private contract.

Relationship of opt-out physicians and practitioners to beneficiaries who do not enter into private contracts

Comment: A commenter asked that \$\ \$\ 405.410\$ and 410.420 be revised to include an affirmative prohibition that physicians or practitioners cannot furnish an item or service to any beneficiary who has not privately contracted. The commenter believed that it should also be a condition to properly opt-out and maintain opt-out so that, if the physician or practitioner does not privately contract, the penalties of \ 405.435(b) would be invoked.

Response: We have revised § 405.435 to specify that when a physician or practitioner who has opted-out fails to enter into a private contract (except in emergency or urgent care situations), he or she has failed to maintain opt-out. Therefore, where an opt-out physician or practitioner fails to enter into a private contract (except in emergency or urgent care situations), he or she will be subject to the penalties in that section for failure to maintain opt-out. We believe that this change addresses the commenter's concerns, and that changes to §§ 405.410 and 405.420 are not useful.

Timing of opt-out by participating physicians

Comment: Some commenters believed that participating physicians should be allowed to opt-out at any time after they provide sufficient advance notice. These commenters did not believe that participating physicians should have to await the beginning of a calendar quarter to be able to opt-out. Other commenters believed that physicians should only be permitted to opt-out during the standard participating physician enrollment period. They argued that permitting participating physicians to opt-out on a quarterly basis, and permitting nonparticipating physicians to opt-out at any time, leaves beneficiaries with too little time to find another physician or practitioner if theirs chooses to opt-out.

Response: We have decided to make no changes to the conditions regarding the timing of the opt-out period, either to permit opt-out by participating physicians at will, or to permit opt-out only during the participation enrollment period. Medicare carriers must make systems changes to permit participating physicians to opt-out, and, thereby, become nonparticipating physicians in the middle of the year, in such a way that they do not reduce Medicare payments for services furnished during the part of the year that they had a participation agreement in effect.

Medicare has a longstanding policy of making systems changes no less often than on a quarterly basis. The quarterly opt-out for participating physicians is designed to accommodate that schedule, while simultaneously permitting participating physicians to opt-out without having to await the annual participation enrollment or disenrollment period. The law does not link the opt-out election to the annual participation period and, therefore, we do not preclude participating physicians from opting-out only during that period.

Whether a carrier should send a return receipt to a physician or practitioner that submitted an affidavit

Comment: A commenter wanted carriers to be required to send a return receipt verifying the accuracy and acceptance of the affidavit. The commenter believed that procedure will eliminate problems with lost mail or an incorrect affidavit, and reduce the incidence of physicians and practitioners not properly opting-out and later finding themselves in trouble for having failed to properly opt-out.

Response: Our experience with those physicians and practitioners who have opted-out, indicates that there have been no notable problems with lost mail or incorrect affidavits. Hence, we do not believe that there is sufficient justification at this time for requiring the carrier (and the Medicare program) to incur the costs associated with sending return receipts to the physician or practitioner.

Impact of changes in carrier jurisdiction

Comment: A commenter asked that we address how carrier terminations and replacements will affect the opt-out status of physicians and practitioners. Specifically, the commenter wanted to know if the physician or practitioner needs to again file the affidavit with the carrier that is taking over the jurisdiction.

Response: Physicians and practitioners who have filed affidavits opting-out of Medicare will not need to refile when a carrier is replaced by a new carrier. The information will be transferred from the existing contractor to the new contractor, as part of the systems and records transition process.

Requirement to submit affidavits to all carriers

Comment: Commenters objected to the requirement that the physician or practitioner must submit affidavits to all carriers to which he or she has submitted claims in the past 2 years. They believed that this is a burdensome requirement that will become more so as there are more M+C organizations. Commenters also believed that this requirement is particularly burdensome for physicians and practitioners in States that have a lot of "snowbirds." They asked whether the physician or practitioner must submit an affidavit to each carrier to which they would send claims. A commenter requested that there should either be a standard form that contains all addresses, or the affidavit should be submitted to us for distribution to all carriers.

*Response:* We do not believe that this requirement is burdensome. The

submission of an affidavit is done no more than once every 2 years, and requires simply mailing it to the addresses to which the physician or practitioner ordinarily sends claims. Physicians and practitioners already know to whom they have sent claims within the past 2 years, and this is the reason we proposed this standard.

We want to reinforce the importance of mailing the affidavits to the appropriate carriers. We have received many affidavits that were sent to the Secretary, rather than being sent to the physician's or practitioner's carrier. The result of the misrouting of the affidavits has been significant delays in the processing of these misdirected affidavits by carriers. Physicians and practitioners were instructed where to send the affidavit in the November 1997 "Dear Doctor" letter. That letter was sent to all physicians and practitioners who had submitted claims to Medicare within the previous year.

Moreover, the comments reflect several misunderstandings. First, the number of M+C organizations has no relationship to the number of affidavits to be filed, because an M+C organization is not a Medicare carrier. M+C organizations will acquire information on physicians and practitioners who have opted-out through mutually agreed upon arrangements with carriers.

Also, when a physician furnishes care to a Medicare beneficiary who lives much of the time in another State, the physician files the Medicare claim with the carrier that has jurisdiction over the claims for the services furnished in the physician's or practitioner's Medicare locality. For example, when a physician in Jacksonville treats a Medicare beneficiary who resides most of the time in Detroit, the physician files the claim with the carrier who processes claims for services furnished in Jacksonville, not with the carrier who processes claims for services furnished in Detroit. Hence, the physician would file the affidavit with the carrier for Jacksonville, not with the carrier for Detroit.

We recognize that this process could be more streamlined. Therefore, we are considering ways to simplify it for physicians, practitioners, carriers, and M+C organizations, and would welcome suggestions on this subject.

Comment: A commenter asked for specific guidance in the case of physicians and practitioners who have not filed claims with Medicare in the past 2 years.

Response: The physician or practitioner should file the affidavit with the carrier that has jurisdiction over claims for the services furnished in

the Medicare localities in which the physician furnishes services.

# Requirements of Private Contracts (§ 405.415)

Need for a model contract

Comment: Some commenters wanted us to develop a model contract. They believed that it would help physicians and practitioners by ensuring that they maintain their opt-out status. They believed that a model contract would increase the probability that beneficiaries will understand the effects of the private contract.

Response: We agree. We plan to create boilerplate language that may be included with any other contractual document the physician or practitioner and beneficiary create. We plan to create boilerplate language as part of the development of manual instructions, after consultation with the physician, practitioner, and beneficiary communities.

## Wording of the private contract

Comment: Commenters requested that we require that the wording of the private contract be plain and simple, and not reference law, regulations, or government instructions. They believed such references cause beneficiaries to cease reading documents.

Response: We agree that the wording of private contracts should be plain and simple. At the same time, a private contract is a binding legal document. Its purpose is to waive a beneficiary's right to have his or her governmentsponsored insurance coverage pay for certain health services. It is unlikely that a sensible and intelligent contract on this issue could be developed without a reference to law or regulation. Therefore, we are not prohibiting inclusion of references to law and regulations because such references may be necessary. However, contracts could have references to law or regulations and still be in plain and simple language.

Comment: Commenters requested that we require that the private contract specify that the beneficiary does not forego Medicare coverage for the services furnished by other physicians or practitioners who have not opted-out. In addition, commenters requested that the private contract specify that the beneficiary is not compelled to enter into private contracts that apply to other Medicare-covered services.

Response: We believed that these concerns were addressed in § 405.415(g) of the proposed rule. However, because of this comment, we have revised § 405.415(g), adding that the beneficiary

must be advised that he or she is not compelled to enter into private contracts that apply to other Medicare-covered services furnished by other physicians or practitioners who have not opted-out. In addition, this and other terms a private contract should contain may be incorporated in boilerplate language that we plan to create after consulting with the physician, practitioner, and beneficiary communities. That boilerplate language could then be included as part of the private contract document.

Comment: Commenters requested that we require that the private contract contain wording that specifies that the private contract applies to all services by the opt-out physician or practitioner, including emergency and urgent care services, and that, therefore, Medicare will not pay for any services furnished by the opt-out physician or practitioner. Commenters indicated that this wording is needed, because many private contracts specify that the beneficiary will have to pay for certain services, wrongly implying that other services not identified in the contract will be paid by Medicare. If the beneficiary is misled by this wording, it increases the likelihood that he or she will sign the private contract without understanding the effect.

Response: We have revised § 405.415(c) to clarify that the private contract must state that the beneficiary understands that by signing the private contract, the beneficiary or his or her legal representative accepts full responsibility for payment of the physicians's or practitioner's charge for all services furnished by the physician or practitioner. We will consider the exact language to be used in the private contract as part of the development of the boilerplate private contract language.

Beneficiary's copy of the private contract

Comment: Commenters asked how far in advance must the physician or practitioner give the beneficiary a copy of the private contract as required by § 405.415(1).

Response: Under § 405.415(l), we proposed that the beneficiary receive a copy of the contract before receiving any services under the contract, but we did not require that this occur a specific duration of time before services are furnished under the contract. We only proposed that the beneficiary be in possession of the private contract, or a copy of the private contract, by the time services under the private contract are furnished. This is consistent with the policy we have in place under the

interim operating instructions issued to carriers in November 1997, January 1998, April 1998, and July 1998.

Duration of retention of the private contract

Comment: Commenters requested that we require the opt-out physician and practitioner to retain the private contract for the duration of the longest statute of limitations in the relevant state jurisdiction, so it would be available to use in potential claims against the physician or practitioner. They believed that this would assist in settling disputes about whether a private contract was required.

Response: We proposed that the private contract be retained for the duration of the opt-out term to which it applies. However, we are aware that, for example, a particular physician's or practitioner's opt-out term may run from January 1, 1999 to December 31, 2001. In this example, a beneficiary could enter into a contract with that practitioner or physician in November 2001, and a dispute over the existence or validity of the contract could arise in January 2002. If the physician or practitioner disposed of the contract on December 31, 2001, the physician or practitioner would not have the contractual evidence in the subsequent dispute. However, because retention of the private contract would be to the practitioner's or physician's benefit, we believe that the contract would become part of the patient's permanent record. In addition, although the physician or practitioner might have disposed of his or her copy of the contract, the beneficiary should still have the copy of the contract the beneficiary was given when the beneficiary entered into the contract.

Private contract type size

Comment: Commenters indicated that they support the absence of specified requirements regarding size of the print in the private contract, but that the regulations should stipulate that the physician or practitioner and the beneficiary should reach mutual agreement on all aspects of the private contract.

Response: Implicit in the fact that both parties enter into a private contract is the notion that both parties have read, fully understand, and agree to the terms and provisions of the private contract.

# Requirements of the Opt-Out Affidavis (§ 405.420) Reassignment Implications

Comment: Commenters wanted the proposed regulations to be revised to explicitly authorize continued reassignment of Medicare benefits for

services furnished by opt-out physicians and practitioners to community mental health centers (CMHCs). They believed that opt-out physicians and practitioners should be able to opt-out of Medicare for purposes of their private practices, but be able to remain in Medicare when they furnish services in other settings like CMHCs. That would allow the physician and practitioner to continue to furnish services to low income persons for which the CMHC could bill Medicare.

Response: We disagree. Under the law, when a physician or practitioner opts-out of Medicare, he or she signs an affidavit that promises that he or she will privately contract for all Medicarecovered services he or she furnishes to Medicare beneficiaries. Hence, the optout decision applies to all services furnished by the physician or practitioner, including those for which a CMHC bills and is paid by Medicare under a reassignment of benefits to the CMHC, a billing agent arrangement, or through an employment relationship. Except as discussed below, no payment may be made to the physician or practitioner or to the CMHC for the services of a physician or practitioner who has opted-out of Medicare.

The only exception occurs when a clinical social worker (CSW) who is recognized by Medicare as a practitioner provides services as part of a partial hospitalization program for which Medicare is paying the CMHC. In this case, the CMHC (and not the CSW) is the provider of a partial hospitalization service (not a CSW service) and the fact that the CSW opted-out of Medicare does not preclude payment for the partial hospitalization service.

### Identifying Information

Comment: Commenters objected to the quantity of information that we proposed requiring in the affidavits. They believed that we have gone beyond what the law requires for the specific identifying information that must be provided. They requested that the proposed regulations be revised to require only a name, address, phone number, and one identifying number such as either the national provider identifier, the uniform provider identification number, or the tax identification number.

Response: We are sympathetic to these commenters concerns, but we believe that we have requested the minimum practical quantity of information be provided in the affidavit that we, and carriers, need to properly and uniquely identify opt-out physicians and practitioners. Given the possibility that a large number of

physicians or practitioners could optout of Medicare, the potential for having confusion among physician or practitioners with the same name or business address is significant. This is especially true when the additional factors such as the prevalence of the use of billing agents and reassignments are considered.

We need sufficient information to ensure that no entity is billing on behalf of an opt-out physician or practitioner. We also need sufficient information to identify persons who have never been involved in the Medicare program. In addition, and most importantly from the physician's or practitioner's standpoint, we need what some physicians and practitioners may believe to be duplicate information to ensure that we have correctly identified the opt-out physician or practitioner and have not incorrectly assumed that a physician or practitioner has opted-out.

### Failure to Properly Opt-Out (§ 405.430)

Difference Between Failing to Properly Opt-Out and Failing to Maintain Opt-Out

Comment: Commenters asked that we clarify the difference between failing to properly opt-out (§ 405.430) and failing to maintain opt-out (§ 405.435).

Response: Failure to properly opt-out means failure to meet the criteria that change a physician's or practitioner's status, from a physician or practitioner who is bound by the Medicare claims filing rules and limits on charges (that is, participating or nonparticipating), to a physician or practitioner who is no longer bound by Medicare claims filing and limits on charges and must privately contract with Medicare beneficiaries (that is, an opt-out physician or practitioner). The effects of failing to properly opt-out as specified in § 405.435(b) are the same conditions that existed before the private contract provisions of section 4507 of the BBA were effective. These conditions continue to exist for all physicians and practitioners who do not properly optout by meeting all of the requirements of these rules. A physician or practitioner who has never filed an affidavit is bound by the rules in § 405.430(b) because he or she has not properly opted-out.

Failing to maintain opt-out means failure to continue to comply with the requirements of properly opting-out, but only after having properly opted-out. A physician or practitioner who has opted-out by meeting the requirements of § 405.410, but who fails to continue to meet one of the requirements specified in § 405.435(a), has failed to

maintain opt-out and is subject to the effects of § 405.435(b).

Beneficiary rights when a physician or practitioner does not properly opt-out

Comment: Commenters asked that we specify the beneficiary's rights when the physician or practitioner fails to properly opt-out. Specifically, are beneficiaries entitled to refunds for services furnished under private contracts? If the answer is yes, are the refunds based on Medicare rules, and does the pre-opt-out or post opt-out status (participating versus nonparticipating) control the payment?

Response: Beneficiary rights when a physician or practitioner fails to properly opt-out are specified in § 405.430(b). However, we realize that the proposed rule failed to indicate that a participating physician in Part B of Medicare who has not properly optedout may not charge more than the deductible and coinsurance that applies to the service furnished because, in the absence of the physician properly opting-out of Medicare, the participation agreement to accept assignment on all claims continues to apply. We have made the relevant change to this section.

Repeated attempts to opt-out

Comment: Commenters asked us to clarify what happens when the physician or practitioner fails to properly opt-out. Does a participating physician have to wait until the next calendar quarter to properly opt-out? Commenters wanted the regulations to specify that all attempts to properly opt-out must meet the same criteria as if no opt-out attempt had occurred.

Response: A physician or practitioner who fails to properly opt-out continues to be bound by the Medicare claims filing and charge limit rules identified in § 405.430(b). However, he or she may make an unlimited number of attempts to properly opt-out at any time. We believe that the regulations are clear that the criteria for properly opting-out as specified in § 405.410 must be met for the physician or practitioner to opt-out.

## Failure to Maintain Opt-Out (§ 405.435)

Inclusion of failure to enter into a private contract as a failure to maintain opt-out

Comment: Some commenters requested that the regulations specify that the failure of a physician or practitioner who has properly opted-out to privately contract with a beneficiary to furnish services, that are not emergency or urgent care services, is a failure to maintain opt-out. In those

cases, the commenters wanted the penalties for failure to maintain opt-out to apply

Response: We agree and have revised § 405.435(a). Failure to enter into a private contract with a beneficiary who requires services that are neither emergency nor urgent care services is now a condition that results in the physician or practitioner failing to maintain opt-out as specified in § 405.435(a)(5). Commenters have provided information about situations in which physicians and practitioners who opted-out of Medicare failed to enter into private contracts with beneficiaries who did not need emergency or urgent care services. Those beneficiaries subsequently learned that they would be wholly liable for the physician's or practitioner's charges because they had opted-out of Medicare. We believe that failing to privately contract after promising to do so in the affidavit clearly violates the intent of the law. That intent, we believe, is to ensure that beneficiaries have entered into private contracts before they assume liability for payment of furnished services without regard to charge limits.

Medicare payment when the beneficiary has not entered into a private contract

Comment: Some commenters requested that we require that when the opt-out physician or practitioner fails to enter into a private contract before furnishing services that are not emergency or urgent care services, the beneficiary be reimbursed by Medicare. In addition, the physician or practitioner would have to refund to the beneficiary any amount in excess of the limiting charge. Commenters indicated that this would parallel longstanding policy in which Medicare pays the first claim submitted by an excluded physician or practitioner.

Response: We have revised § 405.435 to add failure to enter into a private contract as a failure to maintain opt-out. Under these provisions, the physician or practitioner would be required to refund amounts in excess of the charge limits under the limited terms described in § 405.435(b). Under those terms, where a carrier notifies a physician or practitioner that he or she appears to have failed to maintain opt-out, the physician or practitioner would have 45 days to respond to the carrier with the good faith efforts that he or she has taken to resolve the problem. In cases in which the physician or practitioner did not sign private contracts, those good faith efforts would have to include refunds to those beneficiaries of amounts in excess of the charge limits

(that is, the limiting charge for physicians, and deductible and coinsurance for practitioners). Where a carrier notified a physician or practitioner that there was an apparent failure to maintain opt-out and he or she did not respond within 45 days with an explanation of how the problem was or would be solved, the charge limits would apply after the 45th day, resulting in refund of excess amounts if any are collected for the remainder of the opt-out period. Where the physician or practitioner responded to the carrier notice and resolved the problem, no refunds would be required and the optout would continue unaffected.

In addition, we have added § 405.435(c), which specifies that payment may be made to beneficiaries in a similar manner as payment made to beneficiaries who receive services from physicians and practitioners who are excluded from Medicare by the Office of the Inspector General (OIG).

Under a longstanding exclusion provision at 42 CFR 1001.1901(c), payment may be made to a beneficiary who has not been notified of the physician's exclusion, for the first claim submitted by the enrollee. Payment to the beneficiary may also be made for services received by the beneficiary no more than 15 days after the date of the carrier's notice to the beneficiary that the physician has been excluded from Medicare. Therefore, in § 405.435(c), we have included similar provisions with respect to physicians and practitioners who have opted-out of Medicare, but failed to enter into private contracts before furnishing services that are not emergency or urgent care services.

We agree with the commenters that it is not fair to deny beneficiaries reimbursement for otherwise allowable services when they had no reason to believe that Medicare would not pay for the furnished services. We should point out, however, that as a practical matter, payment to the beneficiary will probably be made after denial of the beneficiary's claim and as part of the appeal process. In other words, the beneficiary's claim initially would be denied on the basis that the physician or practitioner opted-out. Should the beneficiary then appeal on the basis that he or she did not enter into a contract with the physician or practitioner, and should the physician or practitioner fail to produce documentation that there was a contract, the beneficiary's appeal would be allowed and the claim would be paid.

*Comment:* Commenters objected to any recovery of payment from the physician or practitioner when the physician or practitioner failed to

maintain opt-out, because he or she failed to enter into a private contract with the beneficiary before furnishing services that were not emergency or urgent care services.

*Response:* As discussed above, we have revised § 405.435 to define failure of an opt-out physician or practitioner to enter into a private contract as being a failure to maintain opt-out. When a carrier notifies an opt-out physician or practitioner that he or she appears to have failed to maintain opt-out by not entering into a private contract, he or she may continue to opt-out if he or she makes good faith efforts at fixing the problem that led to the failure to maintain opt-out and notifies the carrier of these efforts within 45 days of the carrier notice. When a physician or practitioner appears to have failed to maintain opt-out by not entering into a private contract with a Medicare beneficiary (except in emergency or urgent care cases), these good faith efforts should include refunding amounts collected in excess of applicable charge limits (that is, limiting charge for physicians and deductible and coinsurance for practitioners) to beneficiaries. Where the physician or practitioner makes good faith efforts to correct the problem he or she would not be subject to the consequences of failing to maintain opt-out. However, if he or she does not make good faith efforts to fix the problem that resulted in violating the opt-out, the consequences of § 405.435(b) would apply.

Treatment of incidental failure to maintain opt-out

Comment: Some commenters indicated that the first time the carrier becomes aware that a physician or practitioner failed to enter into a private contract before furnishing services that were not emergency or urgent care services, there should be a presumption that there was an isolated error. They believed in those cases that no adverse consequences should occur to the physician or practitioner. Some commenters stated that there should be a process for dealing with physicians and practitioners who demonstrate a pattern of failing to enter into private contracts with beneficiaries, before furnishing services that are not emergency or urgent care services.

Response: We agree that, as written, an isolated error causes the physician or practitioner to fail to maintain opt-out. We also recognize that isolated errors will occur and should not result in the consequences provided in § 405.435(b). We accommodated this concern in our operating instructions to carriers. Consequently, we have revised the

regulation at § 405.435(b). We have limited the effects of failing to maintain opt-out when the physician or practitioner has failed to maintain optout in accordance with the provisions of § 405.435(a), by failing to make a good faith effort to advise carriers regarding how they will correct violations of optout within 45 days of the date a carrier brings those violations to their attention. This change comports with the current operating procedures in place when a physician or practitioner submits a claim for Medicare payment in violation of the affidavit, in which he or she promised not to submit claims.

Payment to physicians and practitioners when they fail to maintain opt-out

Comment: Commenters indicated that it is unclear whether the physician or practitioner would be paid anything for the services they furnished if they fail to maintain opt-out. Commenters objected to what they view as provisions that prevent them from collecting more than the deductible and coinsurance if the physician or practitioner fails to maintain opt-out.

Response: Physicians and practitioners who have opted-out and who fail to maintain opt-out are not precluded from collecting payment from the beneficiary. But if they failed to privately contract with a beneficiary (other than in an emergency or urgent care case), they may have to refund amounts in excess of the applicable charge limits to those beneficiaries with whom they failed to privately contract in order to preserve their opt-out status.

Specifically, under § 404.435(b) when a physician or practitioner fails to maintain opt-out, he or she is given 45 days after a notice from the carrier to respond with a description of the good faith efforts that he or she has made to correct the problem that led to the failure to maintain opt-out. If the failure to maintain opt-out was caused by the physician's or practitioner's failure to privately contract with a beneficiary (other than one in need of emergency or urgent care), then the good faith efforts would include refunding to that beneficiary amounts collected in excess of the applicable charge limits (that is, the limiting charge in the case of physicians, and the deductible and coinsurance in the case of practitioners). If the physician or practitioner does not respond with a description of the good faith efforts taken to resolve the problem that led to the failure to maintain optout, then the provisions of § 405.435(b) apply after the 45th day after the carrier notice and the physician or practitioner become again required to submit claims

and are bound by the applicable charge limits (that is, the limiting charge in the case of physicians, and the deductible and coinsurance in the case of practitioners) for the rest of the opt-out period.

Medicare inspection of private contracts

Comment: Commenters stated that a very high threshold should be met before we are allowed to inspect private contracts. Commenters wanted the regulations to specify that we would be allowed to inspect private contracts only if the request is reasonable and does not interfere with the delivery of services. Commenters wanted the regulations to require that we obtain beneficiary consent before asking to see the private contract. Otherwise, they believed it is a violation of privacy. Some commenters indicated that when it is alleged that a physician or practitioner opted-out but did not enter into private contracts before furnishing services that are not emergency or urgent care services, settlement of the case should be on a case-by-case basis by the appeal process.

Response: We anticipate that we will request to see private contracts rarely, and only in cases where a beneficiary alleges that he or she did not enter into a private contract before the service was furnished. We anticipate we will have the consent of the beneficiary, or his or her legal representative, to acquire a copy of the private contract from the physician or practitioner who alleges that one was entered into, and that the contract will be requested as part of the processing of an appeal of a denial of a claim for services.

Application of effects of failure to maintain opt-out

Comment: Commenters objected to considering the provisions of \$\ \$\ 405.435(a)(2), (3), and (4) to be a failure to maintain opt-out resulting in the adverse effects of \$\ 405.435(b). Commenters believed that the statute provides for the adverse effects in \$\ 405.435(b) only if the physician or practitioner who has opted-out submits a claim for Medicare payment. In addition, they believed that we have exceeded what the law permits by providing adverse consequences in these other cases:

- The physician or practitioner fails to use private contracts that meet the requirements of § 405.435(a)(2).
- The physician or practitioner fails to comply with the emergency and urgent care rules as specified in § 405.435(a)(3).

• The physician or practitioner fails to keep a copy of a private contract or fails to permit us to review contracts on request as specified in § 405.435(a)(4).

In these cases, commenters believed that nothing supports applying the penalties of § 405.435(b) for failing to maintain opt-out, and they objected that we do not apply the knowing and willful test in these cases.

Response: We believe that under general rulemaking authority, we have the authority to impose the requirements we believe are necessary to implement the law in a manner that conforms with the intended effect. We believe that it would be inconsistent with the intent of the law if we could not ensure that—(1) private contracts adequately protect beneficiaries who enter into them; (2) emergency and urgent care services are provided without the patient being asked to enter into a private contract; and (3) a private contract is available for review when an appeal is based on the allegation that a contract was not entered into.

Comment: Commenters wanted the regulations to specify that when the physician or practitioner who has opted-out fails to maintain opt-out, the physician or practitioner must refund amounts collected in excess of the limiting charge for services he or she furnished before the failure to maintain opt-out occurred.

Response: We have not made this change. When a physician or practitioner has properly opted-out, he or she is not limited in what he or she can collect from the beneficiary for services furnished during the period in which he or she has properly opted-out.

As discussed previously, to avoid the consequences of failing to maintain optout, the physician or practitioner must respond within 45 days after the carrier notice with good faith efforts to resolve the problem (including refunding to the beneficiary amounts in excess of the charge limits where the physician or practitioner failed to enter into a private contract with a beneficiary who did not need emergency or urgent care). However, if the physician or practitioner does not respond within 45 days with good faith efforts to maintain opt-out, he or she becomes bound by the consequences of failing to maintain optout (including applicable charge limits), but only for services furnished in the remainder of the opt-out period—not for services furnished while he or she was in compliance with the opt-out.

# Emergency and Urgent Care Services (§ 405.440)

Disagreements about emergency or urgent care services

Comment: Commenters asked what will happen if the physician or practitioner furnishes services that they believe are emergency or urgent care services, but the carrier disagrees. Will the physician or practitioner be subjected to any penalties for failure to privately contract? Commenters believed that this is particularly problematic in instances of furnishing urgent care services, when the carrier or M+C organization believes those services could wait more than 12 hours, but the physician or practitioner disagrees. There should be some protection for the physician or practitioner who believes that the proper categorization of the needed furnished services was urgent care, even if the physician or practitioner loses on appeal.

Response: We believe that changing the definition of emergency care, from the "anti-dumping" definition specified at § 489.24 to the "prudent layperson" standard specified at § 422.2, will offer more protection to physicians and practitioners who are presented with a beneficiary who believes he or she is in need of emergency or urgent care services. Therefore, we have revised the text of emergency care services to mean "services furnished to an individual for treatment of an 'emergency medical condition' as that term is defined in § 422.2 of this chapter."

Comment: Commenters asked what oversight processes we will use to ensure that physicians and practitioners that opt-out do not abuse their ability to see patients without private contracts. The commenters were concerned that beneficiaries may be left unprotected if Medicare disagrees with the physician's or practitioner's view that the services were emergency medical care or urgent care services. They were also concerned that beneficiaries who believe that they need emergency medical care or urgent care services may be coerced by physicians or practitioners to enter into private contracts. The reason for that coercion would be to protect the physician or practitioner from potential conflict with the carrier, if the physician or practitioner does not believe that the patient needs emergency medical care or urgent care services.

Response: Section 1802(b)(2)(A)(iii) of the Act is clear that a physician or practitioner cannot enter into a private contract with a beneficiary if the private contract is entered into when the beneficiary is facing an emergency or urgent health care situation. We also extend this analysis to mean that, in case of a beneficiary emergency, the beneficiary's legal representative cannot enter into a private contract on the beneficiary's behalf. Because we are adopting the prudent layperson standard the test would be whether the beneficiary is a prudent layperson, and whether a prudent layperson would have thought he or she was facing an emergency or urgent health care situation under the particular circumstances involved.

# Renewal and Early Termination of Opt-Out (§ 405.445)

Early termination of opt-out

Comment: Commenters asked that we clarify whether a physician or practitioner who opted-out but then completed an early termination of optout, may reapply for a subsequent optout period. They also asked that we also identify what notice he or she must give to the beneficiary.

Response: A physician or practitioner who opted-out of Medicare and completed an early termination of opt-out may reapply for a subsequent opt-out period under the same terms, including the same beneficiary notice terms, that would apply if he or she had not opted-out and then terminated opt-out.

We would note, however, that a physician or practitioner can terminate opt-out early only once. Therefore, if a physician or practitioner opts-out, then executes an early termination of opt-out, and then submits a second affidavit opting-out again, he or she will not be permitted early termination of that or any subsequent opt-out. We expect that a single early termination of opt-out will be sufficient to meet the needs of a physician or practitioner who has opted-out and decides that it was a mistake. Moreover, permitting more than one early termination of opt-out would be very difficult for carriers' systems to accommodate and would impose a costly systems burden to them (and to Medicare).

Comment: Commenters asked what participation status applies to a physician or practitioner who completes early termination of opt-out. In addition, they asked what payment status (participating versus nonparticipating) applies to service charges for services furnished during the aborted opt-out period.

Response: When a physician or practitioner terminates opt-out early, he or she resumes the participation status that existed before he or she opted-out. That participation status would apply to

the service furnished during the shortened opt-out period.

# Medicare+Choice Organizations (§ 405.450)

Acquisition of information on opt-out physicians and practitioners by Medicare+Choice organizations

In § 405.455, we indicate that M+C organizations may not pay for services of physicians or practitioners who optout of Medicare under these rules. We also specify that M+C organizations must acquire the information needed to implement this requirement from Medicare carriers that have jurisdiction over the claims in the areas the M+C organization serves.

We recognize that this approach for acquiring this information may not be optimal and we want to streamline it. We welcome suggestions on the specific information M+C organizations need to implement these rules and the most efficient means by which they could receive it.

# C. Payment for Outpatient Rehabilitation Services

The term outpatient rehabilitation therapy encompasses outpatient physical therapy (including speechlanguage pathology) and outpatient occupational therapy.

- 1. BBA 1997 Provisions Affecting Payment for Outpatient Rehabilitation Services
- a. Reasonable Cost-Based Payments. Section 4541(a) of BBA 1997 added new section 1834(k) to the Act. Section 1834(k)(2) establishes a 10-percent reduction in the reasonable cost of therapy services furnished during 1998. The 10-percent reduction does not apply to outpatient therapy services furnished by hospitals. In accordance with this provision, we have revised our policy to make payment for outpatient rehabilitation services furnished during 1998 based upon the lesser of the charges imposed or the reasonable cost determined for such services, reduced by 10 percent. The 10-percent reduction does not apply to outpatient physical therapy or occupational therapy services furnished by a hospital to an outpatient or to a hospital inpatient entitled to benefits under Part A but who has exhausted benefits or is otherwise not in a covered Part A stay.

As stated in our proposed rule, the salary equivalency guidelines will remain in effect until all BBA provisions regarding a prospective payment system for outpatient rehabilitation services are implemented. The prospective payment system, which is effective for services

furnished on or after January 1, 1999, removes the need for salary equivalency guidelines because providers will no longer be paid on a reasonable cost basis for their therapy services. The salary equivalency guidelines were a tool used to determine the reasonable cost of therapy services provided by practitioners other than physicians.

Comment: We received several comments stating that the 10-percent payment reduction may cause certain small providers to cease operations or cease providing services to Medicare beneficiaries. The commenters also stated that the Congress did not adequately consider the impact of the 10-percent reduction on small providers and that the Congress was misled.

Response: The 10-percent payment reduction is required by BBA.

b. Prospective Payment System for Outpatient Rehabilitation Services.

#### (1) Overview

Section 4541 of BBA adds a new section 1834(k) to the Act that provides for a prospective payment system for outpatient rehabilitation services and all services provided by CORFs. The prospective payment system is effective for services furnished on or after January 1, 1999. Section 1834(k)(1)(B) of the Act provides for payment for those services to be made at 80 percent of the lesser of (1) the actual charge for the services, or (2) the applicable fee schedule. Section 1834(k)(2) defines the applicable fee schedule amount as the amount determined under the physician fee schedule, or, if there is no such fee schedule established for those services, the amount determined under the fee schedule established for comparable services as specified by the Secretary.

The physician fee schedule is currently applied to certain outpatient rehabilitation therapy services. It is now the basis of payment for outpatient rehabilitation services furnished by physical therapists in independent practice (PTIPs) and occupational therapists in independent practice (OTIPs), physicians, and certain nonphysician practitioners or incident to the services of these physicians or nonphysician practitioners. The physician fee schedule has been the method of payment for outpatient rehabilitation therapy services provided by such entities for several years. As discussed in our proposed rule, fee schedule payment will now apply when outpatient physical therapy, occupational therapy, and speechlanguage pathology services are furnished by rehabilitation agencies, public health agencies, clinics, SNFs, home health agencies for beneficiaries

who are not eligible for home health benefits because they are not homebound or to homebound beneficiaries who are not entitled to home health benefits, hospitals (when such services are provided to an outpatient or to a hospital inpatient who is entitled to benefits under Part A but who has exhausted benefits, or is not entitled), and CORFs. The fee schedule also applies to outpatient rehabilitation services furnished under an arrangement with any of the cited entities that are to be paid on the basis of the physician fee schedule. The fee schedule will not apply to outpatient rehabilitation services furnished by critical access hospitals. Under section 1833 of the Act as amended by section 4541 of BBA, these services will be paid on a reasonable cost basis.

Comment: We received one comment in support of delaying the implementation of a prospective payment system for outpatient rehabilitation services until April 2000 because implementation of the hospital outpatient prospective payment system is being delayed. The commenter stated that a delay would provide sufficient time for HCFA to develop a site-ofservice differential and, at the same time, would allow for implementation of all revisions to hospital outpatient billing. It was also noted that hospitals are faced with Year 2000 (Y2K) problems as well and that the piecemeal implementation of outpatient regulations adds to the already daunting YZK task.

Response: We disagree that development of a site-of-service differential for outpatient rehabilitation services is a rational basis for seeking to delay implementation of a prospective payment system for outpatient rehabilitation services because as we noted in our proposed rule, we find no legislative basis for making such a payment differential. On the other hand, we are sensitive to the commenter's concerns about the Y2K system compliancy challenges confronting hospitals and their need to effectively and efficiently renovate their systems. We face similar challenges and have therefore, to delay implementation of certain BBA provisions such as the hospital outpatient PPS to which the commenter refers. However, we will not be delaying implementation of the outpatient rehabilitation PPS. Implementation of hospital outpatient PPS must be delayed by the year 2000 system renovations because it requires massive system changes. Major contractor systems will be affected and the consequence of these required changes to the basic systems will be to

change the entire way fiscal intermediaries process and pay hospital outpatient and community mental health claims (These latter claims will be paid under the hospital outpatient PPS).

By contrast, implementation of the fee schedule provision for outpatient rehabilitation services does not require that we develop an entirely new system or even undertake extensive reprogramming of the existing system in order to accommodate the new entities such as CORFs and rehabilitation agencies that will bill under this system. Basically, we can implement the fee schedule provision because it involves extending billing under an existing system (the physician fee schedule) to additional practitioners and services.

However, extension of the two \$1,500 outpatient financial limitations or caps on a per-beneficiary basis as proposed in our June 5, 1998 rule requires considerable new programming that we are not able to undertake concurrent with our Y2K efforts. Therefore, we are delaying *full* implementation of the caps, effective January 1, 1999. We will implement them as discussed in our proposal as soon as possible after January 1, 2000.

Effective January 1, 1999, we will begin employing a transitional approach to implementing the caps on a provider/practitioner specific basis. This approach, will require each provider/practitioner not subject to the current limitations to cap their Medicare billings at \$1,500 per beneficiary. We describe this partial implementation measure elsewhere in this rule under the section on financial limitations.

## (2) Services Furnished by Skilled Nursing Facilities

Section 4432(a) of BBA added a new subsection(e) to section 1888 of the Act to establish a prospective payment systems for SNFs. Under the statute, effective for cost reporting periods beginning on or after July 1, 1998, Medicare pays for covered Part A SNF stays on the basis of prospectively determined payment rates that encompass all costs of "covered SNF services" furnished to an SNF resident. The statute defines covered SNF services to include (1) post-hospital extended care services paid for under Part A, and, (2) certain services that may be paid under Part B and that are furnished to SNF residents receiving covered post-hospital extended care services. Section 1888(e)(2) provides for exclusion of specific services from the definition of covered SNF services, but the statute explicitly states that the exclusions do not encompass "any

physical, occupational or speechlanguage therapy services regardless of whether or not the services are furnished by, or under the supervision of, a physician or other health care professional." Thus, if an SNF resident is in a covered Part A stay, therapy services furnished to the SNF resident are encompassed in the PPS payment and Medicare does not make a separate Part B payment.

Under the new payment system for SNF inpatient services, and consistent with current policy (which applied before enactment of BBA), services furnished to SNF residents that are not covered under Part A may nevertheless be covered under Part B. Section 4432(b) of BBA amended section 1842(b)(6) of the Act to require that payment for most services furnished to an individual who is a resident of an SNF, including outpatient rehabilitation services, be made to the facility (without regard to whether the service was furnished by the facility, by others under arrangement with the facility, or under any other arrangement). When the services are not being furnished directly, the facility then pays the provider of therapy services. The consolidated billing provision was scheduled to be effective for services furnished on or after July 1, 1998. However, due to systems modification delays in implementing SNF consolidated billing, instructions in Program Memorandum (PM) AB-98-18 dated July 1998, as they apply to services and supplies furnished to residents in a Part A stay in an SNF not yet on the PPS and to the Part B stay (Part A benefits exhausted, posthospital or level of care requirements not met), are delayed until further notice. We announced this decision in a subsequent Program Memoranda, that is, PM AB-98-35 dated July 1998.

Section 4432(b)(3) of BBA added a new paragraph (9) to section 1888(e) of the Act to provide that, with respect to a service covered under Part B that is furnished to an SNF resident, the amount of payment for the service is the amount provided under the fee schedule for such item or service. This provision must be read in conjunction with the provisions of section 4541 of BBA. Section 4541 added a new section 1833(a)(8) to specify that the amounts payable for outpatient rehabilitation services furnished by an SNF will be the amounts determined under section 1834(k) of the Act. Section 1834(k) of the Act provides that payment in 1998 is to be based on the lesser of the charges imposed for these services or the adjusted reasonable costs and, in 1999 and thereafter, 80 percent of the

lesser of the actual charge for the service or the physician fee schedule. Thus, as discussed in our proposed rule, we have revised our policy so that Part B services furnished to a SNF inpatient (Part A benefits exhausted, posthospital or level of care requirements not met) remain payable on a reasonable cost basis until January 1, 1999. Effective January 1, 1999, the services will be paid in accordance with the physician fee schedule.

The physician fee schedule amount applicable to services furnished in a nonfacility setting will apply to the Part B services to inpatients (Part A benefits exhausted, posthospital or level; of care requirement not met) and other outpatient rehabilitation services furnished by the SNF. The nonfacility amount applies because the consolidated billing provision requires that the SNF be directly paid for the entire therapy service (including facility costs) based on the physician fee schedule. This is in contrast to the amount applicable to physician services, excluding outpatient rehabilitation services, billed for SNF residents. In this case, the physician payment is not intended to cover the facility costs associated with the service and the fee schedule amount applicable to services furnished in a facility applies. Through PM AB-98-63 dated October 1998, we advised our fiscal intermediaries to require SNFs to bill Medicare directly for all outpatient therapy services provided to their SNF residents in a noncovered Part A stay and to the their nonresidents covered under Part B.

# (3) Services Furnished by Home Health Agencies

Section 1833(a)(8)(A) applies the physician fee schedule to outpatient rehabilitation services furnished by an HHA to an individual who is not homebound. Most outpatient rehabilitation services furnished by an HHA under section 1861(s)(2)(D) of the Act is to individuals who are not homebound. The likelihood is great that most individuals who are homebound and are receiving physical therapy, speech-language pathology, or occupational therapy are entitled to home health benefits. However, there may be some individuals who are homebound and have not required a qualifying service for home health benefits but who need occupational therapy services. If provided by an HHA, these services could be provided under section 1861(s)(2)(D) of the Act. Although section 4541 of BBA did not expressly address these services, the statute allows them to be remain

payable on a reasonable cost basis under section 1861(v)(1) of the Act. All other services furnished by the HHA will be paid under a prospective payment system. (Implementation of an HHA prospective payment system that was scheduled to take effect October 1, 1999 has been delayed due to our Y2K compliancy efforts.) Section 1861(v)(1) provides that the reasonable cost of any service is the cost actually incurred, excluding any costs unnecessary to the efficient delivery of needed health services.

Section 1861(v)(1) also allows, use in determining reasonable cost, to provide for the use of estimates of cost for particular items and services. In enacting section 4541 of BBA, the Congress determined that payment in the amounts dictated by the physician fee schedule represents the appropriate level of payment for outpatient rehabilitation services provided by HHAs to certain non-homebound beneficiaries who do not qualify for the HHA benefit. (Of course, pursuant to section 4541, this payment level applies to all suppliers of rehabilitation services enumerated in the provision.) The Congress has, thus, evinced its view that payment at the fee schedule level adequately compensates HHAs for their expenses for this group of services. We believe that the Congress' determination in this case forms a basis for us to find that this level of payment represents an acceptable estimate of the expenses of providing rehabilitation services to other, homebound beneficiaries receiving services from HHAs, but also not eligible for the HHA benefit. Thus, we are applying the fee schedule payment level as our estimate of the reasonable costs of these services for these beneficiaries receiving outpatient rehabilitation services and not eligible for HHA benefits. Therefore, § 413.125 is modified to provide that effective for services furnished on or after January 1, 1999, the reasonable cost of outpatient rehabilitation services furnished by an HHA to homebound patients who are not entitled to home health benefits may not exceed the amounts payable under the fee schedule.

## (4) Services Furnished by Comprehensive Outpatient Rehabilitation Facilities

Section 4541(a)(1) of the BBA adds a new section 1832(a)(2)(D)(9) to the Act to provide that all services furnished by a CORF, not just outpatient rehabilitation services, will be paid the applicable fee schedule amount. In cases in which there is no physician fee schedule amount for the services, section 1834(k) of the Act specifies that

the applicable fee schedule amount will be the amount established for comparable services as specified by the Secretary. Therefore, we revised our policy so that the existing fee schedules for prosthetic and orthotic devices, durable medical equipment, and supplies, and drugs and biologicals apply when these services are furnished by a CORF. We believe that these fee schedules, together with the physician fee schedule, will encompass all CORF services other than nursing services. The physician fee schedule amount applicable to services furnished in a nonfacility setting will apply to the services furnished by the CORF since no separate payment will be made for facility costs.

To establish a fee schedule amount for nursing services delivered within a CORF, we created a new HCPCS code, G0128. We have defined this code as direct face-to-face skilled nursing services delivered to a CORF patient as part of a rehabilitative plan of care. It is a timed code and can be billed for 10minute intervals (when the initial interval is longer than 5 minutes). G0128 is to be used for services that are not included in the work or practice expense of another therapy or physician service. An example might be a nurse who spends 33 minutes instructing a patient in the proper procedure of "in and out" urethral catheterization; in this situation, 3 units of G0128 would be billed. We are setting the RVUs for this code at 0.26, based upon half the value of the lowest level physician follow-up visit, HCPCS code 99211, in the nonfacility setting. This results in a payment that is slightly more than the average wage reported by the Bureau of Labor Statistics (BLS) for registered nurses, inflated to reflect benefits and overhead (using the fringe benefit and expense factor used to establish the salary equivalency guideline).

Comment: One commenter supported the use of the nonfacility physician fee schedule for therapy services performed in an SNF and CORF; however, clarification was requested as to whether the facility or the nonfacility physician fee schedule will be used for hospital outpatient departments.

Response: The physician fee schedule payment amount applicable to outpatient rehabilitation services furnished by hospitals is the same as that for SNFs, CORFs, and other outpatient rehabilitation providers. That is, hospitals will be paid for these services under the nonfacility component of the physician fee schedule.

### (5) Site-of-Service Differential

We did not propose a site-of-service differential for providers of outpatient rehabilitation services as suggested by some of the providers prior to publication of our proposed rule. That is, we did not propose a payment amount greater or lesser than that provided by the physician fee schedule for some of the types of providers or sites at which outpatient rehabilitation services are furnished.

As explained in our proposed rule, the law requires that these services be paid the amount determined "under the fee schedule established under section 1848." Furthermore, we believe higher payment amounts for certain facilities, such as CORFs or rehabilitation agencies, would create payment incentives that favor one site or setting over another. We believe the statute establishes a "level playing field" for these services. We find no directive in the statutory language or legislative history that we recognize higher costs that some providers argue might be associated with furnishing services in a provider setting. To the extent that CORFs or rehabilitation facilities provide services to patients who need additional care, CORFs or rehabilitation facilities may bill for additional, medically necessary services. For these reasons, we are not revising our policy to allow for a site of service adjustment or higher payment amount for specific settings.

Comment: One commenter believes the work RVU should be the same regardless of setting; however, the commenter contends that the practice expense component may differ among the settings. The commenter states that the impact of any unique regulatory requirements among settings on the cost of furnishing services should be determined.

Response: As stated above, we find no statutory or legislative basis for recognizing a distinct payment differential that is site specific. Therefore, we are not revising our policy to allow for a payment differential among settings.

## (6) Mandatory Assignment

Section 1834(k)(6) of the Act, as added by BBA, establishes a restraint on billing for outpatient rehabilitation therapy services; that is, this provision requires that services paid under section 1834(k) of the Act are subject to mandatory assignment under the same terms applicable to practitioners under section 1842(b)(18) of the Act.

Therefore, we have revised our policy in accordance with this provision to

require mandatory assignment for services provided under the outpatient rehabilitation prospective payment system by hospitals, SNFs, HHAs, rehabilitation agencies, public health agencies, clinics, and CORFs. The mandatory assignment provision does not apply to therapy services furnished by a physician or "incident to" a physician's service or to services furnished by a physical therapist in private practice or an occupational therapist in private practice. However, when these services are not furnished on an assignment-related basis, the limiting charge applies.

# 2. Uniform Procedure Codes for Outpatient Rehabilitation Services

Section 4541(a)(2) of BBA added section 1834(k)(5) to the Act. This new statutory provision requires that claims submitted on or after April 1, 1998 for outpatient physical therapy services, including speech language pathology services and outpatient occupational therapy services, include a code under a uniform coding system that identifies the services furnished.

The uniform coding requirement is needed to ensure proper payment under the physician fee schedule. Hospitals, SNFs, HHAs (for individuals who are not eligible for home health services), CORFs, and outpatient physical therapy providers must use HCPCS codes to report outpatient rehabilitation services when furnished to their outpatients. Hospitals and SNFs that provide outpatient rehabilitation services to their inpatients who are entitled to benefits under Part A but who have exhausted their benefits for inpatient services during a spell of illness or to their inpatients who are not entitled to benefits under Part A are also required to report HCPCS codes.

In March, 1998, we issued Program Memorandum AB-98-8 which describes the coding for outpatient rehabilitation services and identifies certain HCPCS codes available for billing by CORFs that are not generally rehabilitation services, including vaccinations and nursing services. This memorandum also specifies how these codes will be reported on the UB-92. We assigned the various codes to revenue centers, that is, physical therapy, occupational therapy, and speech-language pathology, for purposes of applying the financial limitation described below. Assigning codes to revenue centers was not intended to limit the scope of practice or range of procedures that could be furnished by therapists in a particular discipline. We recognize that many therapy services, for example, physical therapy

modalities or therapy procedures as described by HCPCS codes are commonly delivered by both physical and occupational therapists. Other services may be delivered by either occupational therapists or speechlanguage pathologists.

Therefore, in July 1998, we issued PM A-98-24 which in effect constituted a reissuance of PM A-98-8 in its entirety. PM A-98-24 was intended, in part, to clarify PM AB-98-8 regarding the reporting of HCPCS codes for outpatient rehabilitation and CORF services and to instruct fiscal intermediaries to eliminate edits installed to match revenue centers to outpatient rehabilitation HCPCS codes in order to cap therapy services. HCFA did not intend for such edits to be installed and employed. Thus, PM A-98-24 instructed fiscal intermediaries to eliminate the edits for services furnished on or after October 1, 1998. However, in response to industry concerns, on August 6, 1998, we issued a memorandum to all fiscal intermediaries advising them to remove immediately any coding edits imposed to match outpatient rehabilitation HCPCS codes to revenue codes.

Comment: We received three comments regarding PM A-98-24 issued July 1998. The commenters stated that confusion remains regarding the effective date of the memorandum. Also. they urged that we instruct carriers to not deny claims based on the practitioners' failure to comply with coding requirements until there is a clarification regarding the manner in which the coding requirement is to be implemented. One commenter recommended that fiscal intermediaries be required to adhere to revised PM A-98–24, effective immediately. The commenter contended that claims wrongly denied based on PM AB-98-8 should be promptly paid based on the claims originally submitted by providers.

Response: We apologize for the confusion. As noted above, PM A-98-24 carried an effective date of October 1, 1998 for fiscal intermediaries to remove any edits installed to match revenue center to HCPCS coding for outpatient rehabilitation services. As also stated above, on August 6, 1998 we issued a subsequent memorandum to all intermediaries advising them to remove the edits immediately. Providers and practitioners were encouraged to resubmit any claims that were incorrectly denied due to misinterpretation of our instructions for billing outpatient rehabilitation services using HCPCS codes.

Comment: We received one comment recommending that the definition of outpatient rehabilitation services be expanded to include payment for low-vision training. The commenter stated that Medicare's failure to cover low-vision training places beneficiaries at risk for extreme out-of-pocket expenditures for transportation services, home-bound visits, and psychological counseling.

Response: We have not accepted the commenter's recommendation. Outpatient rehabilitation services are clearly defined in the statute. Low-vision training is not specifically mentioned in the statute, and we find no statutory or legislative basis for including low-vision training in the definition of outpatient rehabilitation services. Therefore, we cannot arbitrarily expand our definition of outpatient rehabilitation to encompass low-vision training.

Since the statute does not specifically identify low-vision training as a separate Medicare benefit and does not provide a basis for including it under the outpatient rehabilitation benefit, carriers have the discretion to cover these low-vision training services if they determine that they meet the statutory requirements applicable to covered services and are determined to be medically reasonable and necessary.

Comment: A commenter recommends that CPT codes 92520, 94799, and psychiatric therapeutic codes after 90804 be added to the list of outpatient rehabilitation services. The commenter stated that code 94799 is currently recognized by Blue Cross and Blue Shield of Florida. The commenter also stated that, in addition to code 90804, other psychiatric therapeutic codes should be added for assessments and community resource education, referral and advocacy, family conferences, and home assessments.

Response: The commenter asked that we add code 92520, laryngeal function studies, to our list of outpatient therapy codes. Our data show that this code is almost entirely billed by otolaryngologists. Our standard for the inclusion of diagnostic tests as outpatient rehabilitation services is as follows:

• If the primary purpose of a diagnostic test, at times performed by therapists, is to assess the appropriateness or effectiveness of outpatient therapy services or to guide additional treatment by a physical therapist, an occupational therapist or speech-language pathologist, then the test is considered to be outpatient therapy or rehabilitation services; or

• If the primary purpose of the diagnostic test is to provide information on decisions for future medical or surgical treatment or to assess the effect of previous medical or surgical treatment, then the diagnostic test is not considered to be an outpatient therapy or rehabilitation service.

Because the purpose of code 92520 is not clear to us and because our data show that it is performed overwhelmingly by otolaryngologists, we suggest that providers and practitioners who believe it meets the above criteria as an outpatient rehabilitation service provide information to their Medicare contractors and the contractors can approve it if it meets the coverage criteria of being "medically necessary." We advised our carriers and fiscal intermediaries in PM AB-98-24 that they may recognize codes other than those identified in our instruction as outpatient rehabilitation services to the extent that the codes represent services that are determined to be medically necessary and within the scope of practice of the practitioner or therapist billing the service.

The commenter asked that code 94799, unlisted pulmonary services or procedures, be added to the list of outpatient rehabilitation services.

Again, we suggest that practitioners and providers that wish to use this code to describe an outpatient rehabilitation service discuss with their Medicare contractor the specific services or procedures being provided when this code is used. Before this code can be used, the Medicare contractor needs to determine whether the services are "medically necessary."

The commenter also asked that we add other psychotherapy codes from the family of codes that includes 90804 that is on our list of outpatient rehabilitation services. Clinical psychologists and clinical social workers who deliver services in CORFs can bill any of the psychotherapy codes except for the ones that involve medical evaluation and management. These services are billed under Part B and are submitted to carriers on the HCFA form 1500. Therefore, these codes will not be added to our list of outpatient rehabilitation services.

Comment: One commenter recommended adding to our final rule the statement contained in PM A–98–24 that denotes that other codes may be considered to represent outpatient rehabilitation services to the extent that the services are determined to be medically reasonable and necessary and can be billed as outpatient rehabilitation services.

Response: Although we have included the statement in the text in the regulation, we will consider other codes to be outpatient rehabilitation codes under the terms we have stated.

Comment: One commenter requested that we clarify in the final rule that Addendum F contains the codes for reporting outpatient rehabilitation services.

Response: We appreciate the suggestion. It was inaccurately reported in the proposed rule that Addendum E contains a listing of outpatient rehabilitation therapy codes. It should have read that Addendum F contains such a listing. We have made the appropriate correction in this rule.

#### 3. Financial Limitation

a. Overview. Outpatient rehabilitation therapy services are subject to annual financial limitations or caps beginning January 1, 1999. (The amount of the current cap is \$900.) There will be a \$1,500 per-beneficiary annual limitation or cap on incurred expenses for outpatient physical therapy services including outpatient speech-language pathology services. A separate \$1,500 per-beneficiary limitation will apply on incurred expenses for outpatient occupational therapy services. The annual limitation does not apply to services furnished directly or under arrangements by a hospital to an outpatient or to an inpatient who is not in a covered Part A stay. The limitation will apply to outpatient rehabilitation services furnished by a separatelycertified hospital-based provider, such as a hospital-based SNF. The limitation also applies to outpatient rehabilitation services furnished by a physician or nonphysician practitioner, or incident to a physician's professional services or to a nonphysician practitioner's professional services.

As stated above, there is a single \$1,500 limitation for outpatient physical therapy services which includes outpatient speech-language pathology services. As amended, section 1833(g) of the Act applies a single \$1,500 limitation to "physical therapy services of the type described in section 1861(p)." Section 1861(p) defines outpatient physical therapy services and includes speech-language pathology services within that definition.

Outpatient rehabilitation services are subject to a 20-percent coinsurance amount. Under the outpatient prospective payment system, the beneficiary will be responsible for 20 percent of the applicable fee schedule amounts. The \$1,500 limitation is on incurred expenses. If a beneficiary has already satisfied the Part B deductible,

the maximum amount payable by the Medicare program is \$1,200, that is, 80 percent of \$1,500. Beginning January 1, 2002, the \$1,500 annual limitations or caps will be increased by the percentage increase in the MEI.

In addition to outpatient physical therapy services and outpatient occupational therapy services (other than those provided by a hospital), the limitation applies to physical therapy services (including speech-language pathology services) and occupational therapy services "of such type which are furnished by a physician or as incident to a physician service." As discussed elsewhere in this document, Medicare covers under certain conditions services performed by nurse practitioners, clinical nurse specialists, and physician assistants that would be physicians' services if furnished by a physician. We are applying the financial limitation to therapy services furnished by these nonphysician practitioners because such therapy services are by definition the same type as are furnished by physicians. Similarly, we have revised our policy to apply the financial limitation to therapy services furnished incident to these nonphysician practitioner's services. We have included in Addendum D a listing of the specific services that are subject to the limitation when furnished by a physician or practitioner directly or incident to his or her services. Such outpatient rehabilitation services included in Addendum D furnished either directly or incident to the services of a physician or practitioner are always subject to the financial limitation. Other services such as casting, splinting, and strapping may be used in the treatment of conditions (for example, fractures or sprains) or as part of the postsurgical treatment or medical treatment when no other rehabilitation services are delivered. If the services are delivered by a physical or occupational therapist, speech-language pathologist, therapy assistant or therapy aide, are part of a rehabilitation plan of care, or involve services included in the aforementioned Addendum D, then the services are subject to the cap. These outpatient rehabilitation services are delineated in Addendum E and must be identified with a discipline-specific modifier. Addendum F contains a listing of commonly-utilized outpatient rehabilitation therapy codes. Other codes may be considered for payment as outpatient rehabilitation services to the extent that the services are determined to be medically reasonable and necessary and those that can be performed within the scope of practice

of the therapist, physician, or nonphysician practitioner billing the code. Payment for certain HCPCS codes will be made on a basis other than the physician fee schedule in hospital outpatient departments. Other HCPCS codes represent CORF services. Further, PM AB–98–63 dated October 1998 provides additional program instructions regarding the use of HCPCS codes for outpatient rehabilitation therapy services.

With regard to "incident to" services, we note that section 4541(b) of BBA amended section 1862(a) of the Act to require that outpatient physical therapy services (including speech-language pathology services) and outpatient occupational therapy services furnished ''incident to'' a physician's professional services meet the standards and conditions (other than any licensing requirement specified by the Secretary) that apply to therapy services furnished by a therapist. This provision was effective January 1, 1998 and was implemented through program instructions.

The financial limitations apply only to items and services furnished by nonhospital providers and therapists under the outpatient physical therapy (including speech-language pathology) and the outpatient occupational therapy benefit (section 1861(s)(2)(D) of the Act) and therapy services furnished by physicians and nonphysician practitioners or incident to their services. The limitations do not apply to diagnostic tests covered under section 1861(s)(3) of the Act or to items furnished or covered under the durable medical equipment benefit.

*Comment:* Some commenters urged us to repeal the limitation.

Response: We have no authority to repeal the annual financial limitation as set forth in BBA. An annual per beneficiary limit of \$1,500 will apply to all outpatient physical therapy services (including speech-language pathology services). A separate \$1,500 limit will also apply to all occupational therapy services. As noted above the annual limitations do not apply to services furnished directly or under arrangements by a hospital to an outpatient or to an inpatient who is not in a covered Part A stay. This limitation applies to expenses incurred on or after January 1, 1999.

Comment: Several commenters want us to delay implementing the financial limitation while others asked that, if we proceed with implementation, we clarify how we would implement it. We received one comment suggesting that we delay the implementation of the annual limitation until we develop a

system of tracking the aggregate amount of speech-language pathology expenses incurred by a beneficiary.

Response: As previously stated, because of our efforts to become Y2K compliant, with the exception of qualified therapists in independent practice, we are not able to make the appropriate systems changes to fully implement the caps on a per-beneficiary basis at this time. Instead, we will use a transitional measure, whereby providers and practitioners (those not currently subject to the caps, for example, physicians and nonphysician practitioners) will be held accountable for tracking incurred expenses for each beneficiary to ensure they do not bill Medicare for beneficiaries that have met the annual \$1,500 limitation at their facility for each separate limitation. This means that SNFs will be directly responsible for the billing of all outpatient rehabilitation services and the tracking of incurred expenses of those services when furnished to SNF residents not in a covered Part A stay and SNF nonresidents receiving outpatient rehabilitation services from the SNF.

However, the provider and the practitioner may submit bills to Medicare for the sole purpose of receiving no-pay notices to bill Medicaid or other insurers.

It is noted that the current annual per beneficiary financial limitation applied to outpatient physical therapy services including speech-language pathology services furnished by PTIPs is increased from \$900 to \$1,500 effective January 1, 1999 for PTPPs. In addition, the current annual per beneficiary financial limitation applied to outpatient occupational therapy services is increased from \$900 to \$1,500 effective January 1, 1999 for OTPPs. As cited, for these qualified therapists only, the financial limitations continue to be applied on an annual per beneficiary basis rather than on a per provider basis.

Comment: Many commenters believed there should be three separate annual financial limitations, that is, one each for physical therapy, occupational therapy, and speech-language therapy services. They argue that the Congress never intended to include speech-language pathology services within the physical therapy cap because speech therapists have never been defined as independent therapists and were never subject to the current \$900 cap.

Response: As stated above, section 1861(p) of the Act defines the term outpatient physical therapy services to include speech-language pathology services. The language in BBA specifically makes provision for

physical therapy services and occupational therapy services in applying the annual financial limitation and does not separately mention speech-language pathology services. It is our position that BBA does not include a separate cap for speech-language pathology services, and that there are only two financial limitations (OT and PT that includes speech-language therapy services).

Comment: Two commenters oppose the imposition of the \$1,500 cap because it is not sufficient to cover the cost of physical therapy for many common diagnoses or cost of care for typical rehabilitation cases. One of the commenters noted that MedPAC found in its June 1998 report to Congress that one third of the patients receiving outpatient rehabilitation services from rehabilitation agencies and CORFs exceeded either the combined \$1,500 cap on outpatient physical therapy and speech-language pathology or the \$1,500 cap on outpatient occupational therapy.

*Response:* The commenter is correct in stating that the MedPAC's study of a 5-percent sample of Medicare outpatient rehabilitation claims for 1996 did find that about one-third of all patients receiving outpatient rehabilitation services from rehabilitation agencies and CORFs exceeded the \$1,500 caps. However, the study noted that because most Medicare beneficiaries received the services in hospital outpatient departments in 1996, the percent of all patients impacted by the \$1,500 caps is considerably less, that is, only 10 percent of all outpatient physical and speech therapy patients receiving services in hospital outpatient departments, rehabilitation agencies and CORFs and only 2 percent of all occupational therapy patients in those three settings.

We plan to carefully study this issue. As discussed elsewhere in this document, BBA requires that we submit a report to the Congress by January 1, 2001 that recommends viable options for replacing the current dollar caps that take into account patient diagnosis and prior use of services.

Comment: One commenter stated that the limitation should apply only to therapy services furnished by physical therapists and occupational therapists, and not to therapy services furnished by physicians. Another commenter contends that the cap applies solely to therapists and physicians furnishing outpatient rehabilitation services under a plan of care. Neither commenter believes that nonphysician practitioners should be allowed to perform therapy services. These commenters argue that only physical therapists or services

provided under the supervision of a physical therapist should be reimbursed by Medicare. The commenters maintain that the definition of physical therapists as referenced in § 485.705(b) and the coverage guidelines specified in section 2210.B of the MCM and 3101.8B of the MIM are not met if the services are provided by persons other than physical therapists. In addition, the statute does not extend the cap to services furnished by practitioners other than OTIPs and PTIPs.

Response: Section 4541 of BBA provides for a prospective payment for outpatient rehabilitation services. The operative word in the statute is "services". Reference is made both to the payment for outpatient therapy services and comprehensive outpatient rehabilitation services on the basis of the physician fee schedule and to the financial limitation for all rehabilitation services. The fee schedule is applied to outpatient therapy or rehabilitation services without regard to the practitioner who furnishes the service. Physical and occupational therapy services furnished by physicians and certain other recognized practitioners are payable under the physician fee schedule. A nonphysician practitioner who provides services that would be physicians' services if furnished by a physician under a specific enumerated benefit in the statute would be considered as the physician treating the beneficiary. Thus, a nonphysician practitioner would be considered as the physician treating the beneficiary when he or she furnishes outpatient physical therapy and occupational therapy services. Nonphysician practitioners who meet this definition are physician assistants (section 1861(s)(2)(K)(I) of the Act); and nurse practitioners and clinical nurse specialists (sections 1861(s)(2)(K)(ii) and 1861(s)(2)(K)(iii) of the Act), operating within the scope of their State licenses.

B. Use of Modifiers to Track the Financial Limitation. We have established three discipline-specific modifiers for use in tracking the financial limitation or cap. They are listed below.

GN Services delivered personally by a speech-language pathologist or under an outpatient speech-language pathology plan of care;

GO Service delivered personally by an occupational therapist or under an outpatient occupational therapy plan of care; or

GP Service delivered personally by a physical therapist or under an outpatient physical therapy plan of care.

Reporting of these modifiers will also assist us in gathering data on who is providing the services, and the frequency and duration of the services. Many of the services, for example, physical modalities or therapeutic procedures as described by HCPCS codes, are commonly delivered by both physical and occupational therapists. Other services may be delivered by either occupational therapists or speechlanguage pathologists. For these services, we expect the claim to include a modifier that describes the type of therapist who delivered the service; if the service was not delivered by a therapist, then the type of therapy plan of care under which the service is delivered would be specified. If the type of therapy is not listed in the modifier field, the claim would be rejected and sent to the provider for resubmission.

Comment: We received one comment that supports our proposal to use modifiers that will be discipline-specific to identify whether a plan of care is for physical therapy or occupational therapy. However, the commenter also favors the addition of modifiers that will allow for the identification of physician and nonphysician services that are provided under a plan of care. Claims from physicians and nonphysicians with a modifier would be subject to one of the caps, while claims without a modifier would not be subject to any cap. Another commenter stated that the proposed policy to reject a claim and send it to the provider for resubmission if the type of therapy is not listed in the modifier field is inappropriate and should not be adopted. The commenter contends that there are legitimate cases in which the codes in Addendum D will be reported but should not be applied against the caps, for example, if the services are furnished by a nonphysician practitioner or a physician but they are not provided under a therapy plan of care. This contention is also shared by another commenter who strongly opposed our proposal to apply services against the caps for occupational therapy and physical therapy including speechlanguage pathology services based strictly on an arbitrary reporting of certain CPT codes. The presumption with this approach is that therapy services are furnished whenever codes listed in Addendum D are reported

Response: At this time, we have decided to only use the discipline-specific modifiers listed in the response above. These modifiers will differentiate between either the type of therapist (physical therapist, occupational therapist, speech-language pathologist) personally providing the service or the

discipline plan of care (physical, occupational, and speech-language pathology). For example, if modifier GP is used, the physical therapist must deliver personally the service or the service must be delivered under a physical therapy plan of care. Therefore, in addition to the personal provision of the therapy service by the physical therapist, a physician or nonphysician practitioner can also furnish the physical therapy service. We believe that additional modifiers are not needed to delineate services provided by physicians and nonphysician practitioners under a therapy plan of care; however, we believe that the commenter's statement is valid regarding the possible use of codes listed in Addendum D for other than therapy purposes, that is, not under a therapy plan of care. We are exploring the use of an additional modifier to indicate that the service denoted by the code was not provided under a therapy plan of care. By the time that the financial limitation or cap is fully implemented, we expect to have established the additional modifier. Until that modifier is in place, claims without a discipline-specific modifier will be returned for resubmission.

Comment: A commenter stated that the cap will be difficult to track administratively and recommended that there be a clearer delineation of when services will be subject to the limit and what the controlling factors will be (including the type of professional delivering the service, whether there is a rehabilitation plan of care, and the nature of the service), a listing or examples of services and the circumstances under which they would not be included under the cap.

Response: The commenter's request for clarification is based on a full implementation of the financial limitation or cap. Because of Y2K issues, the financial limitation or cap will not be fully implemented as mandated by statute effective January 1, 1999. Therefore, it is our intention to carefully review, consider, and address the commenter's concerns as we move from the transitional implementation of the cap on a per-provider basis to the full implementation of the cap on an annual per-beneficiary basis.

Comment: One commenter stated that the mechanics of implementing the cap should be clarified. The commenter said that there are serious concerns regarding the calculation of the cap, time of billing, and timing of processing payments that would be fed into the database. The commenter is concerned about the effect of medical review, for example, whether payment will be

reserved when a claim is filed in a timely manner, subjected to medical review, denied, and successfully appealed, and the claim was originally filed well before the cap is met. Several commenters were of the opinion that it is administratively difficult for all parties (beneficiaries, providers, and contractors) to track the cap even with the use of the modifiers. They want us to address specific issues regarding tracking and the use of modifiers before implementation of the cap, and to also notify beneficiaries regarding the tracking procedure. These specific issues include a clear delineation of when services are subject to the limit, what the controlling factors will be (including the type of professional delivering the service, whether there is a rehabilitation plan of care, and the nature of the service), a listing or examples of the services and the circumstances under which they would be excluded from the cap.

Response: These are issues that will be addressed prior to the full implementation of the financial limitation or cap. Because there is the distinct possibility that systems requirements will change before such full implementation, it does not seem prudent at this time to detail the mechanics of the future implementation of the cap. However, it is our current thinking that these concerns will be discussed and clarified in companion program instructions issued to the Medicare carriers and fiscal intermediaries.

Comment: A commenter stated that there should be a timely, readily accessible means (such as a query system) for beneficiaries and providers to ascertain the status of the beneficiary's outpatient therapy benefits.

Response: This question relates to the full implementation of the financial limitation or cap on an annual perbeneficiary basis. We are exploring mechanisms by which both the beneficiary and the provider can be informed in a timely and accurate manner, the amounts that have been expended by the beneficiary for outpatient physical therapy services including speech language pathology services and for outpatient occupational therapy services. These methods will be discussed in any program memorandum or other program instruction that we determine will be the vehicle for the conveyance of the beneficiary cap status information.

C. Treatment of Services Exceeding the Financial Limitation. As required by section 1833(g) of the Act, as amended by section 4541 of BBA, we revised our policy to establish two annual perbeneficiary limits of \$1,500. There will be (1) an annual per-beneficiary limit for all outpatient physical therapy services excluding hospital outpatient therapy services furnished to an outpatient or an inpatient who is not in a covered Part A stay and, (2) an annual per beneficiary limit for all outpatient occupational therapy services excluding hospital outpatient therapy services furnished to an outpatient or an inpatient who is not in a covered Part A stay. As stated previously, outpatient physical therapy services include speech-language pathology services. A provider of outpatient rehabilitation services with a provider agreement under section 1866 of the Act, as well as physicians, PTIPs and OTIPs, will be allowed to collect payment from a beneficiary for therapy services after the \$1,500 limit is reached. This is consistent with current policy allowing PTIPs and OTIPs to collect payment from a beneficiary for therapy services in excess of the current \$900 limit.

# Required Congressional Report on Financial Limitation

We note that a report to the Congress is due from the Secretary no later than January 1, 2001. This report must include recommendations on the establishment of a revised coverage policy of outpatient physical therapy services, including speech-language pathology services and outpatient occupational therapy services. The revised policy must be based on a classification of individuals by diagnosis category and prior use of services in both inpatient and outpatient settings. The report should include recommendations on how such durational limits by diagnostic category could be implemented in a budgetneutral manner.

Comment: It was recommended by a commenter for the report to the Congress that, in addition to basing a revised policy on classification by diagnosis category and prior use of services, an individual's functional status should be a component of any system that purports to address a patient's need for rehabilitation.

Response: As we develop the report to the Congress, we will consider the feasibility of the recommendation.

#### 4. Qualified Therapists

Section 1861(p) includes services furnished an individual by a physical therapist who meets licensing and other standards prescribed by the Secretary if the services meet the conditions relating to health and safety the Secretary finds necessary. The services must be

furnished in the therapist's office or the individual's home. By regulation, we have defined therapists meeting the conditions for coverage of services under this provision as physical therapists in independent practice. The conditions for coverage are set forth in part 486, subpart D (Conditions for coverage: Outpatient Physical Therapy Services Furnished by Physical Therapists in Independent Practice) and require that the services be provided by a therapist in independent practice under § 410.60. Under § 410.60, a therapist in independent practice is one who:

- Engages in the practice of therapy on a regular basis.
- Furnishes services on his or her own responsibility without the administrative and professional control of an employer.
- Maintains at his or her own expense office space and equipment.
- Furnishes services only in the office or patient's home.
- Treats individuals who are his or her own patients and collects fees or other compensation for the services.

Under § 486.151 (Conditions for coverage: Supervision), all therapy services must be furnished under the direct supervision of a qualified therapist in independent practice. In other words, the therapist in independent practice must be on the premises whenever services are provided to Medicare beneficiaries, including services provided by a licensed physical therapist. This longstanding requirement has been controversial with therapists in independent practice. For example, a therapist in independent practice cannot have more than one office open for services at the same time since he or she could not be on both premises at once.

We are revising our policy to replace the existing "Conditions for Coverage: **Outpatient Physical Therapy Services** Furnished by Physical Therapists in Independent Practice" (part 486, subpart D), which requires survey and certification, with a simplified criteria for physical therapists in private practice that would use a carrier enrollment process. The impetus for this change comes from congressional statements associated with the fiscal year 1997 appropriations process. Statements in both the House and Senate committee reports accompanying HCFA's fiscal year 1997 appropriations addressed the issue of requiring that the certified physical or occupational therapist in independent practice directly supervise all services performed by his or her employees, even if those

employees are fully-licensed therapists. The House committee report urged that we modify the regulations so that the certified therapist need not be on premises to supervise other licensed therapists. The Senate urged us to review this concern and recommend regulatory or instructional changes.

We are redefining those therapists who are qualified under section 1861(p) of the Act. That is, we would discontinue the focus of the regulation on their "independent" status (which is not statutory) and recognize therapists in private practice who are employed by others and, therefore, do not meet our current "independent" criteria. This would be consistent with health and safety concerns and would conform to normal private sector practice standards. The following new requirements replace the current ones for qualified therapists:

• The term "independent" is dropped and the benefit would be for an individual physical therapist or occupational therapist in private practice.

Private practice includes an "individual" whose practice is in an unincorporated solo practice. unincorporated partnership, or unincorporated group practice. Private practice also includes an "individual" who is practicing therapy as an employee of one of the above or of a professional corporation or other incorporated therapy practice. However, private practice does not include individuals when they are working as employees of a provider. A provider as defined in § 400.202 includes a hospital, CAH, SNF, HHA, hospice, CORF, CMHC, or an organization qualified under part 485, subpart H (Conditions of Participation for Clinics, Rehabilitation Agencies, and Public Health Agencies as **Providers of Outpatient Physical** Therapy and Speech-Language Pathology Services), as a clinic, rehabilitation agency, or public health agency.

• In implementing the statutory requirement that services be furnished to an individual in the therapist's office, or in the individual's home, "in his office" is defined as the location(s) where the practice is operated, in the State(s) where the therapist (and practice, if applicable) is legally authorized to furnish services, during the hours that the therapist engages in practice at that location.

A therapist in private practice must maintain a private office, if services always are furnished in patients' homes. However, if services are furnished in private practice office space, that space would have to be owned, leased, or rented by the practice and used for the exclusive purpose of operating the practice. For example, because of the statutory restriction on the site of services, a therapist in private practice cannot furnish covered services in an SNF. Therefore, if a therapist wished to locate his or her private office on site at a nursing facility, special care would need to be taken. The private office space could not be part of the Medicareparticipating SNF's space, and the therapist's services could be furnished only within that private office space. Neither the therapist nor any assistants or aides who help furnish services could be employed by the SNF during the same hours that they are working in the private practice. Another example where special attention would be needed is space that generally serves other purposes and is only used by a therapy practice during limited hours. For example, a therapist in private practice may furnish aquatic therapy in a community center pool on Wednesday mornings. The practice would have to rent or lease the pool for those hours, and the use of the pool during that time would have to be restricted to the therapist's patients, in order to recognize the pool as part of the therapist's own private office during those hours.

In describing other services that are specifically limited to the patient's home, the statute uses qualifying language. For example, the durable medical equipment definition in section 1861(n) of the Act refers to a patient's home as "including an institution used as his home other than an institution that meets the requirements of subsection (e)(1) of this section or section 1819(a)(1)." This definition of home is codified under our regulations at § 410.38(b). The same definition always has been used in the Medicare Carriers Manual for purposes of covering therapists' services in a patient's home. We are continuing the current practice and are adopting the definition formally in this regulation.

- Assistants and aides have to be personally supervised by the therapist and employed directly by the therapist, by the partnership or group to which the therapist belongs, or by the same private practice that employs the therapist. Personal supervision requires that the therapist be in the room during the performance of the service. Levels of supervision are defined in § 410.32 of our regulations.
- The therapist must be licensed or otherwise legally authorized to engage in private practice. We understand that all States license or certify physical

therapists, so no alternative personnel qualifications need to be specified.

• Each therapist enrolls "as an individual" with the carrier.

There would be no survey and no certification by HCFA. The Medicare carrier would verify that the qualifications proposed in §§ 410.59(c)(1) or 410.60(c)(1) of our regulations are met. All applicants for new enrollment would become subject to these new rules and procedures upon the effective date of the final rule. For transition purposes, we intend that independent therapists who are certified and enrolled at that time would be "grandfathered" temporarily and would become subject to the new enrollment rules and procedures at the time of their next regular periodic reenrollment.

These changes would address the concern that current rules require each independent therapist to personally supervise services performed by any other licensed therapists that he or she employs. Under our proposal, each individual therapist in a practice could qualify to separately enroll, and enrolled therapists would not be required for purposes of Medicare to be supervised by their employer. These changes also address the concern that current rules prohibit an independent therapist from being employed by any entity. Under our proposal, a variety of employment situations would be permitted.

These new requirements are established in a revised § 410.60(c) for physical therapists. To date, the statutory requirements for coverage of outpatient occupational therapy services have not been codified. We are codifying these requirements by establishing a new § 410.59 for outpatient occupational therapy services. The regulations section for outpatient occupational therapy parallels the § 410.60 requirements for outpatient physical therapy, as revised in this final rule. We are also making conforming changes in § 410.61 to include occupational therapy.

Therapists in private practice do not participate in the Medicare program in the same way that "providers of services" do. Though they must be approved as meeting certain requirements, unlike "providers of services," they do not execute a formal provider agreement with the Secretary as described in 42 CFR part 489 (Provider Agreements and Supplier Approval). Like physicians, they do have the option of accepting a beneficiary's assignment of his or her claim for Medicare Part B benefits and of becoming a Medicare-participating

supplier that agrees to accept assignment in all cases.

*Comment:* One commenter strongly supports the carrier enrollment process for physical therapists instead of the existing conditions of coverage. However, the commenter wanted operational issues addressed such as a specification that payments will be made under the practice or corporation's tax ID number for services furnished by physical therapists in private practice who are employees of other practices or corporations. This is the same payment system used by a physician group practice, and the treating therapist's Medicare number or license number would be included on the bill. In addition, the commenter urged that the same process be used for the carrier enrollment process as for the current physician enrollment. Another commenter supported the changes for OTPPs; however, assuming that payment is made to the individual, the commenter inquired as to whether group numbers would be assigned so that payment could be issued to the group under the tax identification number of the business entity.

Response: We will use the same enrollment and billing process as is currently used for individual physicians and physician group practices. This process is delineated at section 1030.7 of the Medicare Carriers Manual, HCFA Pub. 14–Part 4. We note that payment is not made on the basis of the corporate or group practice tax identification number. This number is just one of the data elements that can be related to the Medicare individual and/or group billing number.

Comment: A commenter recommended that direct supervision of assistants and aides be required instead of personal supervision. The commenter provided that direct supervision would be consistent with state laws, the supervision requirements for nonphysician personnel performing services in a physician's office, and with the supervision requirements for aides and assistants of PTIPs.

Another commenter agreed that personal supervision over therapy aides by a qualified occupational therapist or qualified occupational therapy assistant is appropriate. However, the commenter strongly disagreed with the proposal to require personal supervision over occupational therapy assistants and instead urged the adoption of a policy for practicing occupational therapy assistants whereby occupational therapy assistants can perform covered services under the general supervision (that is, initial direction and periodic inspection) of a qualified occupational therapist. In

addition, the commenter thought the policy should state that either a qualified occupational therapist or a qualified occupational therapy assistant must provide personal supervision when therapy aides are used to furnish services.

A commenter stated that qualified occupational therapists who are not Part B suppliers, but who are employed by a therapist who is enrolled as a Part B supplier, should not be subject to the personal supervision requirement. In addition, it was suggested that the proposed language at § 410.59(c)(2) regarding supervision of occupational therapy services should be revised as follows:

"Occupational therapy services are performed by, or under the general supervision of, the occupational therapist in private practice. Services provided by therapy aides must be performed under the personal supervision of an occupational therapist or occupational therapy assistant. All services not performed personally by the therapist in private practice must be performed by employees of the practice, under the applicable level of supervision by the therapist, and included in the fee for the therapist's services."

Response: Statements contained in the House and Senate committee reports accompanying the 1997 appropriations recommended modifications in our supervision requirements for qualified therapists. As stated, the House committee report urged a regulatory change in the requirement that certified therapists be on the premises to supervise other licensed therapists. We were also urged by the Senate to review this concern and recommend regulatory or instructional changes. We have addressed the concern expressed in the House and Senate 1997 appropriations committee reports and will allow certified therapists to be off the premises when other licensed therapists are present. However, we do not believe that we have the authority to modify the supervision requirements for therapy (physical, occupational or speechlanguage pathology) assistants and aides. Therefore, we are maintaining our current requirement that therapy assistants and aides have to be personally supervised by the therapist and employed directly by the therapist, by the partnership or group to which the therapist belongs. In accordance with the aforementioned policy, there is no change in the proposed language found at § 410.59(c)(2).

Comment: We received one comment on our proposed qualifications for occupational therapists. One

organization recommends that we require evidence of successful completion of a national certification examination recognized by the regulatory authority in the State of practice. Reasons given for the addition of this requirement are that practice varies by jurisdiction and unsuccessful exam candidates often move from State to State obtaining temporary licenses in spite of repeatedly failing qualifying exams. The commenter adds that the particular test they recommend is required in every jurisdiction.

Response: We believe that this recommendation has merit. However, we believe that it requires further study and discussion to assess its impact before we can consider it for adoption. Therefore, we believe it would be more appropriate to consider this recommendation as a proposal for a subsequent publication rather to accept it for adoption in this final rule.

Comment: One commenter supports our proposed set of changes addressing independent practicing occupational therapist services, but adds that as Medicare moves to embrace market based competition, the focus should be on the outcomes delivered rather than the input credentialing. There should be a commitment to move beyond burdensome input criteria that add costs and restrict competition. The commenter suggests that, as part of that initiative, we establish a meaningful time horizon for moving to outcomes-based performance measures.

Response: This is a welcomed recommendation. In recent years, when revising our conditions of participation for various entities, we have emphasized outcomes-based measures. However, this is an area that requires further study in order to apply this concept to our conditions for occupational therapists practice.

Comment: One commenter stated that verification should be provided in the final rule that section 1861(p) of the Act requires a physician to have services furnished by a licensed physical therapist or under the supervision of such a therapist when billing for physical therapist services incident to the physician's professional services.

Response: Section 1861(p) of the Act does not set forth the requirements as specified by the commenter. As previously stated, section 4541(b) of the BBA 1997 amended section 1862(a) of the Act to require that outpatient physical therapy services (including speech-language pathology services) and occupational therapy services furnished "incident to" a physician's professional services meet the standards and conditions (other than any licensing

requirement specified by the Secretary) that apply to therapy services furnished by a therapist. In May 1998, we issued Transmittal No. 1606 of the Medicare Carriers Manual, Part 3—Claims Process which implemented this provision that was effective January 1, 1998. Section 2218(A) of the Medicare Carriers Manual requires that physical therapy services provided by a physician or by an incident-to employee of the physician in the physician's office or the beneficiary's home must be provided by, or under the direct supervision of, a physician (a doctor of medicine or osteopathy) who is legally authorized to practice physical therapy services by the State in which he or she performs such function or action.

#### 5. Plan of Treatment

We are proposing to revise \$\$\text{S}\$ 410.61(e), 424.24(c)(4)(i), and 485.711(b), which concern the plan of treatment review requirements for outpatient rehabilitation therapy services. Section 1861(p) of the Act defines these therapy services, in part, as services furnished to an individual who is under the care of a physician and for whom a plan, prescribing the type, amount, and duration of therapy services that are to be furnished, has been established by a physician or a qualified therapist and is periodically reviewed by a physician.

Currently, providers that furnish outpatient rehabilitation therapy services are required to have a physician review the plan of treatment and recertify the need for care at least every 30 days. We proposed revising our policy to allow the physician to review and recertify the required plan of treatment within the first 62 days and at least every 31 days after the first review and recertification. The current requirement for the review of a plan of treatment for patients of physical therapists in independent practice is similar in that the physician must review the plan at least every 30 days. We proposed changing this review requirement and requiring that the physician review and recertify the plan of treatment within the first 62 days and at least every 31 days thereafter.

We recommended these changes because it was our understanding that an initial 2-month (62 day) review is consistent with the usual therapy course of treatment. It is also consistent with our current therapy requirements in the home health setting. These changes were intended to reduce the burden on providers, patients, and physicians by eliminating the current requirement for an initial review within the first 30 days. After the first 62 days, we believed

that patients receiving outpatient rehabilitation services are likely to show significant progress that warrants subsequent reviews every 31 days. Changes in the patient's level of function and need for continued therapy can be expected to occur more frequently after the first 2 months of therapy. We believe this subsequent review schedule will help control potential over-utilization that results in excessive therapy to some Medicare patients.

Under our proposed policy, the therapists would be required to immediately notify the physician of any changes in the patient's condition, and physicians retain the ability to review the care at closer intervals if necessary.

Comment: We received comments from six outpatient rehabilitation associations supporting our proposal and two comments from orthopedic surgical associations strongly opposing it. The opposing orthopedic associations informed us that 62 days is not the usual course of treatment. They argued that every patient's need for therapy is unique depending on the condition. While 62 days may be appropriate for some back injuries, they contend it would be inappropriate for a hand, foot, or shoulder injury. Therapy is appropriate as long as the patient continues to make progress and should be discontinued when the patient's condition has plateaued and no further progress is being made. They stated this can best be determined by the referring physician periodically evaluating the patient's progress and recovery. They believe the current 30-day requirement is appropriate and should be maintained.

*Response:* After careful review of the comments received and study of the issue by our medical staff, we are retaining our current 30-day requirement and rescind our proposal. As indicated above, our intent, in part, was to establish consistency with the initial review period for HHA therapy services. However, subsequent to our proposal we further learned that HHA patients may not receive the same level of intensity of therapy services as patients receiving them under the outpatient rehabilitation benefit. Our medical staff believes that patients in the latter group are seen more often by their therapists than are HHA patients. Therefore, the rate of progression between the two patient groups may be different and warrant a 30-day rather 62day initial plan of treatment review for beneficiaries receiving outpatient rehabilitation services.

Comment: We received several comments to allow nonphysician

practioners such as nurse practitioners, physician assistants, and clinical nurse specialist to certify the therapy plan of care.

Response: Because we allow nonphysician practioners, that is, nurse practitioners, clinical nurse specialists, and physician assistants to prescribe medicine, we have also decided that nonphysician practioners who have knowledge of the therapy case may certify therapy plans of treatment.

Result of the evaluation of comments: We are adopting our proposal to pay all outpatient rehabilitation services and CORF services under the physician fee schedule. We are delaying full implementation of the financial limitations on outpatient rehabilitation services furnished by nonhospital entities due to our Y2K efforts until after January 1, 2000. We are not adopting a site-of-service differential for outpatient rehabilitation providers as recommended by commenters. Regarding proposed qualifications for therapists, we are adopting them as proposed and are not accepting the recommendation that we require occupational therapists to provide evidence of successful completion of a national certification examination. We anticipate that this issue will be further studied and discussed in a subsequent rule. We are withdrawing our proposal to extend from 30 days to 60 days the time required for physician recertification of the plan of treatment.

D. Payment for Services of Certain Nonphysician Practitioners and Services Furnished Incident to Their Professional Services

Nonphysician practitioners' services have been covered by Medicare since the inception of the program; originally the law did not provide for separate payments for these services. Coverage and payment of nonphysicians' services was primarily within the context of section 1861(s)(2)(A) of the Act as implemented by section 2050 of the Medicare Carriers Manual, for the payment of services incident to a physician's professional services. In recent years, the Congress has expanded Medicare coverage of nonphysician practitioners' services in certain settings to improve beneficiary access to medical services. Separate Part B coverage is specifically authorized for certain nonphysician practitioners' services and for services and supplies furnished as incident to those services.

For purposes of this rule as it applies to nonphysician practitioners, we define nonphysician practitioners as nurse practitioners, clinical nurse specialists, certified nurse-midwives, and physician

assistants. With respect to services and supplies furnished as incident to a nonphysician practitioner's services, we are requiring that, to be covered by Medicare, the services must meet the longstanding requirements in section 2050 of the Medicare Carriers Manual applicable to services furnished as incident to the professional services of a physician. Therefore, we specify, in new §§ 410.74(b), 410.75(d), 410.76(d), and 410.77(c) that Medicare Part B covers services and supplies (including drugs and biologicals that cannot be self-administered) furnished as incident to the nonphysician's services only if these services and supplies would be covered if furnished by a physician or furnished as incident to a physician's professional services. In addition, §§ 410.74(b), 410.75(d), 410.76(d), and 410.77(c) specify the various requirements for these incidental services and supplies.

Coverage and Payment for Nurse Practitioners' Services Subsequent to BBA

Effective for services furnished on or after January 1, 1998, section 4511 of BBA authorizes nurse practitioners to bill the program directly for services furnished in any setting, regardless of whether the settings are located in rural or urban areas, but only if the facility or other providers of services do not charge or are not paid any amounts with respect to the furnishing of nurse practitioners' services. Accordingly, a new § 410.75 of this rule specifies the qualifications for nurse practitioners, lists the requirements for the professional services of a nurse practitioner and the requirements for services furnished incident to the professional services of a nurse practitioner. This new section also specifies the process that applies to the provision of nurse practitioners' services.

New §§ 405.520(a), (b), and (c) of this rule provide the general rule and requirements for nurse practitioners. A new paragraph (16) is added to § 410.150(b) to authorize payment for nurse practitioners' services when furnished in collaboration with a physician in all settings located in both rural and urban areas. A new paragraph (c) is added to § 414.56 of this rule to set forth the payment amount for nurse practitioner services.

All of the independent nurse practitioners and clinical nurse specialists commenting on the proposed rule and all of the major organizations representing these nonphysician practitioners vigorously opposed the proposed Federal guidelines for

collaboration; those provisions would apply only in States with no collaboration requirement.

Comment: The commenters that objected to the proposed guidelines for collaboration requested that we adopt a policy that strictly defers to State laws, rules, and regulations regarding collaboration. The commenters insisted that the absence of State guidelines for collaboration does not necessitate the intrusion of Federal guidelines. In fact, they claimed that where State laws or guidelines do not include a requirement for collaboration, or fail to provide specific detailed requirements for a collaborative relationship, it is not a matter of accident or simple omission, but of conscious State policy regarding professional scope of practice. In these cases, they believe that there should be no collaboration requirement.

Additionally, these commenters stated that they believe that there is a better understanding at the State level of the practice situations encountered and the evolving advancements in health care issues. Therefore, many States have determined that this relationship is best defined by the professionals themselves, rather than through detailed statutory

legislation.

The commenters claimed that they are not aware of any substantial problems in interpreting or implementing the collaboration requirement in the 7½ years that carriers have been applying the collaboration requirement without the benefit of Federal rule. According to one commenter, currently at least 26 States have no statutory or regulatory requirement for collaboration as a condition that nurses must satisfy in order to practice, and in the 16 States that have physician collaboration or supervision practice requirements, none are as restrictive as the guidelines that we proposed.

One of the commenters that opposed the proposed collaboration guidelines stated that if more detailed provisions such as these are imposed on nurse practitioners and clinical nurse specialists, there will be a cost attached to be borne by the practitioner or consumers through cost shifting. Another commenter expanded upon this comment by posing the concern about how collaboration might affect States that authorize nurses to practice independently. The commenter stated that imposition of the collaboration requirement in "independent practice States" could create a new area for potentially fraudulent or abusive practices. For example, a physician may refuse to provide collaboration in a given area or may refuse to enter into a collaboration agreement unless the

nurse pays a fee to the physician. This practice may violate the anti-kickback

One commenter stated that our proposal restricted nurses to a collaboration arrangement with one physician, and that the State's nurse practice act does not restrict nurses to a collaborative practice arrangement with one physician. The requirement of collaboration with *one* physician raises the cost to patients, restricts access, and requires unnecessary, additional services. Additionally, this same commenter raised concerns about the phrase in the collaboration guidelines that states "or as provided by other mechanisms defined by Federal regulations," because she believes that this is the first time this wording has appeared in the definition of collaboration and it appears to give unlimited authority for regulation of practice.

One of the professional organizations representing nurse practitioners maintained that the proposed collaboration guidelines would particularly harm Medicare beneficiaries located in rural areas, where nurse practitioners may be the sole source of health care within the community. If a nurse practitioner is not able to receive payment for care due to the inability to locate a physician in that geographic area who is able to perform the functions of a collaborating physician, these areas may not be served at all.

Response: Section 6114 of OBRA 1989 established the nurse practitioner benefit as a separate benefit under the Medicare Part B program and also required that nurse practitioners collaborate with a physician in order for their services to be covered under Medicare. Therefore, nurse practitioners have always been required by Medicare law to collaborate with a physician. The collaboration requirement is a specific and distinct requirement, separate from the requirement that these nonphysician practitioners must practice within the scope of the law of the State where the

services are performed. The 1989 Omnibus Budget Reconciliation Act, adding section 1861(aa)(6) of the Act, defined the term, "collaboration" as a process in which a nurse practitioner works with a physician to deliver health care services within the scope of the practitioner's professional expertise, with medical direction and appropriate supervision as provided for in jointly developed guidelines or other mechanisms as provided by the law of the State in which the services are performed. The BBA of 1997 increased payment

amounts to nurse practitioners and expanded the settings where they can receive payments, but the BBA did not change the collaboration requirement. In the absence of State law regarding the collaborative relationship that nurse practitioners must share with a physician when furnishing their services to Medicare beneficiaries, we must implement the collaboration requirement as required by law.

However, we did not intend to introduce new burdensome requirements to address situations where there is no State requirement for collaboration. Therefore we are removing the proposed definition of collaboration that applies to these situations and will require that, in the absence of State law or regulations governing collaboration relationships, we will require nurse practitioners and clinical nurse specialists to document their scope of practice and indicate the relationships that they have with physicians to deal with issues outside their scope of practice. The proposed rule was not intended to require that a nurse practitioner must furnish services in collaboration with only one physician. We fully expect that these nonphysician practitioners may have collaborative relationships with numerous physicians and will continue to do so in the future. We did not intend to introduce any new costs to the practices of nurse practitioners and clinical nurse specialists.

Comment: Five major associations and professional organizations representing physicians, medical directors, and hospitals commented in favor of the proposed collaboration guidelines and suggested alternative criteria that they believed the Medicare program should use to determine coverage and payment for the services of nurse practitioners and clinical nurse

specialists.

Two of these organizations commented that "appropriateness" is the key criterion that Medicare contractors should use in determining whether services of these nonphysician practitioners should be covered under the "reasonable and necessary" provisions of section 1862(a)(1)(A) of the Act. These commenters suggested that we consider services to be appropriate if they are furnished by qualified personnel; further, the commenters believed that, in the case of psychiatry services, these nonphysician practitioners are not qualified as physicians are to perform a psychiatric diagnostic interview examination (CPT codes 90801 and 90802), nor are they qualified to furnish services represented by any of the psychotherapy CPT codes

that include medical evaluation and management. Therefore, these commenters asserted, all of the pertinent sections of the regulations text should be revised to read that the nonphysician practitioners are not performing services otherwise precluded from coverage because of one of the statutory coverage exclusions listed under section 1862(a)(1)(A) of the Act.

Response: In order for any service to be covered under Medicare, it must be determined to be reasonable and necessary, and therefore, appropriate. Accordingly, we do not believe that it is necessary to revise the regulations text to specify that services furnished by these nonphysician practitioners can be covered only when they are not otherwise excluded from coverage under section 1861(a)(1)(A) of the Act. It is already stated in the proposed rule at sections 410.74(a)(2)(iii), 410.75(c)(3), and 410.76(c)(3) that services performed by any of these nonphysician practitioners are not covered if they are otherwise excluded from coverage because of a statutory exclusion. Additionally, it is our understanding that some nurse practitioners and clinical nurse specialists specialize in mental health. Therefore, if State law authorizes these nonphysician practitioners to perform mental health services and evaluation and management services that would otherwise be furnished by a physician or incident to a physician's services, psychiatric nurse practitioners and clinical nurse specialists could bill for psychiatric diagnostic interviews and any of the psychotherapy CPT codes that include medical evaluation and management.

Comment: One association representing hospitals urged us to clarify in the final rule all of the settings in which separate payment to nurse practitioners and clinical nurse specialists will not be made. Also, the commenter suggested clarification regarding whether Medicare will continue to pay hospitals for the facility component of hospital outpatient department services when separate payment is made to these nonphysician practitioners for their professional services furnished in hospital outpatient departments.

Response: Payment is made to nurse practitioners and clinical nurse specialists for their professional services furnished in all settings, with the exception of RHCs and FQHCs. (The professional services of all practitioners are bundled in these two settings, and Medicare payment is made to the facility for such services under an all-

inclusive composite rate.) However, when these nonphysician practitioners furnish services in hospital outpatient departments, Medicare will continue to make payment to the hospital outpatient department for the facility component of hospital outpatient department services.

Comment: Two other organizations commented that we should require that the employer of a nurse practitioner or a clinical nurse specialist bill for his or her professional services. The commenter stated that technically, some nurses can practice without direct supervision, but not independently of the supervising physician since the physician must review all records within 2 weeks. The commenter believes that safe and high quality medical care requires that diagnosis, evaluation, treatment, and management decisions be made by physicians who directly supervise nonphysician practitioners on-site. The commenter argues that, if payment is made directly to the nurses, the physician has no way of verifying what is billed when an employer relationship does not exist. Also, because collaboration does not require that the physician be present while services are furnished, and it does not require a physician to make an independent evaluation of each patient, there is no assurance that safe, high quality services are being performed.

Response: The law no longer requires that the employers of nurse practitioners and clinical nurse specialists bill for their services, as it does for physician assistants. The law does maintain the requirement, however, that these nonphysician practitioners must furnish their services in collaboration with a physician. Nurse practitioners and clinical nurse specialists have been educated and specially trained to furnish primary care and certain other services that have traditionally been furnished by physicians. As long as the services that nonphysician practitioners furnish are medically reasonable and necessary, meet Medicare requirements, and fall within the scope of services that they are licensed to perform, the Medicare program covers the services.

Comment: Numerous nurse practitioners and clinical nurse specialists commented that §§ 410.75(d) and 410.76(d) that pertain to services and supplies furnished incident to the professional services of a nurse practitioner or clinical nurse specialist should be clarified to state that these nonphysician practitioners need not be present in the same room where the services are being provided, but may be present and available in the office suite.

Additionally, these same commenters requested the elimination of the list of

examples of professional services performed by nurse practitioners and clinical nurse specialists at § § 410.75(e)(3) and 410.76(e)(3), asserting that the list is too limited, confusing, and ultimately unnecessary.

Response: We agree that it may be more appropriate to include the list of examples of services in manual instructions to provide guidance to contractors to use in processing claims. Therefore, we are removing the listing of examples of services that can be provided by physician assistants at section 410.74(d)(3), nurse practitioners at section 410.75(e)(3), and clinical nurse specialists at section 410.76(e)(3).

Comment: One commenter suggested a language change to the requirement that "incident to" services be of a type that are commonly furnished in a physician's office, to also include a reference to the offices of other health professionals.

Response: The "incident to" requirements for nonphysician practitioners are the same requirements that apply to physicians and that have been in place since the inception of the Medicare program. The various "incident to" requirements are currently interpreted at section 2050 of the Medicare Carriers Manual. We will not amend any of the "incident to" requirements at this time.

Comment: A few nurses' associations commented that the proposed qualifications for nurse practitioners and clinical nurse specialists should be amended to clarify that these individuals must be licensed or certified by a professional association or an accrediting body that has, at a minimum, eligibility requirements that meet certain standards. One commenter stated that the accrediting body could be one that is recognized by us. These commenters explained that most organizations that certify nurses are not professional associations themselves: rather they are separately incorporated accrediting bodies. For example, the American Nurses Association does not certify nurse practitioners or clinical nurse specialists, but the American Nurses Credentialing Center (ANCC) does by utilizing standards developed by the nurse profession.

Response: Currently, the qualifications for nurse practitioners at section 2158 of the Medicare Carriers Manual require that such an individual be certified as a primary care nurse practitioner by the American Nurses' Association or by the National Board of Pediatric Nurse Practitioners and Associates. (Section 2160 of the Medicare Carriers Manual does not contain a specific certification criteria

for clinical nurse specialists.) Thus, the manual recognizes the ANCC as an appropriate certifying body for nurse practitioners.

Comment: One comment made was directed specifically toward the qualifications for nurse practitioners at § 410.75(b) of the proposed rule. One academy representing nurse practitioners stated that the intent of the law is to pay nurse practitioners who are licensed in their States to practice as such. Therefore, the qualifications for nurse practitioners should be that the individual be a registered nurse who is authorized to practice as a nurse practitioner in accordance with State law. This academy believes that the inclusion of additional requirements will exclude some fully qualified nurse practitioners who are certified by national certifying bodies that recognize grandfathering laws in the States and by States that currently use program accreditation or certification rather than national certification in their licensing processes for nurse practitioners.

Response: We agree with the commenter that the intent of the law is to pay nurse practitioners who are licensed in their States to practice as such. However, we believe that State licensure should not be the only qualification criterion that would enable nurse practitioners to bill the Medicare program directly for their professional services. Therefore, we will revise the qualification requirements to ensure that for Medicare purposes, appropriate individuals can bill the program for services furnished to Medicare beneficiaries.

Comment: One college representing nurse practitioners raised concerns about the types of services for which nurse practitioners can bill the Medicare program. The college stated that it wishes to ensure that we intend to permit a nurse practitioner to bill within a group practice setting for the services of all other licensed health care professionals and technicians in that practice. The commenter stated that, although the proposed rule does not indicate a problem with this billing arrangement, it would appreciate a specific statement from us about the arrangement.

Response: A nurse practitioner within a group practice setting would be permitted to bill the Medicare program for the services of all other licensed health care professionals and technicians within the practice, provided the services of others in the practice are furnished incident to the nurse practitioner's professional services and all the "incident to" requirements are met.

Comment: The college also stated that it is concerned that the proposed rule does not list nurse practitioners as designated providers of outpatient physical therapy and outpatient speech-pathology services. The college asks that the language of §§ 410.60 and 410.62 be amended to include nurse practitioners as nonphysician practitioners who are authorized to bill for these types of services.

Response: Nurse practitioners, clinical nurse specialists, and physician assistants may order physical therapy, occupational therapy, and speechlanguage pathology services in the case where the services are medically reasonable and necessary and the State in which they are practicing authorizes them to do so. Also, these nonphysician practitioners may also certify and recertify the plan of treatment for physical therapy, occupational therapy, and speech-language pathology services providing they are authorized by State law to perform such services. Accordingly, § 410.60 and 410.62 regarding physical therapy, occupational therapy, and speechlanguage pathology will be revised to include these nonphysician practitioners as designated providers of such services.

Result of evaluation of comments: We have determined that for purposes of Medicare Part B payment, a nurse practitioner must—

- Possess a master's degree in nursing;
- Be a registered professional nurse who is authorized by the State in which the services are furnished, to practice as a nurse practitioner in accordance with State law; and
- Be certified as a nurse practitioner by the ANCC or other recognized national certifying bodies that have established standards for nurse practitioners as stated above.

We have removed the alternate proposed definition of collaboration in §§ 410.75(c)(2)(iv) and 410.76(c)(2)(iv) of the proposed rule. For purposes of Medicare coverage, the collaboration requirement will state that nurse practitioners and clinical nurse specialists must meet the standards for a collaborative process, as established by the State in which they are practicing. In the absence of State law governing collaborative relationships, collaboration is a process in which these nonphysician practitioners have a relationship with one or more physicians to deliver health care services. Such collaboration is to be evidenced by nurse practitioners or clinical nurse specialists documenting their scope of practice and indicating

the relationships that they have with physicians to deal with issues outside their scope of practice. Nurse practitioners and clinical nurse specialists must document this collaborative process with physicians. The collaborating physician does not need to be present with the nurse practitioner or clinical nurse specialist when the services are furnished or to make an independent evaluation of each patient who is seen by the nurse practitioner or clinical nurse specialist.

Also, we are deleting the proposed listing of examples of services that can be provided by physician assistants, nurse practitioners and clinical nurse specialists.

Coverage and Payment for Clinical Nurse Specialists' Services Subsequent to BBA

Effective for services furnished on or after January 1, 1998, section 4511 of BBA authorizes clinical nurse specialists to bill the program directly for services furnished in any setting, regardless of whether the settings are located in rural or urban areas, but only if the facility or other providers of services do not charge or are not paid any amounts with respect to the furnishing of nurse practitioners' services. A new § 410.76(e) of this rule sets forth this provision.

The new § 410.76(b) sets forth new qualifications for clinical nurse specialists. Section 410.76(c) describes the conditions of coverage for clinical nurse specialists' services, defines the collaboration process, and paragraph (d) lists the requirements for services furnished incident to the professional services of a clinical nurse specialist.

New §§ 405.520(a), (b), and (c) of this rule provide the general rule, requirements, and civil monetary penalties for clinical nurse specialists. A new paragraph (c) is added to § 414.56 of this rule to set forth the payment amounts for clinical nurse specialists' services.

Comment: Numerous nurses associations commented specifically about the qualifications for clinical nurse specialists at § 410.76(b) of the proposed rule. They suggested that the qualifications for clinical nurse specialists be amended to require that a clinical nurse specialist be an individual who is a registered nurse currently licensed to practice as in the State in which he or she practices and have a master's degree in a defined clinical area of nursing from an accredited educational institution. The commenters emphasized that there is no need to provide for an exception as included in the proposed qualifications

for clinical nurse specialists, because the nursing profession has long held consensus that clinical nurse specialists be required to have a master's degree. Additionally, they believed that the definition of a clinical nurse specialist under the BBA makes it clear that a clinical nurse specialist must hold a master's degree. Furthermore, they stated that the proposed exception requirement contains erroneous information about the educational focus of clinical nurse specialist programs that may be preparatory both for primary care and specialty care.

Response: Prior to the BBA, section 2160 of the Medicare Carriers Manual required that a clinical nurse specialist had to satisfy the applicable requirements for a clinical nurse specialist in the State in which the services are performed. In the absence of State requirements, Medicare contractors had the discretion to determine whether an individual's qualifications warranted Medicare payment for clinical nurse specialist services. However, the BBA, which established qualifications for clinical nurse specialists, defines a clinical nurse specialist as an individual who is a registered nurse and is licensed to practice nursing in the State in which the services are performed and holds a master's degree in a defined clinical area of nursing from an accredited educational institution. Therefore, we will implement the BBA qualifications for clinical nurse specialists without an exception for clinical nurse specialists who do not possess a master's degree.

Comment: One independently practicing clinical nurse specialist argued that access to psychiatric clinical nurse specialists, in particular, is being denied even though they are the only mental health providers, other than psychiatrists, whose education, experience, and legal scope of practice include the management of co-morbid medical and psychiatric illness. Psychiatric clinical nurse specialists also provide services that include patient and family education to manage symptoms of illness and medications, evaluation and management of side effects, identification of adverse reactions, and evaluation of effectiveness of medications and psychotherapy. The commenter explained that all clinical nurse specialists in psychiatric nursing hold master's or doctoral degrees; have completed 2-years post-graduate, supervised, clinical experience; have passed a national board certification exam; and are required to obtain 75 hours of continuing education credit every 5 years. The commenter

concluded that psychiatric clinical nurse specialists are the only group of mental health providers whose practice is being restricted.

Response: Psychotherapy services are listed in the AMA's CPT coding book as "physician services". Nurse practitioners and clinical nurse specialists are authorized by the Medicare program to bill for services that would otherwise be furnished by a physician or incident to a physician's services. Accordingly, it is appropriate for the Medicare program to pay these nonphysician practitioners who have the specific training mentioned for psychotherapy services that are determined to be medically reasonable and necessary.

Result of evaluation of comments: We have determined that for purposes of Medicare Part B payment, a clinical nurse specialist must—

- Be a registered nurse who is currently licensed to practice in the State where he or she practices and be authorized to perform the services of a clinical nurse specialist in accordance with State law:
- Have a master's degree in a defined clinical area of nursing from an accredited educational institution; and
- Be certified as a clinical nurse specialist by the American Nurses Credentialing Center.

Coverage and Payment for Certified Nurse-Midwives' Services

Section 13554 of OBRA 1993 (Pub. L. 103–66) amended section 1861(gg)(2) of the Act to revise the definition of certified nurse-midwife. The revision eliminated a limitation on coverage and included, as covered services, those services furnished by certified nurse-midwives outside the maternity cycle. This change was made effective for services furnished on or after January 1, 1994.

A new § 410.77 of this rule lists the qualifications for certified nurse-midwives and provides the conditions for coverage of certified nurse-midwives' services. Paragraph (d) of § 410.77 lists the coverage requirements for the professional services of certified nurse-midwives, while paragraph (c) lists the requirements for services furnished incident to the professional services of a certified nurse-midwife.

The comments that we received from a major college representing certified nurse-midwives mainly addressed the proposed qualifications for these individuals.

Comment: The commenter urged that the qualifications for certified nurse-midwives be revised to read that the individual must—

- (1) Be legally authorized to practice as a certified nurse-midwife under State law or regulations;
- (2) Have successfully completed a program of study and clinical experience accredited by an accrediting body approved by the U.S. Department of Education; and
- (3) Be currently certified as a nursemidwife by the American College of Nurse-Midwives or by the American College of Nurse-Midwives Certification Council.

The college believed that these revised qualifications at § 410.77(a) would eliminate the possibility of individuals being able to practice as certified nurse-midwives in the Medicare program without having to take and pass appropriate certification examinations that are explicitly linked to a demonstrated mastery of the "core competencies" for basic nurse-midwife practice. These revised qualifications would, the commenter stated, also assure greater uniformity of quality and competency among certified nursemidwives who wish to be paid by Medicare for services that they provide to Medicare patients.

Response: Section 1861(gg)(2) of the Act states that the term, "certified nurse-midwife" means a registered nurse who has successfully completed a program of study and clinical experience meeting guidelines prescribed by the Secretary, or has been certified by an organization recognized by the Secretary. Accordingly, we are implementing qualifications for certified nurse-midwives that implement these statutory requirements.

Comment: The other comment that the college representing certified nurse-midwives made was directed toward the criteria for determining payment to certified nurse-midwives for their professional services. The college stated that § 410.77(d)(1) should clarify that, while supervision of nonphysician staff by a nurse-midwife does not constitute a professional service, the service provided by the nonphysician may be paid to the certified nurse-midwife if it meets the requirements of a service incident to his or her service.

Additionally, the college suggested that § 410.77(d)(3) be revised to state that Medicare will pay a certified nurse-midwife for all services that he or she is legally authorized under State law or regulations to furnish as a certified nurse-midwife in the State, if those services are also covered services under the Medicare program. The college suggested this change because it maintains that certified nurse-midwives are qualified to perform "other services" that might not be interpreted to include

newborn care or certain primary care services, or primary care case management in a managed care context, and certain States license them to perform these "other services."

Response: The requirements pertaining to services furnished incident to the professional services of a certified nurse-midwife are listed separately at § 410.77(c) of the proposed rule. We do not want to confuse the requirements for the professional services of certified nurse-midwives with the requirements that pertain to services furnished incident to the professional services of certified nurse midwives.

Section 1861(gg)(1) defines the term, "certified nurse-midwife services" as services furnished by a certified nursemidwife and services and supplies furnished as an incident to the nursemidwife's service which the certified nurse-midwife is legally authorized to perform under State law as would otherwise be covered if furnished by a physician or as an incident to a physicians' service. Therefore, we agree with the statement made by the commenter that coverage of the professional services of certified nursemidwives are not restricted to newborn care, certain primary care services, or primary care case management services if State law authorizes them to furnish other services.

Result of Evaluation of Comments: We have determined that for purposes of Medicare Part B payment, a nursemidwife must—

- Be a registered nurse who is legally authorized to practice as a nursemidwife in the State where services are performed;
- Have successfully completed a program of study and clinical experience for nurse-midwives that is accredited by an accrediting body approved by the U.S. Department of Education; and
- Be certified as a nurse-midwife by the American College of Nurse-Midwives or the American College of Nurse-Midwives Certification Council. The Secretary reserves the right to determine that these accrediting bodies' standards are no longer sufficient for qualifying nurse midwives for Medicare Part B payment.

Also, a nurse-midwife may provide services that he or she is legally authorized to perform under State law as a nurse-midwife, if the services would otherwise be covered by the Medicare program when furnished by a physician or incident to a physicians' professional services.

Coverage and Payment for Physician Assistants' Services Subsequent to BBA

Effective for services furnished on or after January 1, 1998, the majority of the conditions for coverage of physician assistants' services as indicated by new §§ 410.74(a) and (b) remain unchanged with the exception of the condition for coverage of physician assistants services furnished in certain areas and settings. Section 4512 of BBA removes the restrictions on the sites in which physician assistants may furnish their professional services, regardless of whether the settings are located in rural or urban areas. Physician assistants are authorized to furnish their professional services as independent nonphysician practitioners to practically all providers of services and suppliers of services, provided the facility or other provider of services do not charge or is not paid any amounts with respect to the furnishing of physician assistants' professional services. Accordingly, separate payment may be made for physician assistants' services in all settings, except in RHCs and FQHCs; physician assistant services are included as RHC and FQHC services for which Medicare payment is made based on an all-inclusive payment rate that the program makes to these facilities.

In new § 410.74(c), we proposed to amend the qualifications for physician assistants to recognize certification of physician assistants by the National Board of Certification of Orthopedic Physician Assistants. These qualifications would also have recognized academic programs for physician assistants that are accredited by either the Commission on Accreditation of Allied Health Education Programs or the American Society of Orthopedic Physician Assistants.

Additionally, effective January 1, 1998, physician assistants have the option of furnishing services under a different employment arrangement with a physician. They can furnish services as employees of a physician under a W-2 form employment arrangement or they can furnish services as an independent contractor to a physician and receive a 1099 form. Under either arrangement, the employer of the physician assistant must bill the program for physician assistants' services as required under § 410.150(b)(15). Moreover, when an individual furnishes services "incident to" the professional services of a physician assistant, these ancillary services must meet the requirements under § 410.74(a)(2)(vi)(B).

The Medicare payment amount for a physician assistant's professional

services as of January 1, 1998, as stated in new paragraph (d) of § 414.52, remains at 80 percent of the lesser of either the actual charge or 85 percent of the physician fee schedule amount for professional services. Also, new § 405.520 provides the general rule, requirements, and civil monetary penalties for physician assistants who furnish services under the Medicare program.

We received a total of 140 comments on the proposed physician assistant qualifications. Half of all of the commenters strongly opposed the inclusion of orthopedic physician assistants (OPAs) under the qualifications for physician assistants. The others commenting on the inclusion of OPAs applauded and supported their inclusion and suggested a few minor changes to the qualifications overall.

Comment: The commenters who strongly opposed the proposed physician assistant qualifications included professional organizations, individual physician assistants, State level professional societies and academies, congressional representatives, educational institutions, hospitals, and a board of medical examiners. The commenters stated overwhelmingly that the proposed qualifications for physician assistants inappropriately included orthopedic physician assistants and that orthopedic physician assistants are not physician assistants even if the acronyms (PA and OPA) appear to be similar. The majority of commenters who opposed the inclusion of OPAs noted that they would not object, however, if the Congress implemented a Medicare benefit that recognizes orthopedic physician assistants as separate independent nonphysician practitioners, and, in that case, there should be a payment differential in the amounts of payment made to physician assistants and orthopedic physician assistants that would reflect a higher payment to PAs because they have a greater career investment, patient care responsibility, and higher malpractice insurance costs than OPAs.

The commenters stated that PAs and OPAs do not receive the same education and training, accreditation, certification, or State licensure, and their continuing medical education requirements are not similar. These commenters stated that the curricula for the physician assistant educational programs reveal that these programs emphasized primary care involving diagnosis and treatment of five major clinical disciplines (medicine, surgery, pediatrics, psychiatry, and obstetrics), as well as pharmacology. The training period for

PAs lasts anywhere from 24 to 28 months. The orthopedic educational programs train technical assistants to assist orthopedic surgeons, with an emphasis on orthopedic disease and injury, management of equipment and supplies, operating room techniques, cast application and removal, office procedures, and orientation to prosthetics and orthotics. The training period for OPAs lasted for no more than 24 months.

The commenters asserted that the Commission on Accreditation of Allied Health Education Programs (CAAHEP) must accredit all physician assistant educational programs. CAAHEP is a national independent accrediting agency that is recognized by the U.S. Department of Education and sponsored by medical, allied health, and educational organizations. However, there are currently no existing OPA programs to be accredited. The AMA accredited eight orthopedic physician assistant educational programs from 1969 to 1974. Accreditation ceased in 1974 when the American Academy of Orthopedic Surgeons withdrew sponsorship of the accreditation process.

The commenters stated that PAs are required to take and pass a national examination after graduation from a physician assistant educational program that is certified by the National Council on Certification of Physician Assistants (NCCPA). The NCCPA national certification examination is open only to those individuals who have graduated from accredited physician assistant educational programs. The NCCPA, which provides the certified national examination, is an independent organization whose governing board has representatives from the American Medical Association, American Hospital Association, American Academy of Family Physicians, American Academy of Pediatrics, American College of Physicians, American College of Surgeons, National Medical Association, Association of American Medical Schools, Federation of State Medical Boards, U.S. Department of Defense, Association of Physician Assistant Programs, and the American Academy of Physician Assistants. The NCCPA also includes three public members.

OPAs who have had on-the-job training or other mid-level paraprofessionals who challenge the exam and have had on-the-job training may take the examination for OPAs that is certified by the National Board on Certification for Orthopedic Physician Assistants (NBCOPA). The NBCOPA certification examination is an open examination and is currently reached

through the Professional Testing Corporation, a for-profit business that administers tests for various organizations. The NBCOPA is comprised of six members of the American Society of Orthopedic Physician Assistants (ASOPA), the orthopedic physician assistant professional society, and an unspecified number of advisory members who are presumably non-voting physicians and educators. There is no organized medical group that sponsors or oversees the national certification examination for OPAs other than ASOPA.

The commenters emphasized that all States except Mississippi license and regulate PAs. Forty-three States, the District of Columbia, and Guam have enacted laws to authorize PAs to prescribe medicine. Thirty-three States authorize PAs to write prescriptions for controlled medications. Conversely, only Tennessee specifically licenses OPAs. Tennessee's licensure of OPAs is, however, separate from its licensure of PAs. California and New York have laws referencing OPAs, but the laws refer to OPAs as distinct from PAs. California refers to OPAs who successfully completed training as OPAs from an approved California orthopedic physician assistant educational program in any year between 1971 to 1974 to perform only those orthopedic medical tasks that a physician and surgeon may delegate. New York defines the qualifications for PAs in terms broad enough to include OPAs. The New York State regulations do not limit the acceptable examination to the NCCPA certification examination. Therefore, the NBCOPA certification examination could be considered to adequately assess entry level skills for the physician assistant profession. None of the other States, however, recognize OPAs, and none of the States specifically grant OPAs prescribing privileges.

Additionally, the commenters explained that PAs are required to log 100-hours of continuing medical education over a 2-year cycle and to take a recertification exam every 6 years to maintain certification as PAs. On the other hand, OPAs are required to complete 120 hours of continuing medical education every 4-years or retake the initial NBCOPA certification examination to maintain certification as OPAs.

The professional organizations representing PAs and numerous independent PAs and congressional representatives argued that the proposed changes to the PA qualifications run counter to our twin goals of controlling costs to the Medicare program and

maintaining the quality of services furnished to Medicare beneficiaries. There are approximately 49,000 surgical technologists and 3,000 registered nurse first assistants and an uncounted number of unlicensed medical school graduates (for example, from other countries). These individuals could potentially qualify as PAs under the proposed qualifications by getting the requisite orthopedic work experience and passing the orthopedic physician assistant examination that is certified by NBCOPA. Thus, the number of individuals who could qualify for payment under the PA benefit ultimately is substantial.

Additionally, these commenters argued that the proposal to include OPAs as PAs runs counter to congressional intent because the BBA, which amends coverage payment for PAs, does not include any mention of OPAs. They state that the debate on the BBA provisions for physician assistants, nurse practitioners, and clinical nurse specialists did not include any discussion of orthopedic physician assistants or any other types of physician extenders, nor did the Congressional Budget Office consider orthopedic physician assistants or other types of specialty physician extenders when projecting the costs of physician assistant services under the BBA. Furthermore, these commenters stated that the primary sponsors of the 1977 Rural Health Clinic Services Act acknowledged the educational preparation of PAs to provide a wide range of primary care services to Medicare beneficiaries living in areas experiencing a shortage of primary care physicians. While orthopedic technicians may provide valuable, specialized services in assisting orthopedic surgeons, they do not have an educational background in primary care. Consequently, they are not qualified to provide the wide range of primary care services that the Congress anticipated when it recognized the need to cover and pay for the services of PAs under Medicare.

Finally, the commenters urged us to require that, in order for an individual to qualify as a PA under Medicare, he or she must (1) possess State approval to practice as a PA, and (2) demonstrate either graduation from a physician assistant educational program accredited by CAAHEP or certification by NCCPA.

The commenters who supported the inclusion of OPAs under the physician assistant benefit were represented by a national society and academy, orthopedic surgeons, independent orthopedic physician assistants,

hospitals, universities, and organizations that provide orthopedic surgical services. The national society representing OPAs declared that our clarification of the PA qualifications does not relate to payment because orthopedic surgeons are already paid for many services provided by OPAs incident to their professional services. Rather, it believes that the clarification is about recognition of OPAs.

The national academy representing orthopedic surgeons, numerous independent orthopedic surgeons, and OPAs stated that OPAs are specially trained to assist orthopedic surgeons in surgical procedures and other services involving the total care of patients with orthopedic conditions of the anatomy and pathophysiology of the musculoskeletal organ system. Commenters state that OPAs receive extensive training that includes rotations in general medicine and surgery, history and physical assessment, and pharmacology. Additionally, they say, OPAs are trained to obtain medical histories, perform physical examinations, assist the physician in developing and implementing patient management plans, perform common laboratory, radiologic, and other routine diagnostic procedures, and provide injections, immunizations, suturing and wound care, among other services. Other services that these groups have stated that OPAs may perform include the application, fabrication and removal of casts, splints, braces and orthopedic hardware, emergent care of trauma patients, pre- and post-operative care, and serving as first and second assistants to orthopedic surgeons for all procedures. A few commenters noted that the only orthopedic experience that the primary care physician assistants have is received during a 6-week rotation within the 4-year primary care educational program.

Many orthopedic surgeons and others stated that the specialty training that OPAs receive has enabled them to become extremely valuable to their practices freeing up orthopedic surgeons to perform other tasks. Also, some commenters stated that they have found PAs and OPAs to be equally competent and in some cases, OPAs have proven to be more competent than PAs. Therefore, OPAs are very quickly becoming an integral part of their patient care teams. A professional organization commented that the inclusion of OPAs under the PA benefit should not result in exorbitant costs to the Medicare program because there are only approximately 1,000 OPAs who could meet the proposed PA

qualifications. Also, when Tennessee established State licensure for OPAs, the State Comptroller's office found that there was an increase in State revenues from fees collected and a slight, but not significant, increase in State expenditures for administering the program.

The national society representing OPAs suggested specific language be added to the proposed PA qualifications to require formal education programs for OPAs.

Response: After reviewing more closely information about the distinctions between PAs and OPAs, and after reviewing the comments that we received on the proposal to include OPAs as PAs, we have determined that it would not be appropriate to treat OPAs in the same way as PAs. There are substantial differences in education and training, certification examinations, accreditation of educational programs, and State licensure and regulation of PAs and OPAs. Additionally, we believe that the 1977 Rural Health Clinic Services Act, which first recognized and paid for the services of PAs under Part B of the Medicare program, would have specifically recognized OPAs as within its scope if it intended to do so. We also believe that a significant number of individuals, exceeding the approximately 1,000 currently practicing OPAs, could qualify as PAs under the proposed rule because the national certification examination for OPAs is currently open to other midlevel nonphysician practitioners who challenge the examination and have had on-the-job training.

Comment: We did not specifically solicit public comment in the proposed rule on the BBA provision that authorized PAs to provide services under an arrangement as independent contractors, in addition to performing services as an employee of entities or individuals such as a physician, medical group, professional corporation, hospital, skilled nursing facility, or nursing facility. However, we discussed, in the background section of the proposed rule, that effective January 1, 1998, PAs have the option of furnishing services under an independent contractor arrangement. Under either arrangement, we explained that the employer of the PA must bill the program for services furnished by the PA. As a result of this discussion, one commenter stated that, generally, PAs have been under the direction of a physician, and they have not been viewed as independent contractors. Therefore, the commenter emphasized that clarification is needed about PAs

performing in an independent contractor employment relationship.

Response: Regardless of whether a PA performs services under an employment relationship or under an independent contractor relationship, the Medicare statute requires that he or she furnish services under the general supervision of a physician, and the employer of the PA must always bill for the services furnished.

However, just as we adopt the Internal Revenue Service's definition of an employer/employee employment relationship, we also adopt the Internal Revenue Service's definition of an independent contractor relationship.

Some of the distinctions between an employer/employee and an independent contractor relationship are that, under an independent contractor relationship, the employer does not generally have to withhold or pay any taxes on payments to independent contractors and the employer has virtually no behavioral or financial control over the independent contractor. That is, under an independent contractor relationship, the independent contractor works autonomously without any instructions from his or her employer about when, where, and how to work. The contractor is engaged to perform services for a specific project or period of time, for which he or she is paid at the completion of the project. Independent contractors can make a profit or loss. The services that the independent contractor performs may not be a key aspect of the employer's regular business and, therefore, an independent contractor may have a significant investment in the facilities he or she uses in performing services for the employer. Additionally, the employer of an independent contractor may not provide employee-type benefits such as insurance, a pension plan, vacation pay, or sick pay.

Result of evaluation of comments: We have determined that for purposes of Medicare Part B payment, a physician assistant is an individual who—

- Has graduated from a physician assistant educational program that is accredited by the National Commission on Accreditation of Allied Health Education Programs;
- Has passed the national certification examination that is certified by the National Commission on Certification of Physician Assistants; and
- Is licensed by the State to practice as a physician assistant.

E. Payment for Teleconsultations in Rural Health Professional Shortage Areas

In section 4206 of BBA, the Congress required that, not later than January 1, 1999, Medicare Part B pay for professional consultations by a physician via interactive telecommunications systems (teleconsultations).

Under section 4206(a) of BBA, payment may be made under Part B, provided the teleconsultation service is furnished to a beneficiary who resides in a county in a rural area designated as a Health Professional Shortage Area (HPSA). This payment is notwithstanding that the individual physician or practitioner providing the professional consultation is not at the same location as the physician or practitioner furnishing the service to that beneficiary. (For the purposes of convenience, in this section the term "practitioner" is used to mean physicians and practitioners as specified.)

Section 4206(b) of BBA also required that the Secretary establish a methodology for determining the amount of payments made for a teleconsultation within the following parameters:

- The payment is to be shared between the referring practitioner and the consulting practitioner.
- The amount of the payment is not to exceed the current fee schedule amount that would be paid to the consulting practitioner.
- The payment is not to include any reimbursement for any telephone line charges or any facility fees, and a beneficiary may not be billed for these charges or fees.
- The payment is to be subject to the coinsurance and deductible requirements under section 1833 (a)(1) and (b) of the Act.
- The payment differential of section 1848(a)(3) of the Act is to be applied to services furnished by nonparticipating physicians.
- The provisions of sections 1848(g) and 1842(b)(18) of the Act are to apply.
- Further, payment for the consultation service is to be increased annually by the update factor for physicians' services determined under section 1848(d) of the Act.

In addition, the statute directs that, in establishing the methodology for determining the amount of payment, the Secretary take into account the findings of the report required by section 192 of the Health Insurance Portability and Accountability Act of 1996 (Public Law 104–191), the findings of the report

required by section 4206(c) of BBA, and any other findings related to clinical efficacy and cost-effectiveness of telemedicine applications.

## Provisions of HCFA-1906-P

On June 22, 1998, we published a proposed rule titled "Payment for Teleconsultations in Rural Health Professional Shortage Areas" (HCFA–1906–P) (63 FR 33882) that would implement the provisions of section 4206 of the BBA addressing Medicare reimbursement for telehealth services.

## Regulatory Provisions

In proposed § 410.75(a)(1), we required that as a condition for Medicare Part B payment for a teleconsultation, the referring and the consulting practitioner be any of the following:

- A physician as described in existing § 410.20.
- A physician assistant as defined in existing § 491.2.
- A nurse practitioner as defined in existing § 491.2.
- A clinical nurse specialist as described in existing § 424.11(e)(6).
- A certified registered nurse anesthetist or anesthesiologist's assistant as defined in existing § 410.69.
- A certified nurse-midwife as defined in existing § 405.2401.
- A clinical social worker as defined in section 1861(hh)(1) of the Act.
- A clinical psychologist as described in existing § 417.416(d)(2).

We required, in proposed § 410.75(a)(2), that teleconsultation services be furnished to a beneficiary residing in a rural area as defined in section 1886(d)(2)(D) of the Act that is designated as an HPSA under section 332(a)(1)(A) of the Public Health Service Act. For purposes of this requirement, the beneficiary is deemed to be residing in such an area if the teleconsultation presentation takes place in such an area.

In proposed §§ 410.75(a)(3) through 410.75(a)(5) we specified further that teleconsultations must meet the following requirements in order to be covered by Medicare Part B:

- The medical examination of the beneficiary must be under the control of the consultant practitioner.
- The consultation must involve the participation of the referring practitioner, as appropriate to the medical needs of the patient, and as needed to provide information to and at the direction of the consultant.
- The consultation results must be in a written report that is furnished to the referring practitioner.

We defined "interactive telecommunications systems" in

paragraph (b) of proposed § 410.75, as multimedia communications equipment that includes, at a minimum, audiovideo equipment permitting two-way, real-time consultation among the patient, consulting practitioner, and referring practitioner as appropriate to the medical needs of the patient and as needed to provide information to and at the direction of the consulting practitioner. Telephones, facsimile machines, and electronic mail systems do not meet the definition of interactive telecommunications systems.

## Payment Provisions

Proposed regulatory provisions: We proposed adding § 414.62 (Payment for consultations via interactive telecommunication systems) to our regulations.

We specified, in paragraph (a) of proposed § 414.62, that Medicare total payments for a teleconsultation may not exceed the current fee schedule amount for the service when furnished by the consulting practitioner. We further specified that the payment (1) may not include any reimbursement for any telephone line charges or any facility fees, and (2) is subject to the coinsurance and deductible requirements of section 1833(a)(1) and (b) of the Act. We also specified in paragraph (b) that the payment differential of section 1848(a)(3) of the Act applies to services furnished by nonparticipating physicians.

In paragraph (c) of proposed § 414.62, we provided that payment to nonphysician practitioners is made only on an assignment-related basis. Paragraph (d) provided that only the consultant practitioner may bill for the consultation, and paragraph (e) required the consultant practitioner to provide the referring practitioner 25 percent of any payments, including any applicable deductible or coinsurance amounts, he or she received for the consultation.

Paragraph (f) specified that a practitioner may be subject to the sanctions provided for in 42 CFR chapter V, parts 1001, 1002, and 1103 if he or she (1) knowingly and willfully bills or collects for services in violation of the limitations of proposed § 414.62 on a repeated basis, or (2) fails to timely correct excess charges by reducing the actual charge billed for the service to an amount that does not exceed the limiting charge or fails to timely refund excess collections.

Analysis of and Response to Public Comments to HCFA-1906-P Eligibility Provisions

Comment: Most commenters applauded HCFA's decision to include

both partial and full county geographic HPSAs when determining eligibility. However, a few commenters believed we should not limit eligibility to rural HPSAs. One commenter stated that the proposed eligibility criteria discriminated against elderly persons living in other remote areas. Another commenter suggested that travel time or distance to the specialist, not the availability of primary care physicians in the community, are the most important criteria for elderly patients in need of specialty consultation.

Response: BBA limits eligibility for teleconsultation to rural areas as defined by section 1886(d)(2)(D) of the Act designated as an HPSA as defined by section 332(A)(1)(a) of the Public Health Service Act. This section of the Public Health Service Act defines an HPSA as an area that the Secretary determines has a shortage of health professionals and is not reasonably accessible to an adequately serviced area.

We believe that, it is likely that in an area where sources of primary care are a considerable distance and travel time away, the same would be true for specialty care. In any event, we do not have the authority to expand eligibility for teleconsultation beyond what is specified by BBA.

Comment: One commenter questioned whether psychiatric, dental, and facility HPSAs are eligible for teleconsultation.

Response: As discussed above, HPSA eligibility is limited to eligibility under section 332(a)(1)(A) of the Public Health Service Act. This section of the law references geographic HPSAs only.

### Coverage Provisions

Comment: Many commenters requested that we include payment for the use of store-and-forward technology within the scope of coverage of this provision. Commenters believed that, for many specialties, store-and-forward technology provided the same information that would be provided in a live consultation.

For instance, several commenters recommended that we broaden the definition of a consultation to allow stored full-motion video exams or other representations to substitute for the presence of the patient. Other commenters recommended payment for store-and-forward applications such as dermatology photos and orthopedic digital x-rays.

Other justifications for coverage of store-and-forward technology included lack of infrastructure and scheduling difficulties. A few commenters mentioned congressional interest in providing coverage and payment for the use of store-and-forward technology in providing a consultation.

Response: We believe that a teleconsultation is a different method of delivering a consultation service. To that end, we view a teleconsultation as an interactive patient encounter that must meet the criteria for a given consultation service included in the American Medical Association's (AMA) Current Procedure Terminology.

In the proposed rule, we specified that the minimum technology necessary to deliver a consultation must include interactive audio and video equipment permitting two-way real-time communication between the beneficiary, consulting practitioner, and referring practitioner as appropriate. For Medicare payment to occur, the patient must be present, and the telecommunications technology must allow the consulting practitioner to conduct a medical examination of the patient.

The telecommunications requirements do not mandate full motion video. If the telecommunications technology permits two-way interactive audio and video communication allowing the consulting practitioner to conduct a medical exam, Medicare would make payment for a teleconsultation.

These requirements would not prohibit the use of higher end store-and-forward technology in which less than full motion video is sufficient to perform an interactive examination at the control of the consulting practitioner. When performed in real-time, with the patient present, store-and-forward may allow the consultant physician to control the examination by requesting additional, real-time pictures of the patient that are transmitted immediately to the online consultant.

Traditional store-and-forward technology in which an examination, diagnostic test, or procedure is filmed and later transmitted can be used in conjunction with the interactive (via audio-video technology) examination to facilitate the consultant's decision making. However, for Medicare payment to occur, the patient must be present in real-time.

We do not propose to make separate payment provisions for the review of medical records via telecommunications in this final rule. BBA gives payment authority for consultation via telecommunications with a physician or practitioner described in section 1842(b)(18)(C) of the Act, furnishing a service for which payment may be made under Medicare. Medicare currently does not make separate payment for the

review and interpretation of medical records.

Separate payment for traditional store-and-forward applications may be appropriate for many forms of diagnostic testing including radiology, electrocardiogram, and electroencephalogram interpretations, as well as imaging studies such as magnetic resonance imaging and ultrasound. Medicare currently allows coverage and payment for medical services delivered via telecommunications systems that do not require a face-to-face "hands on" encounter. Section 2020(A) of the Medicare Carriers Manual addresses this issue and lists radiology, electrocardiogram, and electroencephalogram interpretations as examples of such services.

Review of dermatology photos would not be considered a consultation. We believe that this would be a new service for which payment could not currently be made under Medicare. BBA limits the scope of coverage to professional consultations for which payment may be made under Medicare.

Comment: Many commenters believed that we should be more stringent regarding practitioners who can be consultants. For instance, a number of commenters believed that a certified registered nurse anesthetist, anesthesiologist assistant, clinical psychologist, or clinical social worker should not be eligible to be a consulting practitioner because Medicare does not make payment for consultations provided by these practitioners.

Additionally, commenters stated that consultation is beyond the scope of practice for these practitioners.

Response: In the proposed rule for teleconsultation we specified that all practitioners described in section 1842(b)(18)(C) of the Act qualify to be a consulting and a referring practitioner. These practitioners include: a physician, physician assistant, nurse practitioner, clinical nurse specialist, certified registered nurse anesthetist, anesthesiologist assistant, certified nurse midwife, clinical psychologist, and clinical social worker.

After further review of this proposal, we have determined that allowing clinical psychologists, clinical social workers, certified nurse anesthetists, and anesthesiologist assistants to provide a teleconsultation is inconsistent with the Medicare benefit.

We believe that a professional consultation delivered via telecommunications is a method of delivering a consultation service, rather than a new service. For instance, BBA section 4206(a) states that "payment

shall be made for professional consultations via telecommunications systems with a physician or practitioner described in section 1842(b)(18)(C) of the Act furnishing a service for which payment may be made \* \* \* "
Moreover, section 4206(b) of BBA states "the amount of such payment shall not

"the amount of such payment shall not be greater than the current fee schedule of the consulting physician or

practitioner."

Under existing Medicare policy, clinical psychologists, clinical social workers, certified registered nurse anesthetists, and anesthesiologist assistants cannot bill, nor receive payment, for consultation services under Medicare. Therefore, these particular practitioners are prohibited from billing for a teleconsultation because, under the Medicare program, no payment would be made for a consultation service provided by these practitioners.

In addition, we have reviewed our proposed policy which allowed certified registered nurse anesthetists and anesthesiologist assistants to refer Medicare beneficiaries for teleconsultation. After review, we have decided to omit these practitioners as eligible to refer patients for teleconsultation. Section 1861(bb) of the Social Security Act defines services provided by these practitioners as anesthesia services and related care. Currently, our view is that the nature of these services is such that certified registered nurse anesthetists and anesthesiologist assistants would not request a consultation as defined by the Physicians' Current Procedure Terminology. Thus, we are excluding certified registered nurse anesthetists and anesthesiologist assistants from the list of referring practitioners. We invite specific comments regarding this issue.

To implement this policy change, we are omitting clinical psychologists, clinical social workers, certified nurse anesthetists, and anesthesiologist assistants from being consulting practitioners as follows at redesignated § 410.78(a)(1):

- (1) The consulting practitioner is any of the following:
- (i) A physician as described in § 410.20.(ii) A physician assistant as defined in
- § 410.74.

  (iii) A nurse practitioner as defined in
- § 410.75. (iv) A clinical nurse specialist as defined
- in § 410.76. (v) A nurse-midwife as defined in § 410.77.

Additionally, a new section is added to omit certified nurse anesthetists and anesthesiologist assistants as referring practitioners as follows at redesignated § 410.78(a)(2):

- (2) The referring practitioner is any of the following:
- (i) A physician as described in § 410.20.(ii) A physician assistant as defined in § 410.74.
- (iii) A nurse practitioner as defined in § 410.75.
- (iv) A clinical nurse specialist as defined in § 410.76.
- (v) A nurse-midwife as defined in § 410.77. (vi) A clinical psychologist as described at § 410.71.
- (vii) A clinical social worker as described in section 410.73.

Comment: We received a number of comments regarding the referring practitioner participation requirements. Several commenters believed that requiring the participation of the referring practitioner as a condition of payment is unreasonable. They believed this responsibility can usually be delegated to a midlevel practitioner or, in some cases, no presenting practitioner. Commenters made the case that the referring practitioner does not travel to the consultant's office for a traditional consultation and therefore should not be required to participate in a teleconsultation.

Response: We have reviewed our proposed policy requiring the participation of the actual referring practitioner as appropriate to the medical needs of the patient. After review we have decided to amend this policy to allow all practitioners listed as referring practitioners in this rule to be eligible to present a Medicare beneficiary for teleconsultation. However, if the practitioner is not the actual referring practitioner, he or she must be an employee of the referring practitioner.

Hence, if a primary care physician determines that a specialty consultation is necessary, he or she could delegate the presentation of the beneficiary to an eligible referring practitioner (i.e., nurse practitioner, physician assistant, nurse midwife, clinical nurse specialist, clinical psychologist, or clinical social worker) who is an employee.

We clarify, that for circumstances where the condition of the patient may not medically require the participation of a presenting practitioner, we would not require the participation of a presenting practitioner as a condition of payment for the teleconsultation.

When no practitioner is present with the patient, the consultant will continue to share 25 percent of total payments with the referring practitioner. As discussed in the payment provision section of this document, the 25-percent allocation is intended to reflect the average amount of new work performed by the referring practitioner over many teleconsultations. However, because of

the potential for fraud or abusive practices in these situations where the referring practitioner is not present with the patient, HCFA in consultation with the Office of the Inspector General will monitor these services in our review of the Medicare teleconsultation benefit.

To execute this policy in this final rule, proposed § 410.75(a)(5), redesignated as § 410.78(a)(5), specifies that as a condition of payment, the teleconsultation involves the participation of the referring practitioner or a practitioner described in section 1842(b)(18)(C) of the Act (other than a certified registered nurse anesthetist or anesthesiologist assistant) who is an employee of the referring practitioner, as appropriate to the medical needs of the beneficiary and to provide information to and at the direction of the consulting practitioner.

Comment: Several commenters requested clarification regarding the availability of the referring practitioner while the teleconsultation takes place.

Response: A practitioner who is eligible to be a referring practitioner, as described in redesignated § 410.78(a)(2) (formerly § 410.75(a)(2)), is required to be present in the office suite or hospital wing and available to participate in the teleconsultation as necessary. We do not mandate that a practitioner be present in the room while the teleconsultation is taking place.

As discussed earlier in this document, a presenting practitioner's participation is required as appropriate to the medical needs of the beneficiary and to provide information at the direction of the consulting practitioner. However, if the medical needs of the beneficiary require the participation of a presenting medical professional, that professional must be a practitioner described in redesignated § 410.78(a)(2).

Comment: A few commenters requested clarification regarding whether the referring practitioner may bill for other services on the same day that the teleconsultation takes place. A suggestion was made that a referring practitioner should be permitted to bill for a primary care visit on the same day as a teleconsultation if the primary care visit is the basis of the consultation or for a medical problem unrelated to the consultation.

Response: On the day the teleconsultation occurs, the referring practitioner may bill for the office, outpatient, or inpatient visit that preceded the need for a consultation. Additionally, the referring practitioner could bill for other services as ordered by the consultant, or for services unrelated to the medical problem for which a consultation was requested.

However, the referring practitioner is prohibited from billing for a second visit for his or her role in presenting the patient at the time of teleconsultation. The consulting practitioner is responsible for billing Medicare for the consultation service.

Comment: Many commenters suggested an expansion in the scope of coverage beyond consultation services including speech pathology, occupational therapy, diabetic self management, psychotherapy, office and other outpatient visits for new and established patients, nursing facility services, and patient education and diagnostic interviews. Additionally, the nature of the comments indicated a belief that consultation can only be requested for a limited number of conditions or specialties and that a consultation service can only be provided once per patient.

Response: Section 4206(a) of BBA limits the scope of coverage to professional consultation for which payment is currently made under Medicare. We believe that a consultation is a specific service that meets the criteria specified for a consultation service in the AMA 1998 Current Procedure Terminology. BBA does not give authority to cover services beyond consultation under this provision.

We clarify that a consultation can be requested by a physician or practitioner for many medical specialties including, but not limited to: cardiology, pulmonary, neurology, dermatology, gastrology, and psychiatry.

Additionally, the scope of coverage for teleconsultation is not limited to the initial request for consultation from the referring practitioner. If an additional request for consultation regarding the same or new problem is received from the attending practitioner and documented in the medical records, another teleconsultation may be billed.

Comment: Two commenters requested clarification of whether a physician assistant is eligible to be a consultant under this provision.

Response: A physician assistant, as defined in existing § 410.74, is eligible to bill for a teleconsultation.

Comment: A number of commenters believed that, in many cases, a registered nurse, or other medical professional, is qualified to present the patient to the consultant. One commenter believed that patient care has never suffered when a medical professional not recognized as a Medicare practitioner is used to present the patient and only a small percentage of cases actually require a physician, nurse practitioner, or physician

assistant to be present for the teleconsultation.

Response: Section 4206(a) of BBA specifies that the individual physician or practitioner providing the professional consultation does not have to be at the same location as the physician or practitioner furnishing the service to the beneficiary. We believe this language is limiting and requires that a practitioner, as recognized under section 1842(b)(18)(C) of the Act, must be present with the patient during the teleconsultation. Since the same phrase describes the medical professional at both ends of the teleconsultation, we believe that it would be difficult to interpret the phrase to have one meaning for purposes of identifying the consultant and a different meaning for purposes of identifying who may be physically with the patient. Therefore, registered nurses, and other medical professionals not recognized as practitioners under section 1842(b)(18)(C) cannot act as presenters during teleconsultations.

Comment: A few commenters believed that the range of medical professionals eligible to provide a teleconsultation should be expanded beyond what is allowed by BBA. Suggestions included physical therapists, respiratory therapists, and occupational therapists. Commenters stated that outpatient rehabilitation following a stroke or other disorder is less expensive and better than prolonged inpatient care. Other commenters suggested that nurse specialists and registered nurses be allowed to provide a consultation service. Commenters stated that nurses provide education to patients without the presence of a physician or other practitioner.

Response: BBA limits the medical professionals who may be consultants to physicians or practitioners described in section 1842(b)(18)(C) of the Act. These practitioners include a clinical nurse specialist as described in § 410.76; however, nurses who are not recognized as practitioners under section 1842(b)(18)(C) of the Act are not eligible to provide a teleconsultation. This section of the law does not include physical therapists, respiratory therapists, and occupational therapists. We have no authority to expand the statutory definition.

Comment: One commenter stated that a certain State law requires the referring practitioner to have the ultimate authority over the care of the patient. The commenter believed that this requirement conflicts with our proposed rule which specifies that the

examination be at the control of the consulting practitioner.

Response: We clarify that the language at proposed § 410.75(a)(4), redesignated in this final rule as § 410.78(a)(4), "The medical examination of the beneficiary is under the control of the consultant practitioner," does not mean that the referring practitioner relinquishes the overall responsibility for a beneficiary's care. The intent of this requirement is to clarify that the consulting practitioner is conducting a real-time examination with the patient present, rather than reviewing a prior examination, diagnostic test, or procedure prepared in advance by the referring practitioner.

## Payment and Billing Provisions

Comment: One commenter believed that the discussion of general Medicare payment policy is unclear. The commenter specifically questioned the applicability of coinsurance.

Response: Generally, under Medicare part B, Medicare pays 80 percent of the lower of the actual charge or appropriate fee schedule amount, presuming the beneficiary has met his or her Medicare part B deductible. Under the Medicare program and for purposes of this provision, the maximum Medicare payment for a teleconsultation provided by a participating physician would be based on 80 percent of the physician fee schedule, presuming that the deductible had been met. For all other eligible consulting practitioners, the maximum Medicare payment amount would be 80 percent of 85 percent of the physician fee schedule. The beneficiary would be responsible for 20 percent of the appropriate payment amount.

An example of this formula using \$100 as the Medicare physician fee schedule amount is provided below.

Payment for a teleconsultation when a participating physician is the consultant:

- Medicare Physician Fee Schedule: \$100.
- Max. Medicare Payment Amount (80% of \$100): \$80.
  - Coinsurance (20% of \$100): \$20.
  - Total Payment Amount: \$100.

Payment for a teleconsultation when an eligible non-physician practitioner is the consultant:

- Medicare Physician Fee Schedule: \$100.
- Practitioners Respective Percentage of the Physicians Fee Schedule and Resulting Non-Physician Fee Schedule Amount (85% of \$100): \$85.
- Max. Medicare Payment Amount (80% of \$85): \$68.
  - Coinsurance (20% of \$85): \$17.
  - Total Payment Amount: \$85.

Comment: One commenter questioned whether Medigap, Medicaid, and other supplemental insurance will pay the 20-percent coinsurance for teleconsultations.

Response: Medicare Supplemental Insurance (MSI) will pay the 20-percent coinsurance for covered teleconsultations. MSI coverage including Medigap, Medicaid, or employer plans have been standardized across the country. All MSI plans provide what are known as "basic benefits," which are defined to include Medicare Part B coinsurance for covered services (20 percent of the Medicareapproved amount). Teleconsultation is a consultation service delivered via telecommunications systems and is covered under Medicare in rural HPSAs effective January 1, 1999

Comment: We received a number of comments regarding the proposed payment allocation in which the consultant would receive 75 percent and the referring practitioner would receive 25 percent of the consulting practitioners fee schedule. Several recommendations were made to vary the distribution of payment based on the work performed by each practitioner. A few commenters suggested that if it is not medically necessary for a presenting practitioner to participate in the teleconsultation, the consultant should receive 100 percent of the payment. Other commenters suggested that the payment allocation be determined by the practitioners involved.

Response: We recognize that the level of involvement of the presenting practitioner will vary from case to case, and our model for payment allocation reflects this belief. In determining the payment allocation, we developed a model simulating the combined intensity level for both the referring and consulting practitioners by using relative value units (RVUs) applicable to consultation services and primary care visits (primary care visits were used as proxy for the role of a presenting practitioner during a teleconsultation).

The model reflects that some consultations will require more preparation and medical expertise from the presenting practitioner. For instance, in the first scenario we used the full primary care RVUs. In the second scenario we reduced the work component by 50 percent to reflect that some consultations will require less new work from the presenting practitioner.

The consultation service and primary care visit RVUs were calculated as a percentage of the combined total and resulted in a 75-percent payment to the consulting practitioner and 25-percent

payment to the referring practitioner. This percentage allocation is intended to reflect the average level of new work performed by each practitioner over the course of various teleconsultations. It would not be practical for us to develop varying fee amounts for the referring practitioner's role in presenting the patient given our lack of program experience with teleconsultation. However, we are not eliminating the possibility of making changes to the allocation methodology if program experience demonstrates that a modification is warranted.

We considered making a single payment to the consulting practitioner without specifying the amount to be shared with the referring practitioner, however we wished to avoid raising issues of prohibitions against "fee splitting." For more information on the payment allocation see page 33886 of the June 22, 1998 proposed rule.

Comment: A few commenters believed that the regulation should specify the consequences in the event that a consultant fails to share payment in a timely fashion. A suggestion was made to amend the regulation to require the consultant to share payment within 30 days of receipt from the Medicare carrier. The commenter also requested that, in the event of untimely sharing of payment, the referring practitioner have the right to contact the consultant's Medicare carrier directly for the required percent of payment.

Response: We are not mandating or imposing time limits or dictating how sharing of payments should occur. We believe the specific details of how the payment should be shared, including the appropriate time frame, should be up to the practitioners involved. We believe that specifying a time frame in which sharing must occur, would impose an unnecessary burden on the consulting practitioner.

Comment: One commenter stated that the proposed rule is unclear regarding when the consulting practitioner should share 25 percent of the total payment with the referring practitioner. Specifically, the commenter provided two examples of how payment could possibly be shared. The first example involved sharing Medicare and coinsurance payments separately (upon the receipt by the consultant), while the second example involved sharing 25 percent of the total fee schedule amount before coinsurance was received by the consulting practitioner. The commenter believed that the amount of payment allocation changes depending on when sharing occurs.

*Response:* The consulting practitioner is responsible for billing Medicare for

the consultation service and sharing 25 percent of total payments received with the referring practitioner. Whether the consulting practitioner shares payments as he or she receives them, waits until all payments are received, or shares the Medicare and coinsurance payments upfront, the total payment amount allocated to each practitioner remains the same. We are not imposing further guidelines on the sharing arrangement between the two practitioners.

Comment: Several commenters questioned whether our proposed payment methodology of making a single payment to the consultant and requiring him or her to share payment violates section 1877 of the Act. This section provides penalties for certain prohibited referrals. A few commenters questioned the applicability of State laws that prohibit fee splitting.

Response: The payment provisions for teleconsultation specify that the consulting practitioner must submit the claim for the consultation service and must share 25 percent of total payment with the referring practitioner. Given that we require the sharing of payments and predetermine by law the payment amount allocated to the referring practitioner, we believe that our regulation does not constitute a prohibited compensation arrangement between the consulting and referring practitioners. We do not regard the consulting practitioner as actually making a payment to the referring practitioner, but rather acting as a 'conduit" to pass a portion of the Medicare payment on. Therefore, we believe that physicians and practitioners, under our payment policy, are not in violation of the Act. For more discussion regarding the bundled payment approach see page 33887 of the June 22, 1998 proposed rule.

Comment: A few commenters questioned how this payment sharing arrangement is treated for tax purposes and whether requiring the consultant to share payment is in conflict with the tax laws.

Response: HCFA does not give tax advice. However, we believe that what the commenter presents as a tax problem is merely a matter of bookkeeping. We note that the law requires the sharing of payment, and the regulation requires the consultant to give 25 percent of the payment received to the referring practitioner. We do not believe that the consultant would ever account for the portion of the Medicare payment for which he serves as a "conduit" as income of his or her own. Each practitioner should consult his or her own tax adviser for specific

information about his own bookkeeping practices.

Comment: Many commenters believed that it will be an administrative burden for the consultant to share payments with the referring practitioner. We received suggestions for two alternative billing proposals. The first alternative proposal maintained the single bill approach, but required us to issue separate checks to the consulting and referring practitioner from the same claim form. The second alternative proposal required the submission of separate claims from the consulting and referring practitioner with HCFA issuing separate checks.

Response: We understand the commenters' concern regarding the additional administrative requirements placed on the consulting practitioner. As a result of public comment, we examined the possibility of issuing two separate checks from the same claim form. Under this approach, we would pay the consultant 75 percent of the appropriate fee schedule amount and the referring practitioner would be paid 25 percent based upon the claim submitted by the consultant. However, this option could not be implemented to meet the January 1, 1999, effective date of this provision as mandated by section 4206 of BBA. For instance, the Medicare claims processing system is currently designed to accept only one "pay to" personal identification number (PIN) per claim on the electronic claim record and the HCFA-1500 paper claim fields that are used as the source for generating a check to a practitioner.

Currently there is only one scenario in which two checks can be issued from one claim form. That situation occurs when a beneficiary overpays his or her deductible and/or coinsurance on an assigned claim. In this case, one check is issued to the provider and a second check is issued to the beneficiary reflecting the amount the beneficiary overpaid. It is possible to issue two checks in this one instance because there is only one personal identification number

Additionally, the Medicare claims processing system is designed to accommodate only one provider signature per claim. As such, if the consulting practitioner bills on behalf of the referring practitioner, we would not have a valid claim from the referring practitioner upon which to base payment and issue a check.

Another administrative difficulty concerns the possibility that the consulting and referring practitioners may be located in different carrier jurisdictions. This would make it difficult for one carrier to make separate

payments to both practitioners. This option may be more feasible once national practitioner identification numbers are implemented as mandated by the Health Insurance Portability and Accountability Act of 1996.

When developing the proposed rule we considered requiring each practitioner to submit a separate claim. This alternative was rejected due to the administrative difficulties in linking claims to assure that the payment ceiling as allowed by section 4206 of BBA is not exceeded. Total payment could exceed what the consultant would have otherwise received if the presenting practitioner were to submit a claim for a consultation at a higher intensity level than the consultant. The task of linking claims becomes increasingly difficult if two carriers are involved because the practitioners' locations fall within separate carrier jurisdictions. The systems modifications necessary to accommodate separate claims could not have been implemented by the January 1, 1999, effective date as mandated by BBA.

Although the final rule requires the consulting practitioner to submit a claim for the teleconsultation and share payment with the referring practitioner, we are not foreclosing the possibility of making changes to this policy in the future.

Comment: One commenter had concerns regarding language in the proposed rule that stated that the teleconsultation transfers the patient to the consulting practitioner. The commenter believed that we should clarify that this statement was made only for administrative requirements of the physician fee schedule and that we did not intend it as a comment on the scope of medical practice.

Response: Our determination of the consultant's location as the site of service is for Medicare payment purposes only. Given that BBA allows payment up to the consultant's current fee schedule, we believe that it is appropriate to use the Geographic Practice Cost Index (GPCI) relevant to the location of the consulting practitioner, rather than the GPCI applicable to the referring practitioner. We did not intend to make a comment regarding the scope of medical practice.

### Coding Provisions

Comment: The majority of commenters were strongly in favor of using a modifier to identify a consultation delivered via telecommunications systems. A few commenters suggested new codes to identify a teleconsultation. One commenter stated that modifiers are not

always handled correctly by the Medicare carriers and that separate codes would offer the most reliable way of identifying services subject to their own payment rules.

Response: Using a modifier to identify a consultation delivered via telecommunications conforms with our view that a teleconsultation is a method of delivering a consultation service, rather than a new service. We considered developing a separate coding structure for teleconsultation, however, we rejected this option because we believe that new codes would be administratively cumbersome for the medical community and the Medicare program. We believe it will be easier for practitioners to use a single modifier rather than an entirely new set of codes.

Issues Not Addressed in the Proposed Rule

Comment: One commenter asked whether we plan to evaluate the impact of this rule on beneficiaries, providers, other payers, or Medicare. The commenter further stated that data has been limited from the current teleconsultation demonstration project.

Response: We believe that it would be beneficial to evaluate the impact of expanding eligibility for teleconsultation beyond the existing demonstration sites. We plan to evaluate program data resulting from this provision, such as utilization patterns, service intensity, and the type of practitioners providing a teleconsultation.

Comment: A few commenters suggested we provide clarification regarding both intra- and inter-state scope of practice and licensure issues. One commenter expressed concern that the proposed rule may unintentionally involve us in State-based scope of practice and recommended that we clarify that midlevel practitioners are prohibited from operating outside the licensed health professionals scope of practice in their State.

Response: BBA specifies that a nonphysician practitioner may refer a beneficiary for consultation. We clarify that midlevel practitioners would need to meet the governing requirements of the State in which they are licensed. Therefore, if the law of the State in which they are licensed would prohibit a midlevel practitioner (for example, a nurse practitioner or a physician assistant) from referring a patient for consultation, the practitioner could not refer a patient for teleconsultation. Likewise, if the law of the State in which the teleconsultation occurs prohibits a nonphysician from providing a consultation service, the

practitioner could not provide a teleconsultation under Medicare. Moreover, if State law precludes an out-of-State practitioner from delivering a teleconsultation, Medicare would not pay for that consultation.

Comment: One commenter believed that this rule would disadvantage specialists located in a rural HPSA by drawing patients to specialists outside of the local area. The commenter stated that managed care organizations may possibly be able to negotiate a better price from consultants outside the community and believed we should develop safeguards to prohibit such possibilities.

Response: We believe this comment is beyond the scope of this provision as authorized by BBA. BBA provides for payment of teleconsultation when the requirements of this benefit are met. However, HCFA is not authorized by the law to direct physicians and other medical practitioners to a specific consultant.

Comment: A few commenters suggested that we consider guidelines regarding beneficiary consent and safeguards for confidentiality.

Response: We agree that the beneficiary should be thoroughly informed regarding the nature of a teleconsultation and that confidentiality of medical records is of great concern. However, we assume that practitioners are already cognizant of their responsibility to obtain patients' informed consent and to protect patients' medical records. Therefore, we are not establishing guidelines regarding beneficiary consent or confidentiality at this time. We invite specific comments regarding this issue.

We recognize that this rule is a first step in refining face-to-face "hands on" requirements for a medical service under Medicare to reflect a telemedicine service. We are not eliminating the possibility of the development of modifications to Medicare telemedicine coverage and payment policies as the law permits and as more program experience in this area is obtained.

To that end, we intend to explore several issues, including: (1) The use of store and forward technologies as a method for delivering medical services; (2) the use of registered nurses and other medical professionals not recognized as a practitioner under the teleconsultation provision to present the patient to the consulting practitioner; and (3) the appropriateness of current consultation codes for reporting consultations delivered via communications systems.

In a year we will send recommendations to Congress regarding

these issues along with any necessary legislative changes.

Clarifications and Modifications

Teleconsultation in Rural Health Clinics

As a result of further analysis and evaluation, we have decided to clarify payment policy for teleconsultations provided in a Rural Health Clinic (RHC).

We believe that Congress did not intend to include teleconsultation, as provided for by BBA, as part of the RHC benefit. Section 4206(a) of BBA specifies that Medicare payment shall be made for a professional consultation delivered via telecommunications with a physician as defined in section 1861(r) of the Social Security Act or practitioner as defined by section 1842(b)(18)(C) of the Act. Services furnished by an RHC are treated as "RHC services" and lose their identity as physicians' services or services of other practitioners.

Moreover, section 4206(b) of BBA instructs us to create a system of payment for teleconsultation that requires that payment be shared between the referring and consulting professionals, precludes payment for any sort of capital or facility fees, and applies the mandatory claims submission and limiting charge provisions of section 1848(g) of the Social Security Act. The method of payment for teleconsultation services under this benefit is not congruent with the method of payment for services under the RHC benefit. Under the RHC benefit, payment is made on the basis of an all-inclusive rate per visit (see 42 CFR 405.2462). These provisions are another indication that we should not include teleconsultation services furnished by physicians in RHCs as RHC services for which we make payment to the RHC.

While, some argument could be made that Congress simply did not intend for teleconsultation services ever to be paid for under section 4206 if they are furnished within the confines of an RHC, this would be an unusual conclusion since section 4206 specifically provides payment for consultation services in rural areas similar to those areas serviced by RHCs that may lack sufficient specialists to provide necessary beneficiary care.

Since Congress did not address how we should treat the services of physicians and other practitioners providing teleconsultation in RHCs, we are interpreting the law to permit practitioners in RHCs to bill for teleconsultation as do other practitioners. The law and the legislative history indicate that the intent of the teleconsultation benefit

was to expand services to beneficiaries in rural areas. The same intent informs the RHC benefit, so we believe it would be anomalous to read the teleconsultation benefit as being unavailable to rural beneficiaries who receive a teleconsultation in an RHC.

Section 402 of the RHC manual (HCFA Pub. 27) describes "services furnished by RHCs . . . which are not RHC/FQHC services." These services include durable medical equipment, ambulance services, diagnostic tests ("unless an interpretation of the test is provided by the RHC/FQHC physician"), prosthetic devices, braces, and artificial limbs. Thus, services created by other benefit provisions and not explicitly enumerated as part of the RHC benefit have been paid not under the RHC benefit (even if furnished in an RHC), but rather under the appropriate authority in section 1833 of the Act. We believe that it is consistent with this policy to pay for teleconsultations under the authority of section 4206 of BBA, not as an RHC service.

Therefore, consulting practitioners providing a teleconsultation in an RHC setting will be paid according to the payment methodology specified in this final rule. A teleconsultation would not generate an RHC visit and would not be paid for under the all-inclusive rate methodology. For instance, the consulting practitioner providing a teleconsultation in an RHC would bill the applicable Medicare carrier using his or her own identification number rather than the identification number of the RHC. Payment would be based on the consultant's fee schedule amount and he or she would be required to share 25 percent of total payments with the referring practitioner.

When a practitioner in an RHC refers a Medicare beneficiary for a teleconsultation, he or she will receive 25 percent of the approved Medicare consultation fee schedule. An RHC visit would not be billed by either the referring or consulting practitioner for the teleconsultation. However, the referring practitioner could bill for the initial visit which prompted the need for a consultation as an RHC visit.

**Note:** These requirements would also apply to Federally Qualified Health Centers located in a rural HPSA.

### **Result of Evaluation of Comments**

• Eligibility for Teleconsultation— Medicare beneficiaries residing in rural HPSAs are eligible to receive teleconsultation services. This final rule stipulates the use of the site of presentation (patient location) as a proxy for beneficiary residence. However, if a beneficiary can demonstrate that he or she resides in a rural HPSA, Medicare would make payment regardless of the site of consultation. Eligibility for teleconsultation includes both full and partial county HPSAs designated by section 332(a)(1)(A) of the Public Health Service Act.

- Scope of Coverage—Covered services include initial, follow-up, or confirming consultations in hospitals, outpatient facilities, or medical offices delivered via interactive audio and video telecommunications systems (CPT codes 99241–99245, 99251–99255, 99261–99263, and 99271–99275).
- Practitioners eligible to be consulting and referring practitioners— Clinical psychologists, clinical social workers, certified registered nurse anesthetists, and anesthesiologist assistants do not provide for consultation services payable under Medicare and therefore cannot provide a teleconsultation under this provision. Additionally, certified nurse anesthetists and anesthesiologist assistants are not eligible to be referring practitioners for a teleconsultation. Practitioners who may provide teleconsultations include the following: physicians, physician assistants, nurse practitioners, clinical nurse specialists, and nurse-midwives. Practitioners who may refer patients for teleconsultation include the following: physicians, physician assistants, nurse practitioners, clinical nurse specialists, nursemidwives, clinical psychologists, and clinical social workers.
- Conditions of Payment—The patient must be present at the time of consultation, the medical examination of the patient must be under the control of the consulting practitioner, and the consultation must take place via an interactive audio and video telecommunications system. Interactive telecommunications systems must be multi-media communications that, at a minimum, include audio and video equipment permitting real-time consultation among the patient, consulting practitioner, and referring practitioner (as appropriate). Telephones, facsimile machines, and electronic mail systems do not meet the requirements of interactive telecommunications systems.
- We amended the proposed rule to allow another practitioner who can be a referring practitioner under this provision to present the patient to the consultant provided that he or she is an employee of the actual referring practitioner.

- Registered nurses and other medical professionals not included within the definition of a practitioner in section 1842(b)(18)(C) of the Act are not permitted to act as presenters during teleconsultations.
- Medicare Payment Policy—A single payment will be made to the consulting practitioner. The amount will be equal the consultant's current fee schedule payment for a face-to-face patient consultation. The statute requires that the fee be shared by the referring and consulting practitioners. This final rule implements this requirement by providing that the consulting practitioner receive 75 percent, and the referring practitioner 25 percent, of the consulting practitioner's Medicare fee. The patient continues to be responsible for the 20 percent Medicare coinsurance.
- Billing for Teleconsultation—The consulting practitioner will submit one claim for the consultation service and will provide the referring practitioner with 25 percent of any payment, including any deductible or coinsurance received for the consultation. A coding modifier will be used to identify the claim as a teleconsultation. The referring practitioner cannot submit a Medicare claim for the teleconsultation.

#### IV. Refinement of Relative Value Units for Calendar Year 1999 and Responses to Public Comments on Interim Relative Value Units for 1998

A. Summary of Issues Discussed Related to the Adjustment of Relative Value Units

Section IV.B. of this final rule describes the methodology used to review the comments received on the RVUs for physician work and the process used to establish RVUs for new and revised CPT codes. Changes to codes on the physician fee schedule reflected in Addendum B are effective for services furnished beginning January 1, 1999.

B. Process for Establishing Work Relative Value Units for the 1999 Physician Fee Schedule

Our October 31, 1997 final rule on the 1998 physician fee schedule (62 FR 59048) announced the final RVUs for Medicare payment for existing procedure codes under the physician fee schedule and interim RVUs for new and revised codes. The RVUs contained in the rule apply to physicians' services furnished beginning January 1, 1998. We announced that we considered the RVUs for the interim codes to be subject to public comment under the annual

refinement process. In this section, we summarize the refinements to the interim work RVUs that have occurred since publication of the October 1998 final rule and our establishment of the work RVUs for new and revised codes for the 1999 physician fee schedule.

Work Relative Value Unit Refinements of Interim and Related Relative Value Units (Includes Table 4—Work Relative Value Unit Refinements of 1998 Interim and Related Relative Value Units)

Although the RVUs in the October 1997 final rule were used to calculate 1998 payment amounts, we considered the RVUs for the new or revised codes to be interim. We accepted comments for a period of 60 days. We received comments from approximately 8 specialty societies on approximately 34 CPT codes with interim RVUs. Only comments received on codes listed in Addendum C of the October 1997 final rule were considered this year.

Due to the content of the comments received, we did not convene multispecialty refinement panels (see the November 22, 1996 final rule on the physician fee schedule (61 FR 59536) for a detailed explanation of the refinement of CPT codes with interim RVUs). Instead, determinations were made by HCFA medical officers in conjunction with our carrier medical directors.

Table 4—Work Relative Value Unit Refinements of 1998 Interim and Related Relative Value Units

Table 4 lists the interim and related codes reviewed during the 1998 refinement process described in this section. This table includes the following information:

- *CPT Code*. This is the CPT code for a service.
- *Description.* This is an abbreviated version of the narrative description of the code.
- 1998 Work RVU. The work RVUs that appeared in the October 1997 rule are shown for each reviewed code.
- Requested Work RVU. This column identifies the work RVUs requested by commenters.
- 1999 Work RVU. This column contains the final RVUs for physician work.

The new values emerged from analysis of the specialty society's written comments on the 1998 interim valued CPT codes.

TABLE 4.—WORK RELATIVE VALUE UNIT REFINEMENTS OF 1998 INTERIM AND RELATED RELATIVE VALUE UNITS

| CPT   | MOD | Description                  | 1998 work<br>RVU | Requested work RVU | 1999 work<br>RVU |
|-------|-----|------------------------------|------------------|--------------------|------------------|
| 11055 |     | Paring or cutting of nails   | 0.27             | 0.43               | 0.27             |
| 11056 |     | Paring or cutting of nails   | 0.39             | 0.61               | 0.39             |
| 11057 |     | Paring or cutting of nails   | 0.50             | 0.79               | 0.50             |
| 11719 |     | Paring or cutting of nails   | 0.11             | 0.17               | 0.11             |
| 17003 |     | Destruction of lesions       | 0.15             | 0.18               | 0.15             |
| 17004 |     | Destruction of lesions       | 2.79             | 3.05               | 2.79             |
| 90804 |     | Psytx, office (20–30)        | 1.11             | 1.30               | 1.21             |
| 90805 |     | Psytx, office (20–30) w/e&m  | 1.47             | 1.47               | 1.37             |
| 90806 |     | Psytx, office (45–50)        | 1.73             | 1.99               | 1.86             |
| 90807 |     | Psytx, office (45–50) w/e&m  | 2.00             | 2.16               | 2.02             |
| 90808 |     | Psytx, office (75–80)        | 2.76             | 2.99               | 2.79             |
| 90809 |     | Psytx, office (75–80) w/e&m  | 3.15             | 3.16               | 2.95             |
| 90810 |     | Intac psytx, office (20–30)  | 1.19             | 1.42               | 1.32             |
| 90811 |     | Intac psytx, off 20–30 w/e&m | 1.58             | 1.59               | 1.48             |
| 90812 |     | Intac psytx, office (45–50)  | 1.86             | 2.11               | 1.97             |
| 90813 |     | Intac psytx, off 45–50 w/e&m | 2.15             | 2.28               | 2.13             |
| 90814 |     | Intac psytx, office (75–80)  | 2.97             | 3.11               | 2.90             |
| 90815 |     | Intac psytx, off 75–80 w/e&m | 3.39             | 3.28               | 3.06             |
| 90816 |     | Psytx, hosp (20–30)          | 1.24             | 1.34               | 1.25             |
| 90817 |     | Psytx, hosp (20–30) w/e&m    | 1.65             | 1.51               | 1.41             |
| 90818 |     | Psytx, hosp (45–50)          | 1.94             | 2.03               | 1.89             |
| 90819 |     | Psytx, hosp (45–50) w/e&m    | 2.24             | 2.20               | 2.05             |
| 90821 |     | Psytx, hosp (75–80)          | 3.09             | 3.03               | 2.83             |
| 90822 |     | Psytx, hosp (75–80) w/e&m    | 3.53             | 3.20               | 2.99             |
| 90823 |     | Intac psytx, hosp (20–30)    | 1.33             | 1.46               | 1.36             |
| 90824 |     | Intac psytx, hsp 20–30 w/e&m | 1.77             | 1.63               | 1.52             |
| 90826 |     | Intac psytx, hosp (45–50)    | 2.08             | 2.15               | 2.01             |
| 90827 |     | Intac psytx, hsp 45–50 w/e&m | 2.41             | 2.32               | 2.16             |
| 90828 |     | Intac psytx, hosp (75–80)    | 3.32             | 3.15               | 2.94             |
| 90829 |     | Intac psytx, hsp 75–80 w/e&m | 3.80             | 3.32               | 3.10             |
| 99343 |     | Home care visits             | 2.27             | No Rec             | 2.27             |
| 99345 |     | Home care visits             | 3.79             | No Rec             | 3.79             |
| 99348 |     | Home care visits             | 1.26             | No Rec             | 1.26             |
| 99350 |     | Home care visits             | 3.03             | No Rec             | 3.03             |

<sup>\*</sup> All CPT and descriptors copyright 1998 American Medical Association.

Paring or cutting of nails (CPT codes 11055 through 11057 and 11719)

Comment: A commenter disagreed with our decision to decrease the RUC-recommended RVUs for this family of codes. ("RUC" refers to the American Medical Association's Specialty Society Relative Value Scale Update Committee.) They believed our budgetneutral approach decreased the recommended RUC work RVUs by too large a factor. (See the section on the establishment of interim work Value Units for a brief discussion of the budget-neutral approach.)

Response: We disagree with the commenter's view that the RUC recommendations were decreased by too large a factor. CPT codes 11055 through 11057 can be performed in conjunction with CPT code 11719. The methodology that was used accounts for these combinations. Therefore, the 1998 interim work RVUs will be made final for this series of CPT codes. The final work RVUs, effective January 1, 1999, will be as follows: CPT code 11055 (0.27), CPT code 11056 (0.39), CPT code

11057 (0.50), and CPT code 11719 (0.11).

Destruction of lesions (CPT codes 17003 and 17004)

Comment: A commenter disagreed with our decision to accept the RUC recommendations for CPT codes 17003 and 17004. The commenter believed that the work RVUs associated with these codes were decreased by the RUC without any rationale.

Response: We disagree with the commenter's belief that we should not have accepted the RUC recommendation for CPT codes 17003 and 17004. The RUC determined the work RVUs for these two codes by crosswalking the utilization of existing procedure codes (which were to be deleted for CPT 1998) into these two new CPT codes for the same services. Compliance with our guidelines for budget neutrality resulted in the reduction of the society's recommended work RVUs by the RUC. Therefore, the 1998 interim RVUs for CPT codes 17003 and 17004 will be made final. The final work RVUs, effective January 1, 1999, will be as

follows: CPT code 17003 (0.15) and CPT code 17004 (2.79).

Psychotherapy (CPT codes 90804 through 90829)

Comment: In May of 1997, the RUC recommended that HCFA-assigned RVUs for the 24 HCPCS psychotherapy codes be crosswalked to the 1998 CPT codes. The RUC also recommended that the work RVUs remain interim until such time as a survey is conducted by each of the professions that furnish the services.

Response: We received recommendations that were based upon the cooperative efforts of the American Academy of Child and Adolescent Psychiatry, The American Nurses Association, the American Psychiatric Association, the American Psychological Association, and the National Association of Social Workers. The RUC accepted these recommendations.

The cooperative effort by the referenced specialties used frequency estimations to maintain budget neutrality within the family of new CPT codes. Based upon actual 1997

frequencies, the recommended work RVUs are not budget-neutral. We will retain the relative relationships that were recommended but will attain budget neutrality by applying a uniform 6.7 percent reduction across all of the codes. The final 1999 work RVUs will be as follows:

TABLE 5.—PSYCHOTHERAPY (CPT CODES 90804 THROUGH 90829)

| CPT<br>code    | Descriptor  | 1999 work<br>RVUs |
|----------------|---|-------------------|
| 90804<br>90805 | Psytx, office (20–30)<br>Psytx, office (20–30)          | 1.21              |
| 90806<br>90807 | w/e&m<br>Psytx, office (45–50)<br>Psytx, office (45–50) | 1.37<br>1.86      |
| 90808          | w/e&m<br>Psytx, office (75–80)                          | 2.02<br>2.79      |
| 90809          | Psytx, office (75–80)<br>w/e&m                          | 2.95              |
| 90810          | Intac psytx, office (20–30)                             | 1.32              |
| 90811          | Intac psytx, off 20–30 w/e&m                            | 1.48              |
| 90812          | Intac psytx, office (45–50)                             | 1.97              |
| 90813          | Intac psytx, off 45–50<br>w/e&m                         | 2.13              |
| 90814          | Intac psytx, office (75–80)                             | 2.90              |
| 90815          | Intac psytx, off 75–80  w/e&m                           | 3.06<br>1.25      |
| 90816<br>90817 | Psytx, hosp (20–30)<br>Psytx, hosp (20–30)              |                   |
| 90818<br>90819 | w/e&m<br>Psytx, hosp (45–50)<br>Psytx, hosp (45–50)     | 1.41<br>1.89      |
| 90821          | w/e&m<br>Psytx, hosp (75–80)                            | 2.05<br>2.83      |
| 90822<br>90823 | Psytx, hosp (75–80)<br>w/e&m                            | 2.99              |
| 90823          | Intac psytx, hosp<br>(20–30)<br>Intac psytx, hsp 20–    | 1.36              |
| 90824          | 30 w/e&m  | 1.52              |
| 90827          | Intac psytx, hosp<br>(45–50)<br>Intac psytx, hsp 45–    | 2.01              |
| 90828          | 50 w/e&m<br>Intac psytx, hosp                           | 2.16              |
| 90829          | (75–80)   | 2.94              |
|                | 80 w/e&m  | 3.10              |

Home care visits (CPT codes 99341 through 99350)

Comment: A commenter suggested that, when we increased the RUC's work RVU recommendations by a uniform 10 percent intensity factor, we used incorrect base intra-service time. The commenter believed the RUC survey of intra-service time was more accurate than the typical time agreed to by CPT.

Response: We maintain that the correct intra-service times were used and thus will finalize these interim valued codes for home visits. Effective January 1, 1999, the final work RVUs for

the home care visit codes will be as follows: CPT code 99341 (1.01), CPT code 99342 (1.52), CPT code 99343 (2.27), CPT code 99344 (3.03), CPT code 99345 (3.79), CPT code 99347 (0.76), CPT code 99348 (1.26), CPT code 99349 (2.02), and CPT code 99350 (3.03).

Establishment of Interim Work Relative Value Units for New and Revised Physicians' Current Procedural Terminology Codes and New HCFA Common Procedure Coding System Codes for 1999 Methodology (Includes Table 6—American Medical Association Specialty Society Relative Value Update Committee and Health Care Professionals Advisory Committee Recommendations and HCFA's Decisions for New and Revised 1999 CPT Codes)

One aspect of establishing work RVUs for 1999 was related to the assignment of interim work RVUs for all new and revised CPT codes. As described in our November 25, 1992 notice on the 1993 fee schedule (57 FR 55938) and in section III.B. of our November 26, 1996 final rule (61 FR 59505 through 59506), we established a process, based on recommendations received from the AMA's RUC, for establishing interim RVUs for new and revised codes.

We received work RVU recommendations for approximately 70 new and revised codes from the RUC. Physician panels consisting of carrier medical directors and our staff reviewed the RUC recommendations by comparing them to our reference set or to other comparable services on the physician fee schedule for which work RVUs had been established previously, or to both of these criteria. The panels also considered the relationships among the new and revised codes for which we received RUC recommendations. We agreed with the majority of those relationships reflected in the RUC values. In some cases, when we agreed with the RUC relationships, we revised the work RVUs recommended by the RUC to achieve work neutrality within families of codes. That is, the work RVUs have been adjusted so that the sum of the new or revised work RVUs (weighted by projected frequency of use) for a family of codes will be the same as the sum of the current work RVUs (weighted by their current frequency of use). For approximately 93 percent of the RUC recommendations, proposed work RVUs were accepted or increased, and, for approximately 7 percent, work RVUs were decreased.

We received only one recommendation from the Health Care Professionals Advisory Committee (HCPAC) for a new code for which the RUC did not provide a recommendation. This HCPAC recommendation was accepted.

There were also 10 CPT codes for which we did not receive a RUC recommendation. After review of these codes by HCFA medical officers, we established interim work RVUs for 8 of these codes and identified the remaining 2 CPT codes as carrier-priced for 1999.

Table 6 is a listing of those codes that will be new or revised in 1999 as well as their associated work RVUs. This table includes the following information:

- A "#" identifies a new code for 1999.
- *CPT code*. This is the CPT code for a service.
- *Modifier*. A "26" in this column indicates that the work RVUs are for the professional component of the code.
- *Description.* This is an abbreviated version of the narrative description of the code.
- *RUC recommendations.* This column identifies the work RVUs recommended by the RUC.
- *HCPAC recommendations.* This column identifies work RVUs recommended by the HCPAC.
- HCFA decision. This column indicates whether we agreed with the RUC recommendation ("agree"); we established work RVUs that are higher than the RUC recommendation ("increase"); or we established work RVUs that were less than the RUC recommendation ("decrease"). Codes for which we did not accept the RUC recommendation are discussed in greater detail following Table 6 below. An "(a)" indicates that no RUC recommendation was provided. A discussion follows the table.
- HCFA work RVUs. This column contains the RVUs for physician work based on our reviews of the RUC recommendations. The RVUs shown for global surgical services have not been adjusted to account for the 1998 increases for work RVUs in evaluation and management services.

1999 work RVUs. This column contains the 1999 RVUs for physician work. The RVUs shown for global surgical services have been adjusted to account for the 1998 increases for work RVUs in evaluation and management.

This table includes only those codes that were reviewed by the full RUC or for which we received a recommendation from the HCPAC.

TABLE 6.—AMERICAN MEDICAL ASSOCIATION SPECIALTY SOCIETY RELATIVE VALUE UPDATE COMMITTEE AND HEALTH CARE PROFESSIONALS ADVISORY COMMITTEE RECOMMENDATIONS AND HCFA'S DECISIONS FOR NEW AND REVISED 1999 CPT CODES

| CPT*<br>code     | MOD      | Description  | RUC recommendation | HCPAC<br>rec-<br>ommenda-<br>tion | HCFA decision | NCFA<br>Work<br>RVU | 1998<br>Work<br>RVU |
|------------------|----------|--|--------------------|-----------------------------------|---------------|---------------------|---------------------|
| 15000            |          | Skin graft procedure                                     | 4.00               |                                   | Agree         | 4.00                | 4.00                |
| 15001#           |          | Skin graft procedure                                     | 1.00               |                                   | Agree         | 1.00                | 1.00                |
| 15100            |          | Skin split graft procedure                               | 9.05               |                                   | Agree         | 9.05                | 9.05<br>1.72        |
| 15101<br>15120   |          | Skin split graft procedure<br>Skin split graft procedure | 1.72<br>9.83       |                                   | Agree         | 1.72<br>9.83        | 9.83                |
| 15120            |          | Skin split graft procedure                               | 2.67               |                                   | Agree         | 2.67                | 2.67                |
| 15350            |          | Skin homograft procedure                                 | 4.00               |                                   | Agree         | 4.00                | 4.00                |
| 15351#           |          | Skin homograft procedure                                 | 1.00               |                                   | Agree         | 1.00                | 1.00                |
| 15400            |          | Skin heterograft procedure                               | 4.00               |                                   | Agree         | 4.00                | 4.00                |
| 15401#           |          | Skin heterograft procedure                               | 1.00               |                                   | Agree         | 1.00                | 1.00                |
| 19364            |          | Breast reconstruction                                    | 41.00              |                                   | Agree         | 41.00               | 41.00               |
| 27347#           |          | Excision tendon sheath                                   | 5.78               |                                   | Agree         | 5.78                | 5.78                |
| 28289#           |          | Hallux rigidus correction                                | 7.04               |                                   | Agree         | 7.04                | 7.04                |
| 31622<br>31623#  |          | Bronchoscopic procedures                                 |                    |                                   | (a)           | 2.67<br>3.07        | 2.67<br>3.07        |
| 31624#           |          | Bronchoscopic procedures                                 |                    |                                   | (a)<br>(a)    | 3.07                | 3.07                |
| 31643#           |          | Bronchoscopy for brachytherapy                           | 3.50               |                                   | Agree         | 3.50                | 3.50                |
| 32001#           |          | Bronchoscopic procedures                                 |                    |                                   | (a)           | 5.71                | 5.71                |
| 33975            |          | Ventricular assist devices                               | 21.60              |                                   | Àgree         | 21.60               | 21.60               |
| 33976            |          | Ventricular assist devices                               | 29.10              |                                   | Agree         | 29.10               | 29.10               |
| 35500#           |          | Bypass grafts  |                    |                                   | (a)           | carrier             | carrier             |
| 35681            |          | Bypass grafts  | 3.93               |                                   | Decrease      | 1.60                | 1.60                |
| 35682#           |          | Bypass grafts  | 7.20               |                                   | Agree         | 4.80                | 4.80                |
| 35683#<br>35875  |          | Bypass grafts  | 8.50               |                                   | Agree         | 6.10                | 6.10                |
| 35876            |          | Thrombectomy of grafts Thrombectomy of grafts            | 10.13<br>17.00     |                                   | Agree         | 10.13<br>17.00      | 10.13<br>17.00      |
| 36823#           |          | Arteriovenous Chemo                                      | carrier            |                                   | Agree         | carrier             | carrier             |
| 36831#           |          | Thrombectomy of grafts                                   | 8.00               |                                   | Agree         | 8.00                | 8.00                |
| 36832            |          | Thrombectomy of grafts                                   | 10.50              |                                   | Agree         | 10.50               | 10.50               |
| 36833#           |          | Thrombectomy of grafts                                   | 11.95              |                                   | Agree         | 11.95               | 11.95               |
| 36860            |          | Thrombectomy of grafts                                   | 2.01               |                                   | Agree         | 2.01                | 2.01                |
| 38792#           |          | Sentinel node biopsy                                     |                    |                                   | (a)           | carrier             | carrier             |
| 45126#           |          | Pelvic exenteration                                      | 38.39              |                                   | Agree         | 38.39               | 38.39               |
| 56321#<br>57106# |          | Laparoscopic adrenalectomy                               | carrier            |                                   | Agree         | carrier<br>6.36     | carrier             |
| 57100#           |          | Radical vaginectomy                                      | 6.36<br>23.00      |                                   | Agree         | 23.00               | 6.36<br>23.00       |
| 57109#           |          | Radical vaginectomy                                      | 27.00              |                                   | Agree         | 27.00               | 27.00               |
| 57110            |          | Radical vaginectomy                                      | 14.29              |                                   | Agree         | 14.29               | 14.29               |
| 57111#           |          | Radical vaginectomy                                      | 27.00              |                                   | Agree         | 27.00               | 27.00               |
| 57112#           |          | Radical vaginectomy                                      | 29.00              |                                   | Agree         | 29.00               | 29.00               |
| 67208            |          | Destruction of choroid lesion                            | 6.70               |                                   | Agree         | 6.70                | 6.70                |
| 67210            |          | Destruction of choroid lesion                            | 8.82               |                                   | Agree         | 8.82                | 8.82                |
| 67220#           |          | Destruction of choroid lesion                            | 13.13              |                                   | Agree         | 13.13               | 13.13               |
| 67320<br>67331   |          | Strabimus surgery  | 4.33<br>4.06       |                                   | Agree         | 4.33<br>4.06        | 4.33<br>4.06        |
| 67332            |          | Strabimus surgery  | 4.49               |                                   | Agree         | 4.49                | 4.49                |
| 67334            |          | Strabimus surgery  | 3.98               |                                   | Agree         | 3.98                | 3.98                |
| 67335            |          | Strabimus surgery  | 2.49               |                                   | Agree         | 2.49                | 2.49                |
| 67340            |          | Strabimus surgery  | 4.93               |                                   | Agree         | 4.93                | 4.93                |
| 69990#           |          | Microsurgery   |                    |                                   | (a)           | 3.46                | 3.46                |
| 73560            | 26       | Radiological examination, knee                           | 0.17               |                                   | Agree         | 0.17                | 0.17                |
| 73562            | 26       | Radiological examination, knee                           | 0.18               |                                   | Agree         | 0.18                | 0.18                |
| 73564<br>76006#  | 26       | Radiological examination, knee                           | 0.22<br>0.41       |                                   | Agree         | 0.22<br>0.41        | 0.22<br>0.41        |
| 76977#           | 26       | Stress views   |                    |                                   | Agree         | 0.41                | 0.41                |
| 78020#           |          | Thyroid carcinoma metastases                             | 0.67               |                                   | Decrease      | 0.60                | 0.60                |
| 78205            | 26       | Liver imaging  | 0.71               |                                   | Agree         | 0.71                | 0.71                |
| 78206#           | 26       | Liver imaging  | 0.96               |                                   | Agree         | 0.96                | 0.96                |
| 78472            | 26       | Cardiac blood pool imaging                               | 0.98               |                                   | Agree         | 0.98                | 0.98                |
| 78494#           | 26       | Cardiac blood pool imaging                               | 1.19               |                                   | Agree         | 1.19                | 1.19                |
| 78496#           | 26       | Cardiac blood pool imaging                               | 0.50               |                                   | Agree         | 0.50                | 0.50                |
| 78588#           | 26       | Pulmonary perfusion imaging                              | 1.09               |                                   | Agree         | 1.09                | 1.09                |
| 88291#           | 26       | Cytogenetic studies                                      | 0.52               |                                   | Agree         | 0.52                | 0.52                |
| 92135#           | 26       | Confocal Scanning  | 0.35               |                                   | Agree         | 0.35                | 0.35                |
|                  |          | IV distal blood velocity measure                         | 2.99               |                                   | Decrease      | 1.80                | 1.80                |
| 93571#<br>93572# | 26<br>26 | IV distal blood velocity measure                         | 1.70               |                                   | Decrease      | 1.44                | 1.44                |

TABLE 6.—AMERICAN MEDICAL ASSOCIATION SPECIALTY SOCIETY RELATIVE VALUE UPDATE COMMITTEE AND HEALTH CARE PROFESSIONALS ADVISORY COMMITTEE RECOMMENDATIONS AND HCFA'S DECISIONS FOR NEW AND REVISED 1999 CPT CODES—Continued

| CPT*   | MOD | Description               | RUC rec-<br>ommendation | HCPAC<br>rec-<br>ommenda-<br>tion | HCFA decision | NCFA<br>Work<br>RVU | 1998<br>Work<br>RVU |
|--------|-----|---------------------------|-------------------------|-----------------------------------|---------------|---------------------|---------------------|
| 94016# |     | Pulmonary function        | 0.52                    |                                   | Agree         | 0.52                | 0.52                |
| 94060  | 26  | Pulmonary function        | 0.31                    |                                   | Agree         | 0.31                | 0.31                |
| 94620  | 26  | Pulmonary function        |                         |                                   | (a)           | 0.88                | 0.88                |
| 94621# | 26  | Pulmonary function        |                         |                                   | (a)           | 0.88                | 0.88                |
| 95920  | 26  | Neurotransmitter analysis | 2.11                    |                                   | Agree         | 2.11                | 2.11                |
| 95970# |     | Neurotransmitter analysis | 0.45                    |                                   | Agree         | 0.45                | 0.45                |
| 95971# |     | Neurotransmitter analysis | 0.78                    |                                   | Agree         | 0.78                | 0.78                |
| 95972# |     | Neurotransmitter analysis | 1.50                    |                                   | Agree         | 1.50                | 1.50                |
| 95973# |     | Neurotransmitter analysis | 0.92                    |                                   | Agree         | 0.92                | 0.92                |
| 95974# |     | Neurotransmitter analysis | 3.00                    |                                   | Agree         | 3.00                | 3.00                |
| 95975# |     | Neurotransmitter analysis | 1.70                    |                                   | Agree         | 1.70                | 1.70                |
| 97140# |     | Manual therapy techniques | 0.45                    |                                   | Decrease      | 0.43                | 0.43                |
| 99298# |     | Neonatal care             | 2.75                    |                                   | Agree         | 2.75                | 2.75                |

<sup>&</sup>lt;sup>a</sup> No RUC recommendation provided.

Discussion of Codes for Which the RUC Recommendations Were Not Accepted

The following is a summary of our rationale for not accepting particular recommendations. It is arranged by type of service in CPT code order. This summary refers only to work RVUs. Furthermore, the RVUs in the following discussion have not been adjusted by the budget-neutrality adjustment factor.

Bypass grafts (CPT code 35681).

We received RUC recommendations for three of the four add-on codes (codes that may be billed only in conjunction with selected primary procedure codes) related to composite bypass grafts. We rejected the RUC recommendation of 3.93 work RVUs for CPT code 35681 (Bypass graft, composite, prosthetic and vein). These work RVUs were suggested during the 5-year review of work RVUs at a time when this family of composite codes had not been established. The recommendation was based on the assumption that the work could be estimated at 12 percent of an independent procedure, CPT code 35102. We believe that a more appropriate evaluation is based on the work involved in anastomosing the vein and prosthetic grafts, which we estimate at 1.60 work RVUs. Effective January 1, 1999, CPT code 35681 will be valued at 1.60 work RVUs.

Thyroid carcinoma metastases uptake (CPT code 78020)

We received a RUC recommendation of 0.67 for CPT code 78020. The survey data indicated that CPT code 78020 was previously reported with unlisted CPT code 78099. The survey estimated that

CPT code 78020 will be billed approximately 15 percent of the time CPT code 78018 is billed. CPT code 78099 was only billed 61 times in 1997, while the projected utilization of CPT code 78020 for 1999 is approximately 575 claims annually. To retain budget neutrality within this family of codes, the total work RVUs that will be paid in 1999 were scaled to what would have been paid in 1999 if CPT code 78020 had not been established. This results in work RVUs of 0.60 for CPT code 78020 and 0.86 for CPT code 78018.

Intravascular distal blood flow velocity measurements (CPT code 93571 and 93572)

The RUC recommended work RVUs of 2.99 and 1.70, respectively, for CPT codes 93571 and 93572. The RUC recommendation was constructed based upon a building block approach. Our analysis of this approach raised concerns about the inclusion of certain items in the building block for each respective code. We chose to value these procedures based upon analogous CPT codes 92978 (IV ultrasound) and 92979 (IV ultrasound, each additional vessel) for which the RUC time estimates were identical. For this reason, we assigned 1.80 work RVUs to CPT code 93571 and 1.44 work RVUs to CPT code 93572.

Physical medicine and rehabilitation (CPT code 97140) CPT code 97140 (RUC-recommended work RVU=0.45 replaces CPT codes 97122, 97250, 97260, 97261, and 97265.)

To retain budget neutrality within this family of codes, the total work RVUs that will be paid in 1999 were scaled to the total work RVUs that would have been paid if CPT code 97140 had not been established. This results in work RVUs of 0.43 for CPT code 97140.

#### V. Physician Fee Schedule Update and Conversion Factor for Calendar Year 1999

The 1999 physician fee schedule conversion factor is \$34.7315.

In accordance with section 1848(d)(1)(D) of the Act, as amended by section 4504 of the BBA 1997, the separate conversion factor for anesthesia services for a year shall be equal to 46 percent of the single conversion factor for other physicians' services, except as adjusted for changes in work, practice expense, or malpractice relative value units. This calculation yields a 1999 anesthesia conversion factor of \$17.24.

The specific calculations to determine the conversion factor for physicians' services for calendar year 1999 are explained below.

Detail on Calculation of the Calendar Year 1999 Physician Fee Schedule Update and the 1999 Conversion Factor

Physician Fee Schedule Update and Conversion Factor

The conversion factor is affected by section 1848(c)(2)(B)(ii)(II) of the Act, which requires that changes to the relative value units of the Medicare physician fee schedule not cause expenditures to increase or decrease by more than \$20 million from the amount of expenditures that would have been made if such adjustments had not been made. We implement this requirement through a uniform budget-neutrality adjustment to the conversion factor.

<sup>#</sup> New Codes.

<sup>\*</sup> All numeric HCPCS CPT Copyright 1997 American Medical Association.

The conversion factor is also affected by the elimination of the separate 0.917 budget-neutrality adjustment to the work relative value units. This adjustment and its elimination are described in the October 31, 1997 final rule.

The conversion factor is further affected by adjustments made to the practice expense and malpractice relative value units to ensure that the percentages of fee schedule allowed charges for work, practice expense, and malpractice premiums equal the new percentages that those categories represent in the revised Medicare Economic Index (MEI) weights.

Taking all of these factors into account, as well as the percent change in the MEI and Sustainable Growth Rate (SGR) adjustments described below, the 1999 conversion factor is calculated as follows:

1998 Conversion Factor: 36.6873

1999 Update: 2.3%

Other 1999 Factors: -7.45944% 1999 Conversion Factor: 34.7315

The 2.3 percent 1999 update is calculated as follows:

MEI: 2.3%

SGR adjustment: 0.0% 1999 Update: 2.3%

The -7.45944 percent adjustment for other factors is calculated as follows: Elimination of the separate work adjuster: -8.30%

Adjustment to match MEI weights: 1.20%

Volume and Intensity adjustment: -0.28%

Other 1999 factors: -7.45944%

Note that the elimination of the separate work adjuster and the adjustment to match the MEI weights does not affect aggregate Medicare payments because offsetting changes have been made to the practice expense and malpractice relative value units. As described earlier, the volume-and-intensity adjustment does not affect aggregate payments because our actuaries assume an offsetting increase in the volume and intensity of services provided in 1999.

The MEI and the SGR adjustments are described below.

The Percentage Change in the Medicare Economic Index

The MEI measures the weighted-average annual price change for various inputs needed to produce physicians' services. The MEI is a fixed-weight input price index, with an adjustment for the change in economy-wide labor productivity. This index, which has 1996 base weights, is comprised of two broad categories: (1) physician's own time, and (2) physician's practice expense.

The physician's own time component represents the net income portion of business receipts and primarily reflects

the input of the physician's own time into the production of physicians' services in physicians' offices. This category consists of two subcomponents: wages and salaries and fringe benefits. These components are adjusted by the 10-year moving average annual percent change in output per man-hour for the nonfarm business sector to eliminate double counting for productivity growth in physicians' offices and the general economy.

The physician's practice expense category represents the rate of price growth in nonphysician inputs to the production of services in physicians' offices. This category consists of wages and salaries and fringe benefits for nonphysician staff and other nonlabor inputs. Like physician's own time, the nonphysician staff categories are adjusted for productivity using the 10year moving average annual percent change in output per man-hour for the nonfarm business sector. The physician's practice expense component also includes the following categories of nonlabor inputs: office expense, medical materials and supplies, professional liability insurance, medical equipment, professional car, and other expense. The table below presents a listing of the MEI cost categories with associated weights and percent changes for price proxies for the 1999 update. The calendar year 1999 MEI is 2.3 percent.

#### INCREASE IN THE MEDICARE ECONOMIC INDEX UPDATE FOR CALENDAR YEAR 1999 1

|   | 1996<br>weights <sup>2</sup> | CY 1999<br>percent<br>changes |
|---|------------------------------|-------------------------------|
| Medicare Economic Index Total   | 100.0                        | 2.3                           |
| 1. Physician's Own Time 34  | 54.5                         | 2.6                           |
| a. Wages and Salaries: Average hourly earnings private nonfarm, net of productivity                       | 44.2                         | 2.9                           |
| b. Fringe Benefits: Employment Cost Index, benefits, private nonfarm, net of productivity                 | 10.3                         | 1.2                           |
| 2. Physician's Practice Expense <sup>3</sup>  | 45.5                         | 2.1                           |
| a. Nonphysician Employee Compensation   | 16.8                         | 2.4                           |
| 1. Wages and Salaries: Employment Cost Index, wages and salaries, weighted by occupation, net of          |                              |                               |
| productivity  | 12.4                         | 2.7                           |
| 2. Fringe Benefits: Employment Cost Index, fringe benefits, white collar, net of productivity             | 4.4                          | 1.5                           |
| b. Office Expense: Consumer Price Index for Urban Consumers (CPI–U), housing                              | 11.6                         | 2.3                           |
| c. Medical Materials and Supplies: Producer Price Index (PPI), ethical drugs/PPI, surgical appliances and |                              |                               |
| supplies/CPI-U, medical equipment and supplies (equally weighted)   | 4.5                          | 4.3                           |
| d. Professional Liability Insurance: HCFA professional liability insurance survey 5                       | 3.2                          | -0.8                          |
| e. Medical Equipment: PPI, medical instruments and equipment  | 1.9                          | -1.1                          |
| f. Other Professional Expense   | 7.6                          | 1.7                           |
| 1. Professional Car: CPI–U, private transportation  | 1.3                          | -1.1                          |
| 2. Other: CPI-U, all items less food and energy   | 6.3                          | 2.2                           |
| Addendum:   |                              |                               |
| Productivity: 10-year moving average of output per man-hour, nonfarm business sector                      | n/a                          | 1.1                           |
| Physician's Own Time, not productivity adjusted   | 54.5                         | 3.7                           |
| Wages and salaries, not productivity adjusted   | 44.2                         | 4.0                           |
| Fringe benefits, not productivity adjusted  | 10.3                         | 2.3                           |
| Nonphysician Employee Compensation, not productivity adjusted   | 16.8                         | 3.5                           |
| Wages and salaries, not productivity adjusted   | 12.4                         | 3.8                           |
| Fringe benefits, not productivity adjusted  | 4.4                          | 2.6                           |

<sup>&</sup>lt;sup>1</sup>The rates of change are for the 12-month period ending June 30, 1998, which is the period used for computing the calendar year 1999 update. The price proxy values are based upon the latest available Bureau of Labor Statistics data as of September 15, 1998.

<sup>2</sup>The weights shown for the MEI components are the 1996 base-year weights, which may not sum to subtotals or totals because of rounding. The MEI is a fixed-weight, Laspeyres-type input price index whose category weights indicate the distribution of expenditures among the inputs to physicians' services for calendar year 1996. To determine the MEI level for a given year, the price proxy level for each component is multiplied by its 1996 weight. The sum of these products (weights multiplied by the price index levels) over all cost categories yields the composite MEI level for a given year. The annual percent change in the MEI levels is an estimate of price change over time for a fixed market basket of inputs

to physicians' services.

<sup>3</sup>The Physician's Own Time and Nonphysician Employee Compensation category price measures include an adjustment for productivity. The price measure for each category is divided by the 10-year moving average of output per man-hour in the nonfarm business sector. For example, price measure for each category is divided by the 10-year moving average of output per man-hour in the nontarm business sector. For example, the wages and salaries component of Physician's Own Time is calculated by dividing the rate of growth in average hourly earnings by the 10-year moving average rate of growth of output per man-hour for the nonfarm business sector. Dividing one plus the decimal form of the percent change in the average hourly earnings (1+.040=1.040 by one plus the decimal form of the percent change in the 10-year moving average of labor productivity (1+.011=1.011) equals one plus the change in average hourly earnings net of the change in output per man hour (1.040/1.011=1.029). All Physician's Own Time and Nonphysician Employee Compensation categories are adjusted in this way. Due to a higher level of precision the computer calculated quotient may differ from the quotient calculated from rounded individual percent changes are proved the Employment Cost Index provings as well as the CPL II. Individual percent changes are provinged and CPL II. Individual percent changes are provinged and CPL III. Individual percent changes are provinged and CPL III. Individual percent changes are provinged and CPL III.

<sup>4</sup>The average hourly earnings proxy, the Employment Cost Index proxies, as well as the CPI–U, housing and CPI–U, private transportation are published in the Current Labor Statistics Section of the Bureau of Labor Statistics' Monthly Labor Review. The remaining CPIs and PPIs in the revised index can be obtained from the Bureau of Labor Statistics' CPI Detailed Report or Producer Price Indexes.

<sup>5</sup>Derived from a HCFA survey of several major insurers the latest available historical persent above data are for called a survey of several major insurers.

<sup>5</sup>Derived from a HCFA survey of several major insurers (the latest available historical percent change data are for calendar year 1997). This is consistent with prior computations of the professional liability insurance component of the MEI.

n/a Productivity is factored into the MEI compensation categories as an adjustment to the price variables; therefore, no explicit weight exists for

productivity in the MEI.

Medicare Performance Relative to the SGR

Medicare Sustainable Growth Rate

Section 1848(f) of the Act. as amended by section 4503 of the BBA 1997, replaces the volume performance standard with a sustainable growth (SGR) standard. It specifies the formula for establishing yearly SGR targets for physicians' services under Medicare. The use of SGR targets is intended to control the actual growth in Medicare expenditures for physicians' services.

The SGR targets are not limits on expenditures. Payments for services are not withheld if the SGR target is exceeded. Rather, the appropriate fee schedule update, as specified in section 1848(d)(3)(A) of the Act, is adjusted to reflect the success or failure in meeting the SGR target.

As provided in section 4502 of the BBA 1997, the update to the conversion factor is established to match spending under the SGR. The law refers to this update as the update adjustment factor. The amended section 1848(d)(3)of the Act now states that:

the 'update adjustment factor' for a year is equal (as estimated by the Secretary) to (i) the difference between (I) the sum of the allowed expenditures for physicians' services (as determined under subparagraph (C)) for the period beginning April 1, 1997, and ending on March 31 of the year involved, and (II) the amount of the actual expenditures for physicians' services furnished during the period beginning April 1, 1997, and ending on March 31 of the preceding year; divided by

(ii) the actual expenditures for physicians' services for the 12-month period ending on March 31 of the preceding year, increased by the sustainable growth rate under subsection (f) for the fiscal year which begins during such 12-month period.

The result is a 0.0 percent adjustment for 1999. The allowed expenditures for physicians' services are calculated based upon the 1998 and 1999 SGR

derivations as detailed in the October 31, 1997 final rule and the Notice announcing the Sustainable Growth Rate found in this edition of the Federal Register, respectively.

#### VI. Provisions of the Final Rule

The provisions of this final rule restate the provisions of the June 5, 1998, proposed rule except as noted elsewhere in this preamble. Following is a highlight of the changes made:

For our proposal relating to the medical direction of anesthesia services (§ 415.110), we have decided to retain the current requirements (that is, requirements (i) and (ii), and (iv) through (vii)) and make only one technical revision in requirement (iii). The technical revision pertains to the requirement that the physician participate in the most demanding procedures in the anesthesia plan, including induction and emergence.

For our proposal relating to nonphysician practitioners, following is a highlight of the changes to the proposed rule:

- Proposed §§ 410.75(c) and 410.76(c) are revised to remove the alternate proposed definition of collaboration. For purposes of Medicare coverage, the collaboration requirement will state that these nonphysician practitioners must meet the standards for a collaborative relationship, as established by the State in which they are practicing. In the absence of State law or regulations governing collaborative relationships, these nonphysician practitioners must document their scope of practice and indicate the relationships that they have with physicians to deal with issues outside their expertise.
- In proposed §§ 410.74(d) and 410.75(e) we deleted the proposed listing of examples of services that can be provided by physician assistants, nurse practitioners and clinical nurse specialists.

- Proposed § 410.76(b) is revised to implement the qualifications for clinical nurse specialist as established by the BBA without the proposed exception for those clinical nurse specialist that do not possess a master's degree.
- Proposed § 410.77(a) is revised to state that a nurse-midwife must-
- + Be a registered nurse who is currently licensed to practice as a nursemidwife in the State where services are performed;
- + Have successfully completed an accredited program of study and clinical experience for nurse-midwives as specified by the State; or
- + Be certified as a nurse-midwife by the American College of Nurse-Midwives or the American College of Nurse-Midwives Certification Council.
- Proposed § 410.74(c) is revised to state that a physician assistant is an individual who-
- + Has graduated from a physician assistant educational program that is accredited by the National Commission on Accreditation on Allied Health **Education Programs**;
- + Has passed the national certification examination that is certified by the National Commission on Certification of Physician Assistants; and
- + Is licensed by the State to practice as a physician assistant.

This final rule also restates the provisions of teleconsultations in rural health professional shortage areas proposed rule published on June 22, 1998, at 63 FR 33890, that provided for payment for consultations via telecommunications systems in rural HPSAs, with changes. The changes listed below have been discussed elsewhere in this preamble. Following is a highlight of the changes to the proposed rule:

• Proposed § 410.75(a)(1) is revised to omit clinical psychologists, clinical social workers, certified nurse

anesthetists, and anesthesiologist assistants from the list of practitioners who may be consulting practitioners and the section is redesignated as § 410.78(a)(1).

- The definition of referring practitioners at proposed § 410.75(a)(2) is revised to omit certified registered nurse anesthetists and anesthesiologist assistants, and is redesignated as § 410.78(a)(2).
- Proposed § 410.75(a)(5) is redesignated as § 410.78(a)(5) and specifies that as a condition of payment, the teleconsultation involves the participation of the referring practitioner or a practitioner described in section 1842(b)(18)(C) of the Act (other than a certified registered nurse anesthetist or anesthesiologist assistant) who is an employee of the referring practitioner, as appropriate to the medical needs of the beneficiary and to provide information to and at the direction of the consulting practitioner.
- The definition at proposed § 410.75(b) is revised to reflect the above changes and is redesignated as § 410.78(b).
- For clarification purposes, we are referencing different definition citations for non-physician practitioners than those provided in the proposed rule. The definitions of physician assistants, nurse practitioners, clinical nurse specialists, nurse-midwives, clinical social workers, and clinical psychologists have been reassigned to § 410.74(a)(2), § 410.75(b), § 410.76(b), § 410.77(a), § 410.73(a), and § 410.71(d), respectively.

## VII. Collection of Information Requirements

Under the Paperwork Reduction Act of 1995 (PRA), agencies are required to provide a 60-day notice in the **Federal Register** and solicit public comment before a collection of information requirement is submitted to the Office of Management and Budget (OMB) for review and approval. In order to fairly evaluate whether an information collection should be approved by OMB, section 3506(c)(2)(A) of the PRA requires that we solicit comment on the following issues:

Whether the information collection is necessary and useful to carry out the proper functions of the agency;

The accuracy of the agency's estimate of the information collection burden;

The quality, utility, and clarity of the information to be collected; and

Recommendations to minimize the information collection burden on the affected public, including automated collection techniques.

Based on a public comment, this rule modifies a regulatory requirement creating an additional information collection requirement (ICR) which was not reflected in the proposed rule that was published on June 5, 1998, at 63 FR 30818. (The PRA package associated with the proposed rule is: OMB No. 0938-0730, HCFA-R-0234, with an expiration date of August 31, 2001.) Therefore, to ensure that all of the requirements in this rule can be implemented concurrently, we are requesting emergency OMB review of the additional ICR referenced in this final rule. In compliance with section 3506(c)(2)(A) of the PRA of 1995, we are submitting to OMB the following requirement for emergency review. We are requesting an emergency review because the collection of this information is needed before the expiration of the normal time limits specified by OMB's regulations at 5 CFR 1320. This ensures compliance with the Balanced Budget Act of 1997 (BBA) which requires us to revise our payment policy for nonphysician practitioners, for outpatient rehabilitation services, and for drugs and biologicals not paid on a cost or prospective payment basis.

We cannot reasonably comply with normal clearance procedures in order to implement the renewal and early termination of the opt-out requirement described below. Physicians and practitioners must notify carriers of their intent to terminate opt-out in accordance with the BBA.

We are requesting OMB review and approval of this collection within 11 working days from the date of publication of this regulation, with a 180-day approval period. Written comments and recommendations will be accepted from the public if received by the individuals designated below within 10 working days from the date of publication of this regulation.

During this 180-day period, we will publish a separate **Federal Register** notice announcing the initiation of an extensive 60-day agency review and public comment period on this requirement. We will submit the requirement for OMB review and an extension of this emergency approval.

Therefore, we are soliciting public comment on this issue for the information collection requirement discussed below.

§ 405.445 Renewal and early termination of opt-out

Section 405.445(d) states that a physician or practitioner who has completed opt-out on or before January 1, 1999 may terminate opt-out during the 90 days following January 1, 1999 if

he or she notifies all carriers to whom he or she would otherwise submit claims of the intent to terminate opt-out and complies with paragraphs (b)(3) and (4) of this section. Paragraph (c) of this section applies in those cases.

The burden associated with this requirement is time and effort for the physician or practitioner to notify all carriers to whom he or she would otherwise submit claims of the intent to terminate opt-out. There is a one-time opportunity for physicians and practitioners who opted-out in 1998 to re-enter the program. Afterwards, physicians and practitioners may reenter the program annually. It is estimated that it will take 30 physicians or practitioners 15 minutes each to notify their carriers for a total of 8 hours. We estimate the average annualized three year burden estimate to be 11 hours. (Year 1-1998 and 1999 16 hours, Year 2-2000 8 hours, Year 3—2001 8 hours for a total of 32 hours/ 3 years = 11 hours per year

We have submitted a copy of this final rule with comment to OMB for its review of the ICR described above. This requirement is not effective until they have been approved by OMB.

If you comment on any of this information collection and record keeping requirement, please mail copies directly to the following:

Health Care Financing Administration, Office of Information Services, Security and Standards Group, Division of HCFA Enterprise Standards, Room N2–14–26, 7500 Security Boulevard, Baltimore, MD 21244–1850, Attn.: Louis Blank, HCFA–1006–FC.

Office of Information and Regulatory Affairs, Office of Management and Budget, Room 10235, New Executive Office Building, Washington, DC 20503, Attn.: Allison Herron Eydt, HCFA Desk Officer.

#### **VIII. Regulatory Impact Analysis**

We have examined the impacts of this final rule as required by Executive Order 12866, the Unfunded Mandates Act of 1995, and the Regulatory Flexibility Act (RFA) (Public Law 96-354). Executive Order 12866 directs agencies to assess all costs and benefits of available regulatory alternatives and, when regulation is necessary, to select regulatory approaches that maximize net benefits (including potential economic, environmental, public health and safety effects, distributive impacts, and equity). A regulatory impact analysis (RIA) must be prepared for major rules with economically significant effects (\$100 million or more annually).

This final rule is expected to have varying effects on the distribution of Medicare physicians' payments and services. With few exceptions, we expect that the impact will be limited.

The Unfunded Mandates Reform Act of 1995 also requires (in section 202) that agencies prepare an assessment of anticipated costs and benefits before proposing any rule that may result in an annual expenditure by State, local, or tribal governments, in the aggregate, or by the private sector, of \$100 million. This final rule will have no consequential effect on State, local, or tribal governments. We believe the private sector cost of this rule falls below these thresholds as well.

#### A. Regulatory Flexibility Act

Consistent with the provisions of the Regulatory Flexibility Act, we analyze options for regulatory relief for small businesses and other small entities. We prepare a Regulatory Flexibility Analysis (RFA) unless we certify that a rule would not have a significant economic impact on a substantial number of small entities. The RFA is to include a justification of why action is being taken, the kinds and number of small entities the final rule would affect, and an explanation of any considered meaningful options that achieve the objectives and would lessen any significant adverse economic impact on the small entities.

In addition, section 1102(b) of the Act requires us to prepare an RIA if a rule may have a significant impact on the operations of a substantial number of small rural hospitals. This analysis must conform to the provisions of section 604 of the Regulatory Flexibility Act. For purposes of section 1102(b) of the Act, we define a small rural hospital as a hospital that is located outside of a Metropolitan Statistical Area and has fewer than 50 beds.

For purposes of the RFA, all physicians are considered to be small entities. There are about 700,000 physicians and other practitioners who receive Medicare payment under the physician fee schedule. Thus, we have prepared the following analysis, which, together with the rest of this preamble, meets all three assessment requirements. It explains the rationale for and purposes of the rule, details the costs and benefits of the rule, analyzes alternatives, and presents the measures we propose to minimize the burden on small entities.

#### B. Resource-Based Practice Expense Relative Value Units

Our methodology for implementing resource-based practice expense RVUs

for each physician's service considers the staff, equipment, and supplies used in the provision of various medical and surgical services in various settings, including those that cannot be attributed to specific procedures. We are required to begin the transition to the new practice expense RVUs on January 1. 1999.

By law, the conversion to a resourcebased determination for the payment of physicians' practice expenses must be budget neutral. In other words, the total Medicare expenditures for calendar year 1999 must be the same as the amount that would have been paid under the prior method of paying practice expenses.

As we indicated in the proposed rule, each year since the fee schedule has been implemented, our actuaries have determined any adjustments needed to meet this requirement. A key component of the actuarial determination of budget neutrality involves estimating any impact of changes in the volume and intensity of physicians' services provided to Medicare beneficiaries as a result of the

proposed changes.

We indicated in the proposed rule that, in estimating the impacts of proposed changes under the physician fee schedule on the volume and intensity of services, the actuaries have historically used a model that assumes that 50 percent of the change in net revenue for a practice would be recouped. This does not mean that payments are reduced by 50 percent. In fact, payments have typically been reduced only a few percent or less. The actuaries also assume that there is no offsetting reduction in volume and intensity for physicians whose Medicare revenue increases.

As we indicated in the proposed rule, our actuaries have reviewed the literature and conducted data analysis of the volume-and-intensity response. In the proposed rule, we indicated that for the purpose of establishing budget neutrality for the physicians' practice expense determination, the actuaries will use a model that assumes a 30 percent volume-and-intensity response to price reductions but no reduction in volume and intensity in response to a price increase. There were some inadvertent delays in making our actuary's analysis of the volume-andintensity response available on our homepage (www.hcfa.gov), but it is now available there.

Comment: Most commenters were pleased that the volume-and-intensity response was lowered, but opposed use of any volume-and-intensity offset. Many groups recommended that to the

extent that any adjustments are necessary, they could be made within the framework of the SGR system. Some groups stated that their specialty or particular services should be exempt from the application of a volume-andintensity adjustment.

Response: Our actuaries have reviewed the issue but believe that their review of the literature and their own analysis presents a convincing case as to the need for them to utilize a model that incorporates a volume-and-intensity response to price reductions. We cannot apply a volume-and-intensity adjustment that exempts certain procedures because the response could occur for other procedures furnished by a physician. Similarly, we cannot exempt certain specialties from application of the adjustment because physicians of all specialties have some discretion as to the nature and extent of services furnished. We do not believe that we can use the SGR mechanism alone, without the adjustment for volume and intensity for 1999, because any SGR adjustment would be in the future and the actuaries would not determine us to be in compliance with the statutory budget-neutrality requirement for 1999. To the extent that the volume-and-intensity response does not occur, the SGR system enacted as part of the BBA 1997 will return the volume-and-intensity adjustment in the form of higher future updates to the Medicare physician fee schedule conversion factor.

Using the revised actuarial model, achieving budget neutrality for the practice expense per hour method would require lowering physicians' payments in calendar year 1999 by 0.28 percent (1.12 percent cumulative from 1999 to 2002). The 0.28 percent volumeand-intensity adjustment results in a reduction in the 1999 physician fee schedule CF of \$0.10.

Table 7, "Impact on Total Allowed Charges by Specialty of the Resource-Based Practice Expense Relative Value Units under the Practice Expense per Hour" shows the change in Medicare physician fees resulting from the practice expense per hour methodology discussed earlier in this final rule. In order to isolate the change in fees resulting from the resource-based methodology, this analysis assumes the same mix of services is furnished under the new and old practice expense payment systems and does not include the effects of the annual updates to the Medicare physician fee schedule conversion factor. The impact of the changes on the total revenue (Medicare and non-Medicare) for a given specialty is less than the impact displayed in

Table 7 since physicians furnish services to both Medicare and non-Medicare patients.

For example, Table 7 shows that when the resource-based system is fully phased-in, general surgery will experience a 7 percent decrease in Medicare revenues relative to the current practice expense system and family practice will experience a 7 percent increase.

The magnitude of the Medicare impact depends generally on the mix of services the specialty provides and the sites where the services are performed. In general, those specialties that furnish more office-based services are expected to experience larger increases in Medicare payments than specialties that provide fewer office-based services. Table 7 also includes the impact of the volume-and-intensity adjustments to the conversion factor discussed above, but does not include the impact of the volume response on revenues.

TABLE 7.—IMPACT ON TOTAL ALLOWED CHARGES BY SPECIALTY OF THE RESOURCE-BASED PRACTICE EXPENSE RELATIVE VALUE UNITS UNDER THE PRACTICE EXPENSE PER HOUR METHOD (PERCENT CHANGE)

| Specialty             | Allowed<br>charges<br>(in bil-<br>lions) | Impact<br>per<br>year | Cumu-<br>lative<br>4-year<br>impact |
|-----------------------|--|-----------------------|-------------------------------------|
| M.D./D.O. Physicians: |  |                       |                                     |
| Anesthesiology        | 1.6                                      | 0                     | 0                                   |
| Cardiac Surgery       | 0.3                                      | -3                    | -12                                 |
| Cardiology            | 3.8                                      | -2                    | -9                                  |
| Clinics               | 1.6                                      | -1                    | -3                                  |
| Dermatology           | 1.0                                      | 5                     | 20                                  |
| Emergency             |  |                       |                                     |
| Medicine              | 0.9                                      | -3                    | -10                                 |
| Family Practice       | 2.7                                      | 2                     | 7                                   |
| Gastro-               |  |                       |                                     |
| enterology            | 1.2                                      | -4                    | - 15                                |
| General Practice      | 1.0                                      | 1                     | 4                                   |
| General Surgery       | 2.0                                      | -2                    | -7                                  |
| Hematology/On-        | 0.5                                      |                       |                                     |
| cology<br>Internal    | 0.5                                      | 2                     | 6                                   |
| Medicine              | 6.0                                      | 0                     | 2                                   |
| Nephrology            | 0.9                                      | -2                    |                                     |
| Neurology             | 0.9                                      | 0                     | - <i>i</i><br>- 1                   |
| Neurosurgery          | 0.7                                      | -3                    | -11                                 |
| Obstetrics/Gyne-      | 0.5                                      |                       |                                     |
| cology                | 0.4                                      | 1                     | 4                                   |
| Ophthalmology         | 3.3                                      |                       | 4                                   |
| Orthopedic            | 0.0                                      |                       |                                     |
| Surgery               | 2.0                                      | 0                     | -1                                  |
| Other                 |  |                       |                                     |
| Physician *           | 1.1                                      | 0                     | 1                                   |
| Otolaryngology        | 0.5                                      | 2<br>-3               | 9                                   |
| Pathology             | 0.5                                      | -3                    | -13                                 |
| Plastic Surgery       | 0.2                                      | 1                     | 2                                   |
| Psychiatry            | 1.1                                      | 0                     | 1                                   |
| Pulmonary             | 1.0                                      | l −1                  | -4                                  |

TABLE 7.—IMPACT ON TOTAL ALLOWED CHARGES BY SPECIALTY OF THE RESOURCE-BASED PRACTICE EXPENSE RELATIVE VALUE UNITS UNDER THE PRACTICE EXPENSE PER HOUR METHOD (PERCENT CHANGE)—Continued

| Allowed<br>charges<br>(in bil-<br>lions) | Impact<br>per<br>year  | Cumu-<br>lative<br>4-year<br>impact          |
|--|--|--|
|  |  |  |
| 0.6                                      | -2   | -6   |
| 2.9                                      | -3   | -10  |
| 0.2                                      | 4  | 16   |
|  |  |  |
| 0.6                                      | -3   | -12  |
| 1.1                                      | 1  | 5  |
|  |  |  |
| 0.3                                      | -3   | -11  |
|  |  |  |
| 0.4                                      | -2   | -8   |
|  |  | •  |
|  |  | 2  |
|  | _  | 27   |
| 0.9                                      | 2  | 9  |
| 0.5                                      | -2   | -6   |
|  | charges<br>(in bil-<br>lions)  0.6 2.9 0.2  0.6 1.1  0.3  0.4  0.8 0.3 0.9 | Charges (in billions) Impact per year    0.6 |

\*Other physician includes allergy/immunology, oral surgery, physical medicine and rehabilitation, pediatrics, critical care, and hematology.

Table 8 below compares the impact of the resource-based practice expense methodology described in this final rule with the impacts published in the June 5, 1998 proposed rule. Differences reflect the net effect of the changes described earlier in the section "Results of the Evaluation of Comments." In general, the changes with the greatest impact were the creation of a separate pool for services with work relative value units equal to zero and the use of the Medicare conversion factor in the indirect cost pool allocation.

TABLE 8.—COMPARISON OF THE IMPACT ON TOTAL ALLOWED CHARGES BY SPECIALTY OF THE RESOURCE-BASED PRACTICE EXPENSE RELATIVE VALUE UNITS UNDER THE PRACTICE EXPENSE PER HOUR METHODOLOGY WITH THE IMPACTS FROM THE JUNE 5, 1998 PROPOSED RULE

| Specialty             | Proposed<br>rule cu-<br>mulative<br>4-year<br>impact | Current<br>cumu-<br>lative 4-<br>year im-<br>pact |
|-----------------------|--|---|
| M.D./D.O. Physicians: |  |   |
| Anesthesiology        | 2  | 0   |
| Cardiac Surgery       | -14  | -12   |
| Cardiology            | -13  | -9  |
| Clinics               | -3   | -3  |
| Dermatology           | 27   | 20  |

TABLE 8.—COMPARISON OF THE IMPACT ON TOTAL ALLOWED CHARGES BY SPECIALTY OF THE RESOURCE-BASED PRACTICE EXPENSE RELATIVE VALUE UNITS UNDER THE PRACTICE EXPENSE PER HOUR METHODOLOGY WITH THE IMPACTS FROM THE JUNE 5, 1998 PROPOSED RULE—Continued

| Specialty                     | Proposed<br>rule cu-<br>mulative<br>4-year<br>impact | Current<br>cumu-<br>lative 4-<br>year im-<br>pact |
|-------------------------------|--|---|
| Emergency Medi-               |  |   |
| cine                          | -13  | -10   |
| Family Practice               | 6  | 7   |
| Gastroenterology              | -14  | <b>- 15</b>                                       |
| General Practice              | 3  | 4   |
| General Surgery               | -6   | -7  |
| Hematology/Oncol-             |  |   |
| ogy                           | 2  | 6   |
| Internal Medicine             | 1  | 2   |
| Nephrology                    | -5   | -7  |
| Neurology                     | 0<br>-10   | -1<br>-11   |
| Neurosurgery Obstetrics/Gyne- | - 10   | -11   |
| cology                        | 5  | 4   |
| Ophthalmology                 | 11   | 4   |
| Orthopedic Surgery            | - 1  |   |
| Other Physician*              | 0  | 1   |
| Otolaryngology                | 6  | 9   |
| Pathology                     | -10  | -13   |
| Plastic Surgery               | 5  | 2   |
| Psychiatry                    | 4  | 1   |
| Pulmonary                     | -3   | -4  |
| Radiation Oncology            | -13  | -6  |
| Radiology                     | -13  | -10   |
| Rheumatology                  | 15   | 16  |
| Thoracic Surgery              | -13  | -12   |
| Urology                       | 7<br>-12   | 5<br>-11  |
| Vascular Surgery Others:      | - 12   | - 11  |
| Chiropractic                  | -2   | -8  |
| Nonphysician Prac-            | 2  | 0   |
| titioner                      | <b>-1</b>  | 2   |
| Optometry                     | 36   | 27  |
| Podiatry                      | 5  | 9   |
| Suppliers                     | -18  | -6  |
|                               |  |   |

\*Other physician includes allergy/immunology, oral surgery, physical medicine and rehabilitation, pediatrics, critical care, and hematology.

For certain high volume procedures, Table 9, "Total Payment for Selected Procedures," shows the percentage change between the current 1998 payments (calculated using the 1998 relative value units, 1998 site-of-service policy, and the 1998 conversion factor) and the fully phased-in resource-based practice expense payments (calculated using the full resource-based practice expense relative value units, the 1999 work and malpractice relative value units, and the 1999 Medicare conversion factor).

BILLING CODE 4120-01-P

TABLE 9. - TOTAL PAYMENT FOR SELECTED PROCEDURES

| Code   Mod   Description   Non-Facility   Change   Facility   Facility   Change   Facility   Change   Facility   Change   Facility   Change   Facility   Change   Facility   Change   Facility   Facility   Facility   Change   Facility   Facility   Change   Facility   Facility   Change   Facility  |       | Ι   |  |              | Resource     | Non-Facility |  | Resource | Facility |
|---|-------|-----|--|--------------|--------------|--------------|--|----------|----------|
| 11721   |       |     |  | Current      | Based        | Percent      | Current  | Based    | Percent  |
| TOTAL   Destroy benign/premal lesion   \$36.69   \$46.89   \$28%   \$28.89   \$30.56   5%   \$727236   \$727244   Repair of thigh fracture   NA   NA   NA   \$1,556.80   \$1,380.78   -18%   \$7244.22   \$1,080.70   -15%   33533   \$1,074.59   -13%   33533   \$1,074.59   -13%   33533   \$1,074.59   -13%   33533   \$1,074.59   -13%   33533   \$1,074.59   -13%   33533   \$1,074.59   -13%   33533   \$1,074.59   -13%   33533   \$1,074.59   -13%   33533   \$1,074.59   -13%   33533   \$1,074.59   -13%   33533   -13%   \$1,074.59   -13%   33533   -13%   \$1,074.59   -13%   33533   -13%   \$1,074.59   -13%   -13%   33533   -13%   \$1,074.59   -13%  | Code  | Mod | Description  | Non-Facility | Non-Facility | Change       | Facility   | Facility | Change   |
| 27130   | 11721 |     | Debride nail, 6 or more  | \$39.81      | \$37.16      | -7%          | \$29.91  | \$32.65  | 9%       |
| 27236   Repair of thigh fracture   NA   NA   NA   S1,244.62   \$1,080.70   -15%   Care   Car   | 17000 |     | Destroy benign/premal lesion   | \$36.69      | \$46.89      |              |  | \$30.56  | 5%       |
| 27244   | 27130 |     | Total hip replacement  |              |              | NA           | \$1,656.80   |          | -18%     |
| Total knee replacement  |       |     |  |              | B .          |              |  |          | -15%     |
| 33533   CABG, arterial, single   NA   |       |     |  |              |              |              |  | 1 '      |          |
| 35301   Rechanneling of artery   NA   |       |     | •  |              | I            |              |  |          |          |
| 43239   Upper GI endoscopy, biopsy   \$228.81   \$258.40   13%   \$211.20   \$139.97   -34%   \$45.85   \$60821   After cataract laser surgery   \$187.65   \$191.37   -12%   \$414.17   \$277.50   -33%   \$6894   After cataract, insert lens   NA  | 1     |     |  | B .          | I            |              |  |          |          |
| 45385   Colonoscopy, lesion removal   \$443.89   \$391.77   -12%   \$414.17   \$277.50   -33%   66821   After cataract laser surgery   \$187.65   \$191.37   2%   \$187.65   \$181.65   -3%   66984   Remove cataract, insert lens   NA   NA   NA   \$795.26   \$683.72   -17%   67210   26   Chest x-ray   \$9.36   \$8.34   -11%   \$9.36   \$9.95   \$9.25  | 1     |     |  | 1            | I .          |              |  |          | 1 1      |
| 66821         After cataract laser surgery         \$187.65         \$191.37         2%         \$187.65         \$181.65         -3%           66994         Remove cataract, insert lens         NA         NA         NA         \$795.26         \$663.72         -777         77020         26         Chest x-ray         \$9.36         \$8.34         -11%         \$9.36         \$8  |       |     | , , ,  | 1            | · ·          |              |  |          |          |
| Remove cataract, insert lens   NA   |       |     | • • •  | I .          |              |              |  | i e      |          |
| 67210   Treatment of retinal lesion   \$686.27   \$563.34   -18%   \$520.81   \$516.80   -1%   71010   26   Chest x-ray   \$9.36   \$8.34   -11%   \$9.36   \$9.34   55   \$9.33   34   -3%   \$9.34   55   \$9.33   34   -3%   \$9.34   55   \$9.33   34   -3%   \$9.34   55   \$9.33   34   -3%   \$9.34   55   \$9.34   55   \$9.34   55   \$9.34   55   \$9.34   55   \$9.34   55   \$9.34   55   \$9.34   55   \$9.35   \$9.34   55   \$9.34   |       |     | • •  |              | · ·          |              |  | 1        |          |
| T1010   26   Chest x-ray   S9.36   \$8.34   -11%   \$9.36   \$8.34   -11%   \$7.1020   Chest x-ray   S34.55   S33.34   -3%   S34.55   S34.35  | 1     |     | The state of the s |              |              |              | -  |          |          |
| T1020   | 1 1   |     |  |              | · ·          |              |  |          | 1        |
| 71020   26   Chest x-ray  | 1 1   | 26  |  |              |              |              |  |          |          |
| 77430         Weekly radiation therapy         \$188.62         \$170.88         -9%         \$188.62         \$170.88         -9%           78465         Heart image (3D) multiple         \$514.68         \$514.63         \$514.68         \$514.68         \$514.63         \$514.68         \$512%         \$66.95         \$58.35         12%         \$66.14         \$38.20         17%         \$46.11         \$354.61         11%         \$60.95         \$77.7         \$80.03         \$97.60         \$87.73         \$82.30         \$97.00         \$97.00         \$97.00         \$97.00         \$97.00         \$97.00  |       |     |  |              | · ·          |              | · ·  |          |          |
| R8465   Heart image (3D) multiple   S514.68   S514.37   O%   S514.68   S514.37   O%   R8305   R830.01   R830.01   R830.01   R830.01   R830.01   R830.01   R830.01   R830.05   R830  |       | 26  | •  | · ·          | · ·          |              |  |          | 1        |
| 88305         Tissue exam by pathologist         \$65.95         \$58.35         -12%         \$65.95         \$58.35         -12%           90801         Psydx interview         \$122.08         \$136.15         12%         \$122.08         \$135.45         11%           90806         Psydx, office (45-50)         \$80.95         \$92.73         15%         \$80.95         \$91.00         12%           90807         Psytx, office (45-50) w/e&m         \$90.03         \$96.55         7%         \$90.03         \$97.60         8%           90862         Medication management         \$47.37         \$47.23         0%         \$47.37         \$46.54         -2%           90921         ESRD related services, month         NA         NA         NA         NA         \$93.87         \$66.34         -29%           92014         Eye exam, new patient         \$77.83         \$114.61         47%         \$67.37         \$82.31         22%           92012         Eye exam established pt         \$39.42         \$71.89         82%         \$31.35         \$34.38         10%           92981         Insert intra coronary stent         NA         NA         NA         NA         \$1.14.65         \$55.92         17%           929  |       |     |  |              | · ·          |              | i i  |          |          |
| 88305         26         Tissue exam by pathologist Psy dx interview         \$122.08         \$136.15         12%         \$122.08         \$135.45         11%           90801         Psy dx interview         \$122.08         \$136.15         12%         \$122.08         \$135.45         11%           90807         Psytx, office (45-50)         \$80.95         \$92.73         15%         \$80.95         \$91.00         12%           90807         Psytx, office (45-50) w/e&m         \$90.03         \$96.55         7%         \$90.03         \$97.60         8%           90921         BSRD related services, month Hemodialysis, one evaluation Eye exam, new patient         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$66.34         -29%           92014         Eye exam stablished pt Eye exam stablished pt Eye exam & treatment         \$57.55         \$83.36         45%         \$47.65         \$55.92         17%           92980         Insert intra coronary stent         NA         NA         NA         NA         NA         \$82.33         \$66.34         -21%           92982         Coronary aftery dilation         NA         NA         NA         NA         NA         NA         \$85.33         \$67.90         -21% <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td>  |       |     |  |              |              |              |  | 1        |          |
| 90801         Psy dx interview         \$122.08         \$136.15         12%         \$122.08         \$135.45         11%           90806         Psytx, office (45-50)         \$80.95         \$92.73         15%         \$80.95         \$91.00         12%           90807         Psytx, office (45-50)         \$90.03         \$96.55         7%         \$90.03         \$97.60         8%           90802         Medication management         \$47.37         \$46.54         -2%         \$99.03         \$97.60         8%           90921         ESRD related services, month         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$93.87         \$66.34         -29%           92012         Eye exam, new patient         \$77.83         \$114.61         47%         \$67.37         \$82.31         22%           92012         Eye exam & treatment         \$57.55         \$83.36         45%         \$47.65         \$55.92         17%           92980         Insert intra coronary stent         NA         NA         NA         NA         NA         NA         \$82.83         \$25.01         -13%         \$28.83         \$25.01         -13%         \$28.83   |       | :   |  | 1            |              |              |  | 1        |          |
| 98806         Psytx, office (45-50)         \$80.95         \$92.73         15%         \$80.95         \$91.00         12%           90807         Psytx, office (45-50) w/e&m         \$90.03         \$96.55         7%         \$90.03         \$97.60         8%           90921         ESRD related services, month         \$47.37         \$47.23         0%         \$47.37         \$46.54         -2%           90935         Hemodialysis, one evaluation         NA         NA         NA         S93.87         \$66.34         -29%           92014         Eye exam, new patient         \$77.83         \$114.61         47%         \$67.37         \$82.31         22%           92012         Eye exam & treatment         \$57.55         \$83.36         45%         \$47.65         \$55.92         17%           92980         Insert intra coronary stent         NA         NA         NA         NA         \$889.89         -21%           92980         Insert intra coronary stent         NA         NA         NA         NA         \$87.65         \$55.92         17%           92980         Insert intra coronary stent         NA         NA         NA         NA         NA         S87.65         \$55.92         17%   | 1     | 26  | • •  | · ·          | 1            |              |  |          |          |
| 90807         Psytx, office (45-50) w/e&m         \$90.03         \$96.55         7%         \$90.03         \$97.60         8%           90862         Medication management         \$47.37         \$47.23         0%         \$47.37         \$46.54         -2%           90921         ESRD related services, month         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.87         \$232.70         -1%         \$247.83         \$242         \$29%         \$247.83         \$242         \$278.83         \$266.37         \$218.83         \$260.37         \$218.83  | 1 '   |     |  | · ·          |              |              |  |          |          |
| 90862         Medication management         \$47.37         \$47.23         0%         \$47.37         \$46.54         -2%           90921         ESRD related services, month         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$205.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$205.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$235.86         \$232.70         -1%         \$202.86         \$232.70         -1%         \$266.34         -29%         \$202.20         \$282.83         \$25.01         \$28.83         \$25.31         \$26         \$24.38         \$25.92         \$27.88         \$2%         \$31.35         \$34.38         \$29.89         \$21.7%         \$292.80         \$28.83         \$25.92         \$27.65         \$83.36         \$45%         \$47.65         \$55.92         \$217.89         \$292.80         \$21.92         \$200.00         \$21.88         \$25.01         \$21.90         \$21.90         \$21.90         \$21.90         \$21.90         \$22.90         \$22.90         \$22.90         \$22.90         \$22.90 <t< td=""><td></td><td></td><td>• • •</td><td></td><td>· ·</td><td></td><td></td><td></td><td></td></t<>  |       |     | • • •  |              | · ·          |              |  |          |          |
| Poly   |       |     | •  |              |              |              |  | i i      |          |
| 90935   |       |     | ~  |              | · ·          |              |  | · ·      |          |
| 92004         Eye exam, new patient         \$77.83         \$114.61         47%         \$67.37         \$82.31         22%           92014         Eye exam established pt         \$39.42         \$71.89         82%         \$31.35         \$34.38         10%           92980         Insert intra coronary stent         NA         NA         NA         NA         \$55.92         17%           92982         Coronary artery dilation         NA         NA         NA         \$857.33         \$679.00         -21%           93010         Electrocardiogram, complete         \$28.83         \$25.01         -13%         \$28.83         \$25.01         -13%           93015         Cardiovascular stress test         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%           93307         Echo exam of heart         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%  |       |     | · ·  |              | · ·          |              |  |          |          |
| 92012         Eye exam established pt         \$39.42         \$71.89         82%         \$31.35         \$34.38         10%           92014         Eye exam & treatment         \$57.55         \$83.36         45%         \$47.65         \$55.92         17%           92980         Insert intra coronary stent         NA         NA         NA         NA         NA         \$1,142.75         \$899.89         -21%           93000         Electrocardiogram, complete         \$28.83         \$25.01         -13%         \$28.83         \$25.01         -13%           93015         Electrocardiogram report         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%         \$10.07         -14%         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%         \$215.85   |       |     | • .  |              |              |              |  |          | l l      |
| 92014         Eye exam & treatment         \$57.55         \$83.36         45%         \$47.65         \$55.92         17%           92980         Insert intra coronary stent         NA         NA         NA         NA         \$1,142.75         \$899.89         -21%           92982         Coronary artery dilation         NA         NA         NA         NA         \$857.33         \$679.00         -21%           93000         Electrocardiogram, complete         \$28.83         \$25.01         -13%         \$28.83         \$25.01         -13%           93015         Electrocardiogram report         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%           93307         Echo exam of heart         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%           93310         Echo exam of heart         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23  |       |     |  |              |              |              |  |          |          |
| 92980         Insert intra coronary stent         NA         NA         NA         \$1,142.75         \$899.89         -21%           92982         Coronary artery dilation         NA         NA         NA         NA         \$857.33         \$679.00         -21%           93000         Electrocardiogram, complete         \$28.83         \$25.01         -13%         \$28.83         \$25.01         -13%           93010         Electrocardiogram report         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%           93015         Cardiovascular stress test         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%         \$102.50         \$193.80         -10%         \$215.85         \$193.80         -10%         \$215.85         \$193.80   |       |     |  |              |              |              |  |          |          |
| 92982         Coronary artery dilation         NA         NA         NA         S857.33         \$679.00         -21%           93000         Electrocardiogram, complete         \$28.83         \$25.01         -13%         \$28.83         \$25.01         -13%           93010         Electrocardiogram report         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%           93015         Cardiovascular stress test         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%           93307         Echo exam of heart         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%           93307         Echo exam of heart         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$92.16         -18%         \$266.37         \$219.16         -18%         \$266.37         \$219.16         -18%         \$266.37         \$219.16         -18%         \$266.37  |       |     | •  |              |              |              |  |          |          |
| 93000         Electrocardiogram, complete         \$28.83         \$25.01         -13%         \$28.83         \$25.01         -13%           93010         Electrocardiogram report         \$11.96         \$8.34         -30%         \$11.96         \$8.34         -30%           93015         Cardiovascular stress test         \$116.95         \$101.07         -14%         \$116.95         \$101.07         -14%           93307         Echo exam of heart         \$215.85         \$193.80         -10%         \$215.85         \$193.80         -10%           93307         Echo exam of heart         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$70.94         \$47.23         -33%         \$92.15         \$92.15         Office/outpatient visit, new  | 1     |     | -  |              |              |              |  |          | I I      |
| 93010 Electrocardiogram report 93015 Cardiovascular stress test 9116.95 \$101.07 -14% \$116.95 \$101.07 -14% 93307 Echo exam of heart 93307 26 Echo exam of heart \$70.94 \$47.23 -33% \$70.94 \$47.23 -33% \$70.94 \$47.23 -33% \$10.96 \$215.85 \$193.80 -10% 93510 26 Left heart catheterization 98941 Chiropractic manipulation 932.87 \$32.99 0% \$27.55 \$28.83 5% 99202 Office/outpatient visit, new 99203 Office/outpatient visit, new 99204 Office/outpatient visit, new 99205 Office/outpatient visit, new 99205 Office/outpatient visit, new 99211 Office/outpatient visit, est 99213 Office/outpatient visit, est 99214 Office/outpatient visit, est 99214 Office/outpatient visit, est 99215 Office/outpatient visit, est 992.04 Office/outpatient visit, est \$39.42 \$45.85 \$16% \$30.61 \$36.47 \$19% \$992.05 Office/outpatient visit, est \$99.67 \$105.24 \$12% \$76.06 \$91.69 \$21.60 \$1.6                |       |     |  |              |              |              | -  |          |          |
| 93015   Cardiovascular stress test   \$116.95   \$101.07   -14%   \$116.95   \$101.07   -14%   93307   Echo exam of heart   \$215.85   \$193.80   -10%   \$215.85   \$219.16   -18%   \$219.16   -18%   \$227.55   \$28.83   5%   \$229.02   00%   \$27.55   \$28.83   5%   \$229.02   00%   \$27.55   \$28.83   5%   \$28.83   5%   \$292.04   34%   \$56.82   \$73.98   30%   \$292.04   34%   \$56.82   \$73.98   30%   \$292.04   \$27.55   \$28.83   \$29.94   \$28.83   \$28.83   \$28.83   \$28.83   \$28.83   \$2   |       |     | -  |              | · ·          |              | · ·  |          |          |
| 93307   Echo exam of heart   \$215.85   \$193.80   -10%   \$215.85   \$193.80   -10%   \$3215.85   \$3215.85   \$219.16   -18%   \$3215.85   \$219.16   -18%   \$3215.85  |       |     |  |              |              |              | -  | ·        |          |
| 93307 26 Echo exam of heart \$70.94 \$47.23 \$-33% \$70.94 \$47.23 \$-33% \$93510 26 Left heart catheterization \$266.37 \$219.16 \$-18% \$27.55 \$28.83 \$5% \$29202 \$0000000000000000000000000000000  |       |     |  |              |              |              |  |          |          |
| 93510         26         Left heart catheterization         \$266.37         \$219.16         -18%         \$266.37         \$219.16         -18%           98941         Chiropractic manipulation         \$32.87         \$32.99         0%         \$27.55         \$28.83         5%           99202         Office/outpatient visit, new         \$50.15         \$64.95         30%         \$39.69         \$50.71         28%           99203         Office/outpatient visit, new         \$68.93         \$92.04         34%         \$56.82         \$73.98         30%           99204         Office/outpatient visit, new         \$102.50         \$129.90         27%         \$84.53         \$106.28         26%           99205         Office/outpatient visit, new         \$128.35         \$161.15         26%         \$108.72         \$137.88         27%           99211         Office/outpatient visit, est         \$14.16         \$21.88         55%         \$9.94         \$13.55         36%           99212         Office/outpatient visit, est         \$27.61         \$34.73         26%         \$21.01         \$26.74         27%           99213         Office/outpatient visit, est         \$39.42         \$45.85         16%         \$30.61         \$36.47         19%<   |       | 200 |  |              |              |              |  |          |          |
| 98941 Chiropractic manipulation 932.87 \$32.99 0% \$27.55 \$28.83 5% 99202 Office/outpatient visit, new 99203 Office/outpatient visit, new 99204 Office/outpatient visit, new 99205 Office/outpatient visit, new 99211 Office/outpatient visit, est 99212 Office/outpatient visit, est 99213 Office/outpatient visit, est 99214 Office/outpatient visit, est 99214 Office/outpatient visit, est \$39.42 \$45.85 16% \$30.61 \$36.47 19% 99215 Office/outpatient visit, est \$93.67 \$105.24 12% \$76.06 \$91.69 21%   |       |     |  |              |              |              |  |          |          |
| 99202 Office/outpatient visit, new 99203 Office/outpatient visit, new 99204 Office/outpatient visit, new 99205 Office/outpatient visit, new 99211 Office/outpatient visit, est 99212 Office/outpatient visit, est 99213 Office/outpatient visit, est 99214 Office/outpatient visit, est 99214 Office/outpatient visit, est 99215 Office/outpatient visit, est 99214 Office/outpatient visit, est 99215 Office/outpatient visit, est \$59.39 \$72.24 \$22% \$47.65 \$59.04 \$21.60 \$91.69 \$21.60 \$91.60 \$91.60 \$91.60 \$21.60 \$91.60 \$91.60 \$21.60 \$91.60 \$21.60 \$91.60 \$91.60 \$21.60 \$21.60 \$21.60 \$21.60 \$21.60 \$21.60 \$21.60 \$21.           |       | 20  |  |              |              |              |  |          |          |
| 99203 Office/outpatient visit, new 99204 Office/outpatient visit, new 99204 Office/outpatient visit, new 99205 Office/outpatient visit, new 99211 Office/outpatient visit, est 99212 Office/outpatient visit, est 99213 Office/outpatient visit, est 99214 Office/outpatient visit, est 99214 Office/outpatient visit, est 99215 Office/outpatient visit, est \$59.39 \$72.24 \$22% \$47.65 \$59.04 \$21.60 \$91.69 \$21.60 \$91.60 \$91.60 \$21.60 \$91.60 \$91.60 \$21.60 \$91.60 \$91.60 \$21.60 \$91.60 \$91.60 \$21.60 \$91. |       |     | ·  |              |              |              |  |          |          |
| 99204         Office/outpatient visit, new         \$102.50         \$129.90         27%         \$84.53         \$106.28         26%           99205         Office/outpatient visit, new         \$128.35         \$161.15         26%         \$108.72         \$137.88         27%           99211         Office/outpatient visit, est         \$14.16         \$21.88         55%         \$9.94         \$13.55         36%           99212         Office/outpatient visit, est         \$27.61         \$34.73         26%         \$21.01         \$26.74         27%           99213         Office/outpatient visit, est         \$39.42         \$45.85         16%         \$30.61         \$36.47         19%           99214         Office/outpatient visit, est         \$59.39         \$72.24         22%         \$47.65         \$59.04         24%           99215         Office/outpatient visit, est         \$93.67         \$105.24         12%         \$76.06         \$91.69         21%   |       |     |  |              | · ·          |              |  |          |          |
| 99205         Office/outpatient visit, new         \$128.35         \$161.15         26%         \$108.72         \$137.88         27%           99211         Office/outpatient visit, est         \$14.16         \$21.88         55%         \$9.94         \$13.55         36%           99212         Office/outpatient visit, est         \$27.61         \$34.73         26%         \$21.01         \$26.74         27%           99213         Office/outpatient visit, est         \$39.42         \$45.85         16%         \$30.61         \$36.47         19%           99214         Office/outpatient visit, est         \$59.39         \$72.24         22%         \$47.65         \$59.04         24%           99215         Office/outpatient visit, est         \$93.67         \$105.24         12%         \$76.06         \$91.69         21%   |       |     | •  |              |              |              |  |          |          |
| 99211         Office/outpatient visit, est         \$14.16         \$21.88         55%         \$9.94         \$13.55         36%           99212         Office/outpatient visit, est         \$27.61         \$34.73         26%         \$21.01         \$26.74         27%           99213         Office/outpatient visit, est         \$39.42         \$45.85         16%         \$30.61         \$36.47         19%           99214         Office/outpatient visit, est         \$59.39         \$72.24         22%         \$47.65         \$59.04         24%           99215         Office/outpatient visit, est         \$93.67         \$105.24         12%         \$76.06         \$91.69         21%  | 1 1   |     | •  |              |              |              | -  |          |          |
| 99212         Office/outpatient visit, est         \$27.61         \$34.73         26%         \$21.01         \$26.74         27%           99213         Office/outpatient visit, est         \$39.42         \$45.85         16%         \$30.61         \$36.47         19%           99214         Office/outpatient visit, est         \$59.39         \$72.24         22%         \$47.65         \$59.04         24%           99215         Office/outpatient visit, est         \$93.67         \$105.24         12%         \$76.06         \$91.69         21%  |       |     | •  | 1            |              |              |  |          |          |
| 99213         Office/outpatient visit, est         \$39.42         \$45.85         16%         \$30.61         \$36.47         19%           99214         Office/outpatient visit, est         \$59.39         \$72.24         22%         \$47.65         \$59.04         24%           99215         Office/outpatient visit, est         \$93.67         \$105.24         12%         \$76.06         \$91.69         21%   |       |     | •  |              | · ·          |              |  |          |          |
| 99214         Office/outpatient visit, est         \$59.39         \$72.24         22%         \$47.65         \$59.04         24%           99215         Office/outpatient visit, est         \$93.67         \$105.24         12%         \$76.06         \$91.69         21%  |       |     | •  |              |              |              |  |          |          |
| 99215 Office/outpatient visit, est \$93.67 \$105.24 12% \$76.06 \$91.69 21%   |       |     | •  |              |              |              |  |          |          |
|   |       |     | •  |              |              |              | The state of the s |          | 1 3      |
| (9977) HODIACHINUMALIAIE I NAC NAC NAC NAC NAC AUG (7) -270   | 99221 |     | Initial hospital care  | NA           |              |              |  | \$68.77  | -2%      |

TABLE 9. - TOTAL PAYMENT FOR SELECTED PROCEDURES

|       | T   |                               |              | Resource     | Non-Facility |          | Resource | Facility |
|-------|-----|-------------------------------|--------------|--------------|--------------|----------|----------|----------|
|       | ł   |                               | Current      | Based        | Percent      | Current  | Based    | Percent  |
| Code  | Mod | Description                   | Non-Facility | Non-Facility | Change       | Facility | Facility | Change   |
| 99222 |     | Initial hospital care         | NA           | NA           | NA           | \$113.45 | \$109.06 | -4%      |
| 99223 |     | Initial hospital care         | ] NA         | NA.          | NA           | \$144.98 | \$149.35 | 3%       |
| 99231 |     | Subsequent hospital care      | NA           | NA           | NA           | \$36.57  | \$32.30  | -12%     |
| 99232 | :   | Subsequent hospital care      | NA           | NA.          | NA           | \$53.64  | \$52.10  | -3%      |
| 99233 |     | Subsequent hospital care      | NA NA        | NA.          | NA           | \$74.65  | \$74.33  | 0%       |
| 99236 |     | Observ/hosp same date         | NA NA        | NA.          | NA           | \$188.78 | \$209.08 | 11%      |
| 99238 |     | Hospital discharge day        | NA.          | NA           | NA           | \$63.24  | \$65.30  | 3%       |
| 99239 |     | Hospital discharge day        | NA           | NA NA        | NA           | \$79.05  | \$86.83  | 10%      |
| 99241 |     | Office consultation           | \$47.95      | \$54.18      | 13%          | \$36.21  | \$38.55  | 6%       |
| 99242 |     | Office consultation           | \$74.95      | \$91.00      | 21%          | \$60.82  | \$70.50  | 16%      |
| 99243 |     | Office consultation           | \$97.12      | \$115.66     | 19%          | \$79.33  | \$93.43  | 18%      |
| 99244 | .[  | Office consultation           | \$135.96     | \$159.42     | 17%          | \$113.40 | \$134.76 | 19%      |
| 99245 |     | Office consultation           | \$183.26     | \$202.14     | 10%          | \$152.26 | \$176.44 | 16%      |
| 99251 |     | Initial inpatient consult     | NA NA        | NA NA        | NA           | \$49.72  | \$39.94  | -20%     |
| 99252 |     | Initial inpatient consult     | NA           | NA NA        | NA           | \$75.59  | \$73.28  | -3%      |
| 99253 |     | Initial inpatient consult     | ] NA         | NA           | NA           | \$99.75  | \$98.98  | -1%      |
| 99254 |     | Initial inpatient consult     | NA NA        | NA           | NA           | \$136.88 | \$138.58 | 1%       |
| 99255 |     | Initial inpatient consult     | NA NA        | NA           | NA           | \$185.53 | \$187.90 | 1%       |
| 99261 |     | Follow-up inpatient consult   | NA NA        | NA           | NA           | \$27.34  | \$26.74  | -2%      |
| 99262 |     | Follow-up inpatient consult   | NA NA        | NA           | NA           | \$46.94  | \$48.28  | 3%       |
| 99263 |     | Follow-up inpatient consult   | NA NA        | NA           | NA           | \$68.77  | \$68.42  | -1%      |
| 99282 | :   | Emergency dept visit          | NA           | NA           | NA           | \$33.55  | \$26.40  | -21%     |
| 99283 |     | Emergency dept visit          | NA           | NA           | NA           | \$61.16  | \$56.27  | -8%      |
| 99284 | .   | Emergency dept visit          | NA           | NA NA        | NA           | \$93.48  | \$87.52  | -6%      |
| 99285 |     | Emergency dept visit          | NA           | NA.          | NA           | \$147.34 | \$135.11 | -8%      |
| 99291 | 1   | Critical care, first hour     | \$191.07     | \$191.37     | 0%           | \$191.07 | \$189.98 | -1%      |
| 99292 |     | Critical care, addl 30 min    | \$91.86      | \$96.55      | 5%           | \$91.86  | \$95.51  | 4%       |
| 99301 |     | Nursing facility care         | NA           | NA.          | NA           | \$57.98  | \$62.17  | 7%       |
| 99302 | :   | Nursing facility care         | NA NA        | NA.          | NA NA        | \$73.98  | \$81.97  | 11%      |
| 99303 |     | Nursing facility care         | NA NA        | NA NA        | NA NA        | \$105.04 | \$102.11 | -3%      |
| 99311 |     | Nursing facility care, subseq | NA NA        | NA.          | NA NA        | \$33.76  | \$31.95  | -5%      |
| 99312 | :   | Nursing facility care, subseq | NA NA        | NA.          | NA NA        | \$49.78  | \$50.36  | 1%       |
| 99313 |     | Nursing facility care, subseq | NA NA        | NA.          | NA NA        | \$66.12  | \$70.85  | 7%       |
| 99348 |     | Home visit, estab patient     | \$63.30      | \$66.68      | 5%           | \$63.30  | \$67.03  | 6%       |
| 99350 |     | Home visit, estab patient     | \$132.39     | \$150.04     | 13%          | \$132.39 | \$146.91 | 11%      |

BILLING CODE 4120-01-C

Table 10 below displays the impact of the practice expense per hour methodology by Medicare payment locality, including the volume-andintensity increase and corresponding conversion factor adjustment discussed earlier. This analysis does not include the effects of the annual updates to the Medicare physician fee schedule conversion factor.

TABLE 10.—IMPACT OF PRACTICE EXPENSE PER HOUR METHODOLOGY ON TOTAL ALLOWED CHARGES BY MEDICARE LOCALITY (PERCENT CHANGE)

| Locality              | State                | Impact<br>per year | Cumulative<br>four year<br>impact |
|-----------------------|----------------------|--------------------|-----------------------------------|
| All                   | Alaska               | 0.1                | 0.5                               |
| All                   | Alabama              | -0.2               | -0.8                              |
| All                   | Arkansas             | -0.2               | -0.9                              |
| All                   | Arizona              | 0.2                | 1.0                               |
| Anaheim/Santa Ana     | California           | 0.6                | 2.5                               |
| Los Angeles           | California           | 0.5                | 2.1                               |
| Marin/Napa/Solano     | California           | 0.6                | 2.4                               |
| Oakland/Berkley       | California           | 0.3                | 1.1                               |
| Rest of California    | California           | 0.3                | 1.4                               |
| San Francisco         | California           | 0.6                | 2.3                               |
| San Mateo             | California           | 0.4                | 1.5                               |
| Santa Clara           | California           | 0.2                | 0.8                               |
| Ventura               | California           | 0.4                | 1.5                               |
| All                   | Colorado             | 0.1                | 0.4                               |
| All                   | Connecticut          | 0.1                | 0.6                               |
| All                   | District of Columbia | 0.1                | 0.3                               |
| All                   | Delaware             | 0.0                | 0.3                               |
| Ft Lauderdale         | Florida              | 0.6                | 2.6                               |
| Miami                 | Florida              | 0.0                | 0.5                               |
|                       | Florida              | 0.1                | 0.5                               |
| Rest of Florida       |                      | - 0.1<br>- 0.1     |                                   |
| Atlanta               | Georgia              | -                  | -0.3                              |
| Rest of Georgia       | Georgia              | -0.1               | 0.5                               |
| All                   | Hawaii               | 0.6                | 2.4                               |
| All                   | lowa                 | -0.2               | -0.8                              |
| All                   | Idaho                | 0.0                | 0.1                               |
| Chicago               | Illinois             | -0.2               | -1.0                              |
| East St Louis         | Illinois             | -0.1               | -0.5                              |
| Rest of Illinois      | Illinois             | -0.2               | -0.7                              |
| Suburban Chicago      | Illinois             | -0.1               | -0.4                              |
| All                   | Indiana              | -0.4               | - 1.5                             |
| All                   | Kansas               | -0.2               | -0.8                              |
| All                   | Kentucky             | -0.3               | -1.1                              |
| New Orleans           | Louisiana            | -0.3               | -1.2                              |
| Rest of Louisiana     | Louisiana            | -0.3               | -1.3                              |
| Boston                | Massachusetts        | -0.3               | - 1.1                             |
| Rest of Massachusetts | Massachusetts        | 0.1                | 0.6                               |
| Balto/Surr Ctys       | Maryland             | -0.3               | -1.2                              |
| Rest of Maryland      | Maryland             | -0.2               | -0.6                              |
| Rest of Maine         | Maine                | -0.1               | -0.4                              |
| Southern Maine        | Maine                | -0.1               | -0.2                              |
| Detroit               | Michigan             | -0.2               | -0.8                              |
| Rest of Michigan      | Michigan             | -0.2               | -0.9                              |
| All                   | Minnesota            | -0.1               | -0.4                              |
| Metro Kansas City     | Missouri             | -0.7               | -2.7                              |
| Rest of Missouri      | Missouri             | -0.2               | -0.8                              |
| Rest of Missouri      | Missouri             | 0.1                | 0.2                               |
| St Louis              | Missouri             | -0.4               | -1.6                              |
| All                   | Mississippi          | -0.5               | -1.8                              |
| All                   | Montana              | 0.1                | 0.3                               |
| All                   | North Carolina       | -0.1               | -0.3                              |
| All                   | North Dakota         | -0.3               | - 1.1                             |
| All                   | Nebraska             | -0.2               | -0.8                              |
| All                   | New Hampshire        | 0.0                | -0.2                              |
| Northern New Jersey   | New Jersey           | 0.0                | 0.0                               |
| Rest of New Jersey    | New Jersey           | 0.1                | 0.5                               |
| All                   | New Mexico           | 0.2                | 0.8                               |
| All                   | Nevada               | 0.0                | -0.1                              |
| Manhattan             | New York             | 0.4                | 1.5                               |
| NYC Suburbs/LI        | New York             | 0.3                | 1.3                               |
| NYC Suburbs/Poughk.   | New York             | 0.3                | 1.2                               |
| Queens                | New York             | 0.7                | 2.8                               |
| Rest of New York      | New York             | -0.1               | -0.2                              |
| All                   | Ohio                 | -0.1               | -0.2<br>-1.2                      |
|                       |                      | 0.0                |                                   |

TABLE 10.—IMPACT OF PRACTICE EXPENSE PER HOUR METHODOLOGY ON TOTAL ALLOWED CHARGES BY MEDICARE LOCALITY (PERCENT CHANGE)—Continued

| Locality             | State          | Impact<br>per year | Cumulative<br>four year<br>impact |
|----------------------|----------------|--------------------|-----------------------------------|
| Portland             | Oregon         | 0.1                | 0.2                               |
| Rest of Oregon       | Oregon         | 0.4                | 1.5                               |
| Philadelphia         | Pennsylvania   | -0.1               | -0.4                              |
| Rest of Pennsylvania | Pennsylvania   | -0.1               | -0.3                              |
| All                  | Puerto Rico    | 1.0                | 3.9                               |
| All                  | Rhode Island   | 0.2                | 0.6                               |
| All                  | South Carolina | 0.0                | -0.2                              |
| All                  | South Dakota   | -0.4               | − 1.5                             |
| All                  | Tennessee      | -0.3               | -1.3                              |
| Austin               | Texas          | -0.3               | -1.0                              |
| Beaumont             | Texas          | -0.6               | -2.5                              |
| Brazoria             | Texas          | 0.4                | 1.7                               |
| Dallas               | Texas          | -0.2               | -0.8                              |
| Fort Worth           | Texas          | 0.0                | 0.0                               |
| Galveston            | Texas          | -0.4               | <b>−1.5</b>                       |
| Houston              | Texas          | -0.4               | -1.8                              |
| Rest of Texas        | Texas          | -0.1               | -0.4                              |
| All                  | Utah           | 0.0                | 0.2                               |
| All                  | Virginia       | 0.0                | -0.1                              |
| All                  | Virgin Islands | 0.6                | 2.5                               |
| All                  | Vermont        | 0.2                | 0.9                               |
| Rest of Washington   | Washington     | 0.3                | 1.2                               |
| Seattle (King Co)    | Washington     | 0.0                | 0.0                               |
| All                  | Wisconsin      | -0.2               | -1.0                              |
| All                  | West Virginia  | -0.2               | -0.8                              |
| All                  | Wyoming        | 0.3                | 1.0                               |

#### C. Medical Direction for Anesthesia Services

For our proposal relating to the medical direction of anesthesia services (§ 415.110), we have decided to retain the current requirements (that is, requirements (i) and (ii), and (iv)) and make only one technical revision in requirement (iii). The technical revision pertains to the requirement that the physician participate in the most demanding procedures in the anesthesia plan, including, induction and emergence.

#### D. Separate Payment for a Physician's Interpretation of an Abnormal Papanicolaou Smear

We are allowing separate payment for a physician's interpretation of a Pap smear to any patient (that is, hospital or nonhospital patient) as long as—(1) The laboratory's screening personnel suspect an abnormality; and (2) the physician reviews and interprets the pap smear. Currently, separate payment to a physician is limited to a Pap smear interpretation that is abnormal and is furnished to a hospital inpatient. We estimate that there would be a \$10 million increase in payments under the physician fee schedule for this change in payment for Pap smear interpretations for FY 1999.

#### E. Rebasing and Revising the Medicare Economic Index

There is negligible impact on Medicare expenditures as a result of this change.

#### F. Payment for Nurse Midwives' Services

The provision for nurse midwives' services will place into regulations text

a provision of OBRA 1993 that eliminates the limitation on coverage of services furnished outside the maternity cycle by nurse midwives. This provision has been implemented previously through program instructions; therefore, this change in the regulations text will have no impact.

## G. BBA Provisions Included in This Final Rule

The following five provisions of BBA 1997 are implemented in this final rule. This final rule conforms the regulations text to BBA 1997 provisions. Table 11 below provides the cost and savings estimates (in millions of dollars) for the Medicare program for these provisions for the fiscal years shown:

TABLE 11.—COST AND SAVINGS ESTIMATES FOR BBA 1997 PROVISIONS
[In millions]

| Provision section | Subject           | 1999 | 2000 | 2001 | 2002 | 2003 |
|-------------------|-------------------|------|------|------|------|------|
| 4206              | Teleconsultations | 20   | 40   | 55   | 70   | 90   |
| 4511              |                   | 290  | 330  | 370  | 440  | 490  |
| 4512              |                   | 60   | 60   | 70   | 90   | 100  |
| 4541              |                   | -130 | -190 | -200 | -230 | -250 |
| 4556              |                   | -60  | -70  | -70  | -80  | -80  |

#### Payment for Services of Certain Nonphysician Practitioners and Services Furnished Incident to Their Professional Services

Sections 4511 and 4512 of BBA 1997 provide for the expanded coverage of nurse practitioner, clinical nurse specialist, and physician assistant services. This provision is self-implementing. This final rule changes the regulations text to conform to the BBA 1997 provisions. We are clarifying the following two existing issues unrelated to the BBA 1997 provisions for nonphysician practitioners:

- Definition of physician collaboration for nurse practitioners.
- The impact of the BBA 1997 provisions is shown in Table 11 (a combination of sections 4511 and 4512 of BBA 1997). The proposals being made final in this rule will have negligible budgetary impact.

Payment for Outpatient Rehabilitation Services

Sections 4541(a)(2) and 4541(a)(3) of BBA 1997 change the payment of outpatient rehabilitation services from cost-based to a payment system based on the physician fee schedule. The regulatory changes are to conform our regulations to the provisions of the BBA 1997.

In addition to the changes directed by the statute, the following changes are being made in this rule to furnish information for identification of the outpatient rehabilitation services and for administrative purposes:

- Specifying HCPCS as the coding system for rehabilitation services since it is used by the fee schedule in section 1848 of the Act.
- Providing for discipline-specific modifiers to be used in coding services.
- Providing for a code for nursing services performed in CORFs.

These administrative changes will have a negligible impact.

Section 4541(c) of BBA 1997 applies an annual per beneficiary limit of \$1,500 to all outpatient physical therapy services (including speech-language pathology services) except for services furnished by a hospital outpatient department. A separate \$1,500 limit also applies to all outpatient occupational therapy services except for services furnished by hospital outpatient departments. Therapy services furnished incident to a physician's professional services are also subject to these limits. The changes in this rule conform the regulations to the BBA 1997 provisions. The delay in full implementation, however, is discussed below.

There are several different types of providers that will be affected by this BBA 1997 provision. The largest providers are SNFs, outpatient rehabilitation facilities, and hospital outpatient departments. There are about 15,000 SNFs, 2,500 outpatient rehabilitation facilities, and about 5,600 outpatient hospital facilities. We determined that the services that would be affected by these changes account for about 15 percent of Medicare Part B payments to facilities.

We estimate that these providers as well as other providers and practitioners of outpatient therapy services will experience a reduction in revenue both because of the movement from cost reimbursement to fee schedule payments and because of the \$1,500 limits. The impact of the provisions on individual providers, however, cannot be estimated for a variety of reasons. First, since reimbursement has historically been based on cost for most providers, we do not have coded information on individual services per beneficiary at individual providers. Second, with respect to the impact of the \$1,500 limit, the extent to which a provider will receive a payment from another source to substitute for Medicare's payment is unknown. For example, if a beneficiary reaches the \$1,500 limit, Medicare will no longer pay, but payment may be received from another source, such as a Medigap insurer, a retiree health plan, or the beneficiary.

The \$1,500 limits will reduce the amount of therapy services paid for by Medicare. The patients most affected are likely to be those with diagnoses such as stroke, certain fractures, and amputation, where the number of therapy visits needed by a patient may exceed those that can be reimbursed by Medicare under the statutory limits. Services not paid for by Medicare, however, may be paid for by other payers.

As explained in the preamble, the \$1,500 limits will not be fully implemented until sometime in 2000 due to the necessity to devote resources to Y2K compliance activities. Until that time, the limits will be implemented partially on a per-provider basis whereby each provider will be held accountable for tracking expenses for each beneficiary and not billing Medicare for beneficiaries that have met the limit at their facility. Implementing the provision in this fashion should lessen the impact on both beneficiaries and providers until full implementation occurs.

Impact on Small Rural Hospitals

We realize that the provision to move from cost reimbursement to a fee schedule may have an impact on small rural hospitals; however, we have been unable to assess this impact because we do not have the data to make this analysis. Also, data that would identify the extent to which these services are currently being furnished in small rural hospitals to serve as the baseline for comparing the impact of the legislative changes are not available. In addition, we do not maintain data that identify services furnished under the physician fee schedule in areas where rural hospitals are located. Although there are localities designated for payment purposes, there is very little correlation between the payment localities (most of which are state-wide) and areas where small rural hospitals are located.

Payment for Drugs and Biologicals

The impact of this BBA 1997 provision is shown in Table 5. This final rule modifies the current regulatory language regarding drug payment to conform to the BBA 1997 changes. Revising the regulation on multi-source drugs to include the brand name version of the drug is not related to the BBA 1997 drug provision but will have a slight program savings.

Private Contracting with Medicare Beneficiaries

We anticipate that there would be a negligible impact on Medicare trust fund payments as a result of the regulation that implements the law. The program impact of the provision when it was assessed in the legislative process was negligible. The impact on beneficiaries, physicians, and practitioners is impossible to assess in any quantitative way.

Specifically, beneficiaries who have had difficulty in finding physicians or practitioners to furnish services because the physicians or practitioners were dissatisfied with the Medicare payment rates may find it easier to acquire care. On the other hand, beneficiaries who cannot afford to privately contract with physicians or practitioners who opt out of Medicare may have more limited access to care as they try to seek care from reduced numbers of physicians and practitioners who will accept Medicare payment rules.

Physicians and practitioners who opt out of Medicare may see increased incomes as a result of their ability to charge without regard to the Medicare limiting charge. However, to the extent that beneficiaries cease to seek treatment from them because they have opted out of Medicare, their incomes may decline. Moreover, organizations to which physicians and practitioners had reassigned Medicare benefits may cease their contracts with them if they opt out since the organizations could no longer be paid by Medicare for the physician's or practitioner's service. Managed care plans that have a contract with Medicare may cease their contractual arrangement with physicians and practitioners who opt out of Medicare since the plan cannot pay for any of

their services to Medicare beneficiaries and, hence, their services no longer offer access to care under the plan. Similarly, insurance plans other than Medicare can choose to not pay for the services provided to any of their enrollees by physicians and practitioners who opt out of Medicare, causing the physicians and practitioners who opt out further loss of income.

#### **Teleconsultations**

We estimate that the cost of providing consultation services in accordance with section 4206 of BBA 1997 will be approximately \$20 million in FY 1999 and approximately \$90 million by FY 2003. Note that the FY 1999 estimate reflects only a partial year estimate, given the January 1, 1999 effective date for teleconsultation coverage. We estimate that teleconsultation will cost approximately \$275 million for the first 5 years of coverage, as indicated below:

## MEDICARE COSTS [In millions]

| FY 1999 | FY 2000 | FY 2001 | FY 2002 | FY 2003 |
|---------|---------|---------|---------|---------|
| \$20    | \$40    | \$55    | \$70    | \$90    |

This rule would provide for payment exclusively for professional consultation with a physician and certain other practitioners via interactive telecommunication systems. Section 4206 of BBA 1997 does not provide for payment for telephone line fees or any facility fees associated with teleconsultation that may be incurred by hospitals included in the telemedicine network.

Further, this rule does not mandate that entities provide consultation services via telecommunications. Thus, this final rule does not require entities to purchase telemedicine equipment or to acquire the telecommunications infrastructure necessary to deliver consultation services via telecommunication systems. Therefore, this rule does not impose costs associated with starting and operating a telemedicine network.

The benefit changes in this final rule resulting from payment for teleconsultation services do not result in additional Medicare expenditures of \$100 million or more for any single FY through FY 2003. We have determined, and we certify, that teleconsultation provisions do not have a significant economic impact on a substantial number of small entities or a significant impact on the operations of a substantial number of small rural hospitals.

#### H. Impact on Beneficiaries

Although changes in physicians' payments when the physician fee schedule was implemented in 1992 were large, we detected no problems with beneficiary access to care. Because there is a 4-year transition to the resource-based practice expense system, we anticipate a minimal impact on beneficiaries.

The benefit changes in this final rule resulting from payment for teleconsultation services do not result in additional Medicare expenditures of \$100 million or more for any single FY through FY 2003. We have determined, and we certify, that teleconsultation provisions do not have a significant economic impact on a substantial number of small entities or a significant impact on the operations of a substantial number of small rural hospitals.

Statutory effects that are being implemented by this regulation result in specialty impacts exceeding \$100 million per year. Therefore, this rule is an economically significant rule under Executive Order 12866, and a major rule under Title 5, United States Code, section 804(2).

In accordance with the provisions of Executive Order 12866, this regulation was reviewed by the Office of Management and Budget.

#### List of Subjects

#### 42 CFR Part 405

Administrative practice and procedure, Health facilities, Health professions, Kidney diseases, Medicare, Reporting and recordkeeping requirements, Rural areas, X-rays.

#### 42 CFR Part 410

Health facilities, Health professions, Kidney diseases, Laboratories, Medicare, Rural areas, X-rays.

#### 42 CFR Part 413

Health facilities, Kidney diseases, Medicare, Puerto Rico, Reporting and recordkeeping requirements.

#### 42 CFR Part 414

Administrative practice and procedure, Health facilities, Health

professions, Kidney diseases, Medicare, Reporting and recordkeeping requirements, Rural areas, X-rays.

#### 42 CFR Part 415

Health facilities, Health professions, Medicare and Reporting and recordkeeping requirements.

#### 42 CFR Part 424

Emergency medical services, Health facilities, Health professions, Medicare.

#### 42 CFR Part 485

Grant programs-health, Health facilities, Medicaid, Medicare, Reporting and recordkeeping requirements.

For the reasons set forth in the preamble, 42 CFR chapter IV is amended as follows:

#### PART 405—FEDERAL HEALTH INSURANCE FOR THE AGED AND DISABLED

A. Part 405 is amended as set forth below:

1. A new subpart D, consisting of \$\\$ 405.400, 405.405, 405.410, 405.415, 405.420, 405.425, 405.430, 405.435, 405.440, 405.445, 405.450, and 405.455 is added to read as follows:

#### **Subpart D—Private Contracts**

Secs.

405.400 Definitions.

405.405 General rules.

405.410 Conditions for properly opting-out of Medicare.

405.415 Requirements of the private contract.

405.420 Requirements of the opt-out affidavit.

405.425 Effects of opting-out of Medicare.

405.430 Failure to properly opt-out.

405.435 Failure to maintain opt-out.

405.440 Emergency and urgent care services.

405.445 Renewal and early termination of opt-out.

405.450 Appeals.

405.455 Application to Medicare+Choice contracts.

**Authority:** Secs. 1102, 1802, and 1871 of the Social Security Act (42 U.S.C. 1302, 1395a, and 1395hh).

#### Subpart D—Private Contracts

#### § 405.400 Definitions.

For purposes of this subpart, the following definitions apply:

Beneficiary means an individual who is enrolled in Part B of Medicare.

Emergency care services means services furnished to an individual for treatment of an "emergency medical condition" as that term is defined in § 422.2 of this chapter.

Legal representative means one or more individuals who, as determined by applicable State law, has the legal authority to enter into the contract with the physician or practitioner on behalf of the beneficiary.

*Opt-out* means the status of meeting the conditions specified in § 405.410.

Opt-out period means the 2-year period beginning on the effective date of the affidavit as specified by § 405.410(c)(1) or § 405.410(c)(2), as applicable.

Participating physician means a "physician" as defined in this section who has signed an agreement to participate in Part B of Medicare.

Physician means a doctor of medicine or a doctor of osteopathy who is currently licensed as that type of doctor in each State in which he or she furnishes services to patients.

Practitioner means a physician assistant, nurse practitioner, clinical nurse specialist, certified registered nurse anesthetist, certified nurse midwife, clinical psychologist, or clinical social worker, who is currently legally authorized to practice in that capacity by each State in which he or she furnishes services to patients or clients

*Private contract* means a document that meets the criteria specified in § 405.415.

*Properly opt-out* means to complete, without defect, the requirements for opt-out as specified in § 405.410.

Properly terminate opt-out means to complete, without defect, the requirements for terminating opt-out as specified in § 405.445.

Urgent care services means services furnished to an individual who requires services to be furnished within 12 hours in order to avoid the likely onset of an emergency medical condition.

#### § 405.405 General rules.

- (a) A physician or practitioner may enter into one or more private contracts with Medicare beneficiaries for the purpose of furnishing items or services that would otherwise be covered by Medicare, provided the conditions of this subpart are met.
- (b) A physician or practitioner who enters into at least one private contract with a Medicare beneficiary under the conditions of this subpart, and who submits one or more affidavits in accordance with this subpart, opts-out of Medicare for a 2-year period unless the opt-out is terminated early according to § 405.445. The physician's or practitioner's opt-out may be renewed for subsequent 2-year periods.
- (c) Both the private contracts described in paragraph (a) of this section and the physician's or practitioner's opt-out described in paragraph (b) of this section are null and void if the physician or practitioner fails to properly opt-out in accordance with the conditions of this subpart.
- (d) Both the private contracts described in paragraph (a) of this section and the physician's or practitioner's opt-out described in paragraph (b) of this section are null and void for the remainder of the opt-out period if the physician or practitioner fails to remain in compliance with the conditions of this subpart during the opt-out period.
- (e) Services furnished under private contracts meeting the requirements of this subpart are not covered services under Medicare, and no Medicare payment will be made for such services either directly or indirectly, except as permitted in accordance with § 405.435(c).

#### § 405.410 Conditions for properly optingout of Medicare.

The following conditions must be met for a physician or practitioner to properly opt-out of Medicare:

- (a) Each private contract between a physician or a practitioner and a Medicare beneficiary that is entered into prior to the submission of the affidavit described in paragraph (b) of this section must meet the specifications of § 405.415.
- (b) The physician or practitioner must submit an affidavit that meets the specifications of § 405.420 to each Medicare carrier with which he or she would file claims absent completion of opt-out.
- (c) A nonparticipating physician or a practitioner may opt-out of Medicare at any time in accordance with the following:

- (1) The 2-year opt-out period begins the date the affidavit meeting the requirements of § 405.420 is signed, provided the affidavit is filed within 10 days after he or she signs his or her first private contract with a Medicare beneficiary.
- (2) If the physician or practitioner does not timely file any required affidavit, the 2-year opt-out period begins when the last such affidavit is filed. Any private contract entered into before the last required affidavit is filed becomes effective upon the filing of the last required affidavit and the furnishing of any items or services to a Medicare beneficiary under such contract before the last required affidavit is filed is subject to standard Medicare rules.
- (d) A participating physician may properly opt-out of Medicare at the beginning of any calendar quarter, provided that the affidavit described in § 405.420 is submitted to the participating physician's Medicare carriers at least 30 days before the beginning of the selected calendar quarter. A private contract entered into before the beginning of the selected calendar quarter becomes effective at the beginning of the selected calendar quarter and the furnishing of any items or services to a Medicare beneficiary under such contract before the beginning of the selected calendar quarter is subject to standard Medicare rules.

## § 405.415 Requirements of the private contract.

- A private contract under this subpart must:
- (a) Be in writing and in print sufficiently large to ensure that the beneficiary is able to read the contract.
- (b) Clearly state whether the physician or practitioner is excluded from Medicare under sections 1128, 1156, or 1892 or any other section of the Social Security Act.
- (c) State that the beneficiary or his or her legal representative accepts full responsibility for payment of the physician's or practitioner's charge for all services furnished by the physician or practitioner.
- (d) State that the beneficiary or his or her legal representative understands that Medicare limits do not apply to what the physician or practitioner may charge for items or services furnished by the physician or practitioner.
- (e) State that the beneficiary or his or her legal representative agrees not to submit a claim to Medicare or to ask the physician or practitioner to submit a claim to Medicare.
- (f) State that the beneficiary or his or her legal representative understands

that Medicare payment will not be made for any items or services furnished by the physician or practitioner that would have otherwise been covered by Medicare if there was no private contract and a proper Medicare claim had been submitted.

(g) State that the beneficiary or his or her legal representative enters into this contract with the knowledge that he or she has the right to obtain Medicarecovered items and services from physicians and practitioners who have not opted-out of Medicare, and that the beneficiary is not compelled to enter into private contracts that apply to other Medicare-covered services furnished by other physicians or practitioners who have not opted-out.

(h) State the expected or known effective date and expected or known expiration date of the opt-out period.

i) State that the beneficiary or his or her legal representative understands that Medigap plans do not, and that other supplemental plans may elect not to, make payments for items and services not paid for by Medicare.

(j) Be signed by the beneficiary or his or her legal representative and by the

physician or practitioner.

(k) Not be entered into by the beneficiary or by the beneficiary's legal representative during a time when the beneficiary requires emergency care services or urgent care services. (However, a physician or practitioner may furnish emergency or urgent care services to a Medicare beneficiary in accordance with § 405.440.)

(l) Be provided (a photocopy is permissible) to the beneficiary or to his or her legal representative before items or services are furnished to the beneficiary under the terms of the

contract.

(m) Be retained (original signatures of both parties required) by the physician or practitioner for the duration of the opt-out period.

(n) Be made available to HCFA upon

(o) Be entered into for each opt-out period.

#### § 405.420 Requirements of the opt-out affidavit.

An affidavit under this subpart must: (a) Be in writing and be signed by the

physician or practitioner.

(b) Contain the physician's or practitioner's full name, address, telephone number, national provider identifier (NPI) or billing number, if one has been assigned, uniform provider identification number (UPIN) if one has been assigned, or, if neither an NPI nor a UPIN has been assigned, the physician's or practitioner's tax identification number (TIN).

- (c) State that, except for emergency or urgent care services (as specified in § 405.440), during the opt-out period the physician or practitioner will provide services to Medicare beneficiaries only through private contracts that meet the criteria of paragraph § 405.415 for services that, but for their provision under a private contract, would have been Medicare-covered services.
- (d) State that the physician or practitioner will not submit a claim to Medicare for any service furnished to a Medicare beneficiary during the opt-out period, nor will the physician or practitioner permit any entity acting on his or her behalf to submit a claim to Medicare for services furnished to a Medicare beneficiary, except as specified in § 405.440.
- (e) State that, during the opt-out period, the physician or practitioner understands that he or she may receive no direct or indirect Medicare payment for services that he or she furnishes to Medicare beneficiaries with whom he or she has privately contracted, whether as an individual, an employee of an organization, a partner in a partnership, under a reassignment of benefits, or as payment for a service furnished to a Medicare beneficiary under a Medicare+Choice plan.
- (f) State that a physician or practitioner who opts-out of Medicare acknowledges that, during the opt-out period, his or her services are not covered under Medicare and that no Medicare payment may be made to any entity for his or her services, directly or on a capitated basis.
- (g) State a promise by the physician or practitioner to the effect that, during the opt-out period, the physician or practitioner agrees to be bound by the terms of both the affidavit and the private contracts that he or she has entered into.
- (h) Acknowledge that the physician or practitioner recognizes that the terms of the affidavit apply to all Medicarecovered items and services furnished to Medicare beneficiaries by the physician or practitioner during the opt-out period (except for emergency or urgent care services furnished to the beneficiaries with whom he or she has not previously privately contracted) without regard to any payment arrangements the physician or practitioner may make.

(i) With respect to a physician who has signed a Part B participation agreement, acknowledge that such agreement terminates on the effective

date of the affidavit.

(j) Acknowledge that the physician or practitioner understands that a beneficiary who has not entered into a private contract and who requires

emergency or urgent care services may not be asked to enter into a private contract with respect to receiving such services and that the rules of § 405.440 apply if the physician furnishes such services.

#### § 405.425 Effects of opting-out of Medicare.

If a physician or practitioner opts-out of Medicare in accordance with this subpart for the 2-year period for which the opt-out is effective, the following results obtain:

(a) Except as provided in § 405.440, no payment may be made directly by Medicare or by any Medicare+Choice plan to the physician or practitioner or to any entity to which the physician or practitioner reassigns his right to receive payment for services.

(b) The physician or practitioner may not furnish any item or service that would otherwise be covered by Medicare (except for emergency or urgent care services) to any Medicare beneficiary except through a private contract that meets the requirements of this subpart.

(c) The physician or practitioner is not subject to the requirement to submit a claim for items or services furnished to a Medicare beneficiary, as specified in § 424.5(a)(6) of this chapter, except as provided in § 405.440.

(d) The physician or practitioner is prohibited from submitting a claim to Medicare for items or services furnished to a Medicare beneficiary except as provided in § 405.440.

(e) In the case of a physician, he or she is not subject to the limiting charge provisions of § 414.48 of this chapter, except for services provided under § 405.440.

(f) The physician or practitioner is not subject to the prohibition-onreassignment provisions of § 414.80 of this chapter, except for services provided under § 405.440.

(g) In the case of a practitioner, he or she is not prohibited from billing or collecting amounts from beneficiaries (as provided in 42 U.S.C. 1395u(b)(18)(B)).

- (h) The death of a beneficiary who has entered into a private contract (or whose legal representative has done so) does not invoke § 424.62 or § 424.64 of this chapter with respect to the physician or practitioner with whom the beneficiary (or legal representative) has privately contracted.
- (i) The physician or practitioner who has not been excluded under sections 1128, 1156, or 1892 of the Social Security Act may order, certify the need for, or refer a beneficiary for Medicarecovered items and services, provided

the physician or practitioner is not paid, directly or indirectly, for such services (except as provided in § 405.440).

(j) The physician or practitioner who is excluded under sections 1128, 1156, or 1892 of the Social Security Act may not order, prescribe, or certify the need for Medicare-covered items and services except as provided in § 1001.1901 of this title, and must otherwise comply with the terms of the exclusion in accordance with § 1001.1901 effective with the date of the exclusion.

#### § 405.430 Failure to properly opt-out.

(a) A physician or practitioner fails to properly opt-out if—

- (1) Any private contract between the physician or practitioner and a Medicare beneficiary, that was entered into before the affidavit described in § 405.420 was filed, does not meet the specifications of § 405.415; or
- (2) He or she fails to submit the affidavit(s) in accordance with § 405.420.
- (b) If a physician or practitioner fails to properly opt-out in accordance with paragraph (a) of this section, the following results obtain:
- (1) The physician's or practitioner's attempt to opt-out of Medicare is nullified, and all of the private contracts between the physician or practitioner and Medicare beneficiaries for the two-year period covered by the attempted opt-out are deemed null and void.
- (2) The physician or practitioner must submit claims to Medicare for all Medicare-covered items and services furnished to Medicare beneficiaries, including the items and services furnished under the nullified contracts. A nonparticipating physician is subject to the limiting charge provisions of § 414.48 of this chapter. A participating physician is subject to the limitations on charges of the participation agreement he or she signed.
- (3) The practitioner may not reassign any claim except as provided in § 424.80 of this chapter.
- (4) The practitioner may neither bill nor collect an amount from the beneficiary except for applicable deductible and coinsurance amounts.
- (5) The physician or practitioner may make another attempt to properly optout at any time.

#### § 405.435 Failure to maintain opt-out.

- (a) A physician or practitioner fails to maintain opt-out under this subpart if, during the opt-out period—
- (1) He or she knowingly and willfully—
- (i) Submits a claim for Medicare payment (except as provided in § 405.440); or

- (ii) Receives Medicare payment directly or indirectly for Medicarecovered services furnished to a Medicare beneficiary (except as provided in § 405.440).
- (2) He or she fails to enter into private contracts with Medicare beneficiaries for the purpose of furnishing items and services that would otherwise be covered by Medicare, or enters into contracts that fail to meet the specifications of § 405.415; or

(3) He or she fails to comply with the provisions of § 405.440 regarding billing for emergency care services or urgent care services; or

(4) He or she fails to retain a copy of each private contract that he or she has entered into for the duration of the optout period for which the contracts are applicable or fails to permit HCFA to inspect them upon request.

(b) If a physician or practitioner fails to maintain opt-out in accordance with paragraph (a) of this section, and fails to demonstrate, within 45 days of a notice from the carrier of a violation of paragraph (a) of this section, that he or she has taken good faith efforts to maintain opt-out (including by refunding amounts in excess of the charge limits to beneficiaries with whom he or she did not sign a private contract), the following results obtain, effective 46 days after the date of the notice, but only for the remainder of the opt-out period:

(1) All of the private contracts between the physician or practitioner and Medicare beneficiaries are deemed null and void.

(2) The physician's or practitioner's opt-out of Medicare is nullified.

(3) The physician or practitioner must submit claims to Medicare for all Medicare-covered items and services furnished to Medicare beneficiaries.

- (4) The physician or practitioner or beneficiary will not receive Medicare payment on Medicare claims for the remainder of the opt-out period, except as provided in paragraph (c) of this section.
- (5) The physician is subject to the limiting charge provisions of  $\S 414.48$  of this chapter.
- (6) The practitioner may not reassign any claim except as provided in § 424.80 of this chapter.
- (7) The practitioner may neither bill nor collect any amount from the beneficiary except for applicable deductible and coinsurance amounts.
- (8) The physician or practitioner may not attempt to once more meet the criteria for properly opting-out until the 2-year opt-out period expires.

(c) Medicare payment may be made for the claims submitted by a

beneficiary for the services of an opt-out physician or practitioner when the physician or practitioner did not privately contract with the beneficiary for services that were not emergency care services or urgent care services and that were furnished no later than 15 days after the date of a notice by the carrier that the physician or practitioner has opted-out of Medicare.

## § 405.440 Emergency and urgent care services.

- (a) A physician or practitioner who has opted-out of Medicare under this subpart need not enter into a private contract to furnish emergency care services or urgent care services to a Medicare beneficiary. Accordingly, a physician or practitioner will not be determined to have failed to maintain opt-out if he or she furnishes emergency care services or urgent care services to a Medicare beneficiary with whom the physician or practitioner has not previously entered into a private contract, provided the physician or practitioner complies with the billing requirements specified in paragraph (b) of this section.
- (b) When a physician or practitioner who has not been excluded under sections 1128, 1156, or 1892 of the Social Security Act furnishes emergency care services or urgent care services to a Medicare beneficiary with whom the physician or practitioner has not previously entered into a private contract, he or she:
- (1) Must submit a claim to Medicare in accordance with both 42 CFR part 424 and Medicare instructions (including but not limited to complying with proper coding of emergency or urgent care services furnished by physicians and practitioners who have opted-out of Medicare).
- (2) May collect no more than—
- (i) The Medicare limiting charge, in the case of a physician; or
- (ii) The deductible and coinsurance, in the case of a practitioner.
- (c) Emergency care services or urgent care services furnished to a Medicare beneficiary with whom the physician or practitioner has previously entered into a private contract (that is, entered into before the onset of the emergency medical condition or urgent medical condition), are furnished under the terms of the private contract.
- (d) Medicare may make payment for emergency care services or urgent care services furnished by a physician or practitioner who has properly opted-out when the services are furnished and the claim for services is made in accordance with this section. A physician or practitioner who has been excluded

must comply with the regulations at § 1001.1901 (Scope and effect of exclusion) of this title when he or she furnishes emergency services to beneficiaries and may not bill and be paid for urgent care services.

#### § 405.445 Renewal and early termination of opt-out.

- (a) A physician or practitioner may renew opt-out by filing an affidavit with each carrier with which he or she would file claims absent completion of opt-out, provided the affidavits are filed within 30 days after the current opt-out period expires.
- (b) To properly terminate opt-out a physician or practitioner must:

(1) Not have previously opted out of

- (2) Notify all Medicare carriers, with which he or she filed an affidavit, of the termination of the opt-out no later than 90 days after the effective date of the opt-out period.
- (3) Refund to each beneficiary with whom he or she has privately contracted all payment collected in excess of:

(i) The Medicare limiting charge (in the case of physicians); or

(ii) The deductible and coinsurance

(in the case of practitioners).

- (4) Notify all beneficiaries with whom the physician or practitioner entered into private contracts of the physician's or practitioner's decision to terminate opt-out and of the beneficiaries' right to have claims filed on their behalf with Medicare for the services furnished during the period between the effective date of the opt-out and the effective date of the termination of the opt-out period.
- (c) When the physician or practitioner properly terminates opt-out in accordance with paragraph (b), he or she will be reinstated in Medicare as if there had been no opt-out, and the provision of § 405.425 shall not apply unless the physician or practitioner subsequently properly opts out.
- (d) A physician or practitioner who has completed opt-out on or before January 1, 1999 may terminate opt-out during the 90 days following January 1, 1999 if he or she notifies all carriers to whom he or she would otherwise submit claims of the intent to terminate opt-out and complies with paragraphs (b)(3) and (4) of this section. Paragraph (c) of this section applies in these cases.

#### § 405.450 Appeals.

(a) A determination by HCFA that a physician or practitioner has failed to properly opt-out, failed to maintain optout, failed to timely renew opt-out, failed to privately contract, or failed to properly terminate opt-out is an initial determination for purposes of § 405.803.

(b) A determination by HCFA that no payment can be made to a beneficiary for the services of a physician who has opted-out is an initial determination for purposes of § 405.803.

#### § 405.455 Application to Medicare+Choice contracts.

An organization that has a contract with HCFA to provide one or more Medicare+Choice (M+C) plans to beneficiaries (part 422 of this chapter):

- (a) Must acquire and maintain information from Medicare carriers on physicians and practitioners who have opted-out of Medicare.
- (b) Must make no payment directly or indirectly for Medicare covered services furnished to a Medicare beneficiary by a physician or practitioner who has opted-out of Medicare.
- (c) May make payment to a physician or practitioner who furnishes emergency or urgent care services to a beneficiary who has not previously entered into a private contract with the physician or practitioner in accordance with § 405.440.

#### Subpart E—Criteria for Determining Reasonable Charges

2. The authority citation for part 405, subpart E, continues to read as follows:

Authority: Secs. 1102 and 1871 of the Social Security Act (42 U.S.C. 1302 and 1395hh).

3. Section 405.517 is revised to read as follows:

#### § 405.517 Payment for drugs and biologicals that are not paid on a cost or prospective payment basis.

- (a) Applicability. Payment for a drug or biological that is not paid on a cost or prospective payment basis is determined by the standard methodology described in paragraph (b) of this section. Examples of when this procedure applies include a drug or biological furnished incident to a physician's service, a drug or biological furnished by an independent dialysis facility that is not included in the ESRD composite rate set forth in § 413.170(c) of this chapter, and a drug or biological furnished as part of the durable medical equipment benefit.
- (b) Methodology. Payment for a drug or biological described in paragraph (a) of this section is based on the lower of the actual charge on the Medicare claim for benefits or 95 percent of the national average wholesale price of the drug or biological.
- (c) Multiple-source drugs. For multiple-source drugs and biologicals, for purposes of this regulation, the average wholesale price is defined as

the lesser of the median average wholesale price for all sources of the generic forms of the drug or biological or the lowest average wholesale price of the brand name forms of the drug or biological.

4. A new § 405.520 is added to read as follows:

#### § 405.520 Payment for a physician assistants, nurse practitioners, and clinical nurse specialists' services and services furnished incident to their professional services.

- (a) General rule. A physician assistants, nurse practitioners, and clinical nurse specialists' services, and services and supplies furnished incident to their professional services, are paid in accordance with the physician fee schedule. The payment for a physician assistants' services may not exceed the limits at § 414.52 of this chapter. The payment for a nurse practitioners' and clinical nurse specialists' services may not exceed the limits at § 414.56 of this chapter.
- (b) Requirements. Medicare payment is made only if all claims for payment are made on an assignment-related basis in accordance with § 424.55 of this chapter, that sets forth, respectively, the conditions for coverage of physician assistants' services, nurse practitioners' services and clinical nurse specialists' services, and services and supplies furnished incident to their professional services.
- (c) Civil money penalties. Any person or entity who knowingly and willingly bills a Medicare beneficiary amounts in excess of the appropriate coinsurance and deductible is subject to a civil money penalty not to exceed \$2,000 for each bill or request for payment.

#### **PART 410—SUPPLEMENTARY MEDICAL INSURANCE (SMI) BENEFITS**

- B. Part 410 is amended as set forth below:
- 1. The authority citation for part 410 continues to read as follows:

Authority: Secs. 1102 and 1871 of the Social Security Act (42 U.S.C. 1302 and 1395hh).

#### § 410.1 [Amended]

2. Section 410.1, paragraph (a) is amended by adding the following sentence at the end: "Section 4206 of the Balanced Budget Act of 1997 sets forth the conditions for payment for professional consultations that take place by means of telecommunications systems.'

#### § 410.32 [Amended]

- 3. In § 410.32(a)(3), the last word, "section," is removed and the word "paragraph" is added in its place.
- 4. A new section 410.59 is added to read as follows:

## § 410.59 Outpatient occupational therapy services: Conditions.

- (a) *Basic rule*. Medicare Part B pays for outpatient occupational therapy services if they meet the following conditions:
- (1) They are furnished to a beneficiary while he or she is under the care of a physician who is a doctor of medicine, osteopathy, or podiatric medicine.
- (2) They are furnished under a written plan of treatment that meets the requirements of § 410.61.
  - (3) They are furnished—
- (i) By a provider as defined in § 489.2 of this chapter, or by others under arrangements with, and under the supervision of, a provider; or

(ii) By or under the personal supervision of an occupational therapist in private practice as described in paragraph (c) of this section.

- (b) Outpatient occupational therapy services furnished to certain inpatients of a hospital or a CAH or SNF. Medicare Part B pays for outpatient occupational therapy services furnished to an inpatient of a hospital, CAH, or SNF who requires them but who has exhausted or is otherwise ineligible for benefit days under Medicare Part A.
- (c) Special provisions for services furnished by occupational therapists in private practice.
- (1) Basic qualifications. In order to qualify under Medicare as a supplier of outpatient occupational therapy services, each individual occupational therapist in private practice must meet the following requirements:
- (i) Be legally authorized (if applicable, licensed, certified, or registered) to engage in the private practice of occupational therapy by the State in which he or she practices, and practice only within the scope of his or her license, certification, or registration.
- (ii) Engage in the private practice of occupational therapy on a regular basis as an individual, in one of the following practice types:
  - (A) An unincorporated solo practice.
- (B) A partnership or unincorporated group practice.
- (C) An unincorporated solo practice, partnership, or group practice, a professional corporation or other incorporated occupational therapy practice. Private practice does not include any individual during the time he or she is working as an employee of a provider.

- (iii) Bill Medicare only for services furnished in his or her private practice office space, or in the patient's home. A therapist's private practice office space refers to the location(s) where the practice is operated, in the State(s) where the therapist (and practice, if applicable) is legally authorized to furnish services, during the hours that the therapist engages in practice at that location. When services are furnished in private practice office space, that space must be owned, leased, or rented by the practice and used for the exclusive purpose of operating the practice. A patient's home does not include any institution that is a hospital, an CAH, or a SNF.
- (iv) Treat individuals who are patients of the practice and for whom the practice collects fees for the services furnished.
- (2) Supervision of occupational therapy services. Occupational therapy services are performed by, or under the personal supervision of, the occupational therapist in private practice. All services not performed personally by the therapist must be performed by employees of the practice, personally supervised by the therapist, and included in the fee for the therapist's services.
- (d) Excluded services. No service is included as an outpatient occupational therapy service if it would not be included as an inpatient hospital service if furnished to a hospital or CAH inpatient.
- (e) Annual limitation on incurred expenses. (1) Amount of limitation. (i) In 1999, 2000, and 2001, no more than \$1,500 of allowable charges incurred in a calendar year for outpatient occupational therapy services are recognized incurred expenses.
- (ii) In 2002 and thereafter, the limitation is determined by increasing the limitation in effect in the previous calendar year by the increase in the Medicare Economic Index for the current year.
- (2) For purposes of applying the limitation, outpatient occupational therapy includes:
- (i) Except as provided in paragraph (e)(3) of this section, outpatient occupational therapy services furnished under this section;
- (ii) Outpatient occupational therapy services furnished by a comprehensive outpatient rehabilitation facility;
- (iii) Outpatient occupational therapy services furnished by a physician or incident to a physician's service;
- (iv) Outpatient occupational therapy services furnished by a nurse practitioner, clinical nurse specialist, or

- physician assistant or incident to their services.
- (3) For purposes of applying the limitation, outpatient occupational therapy services excludes services furnished by a hospital directly or under arrangements.
- 5. Section 410.60 is revised to read as follows:

## § 410.60 Outpatient physical therapy services: Conditions.

- (a) Basic rule. Medicare Part B pays for outpatient physical therapy services if they meet the following conditions:
- (1) They are furnished to a beneficiary while he or she is under the care of a physician who is a doctor of medicine, osteopathy, or podiatric medicine.
- (2) They are furnished under a written plan of treatment that meets the requirements of § 410.61.
  - (3) They are furnished—
- (i) By a provider as defined in § 489.2 of this chapter, or by others under arrangements with, and under the supervision of, a provider; or
- (ii) By or under the personal supervision of a physical therapist in private practice as described in paragraph (c) of this section.
- (b) Outpatient physical therapy services furnished to certain inpatients of a hospital or a CAH or SNF. Medicare Part B pays for outpatient physical therapy services furnished to an inpatient of a hospital, CAH, or SNF who requires them but who has exhausted or is otherwise +ineligible for benefit days under Medicare Part A.
- (c) Special provisions for services furnished by physical therapists in private practice. (1) Basic qualifications. In order to qualify under Medicare as a supplier of outpatient physical therapy services, each individual physical therapist in private practice must meet the following requirements:
- (i) Be legally authorized (if applicable, licensed, certified, or registered) to engage in the private practice of physical therapy by the State in which he or she practices, and practice only within the scope of his or her license, certification, or registration.
- (ii) Engage in the private practice of physical therapy on a regular basis as an individual, in one of the following practice types:
  - (A) An unincorporated solo practice.
- (B) An unincorporated partnership or unincorporated group practice.
- (C) An unincorporated solo practice, partnership, or group practice, or a professional corporation or other incorporated physical therapy practice. Private practice does not include any individual during the time he or she is working as an employee of a provider.

- (iii) Bill Medicare only for services furnished in his or her private practice office space, or in the patient's home. A therapist's private practice office space refers to the location(s) where the practice is operated, in the State(s) where the therapist (and practice, if applicable) is legally authorized to furnish services, during the hours that the therapist engages in practice at that location. When services are furnished in private practice office space, that space must be owned, leased, or rented by the practice and used for the exclusive purpose of operating the practice. A patient's home does not include any institution that is a hospital, a CAH, or a SNF.
- (iv) Treat individuals who are patients of the practice and for whom the practice collects fees for the services furnished.
- (2) Supervision of physical therapy services. Physical therapy services are performed by, or under the personal supervision of, the physical therapist in private practice. All services not performed personally by the therapist must be performed by employees of the practice, personally supervised by the therapist, and included in the fee for the therapist's services.
- (d) Excluded services. No service is included as an outpatient physical therapy service if it would not be included as an inpatient hospital service if furnished to a hospital or CAH inpatient.
- (e) Annual limitation on incurred expenses. (1) Amount of limitation. (i) In 1999, 2000, and 2001, no more than \$1,500 of allowable charges incurred in a calendar year for outpatient physical therapy services are recognized incurred expenses.
- (ii) In 2002 and thereafter, the limitation shall be determined by increasing the limitation in effect in the previous calendar year by the increase in the Medicare Economic Index for the current year.
- (2) For purposes of applying the limitation, outpatient physical therapy includes:
- (i) Except as provided in paragraph (e)(3) of this section, outpatient physical therapy services furnished under this section;
- (ii) Except as provided in paragraph (e)(3) of this section outpatient speech-language pathology services furnished under § 410.62;
- (iii) Outpatient physical therapy and speech-language pathology services furnished by a comprehensive outpatient rehabilitation facility;
- (iv) Outpatient physical therapy and speech-language pathology services

furnished by a physician or incident to a physician's service:

(v) Outpatient physical therapy and speech-language pathology services furnished by a nurse practitioner, clinical nurse specialist, or physician assistant or incident to their services.

(3) For purposes of applying the limitation, outpatient physical therapy excludes services furnished by a hospital or CAH directly or under arrangements.

6. In § 410.61, the section heading and paragraphs (a) through (d) are revised to read as follows:

## § 410.61 Plan of treatment requirements for outpatient rehabilitation services.

- (a) *Basic requirement*. Outpatient rehabilitation services (including services furnished by a qualified physical or occupational therapist in private practice), must be furnished under a written plan of treatment that meets the requirements of paragraphs (b) through (e) of this section.
- (b) *Establishment of the plan*. The plan is established before treatment is begun by one of the following:

(1) A physician.

(2) A physical therapist who furnishes the physical therapy services.

(3) A speech-language pathologist who furnishes the speech-language pathology services.

- (4) An occupational therapist who furnishes the occupational therapy services.
- (5) A nurse practitioner, a clinical nurse specialist, or a physician assistant.
- (c) Content of the plan. The plan prescribes the type, amount, frequency, and duration of the physical therapy, occupational therapy, or speechlanguage pathology services to be furnished to the individual, and indicates the diagnosis and anticipated goals.
- (d) *Changes in the plan*. Any changes in the plan—
- (1) Are made in writing and signed by one of the following:

(i) The physician.

(ii) The physical therapist who furnishes the physical therapy services.

(iii) The occupational therapist who furnishes the physical therapy services.

- (iv) The speech-language pathologist who furnishes the speech-language pathology services.
- (v) A registered professional nurse or a staff physician, in accordance with oral orders from the physician, physical therapist, occupational therapist, or speech-language pathologist who furnishes the services.
- (vi) A nurse practitioner, a clinical nurse specialist, or a physician assistant.

(2) The changes are incorporated in the plan immediately.

\* \* \* \* \*

7. In § 410.62, the section heading and paragraph (a)(3) are revised and a new paragraph (d) is added to read as follows:

# § 410.62 Outpatient speech-language pathology services: Conditions and exclusions.

(a) \* \* \*

- (3) They are furnished by a provider as defined in § 489.2 of this chapter or by others under arrangements with, or under the supervision of, a provider.
- (d) *Limitation*. After 1998, outpatient speech-language pathology services are subject to the limitation in § 410.60(e).
- 8. New §§ 410.74, 410.75, 410.76, 410.77, and 410.78 are added to subpart B to read as follows:

## Subpart B—Medical and Other Health Services

#### § 410.74 Physician assistants' services.

- (a) *Basic rule*. Medicare Part B covers physician assistants' services only if the following conditions are met:
- (1) The services would be covered as physicians' services if furnished by a physician (a doctor of medicine or osteopathy, as set forth in section 1861(r)(1) of the Act).

(2) The physician assistant—

(i) Meets the qualifications set forth in paragraph (c) of this section;

(ii) Is legally authorized to perform the services in the State in which they are performed;

(iii) Performs services that are not otherwise precluded from coverage because of a statutory exclusion;

- (iv) Performs the services under the general supervision of a physician (The supervising physician need not be physically present when the physician assistant is performing the services unless required by State law; however, the supervising physician must be immediately available to the physician assistant for consultation.);
- (v) Furnishes services that are billed by the employer of a physician assistant; and
  - (vi) Performs the services—
- (A) In all settings in either rural and urban areas; or
  - (B) As an assistant at surgery.
- (b) Services and supplies furnished incident to a physician assistant's services. Medicare covers services and supplies (including drugs and biologicals that cannot be self-administered) that are furnished incident to the physician assistant's services described in paragraph (a) of

this section. These services and supplies are covered only if they—

- (1) Would be covered if furnished by a physician or as incident to the professional services of a physician;
- (2) Are the type that are commonly furnished in a physician's office and are either furnished without charge or are included in the bill for the physician assistants' services;
- (3) Are, although incidental, an integral part of the professional service performed by the physician;
- (4) Are performed under the direct supervision of the physician assistant (that is, the physician assistant is physically present and immediately available); and
- (5) Are performed by the employee of a physician assistant or an entity that employs both the physician assistant and the person providing the services.
- (c) *Qualifications*. For Medicare Part B coverage of his or her services, a physician assistant must meet all of the following conditions:
- (1) Have graduated from a physician assistant educational program that is accredited by the National Commission on Accreditation of Allied Health Education Programs;
- (2) Have passed the national certification examination of the National Commission on Certification of Physician Assistants; and
- (3) Be licensed by the State to practice as a physician assistant.
- (d) Professional services. Physician assistants can be paid for professional services only if the services have been professionally performed by them and no facility or other provider charges for the service or is paid any amount for the furnishing of those professional services
- (1) Supervision of other nonphysician staff by a physician assistant does not constitute personal performance of a professional service by the physician assistant.
- (2) The services are provided on an assignment-related basis, and the physician assistant may not charge a beneficiary for a service not payable under this provision. If a beneficiary has made payment for a service, the physician assistant must make the appropriate refund to the beneficiary.

#### § 410.75 Nurse practitioners' services.

- (a) *Definition*. As used in this section, the term "physician" means a doctor of medicine or osteopathy, as set forth in section 1861(r)(1) of the Act.
- (b) *Qualifications*. For Medicare Part B coverage of his or her services, a nurse practitioner must—
- (1) Possess a master's degree in nursing;

- (2) Be a registered professional nurse who is authorized by the State in which the services are furnished, to practice as a nurse practitioner in accordance with State law; and,
- (3) Be certified as a nurse practitioner by the American Nurses Credentialing Center or other recognized national certifying bodies that have established standards for nurse practitioners as defined in paragraphs (b)(1) and (2) of this section.
- (c) Services. Medicare Part B covers nurse practitioners' services in all settings in both rural and urban areas, only if the services would be covered if furnished by a physician and the nurse practitioner—
- (1) Is legally authorized to perform them in the State in which they are performed;
- (2) Is not performing services that are otherwise excluded from coverage because of one of the statutory exclusions; and
- (3) Performs them while working in collaboration with a physician.
- (i) Collaboration is a process in which a nurse practitioner works with one or more physicians to deliver health care services within the scope of the practitioner's expertise, with medical direction and appropriate supervision as provided for in jointly developed guidelines or other mechanisms as provided by the law of the State in which the services are performed.
- (ii) In the absence of State law governing collaboration, collaboration is a process in which a nurse practitioner has a relationship with one or more physicians to deliver health care services. Such collaboration is to be evidenced by nurse practitioners documenting the nurse practitioners' scope of practice and indicating the relationships that they have with physicians to deal with issues outside their scope of practice. Nurse practitioners must document this collaborative process with physicians.
- (iii) The collaborating physician does not need to be present with the nurse practitioner when the services are furnished or to make an independent evaluation of each patient who is seen by the nurse practitioner.
- (d) Services and supplies incident to a nurse practitioners' services. Medicare Part B covers services and supplies (including drugs and biologicals that cannot be self-administered) incident to a nurse practitioner's services that meet the requirements in paragraph (c) of this section. These services and supplies are covered only if they—
- (1) Would be covered if furnished by a physician or as incident to the professional services of a physician;

- (2) Are of the type that are commonly furnished in a physician's office and are either furnished without charge or are included in the bill for the nurse practitioner's services;
- (3) Although incidental, are an integral part of the professional service performed by the nurse practitioner; and
- (4) Are performed under the direct supervision of the nurse practitioner (that is, the nurse practitioner must be physically present and immediately available).
- (e) Professional services. Nurse practitioners can be paid for professional services only when the services have been personally performed by them and no facility or other provider charges, or is paid, any amount for the furnishing of the professional services.
- (1) Supervision of other nonphysician staff by a nurse practitioner does not constitute personal performance of a professional service by a nurse practitioner.
- (2) The services are provided on an assignment-related basis, and a nurse practitioner may not charge a beneficiary for a service not payable under this provision. If a beneficiary has made payment for a service, the nurse practitioner must make the appropriate refund to the beneficiary.

### § 410.76 Clinical nurse specialists'

- (a) *Definition*. As used in this section, the term "physician" means a doctor of medicine or osteopathy, as set forth in section 1861(r)(1) of the Act.
- (b) *Qualifications*. For Medicare Part B coverage of his or her services, a clinical nurse specialist must—
- (1) Be a registered nurse who is currently licensed to practice in the State where he or she practices and be authorized to perform the services of a clinical nurse specialist in accordance with State law;
- (2) Have a master's degree in a defined clinical area of nursing from an accredited educational institution; and
- (3) Be certified as a clinical nurse specialist by the American Nurses Credentialing Center.
- (c) Services. Medicare Part B covers clinical nurse specialists' services in all settings in both rural and urban areas only if the services would be covered if furnished by a physician and the clinical nurse specialist—
- (1) Is legally authorized to perform them in the State in which they are performed:
- (2) Is not performing services that are otherwise excluded from coverage by one of the statutory exclusions; and
- (3) Performs them while working in collaboration with a physician.

- (i) Collaboration is a process in which a clinical nurse specialist works with one or more physicians to deliver health care services within the scope of the practitioner's expertise, with medical direction and appropriate supervision as provided for in jointly developed guidelines or other mechanisms as provided by the law of the State in which the services are performed.
- (ii) In the absence of State law governing collaboration, collaboration is a process in which a clinical nurse specialist has a relationship with one or more physicians to deliver health care services. Such collaboration is to be evidenced by clinical nurse specialists documenting the clinical nurse specialists' scope of practice and indicating the relationships that they have with physicians to deal with issues outside their scope of practice. Clinical nurse specialists must document this collaborative process with physicians.

(iii) The collaborating physician does not need to be present with the clinical nurse specialist when the services are furnished, or to make an independent evaluation of each patient who is seen by the clinical nurse specialist.

- (d) Services and supplies furnished incident to clinical nurse specialists' services. Medicare Part B covers services and supplies (including drugs and biologicals that cannot be self-administered) incident to a clinical nurse specialist's services that meet the requirements in paragraph (c) of this section. These services and supplies are covered only if they—
- (1) Would be covered if furnished by a physician or as incident to the professional services of a physician;
- (2) Are of the type that are commonly furnished in a physician's office and are either furnished without charge or are included in the bill for the clinical nurse specialist's services;
- (3) Although incidental, are an integral part of the professional service performed by the clinical nurse specialist; and
- (4) Are performed under the direct supervision of the clinical nurse specialist (that is, the clinical nurse specialist must be physically present and immediately available).
- (e) Professional services. Clinical nurse specialists can be paid for professional services only when the services have been personally performed by them and no facility or other provider charges, or is paid, any amount for the furnishing of the professional services.
- (1) Supervision of other nonphysician staff by clinical nurse specialists does not constitute personal performance of a

- professional service by clinical nurse specialists.
- (2) The services are provided on an assignment-related basis, and a clinical nurse specialist may not charge a beneficiary for a service not payable under this provision. If a beneficiary has made payment for a service, the clinical nurse specialist must make the appropriate refund to the beneficiary.

## § 410.77 Certified nurse-midwives' services: Qualifications and conditions.

- (a) Qualifications. For Medicare coverage of his or her services, a certified nurse-midwife must:
- (1) Be a registered nurse who is legally authorized to practice as a nursemidwife in the State where services are performed;
- (2) Have successfully completed a program of study and clinical experience for nurse-midwives that is accredited by an accrediting body approved by the U.S. Department of Education; and
- (3) Be certified as a nurse-midwife by the American College of Nurse-Midwives or the American College of Nurse-Midwives Certification Council.
- (b) Services. A certified nurse-midwife's services are services furnished by a certified nurse-midwife and services and supplies furnished as an incident to the certified nurse-midwife's services that—
- (1) Are within the scope of practice authorized by the law of the State in which they are furnished and would otherwise be covered if furnished by a physician or as an incident to a physician's service; and
- (2) Unless required by State law, are provided without regard to whether the certified nurse-midwife is under the supervision of, or associated with, a physician or other health care provider.
- (c) Incident to services: Basic rule.

  Medicare covers services and supplies furnished incident to the services of a certified nurse-midwife, including drugs and biologicals that cannot be self-administered, if the services and supplies meet the following conditions:
- (1) They would be covered if furnished by a physician or as incident to the professional services of a physician.
- (2) They are of the type that are commonly furnished in a physician's office and are either furnished without charge or are included in the bill for the certified nurse-midwife's services.
- (3) Although incidental, they are an integral part of the professional service performed by the certified nursemidwife.
- (4) They are furnished under the direct supervision of a certified nurse-

- midwife (that is, the midwife is physically present and immediately available).
- (d) *Professional services*. A nurse-midwife can be paid for professional services only when the services have been performed personally by the nurse-midwife.
- (1) Supervision of other nonphysician staff by a nurse-midwife does not constitute personal performance of a professional service by the nurse-midwife.
- (2) The service is provided on an assignment-related basis, and a nurse-midwife may not charge a beneficiary for a service not payable under this provision. If the beneficiary has made payment for a service, the nurse-midwife must make the appropriate refund to the beneficiary.
- (3) A nurse-midwife may provide services that he or she is legally authorized to perform under State law as a nurse-midwife, if the services would otherwise be covered by the Medicare program when furnished by a physician or incident to a physicians' professional services.

## § 410.78 Consultations via telecommunications systems.

- (a) General rule. Medicare Part B pays for professional consultations furnished by means of interactive telecommunications systems if the following conditions are met:
- (1) The consulting practitioner is any of the following:
- (i) A physician as described in § 410.20.
- (ii) A physician assistant as defined in § 410.74.
- (iii) A nurse practitioner as defined in § 410.75.
- (iv) A clinical nurse specialist as described in § 410.76.
- (v) A nurse-midwife as defined in § 410.77.
- (2) The referring practitioner is any of the following:
- (i) A physician as described in § 410.20.
- (ii) A physician assistant as defined in § 410.74.
- (iii) A nurse practitioner as defined in § 410.75.
- (iv) A clinical nurse specialist as described in § 410.76.
- (v) A nurse-midwife as defined in § 410.77.(vi) A clinical psychologist as
- described at § 410.71. (vii) A clinical social worker as
- (vii) A clinical social worker as defined in § 410.73.
- (3) The services are furnished to a beneficiary residing in a rural area as defined in section 1886(d)(2)(D) of the Act, and the area is designated as a

health professional shortage area (HPSA) under section 332(a)(1)(A) of the Public Health Service Act (42 U.S.C. 254e(a)(1)(A)). For purposes of this requirement, the beneficiary is deemed to be residing in such an area if the teleconsultation presentation takes place in such an area.

(4) The medical examination of the beneficiary is under the control of the

consulting practitioner.

(5) As a condition of payment, the teleconsultation involves the participation of the referring practitioner, or a practitioner described in section 1842(b)(18)(C) of the Act (other than a certified registered nurse anesthetist or anesthesiologist assistant) who is an employee of the referring practitioner, as appropriate to the medical needs of the patient and as needed to provide information to and at the direction of the consultant.

(6) The consultation results in a written report that is furnished to the

referring practitioner.

- (b) *Definition*. For purposes of this section, interactive telecommunications systems means multimedia communications equipment that includes, at a minimum, audio and video equipment permitting real-time consultation among the patient, consultant, and referring practitioner, or a practitioner described in section 1842(b)(18)(C) of the Act (other than a certified registered nurse anesthetist or anesthesiologist assistant) who is an employee of the referring practitioner, as appropriate to the medical needs of the patient and as needed to provide information to and at the direction of the consulting practitioner. Telephones, facsimile machines, and electronic mail systems do not meet the definition of interactive telecommunications systems.
- 9. In § 410.150, the introductory text to paragraph (b) is republished, and new paragraphs (b)(15) and (b)(16) are added to read as follows:

## § 410.150 To whom payment is made.

(b) Specific rules. Subject to the conditions set forth in paragraph (a) of this section, Medicare Part B pays as follows:

\* \* \* \* \*

(15) To the qualified employer of a physician assistant for professional services furnished by the physician assistant and for services and supplies furnished incident to his or her services. Payment is made to the employer of a physician assistant regardless of whether the physician assistant furnishes services under a W–2, employer-employee employment relationship, or whether the physician

assistant is an independent contractor who receives a 1099 reflecting the relationship. Both types of relationships must conform to the appropriate guidelines provided by the Internal Revenue Service. A qualified employer is not a group of physician assistants that incorporate to bill for their services. Payment is made only if no facility or other provider charges or is paid any amount for services furnished by a physician assistant.

(16) To a nurse practitioner or clinical nurse specialist for professional services furnished by a nurse practitioner or clinical nurse specialist in all settings in both rural and nonrural areas and for services and supplies furnished incident to those services. Payment is made only if no facility or other provider charges, or is paid, any amount for the furnishing of the professional services of the nurse practitioner or clinical nurse specialist.

\* \* \* \* \* \* \* 10. In § 410.152, the headings to paragraphs (a) and (a)(1) are republished, and paragraph (a)(1)(v) is revised to read as follows:

#### § 410.152 Amount of payment.

(a) General provisions—(1) Exclusion from incurred expenses.\* \*

(v) In the case of expenses incurred for outpatient physical therapy services including speech-language pathology services, the expenses excluded are from the incurred expenses under § 410.60(e). In the case of expenses incurred for outpatient occupational therapy including speech-language pathology services, the expenses excluded are from the incurred expenses under § 410.59(e).

#### PART 413—PRINCIPLES OF REASONABLE COST REIMBURSEMENT; PAYMENT FOR END-STAGE RENAL DISEASE SERVICES; OPTIONAL PROSPECTIVELY DETERMINED PAYMENT RATES FOR SKILLED NURSING FACILITIES

- C. Part 413 is amended as set forth below.
- 1. The authority citation for part 413 continues to read as follows:

**Authority:** Secs. 1102, 1861(v)(1)(A), and 1871 of the Social Security Act (42 U.S.C. 1302, 1395x(v)(1)(A), and 1395hh).

2. Section 413.125 is amended by designating the existing text as paragraph (a) and adding paragraph (b) to read as follows:

## § 413.125 Payment for home health agency services.

\* \* \* \* \*

(b) The reasonable cost of outpatient rehabilitation services furnished by a home health agency to homebound patients who are not entitled to home health benefits may not exceed the amounts payable under the physician fee schedule for comparable services effective January 1, 1999.

# PART 414—PAYMENT FOR PART B MEDICAL AND OTHER HEALTH SERVICES

- D. Part 414 is amended as set forth below:
- 1. The authority citation for part 414 continues to read as follows:

**Authority:** Secs. 1102, 1871, and 1881(b)(1) of the Social Security Act (42 U.S.C. 1302, 1395hh, and 1395rr(b)(1)).

2. In § 414.1, the introductory text is republished, and the following statutory authorities are added in numerical order to read as follows:

#### § 414.1 Basis and scope.

This part implements the indicated provisions of the following sections of the Act:

1802—Rules for private contracts by Medicare beneficiaries.

1820—Rules for Medicare reimbursement for telehealth services.

\* \* \* \* \*

3. Sections 414.20 through 414.62 are redesignated as Subpart B, and a new heading is added to read "Subpart B—Physicians and Other Practitioners".

4. In § 414.22, the introductory text to the section is revised and the heading to paragraph (b) is republished, and new paragraph (b)(5) is added to read as follows:

#### § 414.22 Relative value units (RVUs).

HCFA establishes RVUs for physicians' work, practice expense, and malpractice insurance.

(b) Practice expense RVUs. \* \* \*

(5) For services furnished beginning January 1, 1999, the practice expense RVUs are based on 75 percent of the practice expense RVUs applicable to services furnished in 1998 and 25 percent of the relative practice expense resources involved in furnishing the service. For services furnished in 2000, the practice expense RVUs are based on 50 percent of the practice expense RVUs applicable to services furnished in 1998 and 50 percent of the relative practice expense resources involved in furnishing the service. For services furnished in 2001, the practice expense RVUs are based on 25 percent of the practice expense RVUs applicable to services furnished in 1998 and 75 percent of the relative practice expense

resources involved in furnishing the service. For services furnished in 2002 and subsequent years, the practice expense RVUs are based entirely on relative practice expense resources.

- (i) Usually one of two levels of practice expense RVUs per code can be applied to each service. The lower practice expense RVUs apply to services furnished to hospital, skilled nursing facility, or ambulatory surgical center patients. The higher practice expense RVUs apply to services performed in a physician's office; services, other than evaluation and management services, furnished to patients in a nursing facility, in a facility or institution other than a hospital, skilled nursing facility, or ambulatory surgical center, or in the home; and other services furnished to facility patients for which the facility payment does not include physicians' practice costs.
- (ii) Only one practice expense RVU per code can be applied for each of the following services: services that have only technical component practice expense RVUs or only professional component practice expense RVUs; evaluation and management services, such as hospital or nursing facility visits, that are furnished exclusively in one setting; and major surgical services.
- 5. In § 414.32, the heading and paragraph (b) are revised to read as follows:

# § 414.32 Determining payments for certain physicians' services furnished in facility settings.

\* \* \* \* \*

(b) General rule. If physicians' services of the type routinely furnished in physicians' offices are furnished in facility settings before January 1, 1999, the physician fee schedule amount for those services is determined by reducing the practice expense RVUs for the services by 50 percent. For services furnished on or after January 1, 1999, the practice expense RVUs are determined in accordance with § 414.22(b)(5).

\* \* \* \* \*

6. In § 414.34, the section heading is revised, and a new paragraph (a)(2)(iii) is added to read as follows:

## § 414.34 Payment for services and supplies incident to a physician's service.

- (a) Medical supplies. \* \* \*
- (2) \* \* \*
- (iii) It is furnished before January 1, 1999.

\* \* \* \* \*

7. In § 414.52, the section heading and introductory text are revised, and a new

paragraph (d) is added to read as follows:

## § 414.52 Payment for physician assistants' services.

Allowed amounts for the services of a physician assistant furnished beginning January 1, 1992 and ending December 31, 1997, may not exceed the limits specified in paragraphs (a) through (c) of this section. Allowed amounts for the services of a physician assistant furnished beginning January 1, 1998, may not exceed the limits specified in paragraph (d) of this section.

\* \* \* \* \*

- (d) For services (other than assistantat-surgery services) furnished beginning January 1, 1998, 85 percent of the physician fee schedule amount for the service. For assistant-at-surgery services, 85 percent of the physician fee schedule amount that would be allowed under the physician fee schedule if the assistant-at-surgery service were furnished by a physician.
- 8. Section 414.56 is revised to read as follows:

## § 414.56 Payment for nurse practitioners' and clinical nurse specialists' services.

- (a) Rural areas. For services furnished beginning January 1, 1992 and ending December 31, 1997, allowed amounts for the services of a nurse practitioner or a clinical nurse specialist in a rural area (as described in section 1861(s)(2)(K)(iii) of the Act) may not exceed the following limits:
- (1) For services furnished in a hospital (including assistant-at-surgery services), 75 percent of the physician fee schedule amount for the service.
- (2) For all other services, 85 percent of the physician fee schedule amount for the service.
- (b) Non-rural areas. For services furnished beginning January 1, 1992 and ending December 31, 1997, allowed amounts for the services of a nurse practitioner or a clinical nurse specialist in a nursing facility may not exceed 85 percent of the physician fee schedule amount for the service.
- (c) Beginning January 1, 1998. For services (other than assistant-at-surgery services) furnished beginning January 1, 1998, allowed amounts for the services of a nurse practitioner or clinical nurse specialist may not exceed 85 percent of the physician fee schedule amount for the service. For assistant-at-surgery services, allowed amounts for the services of a nurse practitioner or clinical nurse specialist may not exceed 85 percent of the physician fee schedule amount that would be allowed under the physician fee schedule if the

- assistant-at-surgery service were furnished by a physician.
- 9. Section 414.65 is added to subpart B, to read as follows:

## § 414.65 Payment for consultations via interactive telecommunications systems.

- (a) Limitations on payment. Medicare payment for a professional consultation conducted via interactive telecommunications systems is subject to the following limitations:
- (1) The payment may not exceed the current fee schedule amount applicable to the consulting practitioner for the health care service provided.
- (2) The payment may not include reimbursement for any telephone line charges or any facility fees.
- (3) The payment is subject to the coinsurance and deductible requirements of sections 1833(a)(1) and (b) of the Act.
- (4) The payment differential of section 1848(a)(3) of the Act applies to services furnished by nonparticipating physicians.
- (b) *Prohibited billing*. The beneficiary may not be billed for any telephone line charges or any facility fees.
- (c) Assignment required for nonphysician practitioners. Payment to nonphysician practitioners is made only on an assignment-related basis.
- (d) Who may bill for the consultation. Only the consultant practitioner may bill for the consultation.
- (e) Sharing of payment. The consultant practitioner must provide to the referring practitioner 25 percent of any payments he or she receives for the consultation, including any applicable deductible or coinsurance amounts.
- (f) Sanctions. A practitioner may be subject to the applicable sanctions provided for in chapter V, parts 1001, 1002, and 1003 of this title if he or she—
- (1) Knowingly and willfully bills or collects for services in violation of the limitations of this section on a repeated basis; or
- (2) Fails to timely correct excess charges by reducing the actual charge billed for the service to an amount that does not exceed the limiting charge for the service or fails to timely refund excess collections.

# PART 415—SERVICES FURNISHED BY PHYSICIANS IN PROVIDERS, SUPERVISING PHYSICIANS IN TEACHING SETTINGS, AND RESIDENTS IN CERTAIN SETTINGS

- E. Part 415 is amended as set forth below:
- 1. The authority citation for part 415 continues to read as follows:

**Authority:** Secs. 1102 and 1871 of the Social Security Act (41 U.S.C. 1302 and 1395hh).

2. Section 415.110 is revised to read as follows:

## § 415.110 Conditions for payment: Medically directed anesthesia services.

- (a) General payment rule. Medicare pays for the physician's medical direction of anesthesia services for one service or two through four concurrent anesthesia services furnished after December 31, 1998, only if each of the services meets the condition in § 415.102(a) and the following additional conditions:
  - (1) For each patient, the physician—(i) Performs a pre-anesthetic
- examination and evaluation;
  - (ii) Prescribes the anesthesia plan;
- (iii) Personally participates in the most demanding aspects of the anesthesia plan including, if applicable, induction and emergence;
- (iv) Ensures that any procedures in the anesthesia plan that he or she does not perform are performed by a qualified individual as defined in operating instructions;
- (v) Monitors the course of anesthesia administration at frequent intervals;
- (vi) Remains physically present and available for immediate diagnosis and treatment of emergencies; and
- (vii) Provides indicated postanesthesia care.
- (2) The physician directs no more than four anesthesia services concurrently and does not perform any other services while he or she is directing the single or concurrent services so that one or more of the conditions in paragraph (a)(1) of this section are not violated.
- (3) If the physician personally performs the anesthesia service, the payment rules in § 414.46(c) of this chapter apply (Physician personally performs the anesthesia procedure).
- (b) Medical documentation. The physician alone inclusively documents in the patient's medical record that the conditions set forth in paragraph (a)(1) of this section have been satisfied, specifically documenting that he or she performed the pre-anesthetic exam and evaluation, provided the indicated post-anesthesia care, and was present during the most demanding procedures, including induction and emergence where applicable.

## PART 424—CONDITIONS FOR MEDICARE PAYMENT

- F. Part 424 is amended as set forth below:
- 1. The authority citation for part 424 continues to read as follows:

**Authority:** Secs. 1102 and 1871 of the Social Security Act (41 U.S.C. 1302 and 1395hh).

2. In § 424.24, paragraphs (c) introductory text, (c)(1)(ii), (c)(1)(iii), (c)(3)(i), (c)(3)(ii), (c)(4), (f)(2), and (f)(3) are revised to read as follows:

## § 424.24 Requirements for medical and other health services furnished by providers under Medicare Part B.

\* \* \* \* \*

- (c) Outpatient physical therapy and speech-language pathology services—(1) Content of certification. \* \* \*
- (ii) The services were furnished while the individual was under the care of a physician, nurse practitioner, clinical nurse specialist, or physician assistant.
- (iii) The services were furnished under a plan of treatment that meets the requirements of § 410.61 of this chapter.

(3) Signature. \* \* \*

(i) If the plan of treatment is established by a physician, nurse practitioner, clinical nurse specialist, or physician assistant, the certification must be signed by that physician or nonphysician practitioner.

(ii) If the plan of treatment is established by a physical therapist or speech-language pathologist, the certification must be signed by a physician or by a nurse practitioner, clinical nurse specialist, or physician assistant who has knowledge of the case.

(4) Recertification—(i) Timing. Recertification statements are required at least every 30 days and must be signed by the physician, nurse practitioner, clinical nurse specialist, or physician assistant who reviews the plan of treatment.

(ii) Content. The recertification statement must indicate the continuing need for physical therapy or speechlanguage pathology services and an estimate of how much longer the services will be needed.

(iii) Signature. Recertifications must be signed by the physician, nurse practitioner, clinical nurse specialist, or physician assistant who reviews the plan of treatment.

(f) \* \* \*

- (2) Signature. The certificate must be signed by a physician, nurse practioner, clinical nurse specialist, or physician assistant who has knowledge of the case.
- (3) *Timing.* The physician, nurse practioner, clinical nurse specialist, or physician assistant may provide certification at the time the services are furnished or, if services are provided on a continuing basis, either at the

beginning or at the end of a series of visits.

\* \* \* \* \*

# PART 485—CONDITIONS OF PARTICIPATION: SPECIALIZED PROVIDERS

- G. Part 485 is amended as set forth below:
- 1. The authority citation for part 485 continues to read as follows:

**Authority:** Secs. 1102 and 1871 of the Social Security Act (41 U.S.C. 1302 and 1395hh).

2. Section 485.705 is revised to read as follows:

#### § 485.705 Personnel qualifications.

- (a) General qualification requirements. Except as specified in paragraphs (b) and (c) of this section, all personnel who are involved in the furnishing of outpatient physical therapy, occupational therapy, and speech-language pathology services directly by or under arrangements with an organization must be legally authorized (licensed or, if applicable, certified or registered) to practice by the State in which they perform the functions or actions, and must act only within the scope of their State license or State certification or registration.
- (b) Exception for Federally defined qualifications. The following Federally defined qualifications must be met:
- (1) For a physician, the qualifications and conditions as defined in section 1861(r) of the Act and the requirements in part 484 of this chapter.
- (2) For a speech-language pathologist, the qualifications specified in section 1861(11)(1) of the Act and the requirements in part 484 of this chapter.
- (c) Exceptions when no State
  Licensing laws or State certification or
  registration requirements exist. If no
  State licensing laws or State
  certification or registration requirements
  exist for the profession, the following
  requirements must be met—
- (1) An *administrator* is a person who has a bachelor's degree and:
- (i) Has experience or specialized training in the administration of health institutions or agencies; or
- (ii) Is qualified and has experience in one of the professional health disciplines.
- (2) An *occupational therapist* must meet the requirements in part 484 of this chapter.
- (3) An occupational therapy assistant must meet the requirements in part 484 of this chapter.
- (4) A *physical therapist* must meet the requirements in part 484 of this chapter.

- (5) A *physical therapist assistant* must meet the requirements in part 484 of this chapter.
- (6) A *social worker* must meet the requirements in part 484 of this chapter.

(7) A *vocational specialist* is a person who has a baccalaureate degree and—

(i) Two years experience in vocational counseling in a rehabilitation setting such as a sheltered workshop, State employment service agency, etc.; or

- (ii) Åt least 18 semester hours in vocational rehabilitation, educational or vocational guidance, psychology, social work, special education or personnel administration, and 1 year of experience in vocational counseling in a rehabilitation setting; or
- (iii) A master's degree in vocational counseling.
- (8) A nurse practitioner is a person who must:
- (i) Possess a master's degree in
- (ii) Be a registered professional nurse who is authorized by the State in which the services are furnished, to practice as a nurse practitioner in accordance with State law; and,
- (iii) Be certified as a nurse practitioner by the American Nurses Credentialing Center.
- (9) A clinical nurse specialist is a person who must:
- (i) Be a registered nurse who is currently licensed to practice in the State where he or she practices and be authorized to perform the services of a clinical nurse specialist in accordance with State law;
- (ii) Have a master's degree in a defined clinical area of nursing from an accredited educational institution; and,
- (iii) Be certified as a clinical nurse specialist by the American Nurses Credentialing Center.
- (10) A physician assistant is a person who:
- (i) Has graduated from a physician assistant educational program that is accredited by the National Commission on Accreditation of Allied Health Education Programs; and
- (ii) Has passed the national certification examination that is certified by the National Commission on Certification of Physician Assistants; and
- (iii) Is licensed by the State as a physician assistant to practice as a physician assistant.
- 3. In § 485.711, paragraph (b)(3) is revised to read as follows:

## § 485.711 Conditions of participation: Plan of care and physician involvement.

(b) \* \* \*

(3) The plan of care and results of treatment are reviewed by the physician

or by the individual who established the plan at least as often as the patient's condition requires, and the indicated action is taken. (For Medicare patients, the plan must be reviewed by a physician, nurse practitioner, clinical nurse specialist, or physician assistant at least every 30 days, in accordance with § 410.61(e) of this chapter.)

(Catalog of Federal Domestic Assistance Program No. 93.774, Medicare— Supplementary Medical Insurance Program) Dated: October 20, 1998.

#### Nancy-Ann Min DeParle,

Administrator, Health Care Financing Administration.

Dated: October 26, 1998.

#### Donna E. Shalala,

Secretary.

**Note:** These addenda will not appear in the Code of Federal Regulations.

## Addendum A—Explanation and Use of Addenda B Through C

The addenda on the following pages provide various data pertaining to the Medicare fee schedule for physicians' services furnished in 1999. Addendum B contains the RVUs for work, nonfacility practice expense, facility practice expense, and malpractice expense, and other information for all services included in the physician fee schedule. Addendum C provides interim RVUs and related information for codes that are subject to comment. Each code listed in Addendum C is also included in Addendum B. Further explanations of the information in these addenda are provided at the beginning of each addendum.

#### Addendum B—1999 Relative Value Units and Related Information Used in Determining Medicare Payments for 1999

This addendum contains the following information for each CPT code and alphanumeric HCPCS code, except for alphanumeric codes beginning with B (enteral and parenteral therapy), E (durable medical equipment), K (temporary codes for nonphysicians' services or items), or L (orthotics), and codes for anesthesiology.

1. *CPT/HCPCS code*. This is the CPT or alphanumeric HCPCS number for the service. Alphanumeric HCPCS codes are included at the end of this addendum.

2. Modifier. A modifier is shown if there is a technical component (modifier TC) and a professional component (PC) (modifier -26) for the service. If there is a PC and a TC for the service, Addendum B contains three entries for the code: One for the global values (both

professional and technical); one for modifier -26 (PC); and one for modifier TC. The global service is not designated by a modifier, and physicians must bill using the code without a modifier if the physician furnishes both the PC and the TC of the service.

Modifier -53 is shown for a discontinued procedure. There will be RVUs for the code (CPT code 45378) with this modifier.

3. Status indicator. This indicator shows whether the CPT/HCPCS code is in the physician fee schedule and whether it is separately payable if the service is covered.

A=Active code. These codes are separately payable under the fee schedule if covered. There will be RVUs for codes with this status. The presence of an "A" indicator does not mean that Medicare has made a national decision regarding the coverage of the service. Carriers remain responsible for coverage decisions in the absence of a national Medicare policy.

Medicare policy.

B=Bundled code. Payment for covered services is always bundled into payment for other services not specified. If RVUs are shown, they are not used for Medicare payment. If these services are covered, payment for them is subsumed by the payment for the services to which they are incident. (An example is a telephone call from a hospital nurse regarding care of a patient.)

C=Carrier-priced code. Carriers will establish RVUs and payment amounts for these services, generally on a case-by-case basis following review of documentation, such as an operative report.

D=Deleted code. These codes are deleted effective with the beginning of the calendar year.

E=Excluded from physician fee schedule by regulation. These codes are for items or services that we chose to exclude from the physician fee schedule payment by regulation. No RVUs are shown, and no payment may be made under the physician fee schedule for these codes. Payment for them, if they are covered, continues under reasonable charge or other payment procedures.

G=Code not valid for Medicare purposes. Medicare does not recognize codes assigned this status. Medicare uses another code for reporting of, and payment for, these services.

N=Noncovered service. These codes are noncovered services. Medicare payment may not be made for these codes. If RVUs are shown, they are not used for Medicare payment.

P=Bundled or excluded code. There are no RVUs for these services. No separate payment should be made for them under the physician fee schedule.

- —If the item or service is covered as incident to a physician's service and is furnished on the same day as a physician's service, payment for it is bundled into the payment for the physician's service to which it is incident (an example is an elastic bandage furnished by a physician incident to a physician's service).
- —If the item or service is covered as other than incident to a physician's service, it is excluded from the physician fee schedule (for example, colostomy supplies) and is paid under the other payment provisions of the Act.

R=Restricted coverage. Special coverage instructions apply. If the service is covered and no RVUs are shown, it is carrier-priced.

T=Injections. There are RVUs for these services, but they are only paid if there are no other services payable under the physician fee schedule billed on the same date by the same provider. If any other services payable under the physician fee schedule are billed on the same date by the same provider, these services are bundled into the service(s) for which payment is made.

X=Exclusion by law. These codes represent an item or service that is not within the definition of "physicians" services" for physician fee schedule payment purposes. No RVUs are shown

- for these codes, and no payment may be made under the physician fee schedule. (Examples are ambulance services and clinical diagnostic laboratory services.)
- 4. *Description of code.* This is an abbreviated version of the narrative description of the code.
- 5. *Physician work RVUs*. These are the RVUs for the physician work for this service in 1999. Codes that are not used for Medicare payment are identified with a "+."
- 6. Non-facility practice expense RVUs. These are the fully implemented resource-based practice expense RVUs for non-facility settings.
- 7. Transition non-facility practice expense RVUs. Blended 1999 non-facility practice expense RVUs.
- 8. Facility practice expense RVUs. These are the fully implemented resource-based practice expense RVUs for facility settings.
- 9. Transition facility practice expense RVUs. Blended 1999 facility practice expense RVUs.
- 10. *Malpractice expense RVUs.* These are the RVUs for the malpractice expense for the service for 1999.
- 11. *Non-facility total*. This is the sum of the work, fully implemented non-facility practice expense, and malpractice expense RVUs for 1999.
- 12. *Transition non-facility total.* This is the sum of the work, transition non-

- facility practice expense, and malpractice expense RVUs for 1999.
- 13. Facility total. This is the sum of the work, fully implemented facility practice expense, and malpractice expense RVUs for 1999.
- 14. *Transition facility total.* This is the sum of the work, transition facility practice expense, and malpractice expense RVUs for 1999.
- 15. Global period. This indicator shows the number of days in the global period for the code (0, 10, or 90 days). An explanation of the alpha codes follows:
- MMM = The code describes a service furnished in uncomplicated maternity cases including antepartum care, delivery, and postpartum care. The usual global surgical concept does not apply. See the 1998 Physicians' Current Procedural Terminology for specific definitions.
- XXX =The global concept does not apply.
- YYY = The global period is to be set by the carrier (for example, unlisted surgery codes).
- ZZZ = The code is part of another service and falls within the global period for the other service.

BILLING CODE 4120-01-P

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|  |        | ADD                          | ADDLADOM D     | ערנאווני ו           | ארחר חשונוס(א            | TOS/ AND I           | NEWS INT             | CAMMAICA         |                   |                      |                   |                   |        |
|--|--------|------------------------------|----------------|----------------------|--------------------------|----------------------|----------------------|------------------|-------------------|----------------------|-------------------|-------------------|--------|
|  |        |                              |                | Non-                 | Transitioned             | į                    | Transitioned         |                  |                   |                      |                   |                   |        |
|  |        |                              | Physician      | tacility<br>practice | Non-facility<br>practice | Facility<br>practice | Facility<br>practice | Maj-             | Non-              | Transitioned<br>Non- |                   | Transitioned      |        |
| CPT <sup>1</sup> /<br>HCPCS <sup>2</sup> Mod | Status | Description                  | work 3<br>RVUs | expense<br>RVUs      | expense<br>RVUs          | expense<br>RVUs      | expense<br>RVUs      | practice<br>RUVs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Global |
| 10040  | ∢      | Acne surgery of skin abscess | 1.18           | 1.28                 | 0.58                     | 0.54                 | 0.27                 | 0.02             | 2.48              | 1.78                 | 1.74              | 1.47              | 95     |
| 10060  | ∢      | Drainage of skin abscess     | 1.17           | 1.16                 | 0.65                     | 0.58                 | 0.33                 | 0.03             | 2.36              | 1.85                 | 1.78              | 1.53              | 010    |
| 10061  | ∢      | Drainage of skin abscess     | 2.40           | 1.79                 | 0.97                     | 1.07                 | 0.53                 | 0.05             | 4.24              | 3.42                 | 3.52              | 2.98              | 010    |
| 10080  | ∢      | Drainage of pilonidal cyst   | 1.17           | 1.73                 | 0.84                     | 09.0                 | 0.35                 | 0.04             | 2.94              | 2.05                 | 1.81              | 1.56              | 010    |
| 10081  | ∢      | Drainage of pilonidal cyst   | 2.45           | 2.32                 | 1.48                     | 1.27                 | 0.77                 | 0.13             | 4.90              | 4.06                 | 3.85              | 3.35              | 010    |
| 10120  | ∢      | Remove foreign body          | 1.22           | 1.56                 | 0.77                     | 09:0                 | 0.34                 | 0.04             | 2.82              | 2.03                 | 1.86              | 1.60              | 010    |
| 10121  | ∢      | Remove foreign body          | 2.69           | 2.44                 | 1.43                     | 1.46                 | 0.78                 | 0.09             | 5.22              | 4.21                 | 4.24              | 3.56              | 910    |
| 10140  | ∢      | Drainage of hematoma/fluid   | 1.53           | 1.22                 | 0.70                     | 0.77                 | 0.39                 | 0.04             | 2.79              | 2.27                 | 2.34              | 1.96              | 010    |
| 10160  | ∢      | Puncture drainage of lesion  | 1.20           | 1.33                 | 0.64                     | 0.65                 | 0.32                 | 0.04             | 2.57              | 1.88                 | 1.89              | 1.56              | 010    |
| 10180  | ∢      | Complex drainage, wound      | 2.25           | 1.19                 | 1.15                     | 1.14                 | 1.14                 | 0.14             | 3.58              | 3.54                 | 3.53              | 3.53              | 010    |
| 11000  | ∢      | Debride infected skin        | 09.0           | 0.49                 | 0.45                     | 0.24                 | 0.23                 | 0.03             | 1.12              | 1.08                 | 0.87              | 0.86              | 8      |
| 11001  | ∢      | Debride infect skin add-on   | 0.30           | 0.26                 | 0.28                     | 0.12                 | 0.14                 | 0.02             | 0.58              | 09.0                 | 0.44              | 0.46              | 777    |
| 11010  | ∢      | Debride skin, fx             | 4.20           | 2.07                 | 3.74                     | 1.87                 | 3.69                 | 0.51             | 6.78              | 8.45                 | 6.58              | 8.40              | 9      |
| 11011  | ∢      | Debride skin/muscle, fx      | 4.95           | 3.26                 | 4.66                     | 2.49                 | 4.46                 | 0.60             | 8.81              | 10.21                | 8.04              | 10.01             | 8      |
| 11012  | ∢      | Debride skin/muscle/bone, fx | 6.88           | 4.66                 | 6.51                     | 3.92                 | 6.32                 | 0.84             | 12.38             | 14.23                | 11.64             | 14.04             | 8      |
| 11040  | ∢      | Debride skin partial         | 0.50           | 0.43                 | 0.43                     | 0.20                 | 0.22                 | 0.03             | 96.0              | 96.0                 | 0.73              | 0.75              | 8      |
| 11041  | ∢      | Debride skin full            | 0.82           | 0.59                 | 0.61                     | 0.32                 | 0.31                 | 0.05             | 1.46              | 1.48                 | 1.19              | 1.18              | 00     |
| 11042  | ∢      | Debride skin/tissue          | 1.12           | 0.80                 | 0.73                     | 0.45                 | 0.38                 | 90.0             | 1.98              | 1.91                 | 1.63              | 1.56              | 8      |
| 11043  | ∢      | Debride tissue/muscle        | 2.38           | 2.02                 | 1.98                     | 1.27                 | 1.79                 | 0.27             | 4.67              | 4.63                 | 3.92              | 4.44              | 9      |
| 11044  | ⋖      | Debride tissue/muscle/bone   | 3.06           | 2.68                 | 2.97                     | 1.70                 | 2.72                 | 0.38             | 6.12              | 6.41                 | 5.14              | 6.16              | 99     |
| 11055  | œ      | Trim skin lesion             | 0.27           | 0.32                 | 0.29                     | 0.11                 | 0.13                 | 0.02             | 0.61              | 0.58                 | 0.40              | 0.42              | 8      |
| 11056  | œ      | Trim 2 to 4 skin lesions     | 0.39           | 0.36                 | 0.38                     | 0.15                 | 0.18                 | 0.02             | 0.77              | 0.79                 | 0.56              | 0.59              | 8      |
| 11057  | œ      | Trim over 4 skin lesions     | 0.50           | 0.41                 | 0.33                     | 0.20                 | 0.16                 | 0.02             | 0.93              | 0.85                 | 0.72              | 0.68              | 8      |
| 11100  | ∢      | Biopsy of skin lesion        | 0.81           | 1.24                 | 0.72                     | 0.37                 | 0.30                 | 0.03             | 2.08              | 1.56                 | 1.21              | 1.14              | 8      |
| 11101  | ∢      | Biopsy, skin add-on          | 0.41           | 0.55                 | 0.37                     | 0.20                 | 0.17                 | 0.02             | 96.0              | 0.80                 | 0.63              | 0.60              | 777    |
| 11200  | ⋖      | Removal of skin tags         | 0.77           | 0.92                 | 0.58                     | 0.31                 | 0.26                 | 0.03             | 1.72              | 1.38                 | 1.1               | 1.06              | 010    |
| 11201  | ∢ :    | Remove skin tags add-on      | 0.29           | 0.34                 | 0.22                     | 0.12                 | 0.10                 | 0.02             | 0.65              | 0.53                 | 0.43              | 0.41              | 777    |
| 11300  | ∢ ·    | Shave skin lesion            | 0.51           | 0.85                 | 0.65                     | 0.22                 | 0.27                 | 0.04             | 4.                | 1.20                 | 0.77              | 0.82              | 8      |
| 11301  | ∢ •    | Shave skin lesion            | 0.85           | 0.94                 | 0.78                     | 0.39                 | 0.38                 | 0.05             | 1.84              | 1.68                 | 1.29              | 1.28              | 8      |
| 11302  | ∢ •    | Shave skin lesion            | CO.T.          | 50.1                 | 0.99                     | 0.49                 | 0.49                 | 0.0              | 2.15              | 2.11                 | 1.61              | 1.61              | 000    |
| 11303  | ∢ ·    | Shave skin lesion            | 1.24           | 1.15                 | 1.40                     | 0.55                 | 69.0                 | 0.13             | 2.52              | 2.77                 | 1.92              | 5.06              | 8      |
| 11305  | ⋖      | Shave skin lesion            | 0.67           | 0.74                 | 0.61                     | 0.29                 | 0.28                 | 0.0              | 1.45              | 1.32                 | 1.00              | 0.99              | 00     |
| 11306  | ⋖      | Shave skin lesion            | 0.99           | 0.95                 | 0.82                     | 0.43                 | 0.40                 | 0.05             | 1.99              | 1.86                 | 1.47              | 1.44              | 8      |
| 11307  | ∢      | Shave skin lesion            | 1.14           | 1.03                 | 1.02                     | 0.51                 | 0.51                 | 0.08             | 2.25              | 2.24                 | 1.73              | 1.73              | 000    |
| 11308  | ∢      | Shave skin lesion            | 1.41           | 1.14                 | 1.43                     | 0.61                 | 0.72                 | 0.13             | 2.68              | 2.97                 | 2.15              | 2.26              | 8      |
| 11310  | ∢      | Shave skin lesion            | 0.73           | 0.94                 | 0.80                     | 0.34                 | 0.37                 | 0.05             | 1.72              | 1.58                 | 1.12              | 1.15              | 8      |
| 11311  | ∢      | Shave skin lesion            | 1.05           | 1.04                 | 0.95                     | 0.51                 | 0.47                 | 90.0             | 2.15              | 2.06                 | 1.62              | 1.58              | 8      |
| 11312  | ∢      | Shave skin lesion            | 1.20           | 1.1                  | 1.19                     | 0.58                 | 09.0                 | 0.09             | 2.40              | 2.48                 | 1.87              | 1.89              | 00     |
| 11313  | ∢      | Shave skin lesion            | 1.62           | 1.36                 | 1.56                     | 92.0                 | 08.0                 | 0.12             | 3.10              | 3.30                 | 2.50              | 2.54              | 00     |
| 11400  | ∢      | Removal of skin lesion       | 0.91           | 2.00                 | 0.94                     | 0.64                 | 0.38                 | 0.04             | 2.95              | 1.89                 | 1.59              | 1.33              | 010    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |            | ADI                         | ADDENDUM D KELAIIYE YALDE UMIIS(KYOS) AND KELAIED INFOKMAIION | NELWITTE !          | ALUE UNITAL                  | VVOS/AIND I         | בראונה וווו              | באוואוואט        | <u>.</u>         |                  |          |                          |             |
|--------------------|------------|-----------------------------|---|---------------------|------------------------------|---------------------|--------------------------|------------------|------------------|------------------|----------|--------------------------|-------------|
|                    |            |                             |   | Non-<br>facility    | Transitioned<br>Non-facility | Facility            | Transitioned<br>Facility |                  |                  | Transitioned     |          |                          |             |
| / <sub>1</sub> LLD |            |                             | Physician<br>work   | practice<br>expense | practice                     | practice<br>expense | practice<br>expense      | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |             |
| HCPCS 2 MG         | Mod Status | s Description               | RVUs <sup>3</sup>   | ŔVŰS                | RVUs                         | RVUs                | RVUs                     | RUVs             | Total            | Total            | Total    | Total                    | Global      |
| 11401              | ∢          | Removal of skin lesion      | 1.32  | 2.04                | 1.06                         | 0.81                | 0.48                     | 0.05             | 3.41             | 2.43             | 2.18     | 1.85                     | 010         |
| 11402              | ⋖          | Removal of skin lesion      | 1.61  | 2.13                | 1.26                         | 0.89                | 0.59                     | 0.07             | 3.81             | 2.94             | 2.57     | 2.27                     | 010         |
| 11403              | ∢          | Removal of skin lesion      | 1.92  | 1.92                | 1.43                         | 1.01                | 0.73                     | 0.10             | 3.94             | 3.45             | 3.03     | 2.75                     | 010         |
| 11404              | ∢          | Removal of skin lesion      | 2.20  | 2.06                | 1.64                         | 1.1                 | 0.84                     | 0.13             | 4.39             | 3.97             | 3.44     | 3.17                     | 010         |
| 11406              | ⋖          | Removal of skin lesion      | 2.76  | 2.77                | 2.22                         | 1.32                | 1.86                     | 0.26             | 5.79             | 5.24             | 4.34     | 4.88                     | 010         |
| 11420              | ∢          | Removal of skin lesion      | 1.06  | 1.71                | 0.85                         | 0.71                | 0.39                     | 0.04             | 2.81             | 1.95             | 1.81     | 1.49                     | 010         |
| 11421              | ∢          |                             | 1.53  | 2.00                | 1.08                         | 0.91                | 0.52                     | 0.05             | 3.58             | 2.66             | 2.49     | 2.10                     | 010         |
| 11422              | ∢          |                             | 1.76  | 2.14                | 1.30                         | 0.97                | 0.63                     | 0.08             | 3.98             | 3.14             | 2.81     | 2.47                     | 010         |
| 11423              | ∢          | Removal of skin lesion      | 2.17  | 2.06                | 1.58                         | 1.16                | 0.82                     | 0.12             | 4.35             | 3.87             | 3.45     | 3.11                     | 010         |
| 11424              | ∢          |                             | 2.62  | 2.21                | 1.69                         | 1.32                | 06.0                     | 0.13             | 4.96             | 4.44             | 4.07     | 3.65                     | 010         |
| 11426              | ∢          | Removal of skin lesion      | 3.78  | 3.22                | 2.30                         | 1.77                | 1.94                     | 0.23             | 7.23             | 6.31             | 5.78     | 5.95                     | 010         |
| 11440              | ∢          | Removal of skin lesion      | 1.15  | 2.10                | 1.09                         | 98.0                | 0.50                     | 0.05             | 3.30             | 2.29             | 5.06     | 1.70                     | 010         |
| 11441              | 4          | Removal of skin lesion      | 1.61  | 2.24                | 1.25                         | 1.06                | 0.61                     | 90.0             | 3.91             | 2.92             | 2.73     | 2.28                     | 010         |
| 11442              | ∢          | Removal of skin lesion      | 1.87  | 2.33                | 1.50                         | 1.16                | 0.75                     | 0.09             | 4.29             | 3.46             | 3.12     | 2.71                     | 010         |
| 11443              | ⋖          | Removal of skin lesion      | 2.49  | 2.78                | 1.87                         | 1.47                | 96.0                     | 0.12             | 5.39             | 4.48             | 4.08     | 3.57                     | 010         |
| 11444              | ∢          | Removal of skin lesion      | 3.42  | 2.81                | 1.90                         | 1.90                | 1.08                     | 0.11             | 6.34             | 5.43             | 5.43     | 4.61                     | 010         |
| 11446              | ⋖          |                             | 4.49  | 3.69                | 2.37                         | 2.33                | 1.31                     | 0.14             | 8.32             | 7.00             | 96.9     | 5.94                     | 010         |
| 11450              | ∢          | Removal,                    | 2.73  | 3.44                | 3.04                         | 0.89                | 2.41                     | 0.34             | 6.51             | 6.11             | 3.96     | 5.48                     | <b>6</b> 60 |
| 11451              | ∢          | Removal, sweat gland lesion | 3.95  | 3.99                | 3.36                         | 1.61                | 2.77                     | 0.36             | 8.30             | 79.7             | 5.92     | 7.08                     | 060         |
| 11462              | ⋖          |                             | 2.51  | 3.22                | 2.77                         | 96.0                | 2.21                     | 0.28             | 6.01             | 5.56             | 3.77     | 2.00                     | 060         |
| 11463              | ∢          |                             | 3.95  | 4.63                | 2.79                         | 1.60                | 2.03                     | 0.27             | 8.85             | 7.01             | 5.82     | 6.25                     | 060         |
| 11470              | ∢          | Removal,                    | 3.25  | 4.09                | 3.29                         | 1.29                | 2.59                     | 0.35             | 69.7             | 68.9             | 4.89     | 6.19                     | 060         |
| 11471              | ∢          | Removal, sweat gland lesion | 4.41  | 4.79                | 3.20                         | 1.79                | 2.45                     | 0.38             | 9.58             | 7.99             | 6.58     | 7.24                     | 060         |
| 11600              | ⋖          | Removal of skin lesion      | 1.41  | 2.17                | 1.47                         | 0.89                | 69.0                     | 0.08             | 3.66             | 2.96             | 2.38     | 2.18                     | 010         |
| 11601              | ∢          | Removal of skin lesion      | 1.93  | 2.11                | 1.66                         | 0.82                | 0.78                     | 0.09             | 4.13             | 3.68             | 2.84     | 2.80                     | 010         |
| 11602              | ⋖          | Removal of skin lesion      | 2.09  | 2.26                | 2.05                         | 1.19                | 1.04                     | 0.13             | 4.48             | 4.27             | 3.41     | 3.26                     | 010         |
| 11603              | ∢          |                             | 2.35  | 2.10                | 2.36                         | 1.27                | 1.23                     | 0.16             | 4.61             | 4.87             | 3.78     | 3.74                     | 010         |
| 11604              | ∢          |                             | 2.58  | 2.24                | 2.67                         | 1.34                | 1.39                     | 0.20             | 5.02             | 5.45             | 4.12     | 4.17                     | 010         |
| 11606              | ⋖          |                             | 3.43  | 3.07                | 3.30                         | 1.66                | 2.95                     | 0.38             | 6.88             | 7.11             | 5.47     | 92.9                     | 010         |
| 11620              | V          |                             | 1.34  | 2.12                | 1.62                         | 0.90                | 0.77                     | 0.09             | 3.55             | 3.05             | 2.33     | 2.20                     | 010         |
| 11621              | ¥          | Removal of skin lesion      | 1.97  | 2.25                | 1.99                         | 1.20                | 1.01                     | 0.13             | 4.35             | 4.09             | 3.30     | 3.11                     | 010         |
| 11622              | ⋖          | Removal of skin lesion      | 2.34  | 2.41                | 2.40                         | 1.35                | 1.24                     | 0.15             | 4.90             | 4.89             | 3.84     | 3.73                     | 010         |
| 11623              | ∢          | Removal of skin lesion      | 2.93  | 2.39                | 2.70                         | 1.60                | 1.45                     | 0.20             | 5.52             | 5.83             | 4.73     | 4.58                     | 010         |
| 11624              | ∢          | Removal of skin lesion      | 3.43  | 2.69                | 3.28                         | 1.83                | 1.76                     | 0.25             | 6.37             | 96.9             | 5.51     | 5.44                     | 010         |
| 11626              | ⋖          | Removal of skin lesion      | 4.30  | 3.53                | 3.66                         | 2.22                | 3.33                     | 0.40             | 8.23             | 8.36             | 6.92     | 8.03                     | 010         |
| 11640              | ⋖          | Removal of skin lesion      | 1.53  | 2.18                | 1.89                         | 1.05                | 0.94                     | 0.12             | 3.83             | 3.54             | 2.70     | 2.59                     | 010         |
| 11641              | ⋖          | Removal of skin lesion      | 2.44  | 2.51                | 2.33                         | 1.51                | 1.23                     | 0.14             | 5.09             | 4.91             | 4.09     | 3.81                     | 010         |
| 11642              | ∢          |                             | 2.93  | 2.48                | 2.71                         | 1.74                | 1.49                     | 0.18             | 5.59             | 5.82             | 4.85     | 4.60                     | 010         |
| 11643              | ∢          |                             | 3.50  | 2.79                | 3.15                         | 2.01                | 1.73                     | 0.22             | 6.51             | 6.87             | 5.73     | 5.45                     | 010         |
| 11644              | ⋖          | Removal of skin lesion      | 4.55  | 3.40                | 3.71                         | 2.54                | 2.07                     | 0.26             | 8.21             | 8.52             | 7.35     | 6.88                     | 010         |

Page 2 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Dental Association. All rights reserved.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|              |          | A.                           | ADDLINDOM D       | 4                | יאבטר טוויט(אינטא אוום אבבאובט וווי | י שווה (כטוו | THIE IN                  |                  | <u>.</u> |                  |                   |                   |        |
|--------------|----------|------------------------------|-------------------|------------------|-------------------------------------|--------------|--------------------------|------------------|----------|------------------|-------------------|-------------------|--------|
|              |          |                              |                   | Non-<br>facility | Transitioned<br>Non-facility        | Facility     | Transitioned<br>Facility |                  |          | Transitioned     |                   |                   |        |
| / <i>LdD</i> |          |                              | Physician<br>work | practice         | practice                            | practice     | practice                 | Mal-<br>practice | Non-     | Non-<br>facility | 4                 | Transitioned      |        |
| HCPCS 2 Mod  | Status   | Description                  | RVUs <sup>3</sup> | RVUs             | RVUs                                | RVUS         | RVUs                     | RUYs             | Total    | Total            | racility<br>Total | rociiiiy<br>Total | Global |
| 11646        | ∢        | Removal of skin lesion       | 5.95              | 4.53             | 4.65                                | 3.24         | 4.33                     | 0.47             | 10.95    | 11.07            | 99.6              | 10.75             | 010    |
| 11719        | œ        | Trim nail(s)                 | 0.11              | 0.41             | 0.30                                | 0.04         | 90.0                     | 0.02             | 0.54     | 0.43             | 0.17              | 0.19              | 00     |
| 11720        | ∢        | Debride nail, 1-5            | 0.32              | 0.38             | 0.36                                | 0.27         | 0.20                     | 0.02             | 0.72     | 0.70             | 0.61              | 0.54              | 8      |
| 11721        | ∢        | Debride nail, 6 or more      | 0.54              | 0.49             | 0.57                                | 0.36         | 0.32                     | 0.04             | 1.07     | 1.15             | 0.94              | 06.0              | 00     |
| 11730        | ∢        | Removal of nail plate        | 1.13              | 69.0             | 0.54                                | 0.57         | 0.33                     | 0.03             | 1.85     | 1.70             | 1.73              | 1.49              | 00     |
| 11731        | ٥        | Removal of second nail plate | 0.00              | 0.00             | 0.00                                | 0.00         | 00.0                     | 0.00             | 0.00     | 00.00            | 0.00              | 0.00              | 777    |
| 11732        | ∢        | Remove additional nail plate | 0.57              | 0.27             | 0.27                                | 0.27         | 0.17                     | 0.02             | 0.86     | 98.0             | 98.0              | 92.0              | 222    |
| 11740        | ∢        | Drain blood from under nail  | 0.37              | 0.59             | 0.46                                | 0.13         | 0.19                     | 0.03             | 0.99     | 98.0             | 0.53              | 0.59              | 8      |
| 11750        | ⋖        | Removal of nail bed          | 1.86              | 1.38             | 5.06                                | 0.75         | 1.04                     | 0.15             | 3.39     | 4.07             | 2.76              | 3.05              | 010    |
| 11752        | ∢        | Remove nail bed/finger tip   | 2.67              | 1.74             | 2.73                                | 1.90         | 1.62                     | 0.28             | 4.69     | 5.68             | 4.85              | 4.57              | 010    |
| 11755        | ∢        | Biopsy, nail unit            | 1.31              | 0.97             | 1.05                                | 0.73         | 66.0                     | 60.0             | 2.37     | 2.45             | 2.13              | 2.39              | 000    |
| 11760        | ∢        | Reconstruction of nail bed   | 1.58              | 1.37             | 1.10                                | 1.37         | 0.73                     | 0.07             | 3.02     | 2.75             | 3.02              | 2.38              | 010    |
| 11762        | ∢        | Reconstruction of nail bed   | 2.89              | 1.82             | 2.55                                | 2.09         | 1.57                     | 0.19             | 4.90     | 5.63             | 5.17              | 4.65              | 010    |
| 11765        | ∢        | Excision of nail fold, toe   | 69.0              | 0.86             | 0.63                                | 0.57         | 0.35                     | 0.04             | 1.59     | 1.36             | 1.30              | 1.08              | 010    |
| 11770        | ∢        | Removal of pilonidal lesion  | 2.61              | 2.38             | 2.77                                | 1.20         | 2.48                     | 0.34             | 5.33     | 5.72             | 4.15              | 5.43              | 010    |
| 11771        | ∢        | Removal of pilonidal lesion  | 5.74              | 4.66             | 4.85                                | 3.48         | 4.55                     | 0.72             | 11.12    | 11.31            | 9.94              | 11.01             | 060    |
| 11772        | ∢        | Removal of pilonidal lesion  | 6.98              | 5.47             | 5.29                                | 3.94         | 4.91                     | 0.79             | 13.24    | 13.06            | 11.71             | 12.68             | 060    |
| 11900        | ⋖        | Injection into skin lesions  | 0.52              | 09:0             | 0.35                                | 0.21         | 0.16                     | 0.02             | 1.14     | 0.89             | 0.75              | 0.70              | 00     |
| 11901        | ∢        | Added skin lesions injection | 0.80              | 0.72             | 0.51                                | 0.33         | 0.25                     | 0.02             | 1.54     | 1.33             | 1.15              | 1.07              | 8      |
| 11920        | œ        | Correct skin color defects   | 1.61              | 1.81             | 1.41                                | 0.84         | 1.17                     | 0.18             | 3.60     | 3.20             | 2.63              | 2.96              | 000    |
| 11921        | œ        | Correct skin color defects   | 1.93              | 1.99             | 1.64                                | 1.02         | 1.40                     | 0.22             | 4.14     | 3.79             | 3.17              | 3.55              | 00     |
| 11922        | œ        | Correct skin color defects   | 0.49              | 0.32             | 0.37                                | 0.26         | 0.36                     | 0.05             | 98.0     | 0.91             | 0.80              | 0.90              | 777    |
| 11950        | œ        | Therapy for contour defects  | 0.84              | 96.0             | 1.21                                | 0.41         | 1.07                     | 0.09             | 1.89     | 2.14             | 1.34              | 2.00              | 00     |
| 11951        | œ        | Therapy for contour defects  | 1.19              | 1.38             | 1.31                                | 0.50         | 1.09                     | 0.09             | 2.66     | 2.59             | 1.78              | 2.37              | 00     |
| 11952        | œ        | Therapy for contour defects  | 1.69              | 0.99             | 1.22                                | 0.99         | 1.22                     | 0.09             | 2.77     | 3.00             | 2.77              | 3.00              | 00     |
| 11954        | <u>~</u> | Therapy for contour defects  | 1.85              | 1.44             | 1.33                                | 96.0         | 1.21                     | 60.0             | 3.38     | 3.27             | 2.90              | 3.15              | 8      |
| 11960        | ∢ ·      | Insert tissue expander(s)    | 9.08              | ¥:               | ¥ :                                 | 8.83         | 8.50                     | 1.16             | ¥        | Ϋ́               | 19.07             | 18.74             | 060    |
| 0/611        | ∢ ⋅      | Replace tissue expander      | 90:7              | Y S              | <b>∀</b>                            | 4.56         | 7.46                     | 1.26             | ¥        | <b>∀</b>         | 12.88             | 15.78             | 060    |
| 11971        | ∢ :      | Remove tissue expander(s)    | 2.13              | 4.66             | 3.04                                | 2.98         | 2.62                     | 0.64             | 7.43     | 5.81             | 5.75              | 5.39              | 060    |
| 11973        | 2 (      | ilisen conflaceptive cap     | +<br>             | c7:              | <u>o</u> ;                          | 0.36         | 9                        | 0.20             | 2.93     | 2.86             | 2.24              | 2.68              | ž      |
| 119/6        | ¥ :      | Removal of contraceptive cap | 1.78              | 1.47             | 1.41                                | 0.67         | 1.21                     | 0.23             | 3.48     | 3.42             | 2.68              | 3.22              | ž      |
| //611        | z ·      | Kemoval/reinsert contra cap  | +3.30             | 1.94             | 2.41                                | 1.25         | 2.23                     | 0.43             | 2.67     | 6.14             | 4.98              | 5.96              | ž      |
| 12001        | ∢        | Repair superficial wound(s)  | 1.70              | 2.01             | 0.97                                | 69.0         | 0.64                     | 0.04             | 3.75     | 2.71             | 2.43              | 2.38              | 010    |
| 12002        | ∢        | Repair superficial wound(s)  | 1.86              | 2.10             | 1.17                                | 0.73         | 0.83                     | 0.05             | 4.01     | 3.08             | 2.64              | 2.74              | 010    |
| 12004        | ⋖        | Repair superficial wound(s)  | 2.24              | 2.24             | 1.49                                | 0.85         | 1.14                     | 0.08             | 4.56     | 3.81             | 3.17              | 3.46              | 010    |
| 12005        | ∢        | Repair superficial wound(s)  | 2.86              | 2.62             | 1.86                                | 1.07         | 1.47                     | 0.11             | 5.59     | 4.83             | 4.04              | 4.44              | 010    |
| 12006        | ∢        | Repair superficial wound(s)  | 3.67              | 3.56             | 2.34                                | 1.54         | 1.83                     | 0.15             | 7.38     | 6.16             | 5.36              | 5.65              | 010    |
| 12007        | ∢        | Repair superficial wound(s)  | 4.12              | 3.99             | 2.46                                | 1.90         | 1.94                     | 0.15             | 8.26     | 6.73             | 6.17              | 6.21              | 010    |
| 12011        | ∢        | Repair superficial wound(s)  | 1.76              | 2.09             | 1.12                                | 69.0         | 0.77                     | 0.05             | 3.90     | 2.93             | 2.50              | 2.58              | 010    |
| 12013        | ∢        | Repair superficial wound(s)  | 1.99              | 2.21             | 1.39                                | 0.74         | 1.03                     | 90.0             | 4.26     | 3.44             | 2.79              | 3.08              | 010    |

Page 3 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                |            |                             |              | Mon             | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|----------------|------------|-----------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                |            |                             |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| / <sub>1</sub> |            |                             | Physician    | practice        | practice        | practice        | practice        | Wal              | Non-              | Non-              |                   | Transitioned      |        |
| HCPCS 2        | Mod Status | s Description               | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 12014          | ¥          | Repair superficial wound(s) | 2.46         | 2.50            | 1.59            | 0.92            | 1.20            | 90.0             | 5.04              | 4.13              | 3.46              | 3.74              | 010    |
| 12015          | ⋖          | Repair superficial wound(s) | 3.19         | 2.88            | 2.04            | 1.12            | 1.60            | 0.11             | 6.18              | 5.34              | 4.42              | 4.90              | 010    |
| 12016          | ∢          | Repair superficial wound(s) | 3.93         | 3.10            | 2.61            | 1.37            | 2.18            | 0.15             | 7.18              | 69.9              | 5.45              | 6.26              | 010    |
| 12017          | ∢          | Repair superficial wound(s) | 4.71         | 4.57            | 3.88            | 1.86            | 3.20            | 0.24             | 9.52              | 8.83              | 6.81              | 8.15              | 010    |
| 12018          | ∢          | Repair superficial wound(s) | 5.53         | 5.38            | 5.54            | 2.50            | 4.82            | 0.38             | 11.29             | 11.45             | 8.41              | 10.73             | 010    |
| 12020          | ∢          | Closure of split wound      | 2.62         | 2.27            | 1.54            | 1.34            | 1.30            | 0.14             | 5.03              | 4.30              | 4.10              | 4.06              | 010    |
| 12021          | ∢          | Closure of split wound      | 1.84         | 1.82            | 96.0            | 1.01            | 0.51            | 0.0              | 3.75              | 2.89              | 2.94              | 2.44              | 010    |
| 12031          | ∢          | _                           | 2.15         | 2.36            | 1.18            | 1.04            | 0.55            | 0.05             | 4.56              | 3.38              | 3.24              | 2.75              | 010    |
| 12032          | ⋖          | Layer closure of wound(s)   | 2.47         | 2.39            | 1.45            | 1.12            | 0.71            | 0.08             | 4.94              | 4.00              | 3.67              | 3.26              | 010    |
| 12034          | ∢          | _                           | 2.92         | 2.59            | 1.85            | 1.26            | 1.52            | 0.12             | 5.63              | 4.89              | 4.30              | 4.56              | 010    |
| 12035          | ∢          | _                           | 3.43         | 2.67            | 2.23            | 1.54            | 1.95            | 0.18             | 6.28              | 5.84              | 5.15              | 5.56              | 010    |
| 12036          | ∢          | _                           | 4.05         | 4.36            | 2.98            | 2.12            | 2.42            | 0.29             | 8.70              | 7.32              | 6.46              | 92.9              | 010    |
| 12037          | ∢          | _                           | 4.67         | 4.78            | 3.71            | 2.41            | 3.12            | 0.38             | 9.83              | 8.76              | 7.46              | 8.17              | 010    |
| 12041          | ∢          | _                           | 2.37         | 2.63            | 1.34            | 1.09            | 0.62            | 90.0             | 5.06              | 3.77              | 3.52              | 3.05              | 010    |
| 12042          | ⋖          | _                           | 2.74         | 2.59            | 1.60            | 1.24            | 0.79            | 0.09             | 5.42              | 4.43              | 4.07              | 3.62              | 010    |
| 12044          | ∢          |                             | 3.14         | 2.70            | 2.00            | 1.39            | 1.67            | 0.13             | 5.97              | 5.27              | 4.66              | 4.94              | 010    |
| 12045          | ∢          | _                           | 3.64         | 3.08            | 2.50            | 1.69            | 2.16            | 0.18             | 06.9              | 6.32              | 5.51              | 5.98              | 010    |
| 12046          | ⋖          | _                           | 4.25         | 4.67            | 3.46            | 2.21            | 2.85            | 0.29             | 9.21              | 8.00              | 6.75              | 7.39              | 010    |
| 12047          | ⋖          |                             | 4.65         | 5.12            | 4.55            | 2.67            | 3.94            | 0.44             | 10.21             | 9.64              | 7.76              | 9.03              | 010    |
| 12051          | ∢          |                             | 2.47         | 2.57            | 1.47            | 1.21            | 0.72            | 0.08             | 5.12              | 4.02              | 3.76              | 3.27              | 010    |
| 12052          | ∢ :        | _                           | 2.77         | 2.52            | 1.83            | 1.17            | 0.89            | 0.11             | 5.40              | 4.71              | 4.05              | 3.77              | 010    |
| 12053          | ⋖          | _                           | 3.12         | 2.64            | 2.09            | 1.30            | 1.76            | 0.13             | 5.89              | 5.34              | 4.55              | 5.01              | 010    |
| 12054          | ▼          | _                           | 3.46         | 2.94            | 2.85            | 1.40            | 2.47            | 0.20             | 09.9              | 6.51              | 5.06              | 6.13              | 010    |
| 12055          | ∢          | _                           | 4.43         | 3.67            | 3.56            | 2.01            | 3.14            | 0.29             | 8.39              | 8.28              | 6.73              | 7.86              | 010    |
| 12056          | ∢          | _                           | 5.24         | 5.14            | 5.14            | 2.75            | 4.54            | 0.41             | 10.79             | 10.79             | 8.40              | 10.19             | 010    |
| 12057          | ∢ ·        | _                           | 5.96         | 4.70            | 5.71            | 3.70            | 5.46            | 0.38             | 11.04             | 12.05             | 10.04             | 11.80             | 010    |
| 13100          | ∢ ·        |                             | 3.12         | 2.93            | 1.66            | 1.68            | 0.89            | 0.10             | 6.15              | 4.88              | 4.90              | 4.11              | 010    |
| 13101          | ∢ •        |                             | 3.92         | 3.14            | 2.48            | 2.12            | 1.38            | 0.16             | 7.22              | 6.56              | 6.20              | 5.46              | 010    |
| 13120          | ∢ •        |                             | 3.30         | 3.01            | 1.86            | 1.69            | 0.98            | 0.13             | 6.44              | 5.29              | 5.12              | 4.41              | 010    |
| 13121          | ∢ •        |                             | 4.33<br>5.53 | 3.34            | 3.00            | 2.18            | 1.63            | 0.26             | 7.93              | 7.59              | 6.77              | 6.22              | 010    |
| 13131          | ∢ •        |                             | 3.79         | 3.28            | 2.43            | 2.02            | 1.32            | 0.18             | 7.25              | 6.40              | 5.99              | 5.29              | 010    |
| 13132          | ∢ •        | _                           | 5.95         | 4.08            | 4.74            | 3.06            | 2.63            | 0.34             | 10.37             | 11.03             | 9.35              | 8.92              | 010    |
| 13150          | ⋖          | _                           | 3.81         | 4.38            | 2.53            | 2.38            | 2.03            | 0.18             | 8.37              | 6.52              | 6.37              | 6.02              | 010    |
| 13151          | ⋖          | Repair of wound or lesion   | 4.45         | 4.36            | 3.09            | 2.75            | 1.69            | 0.27             | 9.08              | 7.81              | 7.47              | 6.41              | 010    |
| 13152          | ⋖          | Repair of wound or lesion   | 6.33         | 5.11            | 5.46            | 3.66            | 3.01            | 0.53             | 11.97             | 12.32             | 10.52             | 9.87              | 010    |
| 13160          | V          | Late closure of wound       | 10.48        | Š               | ₹               | 5.81            | 4.16            | 0.45             | ¥                 | ¥                 | 16.74             | 15.09             | 060    |
| 13300          | ∢          | Repair of wound or lesion   | 5.27         | 3.85            | 5.61            | 2.79            | 5.35            | 29.0             | 9.79              | 11.55             | 8.73              | 11.29             | 010    |
| 14000          | ⋖          | Skin tissue rearrangement   | 5.89         | 90.9            | 4.30            | 3.99            | 2.39            | 0.30             | 12.27             | 10.49             | 10.18             | 8.58              | 060    |
| 14001          | ⋖          | Skin tissue rearrangement   | 8.47         | 7.33            | 5.70            | 5.28            | 5.18            | 0.59             | 16.39             | 14.76             | 14.34             | 14.24             | 060    |
| 14020          | ∢          | Skin tissue rearrangement   | 6.59         | 6.48            | 5.61            | 4.63            | 5.15            | 0.38             | 13.45             | 12.58             | 11.60             | 12.12             | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|        |   |                 | 2                            | ישבוושטווו ש      | ייי אוואדיי         | אנטר טווויטןי                | A NOS/ AMD          | אנבאונט ווון             | CAMMIN           | ·                |                  |          |                          |        |
|--------|---|-----------------|------------------------------|-------------------|---------------------|------------------------------|---------------------|--------------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|        |   |                 |                              |                   | Non-<br>facility    | Iransitioned<br>Non-facility | Facility            | iransitioned<br>Facility |                  |                  | Transitioned     |          |                          |        |
| (01 /  |   |                 |                              | Physician<br>work | practice<br>expense | practice<br>expense          | practice<br>expense | practice<br>expense      | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| HCPCS. | Mod                                     | Status          | Description                  | RVUs <sup>3</sup> | RVUs                | RVUs                         | RVUs                | RYUS                     | RUYs             | Total            | Total            | Total    | Total                    | Global |
| 14021  |   | ∢               | Skin tissue rearrangement    | 10.06             | 7.91                | 7.03                         | 6.38                | 6.65                     | 0.74             | 18.71            | 17.83            | 17.18    | 17.45                    | 060    |
| 14040  |   | ∢               | Skin tissue rearrangement    | 7.87              | 6.91                | 7.24                         | 5.39                | 4.11                     | 0.51             | 15.29            | 15.62            | 13.77    | 12.49                    | 060    |
| 14041  |   | ∢               | Skin tissue rearrangement    | 11.49             | 8.56                | 8.55                         | 7.22                | 5.02                     | 0.80             | 20.85            | 20.84            | 19.51    | 17.31                    | 060    |
| 14060  |   | ¥               | Skin tissue rearrangement    | 8.50              | 7.41                | 8.16                         | 6.13                | 7.84                     | 0.81             | 16.72            | 17.47            | 15.44    | 17.15                    | 060    |
| 14061  |   | ∢               | Skin tissue rearrangement    | 12.29             | 9.46                | 10.90                        | 7.80                | 6.22                     | 0.99             | 22.74            | 24.18            | 21.08    | 19.50                    | 060    |
| 14300  |   | ∢               | Skin tissue rearrangement    | 11.76             | 8.73                | 11.39                        | 7.54                | 11.09                    | 1.44             | 21.93            | 24.59            | 20.74    | 24.29                    | 060    |
| 14350  |   | ∢               | Skin tissue rearrangement    | 9.61              | ¥                   | Ϋ́                           | 5.81                | 6.40                     | 0.82             | ¥                | ¥                | 16.24    | 16.83                    | 060    |
| 15000  |   | ∢               | Skin graft                   | 4.00              | 2.25                | 2.31                         | 1.93                | 2.23                     | 0.41             | 99.9             | 6.72             | 6.34     | 6.64                     | 000    |
| 15001  |   | ∢               | Skin graft add-on            | 1.00              | 0.49                | 0.49                         | 0.48                | 0.48                     | 0.41             | 1.90             | 1.90             | 1.89     | 1.89                     | 727    |
| 15050  |   | ∢               | Skin pinch graft             | 4.30              | 4.24                | 2.52                         | 3.33                | 2.29                     | 0.23             | 8.77             | 7.05             | 7.86     | 6.82                     | 060    |
| 15100  |   | ∢               | Skin split graft             | 9.05              | 5.62                | 5.10                         | 5.51                | 5.08                     | 0.70             | 15.37            | 14.85            | 15.26    | 14.83                    | 060    |
| 15101  |   | ∢               | Skin split graft add-on      | 1.72              | 1.12                | 1.58                         | 92.0                | 1.49                     | 0.26             | 3.10             | 3.56             | 2.74     | 3.47                     | 777    |
| 15120  |   | ∢               | Skin split graft             | 9.83              | 7.16                | 6.72                         | 6.30                | 6.50                     | 0.74             | 17.73            | 17.29            | 16.87    | 17.07                    | 060    |
| 15121  |   | ∢ '             | Skin split graft add-on      | 2.67              | 1.63                | 2.78                         | 1.26                | 2.69                     | 0.41             | 4.71             | 5.86             | 4.34     | 5.77                     | 777    |
| 15200  |   | <               | Skin full graft              | 8.03              | 7.73                | 5.29                         | 5.01                | 4.61                     | 0.54             | 16.30            | 13.86            | 13.58    | 13.18                    | 060    |
| 15201  |   | ∢               | Skin full graft add-on       | 1.32              | 0.90                | 1.59                         | 0.62                | 1.33                     | 0.39             | 2.61             | 3.30             | 2.33     | 3.04                     | 777    |
| 15220  |   | ∢ •             | Skin full graft              | 7.87              | 7.81                | 5.89                         | 5.31                | 5.27                     | 99.0             | 16.34            | 14.42            | 13.84    | 13.80                    | 060    |
| 15221  |   | ∢ ·             | Skin full graft add-on       | 1.19              | 0.79                | 1.50                         | 0.60                | 1.22                     | 0.39             | 2.37             | 3.08             | 2.18     | 2.80                     | 727    |
| 15240  |   | ∢ •             | Skin full graft              | 9.04              | 7.62                | 6.87                         | 6.15                | 6.50                     | 0.81             | 17.47            | 16.72            | 16.00    | 16.35                    | 060    |
| 15241  |   | ∢ ⋅             | Skin full graft add-on       | 1.86              | 1.26                | 2.25                         | 0.95                | 1.90                     | 0.45             | 3.57             | 4.56             | 3.26     | 4.21                     | 727    |
| 15260  |   | ∢ ⋅             | Skin full graft              | 10.06             | 7.80                | 8.03                         | 6.87                | 7.79                     | 0.77             | 18.63            | 18.86            | 17.70    | 18.62                    | 060    |
| 15261  |   | ∢ •             | Skin full graft add-on       | 2.23              | 1.39                | 2.67                         | 1.16                | 2.29                     | 0.47             | 4.09             | 5.37             | 3.86     | 4.99                     | 777    |
| 15350  |   | ∢ •             | Skin homograft               | 4.00              | 6.47                | 3.37                         | 3.58                | 2.64                     | 0.33             | 10.80            | 7.70             | 7.91     | 6.97                     | 060    |
| 15351  |   | ∢ ⋅             | Skin homograft add-on        | 1.00              | 0.41                | 0.41                         | 0.45                | 0.45                     | 0.26             | 1.67             | 1.67             | 1.71     | 1.71                     | 777    |
| 15400  |   | ⋖ •             | Skin heterograft             | 4.00              | 3.69                | 1.79                         | 4.22                | 1.92                     | 0.13             | 7.82             | 5.92             | 8.35     | 6.05                     | 060    |
| 15401  |   | ⋖・              | Skin heterograft add-on      | 1.00              | 0.41                | 0.41                         | 0.45                | 0.45                     | 0.26             | 1.67             | 1.67             | 1.71     | 1.71                     | 777    |
| 0/551  |   | ∢ •             | Form skin pedicle flap       | 9.21              | 6.94                | 6.21                         | 5.51                | 5.86                     | 1.63             | 17.78            | 17.05            | 16.35    | 16.70                    | 060    |
| 155/2  |   | < <             | Form skin pedicle flap       | 9.27              | 6.82                | 60.9                         | 5.19                | 5.68                     | 1.46             | 17.55            | 16.82            | 15.92    | 16.41                    | 060    |
| 155/4  |   | < <             | rorm skin pedicie nap        | 0<br>0<br>0<br>0  | 7.15                | ه. ره<br>ا                   | 6.27                | 5.96<br>6.0              | 1.30             | 18.33            | 17.36            | 17.45    | 17.14                    | 060    |
| 155/6  |   | < <             | Attack alia andicie nap      | 0.09<br>4.09      | 40.                 | 5.43                         | 5.75                | 3.98                     | 0.47             | 16.70            | 13.59            | 14.91    | 13.14                    | 060    |
| 15580  |   | < <             | Attach skin pedicie graft    | 9.40              | Ž,                  | ¥!                           | 6.43                | 5.12                     | 1.02             | ₹                | ¥<br>Z           | 16.91    | 15.60                    | 060    |
| 00001  |   | ∢ •             | Skin graft                   | 1.91              | 15.51               | 3.17                         | 1.83                | 2.17                     | 69.0             | 7.11             | 5.77             | 4.43     | 4.77                     | 060    |
| 15610  |   | ∢ •             | Skin graft                   | 2.42              | 4.02                | 3.30                         | 2.16                | 2.71                     | 0.63             | 7.07             | 6.35             | 5.21     | 5.76                     | 060    |
| 15620  |   | ⋖ -             | Skin graft                   | 2.94              | 5.01                | 4.05                         | 2.83                | 3.34                     | 0.67             | 8.62             | 99.2             | 6.44     | 6.95                     | 060    |
| 15625  |   | ∢ ·             | Skin graft                   | 1.91              | ₹                   | ₹                            | 2.12                | 2.24                     | 0.61             | ¥                | ¥<br>Z           | 4.64     | 4.76                     | 060    |
| 15630  |   | <               | Skin graft                   | 3.27              | 4.86                | 4.15                         | 3.02                | 3.69                     | 0.70             | 8.83             | 8.12             | 6.99     | 99.7                     | 060    |
| 15650  |   | ∢               | Transfer skin pedicle flap   | 3.97              | 4.74                | 4.74                         | 3.09                | 4.33                     | 0.73             | 9.44             | 9.44             | 7.79     | 9.03                     | 060    |
| 15732  |   | ∢               | Muscle-skin graft, head/neck | 17.84             | ¥                   | Ϋ́                           | 10.88               | 15.32                    | 2.71             | ¥                | Ϋ́               | 31.43    | 35.87                    | 060    |
| 15734  |   | ∢               | Muscle-skin graft, trunk     | 17.79             | ¥                   | Ϋ́                           | 10.40               | 18.07                    | 2.53             | ¥                | ¥                | 30.72    | 38.39                    | 060    |
| 15736  |   | ∢               | Muscle-skin graft, arm       | 16.27             | ₹                   | ¥                            | 9.84                | 15.65                    | 2.36             | ₹                | Ϋ́               | 28.47    | 34.28                    | 060    |
|        | 000000000000000000000000000000000000000 | Control Control |                              |                   |                     |                              |                     |                          |                  |                  |                  |          |                          |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                    |        |          |                              |                | Non-            | Iransitioned    |                 | Transitioned    |              |                   |                   |                   |                   |        |
|--------------------|--------|----------|------------------------------|----------------|-----------------|-----------------|-----------------|-----------------|--------------|-------------------|-------------------|-------------------|-------------------|--------|
|                    |        |          |                              | ;              | facility        | Non-facility    | Facility        | Facility        | :            |                   | Transitioned      |                   |                   |        |
| / <sub>1</sub> 10. |        |          |                              | Physician      | practice        | practice        | practice        | practice        | Mal          | Non-              | Non-              | ,                 | Transitioned      |        |
| 2                  | Mod St | Status   | Description                  | WOTK 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | RUYs         | tacility<br>Total | tacility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 15738              |        | 4        | Muscle-skin graft, leg       | 17.92          | Ā               | ΑN              | 10.40           | 13.09           | 2.57         | ¥                 | ≨                 | 30.89             | 33.58             | 060    |
| 15740              |        | ∢        | Island pedicle flap graft    | 10.25          | 7.47            | 10.33           | 6.45            | 10.07           | 1.27         | 18.99             | 21.85             | 17.97             | 21.59             | 060    |
| 15750              |        | ∢        | Neurovascular pedicle graft  | 11.41          | ¥               | A<br>A          | 7.50            | 11.61           | 1.59         | ¥                 | ¥                 | 20.50             | 24.61             | 060    |
| 15756              |        | ∢        | Free muscle flap, microvasc  | 35.23          | ¥               | A<br>A          | 20.52           | 29.63           | 4.17         | ¥                 | ¥                 | 59.92             | 69.03             | 060    |
| 15757              |        | ∢        | Free skin flap, microvasc    | 35.23          | ¥               | Ą               | 21.06           | 29.76           | 4.17         | ¥                 | ₹                 | 60.46             | 69.16             | 060    |
| 15758              |        | ⋖        | Free fascial flap, microvasc | 35.10          | Ϋ́              | ¥               | 21.09           | 29.77           | 4.17         | ¥                 | ¥                 | 60.36             | 69.04             | 060    |
| 15760              |        | ∢        | Composite skin graft         | 8.74           | 7.59            | 7.83            | 6.18            | 7.48            | 0.87         | 17.20             | 17.44             | 15.79             | 17.09             | 060    |
| 15770              |        | ∢        | Derma-fat-fascia graft       | 7.52           | ¥               | Ϋ́              | 2.57            | 7.47            | 0.74         | ¥                 | ¥                 | 13.83             | 15.73             | 060    |
| 15775              |        |          | Hair transplant punch grafts | 3.96           | 2.60            | 3.00            | 1.51            | 2.73            | 0.44         | 7.00              | 7.40              | 5.91              | 7.13              | 00     |
| 15776              |        | œ        | Hair transplant punch grafts | 5.54           | 3.34            | 4.11            | 2.89            | 4.00            | 0.62         | 9.50              | 10.27             | 9.05              | 10.16             | 000    |
| 15780              |        | ∢        | Abrasion treatment of skin   | 7.29           | 6.19            | 2.79            | 5.89            | 2.10            | 0.10         | 13.58             | 10.18             | 13.28             | 9.49              | 060    |
| 15781              |        | ∢        | Abrasion treatment of skin   | 4.85           | 4.19            | 4.12            | 4.22            | 2.59            | 0.31         | 9.35              | 9.28              | 9.38              | 7.75              | 060    |
| 15782              |        | ∢        | Abrasion treatment of skin   | 4.32           | 3.59            | 1.87            | 3.20            | 1.29            | 0.10         | 8.01              | 6.29              | 7.62              | 5.71              | 060    |
| 15783              |        | ∢        | Abrasion treatment of skin   | 4.29           | 3.79            | 2.46            | 3.68            | 1.68            | 0.15         | 8.23              | 6.90              | 8.12              | 6.12              | 060    |
| 15786              |        | ∢        | Abrasion, lesion, single     | 2.03           | 1.48            | 0.87            | 1.23            | 0.56            | 0.05         | 3.56              | 2.95              | 3.31              | 2.64              | 010    |
| 15787              |        | ∢        | Abrasion, lesions, add-on    | 0.33           | 0.22            | 0.24            | 0.17            | 0.14            | 0.02         | 0.57              | 0.59              | 0.52              | 0.49              | 222    |
| 15788              |        | œ        | Chemical peel, face, epiderm | 5.09           | 2.37            | 1.80            | 96.0            | 1.45            | 0.09         | 4.55              | 3.98              | 3.16              | 3.63              | 060    |
| 15789              |        | œ        | Chemical peel, face, dermal  | 4.92           | 4.99            | 2.46            | 3.25            | 2.02            | 60.0         | 10.00             | 7.47              | 8.26              | 7.03              | 060    |
| 15792              |        | œ        | Chemical peel, nonfacial     | 1.86           | 2.24            | 0.97            | 2.41            | 1.01            | 0.04         | 4.14              | 2.87              | 4.31              | 2.91              | 060    |
| 15793              |        | ∢        | Chemical peel, nonfacial     | 3.74           | ¥               | <b>∀</b>        | 2.77            | 1.10            | 0.04         | ¥                 | Ϋ́                | 6.55              | 4.88              | 060    |
| 15810              |        | ∢        | Salabrasion                  | 4.74           | 2.47            | 3.71            | 3.93            | 4.07            | 0.23         | 7.44              | 8.68              | 8.90              | 9.04              | 060    |
| 15811              |        | ∢        | Salabrasion                  | 5.39           | 5.39            | 4.39            | 4.25            | 4.11            | 0.57         | 11.35             | 10.35             | 10.21             | 10.01             | 060    |
| 15819              |        | ∢        | Plastic surgery, neck        | 9.38           | ž               | Ϋ́              | 6.38            | 8.11            | 0.68         | ¥                 | ¥                 | 16.44             | 18.17             | 060    |
| 15820              |        | ∢        | Revision of lower eyelid     | 5.15           | 8.73            | 6.80            | 6.68            | 6.28            | 0.50         | 14.38             | 12.45             | 12.33             | 11.93             | 060    |
| 15821              |        | ∢        | Revision of lower eyelid     | 5.72           | 9.04            | 7.38            | 7.03            | 6.88            | 0.53         | 15.29             | 13.63             | 13.28             | 13.13             | 060    |
| 15822              |        | ∢        | Revision of upper eyelid     | 4.45           | 7.87            | 5.96            | 6.23            | 5.55            | 0.44         | 12.76             | 10.85             | 11.12             | 10.44             | 060    |
| 15823              |        |          | Revision of upper eyelid     | 7.05           | 9.16            | 8.57            | 7.62            | 8.18            | 0.48         | 16.69             | 16.10             | 15.15             | 15.71             | 060    |
| 15824              |        |          | Removal of forehead wrinkles | 0.00           | 0.0             | 0.00            | 0.00            | 0.00            | 0.0          | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 15825              |        |          | Removal of neck wrinkles     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0          | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 15826              |        |          | Removal of brow wrinkles     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0          | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 15828              |        | <u>~</u> | Removal of face wrinkles     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00         | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 15829              |        | œ        | Removal of skin wrinkles     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00         | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 15831              |        | ⋖        | Excise excessive skin tissue | 12.40          | ≨               | Ϋ́              | 6.98            | 9.76            | 1.57         | ¥                 | ¥                 | 20.95             | 23.73             | 060    |
| 15832              |        | ⋖        | Excise excessive skin tissue | 11.59          | ¥               | Ϋ́              | 6.58            | 8.40            | <b>1</b> .04 | ¥                 | Š                 | 19.21             | 21.03             | 060    |
| 15833              |        | ⋖        | Excise excessive skin tissue | 10.64          | ¥               | Ϋ́              | 5.81            | 6.52            | 0.88         | ¥                 | ¥                 | 17.33             | 18.04             | 060    |
| 15834              |        | <        | Excise excessive skin tissue | 10.85          | ¥               | Ą               | 6.71            | 7.52            | 0.95         | ž                 | ¥                 | 18.51             | 19.32             | 060    |
| 15835              |        | ⋖        | Excise excessive skin tissue | 11.67          | ¥               | ¥               | 6.41            | 7.30            | 0.95         | ¥                 | ¥                 | 19.03             | 19.92             | 060    |
| 15836              |        | ∢        | Excise excessive skin tissue | 9.34           | ¥               | Ϋ́              | 5.39            | 6.07            | 98.0         | ¥                 | Ϋ́                | 15.59             | 16.27             | 060    |
| 15837              |        | <        | Excise excessive skin tissue | 8.43           | 6.21            | 6.41            | 5.69            | 6.28            | 99.0         | 15.30             | 15.50             | 14.78             | 15.37             | 060    |
| 15838              |        | ⋖        | Excise excessive skin tissue | 7.13           | Ϋ́              | Y<br>Y          | 5.38            | 6.13            | 0.57         | Ϋ́                | ¥                 | 13.08             | 13.83             | 060    |

Page 6 of 271

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                 |    |        |                                      |           | Non-                 | Transitioned             | 4                    | Transitioned         |          |          |                      |          |              |                 |
|-----------------|----|--------|--------------------------------------|-----------|----------------------|--------------------------|----------------------|----------------------|----------|----------|----------------------|----------|--------------|-----------------|
|                 |    |        |                                      | Physician | tacility<br>practice | Non-facility<br>practice | Facility<br>practice | Facility<br>practice | Mal-     | Moa-     | Transitioned<br>Non- |          | Transitioned |                 |
| (PT /<br>HCPC 2 | 77 | ,      | Description                          | work      | expense              | expense                  | expense              | expense              | practice | facility | facility             | Facility | Facility     | 7               |
| 15020           |    | Sinc < | Pour primarie avioactiva evin ticana | 0 38      | 8 8 8                | 3 65                     | 25.0                 | 3.36                 | 98.0     | 16.30    | 13 30                | 10101    | 13.40        | 0000            |
| 15840           |    | < ∢    | Graft for face nerve palsy           | 13.26     | 8 ₹                  | ₹                        | 9.12                 | 14.15                | 1.78     | 8 ₹      | S &                  | 24.16    | 29.19        | 8 06            |
| 15841           |    | <      | Graft for face nerve palsy           | 23.26     | ¥                    | ¥                        | 14.03                | 17.24                | 2.16     | ¥        | ¥                    | 39.45    | 42.66        | 060             |
| 15842           |    | ∢      | Graft for face nerve palsy           | 37.96     | ¥                    | ₹                        | 20.06                | 28.62                | 2.10     | ¥        | ¥                    | 60.12    | 68.68        | 060             |
| 15845           |    | ∢      | Skin and muscle repair, face         | 12.57     | ¥                    | ¥                        | 8.19                 | 13.31                | 1.99     | ¥        | ¥                    | 22.75    | 27.87        | 060             |
| 15850           |    | 8      | Removal of sutures                   | +0.78     | 1.16                 | 0.58                     | 0.31                 | 0.37                 | 0.03     | 1.97     | 1.39                 | 1.12     | 1.18         | ×               |
| 15851           |    | ∢      | Removal of sutures                   | 98.0      | 1.42                 | 09:0                     | 0.33                 | 0.21                 | 0.02     | 2.30     | 1.48                 | 1.21     | 1.09         | 00              |
| 15852           |    | ∢      | Dressing change, not for burn        | 98.0      | 1.37                 | 0.70                     | 0.37                 | 0.27                 | 0.05     | 2.28     | 1.61                 | 1.28     | 1.18         | 000             |
| 15860           |    | ∢      | Test for blood flow in graft         | 1.95      | 1.00                 | 1.35                     | 0.80                 | 1.30                 | 0.20     | 3.15     | 3.50                 | 2.95     | 3.45         | 00              |
| 15876           |    | œ      | Suction assisted lipectomy           | 0.00      | 0.00                 | 00.00                    | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00         | ×               |
| 15877           |    | œ      | Suction assisted lipectomy           | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 00:0                 | 0.00     | 0.00         | ×               |
| 15878           |    | œ      | Suction assisted lipectomy           | 0.00      | 0.00                 | 00.00                    | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00         | ××              |
| 15879           |    | œ      | Suction assisted lipectomy           | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00         | ××              |
| 15920           |    | ∢      | Removal of tail bone ulcer           | 7.95      | ¥                    | ¥                        | 4.84                 | 3.61                 | 0.49     | ¥        | ¥                    | 13.28    | 12.05        | 060             |
| 15922           |    | ∢      | Removal of tail bone ulcer           | 9.90      | ¥                    | ¥                        | 6.48                 | 6.49                 | 0.93     | ¥        | Ϋ́                   | 17.31    | 17.32        | 060             |
| 15931           |    | ∢      | Remove sacrum pressure sore          | 9.24      | ¥                    | ¥                        | 4.93                 | 3.62                 | 0.43     | ¥        | ¥                    | 14.60    | 13.29        | 060             |
| 15933           |    | ∢      | Remove sacrum pressure sore          | 10.85     | ¥                    | ¥                        | 7.13                 | 7.42                 | 1.12     | ¥        | Ϋ́                   | 19.10    | 19.39        | 060             |
| 15934           |    | ∢      | Remove sacrum pressure sore          | 12.69     | ¥                    | ¥                        | 7.56                 | 7.97                 | 1.17     | ¥        | Ϋ́                   | 21.42    | 21.83        | <del>06</del> 0 |
| 15935           |    | ∢      | Remove sacrum pressure sore          | 14.57     | ¥                    | ¥                        | 8.89                 | 11.37                | 1.78     | ¥        | Ϋ́                   | 25.24    | 27.72        | 060             |
| 15936           |    | ∢      | Remove sacrum pressure sore          | 12.38     | ¥                    | ¥                        | 7.96                 | 10.35                | 1.60     | ¥        | ¥                    | 21.94    | 24.33        | 060             |
| 15937           |    | ∢      | Remove sacrum pressure sore          | 14.21     | ¥                    | ¥                        | 9.12                 | 13.25                | 5.09     | ¥        | ¥                    | 25.42    | 29.55        | 060             |
| 15940           |    | ∢      | Removal of pressure sore             | 9.34      | ¥                    | ¥                        | 5.43                 | 4.25                 | 0.57     | ¥        | <b>∀</b><br>Z        | 15.34    | 14.16        | 060             |
| 15941           |    | ∢      | Removal of pressure sore             | 11.43     | ¥                    | ¥                        | 8.46                 | 7.85                 | 1.09     | ¥        | ₹                    | 20.98    | 20.37        | 060             |
| 15944           |    | ∢      | Removal of pressure sore             | 11.46     | ¥                    | ¥                        | 7.60                 | 9.44                 | 1.42     | ¥        | ¥                    | 20.48    | 22.32        | 060             |
| 15945           |    | ∢      | Removal of pressure sore             | 12.69     | ₹                    | ¥                        | 8.26                 | 11.13                | 1.64     | ¥        | ¥                    | 22.59    | 25.46        | 060             |
| 15946           |    | ∢      | Removal of pressure sore             | 21.57     | ¥                    | ₹                        | 11.95                | 16.51                | 2.53     | ¥        | ₹                    | 36.05    | 40.61        | 060             |
| 15950           |    | ∢      | Remove thigh pressure sore           | 7.54      | ₹                    | <b>∀</b>                 | 4.30                 | 3.53                 | 0.45     | ₹        | ¥                    | 12.29    | 11.52        | 060             |
| 15951           |    | ∢      | Remove thigh pressure sore           | 10.72     | ¥<br>Z               | ₹                        | 7.22                 | 8.03                 | 1.24     | ₹<br>Z   | <b>∀</b><br>Z        | 19.18    | 19.99        | 060             |
| 15952           |    | ⋖ ·    | Remove thigh pressure sore           | 11.39     | ¥:                   | <b>∀</b>                 | 6.72                 | 7.49                 | 1.07     | ≰ :      | ¥:                   | 19.18    | 19.95        | 060             |
| 15953           |    | ∢      | Remove thigh pressure sore           | 12.63     | Ą<br>Z               | <b>₹</b>                 | 7.63                 | 9.30                 | 1.46     | ₹<br>Z   | <b>∀</b><br>Z        | 21.72    | 23.39        | 060             |
| 15956           |    | ∢      | Remove thigh pressure sore           | 15.52     | ¥                    | ¥                        | 9.45                 | 16.26                | 2.65     | ¥        | Ϋ́                   | 27.62    | 34.43        | 060             |
| 15958           |    | ∢      | Remove thigh pressure sore           | 15.48     | ¥                    | ¥                        | 9.53                 | 16.24                | 2.94     | Ϋ́       | ¥                    | 27.95    | 34.66        | 060             |
| 15999           |    | ပ      | Removal of pressure sore             | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.0      | 0.00                 | 0.00     | 0.00         | Ж               |
| 16000           |    | ∢      | Initial treatment of burn(s)         | 0.89      | 0.88                 | 0.51                     | 0.24                 | 0.20                 | 0.02     | 1.79     | 1.42                 | 1.15     | 1.1          | 00              |
| 16010           |    | ∢      | Treatment of burn(s)                 | 0.87      | 96.0                 | 0.50                     | 0.32                 | 0.22                 | 0.02     | 1.85     | 1.39                 | 1.21     | 1.1          | 000             |
| 16015           |    | ∢      | Treatment of burn(s)                 | 2.35      | 1.32                 | 1.99                     | 0.88                 | 1.88                 | 0.30     | 3.97     | 4.64                 | 3.53     | 4.53         | 00              |
| 16020           |    | ∢      | Treatment of burn(s)                 | 0.80      | 0.99                 | 0.53                     | 0.25                 | 0.21                 | 0.02     | 1.81     | 1.35                 | 1.07     | 1.03         | 00              |
| 16025           |    | ∢      | Treatment of burn(s)                 | 1.85      | 1.47                 | 0.74                     | 0.67                 | 0.36                 | 0.04     | 3.36     | 2.63                 | 2.56     | 2.25         | 00              |
| 16030           |    | ∢      | Treatment of burn(s)                 | 2.08      | 2.34                 | 1.01                     | 0.89                 | 0.64                 | 90.0     | 4.48     | 3.15                 | 3.03     | 2.78         | 00              |
| 16035           |    | ∢      | Incision of burn scab                | 4.82      | 2.74                 | 2.22                     | 2.01                 | 2.03                 | 0.27     | 7.83     | 7.31                 | 7.10     | 7.12         | 060             |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| practice         practice         Mol-         Non-         Intrastitioned acqueries         Interest practice         Mol-         Non-         Intrastitioned acqueries  |   |                              |              | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Trancitioned      |                   |                   |        |
|--|---|------------------------------|--------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| Mod         Stages         Appears         App   |   |                              | Physician    | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| Burn wound excision         0.00 </th <th></th> <th>Description</th> <th>work<br/>RVUs</th> <th>expense<br/>RVUs</th> <th>expense<br/>RVUs</th> <th>expense<br/>RVUs</th> <th>expense<br/>RVUs</th> <th>practice<br/>RUVs</th> <th>facility<br/>Total</th> <th>facility<br/>Total</th> <th>Facility<br/>Total</th> <th>Facility<br/>Total</th> <th>Global</th>   |   | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| Burn wound excision         0.00 </td <td>۵</td> <td>Burn wound excision</td> <td>0.00</td> <td>00:00</td> <td>0.00</td> <td>0.00</td> <td>00:00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>000</td>   | ۵ | Burn wound excision          | 0.00         | 00:00            | 0.00                         | 0.00            | 00:00                    | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | 000    |
| Bearwage version         0.00  | ۵ | Burn wound excision          | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | 000    |
| Destruction of skin lesions 279 183 0.229 0.24 0.05 135 115 0.88 0.08 0.09 0.00 0.01 0.01 0.04 0.25 0.02 0.00 0.01 0.01 0.04 0.05 0.02 0.00 0.01 0.01 0.04 0.02 0.02 0.00 0.01 0.01 0.04 0.02 0.02 0.02 0.02 0.02 0.02 0.02  | ۵ | Burn wound excision          | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | 00     |
| Destrucy 14 besions 015 0.85 0.24 0.08 0.07 0.01 0.71 0.40 0.22 0.23 0.24 0.05 Destrucy 15 A more esions 015 0.85 0.24 0.28 1.31 124 0.16 1.75 0.44 0.22 0.25 0.05 0.05 0.05 0.05 0.05 0.05  | ∢ | Destroy benign/premal lesion | 09.0         | 0.73             | 0.53                         | 0.26            | 0.24                     | 0.05             | 1.35              | 1.15              | 0.88              | 98.0              | 010    |
| Destruction of skin lesions         2.79         1.83         2.29         1.31         1.24         0.16         4.78         6.24         2.65         1.84         0.15         4.79         1.89         2.42         2.63         1.94         1.75         2.64         4.79         1.75         1.89         1.75 <t< td=""><td>∢</td><td>Destroy 2-14 lesions</td><td>0.15</td><td>0.55</td><td>0.24</td><td>0.08</td><td>0.07</td><td>0.01</td><td>0.71</td><td>0.40</td><td>0.24</td><td>0.23</td><td>777</td></t<>   | ∢ | Destroy 2-14 lesions         | 0.15         | 0.55             | 0.24                         | 0.08            | 0.07                     | 0.01             | 0.71              | 0.40              | 0.24              | 0.23              | 777    |
| Destruction of skin lesions         4.59         3.40         2.42         2.63         1.45         0.14         81.3         7.15         7.39         6.18           Destruction of skin lesions         1.32 0         8.16         9.62         7.09         2.73         0.14         8.13         7.15         7.39         6.18           Destruction of skin lesions         1.32 0         8.16         9.62         7.09         7.00         2.23         0.23 <t< td=""><td>∢</td><td>Destroy 15 &amp; more lesions</td><td>2.79</td><td>1.83</td><td>2.29</td><td>1.31</td><td>1.24</td><td>0.16</td><td>4.78</td><td>5.24</td><td>4.26</td><td>4.19</td><td>010</td></t<>  | ∢ | Destroy 15 & more lesions    | 2.79         | 1.83             | 2.29                         | 1.31            | 1.24                     | 0.16             | 4.78              | 5.24              | 4.26              | 4.19              | 010    |
| Destruction of skin lesions         9.16         5.83         4.47         4.90         2.73         15.30         13.94         14.37         15.30         15.30         15.30         15.30         8.16         5.83         4.47         4.90         2.73         15.30         13.90  | ∢ | Destruction of skin lesions  | 4.59         | 3.40             | 2.42                         | 2.63            | 1.45                     | 0.14             | 8.13              | 7.15              | 7.36              | 6.18              | 060    |
| Destruction of skin lesions (13.2) (13.6) (1 | ∢ | Destruction of skin fesions  | 9.16         | 5.83             | 4.47                         | 4.90            | 2.73                     | 0.31             | 15.30             | 13.94             | 14.37             | 12.20             | 060    |
| Destruction skin lesions   | ∢ | Destruction of skin lesions  | 13.20        | 8.16             | 9.62                         | 7.09            | 9.36                     | 0.54             | 21.90             | 23.36             | 20.83             | 23.10             | 060    |
| Chemical cauday, itsoare         0.92         1.07         0.76         0.38         0.34         0.04         2.03         1.12         1.34         1.30           Chemical cauday, itsoare         0.50         0.59         1.07         0.76         0.01         0.03         1.12         0.96         0.73         1.72         1.34         1.30           Destruction of skin lesions         1.17         1.16         1.42         0.64         0.71         0.09         2.04         2.05         1.77         1.40         0.07         0.09         2.04         2.04         0.07         0.09         2.04         1.77         1.40         0.09         2.04         0.77         0.09         2.04         2.04         0.77         0.09         2.04         2.04         0.77         0.09         2.04         2.04         0.77         0.09         2.04         2.04         0.77         0.09         2.04         2.04         0.77         0.09         2.04         2.04         2.04         0.09         2.04         2.04         2.04         2.04         2.04         2.04         2.04         2.04         2.04         2.04         2.04         2.04         2.04         2.04         2.04         2.04 <td>∢</td> <td>Destruct lesion, 1-14</td> <td>0.65</td> <td>0.87</td> <td>0.54</td> <td>0.26</td> <td>0.23</td> <td>0.02</td> <td>1.54</td> <td>1.21</td> <td>0.93</td> <td>0.90</td> <td>010</td>  | ∢ | Destruct lesion, 1-14        | 0.65         | 0.87             | 0.54                         | 0.26            | 0.23                     | 0.02             | 1.54              | 1.21              | 0.93              | 0.90              | 010    |
| Chemical cautery, tissue         0.50         0.59         0.43         0.20         0.19         0.03         1.12         0.69         0.73         0.75           Destruction of skin lesions         1.17         1.64         1.42         0.41         0.57         0.08         2.03         2.17         1.49         1.56           Destruction of skin lesions         1.77         1.45         1.28         0.73         0.03         2.41         2.64         1.57           Destruction of skin lesions         1.79         1.26         2.49         0.87         1.28         0.03         2.44         2.64         2.77         1.40         1.65           Destruction of skin lesions         1.24         1.29         0.87         1.28         0.09         2.44         5.69         3.69         4.45         5.69         3.73         3.71         3.71         3.72  | ∢ | Destruct lesion, 15 or more  | 0.92         | 1.07             | 0.76                         | 0.38            | 0.34                     | 0.04             | 2.03              | 1.72              | 1.34              | 1.30              | 010    |
| Destruction of skin lesions 191 104 1.18 0.41 0.57 0.08 2.03 2.17 1.40 1.55 Destruction of skin lesions 1.58 1.42 0.54 0.71 0.09 2.41 2.68 1.99 1.59 Destruction of skin lesions 1.59 1.45 2.49 0.87 1.13 0.13 3.05 3.53 2.44 2.64 Destruction of skin lesions 1.59 1.49 1.52 2.49 0.87 1.13 0.16 3.40 4.45 5.69 3.69 2.43 3.01 3.05 Destruction of skin lesions 1.34 1.73 2.49 0.87 1.13 0.16 3.40 2.64 2.81 2.01 3.01 3.45 Destruction of skin lesions 1.32 1.24 1.25 2.49 0.87 1.13 0.16 3.66 4.63 3.61 2.01 2.11 Destruction of skin lesions 1.25 1.25 1.20 1.20 0.00 0.00 0.00 0.00 2.64 2.81 2.01 2.11 Destruction of skin lesions 2.04 1.73 2.40 0.00 0.00 0.00 0.00 0.00 2.64 2.81 2.01 2.11 0.00 0.00 0.00 0.00 0.00 0.0  | ∢ | Chemical cautery, tissue     | 0.50         | 0.59             | 0.43                         | 0.20            | 0.19                     | 0.03             | 1.12              | 96.0              | 0.73              | 0.72              | 000    |
| Destruction of skin lesions 1.17 1.15 1.15 1.42 0.54 0.71 0.09 2.41 2.68 1.80 1.97 Destruction of skin lesions 1.73 1.45 1.82 0.73 0.93 0.13 3.05 3.53 3.54 2.74 2.64 Destruction of skin lesions 1.79 1.52 2.49 0.87 1.28 0.20 3.66 4.63 3.03 3.07 3.07 Destruction of skin lesions 1.34 1.52 2.49 0.87 1.51 0.16 3.40 2.64 2.81 2.71 3.07 Destruction of skin lesions 1.34 1.73 2.87 0.97 1.51 0.38 4.45 5.69 3.69 4.23 0.24 2.81 Destruction of skin lesions 1.77 1.44 2.15 0.89 0.89 0.13 2.92 3.37 2.31 2.51 Destruction of skin lesions 2.56 1.87 2.49 0.04 1.29 0.04 1.29 0.05 3.86 4.45 3.09 3.09 0.13 0.00 0.00 0.00 0.00 0.00 0.00 0.00  | ∢ | Destruction of skin lesions  | 0.91         | <b>1</b> .04     | 1.18                         | 0.41            | 0.57                     | 0.08             | 2.03              | 2.17              | 1.40              | 1.56              | 010    |
| Destruction of skin lesions         1.58         1.34         1.82         0.73         0.93         0.13         3.05         3.53         2.44         2.64           Destruction of skin lesions         1.79         1.45         2.19         0.82         1.71         0.16         3.40         4.41         2.77         3.07           Destruction of skin lesions         1.34         1.52         2.49         0.87         1.28         0.70         3.66         4.65         3.69         4.23         3.01           Destruction of skin lesions         1.32         1.72         2.49         0.87         1.29         0.89         0.79         0.70         0.89         0.89         0.79         0.70         0.70         0.89         0.89         0.70         0.89         0.89         0.70  | ∢ | Destruction of skin lesions  | 1.17         | 1.15             | 1.42                         | 0.54            | 0.71                     | 0.09             | 2.41              | 2.68              | 1.80              | 1.97              | 010    |
| Destruction of skin lesions 1.79 1.45 2.19 0.82 1.12 0.16 3.40 4.14 2.77 3.07 Destruction of skin lesions 1.94 1.52 2.49 0.87 1.51 0.36 4.45 5.69 3.01 3.42 Destruction of skin lesions 1.32 1.23 1.40 0.60 0.70 0.09 2.64 2.81 2.01 2.11 Destruction of skin lesions 1.32 1.23 1.40 0.60 0.70 0.09 2.64 2.81 2.01 2.11 Destruction of skin lesions 1.49 1.30 1.75 0.69 0.89 0.13 2.92 3.37 2.31 2.51 Destruction of skin lesions 2.56 1.84 3.07 1.17 1.60 0.60 0.70 0.20 3.82 4.74 3.19 2.51 Destruction of skin lesions 2.55 1.84 3.07 1.17 1.60 0.81 1.79 0.40 5.75 6.91 2.47 3.19 0.84 1.44 0.85 1.45 0.88 0.13 2.45 0.40 0.40 0.40 0.40 0.40 0.40 0.40 0  | ∢ | Destruction of skin lesions  | 1.58         | 1.34             | 1.82                         | 0.73            | 0.93                     | 0.13             | 3.05              | 3.53              | 2.44              | 2.64              | 010    |
| Destruction of skin lesions 1.94 1.52 2.49 0.87 1.28 0.20 3.66 4.63 3.01 3.42 Destruction of skin lesions 2.34 1.73 2.97 0.97 1.51 0.38 4.45 5.69 3.69 3.69 4.23 Destruction of skin lesions 1.32 1.23 1.40 0.60 0.70 0.99 2.64 2.81 2.01 2.01 2.11 Destruction of skin lesions 1.77 1.44 2.15 0.69 0.89 0.13 2.92 3.37 2.31 2.51 Destruction of skin lesions 2.59 1.84 3.07 1.17 1.60 0.25 4.68 5.91 4.07 2.75 3.03 Destruction of skin lesions 2.59 1.84 3.07 1.17 1.60 0.25 0.81 0.12 2.82 3.07 2.91 2.51 Destruction of skin lesions 2.59 1.84 3.07 1.17 1.60 0.25 0.81 0.12 2.46 5.91 4.01 4.01 4.01 Destruction of skin lesions 2.04 1.72 1.42 2.60 0.81 0.12 2.45 2.92 1.81 2.10 Destruction of skin lesions 2.04 1.72 2.49 0.96 1.29 0.14 3.79 3.79 1.81 2.10 Destruction of skin lesions 2.04 1.86 2.92 1.81 2.00 0.18 3.79 1.18 3.79 1.18 1.00 Destruction of skin lesions 2.04 1.86 2.92 1.82 2.92 1.81 2.10 Destruction of skin lesions 2.04 1.86 2.92 1.82 2.92 1.81 2.10 Destruction of skin lesions 2.04 1.86 2.92 1.82 2.92 1.81 2.10 Destruction of skin lesions 2.04 1.86 2.92 1.82 2.92 1.81 2.10 Destruction of skin lesions 2.04 1.86 2.92 1.26 1.29 0.18 3.79 1.13 1.81 Destruction of skin lesions 2.04 1.86 2.92 1.26 1.29 0.18 2.92 1.81 2.10 Destruction of skin lesions 2.04 1.86 2.92 1.26 1.29 0.18 2.92 1.81 2.10 Destruction of skin lesions 2.04 1.86 2.92 1.82 2.93 1.83 2.93 2.93 1.83 2.93 2.93 2.93 2.93 2.93 2.93 2.93 2.9  | ∢ | Destruction of skin lesions  | 1.79         | 1.45             | 2.19                         | 0.82            | 1.12                     | 0.16             | 3.40              | 4.14              | 2.77              | 3.07              | 010    |
| Destruction of skin lesions         2.34         1.73         2.97         0.97         1.51         0.38         4.45         5.69         3.69         4.23           Destruction of skin lesions         1.32         1.23         1.40         0.69         0.70         0.09         2.64         2.81         2.01         2.11           Destruction of skin lesions         1.77         1.44         2.15         0.89         0.84         0.87         2.64         2.81         2.01         2.11           Destruction of skin lesions         1.77         1.44         2.15         0.89         1.79         0.40         2.82         4.77         2.71         3.03           Destruction of skin lesions         2.05         1.57         2.49         0.94         1.29         0.25         4.74         3.19         3.54           Destruction of skin lesions         1.77         1.14         1.63         0.52         0.81         0.12         2.45         0.95         0.75         0.85         0.91         4.71         3.19         3.54           Destruction of skin lesions         1.72         1.42         0.06         0.81         0.14         3.26         0.81         3.71         3.11         3.11   | ∢ | Destruction of skin lesions  | 1.94         | 1.52             | 2.49                         | 0.87            | 1.28                     | 0.20             | 3.66              | 4.63              | 3.01              | 3.42              | 010    |
| Destruction of skin lesions 1.32 1.23 1.40 0.60 0.70 0.09 2.64 2.81 2.01 2.11 Destruction of skin lesions 1.32 1.23 1.30 1.75 0.69 0.89 0.13 2.92 3.37 2.31 2.51 Destruction of skin lesions 2.59 1.84 3.07 1.17 1.60 0.25 4.68 5.91 4.01 4.44 Destruction of skin lesions 2.59 1.84 3.07 1.17 1.60 0.25 4.68 5.91 4.01 4.44 Destruction of skin lesions 2.59 1.84 3.07 1.17 1.60 0.25 4.68 5.91 4.01 4.44 Destruction of skin lesions 2.04 1.57 2.49 0.94 1.29 0.00 3.82 4.74 3.19 3.54 Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51 Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51 Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51 Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51 Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51 Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51 Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51 Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51 Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51 Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51 Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51 Destruction of skin lesions 2.04 1.57 2.49 2.95 2.96 2.98 0.09 5.50 4.75 5.99 2.15 1.97 1.97 1.97 1.97 1.97 1.97 1.97 1.97  | ∢ | Destruction of skin lesions  | 2.34         | 1.73             | 2.97                         | 0.97            | 1.51                     | 0.38             | 4.45              | 5.69              | 3.69              | 4.23              | 010    |
| Destruction of skin lesions         1.49         1.30         1.75         0.69         0.89         0.13         2.92         3.37         2.51         2.51           Destruction of skin lesions         2.05         1.57         1.44         2.15         0.83         1.11         0.15         3.36         4.07         2.75         3.37           Destruction of skin lesions         2.59         1.84         3.07         1.17         1.60         0.25         4.68         5.91         4.01         4.44           Destruction of skin lesions         2.29         1.84         3.07         1.17         1.60         0.25         4.68         5.91         4.01         4.44           Destruction of skin lesions         2.04         1.57         2.49         0.86         1.29         0.78         4.71         3.18         2.10         4.44           Destruction of skin lesions         2.04         1.57         2.49         0.86         1.29         0.78         4.71         3.18         2.70         1.71         4.44           Destruction of skin lesions         2.04         1.57         2.49         0.86         1.29         0.71         4.71         3.18         2.71         4.71         3.18   | ∢ | Destruction of skin lesions  | 1.32         | 1.23             | 1.40                         | 09'0            | 0.70                     | 0.09             | 2.64              | 2.81              | 2.01              | 2.11              | 010    |
| Destruction of skin lesions         1.77         1.44         2.15         0.83         1.11         0.15         3.36         4.07         2.75         3.03           Destruction of skin lesions         2.05         1.57         2.49         0.24         1.29         0.20         3.82         4.74         3.19         3.54           Destruction of skin lesions         2.59         1.84         3.07         1.17         1.6         1.63         0.52         0.81         0.12         2.45         2.92         1.81         2.10         4.44           Destruction of skin lesions         1.17         1.16         1.63         0.52         0.81         0.12         2.45         2.92         1.81         2.10         4.44         2.15         0.81         0.12         2.45         2.92         1.81         2.10         4.41         2.14         2.06         0.81         1.06         0.14         3.28         3.51         3.51         3.52         3.52         3.52         3.54         3.53         3.53         3.53         3.53         3.53         3.52         3.52         3.54         3.51         3.54         3.52         3.54         3.52         3.54         3.54         3.54         3.54<  | ∢ | Destruction of skin lesions  | 1.49         | 1.30             | 1.75                         | 69.0            | 0.89                     | 0.13             | 2.92              | 3.37              | 2.31              | 2.51              | 010    |
| Destruction of skin lesions 2.05 1.57 2.49 0.94 129 0.20 3.82 4.74 3.19 3.54  Destruction of skin lesions 2.59 1.84 3.07 1.17 1.60 0.25 4.68 5.91 4.01 4.44  Destruction of skin lesions 1.72 1.42 2.06 0.81 1.00 0.25 4.68 5.91 4.01 4.44  Destruction of skin lesions 1.72 1.42 2.06 0.81 0.02 2.45 2.92 1.81 2.00  Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.56 2.92 1.26 1.26 1.26 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.20 4.72 5.78 4.12 4.41  Destruction of skin lesions 2.04 1.86 2.92 1.26 1.26 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.86 2.92 1.26 1.26 1.29 0.20 4.72 5.78 4.41  Destruction of skin lesions 2.04 1.86 2.92 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.2  | ∢ | Destruction of skin lesions  | 1.77         | 1.44             | 2.15                         | 0.83            | 1.11                     | 0.15             | 3.36              | 4.07              | 2.75              | 3.03              | 010    |
| Destruction of skin lesions 2.59 1.84 3.07 1.17 1.60 0.25 4.68 5.91 4.01 4.44  Destruction of skin lesions 3.20 2.15 3.31 1.60 1.79 0.40 5.75 6.91 5.20 5.39  Destruction of skin lesions 1.72 1.42 2.06 0.81 0.12 2.45 2.92 1.81 2.10  Destruction of skin lesions 1.72 1.42 2.06 0.81 0.12 2.45 2.92 1.81 2.10  Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.86 2.92 1.26 1.55 0.22 4.72 5.78 4.12 4.41  Destruction of skin lesions 2.04 1.87 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.87 2.92 1.26 1.26 1.26 1.26 1.26 1.27 1.27 1.27 1.27  Destruction of skin lesions 2.04 1.84 2.78 4.21 2.39 2.36 0.47 1.69 1.72 1.27  Destruction of skin lesions 2.04 1.84 1.62 1.33 0.13 5.44 1.27 1.31 1.15  In a stage chemosurgery of skin lesions 2.26 1.02 0.36 0.56 0.19 0.01 1.98 1.32 1.51 1.15  Cryotherapy of skin lesion therapy 0.285 2.56 1.02 0.36 0.56 0.19 0.01 1.98 1.32 1.51 1.15  Cryotherapy of skin lesion therapy 1.37 0.54 0.00 0.00 0.00 0.00 0.00 0.00 0.00   | ∢ | Destruction of skin lesions  | 2.05         | 1.57             | 2.49                         | 0.94            | 1.29                     | 0.20             | 3.82              | 4.74              | 3.19              | 3.54              | 010    |
| Destruction of skin lesions 3.20 2.15 3.31 1.60 1.79 0.40 5.75 6.91 5.20 5.39  Destruction of skin lesions 1.17 1.16 1.63 0.52 0.81 0.12 2.45 2.92 1.81 2.10  Destruction of skin lesions 1.72 1.42 2.06 0.81 1.06 0.14 3.28 3.92 2.67 2.92  Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.57 2.49 0.96 1.29 0.18 3.79 4.71 3.18 3.51  Destruction of skin lesions 2.04 1.57 2.49 0.96 1.26 0.22 4.72 5.78 4.12 4.41  Destruction of skin lesions 3.21 2.14 3.39 1.53 1.82 0.26 5.61 6.86 5.00 5.29  Destruction of skin lesions 4.44 2.78 4.21 2.39 2.36 0.47 7.69 9.12 7.30 7.27  Chemosurgery of skin lesions 7.60 6.72 4.95 4.13 2.67 0.24 14.56 12.79 11.97 10.51  2nd stage chemosurgery 2.85 2.56 1.78 1.62 0.98 0.09 5.50 4.72 4.56 3.92  Followup skin lesion therapy 2.85 2.56 1.78 1.63 0.01 0.00 1.30 1.30 1.30  Explain skin chemosurgery 0.09 1.04 0.51 0.25 0.19 0.01 1.98 1.32 1.51 1.15  Cryotherapy of skin chemosurgery 0.09 0.00 0.00 0.00 0.00 0.00 0.00 0.0  | ∢ | Destruction of skin lesions  | 2.59         | 1.84             | 3.07                         | 1.17            | 1.60                     | 0.25             | 4.68              | 5.91              | 4.01              | 4.44              | 010    |
| Destruction of skin lesions         1.17         1.16         1.63         0.52         0.81         0.12         2.45         2.92         1.81         2.10           Destruction of skin lesions         1.72         1.42         2.06         0.81         1.06         0.14         3.28         3.92         2.67         2.92           Destruction of skin lesions         2.04         1.57         2.49         0.96         1.29         0.18         3.79         4.71         3.18         3.51           Destruction of skin lesions         2.64         1.86         2.92         1.26         0.26         5.76         6.86         5.00         5.29           Destruction of skin lesions         3.21         2.14         3.39         1.26         0.26         5.76         6.86         5.00         5.20           Destruction of skin lesions         4.44         2.78         4.21         2.39         2.36         0.47         7.69         9.12         7.30         7.27           Destruction of skin lesion         7.60         6.72         4.95         4.13         2.67         1.456         1.79         1.79         1.79         1.79         1.79         1.79         1.79         1.79         1.79   | ∢ | Destruction of skin lesions  | 3.20         | 2.15             | 3.31                         | 1.60            | 1.79                     | 0.40             | 5.75              | 6.91              | 5.20              | 5.39              | 010    |
| Destruction of skin lesions         1.72         1.42         2.06         0.81         1.06         0.14         3.28         3.92         2.67         2.92           Destruction of skin lesions         2.04         1.57         2.49         0.96         1.29         0.18         3.79         4.71         3.18         3.51           Destruction of skin lesions         2.64         1.86         2.92         1.26         1.55         0.22         4.72         5.78         4.41         4.41           Destruction of skin lesions         4.44         2.78         4.21         2.36         0.26         5.61         6.86         5.00         5.29           Destruction of skin lesions         4.44         2.78         4.21         2.39         2.36         0.47         7.69         9.12         7.30         7.27           Chemosurgery         2.85         2.56         2.48         1.62         1.33         0.13         5.54         4.66         4.50         3.95           Act stage chemosurgery         2.85         2.56         1.84         1.62         0.98         0.09         5.50         4.75         4.56         3.95           Extensive skin lesion therapy         2.85         2.56 <td>∢</td> <td>Destruction of skin lesions</td> <td>1.17</td> <td>1.16</td> <td>1.63</td> <td>0.52</td> <td>0.81</td> <td>0.12</td> <td>2.45</td> <td>2.92</td> <td>1.81</td> <td>2.10</td> <td>010</td>  | ∢ | Destruction of skin lesions  | 1.17         | 1.16             | 1.63                         | 0.52            | 0.81                     | 0.12             | 2.45              | 2.92              | 1.81              | 2.10              | 010    |
| Destruction of skin lesions         2.04         1.57         2.49         0.96         1.29         0.18         3.79         4.71         3.18         3.51           Destruction of skin lesions         2.64         1.86         2.92         1.26         1.55         0.22         4.72         5.78         4.71         3.41           Destruction of skin lesions         3.21         2.14         3.39         1.53         0.26         5.61         6.86         5.00         5.29           Destruction of skin lesions         4.44         2.78         4.21         2.39         2.36         0.47         7.69         9.12         7.30         7.27           Chemosurgery of skin lesion         7.60         6.72         4.95         4.13         2.67         0.24         14.56         12.79         11.97         10.51           And stage chemosurgery         2.85         2.56         1.78         1.62         0.98         0.09         5.50         4.75         4.56         3.92           And stage chemosurgery         2.85         2.56         1.78         1.62         0.98         0.09         5.50         4.78         4.57         3.95           Extensive skin chemosurgery         0.95  | ∢ | Destruction of skin lesions  | 1.72         | 1.42             | 2.06                         | 0.81            | 1.06                     | 0.14             | 3.28              | 3.92              | 2.67              | 2.92              | 010    |
| Destruction of skin lesions         2.64         1.86         2.92         1.26         1.55         0.22         4.72         5.78         4.12         4.41           Destruction of skin lesions         3.21         2.14         3.39         1.53         1.82         0.26         5.61         6.86         5.00         5.29           Destruction of skin lesions         4.44         2.78         4.21         2.39         2.36         0.47         7.69         9.12         7.30         7.27           Chemosurgery of skin lesions         7.60         6.72         4.95         4.13         2.67         0.24         14.56         12.79         11.97         7.27           And stage chemosurgery         2.85         2.56         1.78         1.62         0.98         0.09         5.50         4.72         4.56         3.92           And stage chemosurgery         2.85         2.56         1.78         1.62         0.98         0.09         5.50         4.78         4.57         3.95           All streamsurgery         2.85         2.56         1.84         1.63         0.09         5.50         4.78         4.57         3.95           Extensive skin chemosurgery         0.95         1.02 </td <td>∢</td> <td>Destruction of skin lesions</td> <td>2.04</td> <td>1.57</td> <td>2.49</td> <td>96.0</td> <td>1.29</td> <td>0.18</td> <td>3.79</td> <td>4.71</td> <td>3.18</td> <td>3.51</td> <td>010</td>   | ∢ | Destruction of skin lesions  | 2.04         | 1.57             | 2.49                         | 96.0            | 1.29                     | 0.18             | 3.79              | 4.71              | 3.18              | 3.51              | 010    |
| Destruction of skin lesions         3.21         2.14         3.39         1.53         1.82         0.26         5.61         6.86         5.00         5.29           Destruction of skin lesions         4.44         2.78         4.21         2.39         2.36         0.47         7.69         9.12         7.30         7.27           Chemosurgery of skin lesion         7.60         6.72         4.95         4.13         2.67         0.24         14.56         12.79         11.97         10.51           2nd stage chemosurgery         2.85         2.56         2.48         1.62         0.38         0.09         5.64         4.60         4.31           3nd stage chemosurgery         2.85         2.56         1.78         1.62         0.98         0.09         5.64         4.60         4.31           And stage chemosurgery         2.85         2.56         1.84         1.62         0.98         0.09         5.60         4.72         4.66         3.92           Followup skin lesion therapy         0.76         1.04         0.51         0.09         0.01         0.01         1.99         1.51         1.74           Skin peel therapy         1.43         1.27         0.54         0.70   | ∢ | Destruction of skin lesions  | 2.64         | 1.86             | 2.92                         | 1.26            | 1.55                     | 0.22             | 4.72              | 5.78              | 4.12              | 4.41              | 010    |
| Destruction of skin lesions         4.44         2.78         4.21         2.39         2.36         0.47         7.69         9.12         7.30         7.27           Chemosurgery of skin lesion         7.60         6.72         4.95         4.13         2.67         0.24         14.56         12.79         11.97         10.51           2nd stage chemosurgery         2.85         2.56         2.48         1.62         0.38         0.09         5.54         5.46         4.60         4.31           3rd stage chemosurgery         2.85         2.56         1.78         1.62         0.98         0.09         5.50         4.72         4.66         4.31           Followup skin lesion therapy         2.85         2.56         1.84         1.63         1.01         0.09         5.50         4.78         4.57         3.95           Cryotherapy of skin         0.76         1.14         0.51         0.25         0.18         0.02         1.29         1.73         1.74         1.75           Skin peel therapy         1.43         1.27         0.54         0.70         0.09         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00   | ∢ | Destruction of skin lesions  | 3.21         | 2.14             | 3.39                         | 1.53            | 1.82                     | 0.26             | 5.61              | 98.9              | 5.00              | 5.29              | 010    |
| Chemosurgery of skin lesion         7.60         6.72         4.95         4.13         2.67         0.24         14.56         12.79         11.97         10.51           2nd stage chemosurgery         2.85         2.56         2.48         1.62         1.33         0.13         5.54         5.46         4.60         4.31           3nd stage chemosurgery         2.85         2.56         1.78         1.62         0.98         0.09         5.50         4.72         4.56         3.92           Followup skin lesion therapy         2.85         2.56         1.84         1.63         1.01         0.09         5.50         4.78         4.57         3.95           Extensive skin chemosurgery         0.95         1.02         0.36         0.55         0.19         0.01         1.98         1.32         1.51         1.15           Cryotherapy of skin         0.76         1.14         0.51         0.55         0.18         0.02         1.29         1.03         0.96           Skin peel therapy         1.43         1.27         0.54         0.70         0.09         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00   | ∢ | Destruction of skin lesions  | 44.44        | 2.78             | 4.21                         | 2.39            | 2.36                     | 0.47             | 7.69              | 9.12              | 7.30              | 7.27              | 010    |
| 2nd stage chemosurgery         2.85         2.56         2.48         1.62         1.33         0.13         5.54         5.64         4.60         4.31           3rd stage chemosurgery         2.85         2.56         1.78         1.62         0.98         0.09         5.50         4.72         4.66         3.92           Followup skin lesion therapy         2.85         2.56         1.84         1.63         1.01         0.09         5.50         4.78         4.57         3.95           Extensive skin chemosurgery         0.95         1.02         0.36         0.55         0.19         0.01         1.98         1.32         1.51         1.15           Cryotherapy of skin         0.76         1.14         0.51         0.25         0.18         0.02         1.29         1.03         0.96           Skin peel therapy         1.43         1.27         0.54         0.70         0.29         0.02         2.72         1.99         2.15         1.74           Hair removal by electrolysis         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00  | ∢ | Chemosurgery of skin lesion  | 2.60         | 6.72             | 4.95                         | 4.13            | 2.67                     | 0.24             | 14.56             | 12.79             | 11.97             | 10.51             | 000    |
| 3rd stage chemosurgery         2.85         2.56         1.78         1.62         0.98         0.09         5.60         4.72         4.56         3.92           Followup skin lesion therapy         2.85         2.56         1.84         1.63         1.01         0.09         5.60         4.78         4.57         3.95           Extensive skin chemosurgery         0.95         1.02         0.36         0.55         0.19         0.01         1.98         1.32         1.51         1.15           Cryotherapy of skin         0.76         1.14         0.51         0.55         0.18         0.02         1.29         1.03         0.96           Skin peel therapy         1.43         1.27         0.54         0.70         0.29         0.02         2.72         1.99         2.15         1.74           Hair removal by electrolysis         0.00 <td>∢</td> <td>2nd stage chemosurgery</td> <td>2.85</td> <td>2.56</td> <td>2.48</td> <td>1.62</td> <td>1.33</td> <td>0.13</td> <td>5.54</td> <td>5.46</td> <td>4.60</td> <td>4.31</td> <td>000</td>  | ∢ | 2nd stage chemosurgery       | 2.85         | 2.56             | 2.48                         | 1.62            | 1.33                     | 0.13             | 5.54              | 5.46              | 4.60              | 4.31              | 000    |
| Followup skin lesion therapy         2.85         2.56         1.84         1.63         1.01         0.09         5.50         4.78         4.57         3.95           Extensive skin chemosurgery         0.95         1.02         0.36         0.55         0.19         0.01         1.98         1.32         1.51         1.15           Cryotherapy of skin         0.76         1.14         0.51         0.55         0.18         0.02         1.29         1.03         0.96           Skin peel therapy         1.43         1.27         0.54         0.70         0.29         0.02         2.72         1.99         2.15         1.74           Hair removal by electrolysis         0.00   | ∢ | 3rd stage chemosurgery       | 2.85         | 2.56             | 1.78                         | 1.62            | 96.0                     | 0.09             | 5.50              | 4.72              | 4.56              | 3.92              | 00     |
| Extensive skin chemosurgery         0.95         1.02         0.36         0.55         0.19         0.01         1.98         1.32         1.51         1.15           Cryotherapy of skin         0.76         1.14         0.51         0.55         0.18         0.02         1.92         1.29         1.03         0.96           Skin peel therapy         1.43         1.27         0.54         0.70         0.29         0.02         2.72         1.99         2.15         1.74           Hair removal by electrolysis         0.00 <td< td=""><td>∢</td><td>Followup skin fesion therapy</td><td>2.85</td><td>2.56</td><td>1.84</td><td>1.63</td><td>1.01</td><td>0.09</td><td>5.50</td><td>4.78</td><td>4.57</td><td>3.95</td><td>000</td></td<>  | ∢ | Followup skin fesion therapy | 2.85         | 2.56             | 1.84                         | 1.63            | 1.01                     | 0.09             | 5.50              | 4.78              | 4.57              | 3.95              | 000    |
| Cryotherapy of skin         0.76         1.14         0.51         0.25         0.18         0.02         1.92         1.29         1.03         0.96           Skin peel therapy         1.43         1.27         0.54         0.70         0.29         0.02         2.72         1.99         2.15         1.74           Hair removal by electrolysis         0.00         <  | ∢ | Extensive skin chemosurgery  | 0.95         | 1.02             | 0.36                         | 0.55            | 0.19                     | 0.01             | 1.98              | 1.32              | 1.51              | 1.15              | 00     |
| Skin peel therapy         1.43         1.27         0.54         0.70         0.29         0.02         2.72         1.99         2.15         1.74           Hair removal by electrolysis         0.00   | ⋖ | Cryotherapy of skin          | 9.76         | 1.14             | 0.51                         | 0.25            | 0.18                     | 0.02             | 1.92              | 1.29              | 1.03              | 96.0              | 010    |
| Hair removal by electrolysis         0.00         <   | ∢ | Skin peel therapy            | 1.43         | 1.27             | 0.54                         | 0.70            | 0.29                     | 0.02             | 2.72              | 1.99              | 2.15              | 1.74              | 010    |
| 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | œ | Hair removal by electrolysis | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 0.84 1.37 0.65 0.24 0.22 0.05 2.26 1.54 1.13 1.11  | ပ | Skin tissue procedure        | 0.00         | 0.00             | 0.00                         | 00.00           | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | λλ     |
|  | ∢ | Drainage of breast lesion    | 0.84         | 1.37             | 0.65                         | 0.24            | 0.22                     | 0.05             | 2.26              | 1.54              | 1.13              | 1.1               | 000    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| A Drain breast lesion add-on A Incision of breast lesion add-on A Incision of breast lesion A Biopsy of breast A Biopsy of breast A Biopsy of breast A Removal of breast lesion A Excision, breast lesion A Excision, breast lesion A Excision, breast lesion A Excision, breast lesion A Removal of breast lesion A Removal of breast lissue A Removal of breast issue A Removal of breast implant A Removal of Breast Implan   | sion add-on sist lesion add-on sast tesion at lesion at lesion at lesion at lesion ast tissue ast tissue ast tissue, nodes ast tissue, nodes ast tissue, ast ast east ast east wall lesion ast wall east wall                | Physician work 3 RVUS 3.57 1.53 1.27 3.67 5.56 6.06 6.06 6.06 6.09 13.53 13.53 8.80 8.80   | facility practice expense RVUs 1.05 5.38 10.31 2.88 7.34 6.54 | Non-facility practice expense RVUS 0.46 2.49 2.98 | Facility<br>practice<br>expense | Facility<br>practice<br>expense | Mal-<br>practice | Non-     | Transitioned<br>Non- | į        | Transitioned |        |
|--|--|--|---|---|---------------------------------|---------------------------------|------------------|----------|----------------------|----------|--------------|--------|
|  | sion add-on stat lesion ast x-ray st lesion ast lesion breast lesion breast tissue ast tissue ast tissue ast sast ast sast sast sast sast sast  | Physician work 3 | expense expense RVUs 1.05 5.38 10.31 2.88 7.34 6.54           | expense<br>expense<br>RVUS<br>2.49<br>2.98        | practice<br>expense             | practice<br>expense             | Mal-<br>practice | Hon-     | Non-                 | 4        | Transitioned |        |
|  | sion add-on six lesion asst x-ray st sit sion duct fistula asst lesion breast lesion asst tissue asst tissue asst asst asst asst asst asst wall esion est wall   | 8.80   | 8WS<br>1.05<br>5.38<br>10.31<br>2.88<br>7.34<br>6.54          | 2.49<br>2.98                                      | 17714                           |                                 |                  | facility | farility             | Facility | Facility     |        |
| Drain breast les Incision of breas Injection for breas Biopsy of breast Biopsy of breast Biopsy of breast Biopsy of breast dexision, breast Excision, breast Excision, add'l breamoval of breast Removal of chee Extensive chest Place needle wi Suspension of Lange breast Enlarge breast Enlarge breast Removal of breast Place needle wi Suspension of Lange Breast Place needle wi Suspension of Lange breast Enlarge breast Removal of fore fore fore fore fore fore fore f   | sion add-on sst lesion aast x-ray st st st st st st st st st sast lesion breast lesion breast lesion ast tissue aast tissue sast sast aast sast wall lesion set wall   | 0.42<br>3.57<br>1.53<br>1.27<br>3.18<br>4.30<br>3.67<br>5.56<br>6.06<br>6.06<br>5.99<br>5.14<br>5.99<br>13.53  | 1.05<br>5.38<br>10.31<br>2.88<br>7.34<br>6.54                 | 0.46<br>2.49<br>2.98                              | KNUS                            | ŔVUs                            | RUYs             | Total    | Total                | Total    | Total        | Global |
| Incision of breast Injection for breast Biopsy of breast Biopsy of breast Biopsy of breast Archise breast of Excision, breast Excision, add'l breast Excision, add'l breast Excision, add'l breast Removal of cheast Removal of cheast Removal of cheast Removal of cheast Revision of cheast Revision of cheast Reduction of lar Enlarge breast Enlarge breast Enlarge breast Enlarge breast Removal of firm Reduction of lar Enlarge breast Removal of firm Remo   | sst lesion seast x-ray st st st ion luct fistula seast lesion seast tissue seast tissue seast tissue seast | 3.57<br>1.53<br>1.27<br>3.18<br>4.30<br>3.67<br>5.56<br>6.06<br>2.93<br>5.14<br>5.99<br>13.53<br>8.80  | 5.38<br>10.31<br>2.88<br>7.34<br>6.54                         | 2.49  | 0.12                            | 0.13                            | 0.04             | 1.51     | 0.92                 | 0.58     | 0.59         | 777    |
| linjection for breast Biopsy of breast Biopsy of breast Biopsy of breast Arcise breast di Excision, breast Excision, breast Excision, add'l breamoval of breast Removal of breast Blace needle will Suspension of Lange breast Enlarge breast Enlarge breast Enlarge breast Removal of breast Removal of breast Place needle will Suspension of Lange breast Enlarge breast Removal of breast Premoval of breast Premoval of preservation by the proposition of the breast of the  | st s   | 1.53<br>1.27<br>3.18<br>4.30<br>3.67<br>5.56<br>6.06<br>2.93<br>5.14<br>5.99<br>13.53<br>8.80  | 10.31<br>2.88<br>7.34<br>6.54                                 | 2.98  | 2.73                            | 1.82                            | 0.22             | 9.17     | 6.28                 | 6.52     | 5.61         | 8      |
| Biopsy of breast<br>Biopsy of breast<br>Nipple exploration<br>Excise breast d<br>Removal of breast<br>Excision, add'l b<br>Removal of breast<br>Removal of cheast<br>Removal of cheast<br>Removal of cheast<br>Removal of cheast<br>Removal of cheast<br>Revision of cheast<br>Place needle wi<br>Suspension of Lang<br>Reduction of lar<br>Reduction of lar<br>Reduction of lar<br>Reduction of lar<br>Reduction of lar<br>Removal of preast of the cheast of the cheat of the chea | st<br>ion<br>Juct fistula<br>east lesion<br>st lesion<br>oreast lesion<br>east tissue<br>east tissue<br>tissue, nodes<br>east<br>east<br>east<br>east<br>east<br>east<br>east  | 1.27<br>3.18<br>4.30<br>3.67<br>5.56<br>6.06<br>2.93<br>5.14<br>5.99<br>13.53  | 2.88<br>7.34<br>6.54  | 70,7  | 0.41                            | 0.50                            | 0.03             | 11.87    | 4.54                 | 1.97     | 5.06         | 8      |
| Biopsy of breast Nipple explorations of Excise breast de Removal of breast Excision, breast Excision, add'l breast Removal of cheest Place needle will place needle will Suspension of Lange breast Enlarge breast Enlarge breast Removal of fire Reduction of lar Reduction of lar Reduction of lar Reduction of lar Removal of fire Removal of fire Removal of fire Removal of fire breast of the Removal of fire Removal of fire breast of the breast o   | ion Juct fistula aast lesion st lesion breast lesion ast tissue ast tissue tissue, nodes ast ast ast ast ast ast ast ast ast as  | 3.18<br>4.30<br>3.67<br>5.56<br>6.06<br>2.93<br>5.14<br>5.99<br>13.53  | 7.34<br>6.54  | <del>1</del> 77                                   | 0.81                            | 0.47                            | 0.10             | 4.25     | 2.61                 | 2.18     | 1.84         | 8      |
| Nipple exploration Excise breast do Removal of breast Excision, breast Excision, add'l b Removal of breast Removal of che Revision of che Extensive chest Place needle wi Place needle wi Suspension of lar Enlarge breast Enlarge breast Enlarge breast Removal of fore Reduction of lar Removal of breast large l   | ion<br>Juct fistula<br>east lesion<br>st lesion<br>breast lesion<br>east tissue<br>tissue, nodes<br>east<br>east<br>east<br>east<br>east<br>east<br>east   | 4.30<br>3.67<br>5.56<br>6.06<br>2.93<br>5.14<br>5.99<br>13.53<br>8.80  | 6.54  | 3.74  | 2.67                            | 2.57                            | 0.35             | 10.87    | 7.27                 | 6.20     | 6.10         | 9      |
| Excise breast di<br>Removal of breast<br>Excision, add'l b<br>Removal of breast<br>Removal of breast<br>Removal of breast<br>Removal of breast<br>Removal of breast<br>Removal of breast<br>Removal of cheast<br>Removal of cheast<br>Removal of cheast<br>Removal of cheast<br>Removal of cheast<br>Revision of cheast<br>Reduction of lar<br>Reduction of lar<br>Removal of preast large breast large lar       | duct fistula east lesion st lesion breast lesion east tissue east tissue t tissue, nodes east east east east east east east ea   | 3.67<br>5.56<br>6.06<br>2.93<br>5.14<br>5.99<br>13.53<br>8.80  | 6   | 3.64  | 3.46                            | 2.87                            | 0.40             | 11.24    | 8.34                 | 8.16     | 7.57         | 060    |
| Removal of breast Excision, breast Excision, add'l b Removal of breast Removal of cheep Revision of cheep Extensive chest Place needle wi Suspension of lar Enlarge breast Enlarge breast Removal of breast Place needle wi Suspension of Large breast Enlarge breast Removal of preast Removal of preast Removal of preast Removal of preast Prea   | sast lesion st lesion breast lesion east tissue east tissue t tissue, nodes east east east east east east east ea  | 5.56<br>6.06<br>2.93<br>5.14<br>5.99<br>13.53<br>8.80  | 0.83  | 3.64  | 2.51                            | 2.53                            | 0.27             | 10.87    | 7.58                 | 6.45     | 6.47         | 8      |
| Excision, breast Excision, add'l b Removal of brea Removal of che Revision of che Extensive cheat Place needle wi Place needle wi Place needle wi Place needle wi Suspension of La Reduction of lar Enlarge breast Enlarge breast Removal of brea Removal of brea Removal of brea  | st lesion breast lesion east tissue east tissue t tissue, nodes east east east east east east east ea  | 6.06<br>2.93<br>5.14<br>5.99<br>8.80   | 3.47  | 3.23  | 3.32                            | 3.19                            | 0.47             | 9.50     | 9.26                 | 9.35     | 9.22         | 060    |
| Excision, add'l b Removal of bree Removal of chee Revision of chee Extensive cheet Place needle wi Place needle wi Suspension of Iar Enlarge breast Enlarge breast Enlarge breast Removal of bree  | breast lesion<br>east tissue<br>east tissue<br>t tissue, nodes<br>east<br>east<br>east<br>east<br>east wall lesion   | 2.93<br>5.14<br>5.99<br>13.53<br>8.80  | 3.80  | 3.31  | 3.76                            | 3.30                            | 0.47             | 10.33    | 9.84                 | 10.29    | 9.83         | 060    |
| Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Revision of chee<br>Extensive cheat<br>Place needle wi<br>Place needle wi<br>Suspension of La<br>Reduction of lar<br>Enlarge breast<br>Enlarge breast<br>Enlarge breast<br>Removal of bree<br>Removal of bree   | east tissue east tissue t tissue, nodes east east east east east east east ea  | 5.14<br>5.99<br>13.53<br>8.80  | ¥   | Ϋ́  | 1.26                            | 1.49                            | 0.24             | ¥        | ¥                    | 4.43     | 4.66         | 777    |
| Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of chee<br>Extensive cheet<br>Place needle wi<br>Place needle wi<br>Suspension of La<br>Reduction of lar<br>Enlarge breast<br>Enlarge breast<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of bree   | aast tissue<br>t tissue, nodes<br>aast<br>aast<br>aast<br>aast<br>aast<br>aast<br>aast   | 5.99<br>13.53<br>8.80  | 7.16  | 5.29  | 3.13                            | 4.28                            | 0.71             | 13.01    | 11.14                | 8.98     | 10.13        | 8      |
| Remove breast Removal of brea Removal of brea Removal of brea Removal of brea Removal of che Revision of che Extensive chest Place needle wi Place needle wi Suspension of I Reduction of lar Enlarge breast Enlarge breast Enlarge breast Removal of brea Removal of brea   | t tissue, nodes<br>east<br>east<br>east<br>east<br>east wall lesion<br>est wall  | 13.53<br>8.80  | ¥   | Ϋ́  | 3.80                            | 4.31                            | 69.0             | ¥        | Ϋ́                   | 10.48    | 10.99        | 8      |
| Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of che<br>Extensive chest<br>Place needle wi<br>Place needle wi<br>Suspension of La<br>Reduction of lar<br>Enlarge breast<br>Enlarge breast<br>Removal of bree<br>Removal of bree<br>Removal of bree<br>Removal of imp   | east<br>east<br>east<br>east<br>east wall lesion   | 8.80   | ¥   | Ϋ́  | 7.29                            | 9.46                            | 1.53             | ¥        | ¥                    | 22.35    | 24.52        | 8      |
| Removal of brea<br>Removal of brea<br>Removal of brea<br>Removal of che<br>Revision of che<br>Extensive chest<br>Place needle wi<br>Place needle wi<br>Suspension of La<br>Reduction of lar<br>Enlarge breast<br>Enlarge breast<br>Removal of brea<br>Removal of brea  | east<br>east<br>east<br>east wall lesion<br>est wall   |  | ¥   | Ϋ́  | 5.31                            | 5.90                            | 0.92             | ¥        | Š                    | 15.03    | 15.62        | 8      |
| Removal of brea<br>Removal of brea<br>Removal of che<br>Revision of che<br>Extensive chest<br>Place needle wi<br>Place needle wi<br>Suspension of L<br>Reduction of lar<br>Enlarge breast<br>Enlarge breast<br>Removal of brea<br>Removal of brea<br>Removal of imp  | aast<br>aast<br>sast<br>est wall lesion<br>est wall  | 7.73   | ¥   | <b>∀</b>  | 4.61                            | 6.10                            | 0.99             | ¥        | ¥                    | 13.33    | 14.82        | 8      |
| Removal of brea<br>Removal of che<br>Revision of che<br>Extensive chest<br>Place needle wi<br>Place needle wi<br>Suspension of La<br>Reduction of lar<br>Enlarge breast<br>Enlarge breast<br>Removal of brea<br>Removal of brea  | aast<br>sast<br>est wall lesion<br>est wall  | 15.49  | ¥   | ¥   | 8.40                            | 10.42                           | 1.68             | ¥        | Ϋ́                   | 25.57    | 27.59        | 8      |
| Removal of brea<br>Revision of che<br>Revision of che<br>Extensive chest<br>Place needle wi<br>Suspension of La<br>Reduction of lar<br>Enlarge breast<br>Enlarge breast<br>Removal of brea<br>Removal of brea  | east<br>est wall lesion<br>est wall  | 15.72  | ₹   | ¥   | 8.55                            | 10.87                           | 1.86             | ¥        | Ą                    | 26.13    | 28.45        | 8      |
| Removal of che<br>Revision of ches<br>Extensive chest<br>Place needle wi<br>Suspension of L<br>Reduction of lar<br>Enlarge breast<br>Enlarge breast<br>Removal of bres<br>Removal of imp   | est wall lesion<br>est wall  | 16.00  | ¥   | ¥   | 8.19                            | 9.73                            | 1.56             | ¥        | Ϋ́                   | 25.75    | 27.29        | 8      |
| Revision of chea<br>Extensive chest<br>Place needle wi<br>Place needle wi<br>Suspension of La<br>Reduction of lar<br>Enlarge breast<br>Enlarge breast<br>Removal of brea<br>Removal of imp   | est wall   | 15.44  | ¥   | ¥   | 11.09                           | 6.88                            | 0.81             | ¥        | Ϋ́                   | 27.34    | 23.13        | 060    |
| Extensive chest Place needle will place needle will place needle will suspension of Lar Reduction of lar Enlarge breast Enlarge breast Removal of break Removal of implementation of implemental places.   |  | 18.90  | ≨   | ₹   | 13.74                           | 14.79                           | 2.17             | ¥        | Ϋ́                   | 34.81    | 35.86        | 8      |
| Place needle wi<br>Place needle wi<br>Suspension of La<br>Reduction of lar<br>Enlarge breast<br>Enlarge breast<br>Removal of brea<br>Removal of imp  | st wall surgery  | 21.55  | ¥   | ¥   | 14.79                           | 13.95                           | 2.00             | ¥        | Ϋ́                   | 38.34    | 37.50        | 8      |
| Place needle wi<br>Suspension of La<br>Reduction of lar<br>Enlarge breast<br>Enlarge breast v<br>Removal of brea<br>Removal of imp   | ire, breast  | 1.27   | 5.27  | 1.68  | 0.34                            | 0.45                            | 0.05             | 6.59     | 3.00                 | 1.66     | 1.77         | 8      |
| Suspension of tare Reduction of lar Enlarge breast Enlarge breast value Removal of breast value and the Removal of imp   | ire, breast  | 0.63   | 1.45  | 0.57  | 0.17                            | 0.25                            | 0.03             | 2.11     | 1.23                 | 0.83     | 0.91         | 77     |
| Reduction of lar<br>Enlarge breast<br>Enlarge breast v<br>Removal of breast<br>Removal of imp  | breast   | 10.69  | ¥   | ¥   | 6.80                            | 11.27                           | 1.90             | ¥        | Ϋ́                   | 19.39    | 23.86        | 8      |
| Enlarge breast Enlarge breast v Removal of bre Removal of imp  | rge breast   | 15.62  | ¥   | Ϋ́  | 9.44                            | 13.90                           | 2.53             | ¥        | Ϋ́                   | 27.59    | 32.05        | 8      |
| Enlarge breast v<br>Removal of brea<br>Removal of imp  |  | 5.85   | Ϋ́  | ¥   | 3.65                            | 3.59                            | 0.52             | ¥        | Ϋ́                   | 10.02    | 96.6         | 8      |
| Removal of brea  | with implant   | 8.45   | ¥   | ¥   | 5.81                            | 6.23                            | 0.88             | ¥        | Š                    | 15.14    | 15.56        | 8      |
| Removal of imp   | east implant   | 5.68   | ¥   | ¥   | 3.99                            | 4.06                            | 0.57             | ¥        | ¥                    | 10.24    | 10.31        | 8      |
| Immediate head   | plant material   | 7.59   | ¥   | ¥   | 4.71                            | 4.34                            | 0.59             | ¥        | Ϋ́                   | 12.89    | 12.52        | 8      |
| IIIIII ediale piea   | mmediate breast prosthesis   | 6.33   | ¥   | Ϋ́  | 3.25                            | 6.48                            | 1.61             | ¥        | Ϋ́                   | 11.19    | 14.42        | 77     |
| Delayed breast prosthesis  | t prosthesis   | 11.20  | ¥   | Ϋ́  | 7.09                            | 10.57                           | 1.59             | ¥        | ۷<br>Z               | 19.88    | 23.36        | 8      |
| Breast reconstruction  | ruction  | 8.92   | 10.84   | 8.47  | 6.01                            | 7.26                            | 1.08             | 20.84    | 18.47                | 16.01    | 17.26        | 8      |
| Correct inverted nipple(s)   | d nipple(s)  | 7.57   | 12.42   | 7.12  | 4.55                            | 5.15                            | 0.78             | 20.77    | 15.47                | 12.90    | 13.50        | 8      |
| Breast reconstruction  | ruction  | 18.16  | ¥   | Ā   | 12.00                           | 12.89                           | 1.85             | ¥        | Ϋ́                   | 32.01    | 32.90        | 8      |
| Breast reconstruction  | ruction  | 19.26  | Ϋ́  | Ϋ́  | 11.15                           | 19.18                           | 3.04             | ¥        | Ϋ́                   | 33.45    | 41.48        | 8      |
| Breast reconstruction  | ruction  | 41.00  | ¥   | Ϋ́  | 23.30                           | 19.40                           | 2.80             | ž        | Ϋ́                   | 67.10    | 63.20        | 8      |
| Breast reconstruction  | ruction  | 21.28  | Α̈́   | Ϋ́  | 10.95                           | 16.09                           | 2.49             | ¥        | Ϋ́                   | 34.72    | 39.86        | 8      |
| Breast reconstruction  | ruction  | 25.73  | Ā   | Ϋ́  | 14.33                           | 19.97                           | 3.04             | ¥        | Ą                    | 43.10    | 48.74        | 80     |
| A Breast reconstruction  | ruction  | 32.42  | Ϋ́  | <b>∀</b><br>Z                                     | 18.24                           | 20.95                           | 3.04             | ¥        | Ϋ́                   | 53.70    | 56.41        | 8      |
| Breast reconstruction  | ruction  | 29.82  | Š   | Š   | 17.22                           | 50.69                           | 3.04             | ¥        | ¥                    | 50.08    | 53.55        | 060    |

Page 9 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| ### Bestription  19370  A Surgery of breast capsule 19371  A Removal of breast capsule 19380  A Revise breast reconstruction 19396  A Revise breast angery procedure 20000  A Replore wound, neck 20101  A Explore wound, abdomen 20102  A Explore wound, abdomen 20103  A Explore wound, abdomen 20103  A Replore wound, abdomen 20103  A Replore wound, abdomen 20206  A Bone biopsy, trocar/needle 20206  A Bone biopsy, trocar/needle 20206  A Bone biopsy, trocar/needle 20240  A Bone biopsy, trocar/needle 20240  A Bone biopsy, trocar/needle 20245  A Bone biopsy, trocar/needle 20240  A Bone biopsy, rocar/needle 20250  A Bone biopsy, rocar/needle 20260  A Ponentor biopsy, rocar/needle 20260  A Ponentor biopsy, rocar/needle 20660  A Apply, remove fixation device 20660  A Apply, remove fixation of head brace 20660  A Application of thigh brace 20660  A Application of thigh brace 20660  A Application of thigh brace 20660  | Physician work 3 RVUs 3 RVUs 3 RVUs 3 RVUs 9.35 sulle 9.35 ruction 9.14 implant 2.17 ure 0.00 ure 2.12 siss 10.08 | facility practice expense | Non-facility<br>practice | Facility<br>practice | Facility<br>practice | 7-71             | :                 | Transitioned      |                   | Transitional      |        |
|--|---|---------------------------|--------------------------|----------------------|----------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| 25 A 4 4 0 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4   | and and a   | practice<br>expense       | practice                 | practice             | practice             | 11-11            |                   |                   |                   | Transitional      |        |
| Mod States Andrew Control of the Con | ant<br>2  | expense                   |                          |                      | •                    | -wa-             | Non-              | Non-              |                   |                   |        |
| « « « « » « « « « « « « « « « « « « « «  | ant<br>1  | KYCS                      | expense<br>RVUs          | expense<br>RVUs      | expense<br>RVUs      | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| <pre></pre>  | ant<br>ant  | ₹                         | ¥                        | 5.40                 | 6.38                 | 0.93             | ¥                 | ž                 | 14.38             | 15.36             | 060    |
| < < < < < < < < < < < < < < < < < < <  | ¥   | ¥                         | Š                        | 6.35                 | 8.02                 | 1.20             | ¥                 | ¥                 | 16.90             | 18.57             | 060    |
| 4044444444444444444444444444444444444  | olant   | Ϋ́                        | ¥                        | 6.24                 | 8.16                 | 1.23             | ¥                 | ¥                 | 16.61             | 18.53             | 060    |
| U  |   | 3.90                      | 2.25                     | 0.82                 | 1.48                 | 0.24             | 6.31              | 4.66              | 3.23              | 3.89              | 000    |
| < < < < < < < < < < < < < < < < < < <  |   | 0.00                      | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00              | 00.0              | 00:0              | 0.00              | Ж      |
| < < < < < < < < < < < < < < < < < < <  |   | 1.80                      | 1.14                     | 1.01                 | 09.0                 | 90.0             | 3.98              | 3.32              | 3.19              | 2.78              | 010    |
| < < < < < < < < < < < < < < < < < < <  | 10.08   | 2.54                      | 2.13                     | 1.90                 | 1.97                 | 0.22             | 6.18              | 5.77              | 5.54              | 5.61              | 010    |
| < < < < < < < < < < < < < < < < < < <  |   | 5.13                      | 5.33                     | 4.73                 | 5.23                 | 0.91             | 16.12             | 16.32             | 15.72             | 16.22             | 010    |
| < < < < < < < < < < < < < < < < < < <  | 3.22  | 2.12                      | 1.81                     | 1.55                 | 1.66                 | 0.29             | 5.63              | 5.32              | 90.9              | 5.17              | 010    |
| < < < < < < < < < < < < < < < < < < <  |   | 2.76                      | 2.25                     | 1.79                 | 2.01                 | 0.35             | 7.05              | 6.54              | 90.9              | 6.30              | 010    |
| < < < < < < < < < < < < < < < < < < <  |   | 3.65                      | 3.02                     | 2.90                 | 2.83                 | 0.47             | 9.42              | 8.79              | 8.67              | 8.60              | 010    |
| < < < < < < < < < < < < < < < < < < <  | 13.69   | Ą                         | ¥                        | 7.33                 | 11.93                | 1.59             | ¥                 | ¥                 | 22.61             | 27.21             | 060    |
| < < < < < < < < < < < < < < < < < < <  | 1.46  | 1.49                      | 1.29                     | 0.61                 | 1.07                 | 0.14             | 3.09              | 2.89              | 2.21              | 2.67              | 000    |
| < < < < < < < < < < < < < < < < < < <  | 2.35  | 3.61                      | 2.43                     | 1.13                 | 1.81                 | 0.26             | 6.22              | 5.04              | 3.74              | 4.42              | 000    |
| < < < < < < < < < < < < < < < < < < <  |   | 2.74                      | 1.47                     | 96.0                 | 1.03                 | 0.11             | 3.84              | 2.57              | 2.08              | 2.13              | 000    |
|  |   | 2.93                      | 1.80                     | 1.82                 | 1.52                 | 0.07             | 4.27              | 3.14              | 3.16              | 2.86              | 000    |
| < < < < < < < < < < < < < < < < < < <  |   | 0.64                      | 2.10                     | 1.90                 | 2.16                 | 0.22             | 2.73              | 4.19              | 3.99              | 4.25              | 000    |
| < < < < < < < < < < < < < < < < < < <  |   | Ϋ́                        | ž                        | 3.12                 | 2.31                 | 0.14             | ¥                 | ¥                 | 6.49              | 5.68              | 010    |
| < < < < < < < < < < < < < < < < < < <  |   | Ϋ́                        | Ϋ́                       | 3.98                 | 3.91                 | 0.34             | ¥                 | ¥                 | 8.27              | 8.20              | 010    |
| < < < < < < < < < < < < < < < < < < <  | 5.03  | Š                         | ž                        | 3.83                 | 5.08                 | 0.59             | ¥                 | ¥                 | 9.45              | 10.70             | 010    |
| < < < < < < < < < < < < < < < < < < <  | 5.56  | ¥                         | Ϋ́                       | 4.59                 | 5.90                 | 0.72             | ¥                 | ž                 | 10.87             | 12.18             | 010    |
| < < < < < < < < < < < < < < < < < < <  |   | 3.74                      | 1.23                     | 2.46                 | 0.77                 | 0.03             | 2.00              | 2.49              | 3.72              | 2.03              | 010    |
| < < < < < < < < < < < < < < < < < < <  | _   | 12.00                     | 3.25                     | 0.21                 | 0.30                 | 0.02             | 12.78             | 4.03              | 66.0              | 1.08              | 00     |
| < < < < < < < < < < < < < < < < < < <  |   | 3.63                      | 1.49                     | 2.36                 | 0.88                 | 90.0             | 5.54              | 3.40              | 4.27              | 2.79              | 010    |
| < < < < < < < < < < < < < < < < < < <  |   | 4.56                      | 2.96                     | 3.34                 | 2.65                 | 0.26             | 8.32              | 6.72              | 7.10              | 6.41              | 010    |
| < < < < < < < < < < < < <  |   | 1.48                      | 0.68                     | 0.18                 | 0.20                 | 0.03             | 2.37              | 1.57              | 1.07              | 1.09              | 000    |
| <b>4 4 4 4 4 4 4</b>   |   | 1.06                      | 0.65                     | 0.26                 | 0.26                 | 0.04             | 1.76              | 1.35              | 96.0              | 96.0              | 000    |
| <b>4 4 4 4 4 4 4</b>   |   | 1.30                      | 0.69                     | 0.26                 | 0.25                 | 0.04             | 2.02              | 1.41              | 96.0              | 0.97              | 00     |
|  |   | 1.61                      | 0.77                     | 0.44                 | 0.30                 | 0.0              | 2.44              | 1.60              | 1.27              | 1.13              | 000    |
| < < < < < <  |   | 3.16                      | 1.19                     | 2.10                 | 0.73                 | 0.05             | 5.49              | 3.52              | 4.43              | 3.06              | 010    |
| 4 4 4 4  |   | 3.49                      | 1.75                     | 2.51                 | 1.51                 | 0.11             | 5.83              | 4.09              | 4.85              | 3.85              | 010    |
| <b>444</b>   | ice   | Ą<br>V                    | ¥<br>X                   | 1.39                 | 1.62                 | 0.16             | ¥                 | ¥                 | 4.06              | 4.29              | 8      |
| ∢ ∢ ∢  |   | Ϋ́                        | ΑN                       | 5.42                 | 4.47                 | 0.51             | ¥                 | Ϋ́                | 10.82             | 9.87              | 060    |
| ∢ ∢  |   | ΑĀ                        | A<br>A                   | 4.74                 | 6.51                 | 0.81             | ¥                 | Ϋ́                | 11.62             | 13.39             | 060    |
| ∢  |   | ΑĀ                        | A<br>A                   | 3.77                 | 4.72                 | 0.59             | ¥                 | ¥                 | 9.79              | 10.74             | 060    |
|  |   | Ϋ́                        | A<br>A                   | 7.10                 | 4.89                 | 0.51             | ¥                 | ¥                 | 15.67             | 13.46             | 060    |
| 20665 A Removal of fixation device   |   | 1.77                      | 0.85                     | 1.13                 | 69.0                 | 0.05             | 3.13              | 2.21              | 2.49              | 2.05              | 010    |
| 20670 A Removal of support implant   |   | 4.33                      | 1.68                     | 2.77                 | 66.0                 | 0.09             | 6.16              | 3.51              | 4.60              | 2.82              | 010    |
| 20680 A Removal of support implant   |   | 3.80                      | 3.66                     | 4.58                 | 3.85                 | 0.40             | 7.55              | 7.41              | 8.33              | 7.60              | 060    |
| 20690 A Apply bone fixation device   |   | Ą                         | <b>X</b>                 | 1.96                 | 3.47                 | 0.45             | ¥                 | Š                 | 5.93              | 7.44              | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| Physican         practice   |                                      |    |            |          | Non-<br>facility    | Transitioned<br>Non-facility | Facility            | Transitioned<br>Facility |                  |                  | Transitioned     |          |                          |          |
|---|--------------------------------------|----|------------|----------|---------------------|------------------------------|---------------------|--------------------------|------------------|------------------|------------------|----------|--------------------------|----------|
| FARMS         RIVIS         INA         NA         India         Indi   | Tal.                                 | d  | ₹ ₹        | =        | practice<br>expense | practice<br>expense          | practice<br>expense | practice<br>expense      | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |          |
| NA         NA         3.66         5.40         0.70         NA         NA         10.76         12.51           NA         NA         9.59         4.42         0.70         NA         NA         10.76         12.51           NA         NA         9.59         4.42         0.33         NA         NA         10.57         10.54           NA         NA         2.01         3.57         0.32         NA         NA         6.99         8.269           NA         NA         39.66         3.296         3.52         NA         NA         6.99         8.269           NA         NA         39.66         3.296         3.62         NA         NA         4.81         NA         10.70         12.51           NA         NA         39.66         3.296         3.62         NA         NA         4.62         10.51           NA         NA         39.66         3.296         3.62         NA         NA         4.41         66.39         8.26           NA         NA         39.67         3.83         3.62         NA         NA         4.41         10.71         10.71         10.72         10.21         10.71<  | Mod Status Description RV            | Ri |            | <u>,</u> | RVUs                | RVUs                         | RVUs                | RVUs                     | RUVs             | Total            | Total            | Total    | Total                    | Global   |
| NA         9.59         4.42         0.33         NA         NA         15.78         1061           NA         2401         3.37         0.32         11.15         8.26         9.49         7.18           NA         2401         3.37         0.32         11.15         8.26         9.49         7.26           NA         39.66         47.50         5.91         NA         106.79         125.17           NA         39.66         3.779         56.17         7.35         NA         NA         76.79         56.78           NA         36.20         28.19         3.02         NA         NA         106.79         125.17           NA         36.20         28.13         3.02         NA         NA         16.74         16.75           NA         36.20         31.33         36.2         NA         NA         46.37         66.37           NA         36.00         5.21         36.8         0.35         10.81         94.3         11.14         95.1           NA         36.00         3.22         NA         NA         16.29         86.28           A         36.00         3.22         11.72 <t< td=""><td>A Apply bone fixation device 6.41</td><td></td><td>_</td><td></td><td>¥</td><td>ž</td><td>3.65</td><td>5.40</td><td>0.70</td><td>¥</td><td>¥</td><td>10.76</td><td>12.51</td><td>060</td></t<>   | A Apply bone fixation device 6.41    |    | _          |          | ¥                   | ž                            | 3.65                | 5.40                     | 0.70             | ¥                | ¥                | 10.76    | 12.51                    | 060      |
| 3,78         5,01         3,37         0,32         11,15         8,26         9,49         7,86           NA         24,01         3,87         0,32         11,15         8,26         9,49         7,86           NA         39,66         37,79         56,17         7,35         NA         NA         69,57         103,41           NA         39,66         32,96         3,62         NA         NA         66,79         125,17           NA         36,62         32,96         3,62         NA         NA         66,79         125,17           NA         36,62         32,96         3,62         NA         NA         66,79         125,17           NA         36,63         32,73         3,08         NA         NA         66,12         65,51           NA         36,63         28,73         3,08         NA         NA         66,12         66,39           NA         36,63         28,73         3,08         NA         NA         66,12         66,39           NA         36,75         38,39         4,83         NA         NA         16,11         30,11           NA         36,26         39,20   | Adjust bone fixation device          |    | ဖ          |          | ₹                   | ¥                            | 9.59                | 4.42                     | 0.33             | ₹                | ¥                | 15.78    | 10.61                    | 060      |
| NA         24,01         36,71         4,83         NA         NA         65,99         82,69           NA         37,79         66,17         7,35         NA         NA         66,29         103,41           NA         37,66         36,17         7,35         NA         NA         66,27         103,41           NA         36,65         28,19         3.00         NA         NA         74,21         67,51           NA         36,62         28,19         3.00         NA         NA         16,74         67,51           NA         36,63         28,19         3.00         NA         NA         66,12         56,75           NA         36,63         28,39         4,83         0.04         NA         76,99         84,63           NA         36,63         3,83         4,83         0.04         NA         76,99         84,63           NA         36,63         4,83         0.07         11,72         7,63         10,70         7,38           NA         5,89         5,26         0.50         NA         NA         10,41         10,41           100         0.00         0.00         0.00  | Remove bone fixation device          |    | ဖ          |          | 6.67                | 3.78                         | 5.01                | 3.37                     | 0.32             | 11.15            | 8.26             | 9.49     | 7.85                     | 060      |
| NA         3966         4750         591         NA         NA         9857         10341           NA         3966         4750         591         NA         NA         1421         6751           NA         3967         367         362         NA         NA         7621         5678           NA         3662         2819         3.00         NA         NA         7621         5678           NA         3662         2819         3.00         NA         NA         7621         5678           NA         3662         2813         3.62         NA         NA         66.21         56.78           NA         3075         38.39         4.83         NA         NA         66.21         56.78           NA         3075         38.39         4.83         NA         NA         66.21         56.78           NA         599         526         0.50         NA         NA         11.14         9.51           NA         599         526         0.50         NA         NA         10.25         10.04           NA         4.55         4.34         0.39         NA         NA         10.   | Replantation, arm, complete          |    | ည          |          | ¥                   | ¥                            | 24.01               | 36.71                    | 4.83             | ¥                | ¥                | 66.69    | 82.69                    | 060      |
| NA         37.79         56.17         7.35         NA         NA         106.79         125.17           NA         36.62         28.19         3.62         NA         NA         67.21         56.75           NA         36.62         28.19         3.02         NA         NA         65.21         56.75           NA         36.20         3.183         3.62         NA         NA         68.21         56.75           NA         36.20         3.183         3.62         NA         NA         68.21         56.75           NA         36.63         28.73         3.06         NA         NA         68.75         66.39           3.50         5.21         3.68         1.08         NA         NA         76.91         66.39           3.50         5.21         5.92         0.65         NA         NA         15.14         9.51           1.20         5.22         1.97         0.07         11.72         NA         12.44         12.75         12.14           NA         5.24         4.97         0.56         NA         NA         12.64         12.14           NA         1.26         1.39         NA </td <td></td> <td></td> <td>0</td> <td></td> <td>ž</td> <td>¥</td> <td>39.66</td> <td>47.50</td> <td>5.91</td> <td>¥</td> <td>₹</td> <td>95.57</td> <td>103.41</td> <td>060</td>   |                                      |    | 0          |          | ž                   | ¥                            | 39.66               | 47.50                    | 5.91             | ¥                | ₹                | 95.57    | 103.41                   | 060      |
| NA         3965         32.95         362         NA         NA         74.21         67.51           NA         3662         28.19         3.00         NA         NA         66.12         65.78           NA         36.62         28.13         3.00         NA         NA         66.12         56.78           NA         36.63         28.73         3.08         NA         NA         66.12         56.78           NA         36.63         28.73         3.08         NA         NA         66.12         56.78           3.50         5.21         3.83         4.83         NA         NA         76.99         84.63           3.50         5.22         0.50         NA         NA         15.41         45.11           5.22         5.29         1.97         0.07         11.72         7.63         10.70         7.38           NA         4.55         4.34         0.39         NA         NA         12.11         4.63           5.27         5.26         0.50         NA         NA         12.84         12.11           NA         5.67         0.66         NA         NA         10.25         10.04  | A Replantation, hand, complete 61.65 |    | S          |          | ¥                   | ¥                            | 37.79               | 56.17                    | 7.35             | ¥                | ₹                | 106.79   | 125.17                   | 060      |
| NA         36.62         28.19         3.00         NA         NA         65.21         56.78           NA         36.20         31.83         3.62         NA         NA         NA         66.39         66.39           NA         36.75         38.39         4.83         NA         NA         66.29         66.39           NA         30.75         38.39         4.83         NA         NA         66.39         66.39           NA         7.56         5.29         0.63         10.81         94.3         11.14         9.51           NA         7.56         5.29         0.63         NA         NA         66.39         84.63           NA         7.56         5.90         0.63         NA         NA         16.10         9.51           NA         4.55         4.34         0.39         NA         NA         16.74         12.14         9.51           NA         4.56         4.34         0.39         NA         NA         16.75         10.04           NA         4.55         4.34         0.39         NA         NA         10.25         10.14         10.04           NA         4.56  | Replantation digit, complete         |    | 4          |          | ¥                   | ¥                            | 39.65               | 32.95                    | 3.62             | ¥                | ¥                | 74.21    | 67.51                    | 060      |
| NA         35.20         3183         362         NA         NA         69.76         66.39           NA         36.35         28.73         3.68         NA         NA         69.76         66.39           NA         36.35         3.68         0.35         10.81         94.3         11.14         95.1           NA         7.56         5.92         0.63         NA         NA         15.74         14.10           222         5.29         1.97         0.07         11.72         7.63         10.70         7.38           NA         4.56         4.34         0.35         NA         NA         12.44         12.14         9.51           NA         5.87         6.30         0.07         11.72         7.63         11.14         9.51           NA         4.55         4.34         0.39         NA         NA         12.44         12.10         12.14         12.11           NA         5.87         5.90         0.66         NA         NA         12.84         12.14         12.14         12.14         13.04           NA         5.87         NA         NA         13.00         0.00         0.00         0.   |                                      |    | 6          |          | ¥                   | ¥                            | 36.62               | 28.19                    | 3.00             | ¥                | ¥                | 65.21    | 56.78                    | 060      |
| NA         36.63         28.73         3.08         NA         NA         66.12         58.22           NA         30.75         38.39         4.83         NA         NA         76.99         84.63           NA         7.56         5.29         1.97         0.07         11.72         7.63         10.70         7.38           NA         7.56         5.29         0.50         NA         NA         16.74         14.10           NA         7.56         5.29         0.50         NA         NA         15.44         14.10           NA         5.99         5.26         0.50         NA         NA         15.84         12.11           NA         5.87         5.90         0.50         0.00         0.00         0.00         0.00           NA         5.66         3.37         0.31         NA         NA         10.90         9.21           NA         1.26         1.73         0.20         0.00         0.00         0.00         0.00           NA         1.80         2.62         0.34         NA         NA         4.93         5.75           NA         1.80         2.62         0.34   | A Replantation thumb, complete 30.94 |    | 4          |          | ¥                   | ¥                            | 35.20               | 31.83                    | 3.62             | ¥                | ¥                | 92.69    | 66.39                    | 060      |
| NA         30.75         38.39         4.83         NA         NA         76.99         84.63           3.50         5.21         3.58         0.35         10.81         9.43         11.14         9.51           NA         7.56         5.99         0.50         NA         NA         15.74         14.10           1.22         5.99         5.26         0.50         NA         NA         12.84         12.11           NA         4.55         4.34         0.39         NA         NA         10.25         10.04           5.27         5.58         4.97         0.56         NA         NA         10.25         10.04           NA         5.60         0.00   | A Replantation thumb, complete 26.41 |    | _          |          | ¥                   | ¥                            | 36.63               | 28.73                    | 3.08             | ¥                | ¥                | 66.12    | 58.22                    | 060      |
| 3.50       5.21       3.58       0.35       10.81       94.3       11.14       9.51         NA       7.56       5.29       0.63       NA       NA       15.74       14.10         NA       5.99       5.26       0.50       NA       NA       15.74       14.10         NA       5.58       4.34       0.39       NA       NA       10.24       12.14         NA       5.66       4.34       0.39       NA       NA       10.24       12.14         NA       5.68       4.37       0.56       13.97       12.44       12.75       12.14         NA       5.00       0.00   | ete                                  |    | _          |          | ¥                   | ₹                            | 30.75               | 38.39                    | 4.83             | ₹                | ₹                | 76.99    | 84.63                    | 060      |
| NA         7.56         5.92         0.63         NA         NA         15.74         14.10           2.22         5.29         1.97         0.07         11.72         7.63         10.70         7.38           NA         4.59         5.26         0.50         NA         NA         12.84         12.11           NA         4.55         4.34         0.39         NA         NA         12.11         12.11           NA         5.66         3.37         0.56         13.97         12.44         12.75         12.14           NA         5.06         3.37         0.31         NA         NA         13.01         13.04           NA         5.06         3.37         0.31         NA         NA         10.90         9.21           NA         1.26         1.73         0.22         NA         NA         4.09         9.21           NA         1.80         2.62         0.34         NA         NA         4.29         3.76           NA         1.90         0.00         0.00         0.00         0.00         0.00         0.00           NA         1.96         1.30         0.42         NA <t< td=""><td></td><td></td><td>8</td><td></td><td>4.88</td><td>3.50</td><td>5.21</td><td>3.58</td><td>0.35</td><td>10.81</td><td>9.43</td><td>11.14</td><td>9.51</td><td>060</td></t<>   |                                      |    | 8          |          | 4.88                | 3.50                         | 5.21                | 3.58                     | 0.35             | 10.81            | 9.43             | 11.14    | 9.51                     | 060      |
| 2.22         5.29         1.97         0.07         11.72         7.63         10.70         7.38           NA         5.99         5.26         0.50         NA         NA         10.24         12.11           NA         5.87         5.96         0.56         NA         NA         10.24         12.75         10.04           NA         5.87         5.90         0.66         NA         NA         13.04         13.04           NA         1.26         1.73         0.00   | A Removal of bone for graft 7.55     |    | 2          |          | ¥                   | ¥                            | 7.56                | 5.92                     | 0.63             | ¥                | ¥                | 15.74    | 14.10                    | 060      |
| NA         5:99         5:26         0.50         NA         NA         12:84         12:11           NA         4:55         4:34         0.39         NA         NA         10:25         10:04           NA         5:87         5:90         0.56         13:97         12:44         12:75         12:14           NA         5:87         5:90         0.56         NA         NA         13:01         13:04           0:00         0:00         0:00         0:00         0:00         0:00         0:00         0:00           NA         1:26         1:73         0:22         NA         NA         4:93         5:75           NA         1:80         2:62         0:34         NA         NA         4:93         5:75           NA         2:6:31         3:75         4:59         NA         NA <td>A Remove cartilage for graft 5.34</td> <td></td> <td>4</td> <td></td> <td>6.31</td> <td>2.22</td> <td>5.29</td> <td>1.97</td> <td>0.07</td> <td>11.72</td> <td>7.63</td> <td>10.70</td> <td>7.38</td> <td>060</td>  | A Remove cartilage for graft 5.34    |    | 4          |          | 6.31                | 2.22                         | 5.29                | 1.97                     | 0.07             | 11.72            | 7.63             | 10.70    | 7.38                     | 060      |
| NA         4.55         4.34         0.39         NA         NA         10.25         10.04           5.27         5.58         4.97         0.56         13.97         12.44         12.75         12.14           NA         5.66         3.37         0.31         NA         NA         10.90         9.21           0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00           NA         1.26         1.73         0.22         NA         NA         3.29         3.76           NA         1.26         1.73         0.22         NA         NA         4.93         5.75           NA         1.80         2.62         0.34         NA         NA         4.93         3.76           NA         1.80         2.62         0.34         NA         NA         4.93         5.75           NA         1.66         1.30         0.13         NA         NA         4.93         5.75           NA         2.63         2.82         0.37         NA         NA         4.93         5.75           NA         2.63         2.84         4.12         NA <td></td> <td></td> <td>2</td> <td></td> <td>¥</td> <td>Ϋ́</td> <td>5.99</td> <td>5.26</td> <td>0.50</td> <td>¥</td> <td>₹</td> <td>12.84</td> <td>12.11</td> <td>060</td>   |                                      |    | 2          |          | ¥                   | Ϋ́                           | 5.99                | 5.26                     | 0.50             | ¥                | ₹                | 12.84    | 12.11                    | 060      |
| 5.27         5.58         4.97         0.56         13.97         12.44         12.75         12.14           NA         5.87         5.90         0.66         NA         NA         13.04         13.04           NA         5.66         3.37         0.31         NA         10.90         9.21           0.00         0.00         0.00         0.00         0.00         0.00         0.00           NA         1.26         1.73         0.22         NA         NA         4.93         3.76           NA         1.80         2.62         0.34         NA         NA         4.93         5.75           NA         1.90         2.82         0.37         NA         NA         4.93         5.75           NA         1.66         1.30         0.13         NA         NA         4.93         5.75           NA         26.31         35.75         4.59         NA         NA         5.29         6.21           NA         26.31         35.75         4.59         NA         NA         69.42         71.79           NA         26.32         28.40         4.12         NA         NA         69.42 <td< td=""><td>Removal of fascia for graft</td><td></td><td></td><td></td><td>¥</td><td>¥</td><td>4.55</td><td>4.34</td><td>0.39</td><td>¥</td><td>¥</td><td>10.25</td><td>10.04</td><td>060</td></td<>  | Removal of fascia for graft          |    |            |          | ¥                   | ¥                            | 4.55                | 4.34                     | 0.39             | ¥                | ¥                | 10.25    | 10.04                    | 060      |
| NA         5.87         5.90         0.66         NA         NA         13.04           NA         5.06         3.37         0.31         NA         NA         13.04           0.00         0.00         0.00         0.00         0.00         0.00         0.00           0.00         0.00         0.00         0.00         0.00         0.00         0.00           0.00         0.00         0.00         0.00         0.00         0.00         0.00           0.00         0.00         0.00         0.00         0.00         0.00         0.00           0.00         0.00         0.00         0.00         0.00         0.00         0.00           0.00         0.00         0.00         0.00         0.00         0.00         0.00           0.00         0.00         0.00         0.00         0.00         0.00         0.00           0.00         0.00         0.00         0.00         0.00         0.00         0.00           0.00         0.00         0.00         0.00         0.00         0.00         0.00           0.00         0.00         0.00         0.00         0.00         0.00 <t< td=""><td>Removal of fascia for graft</td><td></td><td>_</td><td></td><td>6.80</td><td>5.27</td><td>5.58</td><td>4.97</td><td>0.56</td><td>13.97</td><td>12.44</td><td>12.75</td><td>12.14</td><td>060</td></t<>   | Removal of fascia for graft          |    | _          |          | 6.80                | 5.27                         | 5.58                | 4.97                     | 0.56             | 13.97            | 12.44            | 12.75    | 12.14                    | 060      |
| NA         5.06         3.37         0.31         NA         NA         10.90         9.21           0.00 <td>Removal of tendon for graft</td> <td></td> <td>ω.</td> <td></td> <td>¥:</td> <td>¥:</td> <td>5.87</td> <td>5.90</td> <td>99.0</td> <td>¥:</td> <td>≨ :</td> <td>13.01</td> <td>13.04</td> <td>60<br/>60</td> | Removal of tendon for graft          |    | ω.         |          | ¥:                  | ¥:                           | 5.87                | 5.90                     | 99.0             | ¥:               | ≨ :              | 13.01    | 13.04                    | 60<br>60 |
| 0.00        | Removal of tissue for graft          |    | ო          |          | ¥                   | ₹                            | 2.06                | 3.37                     | 0.31             | ¥                | ¥                | 10.90    | 9.21                     | 060      |
| NA 1.26 1.73 0.22 NA NA 3.29 3.76  NA 1.80 2.62 0.34 NA NA 5.29 3.76  NA 1.90 2.82 0.37 NA NA 5.29 6.21  NA 26.31 35.75 4.59 NA NA 64.88 72.59  NA 26.32 28.40 4.12 NA NA 64.88 72.59  NA 25.39 28.24 4.12 NA NA 64.88 72.59  NA 26.51 39.79 5.14 NA NA 67.75 88.85  NA 26.28 40.96 5.41 NA NA 67.92 85.28  NA 26.28 40.96 5.41 NA NA 77.45 92.13  2.87 0.31 1.47 0.41 1.36 3.90 1.34 2.50  NA 7.73 10.27 0.40 0.00 0.00 0.00 0.00 0.00  NA 7.73 10.27 0.73 NA NA 18.60 21.14  NA 6.95 6.48 0.88 NA NA 18.60 21.14  NA 6.95 6.48 0.88 NA NA 13.12 12.65  5.16 6.64 3.35 0.30 17.52 15.52 17.00 13.71  3.85 4.73 2.47 0.22 10.25 8.92 9.80 7.54   | Spinal bone allograft                |    | ٠.         |          | 0.0                 | 0.00                         | 0.00                | 0.00                     | 0.0              | 0.00             | 0.00             | 0.00     | 0.00                     | Χ¦       |
| 0.00       0.00       0.00       0.00       0.00       0.00       0.00         NA       1.80       2.62       0.34       NA       NA       4.93       5.75         NA       1.90       2.82       0.37       NA       NA       5.29       6.21         NA       1.90       2.82       0.37       NA       NA       70.11       79.55         NA       26.03       28.40       4.12       NA       NA       70.11       79.55         NA       26.03       28.40       4.26       NA       NA       64.88       72.59         NA       19.97       27.68       4.26       NA       NA       64.88       72.59         NA       28.51       39.79       5.14       NA       NA       77.57       88.85         NA       26.61       38.65       5.04       NA       NA       77.45       92.13         LA       NA       19.85       37.21       5.08       NA       NA       67.92       85.28         NA       19.85       37.21       5.08       NA       NA       77.45       92.13         LA       NA       1.36       2.67       0.  | Spinal bone allograft                |    | <b></b> ,  |          | ₹ 8                 | ¥ S                          | 1.26                | 1.73                     | 0.22             | ₹ S              | ≨ 3              | 3.29     | 3.76                     | 7        |
| NA       1.00       2.02       0.34       NA       4.50       0.75         NA       1.90       2.82       0.37       NA       NA       4.59       0.71       79.55         NA       26.31       28.40       4.59       NA       NA       70.11       79.56         NA       26.33       28.40       4.12       NA       NA       64.88       77.79         NA       28.51       39.79       5.14       NA       NA       64.88       77.57       88.85         NA       26.61       38.65       5.04       NA       NA       77.57       88.85         NA       26.28       40.96       5.41       NA       NA       67.92       85.28         NA       26.28       40.96       5.41       NA       NA       77.45       92.13         2.87       0.31       1.47       0.41       1.36       3.90       1.34       2.50         NA       1.36       2.67       0.44       NA       NA       4.40       5.71         0.00       0.00       0.00       0.00       0.00       0.00       0.00       0.00       0.00         NA       6.54   | Spinal bone autograft U.UU           |    | <b>5</b> 6 |          | 0.0                 | 00.0                         | 0.00                | 0.00                     | 9 6              | 0.00             | 00.0             | 90.0     | 0.0                      | <u> </u> |
| NA 26.31 28.40 NA NA 3.05 2.59  NA 26.32 28.40 4.12 NA NA 69.42 71.79  NA 25.39 28.24 4.12 NA NA 64.88 72.59  NA 28.51 39.79 5.14 NA NA 64.88 72.59  NA 26.61 38.65 5.04 NA NA 67.92 85.28  NA 26.28 40.96 5.41 NA NA 67.92 85.28  NA 26.28 40.96 5.41 NA NA 67.92 85.28  NA 26.28 40.96 5.41 NA NA 77.45 92.13  2.87 0.31 1.47 0.41 1.36 3.90 1.34 2.50  NA 1.36 2.67 0.44 NA NA 4.40 5.71  NA 7.73 10.27 0.73 NA NA 18.60 21.14  NA 6.95 6.48 0.88 NA NA 13.12 12.65  5.16 6.64 3.35 0.30 17.52 15.52 17.00 13.71  3.85 4.73 2.47 0.22 10.25 8.92 9.80 7.54   | Spinal bone autografi                |    | , ,        |          | ζ V                 | Z Z                          | 8 E                 | 2.02                     | 0.37             | ζ <u>α</u>       | ξ A              | 65 t     |                          |          |
| NA         26.31         35.75         4.59         NA         NA         70.11         79.55           NA         26.03         28.40         4.12         NA         64.8         77.79           NA         19.97         27.68         4.26         NA         NA         64.88         77.59           NA         28.51         39.79         5.14         NA         64.88         77.57         88.85           NA         28.61         38.65         5.04         NA         77.57         88.85           NA         19.85         37.21         5.08         NA         74.71         86.75           NA         19.85         37.21         5.08         NA         77.45         92.13           2.87         0.31         1.47         0.41         1.36         3.90         1.34         2.50           NA         1.36         2.67         0.44         NA         NA         4.40         5.71           0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00           NA         7.73         10.27         0.78         NA         13.12         12.65 <td>Record fluid pressure.muscle</td> <td></td> <td>ı w</td> <td></td> <td>₹</td> <td>ž</td> <td>1.66</td> <td>1.30</td> <td>0.13</td> <td>₹</td> <td>≨</td> <td>3.05</td> <td>2.69</td> <td>8</td>  | Record fluid pressure.muscle         |    | ı w        |          | ₹                   | ž                            | 1.66                | 1.30                     | 0.13             | ₹                | ≨                | 3.05     | 2.69                     | 8        |
| NA         26.03         28.40         4.12         NA         NA         69.42         71.79           NA         19.97         27.68         4.26         NA         NA         64.88         72.59           NA         25.39         28.24         4.12         NA         NA         64.88         72.59           NA         28.51         39.79         5.14         NA         NA         77.57         88.85           NA         26.61         38.65         5.04         NA         77.71         86.75           NA         19.85         37.21         5.08         NA         77.45         92.13           2.87         0.31         1.47         0.41         1.36         3.90         1.34         2.50           NA         1.36         2.67         0.44         NA         NA         4.40         5.71           0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00           NA         7.73         10.27         0.73         NA         NA         13.12         12.65           5.16         6.64         3.35         0.30         17.52         1   | Fibula bone graft, microvasc         |    | _          |          | ¥                   | ¥                            | 26.31               | 35.75                    | 4.59             | ¥                | ¥                | 70.11    | 79.55                    | 060      |
| NA         19.97         27.68         4.26         NA         NA         64.88         72.59           NA         25.39         28.24         4.12         NA         NA         68.78         71.63           NA         28.51         39.79         5.14         NA         NA         77.57         88.85           NA         26.61         38.65         5.04         NA         NA         77.71         86.75           NA         19.85         37.21         5.08         NA         NA         74.71         86.75           NA         19.85         37.21         5.08         NA         NA         67.92         85.28           NA         26.28         40.96         5.41         NA         NA         77.45         92.13           2.87         0.31         1.47         0.41         1.36         3.90         1.34         2.50           NA         1.36         2.67         0.44         NA         NA         4.40         5.71           0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00           NA         7.73         10.27         0.73         NA <td>A Iliac bone graft, microvasc 39.27</td> <td></td> <td>7</td> <td></td> <td>¥</td> <td>A<br/>A</td> <td>26.03</td> <td>28.40</td> <td>4.12</td> <td>¥</td> <td>¥</td> <td>69.42</td> <td>71.79</td> <td>060</td>  | A Iliac bone graft, microvasc 39.27  |    | 7          |          | ¥                   | A<br>A                       | 26.03               | 28.40                    | 4.12             | ¥                | ¥                | 69.42    | 71.79                    | 060      |
| NA         25.39         28.24         4.12         NA         NA         68.78         71.63           NA         28.51         39.79         5.14         NA         NA         77.57         88.85           NA         26.61         38.65         5.04         NA         NA         77.57         88.85           NA         19.85         37.21         5.08         NA         NA         77.45         92.13           2.87         0.31         1.47         0.41         1.36         3.90         1.34         2.50           NA         1.36         2.67         0.44         NA         NA         4.40         5.71           0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00           NA         7.73         10.27         0.73         NA         NA         18.60         21.14           NA         6.56         6.48         0.88         NA         NA         13.12         12.65           5.16         6.64         3.35         0.30         17.52         15.52         17.00         7.54           3.85         4.73         2.47         0.22         10.   |                                      |    | 2          |          | ¥                   | ¥                            | 19.97               | 27.68                    | 4.26             | ¥                | ¥                | 64.88    | 72.59                    | 060      |
| NA 28.51 39.79 5.14 NA NA 77.57 88.85  NA 26.61 38.65 5.04 NA NA 74.71 86.75  NA 19.85 37.21 5.08 NA NA 67.92 85.28  NA 26.28 40.96 5.41 NA NA 77.45 92.13  2.87 0.31 1.47 0.41 1.36 3.90 1.34 2.50  NA 1.36 2.67 0.44 NA NA 4.40 5.71  0.00 0.00 0.00 0.00 0.00 0.00 0.00  NA 7.73 10.27 0.73 NA NA 18.60 21.14  NA 6.95 6.48 0.88 NA NA 13.12 12.65  5.16 6.64 3.35 0.30 17.52 15.52 17.00 13.71  3.85 4.73 2.47 0.22 10.25 8.92 9.80 7.54  | υ                                    |    | 7          |          | ¥                   | ¥                            | 25.39               | 28.24                    | 4.12             | ¥                | ¥                | 68.78    | 71.63                    | 060      |
| NA 26.61 38.65 5.04 NA NA 74.71 86.75  NA 19.85 37.21 5.08 NA NA 67.92 85.28  NA 26.28 40.96 5.41 NA NA 77.45 92.13  2.87 0.31 1.47 0.41 1.36 3.90 1.34 2.50  NA 1.36 2.67 0.44 NA NA 4.40 5.71  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.  | A Bone/skin graft, microvasc 43.92   |    | 2          |          | ¥                   | ¥                            | 28.51               | 39.79                    | 5.14             | ¥                | Š                | 77.57    | 88.85                    | <u>6</u> |
| NA 19.85 37.21 5.08 NA NA 67.92 85.28  NA 26.28 40.96 5.41 NA NA 77.45 92.13  2.87 0.31 1.47 0.41 1.36 3.90 1.34 2.50  NA 1.36 2.67 0.44 NA NA 4.40 5.71  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.   | A Bone/skin graft, iliac crest 43.06 |    | မှ         |          | ¥                   | ¥                            | 26.61               | 38.65                    | 5.04             | ¥                | ₹                | 74.71    | 86.75                    | 060      |
| NA 26.28 40.96 5.41 NA NA 77.45 92.13  2.87 0.31 1.47 0.41 1.36 3.90 1.34 2.50  NA 1.36 2.67 0.44 NA NA 4.40 5.71  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.  | A Bone-skin graft, metatarsal 42.99  |    | 6          |          | ¥                   | ¥                            | 19.85               | 37.21                    | 5.08             | ¥                | ¥                | 67.92    | 85.28                    | 060      |
| 2.87 0.31 1.47 0.41 1.36 3.90 1.34 2.50  NA 1.36 2.67 0.44 NA NA 4.40 5.71  0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.   | A Bone-skin graft, great toe 45.76   |    | 9          |          | ¥                   | Ϋ́                           | 26.28               | 40.96                    | 5.41             | ¥                | ₹                | 77.45    | 92.13                    | 060      |
| NA 1.36 2.67 0.44 NA NA 4.40 5.71 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0  | A Electrical bone stimulation 0.62   |    | 2          |          | 0.33                | 2.87                         | 0.31                | 1.47                     | 0.41             | 1.36             | 3.90             | 1.34     | 2.50                     | 00       |
| 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0  | A Electrical bone stimulation 2.60   |    | 0          |          | ¥                   | Ā                            | 1.36                | 2.67                     | 0.44             | ¥                | Ϋ́               | 4.40     | 5.71                     | 00       |
| NA 7.73 10.27 0.73 NA NA 18.60 21.14  NA 6.95 6.48 0.88 NA NA 13.12 12.65 5.16 6.64 3.35 0.30 17.52 15.52 17.00 13.71 3.85 4.73 2.47 0.22 10.25 8.92 9.80 7.54  | C Musculoskeletal surgery 0.00       |    | 0          |          | 0.00                | 0.00                         | 0.00                | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ₩        |
| NA 6.95 6.48 0.88 NA NA 13.12 12.65<br>5.16 6.64 3.35 0.30 17.52 15.52 17.00 13.71<br>3.85 4.73 2.47 0.22 10.25 8.92 9.80 7.54  |                                      |    | 4          |          | ¥                   | ¥                            | 7.73                | 10.27                    | 0.73             | ¥                | <b>∀</b><br>Z    | 18.60    | 21.14                    | 060      |
| 5.16 6.64 3.35 0.30 17.52 15.52 17.00 13.71 3.85 4.73 2.47 0.22 10.25 8.92 9.80 7.54  | Resection of facial tumor            |    | 6          |          | ¥                   | Š                            | 6.95                | 6.48                     | 0.88             | ¥                | ¥                | 13.12    | 12.65                    | 060      |
| 3.85 4.73 2.47 0.22 10.25 8.92 9.80 7.54  | Excision of bone, lower jaw          |    | ဖ          |          | 7.16                | 5.16                         | 6.64                | 3.35                     | 0.30             | 17.52            | 15.52            | 17.00    | 13.71                    | 060      |
|   | Excision of facial bone(s)           |    | S          |          | 5.18                | 3.85                         | 4.73                | 2.47                     | 0.22             | 10.25            | 8.92             | 9.80     | 7.54                     | 060      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                  |          | 8                            | ADDENDOM D.  | VELAIIVE V       | יייייייייייייייייייייייייייייייייייייי | י שות לכסו      | יייייייייייייייייייייייייייייייייייייי |                  |                   |                   |                   |                   |            |
|----------------------------------|----------|------------------------------|--------------|------------------|--|-----------------|--|------------------|-------------------|-------------------|-------------------|-------------------|------------|
|                                  |          |                              |              | Non-<br>facility | Transitioned<br>Non-facility           | Facility        | Iransitioned<br>Facility               |                  |                   | Transitioned      |                   |                   |            |
|                                  |          |                              | Physician    | practice         | practice                               | practice        | practice                               | Mal              | Non-              | Non-              |                   | Transitioned      |            |
| CPT //<br>HCPCS <sup>2</sup> Mod | d Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs                        | expense<br>RVUs | expense<br>RVUs                        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
| 21029                            | ∢        | Contour of face bone lesion  | 7.71         | 96.9             | 8.64                                   | 5.73            | 4.88                                   | 0.61             | 15.28             | 16.96             | 14.05             | 13.20             | 060        |
| 21030                            | ∢        | Removal of face bone lesion  | 6.46         | 5.32             | 4.06                                   | 4.59            | 2.51                                   | 0.23             | 12.01             | 10.75             | 11.28             | 9.20              | 060        |
| 21031                            | ∢        | Remove exostosis, mandible   | 3.24         | 3.50             | 3.87                                   | 2.24            | 2.06                                   | 0.25             | 6.9               | 7.36              | 5.73              | 5.55              | 060        |
| 21032                            | ∢        | Remove exostosis, maxilla    | 3.24         | 3.49             | 4.03                                   | 2.36            | 2.17                                   | 0.27             | 7.00              | 7.54              | 2.87              | 5.68              | 060        |
| 21034                            | ∢        | Removal of face bone lesion  | 16.17        | 9.83             | 8.14                                   | 10.40           | 8.29                                   | 0.70             | 26.70             | 25.01             | 27.27             | 25.16             | 060        |
| 21040                            | ∢        | Removal of jaw bone lesion   | 2.11         | 3.19             | 3.05                                   | 1.96            | 1.62                                   | 0.19             | 5.49              | 5.35              | 4.26              | 3.92              | 80         |
| 21041                            | ∢        | Removal of jaw bone lesion   | 6.71         | 5.54             | 6.07                                   | 4.45            | 3.46                                   | 0.39             | 12.64             | 13.17             | 11.55             | 10.56             | 060        |
| 21044                            | ∢        | Removal of jaw bone lesion   | 11.86        | ¥                | ¥                                      | 8.07            | 9.79                                   | 0.87             | ¥                 | ¥                 | 20.80             | 22.52             | 8          |
| 21045                            | ∢        | Extensive jaw surgery        | 16.17        | ¥                | ₹                                      | 10.57           | 13.90                                  | 1.24             | ¥                 | ¥                 | 27.98             | 31.31             | 060        |
| 21050                            | ∢        | Removal of jaw joint         | 10.77        | ¥                | ¥                                      | 11.59           | 12.54                                  | 0.84             | Ϋ́                | ¥                 | 23.20             | 24.15             | 060        |
| 21060                            | ∢        | Remove jaw joint cartilage   | 10.23        | ¥                | ¥                                      | 9.51            | 11.54                                  | 0.81             | ¥                 | ¥                 | 20.55             | 22.58             | 060        |
| 21070                            | ∢        | Remove coronoid process      | 8.20         | ¥                | ¥                                      | 6.24            | 7.10                                   | 0.64             | ¥                 | ¥                 | 15.08             | 15.94             | 060        |
| 21076                            | ∢        | Prepare face/oral prosthesis | 13.42        | 9.35             | 14.35                                  | 7.02            | 7.76                                   | 1.06             | 23.83             | 28.83             | 21.50             | 22.24             | 010        |
| 21077                            | ∢        | Prepare face/oral prosthesis | 33.75        | 23.50            | 36.10                                  | 17.67           | 19.53                                  | 2.65             | 29.90             | 72.50             | 54.07             | 55.93             | 060        |
| 21079                            | ∢        | Prepare face/oral prosthesis | 22.34        | 16.61            | 26.89                                  | 12.22           | 14.43                                  | 1.76             | 40.71             | 50.99             | 36.32             | 38.53             | 060        |
| 21080                            | ∢        | Prepare face/oral prosthesis | 25.10        | 18.67            | 30.21                                  | 13.74           | 16.21                                  | 1.97             | 45.74             | 57.28             | 40.81             | 43.28             | 060        |
| 21081                            | ∢        | Prepare face/oral prosthesis | 22.88        | 17.01            | 27.53                                  | 12.52           | 14.77                                  | 1.80             | 41.69             | 52.21             | 37.20             | 39.45             | 060        |
| 21082                            | ∢        | Prepare face/oral prosthesis | 20.87        | 14.53            | 22.32                                  | 10.93           | 12.08                                  | 1.64             | 37.04             | 44.83             | 33.44             | 34.59             | 060<br>060 |
| 21083                            | ∢        | Prepare face/oral prosthesis | 19.30        | 14.35            | 23.23                                  | 10.56           | 12.47                                  | 1.52             | 35.17             | 44.05             | 31.38             | 33.29             | 060        |
| 21084                            | ∢        | Prepare face/oral prosthesis | 22.51        | 16.73            | 27.09                                  | 12.32           | 14.53                                  | 1.78             | 41.02             | 51.38             | 36.61             | 38.82             | 060        |
| 21085                            | ∢        | Prepare face/oral prosthesis | 9.00         | 6.27             | 9.62                                   | 4.71            | 5.21                                   | 0.70             | 15.97             | 19.32             | 14.41             | 14.91             | 010        |
| 21086                            | ∢        | Prepare face/oral prosthesis | 24.92        | 18.53            | 29.99                                  | 13.64           | 16.09                                  | 1.96             | 45.41             | 56.87             | 40.52             | 42.97             | 060        |
| 21087                            | ∢        | Prepare face/oral prosthesis | 24.92        | 17.35            | 26.65                                  | 13.05           | 14.42                                  | 1.96             | 44.23             | 53.53             | 39.93             | 41.30             | 060        |
| 21088                            | ပ        | Prepare face/oral prosthesis | 0.00         | 0.00             | 0.00                                   | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | 060        |
| 21089                            | ပ        | Prepare face/oral prosthesis | 0.00         | 0.0              | 0.00                                   | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | 060        |
| 21100                            | ∢        | Maxillofacial fixation       | 4.22         | 6.02             | 2.37                                   | 3.45            | 1.73                                   | 0.09             | 10.33             | 6.68              | 7.76              | 6.04              | 060        |
| 21110                            | ∢        | Interdental fixation         | 5.21         | 5.07             | 5.77                                   | 3.94            | 3.24                                   | 0.36             | 10.64             | 11.34             | 9.51              | 8.8               | 060        |
| 21116                            | ⋖        | Injection, jaw joint x-ray   | 0.81         | 7.55             | 2.48                                   | 0.25            | 99.0                                   | 0.05             | 8.41              | 3.34              | 1.1               | 1.52              | 8          |
| 21120                            | ∢        | Reconstruction of chin       | 4.93         | 8.74             | 5.11                                   | 6.48            | 4.55                                   | 0.33             | 14.00             | 10.37             | 11.74             | 9.81              | 060        |
| 21121                            | ∢        | Reconstruction of chin       | 7.64         | 7.05             | 6.36                                   | 6.61            | 6.25                                   | 0.52             | 15.21             | 14.52             | 14.77             | 14.41             | 060        |
| 21122                            | ∢        | Reconstruction of chin       | 8.52         | <b>∀</b><br>Z    | Ϋ́                                     | 8.32            | 7.15                                   | 0.57             | ¥                 | Š                 | 17.41             | 16.24             | 060        |
| 21123                            | ∢        | Reconstruction of chin       | 11.16        | ₹                | ¥                                      | 8.12            | 8.65                                   | 0.74             | ¥                 | Š                 | 20.02             | 20.55             | 060        |
| 21125                            | ∢        | Augmentation lower jaw bone  | 10.62        | 9.68             | 6.26                                   | 8.32            | 5.92                                   | 0.42             | 20.72             | 17.30             | 19.36             | 16.96             | 060        |
| 21127                            | ∢        | Augmentation lower jaw bone  | 11.12        | 8.72             | 8.62                                   | 9.39            | 8.78                                   | 0.72             | 20.56             | 20.46             | 21.23             | 20.62             | 060        |
| 21137                            | ∢        | Reduction of forehead        | 9.82         | ¥                | ¥                                      | 7.43            | 7.65                                   | 0.65             | ž                 | ¥                 | 17.90             | 18.12             | 060        |
| 21138                            | ∢        | Reduction of forehead        | 12.19        | Š                | ₹                                      | 8.65            | 9.38                                   | 0.81             | ¥                 | Ϋ́                | 21.65             | 22.38             | 060        |
| 21139                            | ∢        | Reduction of forehead        | 14.61        | Š                | ₹                                      | 8.03            | 10.67                                  | 0.98             | ¥                 | Ϋ́                | 23.62             | 26.26             | 060        |
| 21141                            | ∢        | Reconstruct midface, lefort  | 18.10        | Š                | ₹                                      | 10.91           | 14.40                                  | 1.31             | ¥                 | ¥                 | 30.32             | 33.81             | 060        |
| 21142                            | ∢        | Reconstruct midface, lefort  | 18.81        | ¥                | ₹                                      | 11.59           | 14.98                                  | 1.36             | ¥                 | ¥<br>¥            | 31.76             | 35.15             | 060        |
| 21143                            | ∢        | Reconstruct midface, lefort  | 19.58        | Š                | ¥                                      | 11.93           | 15.52                                  | 1.42             | ž                 | Š                 | 32.93             | 36.52             | 060        |

Page 12 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                                  |        |                              |              | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Iransitioned<br>Facility |                  |                   | Transitioned      |                   |                   |                  |
|----------------------------------|--------|------------------------------|--------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| -                                |        |                              | Physician    | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |                  |
| CPT '/<br>HCPCS <sup>2</sup> Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global           |
| ı                                | ı      | Reconstruct midface, lefort  | 19.94        | ¥                | ¥                            | 12.39           | 14.77                    | 1.31             | ž                 | ₹                 | 33.64             | 36.02             | 060              |
| 21146                            | ∢      | Reconstruct midface, lefort  | 20.71        | ¥                | ₹<br>Ž                       | 12.87           | 15.30                    | 1.36             | ¥                 | ž                 | 34.94             | 37.37             | 060              |
| 21147                            | ∢      | Reconstruct midface, lefort  | 21.77        | ¥                | ¥                            | 13.52           | 15.91                    | 1.42             | ¥                 | ¥                 | 36.71             | 39.10             | 060              |
| 21150                            | ∢      | Reconstruct midface, lefort  | 25.24        | ¥                | ¥                            | 18.20           | 19.57                    | 1.70             | ¥                 | Ϋ́                | 45.14             | 46.51             | 060              |
| 21151                            | ∢      | Reconstruct midface, lefort  | 28.30        | ¥                | Ą<br>Z                       | 17.38           | 21.18                    | 1.89             | ¥                 | Ϋ́                | 47.57             | 51.37             | 060              |
| 21154                            | ∢      | Reconstruct midface, lefort  | 30.52        | ¥                | ¥                            | 21.32           | 23.36                    | 2.03             | ¥                 | Ϋ́                | 53.87             | 55.91             | 060              |
| 21155                            | ∢      | Reconstruct midface, lefort  | 34.45        | ¥                | Š                            | 20.56           | 25.58                    | 2.30             | ¥                 | Ϋ́                | 57.31             | 62.33             | 060              |
| 21159                            | ∢      | Reconstruct midface, lefort  | 42.38        | ¥                | Ą                            | 27.20           | 32.05                    | 2.84             | ₹                 | ¥                 | 72.42             | 77.27             | 060              |
| 21160                            | ∢      | Reconstruct midface, lefort  | 46.44        | ¥                | Š                            | 24.27           | 33.71                    | 3.11             | ¥                 | ¥                 | 73.82             | 83.26             | 060              |
| 21172                            | ∢      | Reconstruct orbit/forehead   | 27.80        | ¥                | ž                            | 17.94           | 21.01                    | 1.85             | ¥                 | Ϋ́                | 47.59             | 99.09             | 060              |
| 21175                            | ∢      | Reconstruct orbit/forehead   | 33.17        | ¥                | ¥                            | 23.85           | 25.80                    | 2.23             | ¥                 | ¥                 | 59.25             | 61.20             | 060              |
| 21179                            | ∢      | Reconstruct entire forehead  | 22.25        | ¥                | ¥                            | 18.42           | 17.82                    | 1.49             | ¥                 | ₹                 | 42.16             | 41.56             | 060              |
| 21180                            | ∢      | Reconstruct entire forehead  | 25.19        | Ą                | ¥                            | 18.29           | 19.60                    | 1.70             | ₹                 | ₹                 | 45.18             | 46.49             | 060              |
| 21181                            | ∢      | Contour cranial bone lesion  | 9.90         | Ą                | Ϋ́                           | 7.72            | 7.72                     | 0.65             | ₹                 | ₹                 | 18.27             | 18.27             | 060              |
| 21182                            | ∢      | Reconstruct cranial bone     | 32.19        | Ϋ́               | ¥<br>Y                       | 26.56           | 25.87                    | 2.17             | ¥                 | ₹                 | 60.92             | 60.23             | 060              |
| 21183                            | ∢      | Reconstruct cranial bone     | 35.31        | ¥                | ¥                            | 26.47           | 27.66                    | 2.37             | ¥                 | ∢<br>Z            | 64.15             | 65.34             | 060              |
| 21184                            | ∢      | Reconstruct cranial bone     | 38.24        | ¥                | ¥                            | 26.95           | 29.58                    | 2.57             | ¥                 | <b>∢</b>          | 92.79             | 70.39             | 060              |
| 21188                            | ∢      | Reconstruction of midface    | 22.46        | ¥                | Š                            | 17.19           | 17.51                    | 1.49             | ¥                 | <b>∀</b>          | 41.14             | 41.46             | 060              |
| 21193                            | ∢      | Reconstruct lower jaw bone   | 17.15        | ¥                | Š                            | 11.29           | 12.84                    | 1.13             | ¥                 | ₹                 | 29.57             | 31.12             | 060              |
| 21194                            | ∢      | Reconstruct lower jaw bone   | 19.84        | ¥                | Ϋ́                           | 14.66           | 15.28                    | 1.31             | ¥                 | ₹                 | 35.81             | 36.43             | 060              |
| 21195                            | ∢      | Reconstruct lower jaw bone   | 17.24        | <b>ĕ</b>         | Š                            | 12.83           | 13.25                    | 1.13             | ¥                 | ¥                 | 31.20             | 31.62             | 060              |
| 21196                            | ∢      | Reconstruct lower jaw bone   | 18.91        | <b>∀</b>         | Š                            | 13.98           | 14.57                    | 1.24             | ¥                 | ₹                 | 34.13             | 34.72             | 060              |
| 21198                            | ∢      | Reconstruct lower jaw bone   | 14.16        | ¥                | Š                            | 11.56           | 14.95                    | 1.36             | ¥                 | ¥                 | 27.08             | 30.47             | 060              |
| 21206                            | ∢      | Reconstruct upper jaw bone   | 14.10        | ¥                | Š                            | 10.81           | 10.95                    | 0.93             | ¥                 | ₹                 | 25.84             | 25.98             | 060              |
| 21208                            | ∢      | Augmentation of facial bones | 10.23        | 8.15             | 11.20                        | 9.57            | 11.55                    | 0.84             | 19.22             | 22.27             | 20.64             | 22.62             | 060              |
| 21209                            | ∢      | Reduction of facial bones    | 6.72         | 6.88             | 5.46                         | 6.63            | 5.39                     | 0.59             | 14.19             | 12.77             | 13.94             | 12.70             | <u>6</u>         |
| 21210                            | ∢      | Face bone graft              | 10.23        | 8.14             | 11.19                        | 8.41            | 69.9                     | 1.01             | 19.38             | 22.43             | 19.65             | 17.93             | 060              |
| 21215                            | ∢      | Lower jaw bone graft         | 10.77        | 8.15             | 11.68                        | 7.52            | 6.70                     | 1.1              | 20.03             | 23.56             | 19.40             | 18.58             | 060              |
| 21230                            | ∢      | Rib cartilage graft          | 10.77        | ¥                | ₹                            | 10.22           | 10.99                    | 1.32             | ¥                 | ¥                 | 22.31             | 23.08             | 060              |
| 21235                            | ∢      | Ear cartilage graft          | 6.72         | 10.30            | 8.59                         | 8.47            | 8.13                     | 0.85             | 17.87             | 16.16             | 16.04             | 15.70             | 060<br>0         |
| 21240                            | ∢      | Reconstruction of jaw joint  | 14.05        | <b>₹</b>         | Š                            | 10.91           | 15.31                    | 1.64             | ¥                 | ¥                 | 26.60             | 31.00             | 0 <del>6</del> 0 |
| 21242                            | ∢      | Reconstruction of jaw joint  | 12.95        | ₹                | ¥                            | 10.39           | 14.19                    | 1.76             | ¥                 | Ϋ́                | 25.10             | 28.90             | 060<br>060       |
| 21243                            | ∢      | Reconstruction of jaw joint  | 20.79        | ₹                | Š                            | 13.32           | 15.05                    | 1.31             | ¥                 | ¥                 | 35.42             | 37.15             | 060<br>060       |
| 21244                            | ∢      | Reconstruction of lower jaw  | 11.86        | ₹                | ¥                            | 10.27           | 13.19                    | 1.51             | ¥                 | ¥                 | 23.64             | 26.56             | 060<br>060       |
| 21245                            | ∢      | Reconstruction of jaw        | 11.86        | 10.81            | 12.04                        | 11.09           | 12.11                    | 1.02             | 23.69             | 24.92             | 23.97             | 24.99             | 060<br>060       |
| 21246                            | ∢      | Reconstruction of jaw        | 12.47        | 9.17             | 9.48                         | 11.96           | 10.18                    | 0.81             | 22.45             | 22.76             | 25.24             | 23.46             | 060              |
| 21247                            | ∢      | Reconstruct lower jaw bone   | 22.63        | Ϋ́               | Š                            | 14.83           | 23.97                    | 1.78             | ¥                 | Ϋ́                | 39.24             | 48.38             | 060              |
| 21248                            | ∢      | Reconstruction of jaw        | 11.48        | 8.36             | 12.37                        | 8.10            | 7.17                     | 1.37             | 21.21             | 25.22             | 20.95             | 20.02             | 0 <del>6</del> 0 |
| 21249                            | ∢      | Reconstruction of jaw        | 17.52        | 10.77            | 18.38                        | 10.71           | 10.52                    | 2.57             | 30.86             | 38.47             | 30.80             | 30.61             | 060              |
| 21255                            | ∢      | Reconstruct lower jaw bone   | 16.72        | Š                | Ϋ́                           | 13.95           | 18.46                    | 1.31             | ¥                 | Ϋ́                | 31.98             | 36.49             | 060              |

Page 13 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|  |                              |           | •     |                   | Non-     | Transitioned |              | Transitioned  |          |                  |                  |          |                        |       |
|--|------------------------------|-----------|-------|-------------------|----------|--------------|--------------|---------------|----------|------------------|------------------|----------|------------------------|-------|
|  |                              |           |       | :                 | facility | Non-facility | Facility     | Facility      | la.      | ä                | Transitioned     |          | ;                      |       |
| •  |                              |           |       | rnysician<br>work | expense  | expense      | expense      | expense       | practice | non-<br>facility | Non-<br>facility | Facility | Iransmoned<br>Facility |       |
|  | Description                  |           | 1     | KNGs<br>5.5       | KNUS     | KVUS         | KVUS         | KV05          | KOPS     | Iotal            | Total            | Total    | Total                  | Globa |
| A Revise eve sockets 16:   |                              |           | 9 6   | 5 C               | ξŞ       | Ç &          | 14.27        | 18.35         | 30       | ζ <u>4</u>       | ξ Z              | 4.6      | 36.47                  | 8 8   |
|  | Revise eve sockets           |           | 31.4  | ၂ တ               | ≨        | ₹            | 19.00        | 19.23         | 1.29     | ¥                | ₹                | 51.78    | 52.01                  | 8 8   |
| Revise eye sockets   | Revise eye sockets           |           | 28.4  |                   | ¥        | ¥            | 16.29        | 29.52         | 2.24     | Ž                | ₹                | 46.95    | 60.18                  | 060   |
| Revise eye sockets   | Revise eye sockets           |           | 18.9  | 0                 | ¥        | ¥            | 21.91        | 17.37         | 1.67     | ¥                | ¥                | 42.48    | 37.94                  | 060   |
| Revise eye sockets   | Revise eye sockets           |           | 24.48 | m                 | ¥        | ¥            | 50.69        | 17.67         | 2.45     | ¥                | ¥                | 47.62    | 44.60                  | 060   |
| Augmentation cheek bone  | Augmentation cheek bone      | k bone    | 10.2  | m                 | 8.84     | 10.03        | 9.44         | 10.18         | 1.10     | 20.17            | 21.36            | 20.77    | 21.51                  | 060   |
| ial bones  | Revision orbitofacial bones  | ial bones | 11.24 |                   | ¥        | Ϋ́           | 14.13        | 10.82         | 0.99     | ¥                | ¥                | 26.36    | 23.05                  | 060   |
|  | Revision of eyelid           |           | 6.03  |                   | ¥        | Ϋ́           | 8.74         | 7.59          | 0.48     | ¥                | ¥                | 15.25    | 14.10                  | 060   |
|  | Revision of eyelid           |           | 3.49  |                   | ¥        | Ϋ́           | 7.23         | 4.94          | 0.62     | ¥                | ¥<br>V           | 11.34    | 9.02                   | 060   |
| A Revision of jaw muscle/bone 1.53                               | Revision of jaw muscle/bone  |           | 1.53  |                   | ¥        | Ϋ́           | 5.02         | 2.04          | 0.10     | ¥                | Š                | 6.65     | 3.67                   | 060   |
| Revision of jaw muscle/bone                                      | Revision of jaw muscle/bone  |           | 4.25  |                   | ¥        | Ϋ́           | 5.06         | 4.21          | 0.17     | ¥                | ₹                | 9.48     | 8.63                   | 060   |
| C Cranio/maxillofacial surgery 0.00                              | Cranio/maxillofacial surgery |           | 0.00  |                   | 0.00     | 0.00         | 0.00         | 0.00          | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ₹     |
| A Treatment of skull fracture 0.72                               | Treatment of skull fracture  |           | 0.72  |                   | 4.17     | 1.79         | 0.24         | 0.71          | 0.09     | 4.98             | 2.60             | 1.05     | 1.52                   | 000   |
|  | Treatment of nose fracture   |           | 0.58  |                   | 3.41     | 1.46         | 0.14         | 0.55          | 0.07     | 4.06             | 2.11             | 0.79     | 1.20                   | 000   |
| Treatment of nose fracture                                       | Treatment of nose fracture   |           | 1.51  |                   | 3.88     | 2.44         | 1.07         | 1.62          | 0.16     | 5.55             | 4.11             | 2.74     | 3.29                   | 010   |
| A Treatment of nose fracture 1.85                                | Treatment of nose fracture   |           | 1.85  |                   | 3.95     | 2.89         | 1.78         | 2.10          | 0.27     | 6.07             | 5.01             | 3.90     | 4.22                   | 010   |
|  | Repair of nose fracture      |           | 3.77  |                   | ¥        | ¥<br>¥       | 2.98         | 4.08          | 0.41     | ¥                | Š                | 7.16     | 8.26                   | 060   |
|  | Repair of nose fracture      |           | 5.38  |                   | ¥        | Υ<br>Υ       | 7.12         | 09.9          | 0.67     | ¥                | Ϋ́               | 13.17    | 12.65                  | 060   |
|  | Repair of nose fracture      |           | 8.61  |                   | ¥        | ž            | 9.18         | 10.01         | 1.22     | ¥                | Ϋ́               | 19.01    | 19.84                  | 060   |
| Repair nasal septal fracture                                     | Repair nasal septal fracture |           | 5.72  |                   | ¥        | Υ<br>V       | 6.94         | 5.07          | 0.41     | Š                | <b>∀</b>         | 13.07    | 11.20                  | 060   |
| _  | Repair nasal septal fracture |           | 2.70  |                   | 5.12     | 3.58         | 2.60         | 2.95          | 0.30     | 8.12             | 6.58             | 5.60     | 5.95                   | 8     |
| Repair nasoethmoid fracture                                      | Repair nasoethmoid fracture  |           | 6.46  |                   | ₹ :      | ž :          | 7.30         | 5.91          | 0.52     | ≨ :              | ž :              | 14.28    | 12.89                  | 8     |
| Repair nasoethmoid fracture                                      | Repair nasoethmoid fracture  |           | 9 C   |                   | ₹ \$     | ď á          | 28.7         | 7.73          | C:32     | ž ž              | ¥ ÷              | 16.47    | 16.37                  | 3 8   |
| A Repair of nose fracture 10.77 A Danair of signs fracture 12.05 | Repair of cions fracture     |           | 10.77 |                   | ξ        | <b>∑</b> 2   | 0.40<br>0.40 | 9.07<br>10.08 | - S      | ₹ <del>2</del>   | ξ <u>ς</u>       | 24.05    | 22.87                  | 8 8   |
| Repair of sinus fracture   | Repair of sinus fracture     |           | 19.72 |                   | ¥        | Υ<br>Z       | 14.81        | 11.17         | 0.84     | ź                | Ž                | 35.37    | 31.73                  | 8 6   |
| Repair of nose/jaw fracture                                      | Repair of nose/jaw fracture  |           | 8.16  |                   | 10.22    | 8.98         | 8.18         | 8.47          | 0.63     | 19.01            | 17.77            | 16.97    | 17.26                  | 060   |
| A Repair of nose/jaw fracture 10.61                              | Repair of nose/jaw fracture  |           | 10.61 |                   | ¥        | ¥            | 10.53        | 10.28         | 0.81     | ¥                | Ϋ́               | 21.95    | 21.70                  | 060   |
| A Repair of nose/jaw fracture 12.69                              | Repair of nose/jaw fracture  |           | 12.69 | _                 | ¥        | ¥            | 10.78        | 11.13         | 1.06     | ¥                | Ϋ́               | 24.53    | 24.88                  | 060   |
| Repair of nose/jaw fracture                                      | Repair of nose/jaw fracture  |           | 16.69 |                   | ¥        | ¥            | 12.32        | 12.31         | 1.74     | ¥                | Ϋ́               | 30.75    | 30.74                  | 060   |
| A Repair cheek bone fracture 3.77                                | Repair cheek bone fracture   |           | 3.77  |                   | 5.38     | 2.61         | 1.84         | 1.73          | 0.13     | 9.28             | 6.51             | 5.74     | 5.63                   | 010   |
|  | Repair cheek bone fracture   |           | 4.15  |                   | ¥        | ¥            | 5.80         | 5.17          | 0.70     | ¥                | ¥                | 10.65    | 10.02                  | 010   |
| A Repair cheek bone fracture 6.46                                | Repair cheek bone fracture   |           | 6.46  |                   | ¥        | ¥            | 7.81         | 7.74          | 0.70     | ¥                | ¥                | 14.97    | 14.90                  | 060   |
| A Repair cheek bone fracture 14.95                               | Repair cheek bone fracture   |           | 14.95 |                   | ¥        | ¥            | 12.50        | 13.18         | 1.28     | ¥                | ¥                | 28.73    | 29.41                  | 060   |
| A Repair cheek bone fracture 17.7                                | Repair cheek bone fracture   |           | 17.7  | 7                 | ¥        | ¥            | 11.29        | 12.66         | 1.85     | ¥                | Ϋ́               | 30.91    | 32.28                  | 060   |
| Repair eye socket fracture                                       | Repair eye socket fracture   |           | 9.1   | 9                 | ₹        | ¥            | 8.37         | 9.90          | 0.88     | ¥                | A<br>A           | 18.41    | 19.94                  | 060   |
| Repair eye socket fracture                                       | Repair eye socket fracture   |           | တ်    | 16                | ¥        | ¥            | 9.64         | 9.79          | 96.0     | ¥                | ¥                | 19.78    | 19.93                  | 060   |
| A Repair eye socket fracture 9.                                  | Repair eye socket fracture   |           | 6     | 20                | ¥        | ¥            | 10.07        | 8.59          | 0.75     | ¥                | Ϋ́               | 20.52    | 19.04                  | 060   |
| Repair eye socket fracture                                       | Repair eye socket fracture   |           | 10    | 13                | ¥        | ¥            | 11.31        | 11.90         | 1.07     | ¥                | ¥                | 22.51    | 23.10                  | 060   |
|  |                              |           |       |                   |          |              |              |               |          |                  |                  |          |                        |       |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                  |         |        |                              |                | •                |                              | •               | :                     |                  |                   |                   |                   |                   |                 |
|------------------|---------|--------|------------------------------|----------------|------------------|------------------------------|-----------------|-----------------------|------------------|-------------------|-------------------|-------------------|-------------------|-----------------|
|                  |         |        |                              |                | non-<br>facility | Iransitioned<br>Non-facility | Facility        | ransmoned<br>Facility |                  |                   | Transitioned      |                   |                   |                 |
| 1                |         |        |                              | Physician      | practice         | practice                     | practice        | practice              | Mal-             | Non-              | Non-              |                   | Transitioned      |                 |
| OPT /<br>HCPCS 1 | Mod Sti | Status | Description                  | work 3<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs       | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global          |
| 21395            |         | ∢      | Repair eye socket fracture   | 12.68          | ΑΝ               | ΑΝ                           | 12.11           | 10.87                 | 1.07             | Ϋ́                | ¥                 | 25.86             | 24.62             | 060             |
| 21400            |         | ⋖      | Treat eye socket fracture    | 1.40           | 4.34             | 2.44                         | 0.79            | 1.45                  | 0.13             | 5.87              | 3.97              | 2.32              | 2.98              | 060             |
| 21401            |         | ∢      | Repair eye socket fracture   | 3.26           | 4.21             | 3.15                         | 2.30            | 2.68                  | 0.25             | 7.72              | 99.9              | 5.81              | 6.19              | 060             |
| 21406            |         | ⋖      | Repair eye socket fracture   | 7.01           | ¥                | Ϋ́                           | 7.89            | 6.21                  | 0.58             | ¥                 | ¥                 | 15.48             | 13.80             | 060             |
| 21407            |         | ∢      | Repair eye socket fracture   | 8.61           | ¥                | Ϋ́                           | 9.34            | 8.10                  | 0.61             | ¥                 | ¥                 | 18.56             | 17.32             | 060             |
| 21408            |         | ∢      | Repair eye socket fracture   | 12.38          | ¥                | Ϋ́                           | 10.69           | 9.58                  | 0.77             | ¥                 | ¥                 | 23.84             | 22.73             | 060             |
| 21421            |         | ⋖      | Treat mouth roof fracture    | 5.14           | 6.64             | 99.9                         | 5.88            | 6.07                  | 0.49             | 12.27             | 12.29             | 11.51             | 11.70             | 060             |
| 21422            |         | ∢      | Repair mouth roof fracture   | 8.32           | ¥                | Ϋ́                           | 8.21            | 9.50                  | 0.93             | ¥                 | ¥                 | 17.46             | 18.75             | 060             |
| 21423            |         | ⋖      | Repair mouth roof fracture   | 10.40          | ¥                | ¥                            | 8.72            | 10.16                 | 0.93             | ¥                 | ¥                 | 20.05             | 21.49             | 060             |
| 21431            |         | ∢      | Treat craniofacial fracture  | 7.05           | ¥                | Ϋ́                           | 7.43            | 9.76                  | 0.56             | ¥                 | ¥                 | 15.04             | 14.37             | 060             |
| 21432            |         | ∢      | Repair craniofacial fracture | 8.61           | ¥                | Ϋ́                           | 6.46            | 7.12                  | 99.0             | ¥                 | ۲                 | 15.73             | 16.39             | 060             |
| 21433            |         | ∢      | Repair craniofacial fracture | 25.35          | ¥                | A<br>A                       | 19.12           | 19.40                 | 1.64             | ¥                 | ¥                 | 46.11             | 46.39             | 060             |
| 21435            |         | ⋖      | Repair craniofacial fracture | 17.25          | ¥                | Ϋ́                           | 13.66           | 14.20                 | 1.47             | ¥                 | Ϋ́                | 32.38             | 32.92             | 060             |
| 21436            |         | ∢      | Repair craniofacial fracture | 28.04          | Ϋ́               | ¥                            | 17.80           | 16.38                 | 1.63             | ¥                 | ¥                 | 47.47             | 46.05             | 060             |
| 21440            |         | ∢      | Repair dental ridge fracture | 2.70           | 4.93             | 3.73                         | 4.11            | 3.44                  | 0.22             | 7.85              | 6.65              | 7.03              | 6.36              | 060             |
| 21445            |         | ∢      | Repair dental ridge fracture | 5.38           | 6.04             | 6.48                         | 5.38            | 6.16                  | 0.44             | 11.86             | 12.30             | 11.20             | 11.98             | 060             |
| 21450            |         | ∢      | Treat lower jaw fracture     | 2.97           | 4.79             | 3.51                         | 4.22            | 3.37                  | 0.20             | 96.7              | 6.68              | 7.39              | 6.54              | 060             |
| 21451            |         | ∢      | Treat lower jaw fracture     | 4.87           | 5.81             | 6.20                         | 5.25            | 5.68                  | 0.58             | 11.26             | 11.65             | 10.70             | 11.13             | 060             |
| 21452            |         | ∢      | Treat lower jaw fracture     | 1.98           | 7.45             | 3.00                         | 4.48            | 2.25                  | 0.13             | 9.56              | 5.11              | 6.59              | 4.36              | 060             |
| 21453            |         | ∢      | Treat lower jaw fracture     | 5.54           | 6.59             | 7.06                         | 6.33            | 6.54                  | 0.43             | 12.56             | 13.03             | 12.30             | 12.51             | 060             |
| 21454            |         | ⋖      | Treat lower jaw fracture     | 6.46           | ¥                | Ϋ́                           | 6.35            | 7.38                  | 1.1              | ¥                 | ₹                 | 13.92             | 14.95             | 060             |
| 21461            |         | ∢      | Repair lower jaw fracture    | 8.09           | 7.86             | 9.21                         | 8.08            | 9.27                  | 1.02             | 16.97             | 18.32             | 17.19             | 18.38             | 060             |
| 21462            |         | ∢      | Repair lower jaw fracture    | 9.79           | 9.10             | 11.04                        | 8.66            | 10.93                 | 1.05             | 19.94             | 21.88             | 19.50             | 21.77             | 060             |
| 21465            |         | ∢      | Repair lower jaw fracture    | 11.91          | ¥                | Ϋ́                           | 8.59            | 9.02                  | 0.77             | ¥                 | ₹                 | 21.27             | 21.70             | 060             |
| 21470            |         | ∢      | Repair lower jaw fracture    | 15.34          | ¥                | Š                            | 10.74           | 16.42                 | 1.36             | ¥                 | ¥                 | 27.44             | 33.12             | 060             |
| 21480            |         | ∢      | Reset dislocated jaw         | 0.61           | 1.99             | 1.14                         | 0.18            | 0.59                  | 0.07             | 2.67              | 1.82              | 98.0              | 1.27              | 8               |
| 21485            |         | ∢      | Reset dislocated jaw         | 3.99           | 3.89             | 2.76                         | 2.61            | 1.55                  | 0.16             | 8.04              | 6.91              | 92.9              | 5.70              | 060             |
| 21490            |         | ∢      | Repair dislocated jaw        | 11.86          | ¥                | ₹                            | 8.03            | 7.15                  | 0.41             | ₹                 | ¥                 | 20.30             | 19.42             | 060             |
| 21493            |         | ⋖      | Treat hyoid bone fracture    | 1.27           | 0.48             | 1.36                         | 2.42            | 1.75                  | 0.10             | 1.85              | 2.73              | 3.79              | 3.12              | 060             |
| 21494            |         | <      | Repair hyoid bone fracture   | 6.28           | 2.38             | 6.72                         | 4.31            | 7.20                  | 0.49             | 9.15              | 13.49             | 11.08             | 13.97             | <del>0</del> 60 |
| 21495            |         | ⋖      | Repair hyoid bone fracture   | 5.69           | ¥                | ¥                            | 5.69            | 5.35                  | 0.40             | ¥                 | <b>∀</b>          | 11.78             | 11.44             | 060             |
| 21497            |         | ∢      | Interdental wiring           | 3.86           | 4.51             | 4.36                         | 3.89            | 4.21                  | 0.30             | 8.67              | 8.52              | 8.05              | 8.37              | 060             |
| 21499            |         | ပ      | Head surgery procedure       | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                  | 0.00             | 0.00              | 00.0              | 00.00             | 0.00              | ₩               |
| 21501            |         | ∢      | Drain neck/chest lesion      | 3.81           | 3.55             | 2.37                         | 2.81            | 2.19                  | 0.20             | 7.56              | 6.38              | 6.82              | 6.20              | 060             |
| 21502            |         | ∢      | Drain chest lesion           | 7.12           | ¥                | Ą                            | 11.62           | 6.34                  | 0.59             | ¥                 | ¥                 | 19.33             | 14.05             | 060             |
| 21510            |         | ⋖      | Drainage of bone lesion      | 5.74           | ¥                | Ϋ́                           | 9.38            | 5.46                  | 0.39             | ¥                 | ¥                 | 15.51             | 11.59             | 060             |
| 21550            |         | ⋖      | Biopsy of neck/chest         | 2.06           | 1.90             | 1.17                         | 1.14            | 0.63                  | 0.09             | 4.05              | 3.32              | 3.29              | 2.78              | 010             |
| 21555            |         | ∢      | Remove lesion neck/chest     | 4.35           | 3.71             | 2.23                         | 2.36            | 1.90                  | 0.20             | 8.26              | 87.9              | 6.91              | 6.45              | 060             |
| 21556            |         | ∢      | Remove lesion neck/chest     | 5.57           | ¥                | Ϋ́                           | 3.12            | 3.87                  | 0.50             | ¥                 | Ϋ́                | 9.19              | 9.94              | 060             |
| 21557            |         | ∢      | Remove tumor, neck or chest  | 8.88           | Š                | ¥                            | 11.24           | 9.73                  | 1.10             | Ą                 | Ϋ́                | 21.22             | 19.71             | 060             |

Page 15 of 271 (CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                       |             |              |     | Non-                 | Transitioned             | ÷                    | Transitioned         |                  |                   | ٠                    |                   |                   |            |
|---------------------------------------|-------------|--------------|-----|----------------------|--------------------------|----------------------|----------------------|------------------|-------------------|----------------------|-------------------|-------------------|------------|
| Physi                                 | Physi       | Physic       | .io | facility<br>practice | Non-facility<br>practice | Facility<br>practice | Facility<br>practice | Mal-             | Won-              | Transitioned<br>Non- |                   | Transitioned      |            |
| work work Wol Status Description RVUS | Description | work<br>RVUs |     | expense<br>RVUs      | expense<br>RVUs          | expense<br>RVUs      | expense<br>RVUs      | practice<br>RUYs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Global     |
| A Partial removal of rib 6.89         |             | 6.89         |     | ¥                    | Ą                        | 9.75                 | 6.10                 | 69.0             | ¥                 | ¥                    | 17.33             | 13.68             |            |
| A Partial removal of rib 14.61        |             | 14.61        |     | ¥                    | ¥                        | 10.03                | 6.72                 | 0.59             | ¥                 | ¥                    | 25.23             | 21.92             | 8          |
| A Removal of rib 9.87                 |             | 9.87         |     | ¥                    | ¥<br>Y                   | 60.6                 | 10.52                | 1.53             | ž                 | ¥                    | 20.49             | 21.92             | 8          |
| A Removal of rib and nerves 12.04     |             | 12.04        |     | ¥                    | Ϋ́                       | 11.64                | 8.82                 | 1.17             | ¥                 | ¥                    | 24.85             | 22.03             | 8          |
| A Partial removal of sternum 6.79     |             | 6.79         |     | ¥                    | Ϋ́                       | 8.88                 | 7.79                 | 96.0             | ¥                 | ¥                    | 16.63             | 15.54             | 80         |
| A Sternal debridement 6.81            |             | 6.81         |     | ¥                    | Ϋ́                       | 15.32                | 7.93                 | 0.70             | ¥                 | ¥                    | 22.83             | 15.44             | 80         |
| A Extensive sternum surgery 17.38     |             | 17.38        |     | ¥                    | A<br>A                   | 16.91                | 14.72                | 1.88             | ¥                 | ¥                    | 36.17             | 33.98             | 80         |
| A Extensive sternum surgery 18.14     |             | 18.14        |     | ¥                    | A<br>A                   | 13.63                | 12.80                | 1.74             | ¥                 | ¥                    | 33.51             | 32.68             | 80         |
|                                       |             | 6.19         |     | 6.03                 | 4.89                     | 4.77                 | 4.58                 | 0.39             | 12.61             | 11.47                | 11.35             | 11.16             | 8          |
| A Revision of neck muscle/rib 9.60    |             | 9.60         |     | ¥                    | Υ<br>Υ                   | 12.33                | 7.03                 | 0.75             | ¥                 | ₹                    | 22.68             | 17.38             | 8          |
| A Revision of neck muscle 5.68        |             | 5.68         |     | 7.10                 | 4.90                     | 5.36                 | 4.47                 | 0.41             | 13.19             | 10.99                | 11.45             | 10.56             | 060        |
| A Revision of neck muscle 6.99        |             | 6.99         |     | ¥                    | Ā                        | 5.91                 | 5.42                 | 0.58             | ¥                 | ¥                    | 13.48             | 12.99             | 060        |
| A Reconstruction of sternum 16.50     |             | 16.50        |     | ¥                    | Ą<br>Z                   | 15.12                | 11.10                | 1.28             | Ϋ́                | Ą                    | 32.90             | 28.88             | 060        |
| A Repair of sternum separation 10.77  |             | 10.77        |     | ¥                    | Ϋ́                       | 10.71                | 8.64                 | 1.12             | ¥                 | ¥                    | 22.60             | 20.53             | 060        |
| A Treatment of rib fracture 0.96      |             | 96.0         |     | 1.52                 | 1.01                     | 0.82                 | 0.84                 | 0.05             | 2.53              | 2.02                 | 1.83              | 1.85              | 66         |
| A Treatment of rib fracture 2.75      |             | 2.75         |     | ¥                    | Ϋ́                       | 3.24                 | 1.91                 | 0.13             | ž                 | ¥                    | 6.12              | 4.79              | 60         |
| A Treatment of rib fracture(s) 6.86   |             | 98.9         |     | ¥                    | ¥                        | 9.28                 | 8.28                 | 0.48             | ž                 | ₹                    | 16.62             | 15.62             | 8          |
|                                       |             | 1.28         |     | 1.89                 | 1.58                     | 1.17                 | 1.40                 | 0.13             | 3.30              | 2.99                 | 2.58              | 2.81              | 8          |
|                                       |             | 7.41         |     | ¥                    | ž                        | 8.28                 | 69.7                 | 0.88             | ¥                 | ¥                    | 16.57             | 15.98             | 8          |
| C Neck/chest surgery procedure 0.00   | _           | 0.00         |     | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ₹          |
|                                       |             | 2.06         |     | 1.94                 | 1.13                     | 0.76                 | 0.51                 | 0.09             | 4.09              | 3.28                 | 2.91              | 5.66              | 9          |
| A Biopsy soft tissue of back 4.49     |             | 4.49         |     | 8.38                 | 3.69                     | 3.62                 | 2.50                 | 0.25             | 13.12             | 8.43                 | 8.3 <u>6</u>      | 7.24              | 8          |
| Remove lesion, back of mank           | riank       | 9.00<br>7.00 |     | ) S                  | 3.21<br>NA               | 7.32                 | 2.04<br>2.24         | 5<br>5<br>5<br>5 | 6.53              | 60.0<br>60.0         | 08.7<br>96.06     | 0.22              | 3 8        |
| ertehra                               | ertehra     | 9.73         |     | Z Z                  | ( <b>4</b>               | 7.84                 | 8.18                 | 28.0             | ₹ <b>4</b>        | ₹ <b>₹</b>           | 18.42             | 18.76             | 8 6        |
|                                       |             | 9.81         |     | ₹                    | ₹                        | 8.00                 | 8.52                 | 1.08             | ₹                 | ž                    | 18.89             | 19.41             | 60         |
|                                       |             | 9.81         |     | ¥                    | ¥                        | 7.86                 | 5.63                 | 0.52             | ¥                 | Ϋ́                   | 18.19             | 15.96             | 060        |
| A Remove extra spine segment 2.34     |             | 2.34         |     | ¥                    | Ϋ́                       | 1.43                 | 2.17                 | 0.29             | ¥                 | Ϋ́                   | 4.06              | 4.80              | 777        |
|                                       |             | 12.74        |     | ¥                    | ¥                        | 10.08                | 10.43                | 1.28             | ¥                 | ¥                    | 24.10             | 24.45             | 9          |
| A Remove part, thorax vertebra 12.81  |             | 12.81        |     | ¥                    | ¥                        | 10.24                | 10.62                | 1.28             | ₹                 | Š                    | 24.33             | 24.71             | 060        |
| A Remove part, lumbar vertebra 12.81  |             | 12.81        |     | ₹                    | Υ<br>V                   | 11.28                | 8.72                 | 0.92             | ¥                 | ¥                    | 25.01             | 22.45             | 8          |
| A Remove extra spine segment 2.32     |             | 2.32         |     | ¥                    | Ϋ́                       | 1.40                 | 2.15                 | 0.28             | ž                 | ¥                    | 4.00              | 4.75              | 777        |
| A Revision of neck spine 23.82        |             | 23.82        |     | ¥                    | ¥                        | 16.18                | 15.30                | 1.90             | ¥                 | ¥                    | 41.90             | 41.02             | 66         |
| A Revision of thorax spine 19.42      |             | 19.42        |     | ¥                    | ¥                        | 14.23                | 17.63                | 2.21             | ¥                 | Ϋ́                   | 35.86             | 39.26             | 060        |
| A Revision of lumbar spine 19.45      |             | 19.45        |     | ¥                    | Š                        | 14.47                | 15.92                | 2.10             | ¥                 | ¥                    | 36.02             | 37.47             | 8          |
| A Revise, extra spine segment 6.04    |             | 6.04         |     | ¥                    | ¥                        | 3.34                 | 4.96                 | 0.70             | ¥                 | Ϋ́                   | 10.08             | 11.70             | 777        |
| Revision of neck spine                |             | 21.37        |     | ¥                    | ₹                        | 14.67                | 17.21                | 5.06             | ¥                 | ¥                    | 38.10             | 40.64             | 060        |
| Revision of thorax spine              |             | 21.52        |     | ¥                    | ¥                        | 10.37                | 13.67                | 1.24             | ¥                 | ¥                    | 33.13             | 36.43             | 060        |
| Revision of lumbar spine              |             | 21.52        |     | ¥                    | Ą                        | 15.13                | 15.73                | 2.08             | ¥                 | ¥                    | 38.73             | 39.33             | 060        |
| A Revise, extra spine segment 6.04    |             | 6.04         |     | ¥                    | ¥                        | 3.38                 | 4.97                 | 0.70             | Ą                 | ¥                    | 10.12             | 11.71             | <b>ZZZ</b> |
|                                       |             |              |     |                      |                          |                      |                      |                  |                   |                      |                   |                   |            |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                     |            | A.                           | AUDLADOM D   | ערואווגר גי      | אדמר מעניטלע                 | ANN /SO A       | דנאורה וווי              |                  | •                 |                   |                   |                   |            |
|---------------------|------------|------------------------------|--------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
|                     |            |                              |              | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |            |
|                     |            |                              | Physician    | practice         | practice                     | practice        | practice                 | Mal-             | Non-              |                   |                   | Transitioned      |            |
| CPT //<br>HCPG 2 Mo | Mod Status | Secription                   | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
| ı                   | ٨          | Treat spine process fracture | 2.05         | 2.42             | 2.44                         | 1.74            | 2.27                     | 0.29             | 4.76              | ı                 | 4.08              | 4.61              | 8          |
| 22310               | ∢          | Treat spine fracture         | 2.61         | 3.53             | 2.93                         | 3.11            | 2.83                     | 0.54             | 89.9              |                   | 6.26              | 5.98              | 060        |
| 22315               | ∢          | Treat spine fracture         | 8.84         | ¥                | Ϋ́                           | 8.17            | 6.53                     | 0.67             | ¥                 |                   | 17.68             | 16.04             | 060        |
| 22325               | ∢          | Repair of spine fracture     | 18.30        | ¥                | ¥                            | 13.51           | 10.15                    | 1.05             | ¥                 |                   | 32.86             | 29.50             | 8          |
| 22326               | ⋖          | Repair neck spine fracture   | 19.59        | ¥                | Ą<br>Ż                       | 14.52           | 16.60                    | 2.14             | ¥                 |                   | 36.25             | 38.33             | 8          |
| 22327               | ⋖          |                              | 19.20        | ¥                | ¥                            | 13.99           | 16.48                    | 1.84             | ¥                 |                   | 35.03             | 37.52             | 66         |
| 22328               | ⋖          | Repair each add spine fx     | 4.61         | ¥                | Ϋ́                           | 2.55            | 4.22                     | 0.56             | ¥                 |                   | 7.72              | 9.39              | 777        |
| 22505               | ⋖          | Manipulation of spine        | 1.87         | 2.74             | 1.75                         | 1.87            | 1.53                     | 0.13             | 4.74              |                   | 3.87              | 3.53              | 910        |
| 22548               | ⋖          | Neck spine fusion            | 25.82        | ¥                | Ϋ́                           | 17.43           | 22.87                    | 2.99             | ¥                 |                   | 46.24             | 51.68             | 060        |
| 22554               | ⋖          | Neck spine fusion            | 18.62        | ¥                | Ϋ́                           | 13.12           | 19.41                    | 2.75             | ¥                 |                   | 34.49             | 40.78             | 060        |
| 22556               | ⋖          | Thorax spine fusion          | 23.46        | ¥                | ¥                            | 16.06           | 21.66                    | 2.80             | ¥                 |                   | 42.32             | 47.92             | 060        |
| 22558               | ∢          | Lumbar spine fusion          | 22.28        | ₹                | ¥                            | 14.95           | 20.16                    | 2.64             | ¥                 |                   | 39.87             | 45.08             | <b>6</b> 6 |
| 22585               | ⋖          | Additional spinal fusion     | 5.53         | ¥                | Ϋ́                           | 3.06            | 5.16                     | 0.73             | ¥                 |                   | 9.32              | 11.42             | 777        |
| 22590               | ∢          | Spine & skull spinal fusion  | 20.51        | ¥                | Ϋ́                           | 14.63           | 21.22                    | 2.69             | ¥                 |                   | 37.83             | 44.42             | 060        |
| 22595               | ⋖          | Neck spinal fusion           | 19.39        | ₹                | Š                            | 13.80           | 20.81                    | 3.03             | ¥                 |                   | 36.22             | 43.23             | 8          |
| 22600               | ⋖          | Neck spine fusion            | 16.14        | ₹                | ¥                            | 12.08           | 17.47                    | 2.60             | ¥                 |                   | 30.82             | 36.21             | 66         |
| 22610               | ∢          | •                            | 16.02        | Š                | ¥                            | 12.37           | 17.43                    | 2.15             | ¥                 |                   | 30.54             | 35.60             | 060        |
| 22612               | ⋖          | Lumbar spine fusion          | 21.00        | ₹                | ¥                            | 15.04           | 20.53                    | 2.61             | ≨                 |                   | 38.65             | 44.14             | <b>6</b> 6 |
| 22614               | ∢          | Spine fusion, extra segment  | 6.44         | ¥                | Ϋ́                           | 3.56            | 5.49                     | 0.72             | ¥                 |                   | 10.72             | 12.65             | 777        |
| 22630               | ⋖          | Lumbar spine fusion          | 20.84        | ¥                | ¥                            | 15.38           | 18.85                    | 2.46             | ¥                 |                   | 38.68             | 42.15             | 060        |
| 22632               | ∢          | Spine fusion, extra segment  | 5.23         | ¥                | Ϋ́                           | 2.91            | 4.79                     | 0.64             | ₹                 |                   | 8.78              | 10.66             | 777        |
| 22800               | ⋖          | Fusion of spine              | 18.25        | ₹                | ¥                            | 13.60           | 19.74                    | 2.80             | ₹                 |                   | 34.65             | 40.79             | 060        |
| 22802               | ⋖          | Fusion of spine              | 30.88        | <b>∀</b>         | ¥                            | 20.85           | 28.26                    | 3.61             | ₹                 |                   | 55.34             | 62.75             | 060        |
| 22804               | ∢          | _                            | 36.27        | ₹                | ¥                            | 23.60           | 28.95                    | 3.61             | ¥                 |                   | 63.48             | 68.83             | 060        |
| 22808               | ⋖          | _                            | 26.27        | Š                | ¥                            | 17.93           | 19.47                    | 2.46             | ¥                 |                   | 46.66             | 48.20             | 060        |
| 22810               | ⋖          | Fusion of spine              | 30.27        | Š                | ₹                            | 19.58           | 19.88                    | 2.46             | ¥                 |                   | 52.31             | 52.61             | 060        |
| 22812               | ∢          | Fusion of spine              | 32.70        | Ϋ́               | Ϋ́                           | 20.64           | 26.27                    | 3.32             | ¥                 |                   | 99.99             | 62.29             | 060        |
| 22818               | ⋖          | Kyphectomy, 1-2 segments     | 31.83        | Ϋ́               | Ϋ́                           | 18.54           | 27.63                    | 3.79             | ≨                 |                   | 54.16             | 63.25             | 060        |
| 22819               | ⋖          |                              | 36.44        | <b>∀</b>         | ₹                            | 20.66           | 28.16                    | 3.79             | ₹                 |                   | 68.09             | 68.39             | 060        |
| 22830               | ⋖          | Exploration of spinal fusion | 10.85        | <b>∀</b>         | ¥                            | 9.32            | 12.05                    | 1.7              | ¥                 |                   | 21.88             | 24.61             | 060        |
| 22840               | ⋖          | _                            | 12.54        | <b>∀</b><br>Z    | Ϋ́                           | 7.90            | 6.84                     | 0.77             | ¥                 |                   | 21.21             | 20.15             | 777        |
| 22841               | Ω          | _                            | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              |                   | 0.00              | 0.00              | ×          |
| 22842               | ⋖          | Insert spine fixation device | 12.58        | Ϋ́               | ¥                            | 7.19            | 7.38                     | 0.88             | ¥                 |                   | 20.65             | 20.84             | 777        |
| 22843               | ∢          | Insert spine fixation device | 13.46        | Š                | ¥                            | 8.47            | 80.6                     | 1.10             | ¥                 |                   | 23.03             | 23.64             | 777        |
| 22844               | ∢          | Insert spine fixation device | 16.44        | ¥                | ¥                            | 10.22           | 11.06                    | 1.34             | ¥                 |                   | 28.00             | 28.84             | <b>ZZZ</b> |
| 22845               | ⋖          | Insert spine fixation device | 11.96        | ₹                | ₹                            | 7.56            | 6.53                     | 0.73             | ¥                 |                   | 20.25             | 19.22             | 777        |
| 22846               | ⋖          | Insert spine fixation device | 12.42        | ¥                | ¥                            | 7.82            | 8.38                     | 1.01             | ₹                 |                   | 21.25             | 21.81             | 777        |
| 22847               | ∢          | Insert spine fixation device | 13.80        | ¥<br>Z           | ₹                            | 8.53            | 9.27                     | 1.13             | ¥                 |                   | 23.46             | 24.20             | 222        |
| 22848               | ∢          | Insert pelvic fixationdevice | 9.00         | <b>∀</b><br>Z    | ¥                            | 4.58            | 5.80                     | 0.74             | ¥                 |                   | 11.32             | 12.54             | 777        |
| 22849               | ∢          | Reinsert spinal fixation     | 18.51        | ¥                | ¥                            | 13.21           | 12.87                    | 1.54             | ¥                 |                   | 33.26             | 32.92             | 060        |
|                     |            |                              |              |                  |                              |                 |                          |                  |                   |                   |                   |                   |            |

<sup>-</sup>1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| THY Individual Protein Include Type In The Individual Protein Include Type Include Typ                        |                               |              | Mon             | Transitional    |                 | Trancitional    |                  |                   |                   |                   |                   |            |
|--|-------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
| work of Status Description  A Remove spine fixation device both a Apply spine prosth device both a Remove spine fixation device both a Remove abdominal wall lesion both a Remove abdominal wall lesion both a Removal of calcium deposits a both a Removal of calcium deposits both a Release shoulder joint both a Release shoulder joint both a Drain shoulder lesion both a Removal of shoulder joint both a Removal of shoulder joint both a Removal of collarbone both a Removal of collarbone both a Removal of humerus lesion both a Removal of humerus lesion both a Removal of humerus lesion both a Remove collarbone lesion both and both a Remove collarbone lesion both and both a Remov |                               |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |            |
| A Remove spine fixation device 9.52 A Apply spine prostit device 9.71 A Remove spine fixation device 9.71 A Remove spine fixation device 9.01 A Remove spine fixation device 9.01 A Remove abdorninal wall lesion 0.00 C Spine surgery procedure 0.00 A Remove abdorninal wall lesion 5.80 A Removal of calcium deposits 4.36 A Drain shoulder lesion 3.43 A Drain shoulder lesion 8.61 A Removal of shoulder lesion 7.63 A Biopsy shoulder surgery 7.12 A Biopsy shoulder tissues 2.27 A Biopsy shoulder lesion 7.63 A Removal of shoulder lesion 9.39 A Incision of collarbone 9.34 A Removal of bone lesion 6.89 A Removal of humerus lesion 6.89 A Removal of humerus lesion 6.89 A Removal of humerus lesion 9.91 A Removal of humerus lesion 6.89 A Removal of humerus lesion 9.91 A Removal of humerus lesion 9.91 A Remove collarbone lesion 6.89 A Remove shoulder blade lesion 8.83 A Remove blunterus lesion 8.83   |                               | Physician    | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              |                   | Transitioned      |            |
| A Remove spine fixation device A Apply spine prosth device A Remove spine fixation device C Spine surgery procedure C Spine surgery procedure C Abdomen surgery C Abdomen Structure C Abdomer surgery C Abdomen Structure C Abdomer surgery C C C C C C C C C C C C C C C C C C C  | Description                   | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
| A Apply spine prosth device A Remove spine fixation device C Spine surgery procedure C Spine surgery procedure A Remove abdominal wall lesion C Abdomen surgery procedure A Removal of calcium deposits A Release shoulder loint A Drain shoulder lesion C Abdomen surgery procedure A Drain shoulder lesion C Abdomen surgery procedure A Drain shoulder lesion C Abdomen surgery A Biopsy shoulder surgery A Biopsy shoulder tissues A Removal of shoulder lesion C A Partial removal, collar bone C A Partial removal, collar bone C A Removal of bone lesion C A Removal of humerus lesion C A Removal of humerus lesion C A Removal of humerus lesion C A Remove collar bone C B A Removal of humerus lesion C B A Remove collar bone C B A Remove collar bone C B A Remove collar bone C B A Remove shoulder blade lesion C B A Remove shoulder blade lesion C B A Remove collar bone C B A Remove collar bone lesion C B A Remove collar bone lesion C B A Remove collar bone lesion C B A Remove collar blade lesion C B A Remove collar bone lesion C B A Remove shoulder blade lesion C B A Remove S B B B B B B B B B B B B B B B B B B  | Remove spine fixation device  | 9.52         | ¥               | ₹               | 8.08            | 9.48            | 1.17             | ¥                 | ₹                 | 18.77             | 20.17             | 060        |
| A Remove spine fixation device  A Remove spine fixation device  C Spine surgery procedure  A Remove abdominal wall lesion  C Abdomen surgery procedure  A Removal of calcium deposits  A Drain shoulder lesion  A Drain shoulder bursa  A Drain shoulder bursa  A Drain shoulder surgery  A Exploratory shoulder surgery  A Biopsy shoulder tissues  A Biopsy shoulder tissues  A Removal of shoulder lesion  A Removal of shoulder lesion  A Removal of shoulder lesion  A Removal of shoulder joint  A Shoulder joint surgery  A Removal of collarbone joint  A Shoulder joint surgery  A Partial removal, shoulderbone  A Removal of collarbone  A Removal of bone lesion  A Removal of bone lesion  A Removal of humerus lesion  A Remove collarbone lesion  A Remove collarbone lesion  A Removal of humerus lesion  A Removal of humerus lesion  A Remove shoulder blade lesion  A Remove collarbone lesion  A Remove collarbone lesion  A Remove collarbone lesion  A Remove shoulder blade lesion  B Remove shoulder blade lesion  A Remove shoulder blade lesion  A Remove collarbone lesion  A Remove collarbone lesion  A Remove shoulder blade lesion  B Remove shoulder blade lesion  | Apply spine prosth device     | 6.71         | ¥               | Š               | 4.80            | 6.41            | 0.82             | ¥                 | ¥                 | 12.33             | 13.94             | 77.7       |
| A Remove spine fixation device C Spine surgery procedure O.00 A Remove abdominal wall lesion C Abdomen surgery procedure O.00 A Release shoulder joint A Release shoulder lesion A Drain shoulder bone lesion A Drain shoulder surgery A Drain shoulder surgery A Drain shoulder surgery A Exploratory shoulder surgery A Exploratory shoulder surgery A Removal of shoulder lesion A Removal of shoulder joint B Shoulder joint lining A Removal of collarbone joint A Partial removal, collar bone A Removal of collarbone joint A Partial removal of bone lesion A Removal of humerus lesion A Remove collarbone lesion A Remove shoulder blade lesion A Remove shoulder blade lesion A Remove collarbone lesion A Remove shoulder blade lesion B Remove shoulder blade lesion   | Remove spine fixation device  | 9.01         | ¥               | Š               | 7.91            | 96.6            | 1.23             | ¥                 | ¥                 | 18.15             | 20.20             | 060        |
| C Spine surgery procedure A Remove abdominal wall lesion C Abdomen surgery procedure A Removal of calcium deposits A Drain shoulder lesion A Drain shoulder bone lesion A Drain shoulder surgery A Drain shoulder surgery A Exploratory shoulder surgery A Exploratory shoulder surgery A Biopsy shoulder tissues A Removal of shoulder lesion A Removal of shoulder joint A Shoulder joint lining A Shoulder joint surgery A Removal of collarbone joint A Partial removal, collar bone A Removal of collarbone A Removal of bone lesion A Removal of humerus lesion A Remove collarbone lesion A Remove shoulder blade lesion B Remove shoulder blade lesion A Remove shoulder blade lesion B Remove shoulder blade lesion  | Remove spine fixation device  | 15.13        | ¥               | ¥               | 10.95           | 8.81            | 96.0             | ¥                 | ¥                 | 27.06             | 24.92             | 060        |
| A Remove abdominal wall lesion C Abdomen surgery procedure 0.00 A Release shoulder joint 3.43 A Drain shoulder lesion 3.43 A Drain shoulder lesion 3.43 A Drain shoulder bursa 2.74 A Drain shoulder bone lesion 8.61 A Exploratory shoulder surgery 7.12 A Biopsy shoulder surgery 7.12 A Biopsy shoulder tesion 7.63 A Removal of shoulder lesion 7.63 A Removal of shoulder lesion 7.63 A Removal of shoulder joint 8.23 A Removal of shoulder joint 8.23 A Removal of collarbone joint 6.03 A Removal of collarbone joint 7.11 A Partial removal, collar bone 7.15 A Removal of bone lesion 7.83 A Removal of bone lesion 6.89 A Removal of humerus lesion 6.80 A Removal of humerus lesion 6.80 A Removal of humerus lesion 6.90 A Removal of humerus lesion 6.90 A Remove collarbone lesion 8.53   | Spine surgery procedure       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | Ж          |
| Removal of calcium deposits 4.36 A Release shoulder joint 8.93 A Drain shoulder lesion 3.43 A Drain shoulder lesion 3.43 A Drain shoulder lesion 3.43 A Drain shoulder bursa 3.43 A Drain shoulder bursa 2.74 A Exploratory shoulder surgery 7.12 A Biopsy shoulder tissues 2.27 A Removal of shoulder lesion 7.63 A Removal of shoulder lesion 7.63 A Removal of shoulder lesion 7.63 A Removal of shoulder joint 6.03 A Removal of shoulder joint 8.23 A Incision of collarbone joint 8.59 A Removal of collarbone 9.39 A Removal of collarbone 6.89 A Removal of bone lesion 6.89 A Removal of humerus lesion 6.80 A Remove collarbone lesion 6.90 A Remove collarbone lesion 6.80 A Remove collarbone lesion 6.80 A Remove collarbone lesion 6.80 A Remove collarbone lesion 8.63 A Remove collarbone lesion 8.53  | Remove abdominal wall lesion  | 5.80         | ¥               | Š               | 4.14            | 3.50            | 0.47             | Ϋ́                | ¥                 | 10.41             | 9.77              | 060        |
| A Removal of calcium deposits 4.36 A Drain shoulder joint 8.93 A Drain shoulder lesion 3.43 A Drain shoulder lesion 8.61 A Exploratory shoulder surgery 7.12 A Exploratory shoulder surgery 7.12 A Biopsy shoulder tissues 4.16 A Removal of shoulder lesion 7.63 A Removal of shoulder lesion 7.63 A Removal of shoulder lesion 7.63 A Removal of shoulder joint 8.23 A Removal of shoulder joint 8.23 A Removal of collarbone joint 5.96 A Removal of collarbone 9.39 A Removal of collarbone 6.89 A Removal of bone lesion 6.89 A Removal of humerus lesion 6.80 A Removal of humerus lesion 6.90 A Remove collarbone lesion 6.90 A Remove collarbone lesion 6.90 A Remove collarbone lesion 8.68 A Remove collarbone lesion 8.63   | Abdomen surgery procedure     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | Ж          |
| A Release shoulder joint A Drain shoulder lesion A Drain shoulder lesion A Drain shoulder bursa A Drain shoulder bursa A Exploratory shoulder surgery A Exploratory shoulder surgery A Biopsy shoulder tissues A Removal of shoulder lesion A Removal of shoulder lesion A Removal of shoulder lesion A Remove tumor of shoulder lesion A Remove tumor of shoulder A Remove shoulder joint A Shoulder joint surgery A Removal of collarbone A Removal of collarbone A Partial removal, collar bone A Removal of bone lesion A Removal of bone lesion A Removal of humerus lesion A Remove collarbone lesion A Remove shoulder blade lesion B Remove shoulder blade lesion  | Removal of calcium deposits   | 4.36         | 6.05            | 4.15            | 5.58            | 4.04            | 0.37             | 10.78             | 8.88              | 10.31             | 8.77              | 060        |
| A Drain shoulder lesion A Drain shoulder bursa A Drain shoulder bursa A Drain shoulder bursa A Exploratory shoulder surgery A Exploratory shoulder surgery A Biopsy shoulder tissues A Removal of shoulder lesion A Remove tumor of shoulder lesion A Remove tumor of shoulder A Remove shoulder joint A Shoulder joint surgery A Remove shoulder joint lining A Removal of collarbone A Removal of collarbone A Removal of bone lesion A Removal of bone lesion A Removal of humerus lesion A Remove collarbone lesion A Remove shoulder blade lesion B Remove shoulder blade lesion  | Release shoulder joint        | 8.93         | ¥               | ¥               | 8.79            | 8.12            | 0.85             | ¥                 | ¥                 | 18.57             | 17.90             | 060        |
| A Drain shoulder bursa 2.74 A Drain shoulder bone lesion 8.61 A Exploratory shoulder surgery 7.12 A Biopsy shoulder tissues 4.16 A Removal of shoulder lesion 7.63 A Removal of shoulder lesion 7.63 A Removal of shoulder joint 6.03 A Remove tumor of shoulder   16.09 A Remove shoulder joint 8.23 A Remove shoulder joint 8.23 A Incision of collarbone joint 8.23 A Removal of collarbone 9.39 A Removal of collarbone 6.89 A Removal of bone lesion 6.89 A Removal of bone lesion 7.83 A Removal of humerus lesion 8.48 A Removal of humerus lesion 6.89 A Removal of humerus lesion 6.89 A Removal of humerus lesion 6.89 A Removal of humerus lesion 8.68 A Removal of humerus lesion 6.89 A Remove collarbone lesion 6.89 A Remove collarbone lesion 6.89 A Remove collarbone lesion 8.68 A Remove humerus lesion 6.89 A Remove humerus lesion 8.53 A Remove humerus lesion 8.53 A Remove humerus lesion 8.53 A Remove collar bone lesion 8.53  | Drain shoulder lesion         | 3.43         | 4.06            | 2.77            | 3.54            | 2.64            | 0.27             | 7.76              | 6.47              | 7.24              | 6.34              | 010        |
| A Drain shoulder bone lesion 8.61 A Exploratory shoulder surgery 7.12 A Biopsy shoulder tissues 7.12 A Biopsy shoulder tissues 7.12 A Biopsy shoulder tissues 7.27 A Removal of shoulder lesion 7.63 A Remove turnor of shoulder   16.09 A Biopsy of shoulder joint 16.09 A Remove shoulder joint   6.03 A Remove shoulder joint   8.23 A Incision of collarbone joint   8.62 A Removal of collarbone   9.39 A Removal of collarbone   9.39 A Removal of bone lesion   8.48 A Removal of bone lesion   7.83 A Removal of humerus lesion   8.68 A Removal of humerus lesion   6.89 A Removal of humerus lesion   6.80 A Removal of humerus lesion   6.80 A Removal of humerus lesion   8.68 A Remove collarbone lesion   6.90 A Remove collarbone lesion   8.53   | Drain shoulder bursa          | 2.74         | 4.07            | 1.42            | 3.40            | 1.05            | 0.04             | 6.85              | 4.20              | 6.18              | 3.83              | 010        |
| A Exploratory shoulder surgery A Exploratory shoulder surgery A Biopsy shoulder tissues A Biopsy shoulder tissues A Removal of shoulder lesion A Remove turnor of shoulder A Shoulder joint surgery A Remove shoulder joint A Biopsy of shoulder joint A Remove shoulder joint ining A Removal of collarbone joint A Partial removal, collar bone A Removal of collarbone A Removal of collarbone A Removal of bone lesion A Removal of bone lesion A Removal of humerus lesion A Remove collarbone lesion A Removal of humerus lesion A Remove collarbone lesion B Remove collarbone lesion A Remove collarbone lesion A Remove collarbone lesion B Remove collarbone lesion A Remove collarbone lesion B Remove collarbone lesion   | Drain shoulder bone lesion    | 8.61         | ¥               | Ą               | 13.01           | 8.32            | 0.81             | ¥                 | ¥                 | 22.43             | 17.74             | 060        |
| A Exploratory shoulder surgery A Biopsy shoulder tissues A Biopsy shoulder tissues A Removal of shoulder lesion A Remove tumor of shoulder A Biopsy of shoulder lesion A Biopsy of shoulder joint A Biopsy of shoulder joint A Remove shoulder joint A Remove shoulder joint A Removal of collarbone A Removal of collarbone A Removal of bone lesion A Removal of bone lesion A Removal of bone lesion A Removal of humerus lesion B Remove collarbone lesion A Remove collarbone lesion B Remove humerus lesion B Remove humerus lesion B Remove humerus lesion B Remove humerus lesion B Remove collarbone lesion B Remove collarbone lesion B Remove shoulder blade lesion B Remove collarbone lesion B Remove collarbone lesion B Remove shoulder blade lesion   | Exploratory shoulder surgery  | 9.20         | ¥               | Ϋ́              | 10.05           | 10.06           | 1.15             | ¥                 | ¥                 | 20.40             | 20.41             | 060        |
| A Biopsy shoulder tissues 2.27 A Biopsy shoulder tissues 4.16 A Removal of shoulder lesion 7.63 A Remove tumor of shoulder   6.03 A Remove tumor of shoulder   6.03 A Remove shoulder joint   6.03 A Remove shoulder joint   6.03 A Removal of collarbone joint   8.62 A Removal of collarbone   7.11 A Removal of lone lesion   8.48 A Removal of bone lesion   7.83 A Removal of bone lesion   7.83 A Removal of humerus lesion   6.86 A Removal of humerus lesion   6.90 A Remove collarbone lesion   8.68 A Remove collarbone lesion   8.68 A Removel of humerus lesion   6.90 A Remove collarbone lesion   8.53 A Remove collarbone lesion   8.53 A Remove collarbone lesion   8.53 A Remove collar bone lesion   8.53 A Remove collar bone lesion   8.53   | Exploratory shoulder surgery  | 7.12         | ¥               | Ϋ́              | 8.56            | 7.77            | 0.92             | ¥                 | ¥                 | 16.60             | 15.81             | 060        |
| A Biopsy shoulder tissues A Removal of shoulder lesion A Removal of shoulder lesion A Remove tumor of shoulder A Biopsy of shoulder joint A Shoulder joint surgery A Remove shoulder joint lining A Incision of collarbone joint A Explore, treat shoulder joint A Removal of collarbone A Removal of collarbone A Removal of bone lesion A Removal of bone lesion A Removal of bone lesion A Removal of humerus lesion B Removal of humerus lesion A Remove collarbone lesion B Remove collarbone lesion  | Biopsy shoulder tissues       | 2.27         | 2.19            | 1.09            | 1.26            | 98.0            | 0.07             | 4.53              | 3.43              | 3.60              | 3.20              | 010        |
| A Removal of shoulder lesion 7.63 A Removal of shoulder lesion 7.63 A Remove tumor of shoulder   6.09 A Biopsy of shoulder joint 6.03 A Shoulder joint surgery 5.58 A Incision of collarbone joint 5.96 A Explore,treat shoulder joint 8.62 A Partial removal, collar bone 7.11 A Removal of collarbone 6.89 A Removal of bone lesion 6.89 A Removal of bone lesion 7.83 A Removal of bone lesion 8.48 A Removal of humerus lesion 6.86 A Removal of humerus lesion 6.86 A Removal of humerus lesion 6.86 A Remove collarbone lesion 8.85  | Biopsy shoulder tissues       | 4.16         | 5.36            | 2.30            | 4.70            | 2.14            | 0.08             | 9.60              | 6.54              | 8.94              | 6.38              | 060        |
| A Removal of shoulder lesion 7.63 A Biopsy of shoulder joint 6.03 A Shoulder joint surgery 5.58 A Remove shoulder joint lining 8.23 A Incision of collarbone joint 7.11 A Partial removal, collar bone 7.11 A Removal of collarbone 7.55 A Removal of bone lesion 6.89 A Removal of bone lesion 7.83 A Removal of bone lesion 7.83 A Removal of humerus lesion 6.86 A Remove collarbone lesion 8.85 A Remove collarbone lesion 6.90 A Remove shoulder blade lesion 8.53 A Remove collarbone lesion 8.53 A Remove collarbone lesion 8.53 A Remove collarbone lesion 8.53   | Removal of shoulder lesion    | 2.39         | 3.50            | 2.24            | 2.43            | 1.97            | 0.23             | 6.12              | 4.86              | 5.05              | 4.59              | 010        |
| A Remove tumor of shoulder 16.09 A Biopsy of shoulder joint 6.03 A Shoulder joint surgery 5.58 A Remove shoulder joint lining 8.23 A Incision of collarbone joint 8.62 A Partial removal, collar bone 7.11 A Removal of collarbone 7.55 A Removal of bone lesion 6.89 A Removal of bone lesion 7.83 A Removal of bone lesion 7.83 A Removal of humerus lesion 6.86 A Removal of humerus lesion 6.86 A Removal of humerus lesion 6.86 A Remove collarbone lesion 6.86 A Remove collarbone lesion 6.90 A Remove collarbone lesion 6.90 A Remove collarbone lesion 6.90 A Remove collarbone lesion 8.85   | Removal of shoulder lesion    | 7.63         | ₹               | ¥               | 6.41            | 4.48            | 0.51             | ₹                 | ₹                 | 14.55             | 12.62             | 060        |
| A Biopsy of shoulder joint 6.03 A Shoulder joint surgery 5.58 A Remove shoulder joint lining 8.23 A Incision of collarbone joint 8.62 A Partial removal, collar bone 7.11 A Removal of collarbone 7.55 A Removal of bone lesion 6.89 A Removal of bone lesion 7.83 A Removal of humerus lesion 8.48 A Removal of humerus lesion 6.86 A Removal of humerus lesion 6.86 A Remove collarbone lesion 6.86 A Remove collarbone lesion 6.90 A Remove collarbone lesion 6.90 A Remove collarbone lesion 6.90 A Remove collarbone lesion 8.48 A Remove shoulder blade lesion 6.90 A Remove shoulder blade lesion 8.53 A Remove collarbone lesion 8.53 A Remove collarbone lesion 8.53 A Remove shoulder blade lesion 8.53  | Remove tumor of shoulder      | 16.09        | ¥               | ₹<br>Z          | 11.71           | 8.94            | 1.08             | ž                 | ¥                 | 28.88             | 26.11             | 060        |
| A Shoulder joint surgery A Remove shoulder joint lining B .23 A Incision of collarbone joint A Explore,treat shoulder joint A Partial removal, collar bone A Removal of collarbone A Removal of bone lesion A Removal of bone lesion A Removal of humerus lesion A Remove collarbone lesion A Remove collarbone lesion A Remove collarbone lesion A Remove collarbone lesion B Remove collarbone lesion A Remove shoulder blade lesion B Remove shoulder blade lesion B Remove collarbone lesion B Remove collarbone lesion B Remove shoulder blade lesion   | Biopsy of shoulder joint      | 6.03         | ₹               | <b>∀</b>        | 7.24            | 7.21            | 0.97             | ¥                 | ¥                 | 14.24             | 14.21             | 060        |
| A Remove shoulder joint lining 8.23 A Incision of collarbone joint 5.96 A Partial removal, collar bone A Removal of collarbone 7.11 A Partial removal, shoulderbone 7.55 A Removal of bone lesion 6.89 A Removal of bone lesion 7.83 A Removal of humerus lesion 8.48 A Removal of humerus lesion 6.86 A Removal of humerus lesion 6.86 A Removal of humerus lesion 6.86 A Remove collarbone lesion 6.90 A Remove collarbone lesion 6.90 A Remove collarbone lesion 8.68 A Remove collarbone lesion 6.90 A Remove shoulder blade lesion 6.90 A Remove shoulder blade lesion 8.53 A Remove collar bone lesion 8.53 A Remove collar bone lesion 8.53   | Shoulder joint surgery        | 5.58         | ¥               | Š               | 6.80            | 6.70            | 0.95             | ¥                 | ¥                 | 13.33             | 13.23             | 060        |
| A Incision of collarbone joint 5.96 A Explore,treat shoulder joint 8.62 A Partial removal, collar bone 7.11 A Removal of collarbone 7.55 A Removal of bone lesion 6.89 A Removal of bone lesion 7.83 A Removal of humerus lesion 8.48 A Removal of humerus lesion 6.86 A Removal of humerus lesion 6.86 A Removal of humerus lesion 6.86 A Remove collarbone lesion 6.90 A Remove collarbone lesion 6.90 A Remove collarbone lesion 8.68 A Remove collarbone lesion 6.90 A Remove shoulder blade lesion 8.53 A Remove collarbone lesion 8.53 A Remove collarbone lesion 8.53   | Remove shoulder joint lining  | 8.23         | ¥               | ¥               | 8.41            | 9.47            | 1.35             | Ϋ́                | ₹                 | 17.99             | 19.05             | 060        |
| A Explore, treat shoulder joint 8.62 A Partial removal, collar bone 7.11 A Removal of collarbone 9.39 A Removal of bone lesion 6.89 A Removal of bone lesion 7.83 A Removal of humerus lesion 8.68 A Removal of humerus lesion 6.80 A Removal of humerus lesion 6.80 A Removal of humerus lesion 6.80 A Remove collarbone lesion 6.80 A Remove collarbone lesion 6.90 A Remove shoulder blade lesion 6.90 A Remove shoulder blade lesion 8.53 A Remove collarbone lesion 8.53 A Remove collarbone lesion 8.53 A Remove collarbone lesion 8.53  | Incision of collarbone joint  | 5.96         | Υ<br>V          | <b>₹</b>        | 6.80            | 5.56            | 0.63             | ₹                 | ¥                 | 13.39             | 12.15             | 060        |
| A Partial removal, collar bone         7.11           A Removal of collarbone         9.39           A Partial removal, shoulderbone         7.55           A Removal of bone lesion         6.89           A Removal of bone lesion         7.83           A Removal of humerus lesion         8.48           A Removal of humerus lesion         8.68           A Removal of humerus lesion         8.68           A Remove collarbone lesion         6.90           A Remove humerus lesion         6.90           A Remove humerus lesion         8.53           A Remove collar bone lesion         8.53           A Remove shoulder blade lesion         8.53           A Remove shoulder blade lesion         8.53  | Explore, treat shoulder joint | 8.62         | ₹               | ¥               | 8.76            | 9.91            | 1.25             | ₹                 | ¥                 | 18.63             | 19.78             | 060        |
| A Removal of collarbone 9.39 A Partial removal, shoulderbone 7.55 A Removal of bone lesion 6.89 A Removal of bone lesion 9.09 A Removal of humerus lesion 7.83 A Removal of humerus lesion 8.48 A Removal of humerus lesion 6.86 A Remove collarbone lesion 6.86 A Remove shoulder blade lesion 6.90 A Remove humerus lesion 6.90 A Remove humerus lesion 8.53 A Remove collar bone lesion 8.53 A Remove collar bone lesion 8.53   | Partial removal, collar bone  | 7.11         | Ϋ́              | <b>₹</b>        | 8.06            | 5.77            | 0.58             | ₹                 | ₹                 | 15.75             | 13.46             | 060        |
| A Partial removal, shoulderbone 7.55 A Removal of bone lesion 6.89 A Removal of bone lesion 9.09 A Removal of humerus lesion 7.83 A Removal of humerus lesion 8.48 A Removal of humerus lesion 8.68 A Remove collarbone lesion 6.86 A Remove shoulder blade lesion 6.90 A Remove humerus lesion 6.90 A Remove collar bone lesion 8.53 A Remove collar bone lesion 8.53 A Remove shoulder blade lesion 8.53   | Removal of collarbone         | 9.39         | ¥               | <b>∀</b>        | 8.62            | 90.6            | 0.99             | ¥                 | ₹                 | 19.00             | 19.44             | 060        |
| A Removal of bone lesion         6.89           A Removal of bone lesion         9.09           A Removal of bone lesion         7.83           A Removal of humerus lesion         8.48           A Removal of humerus lesion         8.68           A Remove collarbone lesion         6.86           A Remove shoulder blade lesion         6.90           A Remove collar bone lesion         8.53           A Remove shoulder blade lesion         8.53           A Remove shoulder blade lesion         8.53   | Partial removal, shoulderbone | 7.55         | ₹               | Ϋ́              | 8.33            | 7.82            | 0.89             | ¥                 | ¥                 | 16.77             | 16.26             | 060        |
| A Removal of bone lesion         9.09           A Removal of bone lesion         7.83           A Removal of humerus lesion         8.48           A Removal of humerus lesion         10.35           A Removal of humerus lesion         8.68           A Remove collarbone lesion         6.90           A Remove humerus lesion         9.51           A Remove collar bone lesion         8.53           A Remove shoulder blade lesion         8.53           A Remove shoulder blade lesion         8.53  | Removal of bone lesion        | 6.89         | ¥               | Š               | 6.33            | 4.97            | 0.57             | ž                 | ≨                 | 13.79             | 12.43             | 060        |
| A Removal of bone lesion         7.83           A Removal of humerus lesion         8.48           A Removal of humerus lesion         10.35           A Removal of humerus lesion         8.68           A Remove collarbone lesion         6.90           A Remove humerus lesion         9.51           A Remove collar bone lesion         8.53           A Remove shoulder blade lesion         8.53           A Remove shoulder blade lesion         8.15  | Removal of bone lesion        | 60.6         | ₹               | Ϋ́              | 8.90            | 8.84            | <b>5</b> .       | Ϋ́                | ¥                 | 19.03             | 18.97             | 060        |
| A Removal of humerus lesion 8.48 A Removal of humerus lesion 10.35 A Removal of humerus lesion 8.68 A Remove collarbone lesion 6.90 A Remove shoulder blade lesion 6.90 A Remove humerus lesion 9.51 A Remove collar bone lesion 8.53 A Remove shoulder blade lesion 8.15  | Removal of bone lesion        | 7.83         | Ϋ́              | ¥<br>Z          | 8.47            | 6.38            | 0.79             | ¥                 | Š                 | 17.09             | 15.00             | 060<br>060 |
| A         Removal of humerus lesion         10.35           A         Removal of humerus lesion         8.68           A         Remove collarbone lesion         6.90           A         Remove shoulder blade lesion         9.51           A         Remove collar bone lesion         8.53           A         Remove shoulder blade lesion         8.15  | Removal of humerus lesion     | 8.48         | ¥               | ₹               | 8.07            | 7.43            | 0.79             | ¥                 | ₹                 | 17.34             | 16.70             | 060        |
| A Removal of humerus lesion 8.68 A Remove collarbone lesion 6.86 A Remove shoulder blade lesion 6.90 A Remove humerus lesion 9.51 A Remove collar bone lesion 8.53 A Remove shoulder blade lesion 8.15   | Removal of humerus lesion     | 10.35        | ¥               | ¥               | 9.93            | 9.65            | 1.07             | ¥                 | ¥                 | 21.35             | 21.07             | 060        |
| A         Remove collarbone lesion         6.86           A         Remove shoulder blade lesion         6.90           A         Remove humerus lesion         9.51           A         Remove collar bone lesion         8.53           A         Remove shoulder blade lesion         8.15  | Removal of humerus lesion     | 89.8         | ¥               | ¥               | 8.44            | 8.33            | 0.98             | ¥                 | ₹                 | 18.10             | 17.99             | 060        |
| A Remove shoulder blade lesion 6.90 A Remove humerus lesion 9.51 A Remove collar bone lesion 8.53 A Remove shoulder blade lesion 8.15  | Remove collarbone lesion      | 6.86         | ¥               | Ϋ́              | 7.89            | 5.89            | 0.61             | ¥                 | ¥                 | 15.36             | 13.36             | 060        |
| A Remove humerus lesion 9.51 A Remove collar bone lesion 8.53 A Remove shoulder blade lesion 8.15  | Remove shoulder blade lesion  | 6.90         | ¥               | ¥               | 8.31            | 6.28            | 0.57             | ¥                 | ¥                 | 15.78             | 13.75             | 060        |
| A Remove collar bone lesion 8.53<br>A Remove shoulder blade lesion 8.15  | Remove humerus lesion         | 9.51         | ¥               | ¥               | 10.64           | 9.62            | 0.95             | ¥                 | ¥<br>Z            | 21.10             | 20.08             | 060        |
| A Remove shoulder blade lesion 8.15  | Remove collar bone lesion     | 8.53         | ¥               | ¥               | 12.80           | 6.70            | 0.52             | ž                 | ¥                 | 21.85             | 15.75             | 060        |
|  | Remove shoulder blade lesion  | 8.15         | ¥               | Ϋ́              | 12.58           | 8.49            | 0.88             | ¥                 | ¥                 | 21.61             | 17.52             | 060        |
|  | Remove humerus lesion         | 9.38         | ¥               | ¥               | 13.68           | 10.61           | 1.16             | ¥                 | ¥                 | 24.22             | 21.15             | 060        |
|  | Partial removal of scapula    | 7.24         | Š               | Ϋ́              | 90'2            | 6.71            | 0.77             | Ϋ́                | ¥                 | 15.07             | 14.72             | 060        |

Page 18 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                     |            | 2  | RUDEIRUOM D  |                      | ארחב חוווים(ו            | I ANN / COA     | באונה וווי          |                  | <u>.</u>          |                      |                   |                   |        |
|---------------------|------------|--|--------------|----------------------|--------------------------|-----------------|---------------------|------------------|-------------------|----------------------|-------------------|-------------------|--------|
|                     |            |  |              | Non-                 | Transitioned             | fthe.           | Transitioned        |                  |                   | :                    |                   |                   |        |
| -                   |            |  | Physician    | racility<br>practice | Non-tacility<br>practice | ractice         | raciiny<br>practice | Mal-             | Non-              | Iransitioned<br>Non- |                   | Transitioned      |        |
| CPT //<br>HCPCS 2 A | Mod Status | us Description                                       | work<br>RVUs | expense<br>RVUs      | expense<br>RVUs          | expense<br>RVUs | expense<br>RVUs     | practice<br>RUYs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Global |
| 23195               | <b> </b>   | A Removal of head of humerus                         | 9.81         | ΑN                   | AN                       | 9.05            | 9.52                | 1.13             | Ą                 | ΑN                   | ۳                 | 20.46             | 060    |
| 23200               | ∢          | A Removal of collar bone                             | 12.08        | ¥                    | Š                        | 10.97           | 10.21               | 0.99             | ¥                 | Ϋ́                   | 24.04             | 23.28             | 060    |
| 23210               | ∢          | A Removal of shoulderblade                           | 12.49        | ¥                    | ₹                        | 11.10           | 10.11               | 1.10             | ¥                 | ¥                    | 24.69             | 23.70             | 8      |
| 23220               | ⋖          | A Partial removal of humerus                         | 14.56        | ¥                    | ¥                        | 12.70           | 12.99               | 1.59             | ¥                 | ₹                    | 28.85             | 29.14             | 8      |
| 23221               | ∢          | A Partial removal of humerus                         | 17.74        | ¥                    | ¥                        | 12.71           | 17.94               | 0.93             | ¥                 | ¥                    | 31.38             | 36.61             | 060    |
| 23222               | ∢          | A Partial removal of humerus                         | 23.92        | ¥                    | ¥                        | 18.41           | 16.83               | 1.80             | ¥                 | ¥                    | 44.13             | 42.55             | 8      |
| 23330               | ⋖          |  | 1.85         | 3.71                 | 1.38                     | 2.42            | 0.83                | 0.05             | 5.61              | 3.28                 | 4.32              | 2.73              | 910    |
| 23331               | ⋖          | A Remove shoulder foreign body                       | 7.38         | ¥                    | ¥                        | 7.96            | 3.83                | 0.30             | ¥                 | Ϋ́                   | 15.64             | 11.51             | 8      |
| 23332               | ⋖          | A Remove shoulder foreign body                       | 11.62        | ₹                    | ¥<br>¥                   | 10.45           | 10.53               | 1.23             | ¥                 | ¥                    | 23.30             | 23.38             | 8      |
| 23350               | ⋖          | A Injection for shoulder x-ray                       | 1.00         | 9.98                 | 2.92                     | 0.27            | 0.49                | 0.04             | 11.02             | 3.96                 | 1.31              | 1.53              | 8      |
| 23395               | ⋖          | A Muscle transfer, shoulder/arm                      | 16.85        | ¥                    | ¥                        | 12.37           | 12.15               | <del>1</del> .   | ¥                 | ¥                    | 30.66             | 30.44             | 060    |
| 23397               | ⋖          | A Muscle transfers                                   | 16.13        | ¥                    | ¥                        | 12.64           | 14.53               | 1.83             | ¥                 | ¥                    | 30.60             | 32.49             | 8      |
| 23400               | ⋖          | <ul> <li>Fixation of shoulder blade</li> </ul>       | 13.54        | ¥                    | ¥                        | 10.82           | 10.72               | 1.31             | ¥                 | Ϋ́                   | 25.67             | 25.57             | 060    |
| 23405               | ⋖          | _  | 8.37         | ₹                    | ¥                        | 7.61            | 8.00                | 0.77             | ¥                 | Ϋ́                   | 16.75             | 17.14             | 66     |
| 23406               | ∢          | <ul> <li>Incise tendon(s) &amp; muscle(s)</li> </ul> | 10.79        | ¥                    | Ϋ́                       | 9.77            | 10.10               | 1.24             | ¥                 | Ϋ́                   | 21.80             | 22.13             | 8      |
| 23410               | ∢          |  | 12.45        | ¥                    | ¥                        | 10.83           | 11.61               | 1.37             | ¥                 | Ϋ́                   | 24.65             | 25.43             | 8      |
| 23412               | ∢          | A Repair of tendon(s)                                | 13.31        | ¥                    | ¥                        | 11.34           | 13.72               | 1.69             | ¥                 | ₹                    | 26.34             | 28.72             | 060    |
| 23415               | ⋖          |  | 9.97         | ¥                    | ž                        | 8.69            | 6:39                | 0.65             | ¥                 | Ϋ́                   | 19.31             | 17.01             | 060    |
| 23420               | ⋖          | A Repair of shoulder                                 | 13.30        | ¥                    | ¥                        | 12.04           | 14.92               | 1.83             | ¥                 | ₹                    | 27.17             | 30.05             | 060    |
| 23430               | ∢.         | A Repair biceps tendon                               | 9.98         | ¥                    | ¥                        | 9.47            | 8.35                | 0.93             | ¥                 | Ϋ́                   | 20.38             | 19.26             | 060    |
| 23440               | ∢          | _  | 10.48        | ¥                    | Š                        | 9.87            | 8.30                | 0.92             | ¥                 | ₹                    | 21.27             | 19.70             | 8      |
| 23450               | ⋖          | A Repair shoulder capsule                            | 13.40        | ¥                    | ¥                        | 11.20           | 13.18               | 1.60             | ¥                 | <b>∀</b>             | 26.20             | 28.18             | 060    |
| 23455               | ⋖          | A Repair shoulder capsule                            | 14.37        | ¥                    | Š                        | 11.76           | 15.61               | 1.96             | ¥                 | ₹                    | 28.09             | 31.94             | 8      |
| 23460               | ∢          | _  | 15.37        | ¥                    | ¥                        | 12.34           | 14.54               | 1.75             | ¥                 | ₹                    | 29.46             | 31.66             | 060    |
| 23462               | ⋖          | A Repair shoulder capsule                            | 15.30        | ¥                    | ¥                        | 11.98           | 15.31               | 1.94             | ¥                 | ₹                    | 29.22             | 32.55             | 8      |
| 23465               | ⋖          | _  | 15.85        | ¥                    | ¥                        | 12.47           | 14.64               | 1.78             | ₹                 | ₹                    | 30.10             | 32.27             | 060    |
| 23466               | ⋖          | A Repair shoulder capsule                            | 14.22        | ¥                    | ₹                        | 11.63           | 15.64               | 2.09             | ž                 | ¥                    | 27.94             | 31.95             | 8      |
| 23470               | ⋖          | <ul> <li>Reconstruct shoulder joint</li> </ul>       | 17.15        | ¥                    | ₹                        | 13.45           | 17.01               | 2.07             | ¥                 | ₹                    | 32.67             | 36.23             | 060    |
| 23472               | ٩          | A Reconstruct shoulder joint                         | 16.92        | ¥                    | Ϋ́                       | 13.29           | 18.47               | 3.83             | ₹                 | ≨                    | 34.04             | 39.22             | 8      |
| 23480               | ⋖          | A Revision of collarbone                             | 11.18        | ₹                    | ¥                        | 9.80            | 7.81                | 0.80             | ≨                 | <b>∀</b>             | 21.78             | 19.79             | 060    |
| 23485               | ⋖          | A Revision of collar bone                            | 13.43        | ¥                    | Š                        | 11.62           | 12.15               | 1.46             | ¥                 | Ϋ́                   | 26.51             | 27.04             | 8      |
| 23490               | ⋖          | A Reinforce clavicle                                 | 11.86        | ¥                    | ž                        | 10.52           | 10.75               | 0.63             | ¥                 | Ϋ́                   | 23.01             | 23.24             | 060    |
| 23491               | ⋖          | A Reinforce shoulder bones                           | 14.21        | ¥                    | ¥                        | 11.67           | 13.25               | 1.65             | ¥                 | Ϋ́                   | 27.53             | 29.11             | 060    |
| 23500               | ⋖          | A Treat clavicle fracture                            | 2.08         | 2.87                 | 2.06                     | 1.87            | 1.81                | 0.16             | 5.11              | 4.30                 | 4.11              | 4.05              | 060    |
| 23505               | 4          | A Treat clavicle fracture                            | 3.69         | 4.53                 | 3.23                     | 3.38            | 2.94                | 0.30             | 8.52              | 7.22                 | 7:37              | 6.93              | 80     |
| 23515               | ⋖          | A Repair clavicle fracture                           | 7.41         | ¥                    | ¥                        | 6.86            | 7.36                | 0.88             | ¥                 | ¥                    | 15.15             | 15.65             | 060    |
| 23520               | ⋖          | A Treat clavicle dislocation                         | 2.16         | 2.83                 | 1.83                     | 2.17            | 1.67                | 0.15             | 5.14              | 4.14                 | 4.48              | 3.98              | 8      |
| 23525               | ∢          | A Treat clavicle dislocation                         | 3.60         | 4.61                 | 2.77                     | 2.64            | 2.27                | 0.21             | 8.42              | 6.58                 | 6.45              | 90.9              | 8      |
| 23530               | ∢          | A Repair clavicle dislocation                        | 7.31         | ¥                    | ¥                        | 6.28            | 6.93                | 0.71             | ¥                 | ¥                    | 14.30             | 14.95             | 060    |
| 23532               | ٩          | A Repair clavicle dislocation                        | 8.01         | ¥                    | ¥                        | 6.85            | 7.60                | 0.93             | ¥<br>Y            | ¥                    | 15.79             | 16.54             | 060    |
|                     |            |  |              |                      |                          |                 |                     |                  |                   |                      |                   |                   |        |

Page 19 of 271
2 Copyright 1994 American Devinght 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Undicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                  |     |        |                              |              | Mon.            | Transitioned    |                 | Trancitioned    |                  |                   |                   |                   |                     |            |
|------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|---------------------|------------|
|                  |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                     |            |
| I.               |     |        |                              | Physician    | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              |                   | <b>Iransitioned</b> |            |
| CPT /<br>HCPCS 2 | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total   | Global     |
| 23540            |     | ∢      | Treat clavicle dislocation   | 2.23         | 3.31            | 2.09            | 1.74            | 1.70            | 0.15             | 5.69              | 4.47              | 4.12              | 4.08                | 66<br>60   |
| 23545            |     | ∢      | Treat clavicle dislocation   | 3.25         | 3.75            | 2.55            | 2.74            | 2.30            | 0.23             | 7.23              | 6.03              | 6.22              | 5.78                | 060        |
| 23550            |     | ∢      | Repair clavicle dislocation  | 7.24         | ¥               | Ϋ́              | 9.76            | 8.17            | 1.14             | ¥                 | ¥                 | 15.14             | 16.55               | 060        |
| 23552            |     | ∢      | Repair clavicle dislocation  | 8.45         | ¥               | Ϋ́              | 7.45            | 7.80            | 0.92             | ¥                 | ₹                 | 16.82             | 17.17               | 66         |
| 23570            |     | ∢      | Treat shoulderblade fracture | 2.23         | 2.89            | 2.10            | 2.19            | 1.93            | 0.20             | 5.32              | 4.53              | 4.62              | 4.36                | 060        |
| 23575            |     | ∢      | Treat shoulderblade fracture | 4.06         | 4.72            | 3.42            | 3.65            | 3.15            | 0.34             | 9.12              | 7.82              | 8.05              | 7.55                | 66         |
| 23585            |     | ∢      | Repair scapula fracture      | 8.96         | ¥               | Ϋ́              | 7.94            | 8.26            | 1.01             | ¥                 | Š                 | 17.91             | 18.23               | 66         |
| 23600            |     | ∢      | Treat humerus fracture       | 2.93         | 4.58            | 3.51            | 2.87            | 3.08            | 0.34             | 7.85              | 6.78              | 6.14              | 6.35                | 060        |
| 23605            |     | ∢      | Treat humerus fracture       | 4.87         | 6.75            | 5.57            | 5.42            | 5.23            | 0.59             | 12.21             | 11.03             | 10.88             | 10.69               | 060        |
| 23615            |     | ∢      | Repair humerus fracture      | 9.35         | ¥               | Ϋ́              | 8.68            | 10.55           | 1.39             | ¥                 | ₹                 | 19.42             | 21.29               | 66         |
| 23616            |     | ∢      | Repair humerus fracture      | 21.27        | ¥               | ¥               | 14.66           | 21.83           | 2.77             | ₹                 | ¥                 | 38.70             | 45.87               | 66         |
| 23620            |     | ∢      | Treat humerus fracture       | 2.40         | 4.30            | 3.42            | 2.55            | 1.72            | 0.36             | 90'2              | 6.18              | 5.31              | 4.48                | 80         |
| 23625            |     | ∢      | Treat humerus fracture       | 3.93         | 6.01            | 4.62            | 4.60            | 4.26            | 0.47             | 10.41             | 9.02              | 9.00              | 8.66                | 8          |
| 23630            |     | ∢      | Repair humerus fracture      | 7.35         | ¥               | ¥               | 6.88            | 8.31            | 1.10             | ¥                 | ₹                 | 15.33             | 16.76               | 8          |
| 23650            |     | ∢      | Treat shoulder dislocation   | 3.39         | 4.10            | 2.74            | 2.28            | 2.28            | 0.19             | 7.68              | 6.32              | 5.86              | 5.86                | 060        |
| 23655            |     | ∢      | Treat shoulder dislocation   | 4.57         | Ϋ́              | ¥               | 3.33            | 3.22            | 0.34             | ¥                 | Ą<br>Y            | 8.24              | 8.13                | 060        |
| 23660            |     | ∢      | Repair shoulder dislocation  | 7.49         | ¥               | ¥               | 6.43            | 8.31            | 1.10             | ¥                 | Ϋ́                | 15.02             | 16.90               | 8          |
| 23665            |     | ∢      | Treat distocation/fracture   | 4.47         | 6.13            | 4.26            | 4.84            | 3.94            | 0.40             | 11.00             | 9.13              | 9.71              | 8.81                | 960<br>060 |
| 23670            |     | ∢      | Repair dislocation/fracture  | 7.90         | ¥               | ¥               | 7.40            | 8.92            | 1.45             | ¥                 | ₹                 | 16.75             | 18.27               | 060        |
| 23675            |     | ∢      | Treat dislocation/fracture   | 6.05         | 6.88            | 4.92            | 5.75            | 4.63            | 0.48             | 13.41             | 11.45             | 12.25             | 11.16               | 060        |
| 23680            |     | ∢      | Repair dislocation/fracture  | 10.06        | ₹               | ¥               | 8.40            | 11.11           | 1.67             | ¥                 | ₹                 | 20.13             | 22.84               | 060        |
| 23700            |     | ∢      | Fixation of shoulder         | 2.52         | ₹               | ₹               | 2.96            | 2.44            | 0.27             | ¥                 | ₹<br>Z            | 5.75              | 5.23                | 910        |
| 23800            |     | ∢      | Fusion of shoulder joint     | 14.16        | Ϋ́              | Š               | 12.28           | 15.75           | 5.06             | ₹                 | Ϋ́                | 28.50             | 31.97               | 060        |
| 23802            |     | ∢      | Fusion of shoulder joint     | 16.60        | ¥               | ¥               | 13.51           | 14.83           | 1.75             | ¥                 | Ϋ́                | 31.86             | 33.18               | 66         |
| 23900            |     | ∢      | Amputation of arm & girdle   | 19.72        | Ϋ́              | ¥               | 13.16           | 13.52           | 1.88             | ¥                 | Ϋ́                | 34.76             | 35.12               | 060        |
| 23920            |     | ∢      | Amputation at shoulder joint | 14.61        | ¥               | ¥               | 11.28           | 14.09           | 1.99             | ¥                 | ¥                 | 27.88             | 30.69               | 060        |
| 23921            |     | ∢      | Amputation follow-up surgery | 5.49         | 5.99            | 4.97            | 5.82            | 4.93            | 0.58             | 12.06             | 11.04             | 11.89             | 11.00               | 90         |
| 23929            |     | ပ      | Shoulder surgery procedure   | 0.00         | 0.00            | 0.00            | 0.0             | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.00                | ₹          |
| 23930            |     | ∢      | Drainage of arm lesion       | 2.94         | 4.01            | 2.32            | 2.95            | 2.05            | 0.19             | 7.14              | 5.45              | 90.9              | 5.18                | 9          |
| 23931            |     | ∢      | Drainage of arm bursa        | 1.79         | 3.86            | 1.57            | 2.91            | 1.04            | 0.0              | 5.74              | 3.45              | 4.79              | 2.92                | 910        |
| 23935            |     | ∢      | Drain arm/elbow bone lesion  | 6.09         | ₹               | Ϋ́              | 10.00           | 6.32            | 0.61             | ₹                 | ₹                 | 16.70             | 13.02               | 60         |
| 24000            |     | ∢      | Exploratory elbow surgery    | 5.82         | Ϋ́              | ¥               | 5.41            | 6.57            | 1.13             | ¥                 | ₹                 | 12.36             | 13.52               | 060        |
| 24006            |     | ∢      | Release elbow joint          | 9.31         | ¥               | Ϋ́              | 7.25            | 7.63            | 0.92             | ¥                 | Ϋ́                | 17.48             | 17.86               | 060        |
| 24065            |     | ∢      | Biopsy arm/elbow soft tissue | 2.08         | 3.78            | 1.59            | 2.43            | 0.93            | 0.08             | 5.94              | 3.75              | 4.59              | 3.09                | 010        |
| 24066            |     | ∢      | Biopsy arm/elbow soft tissue | 5.21         | 5.69            | 3.63            | 5.25            | 3.52            | 0.32             | 11.22             | 9.16              | 10.78             | 9.05                | 060        |
| 24075            |     | ∢      | Remove arm/elbow lesion      | 3.92         | 5.31            | 2.94            | 4.44            | 2.72            | 0.27             | 9.50              | 7.13              | 8.63              | 6.91                | 060        |
| 24076            |     | ∢      | Remove arm/elbow lesion      | 6.30         | ¥               | Ϋ́              | 5.62            | 4.40            | 0.52             | ¥                 | Ϋ́                | 12.44             | 11.22               | 66         |
| 24077            |     | ∢      | Remove tumor of arm/elbow    | 11.76        | Ą               | Α               | 10.32           | 10.55           | 1.46             | ¥                 | Ϋ́                | 23.54             | 23.77               | 060        |
| 24100            |     | ∢      | Biopsy elbow joint lining    | 4.93         | Ą               | Ϋ́              | 4.70            | 4.62            | 0.54             | ¥                 | Ϋ́                | 10.17             | 10.09               | 060        |
| 24101            |     | ∢      | Explore/treat elbow joint    | 6.13         | Ą               | ¥<br>Z          | 5.72            | 6.91            | 1.10             | Ϋ́                | Ϋ́                | 12.95             | 14.14               | 060        |

Page 20 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                             |     |        |                             |             | - F             | Transitioned    |                 | Transitioned          |                  |                   |                   |                   |                   |        |
|-----------------------------|-----|--------|-----------------------------|-------------|-----------------|-----------------|-----------------|-----------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |     |        |                             |             | facility        | Non-facility    | Facility        | nunsmoneu<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| 1.                          |     |        |                             | Physician   | practice        | practice        | practice        | practice              | Mal-             | Non-              | Mon-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Wod | Status | Description                 | work 3 RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs       | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 24102                       |     | ∢      | Remove elbow joint lining   | 8.03        | ¥               | ¥               | 6.63            | 8.84                  | 1.42             | ¥                 | ź                 | 16.08             | 18.29             | 060    |
| 24105                       |     | ∢      | Removal of elbow bursa      | 3.61        | ¥               | ₹<br>Z          | 4.10            | 4.09                  | 0.49             | ¥                 | ¥                 | 8.20              | 8.19              | 060    |
| 24110                       |     | ⋖      | Remove humerus lesion       | 7.39        | ¥               | ¥               | 7.81            | 8.22                  | 0.95             | ¥                 | ¥                 | 16.15             | 16.56             | 060    |
| 24115                       |     | ⋖      | Remove/graft bone lesion    | 9.63        | ¥               | ¥               | 7.82            | 8.20                  | 1.04             | ¥                 | ¥                 | 18.49             | 18.87             | 060    |
| 24116                       |     | ∢      | Remove/graft bone lesion    | 11.81       | Ϋ́              | ¥               | 10.33           | 10.50                 | 1.15             | ¥                 | Ϋ́                | 23.29             | 23.46             | 060    |
| 24120                       |     | ∢      | Remove elbow lesion         | 6.65        | ¥               | ₹               | 5.75            | 6.34                  | 0.77             | ¥                 | ¥                 | 13.17             | 13.76             | 060    |
| 24125                       |     | ∢      | Remove/graft bone lesion    | 7.89        | ¥               | ¥               | 5.86            | 6.18                  | 0.48             | ₹                 | ₹                 | 14.23             | 14.55             | 060    |
| 24126                       |     | ∢      | Remove/graft bone lesion    | 8.31        | ¥               | ¥               | 5.65            | 7.44                  | 0.95             | ¥                 | Ϋ́                | 14.91             | 16.70             | 060    |
| 24130                       |     | ∢      | Removal of head of radius   | 6.25        | ¥               | ¥               | 5.84            | 6.93                  | 0.84             | ¥                 | ¥                 | 12.93             | 14.02             | 060    |
| 24134                       |     | ∢      | Removal of arm bone lesion  | 9.73        | ¥               | Ą               | 12.33           | 10.16                 | 0.97             | ¥                 | ¥                 | 23.03             | 20.86             | 060    |
| 24136                       |     | ∢      | Remove radius bone lesion   | 66.7        | ₹               | ¥               | 5.75            | 8.59                  | 0.72             | ¥                 | Ϋ́                | 14.46             | 17.30             | 060    |
| 24138                       |     | ∢      | Remove elbow bone lesion    | 8.05        | ₹               | Ϋ́              | 6.90            | 6.92                  | 0.83             | ¥                 | ¥                 | 15.78             | 15.80             | 060    |
| 24140                       |     | ∢      | Partial removal of arm bone | 9.18        | ¥               | Ϋ́              | 13.44           | 10.50                 | 1.13             | ¥                 | Ϋ́                | 23.75             | 20.81             | 060    |
| 24145                       |     | ∢      | Partial removal of radius   | 7.58        | ¥               | Ą               | 9.67            | 7.61                  | 0.81             | ₹                 | ¥                 | 18.06             | 16.00             | 060    |
| 24147                       |     | ∢      | Partial removal of elbow    | 7.54        | ₹               | Ϋ́              | 9.47            | 7.75                  | 0.84             | ¥                 | Ϋ́                | 17.85             | 16.13             | 060    |
| 24149                       |     | ∢      | Radical resection of elbow  | 14.20       | ₹               | Ϋ́              | 9.60            | 12.69                 | 1.62             | ¥                 | ¥                 | 25.42             | 28.51             | 060    |
| 24150                       |     | ∢      | Extensive humerus surgery   | 13.27       | ₹               | ₹               | 12.31           | 14.54                 | 1.75             | ¥                 | ¥                 | 27.33             | 29.56             | 060    |
| 24151                       |     | ∢      | Extensive humerus surgery   | 15.58       | ₹               | ž               | 13.47           | 14.63                 | 1.65             | Š                 | Ϋ́                | 30.70             | 31.86             | 060    |
| 24152                       |     | ∢      | Extensive radius surgery    | 10.06       | ₹               | <b>∀</b>        | 7.93            | 7.52                  | 0.91             | Ϋ́                | ¥                 | 18.90             | 18.49             | 060    |
| 24153                       |     | ∢      | Extensive radius surgery    | 11.54       | ¥               | Š               | 6.21            | 10.05                 | 1.34             | ₹                 | ¥                 | 19.09             | 22.93             | 060    |
| 24155                       |     | ∢      | Removal of elbow joint      | 11.73       | <b>∀</b>        | ¥               | 8.36            | 10.84                 | 1.35             | Ϋ́                | ¥                 | 21.44             | 23.92             | 060    |
| 24160                       |     | ∢      | Remove elbow joint implant  | 7.83        | ¥               | ¥               | 6.70            | 5.61                  | 0.63             | ¥                 | ¥                 | 15.16             | 14.07             | 060    |
| 24164                       |     | ∢      | Remove radius head implant  | 6.23        | ₹               | ¥               | 5.70            | 5.93                  | 0.70             | Ϋ́                | ¥                 | 12.63             | 12.86             | 060    |
| 24200                       |     | ⋖      | Removal of arm foreign body | 1.76        | 3.55            | 1.35            | 2.32            | 0.81                  | 0.05             | 5.36              | 3.16              | 4.13              | 2.62              | 010    |
| 24201                       |     | ∢      | Removal of arm foreign body | 4.56        | 5.87            | 3.96            | 4.91            | 3.72                  | 0.38             | 10.81             | 8.90              | 9.85              | 8.66              | 060    |
| 24220                       |     | ∢      | Injection for elbow x-ray   | 1.31        | 10.93           | 3.15            | 0.37            | 0.51                  | 0.04             | 12.28             | 4.50              | 1.72              | 1.86              | 000    |
| 24301                       |     | ∢      | Muscle/tendon transfer      | 10.20       | <b>∀</b>        | Ϋ́              | 7.87            | 8.40                  | 96.0             | ₹                 | ¥                 | 19.03             | 19.56             | 060    |
| 24305                       |     | ∢ •    | Arm tendon lengthening      | 7.45        | ₹ :             | ₹<br>Z          | 6.43            | 4.11                  | 0.23             | Ϋ́                | ₹                 | 14.11             | 11.79             | 060    |
| 24310                       |     | ∢ ·    | Revision of arm tendon      | 5.98        | ≨ :             | <b>∀</b>        | 6.57            | 4.04                  | 0.38             | ¥                 | ¥                 | 12.93             | 10.40             | 060    |
| 24320                       |     | ∢      | Repair of arm tendon        | 10.56       | ₹               | Ϋ́              | 9.26            | 9.80                  | 1.01             | ₹                 | ₹                 | 20.83             | 21.37             | 060    |
| 24330                       |     | ∢      | Revision of arm muscles     | 9.60        | Ϋ́              | Ϋ́              | 7.53            | 9.00                  | 1.12             | Š                 | Ϋ́                | 18.25             | 19.72             | 060    |
| 24331                       |     | ∢      | Revision of arm muscles     | 10.65       | ¥               | ¥               | 8.04            | 9.84                  | 1.23             | ¥                 | ₹                 | 19.92             | 21.72             | 060    |
| 24340                       |     | ∢      | Repair of biceps tendon     | 7.89        | ¥               | Š               | 6.75            | 7.39                  | 0.88             | ¥                 | ¥                 | 15.52             | 16.16             | 060    |
| 24341                       |     | ∢      | Repair tendon/muscle arm    | 7.90        | Ϋ́              | Ϋ́              | 6.56            | 7.33                  | 0.89             | Ϋ́                | ¥                 | 15.35             | 16.12             | 060    |
| 24342                       |     | ∢      | Repair of ruptured tendon   | 10.62       | ₹               | ¥               | 8.17            | 10.49                 | 1.38             | ¥                 | ¥                 | 20.17             | 22.49             | 060    |
| 24350                       |     | ∢      | Repair of tennis elbow      | 5.25        | Š               | ₹               | 5.11            | 4.72                  | 0.54             | Ϋ́                | ¥                 | 10.90             | 10.51             | 060    |
| 24351                       |     | ∢      | Repair of tennis elbow      | 5.91        | ¥               | ¥               | 5.61            | 5.12                  | 0.57             | ¥                 | ¥                 | 12.09             | 11.60             | 060    |
| 24352                       |     | ∢      | Repair of tennis elbow      | 6.43        | ΑĀ              | ¥               | 5.96            | 6.13                  | 0.73             | ¥                 | Š                 | 13.12             | 13.29             | 060    |
| 24354                       |     | ∢      | Repair of tennis elbow      | 6.48        | Š               | ₹               | 5.84            | 6.03                  | 0.74             | Ϋ́                | ¥                 | 13.06             | 13.25             | 060    |
| 24356                       |     | ∢      | Revision of tennis elbow    | 6.68        | Š               | ¥               | 00.9            | 7.43                  | 0.92             | A<br>A            | ¥                 | 13.60             | 15.03             | 060    |
|                             |     |        |                             |             |                 |                 |                 |                       |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|       |       |        |                            |           | Mon-       | Irancitioned    |           | Transitioned |                  |            |                  |                  |                  |            |
|-------|-------|--------|----------------------------|-----------|------------|-----------------|-----------|--------------|------------------|------------|------------------|------------------|------------------|------------|
|       |       |        |                            |           | facility   | Non-facility    | Facility  | Facility     |                  |            | Transitioned     |                  |                  |            |
| / Id) |       |        |                            | Physician | practice   | practice        | practice  | practice     | Mal-<br>practice | Non-       | Non-             | Cariffee         | Transitioned     |            |
| 7     | Mod S | Status | Description                | RVUs 3    | RVUs       | expense<br>RVUs | RVUs      | RVUs         | RUVS             | Total      | raciiny<br>Total | raciiiy<br>Total | raciiny<br>Total | Global     |
| 24360 |       | 4      | Reconstruct elbow joint    | 12.34     | Ą          | Ą               | 8.77      | 13.24        | 1.93             | ¥          | Ą                | 23.04            | 27.51            | 060        |
| 24361 |       | ∢      | Reconstruct elbow joint    | 14.08     | ¥          | ¥               | 10.16     | 13.23        | 1.56             | ¥          | ¥                | 25.80            | 28.87            | 060        |
| 24362 |       | ∢      | Reconstruct elbow joint    | 14.99     | ¥          | Ϋ́              | 8.71      | 7.53         | 0.63             | ¥          | ¥                | 24.33            | 23.15            | 060        |
| 24363 |       | ∢      | Replace elbow joint        | 18.49     | ¥          | Ϋ́              | 12.53     | 19.69        | 3.23             | ¥          | ¥                | 34.25            | 41.41            | 060        |
| 24365 |       | ∢      | Reconstruct head of radius | 8.39      | ¥          | Ϋ́              | 6.82      | 7.83         | 0.93             | ¥          | Š                | 16.14            | 17.15            | 060        |
| 24366 |       | ∢      | Reconstruct head of radius | 9.13      | ¥          | ¥               | 7.17      | 9.97         | 1.41             | ¥          | Š                | 17.71            | 20.51            | 060        |
| 24400 |       | ∢      | Revision of humerus        | 11.06     | ¥          | Ϋ́              | 10.53     | 9.50         | 1.07             | ¥          | Š                | 22.66            | 21.63            | 060        |
| 24410 |       | ∢      | Revision of humerus        | 14.82     | ¥          | Ą               | 11.20     | 14.23        | 1.61             | ¥          | ¥                | 27.63            | 30.66            | 060        |
| 24420 |       | ⋖      | Revision of humerus        | 13.44     | ¥          | Ϋ́              | 13.56     | 13.40        | 1.57             | ¥          | Š                | 28.57            | 28.41            | 060        |
| 24430 |       | ∢      | Repair of humerus          | 12.81     | ¥          | ₹               | 11.12     | 14.25        | 1.83             | ¥          | ¥                | 25.76            | 28.89            | 060        |
| 24435 |       | ∢      | Repair humerus with graft  | 13.17     | ¥          | ¥               | 11.92     | 14.78        | 2.22             | ¥          | ₹                | 27.31            | 30.17            | 060        |
| 24470 |       | ∢      | Revision of elbow joint    | 8.74      | ¥          | ¥               | 5.34      | 7.79         | 1.02             | ¥          | <b>₹</b>         | 15.10            | 17.55            | 060        |
| 24495 |       | ∢      | Decompression of forearm   | 8.12      | ¥          | Š               | 8.36      | 6.77         | 98.0             | ¥          | Ą<br>Z           | 17.34            | 15.75            | 060        |
| 24498 |       | ∢      | Reinforce humerus          | 11.92     | ¥          | ¥<br>X          | 10.64     | 11.10        | 1.27             | ¥          | ₹<br>Z           | 23.83            | 24.29            | 060        |
| 24500 |       | ∢      | Treat humerus fracture     | 3.21      | 6.26       | 3.64            | 2.52      | 2.70         | 0.28             | 9.75       | 7.13             | 6.01             | 6.19             | 060        |
| 24505 |       | ∢      | Treat humerus fracture     | 5.17      | 9.29       | 5.98            | 5.65      | 5.07         | 0.56             | 15.02      | 11.71            | 11.38            | 10.80            | 060        |
| 24515 |       | ∢      | Repair humerus fracture    | 11.65     | ¥          | Ϋ́              | 9.50      | 10.23        | 1.20             | Š          | ¥                | 22.35            | 23.08            | 060        |
| 24516 |       | ⋖      | Repair humerus fracture    | 11.65     | ¥          | Ϋ́              | 10.27     | 10.42        | 1.20             | ¥          | ₹                | 23.12            | 23.27            | <b>6</b> 6 |
| 24530 |       | ∢      | Treat humerus fracture     | 3.50      | 7.13       | 4.00            | 3.70      | 3.15         | 0.33             | 10.96      | 7.83             | 7.53             | 6.98             | 060        |
| 24535 |       | ⋖      | Treat humerus fracture     | 6.87      | 9.49       | 6.32            | 5.80      | 5.40         | 0.61             | 16.97      | 13.80            | 13.28            | 12.88            | 060        |
| 24538 |       | ∢      | Treat humerus fracture     | 9.43      | <b>≨</b> : | <b>∀</b>        | 8.99      | 8.74         | 0.99             | ₹:         | ¥ :              | 19.41            | 19.16            | 060        |
| 24545 |       | ⋖ '    | Repair humerus fracture    | 10.46     | ≨ :        | ¥ :             | 8.83      | 10.32        | 1.24             | <b>₹</b> : | ¥ :              | 20.53            | 22.02            | 060        |
| 24546 |       | ∢      | Repair humerus fracture    | 15.69     | ₹ ¦        | ¥ ;             | 11.84     | 11.08        | 1.24             | ₹ ,        | <b>X</b>         | 28.77            | 28.01            | 060        |
| 24560 |       | ∢ ⋅    | Treat humerus fracture     | 2.80      | 5.94       | 3.24            | 2.17      | 2.30         | 0.23             | 8.97       | 6.27             | 5.20             | 5.33             | 060        |
| 24565 |       | ∢ ⋅    | I reat humerus fracture    | 9.50<br>1 | 8.54       | 4.97            | 5.02      | 4.06         | 0.42             | 14.62      | 10.95            | 11.00            | 10.04            | 060        |
| 24566 |       | ⋖・     | Treat humerus fracture     | 7.79      | ≨ :        | ₹ :             | 7.89      | 6.91         | 0.75             | ₹ :        | ≨ :              | 16.43            | 15.45            | 060        |
| 245/5 |       | < <    | Repair numerus fracture    | 0.00      | <b>₹</b> 6 | Z ,             | 60.7<br>C | 0.20         | 78.0             | ¥ 5        | ¥ 26             | 19.32            | 9.89             | 8 8        |
| 24577 |       | < ⊲    | Treat himerus fracture     | 5.79      | 8.85       | 5.47            | 5.26      | 4.57         | 0.48             | 15.12      | 11 74            | 11.53            | 10.84            | 60         |
| 24579 |       | < <    | Repair humerus fracture    | 11.60     | ¥          | ¥               | 9.73      | 9.24         | 1.06             | ₹          | ¥                | 22.39            | 21.90            | 66         |
| 24582 |       | ∢      | Treat humerus fracture     | 8.55      | ¥          | ¥               | 8.79      | 7.58         | 0.83             | ₹          | ₹                | 18.17            | 16.96            | 060        |
| 24586 |       | ∢      | Repair elbow fracture      | 15.21     | ¥          | ¥               | 9.95      | 14.47        | 1.85             | ¥          | ¥                | 27.01            | 31.53            | 060        |
| 24587 |       | ∢      | Repair elbow fracture      | 15.16     | ¥          | ¥               | 9.75      | 13.61        | 1.70             | ₹          | ¥                | 26.61            | 30.47            | 060        |
| 24600 |       | ⋖      | Treat elbow dislocation    | 4.23      | 7.43       | 3.45            | 3.53      | 2.47         | 0.20             | 11.86      | 7.88             | 7.96             | 9.30             | 060        |
| 24605 |       | ∢      | Treat elbow dislocation    | 5.42      | ¥          | Š               | 4.28      | 2.94         | 0.29             | ¥          | ¥                | 6.6              | 8.65             | 060        |
| 24615 |       | ∢      | Repair elbow dislocation   | 9.42      | ¥          | ¥               | 7.03      | 9.32         | 1.16             | ¥          | ₹<br>Z           | 17.61            | 19.90            | 060        |
| 24620 |       | ∢      | Treat elbow fracture       | 96.9      | ¥          | Š               | 2.67      | 4.49         | 0.45             | ¥          | Š                | 13.10            | 11.92            | 060        |
| 24635 |       | ∢      | Repair elbow fracture      | 13.19     | ¥          | ¥               | 19.21     | 13.80        | 1.39             | ¥          | ¥                | 33.79            | 28.38            | 060        |
| 24640 |       | ∢      | Treat elbow dislocation    | 1.20      | 4.66       | 1.99            | 1.02      | 1.08         | 90:0             | 5.92       | 3.25             | 2.28             | 2.34             | 010        |
| 24650 |       | ∢      | Treat radius fracture      | 2.16      | 5.75       | 3.27            | 1.97      | 1.41         | 0.26             | 8.17       | 5.69             | 4.39             | 3.83             | 060        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|         |            |                               |           | Non-          | Transitioned        |                     | Transitioned |                  | <u>.</u>         |                  |          |                          |            |
|---------|------------|-------------------------------|-----------|---------------|---------------------|---------------------|--------------|------------------|------------------|------------------|----------|--------------------------|------------|
|         |            |                               | 2         | facility      | Non-facility        | Facility            | Facility     | 7-71             |                  | Transitioned     |          |                          |            |
| (PT 1/  |            |                               | Physician | practice      | practice<br>expense | practice<br>expense | practice     | mai-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |            |
| HCPCS 2 | Mod Status | otus Description              | RVUs 3    | RVUs          | RVUs                | RVUs                | ŔVUs         | RUVs             | Total            | Total            | Total    | Total                    | Global     |
| 24655   | ,          | A Treat radius fracture       | 4.40      | 8.08          | 4.47                | 4.34                | 3.54         | 0.35             | 12.83            | 9.22             | 60.6     | 8.29                     | 060        |
| 24665   | -          | A Repair radius fracture      | 8.14      | ¥             | ¥                   | 7.82                | 7.76         | 0.89             | ¥                | Ϋ́               | 16.85    | 16.79                    | 060        |
| 24666   | -          | A Repair radius fracture      | 9.49      | ¥             | ¥                   | 8.66                | 10.53        | 1.25             | Ą                | Ϋ́               | 19.40    | 21.27                    | 060        |
| 24670   | -          | A Treatment of ulna fracture  | 2.54      | 5.74          | 3.03                | 2.30                | 2.17         | 0.21             | 8.49             | 5.78             | 5.05     | 4.92                     | 060        |
| 24675   | -          | A Treatment of ulna fracture  | 4.72      | 8.23          | 4.92                | 4.58                | 4.00         | 0.42             | 13.37            | 10.06            | 9.72     | 9.14                     | 80         |
| 24685   | •          | A Repair ulna fracture        | 8.80      | ¥             | ¥                   | 8.15                | 8.88         | 1.05             | ¥                | ž                | 18.00    | 18.73                    | 060        |
| 24800   | ,          | _                             | 11.20     | ¥             | ¥                   | 8.36                | 10.71        | 1.21             | ¥                | ¥                | 20.77    | 23.12                    | 60         |
| 24802   | •          | _                             | 13.69     | ¥             | Ą                   | 9.40                | 12.27        | 1.56             | ¥                | Ϋ́               | 24.65    | 27.52                    | 060        |
| 24900   | •          | •                             | 9.60      | ¥             | ¥                   | 8.60                | 8.40         | 1.09             | ¥                | ¥                | 19.29    | 19.09                    | 060        |
| 24920   | •          | A Amputation of upper arm     | 9.54      | ¥             | ¥<br>Z              | 9.66                | 7.94         | 0.93             | ¥                | ¥                | 20.13    | 18.41                    | 060        |
| 24925   | -          | •                             | 7.07      | ₹             | <b>∀</b>            | 7.20                | 6.90         | 0.59             | ¥                | Ą                | 14.86    | 14.56                    | 060        |
| 24930   | -          |                               |           | ¥             | Š                   | 10.46               | 9.26         | 0.92             | ¥                | Ą                | 21.63    | 20.43                    | 060        |
| 24931   | -          | •                             |           | <b>∀</b>      | ž                   | 9.13                | 11.37        | 4.               | ¥                | Ą                | 23.29    | 25.53                    | 8          |
| 24935   | -          |                               | 15.56     | ¥             | Š                   | 11.33               | 13.99        | 1.75             | ¥                | Ą                | 28.64    | 31.30                    | 060        |
| 24940   | _          | C Revision of upper arm       | 0.00      | 0.00          | 0.00                | 0.00                | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | 060        |
| 24999   | _          | _                             | 0.00      | 0.00          | 0.00                | 0.00                | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ₹          |
| 25000   | -          |                               | 3.38      | ₹             | ¥                   | 5.98                | 4.53         | 0.49             | ¥                | Ϋ́               | 9.85     | 8.40                     | 66         |
| 25020   | •          | A Decompression of forearm    | 5.92      | Š             | ž                   | 8.99                | 5.79         | 0.60             | ¥                | ¥                | 15.51    | 12.31                    | 060        |
| 25023   | •          | _                             | 12.96     | <b>∀</b><br>Z | ₹                   | 14.71               | 8.10         | 0.74             | ¥                | ¥                | 28.41    | 21.80                    | 060        |
| 25028   | •          | A Drainage of forearm lesion  | 5.25      | ∢<br>Z        | ¥                   | 7.94                | 3.67         | 0.28             | ¥                | ¥                | 13.47    | 9.20                     | 060        |
| 25031   | •          | _                             | 4.14      | Ϋ́            | Ϋ́                  | 7.61                | 2.44         | 0.07             | ¥                | ¥                | 11.82    | 6.65                     | 060        |
| 25035   | •          | •                             | 7.36      | ¥             | Ϋ́                  | 13.18               | 8.43         | 0.79             | ¥                | ¥                | 21.33    | 16.58                    | 060        |
| 25040   | •          | A Explore/treat wrist joint   | 7.18      | ¥             | Ϋ́                  | 8.00                | 6.64         | 0.70             | ¥                | ¥                | 15.88    | 14.52                    | 060        |
| 25065   | •          | _                             | 1.99      | 2.04          | 1.12                | 2.87                | 1.03         | 0.07             | 4.10             | 3.18             | 4.93     | 3.09                     | 910        |
| 25066   | •          | _                             | 4.13      | Ϋ́            | Ϋ́                  | 6.85                | 2.97         | 0.17             | ¥                | ₹                | 11.15    | 7.27                     | 060        |
| 25075   | •          | _                             | 3.74      | ¥             | Ϋ́                  | 6.01                | 3.29         | 0.29             | ¥                | ₹                | 10.04    | 7.32                     | 060        |
| 25076   | -          | _                             | 4.92      | ¥             | Ϋ́                  | 9.78                | 5.51         | 0.52             | ¥                | ₹                | 15.22    | 10.95                    | 060        |
| 25077   | •          | A Remove tumor, forearm/wrist | 9.76      | ¥<br>Z        | ₹                   | 12.65               | 10.06        | 1.31             | ¥                | ₹                | 23.72    | 21.13                    | <u>6</u>   |
| 25085   | -          |                               | 5.50      | ¥             | ₹                   | 9.42                | 6.11         | 0.56             | ¥                | Ϋ́               | 15.48    | 12.17                    | 060        |
| 25100   | -          |                               | 3.90      | ¥             | ¥                   | 6.11                | 5.02         | 0.62             | ¥                | Ϋ́               | 10.63    | 9.54                     | 060        |
| 25101   | •          |                               | 4.69      | ≨ :           | ¥                   | 6.43                | 5.81         | 0.77             | ž                | ₹                | 11.89    | 11.27                    | 060        |
| 25105   | 7          | _                             | 5.85      | ¥<br>Z        | ₹                   | 8.63                | 7.40         | 0.93             | ¥                | ¥                | 15.41    | 14.18                    | 060        |
| 25107   | •          | _                             | 6.43      | ₹             | ₹                   | 9.15                | 6.59         | 0.70             | ¥                | Ϋ́               | 16.28    | 13.72                    | 66         |
| 25110   | •          |                               | 3.92      | Š             | ₹                   | 29.9                | 3.95         | 0.36             | ¥                | ¥                | 10.95    | 8.23                     | 060        |
| 25111   | •          | A Remove wrist tendon lesion  | 3.39      | ¥             | ₹                   | 5.20                | 3.92         | 0.43             | ¥                | Ϋ́               | 9.05     | 7.74                     | 060        |
| 25112   | •          | _                             | 4.53      | ₹             | Ϋ́                  | 6.02                | 4.54         | 0.52             | ¥                | ¥                | 11.07    | 9.59                     | 060        |
| 25115   | `          | _                             | 8.82      | ₹             | ₹                   | 13.40               | 9.16         | 96:0             | ¥                | ¥                | 23.18    | 18.94                    | <b>6</b> 6 |
| 25116   | 7          |                               | 7.11      | ¥             | ₹                   | 12.47               | 9.49         | 1.08             | ¥                | Ϋ́               | 20.66    | 17.68                    | 060        |
| 25118   | •          | A Excise wrist tendon sheath  | 4.37      | ₹             | <b>∀</b>            | 6.53                | 5.55         | 0.80             | ¥                | ¥                | 11.70    | 10.72                    | 060        |
| 25119   |            | A Partial removal of ulna     | 6.04      | <b>₹</b>      | ¥<br>X              | 9.59                | 7.81         | 1.03             | Š                | ¥                | 16.66    | 14.88                    | 060        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Countriest 1994 American Dental Association. All rights reserved.

<sup>3 +</sup>Indicates RVI is are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                  |        |                              |              |                 | :               |                 | Transitionad    |                  |                   |                   |                   |                   |             |
|----------------------------------|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------|
| ,                                |        |                              |              | facility        | Iransitioned    | Facility        | Lacility        |                  |                   | T                 |                   |                   |             |
|                                  |        |                              | Physician    | practice        | practice        | practice        | practice        | Mal-             | Non-              | nansmonea<br>Non- |                   | Transitioned      |             |
| CPT '/<br>HCPCS <sup>2</sup> Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global      |
|                                  | ⋖      | Removal of forearm lesion    | 6.10         | ¥               | ž               | 11.58           | 8.21            | 0.89             | ¥                 | ¥                 | 18.57             | 15.20             | 060         |
| 25125                            | <      | Remove/graft forearm lesion  | 7.48         | ¥               | ¥               | 13.58           | 8.96            | 0.81             | ¥                 | ¥                 | 21.87             | 17.25             | 060         |
| 25126                            | ∢      | Remove/graft forearm lesion  | 7.55         | ¥               | ₹               | 15.59           | 9.43            | 0.88             | ¥                 | ¥                 | 24.02             | 17.86             | 060         |
| 25130                            | ∢      | Removal of wrist lesion      | 5.26         | ¥               | ¥               | 6.95            | 5.17            | 0.52             | ¥                 | ¥                 | 12.73             | 10.95             | 060         |
| 25135                            | ∢      | Remove & graft wrist lesion  | 6.89         | ¥               | ¥               | 7.82            | 6.40            | 0.76             | ¥                 | ¥                 | 15.47             | 14.05             | 060         |
| 25136                            | ∢      | Remove & graft wrist lesion  | 5.97         | ¥               | ¥               | 6.55            | 5.49            | 99.0             | ¥                 | ¥                 | 13.18             | 12.12             | 060         |
| 25145                            | ∢      | Remove forearm bone lesion   | 6.37         | ž               | ¥               | 13.63           | 8.25            | 0.59             | ¥                 | ¥                 | 20.59             | 15.21             | 060         |
| 25150                            | ∢      | Partial removal of ulna      | 7.09         | ¥               | ¥               | 9.81            | 7.88            | 0.88             | ¥                 | ¥                 | 17.78             | 15.85             | 060         |
| 25151                            | ∢      | Partial removal of radius    | 7.39         | ¥               | ¥               | 12.82           | 7.89            | 0.80             | ¥                 | ¥                 | 21.01             | 16.08             | 060         |
| 25170                            | ∢      | Extensive forearm surgery    | 11.09        | ¥               | ¥               | 14.29           | 11.54           | 1.18             | ¥                 | ¥                 | 26.56             | 23.81             | 060         |
| 25210                            | ∢      | Removal of wrist bone        | 5.95         | ¥               | ¥               | 7.27            | 5.79            | 0.63             | ¥                 | ¥                 | 13.85             | 12.37             | 060         |
| 25215                            | ∢      | Removal of wrist bones       | 7.89         | ¥               | ¥               | 10.43           | 29.6            | 1.1              | ¥                 | ¥                 | 19.43             | 18.67             | 060         |
| 25230                            | ∢      | Partial removal of radius    | 5.23         | ₹               | ¥               | 6.89            | 6.25            | 99.0             | ¥                 | ¥                 | 12.78             | 12.14             | 060         |
| 25240                            | ∢      | Partial removal of ulna      | 5.17         | ₹               | ₹               | 8.88            | 6.53            | 0.67             | ¥                 | ¥                 | 14.72             | 12.37             | 060         |
| 25246                            | ∢      | Injection for wrist x-ray    | 1.45         | 10.02           | 2.91            | 0.39            | 0.50            | 0.04             | 11.51             | 4.40              | 1.88              | 1.99              | 00          |
| 25248                            | ∢      | Remove forearm foreign body  | 5.14         | ¥               | ₹               | 8.22            | 3.83            | 0.29             | ¥                 | ¥                 | 13.65             | 9.26              | 060         |
| 25250                            | ∢      | Removal of wrist prosthesis  | 09.9         | ≨               | ₹               | 8.19            | 6.63            | 0.71             | ¥                 | ¥                 | 15.50             | 13.94             | 060         |
| 25251                            | ∢      | Removal of wrist prosthesis  | 9.57         | ₹               | ₹               | 12.11           | 9.74            | 1.09             | ¥                 | ¥                 | 22.77             | 20.40             | <u>06</u> 0 |
| 25260                            | ∢      | Repair forearm tendon/muscle | 7.80         | Š               | ₹               | 13.20           | 7.05            | 0.61             | ¥                 | ₹<br>Z            | 21.61             | 15.46             | 060         |
| 25263                            | ∢      | Repair forearm tendon/muscle | 7.82         | ¥               | ₹               | 13.27           | 8.01            | 0.81             | ¥                 | ¥                 | 21.90             | 16.64             | 060         |
| 25265                            | ∢      | Repair forearm tendon/muscle | 9.88         | ¥               | ₹               | 16.34           | 10.54           | 1.10             | ¥                 | ₹                 | 27.32             | 21.52             | 060         |
| 25270                            | ∢      | Repair forearm tendon/muscle | 6.00<br>6.00 | ¥               | ₹               | 12.21           | 5.79            | 0.43             | ¥                 | ¥                 | 18.64             | 12.22             | 060         |
| 25272                            | ∢      | Repair forearm tendon/muscle | 7.04         | ¥               | ₹               | 12.66           | 5.96            | 0.42             | ¥                 | ¥                 | 20.12             | 13.42             | 060         |
| 25274                            | ∢      | Repair forearm tendon/muscle | 8.75         | ¥               | ₹               | 13.41           | 8.74            | 0.88             | ¥                 | ¥                 | 23.04             | 18.37             | 060         |
| 25280                            | ∢      | Revise wrist/forearm tendon  | 7.22         | ¥               | ₹               | 12.47           | 6.55            | 0.54             | ≨                 | ¥                 | 20.23             | 14.31             | 060         |
| 25290                            | ∢      | Incise wrist/forearm tendon  | 5.29         | ₹               | ₹               | 14.15           | 5.55            | 0.32             | ¥                 | ₹                 | 19.76             | 11.16             | 060         |
| 25295                            | ∢      | Release wrist/forearm tendon | 6.55         | ¥               | Ϋ́              | 11.96           | 5.47            | 0.41             | ₹                 | ₹                 | 18.92             | 12.43             | 060         |
| 25300                            | ∢      | Fusion of tendons at wrist   | 8.80         | ¥               | Ϋ́              | 96.6            | 8.48            | 0.93             | ₹                 | ₹                 | 19.69             | 18.21             | 060         |
| 25301                            | ∢      | Fusion of tendons at wrist   | 8.40         | <b>≨</b> ∶      | ₹ :             | 8.26            | 7.58            | 0.92             | <b>≨</b> :        | <b>≨</b> :        | 17.58             | 16.90             | 060         |
| 25310                            | ∢      | Transplant forearm tendon    | 8.14         | ¥<br>Z          | ď<br>Z          | 13.69           | 9.24            | 0.92             | ¥                 | ¥<br>Z            | 22.75             | 18.30             | 060         |
| 25312                            | ∢      | Transplant forearm tendon    | 9.57         | ≨ :             | ₹<br>Z          | 14.86           | 9.93            | 1.02             | ≨ :               | ≨ :               | 25.45             | 20.52             | 060         |
| 25315                            | ∢      | Revise palsy hand tendon(s)  | 10.20        | <b>∀</b>        | ₹               | 14.68           | 10.23           | 1.05             | ₹                 | ₹                 | 25.93             | 21.48             | <b>0</b> 60 |
| 25316                            | ∢      | Revise palsy hand tendon(s)  | 12.33        | ¥               | ₹               | 20.03           | 13.62           | 1.39             | ₹                 | ¥                 | 33.75             | 27.34             | 060         |
| 25320                            | ∢      | Repair/revise wrist joint    | 10.77        | ¥               | ¥               | 10.33           | 9.58            | 1.13             | ¥                 | ¥                 | 22.23             | 21.48             | 060         |
| 25332                            | ∢      | Revise wrist joint           | 11.41        | ¥               | Ą               | 10.58           | 10.77           | 1.26             | ¥                 | ¥                 | 23.25             | 23.44             | 060         |
| 25335                            | ∢      | Realignment of hand          | 12.88        | ¥               | Š               | 12.64           | 12.45           | 1.22             | ₹                 | Š                 | 26.74             | 26.55             | 060         |
| 25337                            | ∢      | Reconstruct ulna/radioulnar  | 10.17        | ¥               | Ą               | 11.58           | 68.6            | 1.13             | ¥                 | ¥                 | 22.88             | 21.19             | 060         |
| 25350                            | ∢      | Revision of radius           | 8.78         | ₹               | ¥               | 13.82           | 9.65            | 0.99             | ¥                 | ₹                 | 23.59             | 19.42             | 060         |
| 25355                            | ∢      | Revision of radius           | 10.17        | ¥               | ₹               | 12.08           | 10.45           | 1.17             | ¥                 | ¥                 | 23.42             | 21.79             | 060         |
| 25360                            | ∢      | Revision of ulna             | 8.43         | ž               | Š               | 13.46           | 8.59            | 0.77             | ₹                 | ₹                 | 22.66             | 17.79             | 060         |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                            |            |  |               | Mon-             | Transitioned     |                  | Trancitioned     |                   |                   |                   |          |              |            |
|----------------------------|------------|--|---------------|------------------|------------------|------------------|------------------|-------------------|-------------------|-------------------|----------|--------------|------------|
|                            |            |  |               | facility         | Non-facility     | Facility         | Facility         |                   |                   | Transitioned      |          |              |            |
| , l                        |            |  | Physician     | practice         | practice         | practice         | practice         | Mal-              | Non-              | Non-              |          | Transitioned |            |
| CPI /<br>HCPG <sup>2</sup> | Mod Status | us Description   | work<br>RVIIs | expense<br>RVIIs | expense<br>PVIIc | expense<br>RVIIs | expense<br>PVIIc | practice<br>RIIVs | facility<br>Total | facility<br>Total | Facility | Facility     | 7,70       |
| 25365                      |            | Revise   | 12.40         | ¥                | Ϋ́               | 14.45            | 12.01            | 1.23              | ¥ X               | AN AN             | 28.08    | 25.64        | 060        |
| 25370                      | `          | A Revise radius or ulna                                | 13.36         | ¥                | A                | 10.94            | 12.31            | 1.50              | ¥                 | ≨                 | 25.80    | 27.17        | 060        |
| 25375                      | •          | A Revise radius & ulna                                 | 13.04         | ¥                | Υ<br>Y           | 10.82            | 13.60            | 0.68              | ¥                 | ¥                 | 24.54    | 27.32        | 66         |
| 25390                      | •          | A Shorten radius/ulna                                  | 10.40         | ¥                | Ϋ́               | 13.94            | 10.66            | 1.17              | ¥                 | ¥                 | 25.51    | 22.23        | 060        |
| 25391                      | •          | A Lengthen radius/ulna                                 | 13.65         | ¥                | Š                | 14.98            | 12.90            | 1.51              | ¥                 | ¥                 | 30.14    | 28.06        | 060        |
| 25392                      | •          | A Shorten radius & ulna                                | 13.95         | ¥                | Ϋ́               | 14.22            | 13.68            | 1.60              | ¥                 | ¥                 | 29.77    | 29.23        | 060        |
| 25393                      | •          | A Lengthen radius & ulna                               | 15.87         | ¥                | Š                | 13.27            | 14.88            | 1.82              | ¥                 | ¥                 | 30.96    | 32.57        | 060        |
| 25400                      | •          | <ul> <li>Repair radius or ulna</li> </ul>              | 10.92         | ¥                | ¥                | 15.31            | 12.60            | 1.37              | ¥                 | ¥                 | 27.60    | 24.89        | 66         |
| 25405                      | •          | <ul> <li>Repair/graft radius or ulna</li> </ul>        | 14.38         | ¥                | Ą                | 17.08            | 14.38            | 1.58              | ¥                 | ¥                 | 33.04    | 30.34        | 060        |
| 25415                      | •          | A Repair radius & ulna                                 | 13.35         | ¥                | Ą<br>V           | 15.32            | 13.12            | 1.50              | ¥                 | ¥                 | 30.17    | 27.97        | 060        |
| 25420                      | •          | <ul> <li>A Repair/graft radius &amp; ulna</li> </ul>   | 16.33         | ¥                | Ą<br>V           | 18.05            | 16.48            | 1.78              | ¥                 | ¥                 | 36.16    | 34.59        | 060        |
| 25425                      | •          | _  | 13.21         | ¥                | Ϋ́               | 28.77            | 16.97            | 1.46              | ¥                 | ¥                 | 43.44    | 31.64        | 060        |
| 25426                      | `          |  | 15.82         | ₹                | ¥                | 18.19            | 14.09            | 1.67              | ¥                 | ¥                 | 35.68    | 31.58        | 60         |
| 25440                      | `          |  | 10.44         | ¥                | ¥                | 9.97             | 9.86             | 1.17              | ¥                 | ¥                 | 21.58    | 21.47        | 060        |
| 25441                      | `          | A Reconstruct wrist joint                              | 12.90         | ¥                | ¥                | 10.96            | 11.99            | 1.48              | ¥                 | ¥                 | 25.34    | 26.37        | 060        |
| 25442                      | `          | _  | 10.85         | ¥                | ¥                | 9.76             | 8.19             | 0.95              | ¥                 | ¥                 | 21.56    | 19.99        | 060        |
| 25443                      | `          | _  | 10.39         | ¥                | Ϋ́               | 11.34            | 10.47            | 1.19              | ¥                 | ¥                 | 22.92    | 22.05        | 060        |
| 25444                      | `          | <ul> <li>Reconstruct wrist joint</li> </ul>            | 11.15         | ¥                | Ϋ́               | 11.78            | 11.20            | 1.30              | ¥                 | ¥                 | 24.23    | 23.65        | 060        |
| 25445                      | •          | <ul> <li>Reconstruct wrist joint</li> </ul>            | 69.6          | ¥                | Α                | 11.19            | 11.23            | 1.35              | ¥                 | ¥                 | 22.23    | 22.27        | 060        |
| 25446                      | `          | <ul> <li>Wrist replacement</li> </ul>                  | 16.55         | ¥                | Ϋ́               | 13.39            | 18.17            | 2.73              | ¥                 | ¥                 | 32.67    | 37.45        | 8          |
| 25447                      | `          |  | 10.37         | ¥                | Ϋ́               | 10.12            | 10.38            | 1.22              | Ϋ́                | ¥                 | 21.71    | 21.97        | 060        |
| 25449                      | •          |  | 14.49         | ₹                | ¥                | 14.08            | 9:30             | 0.91              | ¥                 | ¥                 | 29.48    | 25.30        | 060        |
| 25450                      | •          | <ul> <li>Revision of wrist joint</li> </ul>            | 7.87          | ₹<br>Z           | Ϋ́               | 5.35             | 7.29             | 0.93              | ₹                 | ž                 | 14.15    | 16.09        | 8          |
| 25455                      | •          | _  | 9.49          | ₹                | ¥                | 9.84             | 9.55             | 1.11              | ¥                 | ¥                 | 20.44    | 20.15        | 060        |
| 25490                      | •          | <ul> <li>Reinforce radius</li> </ul>                   | 9.54          | ¥                | Ϋ́               | 13.64            | 10.48            | 1.1               | ž                 | ž                 | 24.29    | 21.13        | <b>6</b> 6 |
| 25491                      | •          | _  | 96.6          | Ϋ́               | ₹                | 13.41            | 10.76            | 1.17              | ₹                 | ¥                 | 24.54    | 21.89        | 8          |
| 25492                      | •          | <ul> <li>Reinforce radius and ulna</li> </ul>          | 12.33         | ¥                | ¥                | 15.43            | 12.97            | 1.44              | ¥                 | ¥                 | 29.20    | 26.74        | 80         |
| 25500                      | •          | A Treat fracture of radius                             | 2.45          | 5.36             | 3.24             | 2.01             | 1.46             | 0.23              | 8.04              | 5.92              | 4.69     | 4.14         | 060        |
| 25505                      | •          |  | 5.21          | 8.36             | 4.99             | 4.74             | 4.09             | 0.40              | 13.97             | 10.60             | 10.35    | 9.70         | 80         |
| 25515                      | •          |  | 9.18          | ₹                | ₹                | 7.29             | 8.03             | 0.95              | ž                 | Ϋ́                | 17.42    | 18.16        | 80         |
| 25520                      | •          | _  | 6.26          | 8.56             | 6.81             | 5.27             | 5.99             | 0.74              | 15.56             | 13.81             | 12.27    | 12.99        | <u>6</u>   |
| 25525                      | •          |  | 12.24         | ¥                | ₹                | 9.92             | 11.56            | 1.43              | ¥                 | ¥                 | 23.59    | 25.23        | 060        |
| 25526                      | •          | <ul> <li>A Repair fracture of radius</li> </ul>        | 12.98         | ¥                | ₹                | 15.57            | 13.54            | 1.52              | ¥                 | ¥                 | 30.07    | 28.04        | 060        |
| 25530                      | •          |  | 2.09          | 5.44             | 3.35             | 2.12             | 1.47             | 0.27              | 7.80              | 5.71              | 4.48     | 3.83         | 060        |
| 25535                      | *          | <ul> <li>A Treat fracture of ulna</li> </ul>           | 5.14          | 7.95             | 4.89             | 4.79             | 4.10             | 0.42              | 13.51             | 10.45             | 10.35    | 99.6         | 60         |
| 25545                      | *          | <ul> <li>A Repair fracture of ulna</li> </ul>          | 8.90          | Ϋ́               | Ϋ́               | 8.20             | 8.22             | 0.94              | ¥                 | ¥                 | 18.04    | 18.06        | 060        |
| 25560                      | *          | <ul> <li>A Treat fracture radius &amp; ulna</li> </ul> | 2.44          | 5.40             | 3.20             | 1.85             | 2.31             | 0.21              | 8.05              | 5.85              | 4.50     | 4.96         | 060        |
| 25565                      | 7          | <ul> <li>A Treat fracture radius &amp; ulna</li> </ul> | 5.63          | 8.60             | 5.95             | 4.92             | 5.03             | 0.55              | 14.78             | 12.13             | 11.10    | 11.21        | 060        |
| 25574                      | 1          | <ul> <li>Treat fracture radius &amp; ulna</li> </ul>   | 7.01          | ¥                | ¥                | 7.10             | 8.05             | 1.35              | ¥                 | ₹                 | 15.46    | 16.41        | 060        |
| 25575                      | *          | <ul> <li>Repair fracture radius/ulna</li> </ul>        | 10.45         | ž                | ¥                | 8.95             | 10.95            | 1.35              | ΑĀ                | Š                 | 20.75    | 22.75        | 060        |
|                            |            |  |               |                  |                  |                  |                  |                   |                   |                   |          |              |            |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|        |   |         |                              |               | Non-<br>facility | Transitioned | Encility | Transitioned         |              |              | 3                  |          |              |           |
|--------|---|---------|------------------------------|---------------|------------------|--------------|----------|----------------------|--------------|--------------|--------------------|----------|--------------|-----------|
| •      |   |         |                              | Physician     | practice         | practice     | practice | practice             | Mal-         | Non-         | rransmonea<br>Non- |          | Transitioned |           |
| CPT // | 7 | j       |                              | work          | expense          | expense      | expense  | expense              | practice     | facility     | facility           | Facility | Facility     | -         |
| CLUC   | 1 | Startus | Vescription                  | Krus          | 20 2             | KNUS         | 600      | V Z                  | CION S       | lorar        | lotai              | Iotal    | lotal        | Global    |
| 25600  |   | ∢ <     | Treat fracture radius/uina   | 2.03<br>20.03 | 0 / o            | 3.70<br>7.44 | 2.22     | - T                  | 0.33         | 8./4<br>4.15 | 6.72               | 5.18     | 4.67         | 9 9       |
| 25611  |   | ( ∢     | Repair fracture radius/ulna  | 77.7          | 8 <b>X</b>       | Į V          | 20.80    | - 68<br>- 68<br>- 68 | 0.40         | 9 Y          | S AN               | 16.54    | 15.42        | 9 6       |
| 25620  |   | < <     | Repair fracture radius/ulna  | 8.55          | ₹                | ž            | 8.02     | 7.81                 | 0.89         | ₹            | ₹                  | 17.46    | 17.25        | 060       |
| 25622  |   | ∢       | Treat wrist bone fracture    | 2.61          | 5.75             | 3.29         | 2.15     | 1.47                 | 0.26         | 8.62         | 6.16               | 5.02     | 4.34         | 060       |
| 25624  |   | ∢       | Treat wrist bone fracture    | 4.53          | 8.08             | 5.01         | 4.41     | 2.60                 | 0.45         | 13.06        | 6.6                | 9.39     | 7.58         | 060       |
| 25628  |   | ∢       | Repair wrist bone fracture   | 8.43          | ¥                | Ϋ́           | 7.95     | 7.79                 | 0.91         | ¥            | ¥                  | 17.29    | 17.13        | 060       |
| 25630  |   | ∢       | Treat wrist bone fracture    | 2.88          | 5.86             | 3.25         | 2.21     | 1.45                 | 0.23         | 8.97         | 98.9               | 5.32     | 4.56         | 060       |
| 25635  |   | ∢       | Treat wrist bone fracture    | 4.39          | 8.04             | 4.75         | 4.35     | 2.46                 | 0.39         | 12.82        | 9.53               | 9.13     | 7.24         | 060       |
| 25645  |   | ∢       | Repair wrist bone fracture   | 7.25          | ¥                | ¥            | 7.48     | 7.31                 | 0.74         | ¥            | ¥                  | 15.47    | 15.30        | 060       |
| 25650  |   | ∢       | Repair wrist bone fracture   | 3.05          | 5.72             | 3.60         | 2.25     | 1.65                 | 0.28         | 9.05         | 6.93               | 5.58     | 4.98         | 060       |
| 25660  |   | ∢       | Treat wrist dislocation      | 4.76          | ₹                | Ϋ́           | 3.99     | 2.48                 | 0.20         | ¥            | ¥                  | 8.95     | 7.44         | 060       |
| 25670  |   | ∢       | Repair wrist dislocation     | 7.92          | ₹                | ₹            | 7.62     | 7.67                 | 0.88         | ¥            | ¥                  | 16.42    | 16.47        | 060       |
| 25675  |   | ∢       | Treat wrist dislocation      | 4.67          | 7.79             | 3.80         | 3.98     | 2.85                 | 0.27         | 12.73        | 8.74               | 8.92     | 7.79         | 060       |
| 25676  |   | ∢       | Repair wrist dislocation     | 8.04          | ≨                | ₹            | 7.82     | 7.91                 | 0.87         | ¥            | Š                  | 16.73    | 16.82        | 060       |
| 25680  |   | ∢       | Treat wrist fracture         | 5.99          | ₹                | ¥            | 5.25     | 3.30                 | 0.28         | ¥            | ¥                  | 11.52    | 9.57         | 060       |
| 25685  |   | ∢       | Repair wrist fracture        | 9.78          | ≨                | ₹            | 8.42     | 9.26                 | 1.13         | ₹            | ¥                  | 19.33    | 20.17        | 060       |
| 25690  |   | ∢       | Treat wrist dislocation      | 5.50          | ₹                | Ϋ́           | 5.75     | 5.42                 | 0.57         | ¥            | ¥                  | 11.82    | 11.49        | 060       |
| 25695  |   | ∢       | Repair wrist dislocation     | 8.34          | ≨                | ₹            | 7.73     | 7.66                 | 0.92         | ¥            | Ϋ́                 | 16.99    | 16.92        | 060       |
| 25800  |   | ∢       | Fusion of wrist joint        | 9.76          | ₹                | ₹            | 9.64     | 11.16                | 1.41         | ¥            | ¥                  | 20.81    | 22.33        | 060       |
| 25805  |   | ∢       | Fusion/graft of wrist joint  | 11.28         | ₹                | ₹            | 10.59    | 12.75                | <b>1</b> .64 | ≨            | <b>∀</b>           | 23.51    | 25.67        | 060       |
| 25810  |   | ∢       | Fusion/graft of wrist joint  | 10.57         | ¥                | ₹            | 10.13    | 12.00                | 1.61         | ₹            | Ϋ́                 | 22.31    | 24.18        | 060       |
| 25820  |   | ∢       | Fusion of hand bones         | 7.45          | ≨                | ₹            | 8.66     | 8.84                 | 1.16         | ₹            | Ϋ́                 | 17.27    | 17.45        | 060       |
| 25825  |   | ∢       | Fusion hand bones with graft | 9.27          | ¥                | ₹            | 9.80     | 10.75                | 1.56         | ₹            | ¥                  | 20.63    | 21.58        | 060       |
| 25830  |   | ∢       | Fusion radioulnar jnt/ulna   | 10.06         | ₹                | ₹            | 14.42    | 10.60                | 1.13         | ¥            | Š                  | 25.61    | 21.79        | 060       |
| 25900  |   | ∢       | Amputation of forearm        | 9.01          | ¥                | ₹            | 11.63    | 8.67                 | 1.02         | ₹            | ¥                  | 21.66    | 18.70        | 060       |
| 25905  |   | ∢       | Amputation of forearm        | 9.12          | ₹                | ₹            | 13.20    | 60.6                 | 0.90         | ₹            | ¥                  | 23.22    | 19.11        | 060       |
| 25907  |   | ∢       | Amputation follow-up surgery | 7.80          | ₹                | ₹            | 11.35    | 7.51                 | 0.78         | ₹            | ¥                  | 19.93    | 16.09        | 060       |
| 25909  |   | ∢       | Amputation follow-up surgery | 8.96          | ₹                | ₹            | 11.90    | 7.49                 | 0.83         | ¥            | ¥                  | 21.69    | 17.28        | 060       |
| 25915  |   | ∢       | Amputation of forearm        | 17.08         | ₹<br>Z           | ₹            | 16.20    | 16.94                | 2.03         | ≨            | ₹                  | 35.31    | 36.05        | 060       |
| 25920  |   | ∢       | Amputate hand at wrist       | 8.68          | ₹                | ₹            | 8.22     | 7.76                 | 0.94         | ¥            | ¥                  | 17.84    | 17.38        | 060       |
| 25922  |   | ∢       | Amputate hand at wrist       | 7.42          | <b>∀</b><br>Z    | ₹            | 7.52     | 6.40                 | 0.80         | ≨            | ₹                  | 15.74    | 14.62        | 060       |
| 25924  |   | ∢       | Amputation follow-up surgery | 8.46          | ¥                | ₹            | 7.32     | 7.94                 | 0.95         | ≨            | ₹                  | 16.73    | 17.35        | 060       |
| 25927  |   | ∢       | Amputation of hand           | 8.80          | ¥                | ¥            | 11.16    | 7.91                 | 0.95         | ¥            | Ϋ́                 | 20.91    | 17.66        | 060       |
| 25929  |   | ∢       | Amputation follow-up surgery | 7.59          | ¥                | ¥            | 5.65     | 5.27                 | 0.75         | ¥            | Ϋ́                 | 13.99    | 13.61        | 060       |
| 25931  |   | ∢       | Amputation follow-up surgery | 7.81          | Ϋ́               | ¥            | 14.97    | 7.44                 | 0.70         | ¥            | Ā                  | 23.48    | 15.95        | 060       |
| 25999  |   | ပ       | Forearm or wrist surgery     | 0.00          | 0.00             | 0.00         | 0.00     | 00.00                | 0.00         | 0.00         | 0.00               | 0.00     | 0.00         | <b>XX</b> |
| 26010  |   | ∢       | Drainage of finger abscess   | 1.54          | 3.90             | 1.37         | 2.91     | 0.92                 | 0.04         | 5.48         | 2.95               | 4.49     | 2.50         | 010       |
| 26011  |   | ∢       | Drainage of finger abscess   | 2.19          | 5.41             | 2.61         | 5.06     | 2.52                 | 0.19         | 7.79         | 4.99               | 7.44     | 4.90         | 010       |
| 26020  |   | ∢       | Drain hand tendon sheath     | 4.67          | Ā                | ¥            | 10.46    | 5.65                 | 0.49         | Ϋ́           | Š                  | 15.62    | 10.81        | 060       |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |     |        |                              |              | Mon-            | Transitioned    |                 | Trancitioned    |                  |                   |                   |                   |                   |                |
|--------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|----------------|
|                    |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |                |
| / <sub>1</sub> La. |     |        |                              | Physician    | practice        | practice        | practice        | practice        | - Wal            | Non               |                   |                   | Transitioned      |                |
| HCPCS 2            | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global         |
| 26025              |     | 4      | Drainage of palm bursa       | 4.82         | NA<br>A         | NA              | 10.14           | 6.20            | 0.59             | ₹                 |                   | 15.55             | 11.61             | 86             |
| 26030              |     | ∢      | Drainage of palm bursa(s)    | 5.93         | ¥               | ¥               | 10.98           | 7.41            | 0.77             | ¥                 |                   | 17.68             | 14.11             | 060            |
| 26034              |     | ∢      | Treat hand bone lesion       | 6.23         | ¥               | ¥               | 12.12           | 6.47            | 0.56             | ¥                 |                   | 18.91             | 13.26             | 060            |
| 26035              |     | ∢      | Decompress fingers/hand      | 9.51         | ¥               | ¥               | 13.85           | 79.7            | 0.67             | ¥                 |                   | 24.03             | 17.85             | 060            |
| 26037              |     | ∢      | Decompress fingers/hand      | 7.25         | ¥               | ¥               | 10.45           | 7.80            | 0.82             | ¥                 |                   | 18.52             | 15.87             | 060            |
| 26040              |     | ∢      | Release palm contracture     | 3.33         | ¥               | ¥               | 9.32            | 4.66            | 0.38             | ¥                 |                   | 13.03             | 8.37              | 060            |
| 26045              |     | ∢      | Release palm contracture     | 5.56         | ¥               | Ą               | 10.57           | 6.57            | 0.63             | ¥                 |                   | 16.76             | 12.76             | 060            |
| 26055              |     | ∢      | Incise finger tendon sheath  | 2.69         | 00.9            | 4.17            | 5.93            | 4.15            | 0.44             | 9.13              |                   | 90.6              | 7.28              | 60             |
| 26060              |     | ⋖      | Incision of finger tendon    | 2.81         | ₹               | ž               | 6.47            | 2.54            | 0.13             | ₹                 |                   | 9.41              | 5.48              | 80             |
| 26070              |     | ∢      | Explore/treat hand joint     | 3.69         | ₹               | Ϋ́              | 8.76            | 3.32            | 0.33             | ₹                 |                   | 12.78             | 7.34              | 060            |
| 26075              |     | ⋖      | Explore/treat finger joint   | 3.79         | ₹               | ₹               | 9.67            | 5.49            | 0.49             | ₹                 |                   | 13.95             | 9.77              | 80             |
| 26080              |     | ⋖      | Explore/treat finger joint   | 4.24         | ¥               | ₹               | 10.20           | 5.11            | 0.40             | ₹                 |                   | 14.84             | 9.75              | 80             |
| 26100              |     | ∢      | Biopsy hand joint lining     | 3.67         | ₹               | ¥               | 6.53            | 4.06            | 0.35             | ₹                 |                   | 10.55             | 8.08              | 80             |
| 26105              |     | ⋖      | Biopsy finger joint lining   | 3.71         | ₹               | ¥               | 9.97            | 5.89            | 0.52             | ₹                 |                   | 14.20             | 10.12             | 80             |
| 26110              |     | ∢      | Biopsy finger joint lining   | 3.53         | ₹               | ¥               | 9.00            | 4.64            | 0.39             | ₹                 |                   | 12.92             | 8.56              | 060            |
| 26115              |     | ∢      | Removal of hand lesion       | 3.86         | 5.88            | 3.11            | 6.56            | 3.28            | 0.27             | 10.01             |                   | 10.69             | 7.41              | 060            |
| 26116              |     | ∢      | Removal of hand lesion       | 5.53         | ₹               | Š               | 10.38           | 5.62            | 0.49             | ¥                 |                   | 16.40             | 11.64             | 60             |
| 26117              |     | ⋖      | Remove tumor, hand/finger    | 8.55         | ₹               | Š               | 11.88           | 7.10            | 0.71             | ¥                 |                   | 21.14             | 16.36             | 060            |
| 26121              |     | ⋖      | Release palm contracture     | 7.54         | ₹               | ₹               | 12.16           | 9.79            | 1.26             | ₹                 |                   | 20.96             | 18.59             | <del>6</del> 0 |
| 26123              |     | ∢ '    | Release palm contracture     | 9.29         | ₹               | ¥               | 13.12           | 10.69           | 1.20             | ₹                 |                   | 23.61             | 21.18             | 060            |
| 26125              |     | ⋖      | Release palm contracture     | 4.61         | ≨               | ¥<br>Z          | 2.73            | 2.81            | 0.35             | ¥                 |                   | 69.2              | 7.77              | 777            |
| 26130              |     | ⋖ ·    | Remove wrist joint lining    | 5.42         | ₹               | ¥<br>Z          | 11.96           | 7.07            | 0.67             | ¥                 |                   | 18.05             | 13.16             | 60             |
| 26135              |     | ∢      | Revise finger joint, each    | 96.9         | ₹               | ¥               | 13.15           | 7.24            | 0.64             | ¥                 |                   | 20.75             | 14.84             | 8              |
| 26140              |     | ∢      | Revise finger joint, each    | 6.17         | ₹               | Š               | 12.44           | 6.70            | 0.59             | ₹                 |                   | 19.20             | 13.46             | 060            |
| 26145              |     | ⋖      | Tendon excision, palm/finger | 6.32         | ≨               | ¥               | 12.53           | 6.97            | 0.63             | ¥                 |                   | 19.48             | 13.92             | 60             |
| 26160              |     | ∢      | Remove tendon sheath lesion  | 3.15         | 5.66            | 3.31            | 6.15            | 3.43            | 0.31             | 9.12              |                   | 9.61              | 6.89              | 060            |
| 26170              |     | ∢      | Removal of palm tendon, each | 4.77         | ₹               | Ϋ́              | 7.11            | 4.08            | 0.35             | ₹                 |                   | 12.23             | 9.20              | 060            |
| 26180              |     | ∢      | Removal of finger tendon     | 5.18         | ₹               | ¥               | 7.22            | 5.07            | 0.56             | ₹                 |                   | 12.96             | 10.81             | 66             |
| 26185              |     | ∢      | Remove finger bone           | 5.25         | ₹               | Ϋ́              | 7.07            | 5.22            | 0.32             | ₹                 |                   | 12.64             | 10.79             | 060            |
| 26200              |     | ∢      | Remove hand bone lesion      | 5.51         | ₹               | ¥               | 10.67           | 6.31            | 0.56             | ¥                 |                   | 16.74             | 12.38             | 060            |
| 26205              |     | ∢      | Remove/graft bone lesion     | 7.70         | ₹               | ¥               | 12.22           | 8.27            | 0.81             | ¥                 |                   | 20.73             | 16.78             | 8              |
| 26210              |     | ∢      | Removal of finger lesion     | 5.15         | ¥<br>¥          | Ϋ́              | 10.69           | 5.85            | 0.50             | ¥                 |                   | 16.34             | 11.50             | 060            |
| 26215              |     | ∢      | Remove/graft finger lesion   | 7.10         | ₹               | Š               | 11.27           | 7.33            | 0.74             | ¥                 |                   | 19.11             | 15.17             | 060            |
| 26230              |     | ⋖      | Partial removal of hand bone | 6.33         | ₹               | ¥               | 10.30           | 6.04            | 0.54             | ¥                 |                   | 17.17             | 12.91             | 060            |
| 26235              |     | ∢      | Partial removal, finger bone | 6.19         | ¥               | ¥               | 10.18           | 5.94            | 0.56             | ¥                 |                   | 16.93             | 12.69             | 060            |
| 26236              |     | ∢      | Partial removal, finger bone | 5.32         | ¥               | ¥               | 10.06           | 5.66            | 0.52             | ¥                 |                   | 15.90             | 11.50             | 060            |
| 26250              |     | ⋖      | Extensive hand surgery       | 7.55         | ₹               | Ϋ́              | 11.44           | 7.74            | 0.84             | ¥                 |                   | 19.83             | 16.13             | 060            |
| 26255              |     | ∢      | Extensive hand surgery       | 12.43        | ¥               | A<br>A          | 14.81           | 10.98           | 1.20             | ¥                 |                   | 28.44             | 24.61             | 060            |
| 26260              |     | ∢      | Extensive finger surgery     | 7.03         | ¥               | Ϋ́              | 12.94           | 7.90            | 92.0             | ¥                 |                   | 20.73             | 15.69             | 060            |
| 26261              |     | ∢      | Extensive finger surgery     | 60.6         | ¥               | ₹               | 7.85            | 8.23            | 1.02             | ¥                 |                   | 17.96             | 18.34             | 060            |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                              |     |        |                              |              | Non-            | Transitioned    |                 | Transitioned    | :                |                   |                   |                   |                   |        |
|------------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| -                            |     |        |                              | Physician    | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 26262                        |     | ∢      | Partial removal of finger    | 2.67         | ¥               | Ą               | 10.91           | 6:59            | 0.59             | ¥                 | ₹                 | 17.17             | 12.85             | 060    |
| 26320                        |     | ⋖      | Removal of implant from hand | 3.98         | Ā               | Š               | 10.11           | 5.41            | 0.45             | ¥                 | ¥                 | 14.54             | 9.84              | 060    |
| 26350                        |     | ∢      | Repair finger/hand tendon    | 5.99         | Ϋ́              | Ϋ́              | 14.59           | 8.32            | 0.77             | ¥                 | ¥                 | 21.35             | 15.08             | 060    |
| 26352                        |     | ∢      | Repair/graft hand tendon     | 7.68         | ¥               | ¥<br>¥          | 14.85           | 9.08            | 98.0             | ¥                 | ¥                 | 23.39             | 17.62             | 060    |
| 26356                        |     | ∢      | Repair finger/hand tendon    | 8.07         | ¥               | Š               | 16.05           | 9.88            | 0.97             | ¥                 | ¥                 | 25.09             | 18.92             | 060    |
| 26357                        |     | ∢      | Repair finger/hand tendon    | 8.58         | ¥               | ₹<br>Z          | 16.47           | 9.47            | 0.93             | ¥                 | ¥                 | 25.98             | 18.98             | 060    |
| 26358                        |     | ∢      | Repair/graft hand tendon     | 9.14         | ¥               | Ϋ́              | 16.24           | 10.08           | 0.99             | ¥                 | ¥                 | 26.37             | 20.21             | 060    |
| 26370                        |     | ∢      | Repair finger/hand tendon    | 7.11         | ¥               | Š               | 15.75           | 9.40            | 0.88             | ¥                 | ¥                 | 23.74             | 17.39             | 060    |
| 26372                        |     | ∢      | Repair/graft hand tendon     | 8.76         | ¥               | Ϋ́              | 16.88           | 9.42            | 0.90             | ¥                 | ¥                 | 26.54             | 19.08             | 060    |
| 26373                        |     | ∢      | Repair finger/hand tendon    | 8.16         | ¥               | <b>∀</b>        | 17.96           | 10.06           | 0.87             | ¥                 | ¥                 | 26.99             | 19.09             | 060    |
| 26390                        |     | ∢      | Revise hand/finger tendon    | 9.19         | ¥               | Ϋ́              | 13.45           | 9.84            | 96.0             | ¥                 | ¥                 | 23.60             | 19.99             | 060    |
| 26392                        |     | ⋖      | Repair/graft hand tendon     | 10.26        | ¥               | Υ<br>Υ          | 17.11           | 11.28           | 0.99             | ¥                 | ¥                 | 28.36             | 22.53             | 060    |
| 26410                        |     | ∢      | Repair hand tendon           | 4.63         | ¥               | Ϋ́              | 12.06           | 5.69            | 0.40             | ¥                 | ¥                 | 17.09             | 10.72             | 060    |
| 26412                        |     | ∢      | Repair/graft hand tendon     | 6.31         | ¥               | Ϋ́              | 13.26           | 8.21            | 92.0             | ¥                 | ¥                 | 20.33             | 15.28             | 060    |
| 26415                        |     | ∢      | Excision, hand/finger tendon | 8.34         | ¥               | Ϋ́              | 11.82           | 8.45            | 0.70             | ¥                 | ¥                 | 20.86             | 17.49             | 060    |
| 26416                        |     | ∢      | Graft hand or finger tendon  | 9.37         | ¥               | <b>∀</b>        | 14.21           | 10.59           | 1.10             | ¥                 | ¥                 | 24.68             | 21.06             | 060    |
| 26418                        |     | ∢      | Repair finger tendon         | 4.25         | ¥               | ¥               | 11.69           | 5.84            | 0.46             | ¥                 | ¥                 | 16.40             | 10.55             | 060    |
| 26420                        |     | ∢      | Repair/graft finger tendon   | 6.77         | ¥               | ¥               | 13.24           | 7.93            | 0.75             | ¥                 | ¥                 | 20.76             | 15.45             | 060    |
| 26426                        |     | ∢      | Repair finger/hand tendon    | 6.15         | ¥               | ₹               | 12.82           | 8.34            | 0.84             | ¥                 | ¥                 | 19.81             | 15.33             | 060    |
| 26428                        |     | ∢      | Repair/graft finger tendon   | 7.21         | ¥               | ¥               | 13.72           | 7.91            | 0.78             | ¥                 | ¥                 | 21.71             | 15.90             | 060    |
| 26432                        |     | ∢      | Repair finger tendon         | 4.02         | ¥               | Ϋ́              | 10.02           | 3.79            | 0.40             | ¥                 | ¥                 | 14.44             | 8.21              | 060    |
| 26433                        |     | ∢      | Repair finger tendon         | 4.56         | ¥               | Š               | 10.54           | 5.85            | 0.52             | ¥                 | ¥                 | 15.62             | 10.93             | 060    |
| 26434                        |     | ∢      | Repair/graft finger tendon   | 6.09         | ¥               | ₹               | 14.12           | 7.56            | 99.0             | ¥                 | ¥                 | 20.87             | 14.31             | 060    |
| 26437                        |     | ∢      | Realignment of tendons       | 5.82         | ¥               | Ϋ́              | 10.95           | 6.04            | 0.53             | ¥                 | ¥                 | 17.30             | 12.39             | 060    |
| 26440                        |     | ∢      | Release palm/finger tendon   | 5.02         | ¥               | Ϋ́              | 13.66           | 6.32            | 0.46             | ¥                 | ¥                 | 19.14             | 11.80             | 060    |
| 26442                        |     | ∢      | Release palm & finger tendon | 8.16         | ¥               | Ϋ́              | 15.21           | 6.55            | 0.46             | ¥                 | ¥                 | 23.83             | 15.17             | 060    |
| 26445                        |     | ∢      | Release hand/finger tendon   | 4.31         | ₹               | Ϋ́              | 13.47           | 6.02            | 0.42             | Ϋ́                | ¥                 | 18.20             | 10.75             | 060    |
| 26449                        |     | ∢      | Release forearm/hand tendon  | 7.00         | ₹ :             | ₹<br>Z          | 15.48           | 8.40            | 0.75             | ₹ i               | ¥                 | 23.23             | 16.15             | 060    |
| 26450                        |     | ∢      | Incision of palm tendon      | 3.67         | <b>₹</b> :      | ₹<br>Z          | 6.92            | 3.58            | 0.28             | ₹ :               | ¥:                | 10.87             | 7.53              | 060    |
| 26455                        |     | ∢      | Incision of finger tendon    | 3.64         | A<br>A          | Ž.              | 9.67            | 3.21            | 0.26             | ₹<br>Z            | ¥<br>V            | 10.57             | 7.11              | 060    |
| 26460                        |     | ∢      | Incise hand/finger tendon    | 3.46         | ₹               | <b>∀</b>        | 6.56            | 3.04            | 0.23             | ¥                 | ¥                 | 10.25             | 6.73              | 060    |
| 26471                        |     | ∢      | Fusion of finger tendons     | 5.73         | ΑĀ              | Ϋ́              | 10.69           | 6.05            | 0.52             | ₹                 | Š                 | 16.94             | 12.30             | 060    |
| 26474                        |     | ∢      | Fusion of finger tendons     | 5.32         | ₹               | Ϋ́              | 11.05           | 6.51            | 0.59             | ¥                 | ¥                 | 16.96             | 12.42             | 060    |
| 26476                        |     | ∢      | Tendon lengthening           | 5.18         | ¥               | Ϋ́              | 11.49           | 5.23            | 0.21             | ¥                 | ¥                 | 16.88             | 10.62             | 060    |
| 26477                        |     | ∢      | Tendon shortening            | 5.15         | ¥               | ₹               | 10.37           | 5.84            | 0.57             | ¥                 | ¥                 | 16.09             | 11.56             | 060    |
| 26478                        |     | ∢      | Lengthening of hand tendon   | 5.80         | ₹               | Ϋ́              | 11.23           | 6.31            | 0.56             | ¥                 | ¥                 | 17.59             | 12.67             | 060    |
| 26479                        |     | ∢      | Shortening of hand tendon    | 5.74         | ¥               | Ϋ́              | 11.16           | 7.10            | 0.67             | ¥                 | ¥                 | 17.57             | 13.51             | 060    |
| 26480                        |     | ∢      | Transplant hand tendon       | 69.9         | ¥               | Ϋ́              | 14.92           | 9.05            | 0.87             | ¥                 | ¥                 | 22.48             | 16.61             | 060    |
| 26483                        |     | ∢      | Transplant/graft hand tendon | 8.29         | ₹               | Ϋ́              | 15.45           | 10.78           | 1.10             | ¥                 | Š                 | 24.84             | 20.17             | 060    |
| 26485                        |     | ∢      | Transplant palm tendon       | 7.70         | Ϋ́              | Š               | 16.42           | 9.39            | 0.84             | Ž                 | ¥                 | 24.96             | 17.93             | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                   |            | •  | TO THE OWN OF  | Mon             | Transitioned    |                 | Trancitioned    |                  |                   |                   |                   |                   |            |
|-------------------|------------|--|----------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
|                   |            |  |                | facility        | Mon-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |            |
| 1                 |            |  | Physician      | practice        | practice        | practice        | practice        | Hal-             | Non-              | Non-              |                   | Transitioned      |            |
| CPT //<br>HCPCS 2 | Mod Status | us Description                                   | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
|                   |            | Transplant/graft palm tendon                     | 9.55           | ₹               | ¥               | 12.90           | 5.99            | 0.40             | ¥                 | ₹                 | 22.85             | 15.94             | 060        |
| 26490             | ∢          | A Revise thumb tendon                            | 8.41           | ¥               | Ą               | 12.38           | 9.45            | 1.00             | ¥<br>Y            | ¥                 | 21.79             | 18.86             | 060        |
| 26492             | ∢          | \ Tendon transfer with graft                     | 9.62           | ¥               | ¥               | 14.10           | 10.65           | 0.95             | ¥                 | ¥                 | 24.67             | 21.22             | 060        |
| 26494             | ∢          | A Hand tendon/muscle transfer                    | 8.47           | ¥               | Ϋ́              | 12.74           | 9.11            | 96.0             | ¥                 | ¥                 | 22.17             | 18.54             | 060        |
| 26496             | ∢          | A Revise thumb tendon                            | 69.6           | ¥               | Ϋ́              | 12.45           | 10.22           | 1.20             | ¥                 | ¥                 | 23.24             | 21.01             | <b>060</b> |
| 26497             | ∢          | V Finger tendon transfer                         | 9.57           | ¥               | ¥               | 14.97           | 10.27           | 1.08             | ¥                 | ¥                 | 25.62             | 20.92             | 060        |
| 26498             | ∢          | A Finger tendon transfer                         | 14.00          | ¥               | Ϋ́              | 17.41           | 13.94           | 1.60             | ¥                 | ¥                 | 33.01             | 29.54             | 060        |
| 26499             | ∢          | A Revision of finger                             | 8.98           | ¥               | Ϋ́              | 12.96           | 9.55            | 0.98             | ¥                 | ¥                 | 22.92             | 19.51             | 060        |
| 26500             | ∢          | A Hand tendon reconstruction                     | 5.96           | ¥               | ¥               | 11.47           | 5.71            | 0.47             | ¥                 | ¥                 | 17.90             | 12.14             | 060        |
| 26502             | ∢          | A Hand tendon reconstruction                     | 7.14           | ¥               | ¥               | 12.48           | 7.41            | 0.74             | ¥                 | ¥                 | 20.36             | 15.29             | 060        |
| 26504             | ⋖          | A Hand tendon reconstruction                     | 7.47           | ¥               | ¥               | 15.79           | 9.42            | 0.87             | ¥                 | ¥                 | 24.13             | 17.76             | 060        |
| 26508             | ∢          | A Release thumb contracture                      | 6.01           | ¥               | Ϋ́              | 10.98           | 6.12            | 0.56             | ¥                 | ¥                 | 17.55             | 12.69             | 060        |
| 26510             | ∢          | A Thumb tendon transfer                          | 5.43           | ¥               | Ϋ́              | 11.36           | 6.22            | 0.53             | ¥                 | ¥                 | 17.32             | 12.18             | 060        |
| 26516             | ⋖          | A Fusion of knuckle joint                        | 7.15           | ¥               | Ϋ́              | 11.65           | 6.30            | 0.52             | ¥                 | ¥                 | 19.32             | 13.97             | 060        |
| 26517             | ∢          | A Fusion of knuckle joints                       | 8.83           | Ϋ́              | A<br>A          | 15.19           | 9.55            | 96.0             | ¥                 | ¥                 | 24.98             | 19.34             | 060        |
| 26518             | ∢          | <ul> <li>Fusion of knuckle joints</li> </ul>     | 9.05           | ¥               | ¥               | 12.57           | 8.45            | 0.95             | ¥                 | ¥                 | 22.54             | 18.42             | 060        |
| 26520             | ⋖          | A Release knuckle contracture                    | 5.30           | ¥               | Ϋ́              | 13.68           | 7.07            | 0.56             | ¥                 | ¥                 | 19.54             | 12.93             | 060        |
| 26525             | ⋖          | A Release finger contracture                     | 5.33           | ₹               | ¥               | 13.78           | 6.41            | 0.49             | ¥                 | ¥                 | 19.60             | 12.23             | 060        |
| 26530             | ⋖          | A Revise knuckle joint                           | 69.9           | ¥               | ¥               | 14.50           | 7.83            | 99.0             | ¥                 | ¥                 | 21.85             | 15.18             | 060        |
| 26531             | ⋖          | A Revise knuckle with implant                    | 7.91           | ¥               | Š               | 16.19           | 9.46            | 0.87             | ¥                 | ¥                 | 24.97             | 18.24             | 060        |
| 26535             | ⋖          | A Revise finger joint                            | 5.24           | ¥               | Ϋ́              | 8.09            | 5.96            | 0.45             | ¥                 | ¥                 | 13.78             | 11.65             | 060        |
| 26536             | ⋖          | A Revise/implant finger joint                    | 6.37           | ¥               | ¥               | 13.88           | 9.18            | 0.93             | ¥                 | ¥                 | 21.18             | 16.48             | 060        |
| 26540             | ⋖          | A Repair hand joint                              | 6.43           | ¥               | Ϋ́              | 11.45           | 8.27            | 0.88             | ¥                 | ¥                 | 18.76             | 15.58             | 060        |
| 26541             | ∢          | <ul> <li>Repair hand joint with graft</li> </ul> | 8.62           | ₹               | Ϋ́              | 13.06           | 10.54           | 1.15             | ¥                 | ¥                 | 22.83             | 20.31             | 060        |
| 26542             | ∢          | A Repair hand joint with graft                   | 6.78           | ¥               | Ϋ́              | 11.51           | 7.49            | 0.76             | ¥                 | ¥                 | 19.05             | 15.03             | 060        |
| 26545             | ⋖          | A Reconstruct finger joint                       | 6.92           | ¥               | Ϋ́              | 11.83           | 7.25            | 0.74             | ₹                 | ¥                 | 19.49             | 14.91             | 060        |
| 26546             | ∢          | A Repair non-union hand                          | 8.92           | ₹               | A<br>A          | 13.37           | 9.94            | 1.04             | ¥                 | ¥                 | 23.33             | 19.90             | 060<br>060 |
| 26548             | ⋖          | A Reconstruct finger joint                       | 8.03           | ¥.              | ¥<br>X          | 12.54           | 7.85            | 0.78             | ₹                 | ₹                 | 21.35             | 16.66             | 060        |
| 26550             | ∢ •        | A Construct thumb replacement                    | 21.24          | ≨ :             | ₹ :             | 24.06           | 22.14           | 2.53             | ₹ :               | ¥:                | 47.83             | 45.91             | 060        |
| 26551             | ď.         | A Great toe-hand transfer                        | 46.58          | <b>₹</b> :      | ¥ :             | 34.04           | 42.90           | 5.41             | ₹ :               | ¥ :               | 86.03             | 94.89             | 060        |
| 26553             | ⋖          | <ul> <li>Single toe-hand transfer</li> </ul>     | 46.27          | ≨ :             | ₹<br>Z          | 25.35           | 40.49           | 5.37             | ¥<br>Z            | ¥:                | 76.99             | 92.13             | 060        |
| 26554             | ⋖          | A Double toe-hand transfer                       | 54.95          | ₹               | Ϋ́              | 34.94           | 49.48           | 6.42             | ¥                 | Ϋ́                | 96.31             | 110.85            | <u>6</u>   |
| 26555             | ∢          | <ul> <li>Positional change of finger</li> </ul>  | 16.63          | ¥               | Ϋ́              | 17.60           | 16.94           | 1.97             | ¥                 | ¥                 | 36.20             | 35.54             | 060        |
| 26556             | ⋖          | A Toe joint transfer                             | 47.26          | ¥               | Š               | 25.72           | 41.16           | 5.47             | ₹                 | ¥                 | 78.45             | 93.89             | 060        |
| 26560             | ▼          | A Repair of web finger                           | 5.38           | ₹               | Š               | 11.15           | 6.58            | 0.52             | ₹                 | ¥                 | 17.05             | 12.48             | 060        |
| 26561             | ⋖          | <ul> <li>Repair of web finger</li> </ul>         | 10.92          | Ϋ́              | Υ<br>Y          | 15.44           | 11.10           | 1.22             | ¥                 | ¥                 | 27.58             | 23.24             | 060        |
| 26562             | ⋖          | <ul> <li>Repair of web finger</li> </ul>         | 89.6           | Š               | Ϋ́              | 13.13           | 11.95           | 0.64             | ¥                 | ¥                 | 23.45             | 22.27             | 060        |
| 26565             | ⋖          | <ul> <li>Correct metacarpal flaw</li> </ul>      | 6.74           | ¥               | Ϋ́              | 12.11           | 7.77            | 99.0             | ¥                 | ¥                 | 19.51             | 15.17             | 060        |
| 26567             | ⋖          | <ul> <li>Correct finger deformity</li> </ul>     | 6.82           | ¥               | Ϋ́              | 11.51           | 6.36            | 0.52             | ¥                 | ¥                 | 18.85             | 13.70             | 060        |
| 26568             | d.         | <ul> <li>Lengthen metacarpal/finger</li> </ul>   | 9.08           | ¥               | ₹               | 13.54           | 10.26           | 0.83             | Š                 | <b>₹</b>          | 23.45             | 20.17             | 060        |

Page 29 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |     |        |                              |              | Mon             | Trancitioned    |                 | Transitioned           |                  |                   |                   |                   |                   |          |
|-----------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|----------|
|                             |     |        |                              |              | facility        | Non-facility    | Facility        | rransmoneu<br>Facility |                  |                   | Transitioned      |                   |                   |          |
| l.                          |     |        |                              | Physician    | practice        | practice        | practice        | practice               | Mal-             |                   | Non-              |                   | Transitioned      |          |
| CPT /<br>HCPCS <sup>2</sup> | Мод | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global   |
| 26580                       |     | ∢      | Repair hand deformity        | 18.18        | ¥               | ¥               | 13.76           | 17.19                  | 2.16             |                   | Ϋ́                | 34.10             | 37.53             | 060      |
| 26585                       |     | ∢      | Repair finger deformity      | 14.05        | Š               | Ϋ́              | 12.08           | 13.56                  | 1.66             | ¥                 | Ϋ́                | 27.79             | 29.27             | 060      |
| 26587                       |     | ပ      | Reconstruct extra finger     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | 060      |
| 26590                       |     | ∢      | Repair finger deformity      | 17.96        | ¥               | ¥               | 11.39           | 16.39                  | 2.13             | ¥                 | ΑĀ                | 31.48             | 36.48             | 060      |
| 26591                       |     | ∢      | Repair muscles of hand       | 3.25         | ¥               | ¥               | 10.36           | 4.46                   | 0.31             | ¥                 | ¥                 | 13.92             | 8.02              | 060      |
| 26593                       |     | ∢      | Release muscles of hand      | 5.31         | ₹               | ¥               | 10.46           | 5.97                   | 0.55             | ¥                 | Ϋ́                | 16.32             | 11.83             | 060      |
| 26596                       |     | ∢      | Excision constricting tissue | 8.95         | ¥               | ¥               | 8.72            | 8.89                   | 1.06             | ¥                 | ¥                 | 18.73             | 18.90             | 060      |
| 26597                       |     | ∢      | Release of scar contracture  | 9.82         | ¥               | ¥               | 13.35           | 9.86                   | 1.07             | ¥                 | ¥                 | 24.24             | 20.75             | 060      |
| 26600                       |     | ∢      | Treat metacarpal fracture    | 1.96         | 5.39            | 2.60            | 1.91            | 1.11                   | 0.17             | 7.52              | 4.73              | 4.04              | 3.24              | 060      |
| 26605                       |     | ∢      | Treat metacarpal fracture    | 2.85         | 6.87            | 3.59            | 3.40            | 1.79                   | 0.28             | 10.00             | 6.72              | 6.53              | 4.92              | 060      |
| 26607                       |     | ∢      | Treat metacarpal fracture    | 5.36         | ¥               | ¥               | 7.07            | 4.66                   | 0.45             | ¥                 | Ϋ́                | 12.88             | 10.47             | 060      |
| 26608                       |     | ∢      | Treat metacarpal fracture    | 5.36         | ¥               | ¥               | 6.74            | 4.57                   | 0.45             | ¥                 | ¥                 | 12.55             | 10.38             | 060      |
| 26615                       |     | ∢      | Repair metacarpal fracture   | 5.33         | ¥               | ₹               | 6.19            | 5.52                   | 0.63             | ¥                 | A<br>A            | 12.15             | 11.48             | 060      |
| 26641                       |     | ⋖      | Treat thumb dislocation      | 3.94         | 7.05            | 2.66            | 3.25            | 1.71                   | 0.11             | 11.10             | 6.71              | 7.30              | 5.76              | 060      |
| 26645                       |     | ∢      | Treat thumb fracture         | 4.41         | 7.65            | 3.71            | 4.08            | 2.81                   | 0.26             | 12.32             | 8.38              | 8.75              | 7.48              | 060      |
| 26650                       |     | ∢      | Repair thumb fracture        | 5.72         | ¥               | ¥               | 6.85            | 4.98                   | 0.50             | ¥                 | ¥                 | 13.07             | 11.20             | 060      |
| 26665                       |     | ∢      | Repair thumb fracture        | 09'2         | ¥               | ¥               | 7.37            | 7.04                   | 0.85             | ¥                 | Š                 | 15.82             | 15.49             | 060      |
| 26670                       |     | ∢      | Treat hand dislocation       | 3.69         | 7.02            | 2.54            | 3.04            | 1.54                   | 0.08             | 10.79             | 6.31              | 6.81              | 5.31              | 060      |
| 26675                       |     | ∢      | Treat hand dislocation       | 4.64         | 99.9            | 5.20            | 3.25            | 4.35                   | 0.47             | 11.77             | 10.31             | 8.36              | 9.46              | 060      |
| 26676                       |     | ∢      | Pin hand dislocation         | 5.52         | ¥               | ¥               | 6.94            | 5.69                   | 0.52             | ¥                 | Ϋ́                | 12.98             | 11.73             | 060      |
| 26685                       |     | ∢      | Repair hand dislocation      | 6.98         | ¥               | ¥               | 7.61            | 6.59                   | 0.71             | ¥                 | ¥<br>Z            | 15.30             | 14.28             | 060      |
| 26686                       |     | ∢      | Repair hand dislocation      | 7.94         | ¥               | ¥               | 7.43            | 7.00                   | 0.81             | ¥                 | ¥                 | 16.18             | 15.75             | 060      |
| 26700                       |     | ∢      | Treat knuckle dislocation    | 3.69         | 3.74            | 1.66            | 2.08            | 1.24                   | 0.08             | 7.51              | 5.43              | 5.85              | 5.01              | 060      |
| 26705                       |     | ∢      | Treat knuckle dislocation    | 4.19         | 87.9            | 3.14            | 3.42            | 2.30                   | 0.21             | 11.18             | 7.54              | 7.82              | 6.70              | 060      |
| 26706                       |     | ∢      | Pin knuckle dislocation      | 5.12         | ¥               | ¥               | 4.91            | 5.04                   | 0.59             | ¥                 | ¥                 | 10.62             | 10.75             | 060      |
| 26715                       |     | ∢      | Repair knuckle dislocation   | 5.74         | ¥               | ¥               | 6.47            | 4.98                   | 0.52             | ¥                 | ¥                 | 12.73             | 11.24             | 060      |
| 26720                       |     | ∢      | Treat finger fracture, each  | 1.66         | 2.26            | 1.46            | 1.31            | 0.78                   | 0.12             | 4.04              | 3.24              | 3.09              | 2.56              | 060      |
| 26725                       |     | ∢      | Treat finger fracture, each  | 3.33         | 4.02            | 2.26            | 2.75            | 1.32                   | 0.18             | 7.53              | 5.77              | 6.26              | 4.83              | <u>6</u> |
| 26727                       |     | ∢      | Treat finger fracture, each  | 5.23         | ¥:              | <b>∀</b>        | 6.71            | 3.67                   | 0.30             | ¥                 | ¥                 | 12.24             | 9.20              | 060      |
| 26735                       |     | ∢      | Repair finger fracture, each | 5.98         | Ϋ́              | ¥               | 6.33            | 4.62                   | 0.48             | ¥                 | ₹                 | 12.79             | 11.08             | <u>6</u> |
| 26740                       |     | ∢      | Treat finger fracture, each  | 1.94         | 2.78            | 1.64            | 2.14            | 1.01                   | 0.13             | 4.85              | 3.71              | 4.21              | 3.08              | 060      |
| 26742                       |     | ∢      | Treat finger fracture, each  | 3.85         | 7.66            | 3.53            | 4.09            | 2.64                   | 0.25             | 11.76             | 7.63              | 8.19              | 6.74              | 060      |
| 26746                       |     | ∢      | Repair finger fracture, each | 5.81         | ¥               | Ϋ́              | 92.9            | 5.50                   | 0.63             | ¥                 | ¥                 | 13.00             | 11.94             | 060      |
| 26750                       |     | ∢      | Treat finger fracture, each  | 1.70         | 2.60            | 1.33            | 1.57            | 1.07                   | 90.0             | 4.38              | 3.11              | 3.35              | 2.85              | 060      |
| 26755                       |     | ∢      | Treat finger fracture, each  | 3.10         | 3.83            | 1.84            | 2.41            | 1.48                   | 0.12             | 7.05              | 5.06              | 5.63              | 4.70              | 060      |
| 26756                       |     | ∢      | Pin finger fracture, each    | 4.39         | ¥               | ¥               | 6.26            | 3.11                   | 0.26             | ¥                 | ¥                 | 10.91             | 7.76              | 060      |
| 26765                       |     | ∢      | Repair finger fracture, each | 4.17         | ¥               | ¥               | 5.47            | 3.54                   | 0.35             | ¥                 | ¥                 | 66.6              | 8.06              | 060      |
| 26770                       |     | ∢      | Treat finger dislocation     | 3.02         | 3.51            | 1.49            | 1.77            | 1.06                   | 90:0             | 6.59              | 4.57              | 4.85              | 4.14              | 060      |
| 26775                       |     | ∢      | Treat finger dislocation     | 3.71         | 6.32            | 2.50            | 2.98            | 1.67                   | 0.13             | 10.16             | 6.34              | 6.82              | 5.51              | 060      |
| 26776                       |     | ∢      | Pin finger dislocation       | 4.80         | Š               | Ϋ́              | 6.51            | 3.32                   | 0.27             | Š                 | ž                 | 11.58             | 8.39              | 060      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Denial Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                  |     |        |                               |                | אבניעוואר זי    | Territory       | יישוא /כסיו     | Transferred IIII       |                  | <u>.</u>          |                   |                   |                     |        |
|------------------|-----|--------|-------------------------------|----------------|-----------------|-----------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|---------------------|--------|
|                  |     |        |                               |                | facility        | Non-facility    | Facility        | n unsmoneu<br>Facility |                  |                   | Transitioned      |                   |                     |        |
| 7                |     |        |                               | Physician      | practice        | practice        | practice        | practice               | -Wal             | Non-              | Non-              |                   | <b>Iransitioned</b> |        |
| CPI /<br>HCPCS 2 | Mod | Status | Description                   | work<br>RVUs   | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total   | Global |
| 26785            |     | ∢      | Repair finger dislocation     | 4.21           | ΑĀ              | ¥               | 5.54            | 3.80                   | 0.38             | ΑN                | Ą                 | 10.13             | 8.39                | 060    |
| 26820            |     | ⋖      | Thumb fusion with graft       | 8.26           | ¥               | ¥               | 12.88           | 8.64                   | 0.82             | ¥                 | Ā                 | 21.96             | 17.72               | 060    |
| 26841            |     | ∢      | Fusion of thumb               | 7.13           | Ϋ́              | ¥               | 11.95           | 8.01                   | 0.78             | ¥                 | ¥                 | 19.86             | 15.92               | 060    |
| 26842            |     | ∢      | Thumb fusion with graft       | 8.24           | Ϋ́              | ¥               | 13.18           | 10.28                  | 1.07             | ž                 | ¥                 | 22.49             | 19.59               | 060    |
| 26843            |     | ∢      | Fusion of hand joint          | 7.61           | ¥               | ¥               | 12.82           | 8.39                   | 98.0             | ¥                 | ¥                 | 21.29             | 16.86               | 060    |
| 26844            |     | ∢      | Fusion/graft of hand joint    | 8.73           | ¥               | ¥               | 13.84           | 9.45                   | 0.93             | ¥                 | ¥                 | 23.50             | 19.11               | 060    |
| 26850            |     | ∢      | Fusion of knuckle             | 6.97           | ¥               | ₹               | 11.54           | 6.65                   | 0.59             | ¥                 | ¥                 | 19.10             | 14.21               | 060    |
| 26852            |     | ∢      | Fusion of knuckle with graft  | 8.46           | Ϋ́              | Ϋ́              | 12.65           | 7.82                   | 0.78             | Ϋ́                | ¥                 | 21.89             | 17.06               | 060    |
| 26860            |     | ∢      | Fusion of finger joint        | 4.69           | Ϋ́              | ₹               | 10.29           | 6.08                   | 0.53             | Ϋ́                | Ϋ́                | 15.51             | 11.30               | 060    |
| 26861            |     | ∢      | Fusion of finger joint, added | 1.74           | ¥               | Š               | 1.20            | 1.85                   | 0.34             | ¥                 | ¥                 | 3.28              | 3.93                | 777    |
| 26862            |     | ∢      | Fusion/graft of finger joint  | 7.37           | ¥               | ₹               | 11.97           | 7.19                   | 99.0             | ¥                 | Ϋ́                | 20.00             | 15.22               | 060    |
| 26863            |     | ∢      | Fuse/graft added joint        | 3.90           | ¥               | Ϋ́              | 2.40            | 3.35                   | 0.45             | ¥                 | ¥                 | 6.75              | 7.70                | 777    |
| 26910            |     | ∢      | Amputate metacarpal bone      | 7.60           | ¥               | ₹               | 10.72           | 6.88                   | 0.73             | ¥                 | ¥                 | 19.05             | 15.21               | 060    |
| 26951            |     | ∢      | Amputation of finger/thumb    | 4.59           | ¥               | ¥               | 29.6            | 4.75                   | 0.38             | ¥                 | ¥                 | 14.64             | 9.72                | 060    |
| 26952            |     | ∢      | Amputation of finger/thumb    | 6.31           | ¥               | ₹               | 11.03           | 6.01                   | 0.54             | ¥                 | Š                 | 17.88             | 12.86               | 060    |
| 26989            |     | ပ      | Hand/finger surgery           | 0.00           | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | Х      |
| 26990            |     | ∢      | Drainage of pelvis lesion     | 7.48           | ₹               | ¥               | 13.33           | 5.85                   | 0.40             | ¥                 | Ą                 | 21.21             | 13.73               | 060    |
| 26991            |     | ∢      | Drainage of pelvis bursa      | 99.9           | 8.19            | 3.52            | 7.33            | 3.30                   | 0.23             | 15.10             | 10.43             | 14.24             | 10.21               | 060    |
| 26992            |     | ∢      | Drainage of bone lesion       | 13.02          | ¥               | Ϋ́              | 17.47           | 9.56                   | 0.82             | ¥                 | Š                 | 31.31             | 23.40               | 060    |
| 27000            |     | ∢      | Incision of hip tendon        | 5.62           | ₹               | Š               | 6.14            | 3.04                   | 0.19             | ¥                 | ¥                 | 11.95             | 8.85                | 060    |
| 27001            |     | ∢      | Incision of hip tendon        | 6.94           | ¥               | Ϋ́              | 6.93            | 3.64                   | 0.30             | ¥                 | Š                 | 14.17             | 10.88               | 060    |
| 27003            |     | ∢      | Incision of hip tendon        | 7.34           | ¥               | Ϋ́              | 7.90            | 7.49                   | 0.84             | Ą                 | <b>₹</b>          | 16.08             | 15.67               | 060    |
| 27005            |     | ∢      | Incision of hip tendon        | 9.66           | ¥               | ¥               | 9.12            | 5.03                   | 0.42             | ¥                 | ¥                 | 19.20             | 15.11               | 060    |
| 27006            |     | ∢      | Incision of hip tendons       | 9.68           | ¥               | ¥               | 8.96            | 6.02                   | 0.60             | ¥                 | Ϋ́                | 19.24             | 16.30               | 060    |
| 27025            |     | ∢      | Incision of hip/thigh fascia  | 11.16          | ¥               | ¥               | 8.88            | 7.20                   | 0.80             | ¥                 | ¥                 | 20.84             | 19.16               | 060    |
| 27030            |     | ∢      | Drainage of hip joint         | 13.01          | <b>₹</b>        | <b>∀</b>        | 11.00           | 12.04                  | 1.46             | ¥                 | <b>₹</b>          | 25.47             | 26.51               | 060    |
| 27033            |     | ∢ ⋅    | Exploration of hip joint      | 13.39          | ₹ :             | ≰ :             | 10.92           | 12.11                  | 1.45             | ≨ :               | ≰ :               | 25.76             | 26.95               | 060    |
| 27035            |     | ∢ ⋅    | Denervation of hip joint      | 16.69          | ¥ :             | ¥ :             | 13.42           | 13.01                  | 1.73             | ₹<br>Z            | ₹ :               | 31.84             | 31.43               | 060    |
| 27036            |     | ∢ ⋅    | Excision of hip joint/muscle  | 12.88          | <b>₹</b> !      | ₹ (             | 11.41           | 12.17                  | 1.46             | ₹ ¦               | ≨ :               | 25.75             | 26.51               | 060    |
| 27040            |     | ∢ ⋅    | Biopsy of son tissues         | 7.07           | 7 : 7           | 30:             | 2.39            | 1.33                   | 0.09             | 7.13              | 90.4<br>90.5      | 5.95              | 4.29                | 010    |
| 27041            |     | ∢ .    | Biopsy of soft tissues        | 8.<br>8.<br>1. | ¥ ;             | ¥ ;             | 6.91            | 3.90                   | 0.34             | ≨ ;               | ∢<br>Z            | 17.14             | 14.13               | 060    |
| 27047            |     | ∢      | Remove hip/pelvis lesion      | 7.45           | 6.86            | 3.25            | 5.74            | 2.97                   | 0.25             | 14.56             | 10.95             | 13.44             | 10.67               | 060    |
| 27048            |     | ∢      | Remove hip/pelvis lesion      | 6.25           | ¥               | ¥               | 6.02            | 5.03                   | 0.64             | ₹                 | ¥                 | 12.91             | 11.92               | 060    |
| 27049            |     | ∢      | Remove tumor, hip/pelvis      | 13.66          | ₹               | ¥               | 10.62           | 10.91                  | 1.46             | ¥                 | Š                 | 25.74             | 26.03               | 060    |
| 27050            |     | ∀      | Biopsy of sacroiliac joint    | 4.36           | ¥               | ¥               | 5.58            | 5.29                   | 0.70             | ¥                 | Š                 | 10.64             | 10.35               | 060    |
| 27052            |     | ∢      | Biopsy of hip joint           | 6.23           | ¥               | Ϋ́              | 7.41            | 7.43                   | 1.24             | ¥                 | ¥                 | 14.88             | 14.90               | 060    |
| 27054            |     | ∢      | Removal of hip joint lining   | 8.54           | ¥               | ¥               | 9.01            | 9.90                   | 1.77             | ¥                 | ¥                 | 19.32             | 20.21               | 060    |
| 27060            |     | ∢      | Removal of ischial bursa      | 5.43           | ¥               | Ϋ́              | 5.71            | 4.63                   | 0.53             | ¥                 | Ϋ́                | 11.67             | 10.59               | 060    |
| 27062            |     | ∢      | Remove femur lesion/bursa     | 5.37           | ₹               | ¥               | 6.04            | 4.95                   | 0.55             | Ϋ́                | Ϋ́                | 11.96             | 10.87               | 060    |
| 27065            |     | ∢      | Removal of hip bone lesion    | 5.90           | Ϋ́              | ¥               | 7.14            | 6.34                   | 0.70             | ¥                 | Ϋ́                | 13.74             | 12.94               | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|       |     |        |                              |           | Non-     | Transitioned            | Lacility | Transitioned | )<br>    |          | ;                  |          |              |        |
|-------|-----|--------|------------------------------|-----------|----------|-------------------------|----------|--------------|----------|----------|--------------------|----------|--------------|--------|
|       |     |        |                              | Physician | practice | mon-racinry<br>practice | practice | practice     | Mal-     | Non-     | Iransmonea<br>Non- |          | Trancitioned |        |
|       |     | ,      | •                            | work      | expense  | expense                 | expense  | expense      | practice | facility | facility           | Facility | Facility     | ;      |
| HCPCS | Mod | Status | Description                  | RVUs      | KVOS     | RVOs                    | KVOS     | KVUS         | KOYS     | Total    | Total              | Total    | Total        | Global |
| 27066 |     | ∢      | Removal of hip bone lesion   | 10.33     | ¥        | ¥                       | 10.53    | 9.06         | 1.02     | ¥        | ¥                  | 21.88    | 20.41        | 060    |
| 27067 |     | ∢      | Remove/graft hip bone lesion | 13.83     | ¥        | ¥<br>V                  | 12.72    | 12.65        | 1.51     | ¥        | ¥                  | 28.06    | 27.99        | 060    |
| 27070 |     | ∢      | Partial removal of hip bone  | 10.72     | ¥        | Š                       | 16.32    | 10.11        | 0.95     | ¥        | ₹                  | 27.99    | 21.78        | 060    |
| 27071 |     | ∢      | Partial removal of hip bone  | 11.46     | ¥        | ¥                       | 16.83    | 11.12        | 1.13     | Ϋ́       | ₹                  | 29.42    | 23.71        | 060    |
| 27075 |     | ⋖      | Extensive hip surgery        | 17.23     | ¥        | ¥                       | 13.68    | 14.44        | 1.82     | ¥        | ¥                  | 32.73    | 33.49        | 060    |
| 27076 |     | ⋖      | Extensive hip surgery        | 22.12     | ¥        | Š                       | 17.52    | 17.71        | 2.04     | ¥        | ¥                  | 41.68    | 41.87        | 060    |
| 27077 |     | ⋖      | Extensive hip surgery        | 23.13     | ¥        | Ϋ́                      | 16.76    | 19.64        | 2.53     | ¥        | ¥                  | 42.42    | 45.30        | 060    |
| 27078 |     | ⋖      | Extensive hip surgery        | 13.44     | ¥        | ¥                       | 12.57    | 10.63        | 1.31     | ¥        | ¥                  | 27.32    | 25.38        | 060    |
| 27079 |     | ∢      | Extensive hip surgery        | 13.75     | ¥        | ¥                       | 11.30    | 9.86         | 1.30     | ¥        | ¥                  | 26.35    | 24.91        | 060    |
| 27080 |     | ∢      | Removal of tail bone         | 6.39      | ¥        | ¥<br>X                  | 5.83     | 5.35         | 99.0     | ¥        | ¥                  | 12.90    | 12.42        | 060    |
| 27086 |     | ∢      | Remove hip foreign body      | 1.87      | 3.83     | 1.43                    | 2.96     | 96.0         | 0.05     | 5.75     | 3.35               | 4.88     | 2.90         | 010    |
| 27087 |     | ⋖      | Remove hip foreign body      | 8.54      | ¥        | ¥                       | 7.62     | 4.85         | 0.47     | ¥        | ¥                  | 16.63    | 13.86        | 060    |
| 27090 |     | ∢      | Removal of hip prosthesis    | 11.15     | ¥        | Ϋ́                      | 10.08    | 9.92         | 1.14     | ¥        | ¥                  | 22.37    | 22.21        | 060    |
| 27091 |     | ∢      | Removal of hip prosthesis    | 22.14     | Ϋ́       | ¥<br>V                  | 15.01    | 19.88        | 2.47     | ¥        | ¥                  | 39.62    | 44.49        | 060    |
| 27093 |     | ∢      | Injection for hip x-ray      | 1.30      | 10.85    | 3.38                    | 0.41     | 0.77         | 0.09     | 12.24    | 4.77               | 1.80     | 2.16         | 00     |
| 27095 |     | ∢      | Injection for hip x-ray      | 1.50      | 11.00    | 3.51                    | 0.46     | 0.87         | 0.10     | 12.60    | 5.11               | 2.06     | 2.47         | 00     |
| 27097 |     | ∢      | Revision of hip tendon       | 8.80      | ¥        | Š                       | 8.09     | 8.30         | 0.99     | ¥        | ¥                  | 17.88    | 18.09        | 060    |
| 27098 |     | ∢      | Transfer tendon to pelvis    | 8.83      | ¥        | Š                       | 8.24     | 8.34         | 0.99     | ¥        | ¥                  | 18.06    | 18.16        | 060    |
| 27100 |     | ∢      | Transfer of abdominal muscle | 11.08     | ž        | ¥                       | 10.70    | 8.92         | 1.11     | ¥        | ¥                  | 22.89    | 21.11        | 060    |
| 27105 |     | ∢      | Transfer of spinal muscle    | 11.77     | ¥        | Š                       | 10.29    | 7:37         | 1.06     | ¥        | ¥                  | 23.12    | 20.20        | 060    |
| 27110 |     | ∢      | Transfer of iliopsoas muscle | 13.26     | ¥        | ¥                       | 11.68    | 11.55        | 1.46     | ₹        | ¥                  | 26.40    | 26.27        | 060    |
| 27111 |     | ⋖      | Transfer of iliopsoas muscle | 12.15     | ¥        | ¥                       | 10.62    | 12.12        | 1.29     | ₹        | ¥                  | 24.06    | 25.56        | 060    |
| 27120 |     | ∢      | Reconstruction of hip socket | 18.01     | ¥        | ¥                       | 13.17    | 18.02        | 2.31     | ¥        | ¥                  | 33.49    | 38.34        | 060    |
| 27122 |     | ∢      | Reconstruction of hip socket | 14.98     | ¥        | ¥                       | 12.65    | 16.58        | 2.30     | ¥        | ¥                  | 29.93    | 33.86        | 060    |
| 27125 |     | ∢      | Partial hip replacement      | 14.69     | ₹        | Š                       | 12.23    | 16.21        | 2.35     | ¥        | ¥                  | 29.27    | 33.25        | 060    |
| 27130 |     | ∢      | Total hip replacement        | 20.12     | ¥        | ¥<br>Z                  | 15.48    | 21.89        | 3.58     | ¥        | ¥                  | 39.18    | 45.59        | 060    |
| 27132 |     | ∢      | Total hip replacement        | 23.30     | ₹        | ¥                       | 17.20    | 25.17        | 3.98     | ¥        | ¥                  | 44.48    | 52.45        | 060    |
| 27134 |     | ∢      | Revise hip joint replacement | 28.52     | ₹        | Š                       | 19.89    | 30.50        | 4.66     | ₹        | ¥                  | 53.07    | 63.68        | 060    |
| 27137 |     | ∢      | Revise hip joint replacement | 21.17     | ¥        | Ϋ́                      | 16.18    | 23.01        | 3.77     | ¥        | ¥                  | 41.12    | 47.95        | 060    |
| 27138 |     | ∢      | Revise hip joint replacement | 22.17     | ¥        | Ϋ́                      | 16.62    | 23.88        | 3.58     | ¥        | ¥                  | 42.37    | 49.63        | 060    |
| 27140 |     | ∢      | Transplant of femur ridge    | 12.24     | ¥        | ¥                       | 10.52    | 11.62        | 1.34     | ¥        | ¥                  | 24.10    | 25.20        | 060    |
| 27146 |     | ∢      | Incision of hip bone         | 17.43     | ¥        | ¥                       | 14.42    | 12.46        | 1.06     | ¥        | ¥                  | 32.91    | 30.95        | 060    |
| 27147 |     | ∢      | Revision of hip bone         | 20.58     | ₹        | ¥                       | 14.91    | 17.54        | 2.16     | ¥        | ¥                  | 37.65    | 40.28        | 060    |
| 27151 |     | ⋖      | Incision of hip bones        | 22.51     | ¥        | ¥                       | 16.63    | 18.57        | 2.27     | ¥        | ¥                  | 41.41    | 43.35        | 060    |
| 27156 |     | ∢      | Revision of hip bones        | 24.63     | ¥        | ¥                       | 17.77    | 19.35        | 2.41     | ¥        | ¥                  | 44.81    | 46.39        | 060    |
| 27158 |     | ⋖      | Revision of pelvis           | 19.74     | ¥        | ¥                       | 15.76    | 15.68        | 2.07     | Ϋ́       | ¥                  | 37.57    | 37.49        | 060    |
| 27161 |     | ⋖      | Incision of neck of femur    | 16.71     | ¥        | ¥                       | 13.50    | 15.02        | 1.81     | ¥        | ¥                  | 32.02    | 33.54        | 060    |
| 27165 |     | ⋖      | Incision/fixation of femur   | 17.91     | ₹        | ¥                       | 13.51    | 17.02        | 5.06     | ¥        | ¥                  | 33.48    | 36.99        | 060    |
| 27170 |     | ⋖      | Repair/graft femur head/neck | 16.07     | ¥        | ¥                       | 12.78    | 16.55        | 2.07     | ¥        | ¥                  | 30.92    | 34.69        | 060    |
| 27175 |     | ∢      | Treat slipped epiphysis      | 8.46      | Š        | N<br>A                  | 6.97     | 2.70         | 0.14     | Ϋ́       | ¥                  | 15.57    | 11.30        | 060    |

Page 32 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                   |          | 2                            | PLINDOM D.        | יייי אייי           | יייייייייייייייייייייייייייייייייייייי | ANN ICO             | בייוני וווו ל           | 171121171        | •                |                  |          |                          |            |
|-------------------|----------|------------------------------|-------------------|---------------------|--|---------------------|-------------------------|------------------|------------------|------------------|----------|--------------------------|------------|
|                   |          |                              |                   | non-<br>facility    | Iranstroned<br>Non-facility            | Facility            | ıransınonea<br>Facility |                  |                  | Transitioned     |          |                          |            |
| / <sub>1</sub> LD |          |                              | Physician<br>work | practice<br>expense | practice<br>expense                    | practice<br>expense | practice<br>expense     | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |            |
| HCPCS 2 Mod       | d Status | Description                  | RVUs 3            | RYUS                | RVUs                                   | RYUS                | RYUS                    | RUYs             | Total            | Total            | Total    | Total                    | Global     |
| 27176             | ∢        | Treat slipped epiphysis      | 12.05             | ¥                   | Ϋ́                                     | 8.65                | 10.62                   | 1.33             | Ϋ́               | ΑĀ               | 22.03    | 24.00                    | 060        |
| 27177             | ⋖        | Repair slipped epiphysis     | 15.08             | ¥                   | Ϋ́                                     | 10.52               | 12.72                   | 1.60             | ¥                | ¥                | 27.20    | 29.40                    | 060        |
| 27178             | ∢        | Repair slipped epiphysis     | 11.99             | ¥                   | Ϋ́                                     | 7.05                | 10.28                   | 1.21             | ¥                | ¥<br>X           | 20.25    | 23.48                    | 8          |
| 27179             | ∢        | Revise head/neck of femur    | 12.98             | ¥                   | Ϋ́                                     | 9.31                | 11.40                   | 1.43             | ¥                | ¥                | 23.72    | 25.81                    | 060        |
| 27181             | ∢        | Repair slipped epiphysis     | 14.68             | ¥                   | Ϋ́                                     | 9.94                | 13.18                   | 1.69             | ¥                | Υ<br>Y           | 26.31    | 29.55                    | 8          |
| 27185             | ∢        | Revision of femur epiphysis  | 9.18              | ¥                   | ₹                                      | 8.33                | 4.34                    | 99.0             | ¥                | ¥<br>¥           | 18.19    | 14.20                    | 060        |
| 27187             | ∢        | Reinforce hip bones          | 13.54             | ¥                   | ¥                                      | 11.68               | 15.04                   | 2.16             | ¥                | ¥                | 27.38    | 30.74                    | 060        |
| 27193             | ∢        | Treat pelvic ring fracture   | 5.56              | 5.89                | 3.44                                   | 4.77                | 3.16                    | 0.31             | 11.76            | 9.31             | 10.64    | 9.03                     | 8          |
| 27194             | ∢        | Treat pelvic ring fracture   | 9.65              | 7.91                | 5.15                                   | 90'2                | 4.94                    | 0.39             | 17.95            | 15.19            | 17.10    | 14.98                    | 060        |
| 27200             | ∢        | Treat tail bone fracture     | 1.84              | 2.31                | 1.79                                   | 1.45                | 1.58                    | 0.13             | 4.28             | 3.76             | 3.42     | 3.55                     | <b>6</b> 6 |
| 27202             | ∢        | Repair tail bone fracture    | 7.04              | ¥                   | ¥                                      | 20.72               | 10.18                   | 0.70             | ¥                | ¥                | 28.46    | 17.92                    | 060        |
| 27215             | ∢        | Pelvic fracture(s) treatment | 10.05             | ¥                   | Ϋ́                                     | 7.93                | 10.98                   | 1.82             | ¥                | ¥                | 19.80    | 22.85                    | 8          |
| 27216             | ∢        | Treat pelvic ring fracture   | 15.19             | ¥                   | Ϋ́                                     | 13.11               | 6.78                    | 0.52             | ¥                | Ϋ́               | 28.82    | 22.49                    | 060        |
| 27217             | ∢        | Treat pelvic ring fracture   | 14.11             | ¥                   | Ϋ́                                     | 11.19               | 14.64                   | 1.82             | ¥                | Ϋ́               | 27.12    | 30.57                    | 060        |
| 27218             | ∢        | Treat pelvic ring fracture   | 20.15             | ¥                   | Ϋ́                                     | 13.82               | 15.30                   | 1.82             | ¥                | ¥                | 35.79    | 37.27                    | 060        |
| 27220             | ∢        | Treat hip socket fracture    | 6.18              | 6.22                | 5.02                                   | 5.13                | 4.75                    | 0.50             | 12.90            | 11.70            | 11.81    | 11.43                    | 80         |
| 27222             | ∢        | Treat hip socket fracture    | 12.70             | ₹                   | Ϋ́                                     | 9.72                | 7.61                    | 0.81             | ¥                | ¥                | 23.23    | 21.12                    | 060        |
| 27226             | ∢        | Treat hip wall fracture      | 14.91             | ¥                   | ¥                                      | 7.08                | 14.62                   | 1.97             | ¥                | ¥                | 23.96    | 31.50                    | 060        |
| 27227             | ∢        | Treat hip fracture(s)        | 23.45             | ¥                   | ¥                                      | 15.57               | 19.93                   | 2.50             | ¥                | ¥                | 41.52    | 45.88                    | 060        |
| 27228             | ∢        | Treat hip fracture(s)        | 27.16             | ¥                   | Ϋ́                                     | 18.13               | 20.77                   | 2.50             | ¥                | <b>∀</b>         | 47.79    | 50.43                    | 060        |
| 27230             | ∢        | Treat fracture of thigh      | 5.50              | 6.03                | 4.19                                   | 90'9                | 3.95                    | 0.32             | 11.85            | 10.01            | 10.88    | 9.77                     | 060        |
| 27232             | ∢        | Treat fracture of thigh      | 10.68             | ₹                   | ¥                                      | 9.18                | 9.61                    | 1.14             | ¥                | ¥                | 21.00    | 21.43                    | 060        |
| 27235             | ∢        | Repair of thigh fracture     | 12.16             | ¥                   | Š                                      | 10.96               | 13.63                   | 2.03             | ¥                | Š                | 25.15    | 27.82                    | 060        |
| 27236             | ∢        | Repair of thigh fracture     | 15.60             | ¥                   | ¥                                      | 12.82               | 16.97                   | 2.12             | ¥                | ¥                | 30.54    | 34.69                    | 060        |
| 27238             | ∢        | Treatment of thigh fracture  | 5.52              | ₹                   | Ϋ́                                     | 5.36                | 5.34                    | 0.56             | ž                | Š                | 11.44    | 11.42                    | 060        |
| 27240             | ∢        | Treatment of thigh fracture  | 12.50             | ¥                   | Ϋ́                                     | 10.56               | 10.54                   | 1.20             | ¥                | ¥                | 24.26    | 24.24                    | 060        |
| 27244             | ∢        | Repair of thigh fracture     | 15.94             | ₹                   | Ϋ́                                     | 12.95               | 16.51                   | 2.05             | ž                | ¥<br>¥           | 30.94    | 34.50                    | 060        |
| 27245             | ∢        | Repair of thigh fracture     | 20.31             | ¥                   | <b>∀</b>                               | 15.41               | 17.12                   | 2.05             | ¥                | ¥                | 37.77    | 39.48                    | 060        |
| 27246             | ∢        | Treatment of thigh fracture  | 4.71              | 5.78                | 4.60                                   | 5.18                | 4.45                    | 0.47             | 10.96            | 9.78             | 10.36    | 9.63                     | 80         |
| 27248             | ∢        | Repair of thigh fracture     | 10.45             | ¥                   | Ϋ́                                     | 9.93                | 11.84                   | 1.65             | ¥                | ¥                | 22.03    | 23.94                    | 060        |
| 27250             | ∢        | Treat hip dislocation        | 6.95              | ¥                   | Ϋ́                                     | 4.49                | 3.72                    | 0.35             | ≨                | Ϋ́               | 11.79    | 11.02                    | 8          |
| 27252             | ∢        | Treat hip dislocation        | 10.39             | ₹                   | Š                                      | 7.38                | 5.38                    | 0.53             | ¥                | ¥                | 18.30    | 16.30                    | 060        |
| 27253             | ∢        | Repair of hip dislocation    | 12.92             | ¥                   | ¥                                      | 9.84                | 13.16                   | 1.65             | ¥                | ¥                | 24.41    | 27.73                    | 060        |
| 27254             | ∢        | Repair of hip dislocation    | 18.26             | ¥                   | ¥                                      | 12.56               | 14.11                   | 1.78             | ¥                | ¥                | 32.60    | 34.15                    | 060        |
| 27256             | ∢        | Treatment of hip dislocation | 4.12              | ₹                   | Ϋ́                                     | 3.30                | 2.36                    | 0.24             | ¥                | ¥                | 99.2     | 6.72                     | 010        |
| 27257             | ∢        | Treatment of hip dislocation | 5.22              | <b>∀</b>            | Ϋ́                                     | 3.70                | 4.68                    | 0.57             | ¥                | ₹                | 9.49     | 10.47                    | 010        |
| 27258             | ∢        | Repair of hip dislocation    | 15.43             | ¥                   | Ϋ́                                     | 12.56               | 14.32                   | 1.76             | ₹                | ¥                | 29.75    | 31.51                    | 060        |
| 27259             | ∢        | Repair of hip dislocation    | 21.55             | ¥                   | Ϋ́                                     | 13.24               | 17.31                   | 2.21             | ¥                | ¥                | 37.00    | 41.07                    | 060        |
| 27265             | ⋖        | Treatment of hip dislocation | 5.05              | ¥                   | ¥                                      | 4.89                | 4.04                    | 0.42             | ¥                | ₹                | 10.36    | 9.51                     | 060        |
| 27266             | ∢        | Treatment of hip dislocation | 7.49              | ¥                   | Ϋ́                                     | 6.49                | 5.25                    | 0.56             | Ϋ́               | ž                | 14.54    | 13.30                    | 060        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                             |     |        |                              |              | Mon             | Transferred     |                 | Transitioned          |                  | _                 |                   |                   |                   |          |
|-----------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------------|------------------|-------------------|-------------------|-------------------|-------------------|----------|
|                             |     |        |                              |              | facility        | Non-facility    | Facility        | nunsmonea<br>Facility |                  |                   | Transitioned      |                   |                   |          |
| 1,                          |     |        |                              | Physician    | practice        | practice        | practice        | practice              | Wal-             | Mon-              | Non-              |                   | Transitioned      |          |
| CPT /<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs       | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global   |
| 27275                       |     | ∢      | Manipulation of hip joint    | 2.27         | ¥               | Ą               | 2.93            | 2.26                  | 0.23             | ≨                 | ž                 |                   | 4.76              | 010      |
| 27280                       |     | ∢      | Fusion of sacroiliac joint   | 13.39        | ¥               | Ϋ́              | 12.87           | 11.41                 | 1.38             | ¥                 | ¥                 | 27.64             | 26.18             | 060      |
| 27282                       |     | ∢      | Fusion of pubic bones        | 11.34        | ¥               | Ϋ́              | 10.13           | 9.87                  | 1.32             | ¥                 | ¥                 |                   | 22.53             | 060      |
| 27284                       |     | ∢      | Fusion of hip joint          | 16.76        | ¥               | ¥               | 14.10           | 15.33                 | 1.88             | ¥                 | ¥                 |                   | 33.97             | 060      |
| 27286                       |     | ∢      | Fusion of hip joint          | 16.79        | ¥               | ¥               | 13.42           | 15.73                 | 1.77             | ¥                 | ¥                 |                   | 34.29             | 060      |
| 27290                       |     | ∢      | Amputation of leg at hip     | 23.28        | ¥               | ¥               | 14.86           | 24.39                 | 3.68             | ¥                 | ¥                 |                   | 51.35             | 060      |
| 27295                       |     | ∢      | Amputation of leg at hip     | 18.65        | ž               | ¥               | 12.59           | 16.61                 | 2.31             | ¥                 | ¥                 |                   | 37.57             | 060      |
| 27299                       |     | ပ      | Pelvis/hip joint surgery     | 00.00        | 0.00            | 0.00            | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              |                   | 0.00              | <b>X</b> |
| 27301                       |     | ∢      | Drain thigh/knee lesion      | 6.49         | 10.28           | 4.57            | 9.49            | 4.38                  | 0.31             | 17.08             | 11.37             |                   | 11.18             | 060      |
| 27303                       |     | ∢      | Drainage of bone lesion      | 8.28         | ¥               | Ą               | 11.94           | 7.76                  | 0.75             | ¥                 | ¥                 |                   | 16.79             | 060      |
| 27305                       |     | ∢      | Incise thigh tendon & fascia | 5.92         | ¥               | ¥               | 7.10            | 4.87                  | 0.53             | ¥                 | ₹                 |                   | 11.32             | 060      |
| 27306                       |     | ∢      | Incision of thigh tendon     | 4.62         | ¥               | ¥<br>Z          | 5.84            | 3.08                  | 0.25             | ¥                 | ¥                 |                   | 7.95              | 060      |
| 27307                       |     | ∢      | Incision of thigh tendons    | 5.80         | ¥               | ¥               | 6.43            | 4.06                  | 0.38             | ¥                 | ¥                 |                   | 10.24             | 060      |
| 27310                       |     | ∢      | Exploration of knee joint    | 9.27         | ¥               | ¥               | 9.11            | 10.09                 | 1.18             | ¥                 | ¥                 |                   | 20.54             | 060      |
| 27315                       |     | ∢      | Partial removal, thigh nerve | 26.9         | ¥               | Š               | 4.51            | 5.51                  | 0.75             | ¥                 | Ϋ́                |                   | 13.23             | 060      |
| 27320                       |     | ∢      | Partial removal, thigh nerve | 6.30         | ¥               | ¥               | 4.14            | 5.25                  | 0.57             | Ϋ́                | ¥                 |                   | 12.12             | 060      |
| 27323                       |     | ∢      | Biopsy thigh soft tissues    | 2.28         | 3.93            | 1.73            | 2.64            | 1.04                  | 0.10             | 6.31              | 4.11              |                   | 3.42              | 010      |
| 27324                       |     | ∢      | Biopsy thigh soft tissues    | 4.90         | ₹               | Š               | 5.29            | 3.46                  | 0.35             | ¥                 | Ϋ́                |                   | 8.71              | 060      |
| 27327                       |     | ∢      | Removal of thigh lesion      | 4.47         | 2.57            | 3.26            | 4.74            | 3.05                  | 0.31             | 10.35             | 8.04              |                   | 7.83              | 060      |
| 27328                       |     | ∢      | Removal of thigh lesion      | 2.57         | ₹               | <b>∀</b>        | 5.50            | 4.69                  | 0.57             | ¥                 | ¥                 |                   | 10.83             | 060      |
| 27329                       |     | ∢      | Remove tumor, thigh/knee     | 14.14        | ¥               | Š               | 11.60           | 12.42                 | 1.67             | ¥                 | ¥                 |                   | 28.23             | 060      |
| 27330                       |     | ∢      | Biopsy knee joint lining     | 4.97         | ₹               | ¥<br>Z          | 5.40            | 5.81                  | 0.93             | ₹                 | Ϋ́                |                   | 11.71             | 060      |
| 27331                       |     | ∢      | Explore/treat knee joint     | 5.88         | ¥               | Š               | 6.48            | 6.89                  | 1.17             | ¥                 | ¥                 |                   | 13.94             | 060      |
| 27332                       |     | ∢      | Removal of knee cartilage    | 8.27         | ₹               | Š               | 7.44            | 9.27                  | 1.35             | ¥                 | Ϋ́                |                   | 18.89             | 060      |
| 27333                       |     | ∢      | Removal of knee cartilage    | 7.30         | ¥               | Š               | 7.27            | 8.35                  | 1.97             | ¥                 | ¥                 |                   | 17.62             | 060      |
| 27334                       |     | ∢      | Remove knee joint lining     | 8.70         | ¥               | ¥               | 8.45            | 9.91                  | 1.38             | ¥                 | Ϋ́                |                   | 19.99             | 060      |
| 27335                       |     | ∢      | Remove knee joint lining     | 10.00        | ₹               | Ϋ́              | 9.39            | 11.30                 | 1.60             | ¥                 | ¥                 |                   | 22.90             | 060      |
| 27340                       |     | ∢      | Removal of kneecap bursa     | 4.18         | ₹               | ¥<br>Z          | 4.89            | 4.36                  | 0.49             | ¥                 | ¥                 |                   | 9.03              | 060      |
| 27345                       |     | ∢      | Removal of knee cyst         | 5.92         | ₹               | Ϋ́              | 6.35            | 6.17                  | 0.74             | ¥                 | ¥                 |                   | 12.83             | 060      |
| 27347                       |     | ∢      | Remove knee cyst             | 5.78         | 2.44            | 2.44            | 2.83            | 2.83                  | 0.74             | 8.96              | 8.96              |                   | 9.35              | 060      |
| 27350                       |     | ∢      | Removal of kneecap           | 8.17         | ¥               | Š               | 7.83            | 9.28                  | 1.20             | ¥                 | ¥                 |                   | 18.65             | 060      |
| 27355                       |     | ∢      | Remove femur lesion          | 7.65         | ¥               | Š               | 8.52            | 8.30                  | 96.0             | ¥                 | ¥                 |                   | 16.91             | 060      |
| 27356                       |     | ∢      | Remove femur lesion/graft    | 9.48         | ₹               | ¥               | 9.78            | 9.12                  | 1.05             | ¥                 | ₹                 |                   | 19.65             | 060      |
| 27357                       |     | ∢      | Remove femur lesion/graft    | 10.53        | ¥               | Y<br>Y          | 9.99            | 99.6                  | 1.12             | ¥                 | ¥                 |                   | 21.31             | 060      |
| 27358                       |     | ∢      | Remove femur lesion/fixation | 4.74         | ¥               | Ϋ́              | 2.77            | 4.40                  | 0.56             | ¥                 | Ϋ́                |                   | 9.70              | 222      |
| 27360                       |     | ∢      | Partial removal leg bone(s)  | 10.50        | ¥               | Ϋ́              | 16.51           | 11.10                 | 1.10             | ¥                 | ž                 |                   | 22.70             | 060      |
| 27365                       |     | ∢      | Extensive leg surgery        | 16.27        | Ϋ́              | Ϋ́              | 12.75           | 14.54                 | 1.90             | ¥                 | Ϋ́                |                   | 32.71             | 060      |
| 27370                       |     | ∢      | Injection for knee x-ray     | 96.0         | 10.43           | 3.10            | 0.26            | 0.55                  | 0.04             | 11.43             | 4.10              |                   | 1.55              | 8        |
| 27372                       |     | ∢      | Removal of foreign body      | 5.07         | 5.81            | 4.24            | 5.24            | 4.09                  | 0.42             | 11.30             | 9.73              |                   | 9.58              | 060      |
| 27380                       |     | ∢      | Repair of kneecap tendon     | 7.16         | Š               | ¥               | 7.59            | 8.31                  | 1.01             | ž                 | ¥                 |                   | 16.48             | 060      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                             |       |        |                              |              |                  | 1 :                          | ו מווע /כס וי   | , ;; ,                 |                  | ı                 |                   |                   |                   |        |
|-----------------------------|-------|--------|------------------------------|--------------|------------------|------------------------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |       |        |                              |              | non-<br>facility | Iransitioned<br>Non-facility | Facility        | Iransmonea<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| 1                           |       |        |                              | Physician    | practice         | practice                     | practice        | practice               | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | , pow | Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 27381                       |       | ∢      | Repair/graft kneecap tendon  | 10.34        | ¥                | ¥                            | 9.16            | 11.46                  | 1.42             | ₹                 | ₹                 | 20.92             | 23.22             | 060    |
| 27385                       |       | ∢      | Repair of thigh muscle       | 7.76         | ¥                | ¥                            | 7.95            | 8.94                   | 1.1              | ¥                 | ¥                 | 16.82             | 17.81             | 060    |
| 27386                       |       | ∢      | Repair/graft of thigh muscle | 10.56        | ¥                | Ϋ́                           | 9.80            | 11.91                  | 1.58             | ¥                 | ¥                 | 21.94             | 24.05             | 060    |
| 27390                       |       | ∢      | Incision of thigh tendon     | 5.33         | ¥                | Ą                            | 6.35            | 5.14                   | 95.0             | ¥                 | ¥                 | 12.24             | 11.03             | 060    |
| 27391                       |       | ∢      | Incision of thigh tendons    | 7.20         | ¥                | Ϋ́                           | 7.44            | 6.27                   | 0.70             | ¥                 | ¥                 | 15.34             | 14.17             | 060    |
| 27392                       |       | ∢      | Incision of thigh tendons    | 9.20         | ₹                | ¥                            | 9.16            | 8.53                   | 1.00             | ¥                 | ¥                 | 19.36             | 18.73             | 060    |
| 27393                       |       | ∢      | Lengthening of thigh tendon  | 6:39         | ¥                | ¥                            | 7.35            | 6.45                   | 0.73             | ¥                 | ¥                 | 14.47             | 13.57             | 060    |
| 27394                       |       | ∢      | Lengthening of thigh tendons | 8.50         | ¥                | ¥                            | 8.79            | 6.86                   | 0.74             | ¥                 | ¥                 | 18.03             | 16.10             | 060    |
| 27395                       |       | ∢      | Lengthening of thigh tendons | 11.73        | ₹                | ¥                            | 11.28           | 11.35                  | 1.29             | ¥                 | ¥                 | 24.30             | 24.37             | 060    |
| 27396                       |       | ∢      | Transplant of thigh tendon   | 7.86         | ₹                | Ϋ́                           | 8.63            | 7.90                   | 0.87             | ¥                 | ¥                 | 17.36             | 16.63             | 060    |
| 27397                       |       | ∢      | Transplants of thigh tendons | 11.28        | ¥                | ¥                            | 10.10           | 9.76                   | 1.13             | ¥                 | ¥                 | 22.51             | 22.17             | 060    |
| 27400                       |       | ∢      | Revise thigh muscles/tendons | 9.05         | ¥                | Ą                            | 8.46            | 8.54                   | 0.97             | ¥                 | ¥                 | 18.45             | 18.53             | 060    |
| 27403                       |       | ∢      | Repair of knee cartilage     | 8.33         | ¥                | Š                            | 7.70            | 80.6                   | 1.13             | ¥                 | ¥                 | 17.16             | 18.54             | 060    |
| 27405                       |       | ∢      | Repair of knee ligament      | 8.65         | ¥                | Š                            | 8.35            | 9.84                   | 1.31             | ¥                 | ¥                 | 18.31             | 19.80             | 060    |
| 27407                       |       | ∢      | Repair of knee ligament      | 10.28        | ¥                | ž                            | 8.91            | 9.45                   | 1.1              | ¥                 | ¥                 | 20.30             | 20.84             | 060    |
| 27409                       |       | ∢      | Repair of knee ligaments     | 12.90        | ¥                | Š                            | 10.97           | 14.29                  | 1.94             | ¥                 | ¥                 | 25.81             | 29.13             | 060    |
| 27418                       |       | ∢      | Repair degenerated kneecap   | 10.85        | Ϋ́               | ¥                            | 9.80            | 12.17                  | 1.45             | ₹                 | ¥                 | 22.10             | 24.47             | 060    |
| 27420                       |       | ∢      | Revision of unstable kneecap | 9.83         | ₹                | Š                            | 8.80            | 11.00                  | 1.36             | ¥                 | ¥                 | 19.99             | 22.19             | 060    |
| 27422                       |       | ∢      | Revision of unstable kneecap | 9.78         | ¥                | Š                            | 8.72            | 10.94                  | 1.43             | ¥                 | ¥                 | 19.93             | 22.15             | 060    |
| 27424                       |       | ∢      | Revision/removal of kneecap  | 9.81         | ¥                | ¥                            | 8.60            | 10.93                  | 1.48             | ¥                 | ¥                 | 19.89             | 22.22             | 060    |
| 27425                       |       | ∢      | Lateral retinacular release  | 5.22         | ≨                | Š                            | 6.12            | 6.20                   | 0.84             | ¥                 | ¥                 | 12.18             | 12.26             | 060    |
| 27427                       |       | ∢      | Reconstruction, knee         | 9.36         | ≨                | ¥                            | 8.22            | 10.44                  | 1.76             | ¥                 | ¥                 | 19.34             | 21.56             | 060    |
| 27428                       |       | ∢      | Reconstruction, knee         | 14.00        | ≨                | Š                            | 11.53           | 14.01                  | 2.12             | ¥                 | ¥                 | 27.65             | 30.13             | 060    |
| 27429                       |       | ∢      | Reconstruction, knee         | 15.52        | ¥                | Ϋ́                           | 11.85           | 12.14                  | 1.43             | ¥                 | ¥                 | 28.80             | 29.09             | 060    |
| 27430                       |       | ⋖      | Revision of thigh muscles    | 9.67         | ₹                | ¥                            | 8.49            | 9.74                   | 1.17             | ¥                 | ¥                 | 19.33             | 20.58             | 060    |
| 27435                       |       | <      | Incision of knee joint       | 9.49         | ₹                | Š                            | 8.33            | 7.81                   | 0.88             | ¥                 | ¥                 | 18.70             | 18.18             | 060    |
| 27437                       |       | ∢ ·    | Revise kneecap               | 8.46         | ≨ :              | ¥:                           | 8.87            | 9.79                   | 1.21             | ¥                 | ₹                 | 18.54             | 19.46             | 060    |
| 27438                       |       | ∢      | Revise kneecap with implant  | 11.23        | ₹<br>Z           | ¥                            | 9.79            | 12.50                  | 1.67             | ₹                 | ¥                 | 22.69             | 25.40             | 060    |
| 27440                       |       | ∢      | Revision of knee joint       | 10.43        | ₹                | ¥.                           | 5.22            | 10.64                  | 1.64<br>4        | ¥                 | ¥                 | 17.29             | 22.71             | 060    |
| 27441                       |       | ∢      | Revision of knee joint       | 10.82        | ₹                | ¥                            | 5.83            | 8.90                   | 1.18             | <b></b>           | ₹                 | 17.83             | 20.90             | 060    |
| 27442                       |       | ∢      | Revision of knee joint       | 11.89        | ¥                | Ϋ́                           | 10.21           | 13.20                  | 2.39             | ¥                 | ¥                 | 24.49             | 27.48             | 060    |
| 27443                       |       | ∢      | Revision of knee joint       | 10.93        | ¥                | Š                            | 10.10           | 12.31                  | 2.61             | ¥                 | ¥                 | 23.64             | 25.85             | 060    |
| 27445                       |       | ∢      | Revision of knee joint       | 17.68        | ¥                | Ą                            | 13.37           | 19.18                  | 3.29             | ¥                 | ¥                 | 34.34             | 40.15             | 060    |
| 27446                       |       | ∢      | Revision of knee joint       | 15.84        | ¥                | ¥                            | 12.92           | 17.41                  | 3.03             | ¥                 | ¥                 | 31.79             | 36.28             | 060    |
| 27447                       |       | ∢      | Total knee replacement       | 21.48        | ₹                | Y<br>Y                       | 15.61           | 23.13                  | 3.87             | ¥                 | ¥                 | 40.96             | 48.48             | 060    |
| 27448                       |       | ∢      | Incision of thigh            | 11.06        | ₹                | ¥                            | 10.50           | 12.53                  | 1.64             | ¥                 | ¥                 | 23.20             | 25.23             | 060    |
| 27450                       |       | ∢      | Incision of thigh            | 13.98        | ¥                | ¥                            | 12.19           | 15.13                  | 1.85             | ¥                 | ¥                 | 28.02             | 30.96             | 060    |
| 27454                       |       | ∢      | Realignment of thigh bone    | 17.56        | ¥                | ¥                            | 14.11           | 16.31                  | 2.21             | ¥                 | ¥                 | 33.88             | 36.08             | 060    |
| 27455                       |       | ∢      | Realignment of knee          | 12.82        | ¥                | ¥                            | 11.31           | 12.60                  | 1.53             | ¥                 | ¥                 | 25.66             | 26.95             | 060    |
| 27457                       |       | ∢      | Realignment of knee          | 13.45        | ¥                | ¥                            | 10.45           | 13.44                  | 1.67             | <b>∀</b>          | Š                 | 25.57             | 28.56             | 060    |
|                             |       |        |                              |              |                  |                              |                 |                        |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Denial Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                              |       |        |                              |              | No.             | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |            |
|------------------------------|-------|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
|                              |       |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |            |
| . 1.                         |       |        |                              | Physician    | practice        | practice        | practice        | practice        | Wol-             | Non-              | Non-              |                   | Transitioned      |            |
| CPT '/<br>HCPCS <sup>2</sup> | S PoW | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
| ı                            |       | ∢      | Shortening of thigh bone     | 13.87        | Ą               | ¥               | 11.89           | 12.93           | 1.56             | ≨                 | ₹                 | 27.32             | 28.36             | 060        |
| 27466                        |       | ∢      | Lengthening of thigh bone    | 16.33        | Ą               | Ϋ́              | 14.07           | 14.45           | 1.78             | ¥                 | ¥                 | 32.18             | 32.56             | 060        |
| 27468                        |       | ∢      | Shorten/lengthen thighs      | 18.97        | ¥               | ¥               | 12.46           | 16.83           | 2.15             | ¥                 | ΑĀ                | 33.58             | 37.95             | 060        |
| 27470                        |       | 4      | Repair of thigh              | 16.07        | Ā               | ¥               | 13.96           | 17.06           | 2.03             | ¥                 | ¥                 | 32.06             | 35.16             | 060        |
| 27472                        |       | ∢      | Repair/graft of thigh        | 17.72        | ¥               | ¥               | 14.75           | 19.55           | 2.47             | ¥                 | ¥                 | 34.94             | 39.74             | 060        |
| 27475                        |       | ∢      | Surgery to stop leg growth   | 8.64         | ¥               | ¥               | 7.55            | 8.19            | 0.99             | ¥                 | ¥                 | 17.18             | 17.82             | 060        |
| 27477                        |       | ∢      | Surgery to stop leg growth   | 9.85         | ¥               | ¥               | 8.67            | 10.99           | 2.01             | ¥                 | ¥                 | 20.53             | 22.85             | 060        |
| 27479                        |       | ∢      | Surgery to stop leg growth   | 12.80        | ΑĀ              | ¥               | 9.88            | 11.94           | 1.48             | ¥                 | ¥                 | 24.16             | 26.22             | 060        |
| 27485                        |       | ∢      | Surgery to stop leg growth   | 8.84         | ¥               | ¥               | 8.49            | 8.56            | 1.02             | ¥                 | ¥                 | 18.35             | 18.42             | 060        |
| 27486                        |       | ⋖      | Revise knee joint replace    | 19.27        | ¥               | Ϋ́              | 14.51           | 20.89           | 3.33             | ¥                 | ¥                 | 37.11             | 43.49             | 060        |
| 27487                        |       | ∢      | Revise knee joint replace    | 25.27        | ¥               | ¥               | 17.47           | 26.97           | 4.67             | ¥                 | ¥                 | 47.41             | 56.91             | 060        |
| 27488                        |       | ∢      | Removal of knee prosthesis   | 15.74        | ¥               | Ϋ́              | 12.76           | 16.35           | 2.02             | ¥                 | ¥                 | 30.52             | 34.11             | 060        |
| 27495                        |       | ∢      | Reinforce thigh              | 15.55        | Ą               | ¥               | 13.56           | 17.32           | 2.21             | ¥                 | ¥                 | 31.32             | 35.08             | 060        |
| 27496                        |       | ∢      | Decompression of thigh/knee  | 6.11         | Ϋ́              | Ϋ́              | 6.26            | 5.26            | 0.58             | ¥                 | ¥                 | 12.95             | 11.95             | 060        |
| 27497                        |       | ∢      | Decompression of thigh/knee  | 7.17         | Ą               | Ϋ́              | 6.24            | 80.9            | 0.71             | ¥                 | ¥                 | 14.12             | 13.96             | 060        |
| 27498                        |       | ∢      | Decompression of thigh/knee  | 66.7         | ¥               | ¥               | 7.17            | 6.94            | 0.81             | ¥                 | ¥                 | 15.97             | 15.74             | 060        |
| 27499                        |       | ∢      | Decompression of thigh/knee  | 9.00         | ₹               | Ϋ́              | 7.55            | 7.81            | 0.93             | ¥                 | ¥                 | 17.48             | 17.74             | 060        |
| 27500                        |       | ∢      | Treatment of thigh fracture  | 5.92         | 12.43           | 7.51            | 5.75            | 5.84            | 0.64             | 18.99             | 14.07             | 12.31             | 12.40             | 060        |
| 27501                        |       | ∢      | Treatment of thigh fracture  | 5.92         | 13.42           | 7.76            | 6.95            | 6.14            | 0.64             | 19.98             | 14.32             | 13.51             | 12.70             | 060        |
| 27502                        |       | 4      | Treatment of thigh fracture  | 10.58        | ¥               | ¥               | 9.54            | 8.63            | 0.95             | ₹                 | Ϋ́                | 21.07             | 20.16             | 060        |
| 27503                        |       | ∢      | Treatment of thigh fracture  | 10.58        | ₹               | Ϋ́              | 9.59            | 8.64            | 0.95             | ¥                 | ¥                 | 21.12             | 20.17             | 060        |
| 27506                        |       | ∢      | Repair of thigh fracture     | 17.45        | ₹               | Ϋ́              | 12.93           | 16.28           | 2.00             | ₹                 | Ą                 | 32.38             | 35.73             | 060        |
| 27507                        |       | ∢      | Treatment of thigh fracture  | 13.99        | ¥               | Ϋ́              | 11.12           | 15.31           | 2.00             | ¥                 | ¥                 | 27.11             | 31.30             | 060        |
| 27508                        |       | ∢      | Treatment of thigh fracture  | 5.83         | 8.20            | 5.49            | 4.78            | 4.63            | 0.51             | 14.54             | 11.83             | 11.12             | 10.97             | 060        |
| 27509                        |       | ∢      | Treatment of thigh fracture  | 7.71         | ₹               | ¥               | 8.20            | 5.49            | 0.51             | ¥                 | ¥                 | 16.42             | 13.71             | 060        |
| 27510                        |       | ∢      | Treatment of thigh fracture  | 9.13         | ¥               | ₹               | 6.63            | 7.21            | 0.85             | ¥                 | ¥                 | 16.61             | 17.19             | 060        |
| 27511                        |       | ∢      | Treatment of thigh fracture  | 13.64        | ž               | Š               | 12.23           | 15.27           | 2.00             | ¥                 | ¥                 | 27.87             | 30.91             | 060        |
| 27513                        |       | ∢      | Treatment of thigh fracture  | 17.92        | Ą<br>Z          | <b>∀</b>        | 14.47           | 16.66           | 2.00             | ¥                 | ¥                 | 34.39             | 36.58             | 060        |
| 27514                        |       | ∢      | Repair of thigh fracture     | 17.30        | ¥               | ¥               | 13.59           | 16.22           | 1.98             | ¥                 | ¥                 | 32.87             | 35.50             | 060        |
| 27516                        |       | ∢      | Repair of thigh growth plate | 5.37         | 8.60            | 6.07            | 4.75            | 5.11            | 0.56             | 14.53             | 12.00             | 10.68             | 11.04             | 060        |
| 27517                        |       | ∢      | Repair of thigh growth plate | 8.78         | 9.73            | 8.80            | 7.00            | 8.12            | 1.00             | 19.51             | 18.58             | 16.78             | 17.90             | 060        |
| 27519                        |       | ∢      | Repair of thigh growth plate | 15.02        | Ϋ́              | ¥               | 12.62           | 13.48           | 1.60             | ¥                 | ž                 | 29.24             | 30.10             | <b>6</b> 6 |
| 27520                        |       | ∢      | Treat kneecap fracture       | 2.86         | 6.57            | 4.12            | 2.84            | 1.95            | 0.35             | 9.78              | 7.33              | 6.05              | 5.16              | 060        |
| 27524                        |       | ∢      | Repair of kneecap fracture   | 10.00        | Ϋ́              | ₹               | 8.06            | 10.43           | 1.29             | ₹                 | ž                 | 19.35             | 21.72             | 060        |
| 27530                        |       | ∢      | Treatment of knee fracture   | 3.78         | 7.08            | 4.54            | 3.55            | 3.66            | 0.40             | 11.26             | 8.72              | 7.73              | 7.84              | 060        |
| 27532                        |       | ∢      | Treatment of knee fracture   | 7.30         | 6.38            | 6.22            | 5.74            | 90.9            | 0.71             | 14.39             | 14.23             | 13.75             | 14.07             | 060        |
| 27535                        |       | ∢      | Treatment of knee fracture   | 11.50        | ¥               | ¥<br>X          | 11.18           | 12.31           | 1.47             | ₹                 | ¥                 | 24.15             | 25.28             | 060        |
| 27536                        |       | ∢      | Repair of knee fracture      | 15.65        | ¥               | ₹               | 11.14           | 12.30           | 1.47             | ₹                 | ¥                 | 28.26             | 29.42             | 060        |
| 27538                        |       | ∢      | Treat knee fracture(s)       | 4.87         | 8.39            | 4.84            | 4.73            | 3.93            | 0.40             | 13.66             | 10.11             | 10.00             | 9.20              | 060        |
| 27540                        |       | ∢      | Repair of knee fracture      | 13.10        | ¥               | ¥<br>¥          | 9.52            | 11.29           | 1.36             | Ϋ́                | Š                 | 23.98             | 25.75             | 060        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| /, 14)  |     |        |                              |              | Non-<br>facility | Transitioned            | Facility        | Transitioned<br>Facility |                  |                   | 7                 |                   |                   |        |
|---------|-----|--------|------------------------------|--------------|------------------|-------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| / Id)   |     |        |                              | Physician    | practice         | non-iuciniy<br>practice | practice        | practice                 | -laW             | Non-              | Non-              |                   | Transitioned      |        |
| HCPCS 2 | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs         | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 27550   |     | ∢      | Treat knee dislocation       | 5.76         | 8.04             | 4.10                    | 4.57            | 3.24                     | 0.28             | 14.08             | 10.14             |                   | 9.28              | 060    |
| 27552   |     | ∢      | Treat knee dislocation       | 7.90         | ¥                | Ą                       | 6.85            | 4.50                     | 0.41             | ¥                 | ¥                 |                   | 12.81             | 060    |
| 27556   |     | ∢      | Repair of knee dislocation   | 14.41        | ¥                | Ą                       | 12.95           | 13.39                    | 1.53             | ¥                 | ¥                 |                   | 29.33             | 060    |
| 27557   |     | ∢      | Repair of knee distocation   | 16.77        | Ϋ́               | Ϋ́                      | 14.65           | 15.54                    | 1.90             | ¥                 | ¥                 |                   | 34.21             | 060    |
| 27558   |     | ∢      | Repair of knee distocation   | 17.72        | ¥                | Ϋ́                      | 14.31           | 15.46                    | 1.90             | ¥                 | ¥                 |                   | 35.08             | 060    |
| 27560   |     | ∢      | Treat kneecap dislocation    | 3.82         | 6.83             | 2.87                    | 2.60            | 1.81                     | 0.13             | 10.78             | 6.82              |                   | 5.76              | 060    |
| 27562   |     | ∢      | Treat kneecap dislocation    | 5.79         | Ϋ́               | ¥                       | 4.56            | 5.36                     | 0.59             | Š                 | ¥                 |                   | 11.74             | 060    |
| 27566   |     | ∢      | Repair kneecap dislocation   | 12.23        | Ϋ́               | Ϋ́                      | 9.28            | 10.93                    | 1.31             | ¥                 | ¥                 |                   | 24.47             | 060    |
| 27570   |     | ∢      | Fixation of knee joint       | 1.74         | ¥                | Ϋ́                      | 5.69            | 2.08                     | 0.22             | ¥                 | ΑĀ                |                   | 4.04              | 010    |
| 27580   |     | ∢      | Fusion of knee               | 19.37        | ¥                | Ϋ́                      | 15.67           | 16.70                    | 2.00             | ¥                 | ¥                 |                   | 38.07             | 060    |
| 27590   |     | ∢      | Amputate leg at thigh        | 12.03        | ¥                | Ą                       | 9.09            | 69.6                     | 1.4              | ¥                 | ¥                 |                   | 23.13             | 060    |
| 27591   |     | ∢      | Amputate leg at thigh        | 12.68        | ¥                | ¥                       | 11.47           | 12.45                    | 1.65             | ¥                 | Ą                 |                   | 26.78             | 060    |
| 27592   |     | ∢      | Amputate leg at thigh        | 10.02        | ¥                | Ϋ́                      | 8.69            | 8.77                     | 1.26             | ¥                 | Ą                 |                   | 20.05             | 060    |
| 27594   |     | ∢      | Amputation follow-up surgery | 6.92         | ¥                | ¥                       | 6.28            | 4.54                     | 0.53             | ¥                 | Ą                 |                   | 11.99             | 060    |
| 27596   |     | ∢      | Amputation follow-up surgery | 10.60        | ¥                | ¥                       | 8.98            | 8.25                     | 1.1              | ¥                 | Ϋ́                |                   | 19.96             | 060    |
| 27598   |     | ∢      | Amputate lower leg at knee   | 10.53        | ₹                | Ą                       | 8.79            | 10.37                    | 1.39             | ¥                 | Ą                 |                   | 22.29             | 060    |
| 27599   |     | ပ      | Leg surgery procedure        | 0.00         | 0.00             | 0.00                    | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              |                   | 0.00              | Х      |
| 27600   |     | ∢      | Decompression of lower leg   | 5.65         | ¥                | ¥                       | 5.19            | 4.06                     | 0.50             | ₹                 | ¥                 |                   | 10.21             | 060    |
| 27601   |     | ∢      | Decompression of lower leg   | 5.64         | ¥                | ¥                       | 5.29            | 4.08                     | 0.52             | ¥                 | Ϋ́                |                   | 10.24             | 060    |
| 27602   |     | ∢      | Decompression of lower leg   | 7.35         | ¥                | ¥                       | 5.72            | 4.73                     | 0.60             | ¥                 | ¥                 |                   | 12.68             | 060    |
| 27603   |     | ∢      | Drain lower leg lesion       | 4.94         | 10.70            | 4.61                    | 6.81            | 3.64                     | 0.32             | 15.96             | 9.87              |                   | 8.90              | 060    |
| 27604   |     | ∢      | Drain lower leg bursa        | 4.47         | 8.47             | 2.95                    | 5.83            | 1.88                     | 0.11             | 13.05             | 7.53              |                   | 6.46              | 060    |
| 27605   |     | ∢      | Incision of achilles tendon  | 2.87         | 9.45             | 3.32                    | 3.25            | 1.77                     | 0.11             | 12.43             | 6.30              |                   | 4.75              | 010    |
| 27606   |     | ∢      | Incision of achilles tendon  | 4.14         | 8.73             | 3.91                    | 4.28            | 2.80                     | 0.27             | 13.14             | 8.32              |                   | 7.21              | 010    |
| 27607   |     | ∢      | Treat lower leg bone lesion  | 76.7         | ¥                | Š                       | 11.67           | 7.81                     | 0.77             | ¥                 | Š                 |                   | 16.55             | 060    |
| 27610   |     | ∢      | Explore/treat ankle joint    | 8.34         | ¥                | ž                       | 8.85            | 8.26                     | 0.88             | ¥                 | ž                 |                   | 17.48             | 060    |
| 27612   |     | ∢      | Exploration of ankle joint   | 7.33         | ¥                | Š                       | 6.97            | 8.23                     | 1.02             | ¥                 | Ϋ́                |                   | 16.58             | 060    |
| 27613   |     | ∢      | Biopsy lower leg soft tissue | 2.17         | 4.11             | 1.58                    | 2.33            | 98.0                     | 0.08             | 6.36              | 3.83              |                   | 3.11              | 010    |
| 27614   |     | ∢      | Biopsy lower leg soft tissue | 5.66         | 8.12             | 3.87                    | 5.47            | 3.21                     | 0.30             | 14.08             | 9.83              |                   | 9.17              | 060    |
| 27615   |     | ∢      | Remove tumor, lower leg      | 12.56        | ¥                | ¥                       | 12.42           | 9.80                     | 1.1              | ≨                 | ¥                 |                   | 23.47             | 060    |
| 27618   |     | ∢      | Remove lower leg lesion      | 5.09         | 8.29             | 3.78                    | 5.08            | 2.98                     | 0.25             | 13.63             | 9.12              |                   | 8.32              | 060    |
| 27619   |     | ∢      | Remove lower leg lesion      | 8.40         | 9.49             | 5.73                    | 7.12            | 5.14                     | 0.52             | 18.41             | 14.65             |                   | 14.06             | 060    |
| 27620   |     | ∢      | Explore, treat ankle joint   | 5.98         | ¥                | ¥<br>Y                  | 9.60            | 6.56                     | 0.75             | ¥                 | Ϋ́                |                   | 13.29             | 060    |
| 27625   |     | ∢      | Remove ankle joint lining    | 8.30         | ¥                | ¥                       | 8.16            | 9.13                     | 0.99             | ¥                 | Ϋ́                |                   | 18.42             | 060    |
| 27626   |     | ∢      | Remove ankle joint lining    | 8.91         | ¥                | ¥                       | 8.76            | 10.17                    | 0.98             | ¥                 | ¥                 |                   | 20.06             | 060    |
| 27630   |     | ∢      | Removal of tendon lesion     | 4.80         | 7.76             | 4.46                    | 5.36            | 3.86                     | 0.36             | 12.92             | 9.62              |                   | 9.05              | 060    |
| 27635   |     | ∢      | Remove lower leg bone lesion | 7.78         | ¥                | ¥                       | 8.87            | 8.77                     | 0.99             | ¥                 | Ϋ́                |                   | 17.54             | 060    |
| 27637   |     | ∢      | Remove/graft leg bone lesion | 9.85         | ¥                | ¥                       | 10.44           | 9.50                     | 1.10             | ¥                 | Ϋ́                |                   | 20.45             | 060    |
| 27638   |     | ∢      | Remove/graft leg bone lesion | 10.57        | ¥                | ¥                       | 10.99           | 10.20                    | 1.19             | ¥                 | ¥                 |                   | 21.96             | 060    |
| 27640   |     | ∢      | Partial removal of tibia     | 11.37        | Ϋ́               | Ą                       | 14.52           | 11.62                    | 1.23             | ¥                 | Ą                 |                   | 24.22             | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                             |     |        |                              |                | Non-            | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|-----------------------------|-----|--------|------------------------------|----------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |     |        |                              |                | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| 7                           |     |        |                              | Physician      | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 27641                       |     | ∢      | Partial removal of fibula    | 9.24           | ¥               | Ą               | 13.14           | 60.6            | 0.92             | Ϋ́                | ž                 | 23.30             | 19.25             | 060    |
| 27645                       |     | ∢      | Extensive lower leg surgery  | 14.17          | ¥               | Υ<br>Y          | 14.45           | 13.09           | 1.55             | ¥                 | ¥                 | 30.17             | 28.81             | 060    |
| 27646                       |     | ∢      | Extensive lower leg surgery  | 12.66          | ¥               | Š               | 12.12           | 11.78           | 1.34             | ¥                 | ¥                 | 26.12             | 25.78             | 060    |
| 27647                       |     | ∢      | Extensive ankle/heel surgery | 12.24          | ¥               | ¥               | 9.32            | 10.43           | 1.06             | Ą                 | Ϋ́                | 22.62             | 23.73             | 060    |
| 27648                       |     | ∢      | Injection for ankle x-ray    | 96.0           | 9.58            | 2.82            | 0.28            | 0.49            | 0.04             | 10.58             | 3.82              | 1.28              | 1.49              | 000    |
| 27650                       |     | ∢      | Repair achilles tendon       | 69.6           | ¥               | ž               | 8.27            | 9.38            | 1.10             | ¥                 | ¥                 | 19.06             | 20.17             | 060    |
| 27652                       |     | ∢      | Repair/graft achilles tendon | 10.33          | ¥               | Ϋ́              | 8.31            | 10.55           | 1.22             | ¥                 | ¥                 | 19.86             | 22.10             | 060    |
| 27654                       |     | <      | Repair of achilles tendon    | 10.02          | ¥               | Ϋ́              | 8.57            | 11.04           | 1.29             | ¥                 | ¥                 | 19.88             | 22.35             | 060    |
| 27656                       |     | ∢      | Repair leg fascia defect     | 4.57           | 9.41            | 4.94            | 4.74            | 3.77            | 0.42             | 14.40             | 9.93              | 9.73              | 8.76              | 060    |
| 27658                       |     | ∢      | Repair of leg tendon, each   | 4.98           | 7.19            | 5.07            | 7.16            | 5.06            | 0.47             | 12.64             | 10.52             | 12.61             | 10.51             | 060    |
| 27659                       |     | ∢      | Repair of leg tendon, each   | 6.81           | 6.63            | 6.44            | 7.58            | 6.67            | 0.67             | 14.11             | 13.92             | 15.06             | 14.15             | 060    |
| 27664                       |     | ∢      | Repair of leg tendon, each   | 4.59           | 10.36           | 5.37            | 7.02            | 4.53            | 0.41             | 15.36             | 10.37             | 12.02             | 9.53              | 060    |
| 27665                       |     | ∢      | Repair of leg tendon, each   | 5.40           | 9.70            | 6.45            | 7.47            | 5.90            | 0.59             | 15.69             | 12.44             | 13.46             | 11.89             | 060    |
| 27675                       |     | ∢      | Repair lower leg tendons     | 7.18           | ¥               | Ϋ́              | 7.32            | 7.04            | 0.74             | ¥                 | ¥                 | 15.24             | 14.96             | 060    |
| 27676                       |     | ∢      | Repair lower leg tendons     | 8.42           | ¥               | Ϋ́              | 7.21            | 7.95            | 0.89             | ¥                 | ¥                 | 16.52             | 17.26             | 060    |
| 27680                       |     | ∢      | Release of lower leg tendon  | 5.74           | ¥               | Ϋ́              | 6.29            | 4.93            | 0.48             | ¥                 | ¥                 | 12.51             | 11.15             | 060    |
| 27681                       |     | ∢      | Release of lower leg tendons | 6.82           | ¥               | Š               | 7.17            | 6.65            | 0.67             | ¥                 | Ϋ́                | 14.66             | 14.14             | 060    |
| 27685                       |     | ∢      | Revision of lower leg tendon | 6.50           | 6.81            | 4.82            | 6.83            | 4.83            | 0.32             | 13.63             | 11.64             | 13.65             | 11.65             | 060    |
| 27686                       |     | ∢      | Revise lower leg tendons     | 7.46           | 7.55            | 7.23            | 8.12            | 7.37            | 0.70             | 15.71             | 15.39             | 16.28             | 15.53             | 060    |
| 27687                       |     | ∢      | Revision of calf tendon      | 6.24           | ¥               | ₹               | 99.9            | 6.10            | 0.59             | ¥                 | ₹                 | 13.49             | 12.93             | 060    |
| 27690                       |     | ∢      | Revise lower leg tendon      | 8.71           | ¥               | ď<br>Z          | 7.82            | 7.44            | 69.0             | ¥                 | ₹                 | 17.22             | 16.84             | 060    |
| 27691                       |     | ∢      | Revise lower leg tendon      | 96.6           | ¥               | ¥               | 9.34            | 8.76            | 96.0             | ¥                 | ₹                 | 20.26             | 19.68             | 060    |
| 27692                       |     | ∢      | Revise additional leg tendon | 1.87           | ¥               | ¥               | 1.22            | 1.96            | 0.23             | ¥                 | ₹                 | 3.32              | 4.06              | 777    |
| 27695                       |     | ∢      | Repair of ankle ligament     | 6.51           | ₹               | Ϋ́              | 7.52            | 7.71            | 1.03             | ¥                 | ¥                 | 15.06             | 15.25             | 060    |
| 27696                       |     | ∢      | Repair of ankle ligaments    | 8.27           | ¥               | ¥               | 7.83            | 7.70            | 0.91             | ¥                 | ₹                 | 17.01             | 16.88             | 060    |
| 27698                       |     | ∢      | Repair of ankle ligament     | 9.36           | ¥               | Š               | 7.94            | 10.37           | 1.46             | ¥                 | ¥                 | 18.76             | 21.19             | 060    |
| 27700                       |     | ∢      | Revision of ankle joint      | 9.29           | ¥               | Y<br>Y          | 6.33            | 9.90            | 1.18             | ¥                 | ¥                 | 16.80             | 20.37             | 060    |
| 27702                       |     | ∢      | Reconstruct ankle joint      | 13.67          | ₹               | Ϋ́              | 11.50           | 15.12           | 3.12             | ¥                 | Ϋ́                | 28.29             | 31.91             | 060    |
| 27703                       |     | ∢      | Reconstruction, ankle joint  | 15.87          | ¥               | Ϋ́              | 10.05           | 13.76           | 1.76             | ¥                 | ¥                 | 27.68             | 31.39             | 060    |
| 27704                       |     | ∢      | Removal of ankle implant     | 7.62           | ¥               | Ϋ́              | 6.46            | 6.37            | 0.77             | ¥                 | ¥                 | 14.85             | 14.76             | 060    |
| 27705                       |     | ∢      | Incision of tibia            | 10.38          | ₹               | Ϋ́              | 9.67            | 11.16           | 1.38             | ¥                 | ₹                 | 21.43             | 22.92             | 060    |
| 27707                       |     | ∢      | Incision of fibula           | 4.37           | <b>∀</b>        | Ϋ́              | 6.50            | 5.49            | 0.62             | ¥                 | ₹                 | 11.49             | 10.48             | 060    |
| 27709                       |     | ∢      | Incision of tibia & fibula   | 9.95           | ₹               | ¥               | 9.77            | 11.35           | 1.67             | ¥                 | ¥                 | 21.39             | 22.97             | 060    |
| 27712                       |     | ∢      | Realignment of lower leg     | 14.25          | ¥               | ¥               | 11.69           | 11.87           | 1.28             | ₹                 | ¥                 | 27.22             | 27.40             | 060    |
| 27715                       |     | ∢      | Revision of lower leg        | 14.39          | ¥               | ¥               | 12.93           | 13.50           | 1.47             | ¥                 | ₹                 | 28.79             | 29.36             | 060    |
| 27720                       |     | ∢      | Repair of tibia              | 11.79          | <b>∀</b>        | Ϋ́              | 11.52           | 13.44           | 1.76             | ¥                 | ₹                 | 25.07             | 26.99             | 060    |
| 27722                       |     | ∢      | Repair/graft of tibia        | 11.82          | ¥               | ¥               | 11.46           | 11.42           | 1.28             | ¥                 | Ϋ́                | 24.56             | 24.52             | 060    |
| 27724                       |     | ∢      | Repair/graft of tibia        | 14.99          | ¥               | Ϋ́              | 13.17           | 15.91           | 2.25             | ¥                 | ¥                 | 30.41             | 33.15             | 060    |
| 27725                       |     | ∢      | Repair of lower leg          | 15.59          | ¥               | Ϋ́              | 12.85           | 11.70           | 1.20             | ¥                 | ¥                 | 29.64             | 28.49             | 060    |
| 27727                       |     | ∢      | Repair of lower leg          | 14.01          | ₹               | ¥               | 9.84            | 10.10           | 1.44             | ¥                 | ₹                 | 25.29             | 25.55             | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

Page 39 of 271 CCPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|  |     |        |                              |              | Non-            | Transitioned            | , the           | Transitioned    |                  |                   | -<br>:              |                   |                   |        |
|--|-----|--------|------------------------------|--------------|-----------------|-------------------------|-----------------|-----------------|------------------|-------------------|---------------------|-------------------|-------------------|--------|
| •  |     |        |                              | Physician    | practice        | non-raciniy<br>practice | practice        | practice        | Mal-             | Non-              | iransinonea<br>Non- |                   | Transitioned      |        |
| CPT <sup>/</sup> /<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs         | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total   | Facility<br>Total | Facility<br>Total | Global |
| 27860                                    |     | ∢      | Fixation of ankle joint      | 2.34         | ¥               | ¥                       | 2.70            | 1.81            | 0.18             | ¥                 | ₹                   | 5.22              | 4.33              | 010    |
| 27870                                    |     | ∢      | Fusion of ankle joint        | 13.91        | ¥               | Ą.                      | 11.97           | 13.85           | 1.74             | ¥                 | ¥                   | 27.62             | 29.50             | 060    |
| 27871                                    |     | ∢      | Fusion of tibiofibular joint | 9.17         | ¥               | Ą                       | 9.14            | 8.62            | 0.95             | ¥                 | ¥                   | 19.26             | 18.74             | 060    |
| 27880                                    |     | ∢      | Amputation of lower leg      | 11.85        | ¥               | ΑN                      | 8.85            | 9.02            | 1.25             | ¥                 | ¥                   | 21.95             | 22.12             | 060    |
| 27881                                    |     | ∢      | Amputation of lower leg      | 12.34        | ¥               | Š                       | 10.83           | 11.51           | 1.46             | ¥                 | ¥                   | 24.63             | 25.31             | 060    |
| 27882                                    |     | ∢      | Amputation of lower leg      | 8.94         | ¥               | Š                       | 8.84            | 8.20            | 1.1              | ¥                 | ¥                   | 18.89             | 18.25             | 060    |
| 27884                                    |     | ∢      | Amputation follow-up surgery | 8.21         | ¥               | ¥                       | 7.48            | 4.62            | 0.48             | ¥                 | Ą                   | 16.17             | 13.31             | 060    |
| 27886                                    |     | ∢      | Amputation follow-up surgery | 9.32         | ¥               | ¥                       | 8.16            | 7.88            | 1.05             | ¥                 | ¥                   | 18.53             | 18.25             | 060    |
| 27888                                    |     | ∢      | Amputation of foot at ankle  | 29.6         | ¥               | ¥                       | 8.95            | 96.6            | 1.29             | ¥                 | ¥                   | 19.91             | 20.92             | 060    |
| 27889                                    |     | ∢      | Amputation of foot at ankle  | 86.6         | ¥               | ¥                       | 99.2            | 8.78            | 1.21             | ¥                 | ¥                   | 18.85             | 19.97             | 060    |
| 27892                                    |     | ∢      | Decompression of leg         | 7.39         | ¥               | ¥                       | 6.01            | 4.26            | 0.50             | ¥                 | Ϋ́                  | 13.90             | 12.15             | 060    |
| 27893                                    |     | ∢      | Decompression of leg         | 7.35         | ¥               | ¥                       | 5.50            | 4.13            | 0.52             | ¥                 | ¥                   | 13.37             | 12.00             | 060    |
| 27894                                    |     | ∢      | Decompression of leg         | 10.49        | ¥               | ¥                       | 7.38            | 5.15            | 0.60             | ¥                 | ¥                   | 18.47             | 16.24             | 060    |
| 27899                                    |     | ပ      | Leg/ankle surgery procedure  | 0.00         | 0.00            | 0.00                    | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | Х      |
| 28001                                    |     | ∢      | Drainage of bursa of foot    | 2.73         | 3.92            | 1.40                    | 2.64            | 0.87            | 0.04             | 69.9              | 4.17                | 5.41              | 3.64              | 010    |
| 28002                                    |     | ∢      | Treatment of foot infection  | 4.62         | 4.84            | 3.04                    | 3.94            | 2.82            | 0.26             | 9.72              | 7.92                | 8.82              | 7.70              | 010    |
| 28003                                    |     | ∢      | Treatment of foot infection  | 8.41         | 7.92            | 4.83                    | 8.29            | 3.50            | 0.46             | 16.79             | 13.70               | 17.16             | 12.37             | 060    |
| 28005                                    |     | ∢      | Treat foot bone lesion       | 8.68         | ¥               | Š                       | 8.45            | 5.44            | 0.48             | ¥                 | ₹                   | 17.61             | 14.60             | 060    |
| 28008                                    |     | ∢      | Incision of foot fascia      | 4.45         | 5.56            | 3.57                    | 4.45            | 3.30            | 0.23             | 10.24             | 8.25                | 9.13              | 7.98              | 060    |
| 28010                                    |     | ∢      | Incision of toe tendon       | 2.84         | 4.91            | 4.18                    | 3.69            | 2.40            | 0.26             | 8.01              | 7.28                | 6.79              | 5.50              | 060    |
| 28011                                    |     | ∢      | Incision of toe tendons      | 4.14         | 6.32            | 3.02                    | 5.28            | 2.04            | 0.15             | 10.61             | 7.31                | 9.57              | 6.33              | 060    |
| 28020                                    |     | ∢      | Exploration of a foot joint  | 5.01         | 7.08            | 5.36                    | 5.28            | 4.91            | 0.44             | 12.53             | 10.81               | 10.73             | 10.36             | 060    |
| 28022                                    |     | ∢      | Exploration of a foot joint  | 4.67         | 5.37            | 3.57                    | 4.79            | 2.32            | 0.24             | 10.28             | 8.48                | 9.70              | 7.23              | 060    |
| 28024                                    |     | ∢      | Exploration of a toe joint   | 4.38         | 5.65            | 3.36                    | 4.96            | 2.22            | 0.19             | 10.22             | 7.93                | 9.53              | 6.79              | 060    |
| 28030                                    |     | ∢      | Removal of foot nerve        | 6.15         | ¥               | ¥                       | 3.28            | 4.02            | 0.33             | ≨                 | ₹                   | 9.76              | 10.50             | 060    |
| 28035                                    |     | ∢      | Decompression of tibia nerve | 5.09         | 6.01            | 6.54                    | 4.60            | 5.71            | 0.70             | 11.80             | 12.33               | 10.39             | 11.50             | 060    |
| 28043                                    |     | ∢      | Excision of foot lesion      | 3.54         | 5.15            | 2.70                    | 90.             | 2.43            | 0.16             | 8.82              | 6.40                | 7.76              | 6.13              | 060    |
| 28045                                    |     | ∢      | Excision of foot lesion      | 4.72         | 5.65            | 4.66                    | 4.57            | 4.39            | 0.36             | 10.73             | 9.74                | 9.65              | 9.47              | 060    |
| 28046                                    |     | ∢ ·    | Resection of tumor, foot     | 10.18        | 8.83            | 6.57                    | 8.23            | 6.42            | 0.62             | 19.63             | 17.37               | 19.03             | 17.22             | 060    |
| 28050                                    |     | ∢      | Biopsy of foot joint lining  | 4.25         | 6.15            | 4.67                    | 4.50            | 4.25            | 0.41             | 10.81             | 9.33                | 9.16              | 8.91              | 060    |
| 28052                                    |     | ∢      | Biopsy of foot joint lining  | 3.94         | 5.26            | 4.43                    | 4.82            | 2.77            | 0.34             | 9.54              | 8.71                | 9.10              | 7.05              | 060    |
| 28054                                    |     | ∢      | Biopsy of toe joint lining   | 3.45         | 5.51            | 3.20                    | 4.72            | 3.00            | 0.22             | 9.18              | 6.87                | 8.39              | 6.67              | 060    |
| 28060                                    |     | ∢      | Partial removal foot fascia  | 5.23         | 5.93            | 4.92                    | 4.97            | 4.68            | 0.41             | 11.57             | 10.56               | 10.61             | 10.32             | 060    |
| 28062                                    |     | ∢      | Removal of foot fascia       | 6.52         | 6.47            | 7.36                    | 4.92            | 96.9            | 0.67             | 13.66             | 14.55               | 12.11             | 14.17             | 060    |
| 28070                                    |     | ∢      | Removal of foot joint lining | 5.10         | 5.33            | 4.98                    | 4.77            | 4.84            | 0.38             | 10.81             | 10.46               | 10.25             | 10.32             | 060    |
| 28072                                    |     | ∢      | Removal of foot joint lining | 4.58         | 5.45            | 3.97                    | 5.37            | 3.95            | 0.33             | 10.33             | 8.88                | 10.28             | 8.86              | 060    |
| 28080                                    |     | ∢      | Removal of foot lesion       | 3.58         | 5.25            | 4.63                    | 4.20            | 4.37            | 0.35             | 9.18              | 8.56                | 8.13              | 8.30              | 060    |
| 28086                                    |     | ∢      | Excise foot tendon sheath    | 4.78         | 6.61            | 4.20                    | 6.19            | 4.09            | 0.36             | 11.75             | 9.34                | 11.33             | 9.23              | 060    |
| 28088                                    |     | ∢      | Excise foot tendon sheath    | 3.86         | 6.58            | 4.59                    | 5.24            | 4.26            | 0.31             | 10.75             | 8.76                | 9.41              | 8.43              | 060    |
| 28090                                    |     | ∢      | Removal of foot lesion       | 4.41         | 5.51            | 3.84                    | 4.39            | 3.56            | 0.23             | 10.15             | 8.48                | 9.03              | 8.20              | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|             |          |                              | ADDLADOM D   | 4                | ALUL UIIII)                  | VOS/AND A       | VEINILD INFO             |                  |                   |                   |                   |                   |            |
|-------------|----------|------------------------------|--------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
|             |          |                              |              | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitionad      |                   |                   |            |
| /1 mu       |          |                              | Physician    | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              | į                 | Transitioned      |            |
| HCPCS 2 Mod | f Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | racility<br>Total | tacility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
| 28092       | ∢        | Removal of toe lesions       | 3.64         | 5.69             | 3.07                         | 4.47            | 2.77                     | 0.20             | 9.53              | 6.91              | 8.31              | 6.61              | 060        |
| 28100       | ∢        | Removal of ankle/heel lesion | 5.66         | 8.02             | 5.73                         | 6.17            | 5.27                     | 0.44             | 14.12             | 11.83             | 12.27             | 11.37             | 8          |
| 28102       | ∢        | Remove/graft foot lesion     | 7.73         | ¥                | ¥                            | 7.76            | 7.51                     | 99.0             | ¥                 | ¥                 | 16.15             | 15.90             | 060        |
| 28103       | ∢        | Remove/graft foot lesion     | 6.50         | 7.16             | 6.36                         | 6.38            | 6.16                     | 0.54             | 14.20             | 13.40             | 13.42             | 13.20             | 060        |
| 28104       | ∢        | Removal of foot lesion       | 5.12         | 5.98             | 5.02                         | 5.37            | 4.87                     | 0.38             | 11.48             | 10.52             | 10.87             | 10.37             | 8          |
| 28106       | ∢        | Remove/graft foot lesion     | 7.16         | ¥                | ¥                            | 5.70            | 6.65                     | 0.62             | ¥                 | Ϋ́                | 13.48             | 14.43             | 80         |
| 28107       | ∢        | Remove/graft foot lesion     | 5.56         | 5.78             | 5.40                         | 5.06            | 5.22                     | 0.38             | 11.72             | 11.34             | 11.00             | 11.16             | 060        |
| 28108       | ∢        | Removal of toe lesions       | 4.16         | 5.05             | 4.68                         | 4.12            | 2.74                     | 0.30             | 9.51              | 9.14              | 8.58              | 7.20              | 8          |
| 28110       | ∢        | Part removal of metatarsal   | 4.08         | 5.88             | 4.31                         | 5.26            | 4.15                     | 0.31             | 10.27             | 8.70              | 9.65              | 8.54              | 060        |
| 28111       | ∢        | Part removal of metatarsal   | 5.01         | 6.43             | 5.71                         | 5.69            | 5.53                     | 0.51             | 11.95             | 11.23             | 11.21             | 11.05             | 060        |
| 28112       | ∢        | Part removal of metatarsal   | 4.49         | 6.29             | 4.80                         | 5.73            | 4.66                     | 0.35             | 11.13             | 9.64              | 10.57             | 9.50              | 060        |
| 28113       | ∢        | Part removal of metatarsal   | 4.79         | 6.22             | 5.17                         | 5.37            | 4.96                     | 0.38             | 11.39             | 10.34             | 10.54             | 10.13             | <b>6</b> 6 |
| 28114       | ∢        | Removal of metatarsal heads  | 9.79         | 9.62             | 9.87                         | 9.04            | 9.72                     | 1.11             | 20.52             | 20.77             | 19.94             | 20.62             | 060        |
| 28116       | ∢        | Revision of foot             | 7.75         | 6.36             | 6.05                         | 5.73            | 5.90                     | 0.45             | 14.56             | 14.25             | 13.93             | 14.10             | 060        |
| 28118       | ∢        | Removal of heel bone         | 5.96         | 6.36             | 6.24                         | 5.71            | 80.9                     | 0.52             | 12.84             | 12.72             | 12.19             | 12.56             | 060        |
| 28119       | ∢        | Removal of heel spur         | 5.39         | 5.94             | 5.91                         | 4.82            | 5.63                     | 0.45             | 11.78             | 11.75             | 10.66             | 11.47             | 060        |
| 28120       | ∢        | Part removal of ankle/heel   | 5.40         | 8.32             | 6.18                         | 7.53            | 5.99                     | 0.52             | 14.24             | 12.10             | 13.45             | 11.91             | 060        |
| 28122       | ∢        | Partial removal of foot bone | 7.29         | 7.79             | 5.59                         | 7.68            | 5.57                     | 0.42             | 15.50             | 13.30             | 15.39             | 13.28             | 060        |
| 28124       | ∢        | Partial removal of toe       | 4.81         | 6.43             | 4.95                         | 6.04            | 3.18                     | 0.29             | 11.53             | 10.05             | 11.14             | 8.28              | 060        |
| 28126       | ∢        | Partial removal of toe       | 3.52         | 5.52             | 4.62                         | 5.02            | 2.88                     | 0.28             | 9.32              | 8.42              | 8.82              | 6.68              | 060        |
| 28130       | ∢        | Removal of ankle bone        | 8.11         | Ϋ́               | ₹                            | 2.66            | 7.64                     | 69.0             | ¥                 | ¥                 | 16.46             | 16.44             | 060        |
| 28140       | ∢        | Removal of metatarsal        | 6.91         | 7.29             | 5.84                         | 90.9            | 5.53                     | 0.49             | 14.69             | 13.24             | 13.46             | 12.93             | 060        |
| 28150       | ∢        | Removal of toe               | 4.09         | 5.96             | 4.17                         | 5.32            | 4.01                     | 0.30             | 10.35             | 8.56              | 9.71              | 8.40              | 060        |
| 28153       | ∢        | Partial removal of toe       | 3.66         | 5.47             | 4.62                         | 4.10            | 2.65                     | 0.28             | 9.41              | 8.56              | 8.04              | 6.59              | 060        |
| 28160       | ∢        | Partial removal of toe       | 3.74         | 5.66             | 4.77                         | 5.46            | 3.05                     | 0.30             | 9.70              | 8.81              | 9.50              | 7.09              | 8          |
| 28171       | ∢        | Extensive foot surgery       | 9.60         | ž                | ₹                            | 6.58            | 8.15                     | 69.0             | ¥                 | ¥                 | 16.87             | 18.44             | 060        |
| 28173       | ∢        | Extensive foot surgery       | 8.80         | 7.42             | 6.53                         | 6.90            | 6.40                     | 0.58             | 16.80             | 15.91             | 16.28             | 15.78             | 060        |
| 28175       | ∢        | Extensive foot surgery       | 6.05         | 7.03             | 6.14                         | 5.06            | 5.65                     | 0.45             | 13.53             | 12.64             | 11.56             | 12.15             | 060        |
| 28190       | ∢        | Removal of foot foreign body | 1.96         | 4.50             | 1.55                         | 2.08            | 0.73                     | 0.04             | 6.50              | 3.55              | 4.08              | 2.73              | 010        |
| 28192       | ∢        | Removal of foot foreign body | 4.64         | 5.91             | 3.07                         | 4.27            | 2.66                     | 0.19             | 10.74             | 7.90              | 9.10              | 7.49              | 060<br>0   |
| 28193       | ∢        | Removal of foot foreign body | 5.73         | 6.57             | 3.58                         | 5.21            | 3.24                     | 0.23             | 12.53             | 9.54              | 11.17             | 9.20              | 060        |
| 28200       | ∢        | Repair of foot tendon        | 4.60         | 5.64             | 5.53                         | 5.12            | 5.40                     | 0.39             | 10.63             | 10.52             | 10.11             | 10.39             | 060        |
| 28202       | ∢        | Repair/graft of foot tendon  | 6.84         | 6.28             | 6.31                         | 26.55           | 11.38                    | 0.60             | 13.72             | 13.75             | 33.99             | 18.82             | 060<br>060 |
| 28208       | ∢        | Repair of foot tendon        | 4.37         | 5.40             | 3.64                         | 4.56            | 3.43                     | 0.22             | 6.6               | 8.23              | 9.15              | 8.02              | 060        |
| 28210       | ∢        | Repair/graft of foot tendon  | 6.35         | 6.43             | 6.17                         | 5.30            | 5.89                     | 0.47             | 13.25             | 12.99             | 12.12             | 12.71             | 80         |
| 28220       | ⋖        | Release of foot tendon       | 4.53         | 5.47             | 4.52                         | 4.43            | 2.68                     | 0.34             | 10.34             | 9.39              | 9.30              | 7.55              | 060        |
| 28222       | ∢        | Release of foot tendons      | 5.62         | 5.91             | 69.9                         | 5.30            | 3.94                     | 0.49             | 12.02             | 12.80             | 11.41             | 10.05             | 060        |
| 28225       | ∢        | Release of foot tendon       | 3.66         | 5.18             | 3.22                         | 4.20            | 2.98                     | 0.20             | 9.04              | 7.08              | 8.06              | 6.84              | 060        |
| 28226       | ∢        | Release of foot tendons      | 4.53         | 5.71             | 4.18                         | 4.77            | 3.95                     | 0.31             | 10.55             | 9.02              | 9.61              | 8.79              | 060        |
| 28230       | ∢        | Incision of foot tendon(s)   | 4.24         | 5.44             | 3.34                         | 5.20            | 2.29                     | 0.17             | 9.85              | 7.75              | 9.61              | 6.70              | 060        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|        |      |        |                              |           | Non-                 | Transitioned             | 4                    | Transitioned         |                  |                   | ,                    |                   |              |        |
|--------|------|--------|------------------------------|-----------|----------------------|--------------------------|----------------------|----------------------|------------------|-------------------|----------------------|-------------------|--------------|--------|
| •      |      |        |                              | Physician | tacility<br>practice | Non-facility<br>practice | Facility<br>practice | racility<br>practice | Mal-             | Non-              | Transitioned<br>Non- |                   | Transitioned |        |
| CPT // | Poff | Cimtuc | Decription                   | work 3    | expense              | expense<br>RVIIc         | expense<br>RVUs      | expense              | practice<br>RUYs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility     | Global |
| 28232  | 1    | ٧      | Incision of toe tendon       | 3.39      | 5.34                 | 2.64                     | 4.86                 | 1.87                 | 0.12             | 8.85              | 6.15                 | 8.37              | 5.38         | 060    |
| 28234  |      | ⋖      | Incision of foot tendon      | 3.37      | 5.51                 | 2.62                     | 4.62                 | 1.78                 | 0.11             | 8.99              | 6.10                 | 8.10              | 5.26         | 060    |
| 28238  |      | ∢      | Revision of foot tendon      | 7.73      | 7.17                 | 7.68                     | 6.13                 | 7.42                 | 99.0             | 15.56             | 16.07                | 14.52             | 15.81        | 060    |
| 28240  |      | ⋖      | Release of big toe           | 4.36      | 5.58                 | 3.13                     | 5.03                 | 2.99                 | 0.18             | 10.12             | 79.7                 | 9.57              | 7.53         | 060    |
| 28250  |      | ∢      | Revision of foot fascia      | 5.92      | 6.05                 | 5.14                     | 5.10                 | 4.91                 | 0.39             | 12.36             | 11.45                | 11.41             | 11.22        | 060    |
| 28260  |      | ⋖      | Release of midfoot joint     | 7.96      | 6.71                 | 5.29                     | 6.17                 | 5.15                 | 0.38             | 15.05             | 13.63                | 14.51             | 13.49        | 060    |
| 28261  |      | ⋖      | Revision of foot tendon      | 11.73     | 8.35                 | 6.90                     | 8.09                 | 6.83                 | 0.45             | 20.53             | 19.08                | 20.27             | 19.01        | 060    |
| 28262  |      | ⋖      | Revision of foot and ankle   | 15.83     | 10.15                | 12.24                    | 13.25                | 13.01                | 1.13             | 27.11             | 29.20                | 30.21             | 29.97        | 060    |
| 28264  |      | ∢      | Release of midfoot joint     | 10.35     | 8.03                 | 62.6                     | 9.80                 | 10.24                | 0.92             | 19.30             | 21.06                | 21.07             | 21.51        | 060    |
| 28270  |      | ∢      | Release of foot contracture  | 4.76      | 5.94                 | 3.62                     | 5.39                 | 2.42                 | 0.18             | 10.88             | 8.56                 | 10.33             | 7.36         | 060    |
| 28272  |      | ∢      | Release of toe joint, each   | 3.80      | 5.11                 | 2.94                     | 4.30                 | 1.91                 | 0.14             | 9.05              | 6.88                 | 8.24              | 5.85         | 060    |
| 28280  |      | ∢      | Fusion of toes               | 5.19      | 6.64                 | 3.47                     | 5.60                 | 3.21                 | 0.23             | 12.06             | 8.89                 | 11.02             | 8.63         | 060    |
| 28285  |      | ∢      | Repair of hammertoe          | 4.59      | 5.90                 | 5.03                     | 5.14                 | 4.84                 | 0.31             | 10.80             | 9.93                 | 10.04             | 9.74         | 060    |
| 28286  |      | ∢      | Repair of hammertoe          | 4.56      | 5.83                 | 4.38                     | 4.97                 | 4.16                 | 0:30             | 10.69             | 9.24                 | 9.83              | 9.05         | 060    |
| 28288  |      | ∢      | Partial removal of foot bone | 4.74      | 60.9                 | 4.58                     | 6.33                 | 4.64                 | 0.34             | 11.17             | 9.66                 | 11.41             | 9.72         | 060    |
| 28289  |      | ∢      | Repair hallux rigidus        | 7.04      | 2.78                 | 2.78                     | 3.12                 | 3.12                 | 0.42             | 10.24             | 10.24                | 10.58             | 10.58        | 060    |
| 28290  |      | ∢      | Correction of bunion         | 5.66      | 6.67                 | 6.03                     | 6.80                 | 6.07                 | 0.49             | 12.82             | 12.18                | 12.95             | 12.22        | 060    |
| 28292  |      | ∢      | Correction of bunion         | 7.04      | 6.87                 | 7.46                     | 6.40                 | 7.34                 | 0.58             | 14.49             | 15.08                | 14.02             | 14.96        | 060    |
| 28293  |      | ∢      | Correction of bunion         | 9.15      | 7.81                 | 9.72                     | 6.51                 | 9.40                 | 0.77             | 17.73             | 19.64                | 16.43             | 19.32        | 060    |
| 28294  |      | ∢      | Correction of bunion         | 8.56      | 7.72                 | 9.39                     | 6.03                 | 8.96                 | 0.67             | 16.95             | 18.62                | 15.26             | 18.19        | 060    |
| 28296  |      | ∢      | Correction of bunion         | 9.18      | 7.79                 | 9.12                     | 90.7                 | 8.94                 | 0.77             | 17.74             | 19.07                | 17.01             | 18.89        | 060    |
| 28297  |      | ∢      | Correction of bunion         | 9.18      | 7.56                 | 9.23                     | 8.47                 | 9.46                 | 0.82             | 17.56             | 19.23                | 18.47             | 19.46        | 060    |
| 28298  |      | ∢      | Correction of bunion         | 7.94      | 7.17                 | 8.90                     | 6.44                 | 8.71                 | 0.62             | 15.73             | 17.46                | 15.00             | 17.27        | 060    |
| 28299  |      | ∢      | Correction of bunion         | 8.88      | 7.50                 | 9.83                     | 6.68                 | 9.62                 | 0.84             | 17.22             | 19.55                | 16.40             | 19.34        | 060    |
| 28300  |      | ∢      | Incision of heel bone        | 9.54      | 12.26                | 8.38                     | 8.16                 | 7.35                 | 0.62             | 22.42             | 18.54                | 18.32             | 17.51        | 060    |
| 28302  |      | ∢      | Incision of ankle bone       | 9.55      | 7.07                 | 9.01                     | 8.74                 | 9.45                 | 0.88             | 17.50             | 19.44                | 19.17             | 19.85        | 060    |
| 28304  |      | ∢      | Incision of midfoot bones    | 9.16      | 8.21                 | 7.30                     | 6.84                 | 6.95                 | 0.55             | 17.92             | 17.01                | 16.55             | 16.66        | 060    |
| 28305  |      | ∢      | Incise/graft midfoot bones   | 10.50     | 15.62                | 11.92                    | 9.81                 | 10.47                | 0.81             | 26.93             | 23.23                | 21.12             | 21.78        | 060    |
| 28306  |      | ∢      | Incision of metatarsal       | 5.86      | 5.98                 | 5.22                     | 5.12                 | 5.00                 | 0.37             | 12.21             | 11.45                | 11.35             | 11.23        | 060    |
| 28307  |      | ∢      | Incision of metatarsal       | 6.33      | 5.71                 | 6.21                     | 6.71                 | 6.46                 | 0.59             | 12.63             | 13.13                | 13.63             | 13.38        | 060    |
| 28308  |      | ∢      | Incision of metatarsal       | 5.29      | 5.46                 | 6.02                     | 4.21                 | 5.70                 | 0.39             | 11.14             | 11.70                | 9.89              | 11.38        | 060    |
| 28309  |      | ∢      | Incision of metatarsals      | 12.78     | ¥                    | ¥                        | 8.50                 | 7.72                 | 0.78             | ¥                 | ₹                    | 22.06             | 21.28        | 060    |
| 28310  |      | ∢      | Revision of big toe          | 5.43      | 6.16                 | 4.94                     | 5.31                 | 4.73                 | 0.33             | 11.92             | 10.70                | 11.07             | 10.49        | 060    |
| 28312  |      | ∢      | Revision of toe              | 4.55      | 5.94                 | 5.20                     | 5.64                 | 5.12                 | 0.35             | 10.84             | 10.10                | 10.54             | 10.02        | 060    |
| 28313  |      | ∢      | Repair deformity of toe      | 5.01      | 6.49                 | 3.72                     | 7.51                 | 2.93                 | 0.24             | 11.74             | 8.97                 | 12.76             | 8.18         | 060    |
| 28315  |      | ∢      | Removal of sesamoid bone     | 4.86      | 5.45                 | 4.81                     | 4.41                 | 4.55                 | 0.32             | 10.63             | 66.6                 | 9.59              | 9.73         | 060    |
| 28320  |      | ∢      | Repair of foot bones         | 9.18      | ¥                    | ¥                        | 7.69                 | 9.00                 | 0.81             | ¥                 | ¥                    | 17.68             | 18.99        | 060    |
| 28322  |      | ∢      | Repair of metatarsals        | 8.34      | 8.67                 | 5.97                     | 7.13                 | 5.59                 | 0.41             | 17.42             | 14.72                | 15.88             | 14.34        | 060    |
| 28340  |      | ∢      | Resect enlarged toe tissue   | 6.98      | 6.33                 | 6.74                     | 5.98                 | 99.9                 | 0.71             | 14.02             | 14.43                | 13.67             | 14.35        | 060    |
| 28341  |      | ∢      | Resect enlarged toe          | 8.41      | 6.89                 | 7.96                     | 5.89                 | 7.71                 | 0.75             | 16.05             | 17.12                | 15.05             | 16.87        | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|         |            |                          |                               |                   | Non-     | Transitioned       |          | Iransitioned        |                  |                  |                  |          |                          |             |
|---------|------------|--------------------------|-------------------------------|-------------------|----------|--------------------|----------|---------------------|------------------|------------------|------------------|----------|--------------------------|-------------|
|         |            |                          |                               | 70                | facility | Non-facility       | Facility | Facility            | )~N              | =                | Transitioned     |          | :                        |             |
| CPT 1/  |            |                          |                               | rnysician<br>work | expense  | ргаспсе<br>expense | expense  | practice<br>expense | mar-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Iransitioned<br>Facility |             |
| HCPCS * | Mod Status |                          | Description                   | RVUs <sup>3</sup> | RVUS     | RVUs               | RVUs     | RVUs                | RUVs             | Total            | Total            | Total    | Total                    | Global      |
| 28344   |            | A Repair extra toe(s)    | a toe(s)                      | 4.26              | 10.04    | 5.53               | 5.07     | 4.28                | 0.47             | 14.77            | 10.26            | 9.80     | 9.01                     | 060         |
| 28345   |            | A Repair webbed toe(s)   | bed toe(s)                    | 5.92              | 6.31     | 5.93               | 5.91     | 5.83                | 0.57             | 12.80            | 12.42            | 12.40    | 12.32                    | 060         |
| 28360   |            | A Reconstruct cleft fool | ct cleft foot                 | 13.34             | ¥        | ž                  | 11.87    | 12.67               | 1.53             | ¥                | ₹                | 26.74    | 27.54                    | 060         |
| 28400   |            | A Treatment of           | reatment of heel fracture     | 2.16              | 6.46     | 3.71               | 3.39     | 1.90                | 0.31             | 8.93             | 6.18             | 5.86     | 4.37                     | 060         |
| 28405   |            | A Treatment or           | Freatment of heel fracture    | 4.57              | 7.28     | 4.99               | 4.95     | 4.41                | 0.45             | 12.30            | 10.01            | 6.97     | 9.43                     | 060         |
| 28406   |            | •                        | Treatment of heel fracture    | 6.31              | ¥        | ¥                  | 7.63     | 6.87                | 0.73             | ¥                | ¥                | 14.67    | 13.91                    | 060         |
| 28415   |            | _                        | Repair of heel fracture       | 15.97             | ¥        | ¥                  | 34.85    | 16.06               | 1.09             | ¥                | ¥                | 51.91    | 33.12                    | 060         |
| 28420   |            | A Repair/graft           | Repair/graft heel fracture    | 16.64             | ¥        | ¥                  | 36.71    | 18.04               | 1.28             | ¥                | Š                | 54.63    | 35.96                    | 060         |
| 28430   |            | A Treatment or           | reatment of ankle fracture    | 2.09              | 5.91     | 3.47               | 2.78     | 1.69                | 0.27             | 8.27             | 5.83             | 5.14     | 4.05                     | 060         |
| 28435   |            | A Treatment of           | Treatment of ankle fracture   | 3.40              | 5.43     | 4.10               | 3.82     | 3.69                | 0.39             | 9.22             | 7.89             | 7.61     | 7.48                     | 060         |
| 28436   |            | A Treatment of           | Treatment of ankle fracture   | 4.71              | ¥        | ₹                  | 6.44     | 5.02                | 0.53             | ¥                | Š                | 11.68    | 10.26                    | 060         |
| 28445   |            | A Repair of a            | Repair of ankle fracture      | 9.33              | ¥        | <b>₹</b>           | 8.84     | 9.37                | 1.10             | ¥                | Ř                | 19.27    | 19.80                    | 060         |
| 28450   |            | A Treat midfo            | Freat midfoot fracture, each  | 1.90              | 5.72     | 2.95               | 2.67     | 1.43                | 0.20             | 7.82             | 5.05             | 4.77     | 3.53                     | 060         |
| 28455   |            | A Treat midfo            | Freat midfoot fracture, each  | 3.09              | 5.05     | 3.33               | 3.95     | 2.02                | 0.27             | 8.41             | 69.9             | 7.31     | 5.38                     | 060         |
| 28456   |            |                          | Repair midfoot fracture       | 2.68              | ¥        | Ϋ́                 | 4.89     | 3.07                | 0.30             | ¥                | ¥                | 7.87     | 6.05                     | 060         |
| 28465   |            | A Repair midf            | Repair midfoot fracture, each | 7.01              | ¥        | Ϋ́                 | 19.62    | 9.41                | 0.63             | ¥                | Ϋ́               | 27.26    | 17.05                    | 060         |
| 28470   |            | A Treat metal            | Treat metatarsal fracture     | 1.99              | 5.32     | 2.79               | 2.29     | 1.31                | 0.18             | 7.49             | 4.96             | 4.46     | 3.48                     | <b>6</b> 60 |
| 28475   |            | A Treat metal            | Freat metatarsal fracture     | 2.97              | 5.30     | 3.23               | 3.54     | 1.84                | 0.23             | 8.50             | 6.43             | 6.74     | 5.04                     | 060         |
| 28476   |            | A Repair meta            | Repair metatarsal fracture    | 3.38              | Ϋ́       | Ϋ́                 | 5.34     | 4.08                | 0.35             | ¥                | ¥                | 9.07     | 7.81                     | 060         |
| 28485   |            |                          | Repair metatarsal fracture    | 5.71              | ¥        | <b>∀</b>           | 19.59    | 8.71                | 0.47             | ¥                | Š                | 25.77    | 14.89                    | 8           |
| 28490   |            | A Treat big toe fracture | oe fracture                   | 1.09              | 1.87     | 1.20               | 1.38     | 0.71                | 0.08             | 3.04             | 2.37             | 2.55     | 1.88                     | 060         |
| 28495   |            |                          | be fracture                   | 1.58              | 2.13     | 1.45               | 1.75     | 06.0                | 0.10             | 3.81             | 3.13             | 3.43     | 2.58                     | 8           |
| 28496   |            | A Repair big t           | Repair big toe fracture       | 2.33              | 6.62     | 3.34               | 4.32     | 2.77                | 0.24             | 9.19             | 5.91             | 6.89     | 5.34                     | 060         |
| 28505   |            | A Repair big t           | Repair big toe fracture       | 3.81              | 16.01    | 6.43               | 17.95    | 6.92                | 0.34             | 20.16            | 10.58            | 22.10    | 11.07                    | 060         |
| 28510   |            | A Treatment              | Treatment of toe fracture     | 1.09              | 1.68     | 1.15               | 1.30     | 69.0                | 0.07             | 2.84             | 2.31             | 2.46     | 1.85                     | 66          |
| 28515   |            | A Treatment              | Treatment of toe fracture     | 1.46              | 1.89     | 1.39               | 1.59     | 98.0                | 0.09             | 3.44             | 2.94             | 3.14     | 2.41                     | <b>6</b> 6  |
| 28525   |            | A Repair of toe fracture | oe fracture                   | 3.32              | 16.00    | 5.68               | 17.66    | 6.10                | 0.23             | 19.55            | 9.23             | 21.21    | 9.65                     | 060         |
| 28530   |            |                          | Freat sesamoid bone fracture  | 1.06              | 3.08     | 1.59               | 1.77     | 98.0                | 0.08             | 4.22             | 2.73             | 2.91     | 2.00                     | 060         |
| 28531   |            | A Treat sesan            | reat sesamoid bone fracture   | 2.35              | 56.77    | 15.75              | 15.27    | 5.37                | 0.25             | 59.37            | 18.35            | 17.87    | 7.97                     | 80          |
| 28540   |            | A Treat foot dislocation | dislocation                   | 2.04              | 3.68     | 1.41               | 2.57     | 0.89                | 0.05             | 5.77             | 3.50             | 4.66     | 2.98                     | 060         |
| 28545   |            | A Treat foot dislocation | dislocation                   | 2.45              | 3.09     | 1.84               | 3.79     | 2.01                | 0.11             | 5.65             | 4.40             | 6.35     | 4.57                     | 060         |
| 28546   |            | A Treat foot dislocation | dislocation                   | 3.20              | 8.16     | 4.27               | 4.64     | 3.39                | 0.35             | 11.71            | 7.82             | 8.19     | 6.94                     | 060         |
| 28555   |            | A Repair foot            | Repair foot dislocation       | 6.30              | 18.70    | 9.22               | 26.95    | 11.28               | 0.57             | 25.57            | 16.09            | 33.82    | 18.15                    | 060         |
| 28570   |            | A Treat foot dislocation | dislocation                   | 1.66              | 4.93     | 2.53               | 2.77     | 1.35                | 0.13             | 6.72             | 4.32             | 4.56     | 3.14                     | 060         |
| 28575   |            | •                        | dislocation                   | 3.31              | 4.04     | 3.27               | 4.60     | 3.41                | 0.33             | 7.68             | 6.91             | 8.24     | 7.05                     | 060         |
| 28576   |            | A Treat foot dislocation | dislocation                   | 4.17              | 5.61     | 3.66               | 5.38     | 3.60                | 0.33             | 10.11            | 8.16             | 9.88     | 8.10                     | 060         |
| 28585   |            | A Repair foot            | Repair foot dislocation       | 7.99              | 12.66    | 7.20               | 22.70    | 9.71                | 0.43             | 21.08            | 15.62            | 31.12    | 18.13                    | 060         |
| 28600   |            | •                        | dislocation                   | 1.89              | 4.67     | 1.72               | 2.87     | 1.00                | 90.0             | 6.62             | 3.67             | 4.82     | 2.95                     | 060         |
| 28605   |            | A Treat foot dislocation | dislocation                   | 2.71              | 5.32     | 3.17               | 4.13     | 2.87                | 0.27             | 8.30             | 6.15             | 7.11     | 5.85                     | 060         |
| 28606   |            | A Treat foot dislocation | dislocation                   | 4.90              | 10.92    | 5.57               | 5.91     | 4.32                | 0.43             | 16.25            | 10.90            | 11.24    | 9.65                     | 060         |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                |            |  | AUVLADOM D     | ערנאווער <b>ו</b> | ארוווח זחזא                  | ANN JOHN        |                         |                  | <u>.</u>          |                   |                   |                   |        |
|--------------------------------|------------|--|----------------|-------------------|------------------------------|-----------------|-------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                                |            |  |                | Non-<br>facility  | Iransitioned<br>Non-facility | Facility        | iransinoned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| -                              |            |  | Physician      | practice          | practice                     | practice        | practice                | Mal-             | Non-              | Мол-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> Ms | Mod Status | us Description                                   | work 3<br>RVUs | expense<br>RVUs   | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs         | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 28615                          | Í          | A Repair foot dislocation                        | 77.7           | Ą                 | NA                           | 23.15           | 9.82                    | 0.61             | N<br>A            | ¥.                | 31.53             | 18.20             | 060    |
| 28630                          | ∢          | A Treat toe dislocation                          | 1.70           | 1.87              | 1.31                         | 1.49            | 0.79                    | 0.09             | 3.66              | 3.10              | 3.28              | 2.58              | 010    |
| 28635                          | ٩          | A Treat toe dislocation                          | 1.91           | 2.95              | 1.92                         | 2.22            | 1.15                    | 0.14             | 5.00              | 3.97              | 4.27              | 3.20              | 010    |
| 28636                          | ٩          | A Treat toe dislocation                          | 2.77           | 3.36              | 2.93                         | 2.74            | 2.77                    | 0.33             | 6.46              | 6.03              | 5.84              | 2.87              | 010    |
| 28645                          | ₹          | A Repair toe dislocation                         | 4.22           | 6.94              | 4.38                         | 8.40            | 4.74                    | 0.30             | 11.46             | 8.90              | 12.92             | 9.26              | 060    |
| 28660                          | ٩          | <ul> <li>A Treat toe dislocation</li> </ul>      | 1.23           | 2.98              | 1.26                         | 1.44            | 0.87                    | 0.05             | 4.26              | 2.54              | 2.72              | 2.15              | 010    |
| 28665                          | 4          | A Treat toe dislocation                          | 1.92           | 2.67              | 1.46                         | 2.32            | 96.0                    | 0.09             | 4.68              | 3.47              | 4.33              | 2.99              | 010    |
| 28666                          | 4          | <ul> <li>A Treat toe dislocation</li> </ul>      | 2.66           | 3.32              | 2.82                         | 3.04            | 2.75                    | 0.31             | 6.29              | 5.79              | 6.01              | 5.72              | 010    |
| 28675                          | 4          | <ul> <li>A Repair of toe dislocation</li> </ul>  | 2.92           | 10.94             | 5.18                         | 13.11           | 5.72                    | 0.32             | 14.18             | 8.42              | 16.35             | 8.96              | 060    |
| 28705                          | 4          | A Fusion of foot bones                           | 15.21          | ¥                 | ₹                            | 11.50           | 15.18                   | 1.84             | ¥                 | ¥                 | 28.55             | 32.23             | 060    |
| 28715                          | 4          | <ul> <li>Fusion of foot bones</li> </ul>         | 13.10          | ¥                 | ¥                            | 11.10           | 12.81                   | 1.48             | ¥                 | ¥                 | 25.68             | 27.39             | 060    |
| 28725                          | ચ          | A Fusion of foot bones                           | 11.61          | ¥                 | ¥                            | 9.42            | 10.04                   | 1.13             | ¥                 | ¥                 | 22.16             | 22.78             | 060    |
| 28730                          | 4          | A Fusion of foot bones                           | 10.76          | ¥                 | ¥                            | 9.49            | 9.70                    | <b>1</b> .       | ¥                 | ¥                 | 21.29             | 21.50             | 060    |
| 28735                          | 4          | A Fusion of foot bones                           | 10.85          | ¥                 | ¥                            | 8.94            | 10.18                   | 1.07             | ¥                 | ¥                 | 20.86             | 22.10             | 060    |
| 28737                          | 4          | <ul> <li>Revision of foot bones</li> </ul>       | 9.64           | ¥                 | ¥                            | 8.63            | 9.38                    | 0.88             | ¥                 | ¥                 | 19.15             | 19.90             | 060    |
| 28740                          | 4          | A Fusion of foot bones                           | 8.02           | 8.60              | 6.34                         | 7.49            | 90.9                    | 0.56             | 17.18             | 14.92             | 16.07             | 14.64             | 060    |
| 28750                          | 4          | <ul> <li>A Fusion of big toe joint</li> </ul>    | 7.30           | 9.01              | 6.58                         | 7.60            | 6.23                    | 0.64             | 16.95             | 14.52             | 15.54             | 14.17             | 060    |
| 28755                          | 4          | <ul> <li>A Fusion of big toe joint</li> </ul>    | 4.74           | 5.87              | 4.47                         | 5.27            | 4.32                    | 0.35             | 10.96             | 9.56              | 10.36             | 9.41              | 060    |
| 28760                          | •          | <ul> <li>Fusion of big toe joint</li> </ul>      | 7.75           | 7.11              | 6.17                         | 6.36            | 5.99                    | 0.51             | 15.37             | 14.43             | 14.62             | 14.25             | 060    |
| 28800                          | •          | <ul> <li>Amputation of midfoot</li> </ul>        | 8.21           | ¥                 | ¥                            | 7.08            | 7.19                    | 0.93             | ¥                 | ¥                 | 16.22             | 16.33             | 060    |
| 28805                          | *          | <ul> <li>Amputation thru metatarsal</li> </ul>   | 8.39           | ₹                 | Š                            | 6.63            | 6.80                    | 0.95             | ¥                 | ¥                 | 15.97             | 16.14             | 060    |
| 28810                          | •          | •  | 6.21           | ¥                 | ¥                            | 5.69            | 4.60                    | 0.59             | ¥                 | ≨                 | 12.49             | 11.40             | 060    |
| 28820                          | *          | A Amputation of toe                              | 4.41           | 7.22              | 3.91                         | 5.14            | 3.39                    | 0.36             | 11.99             | 8.68              | 9.91              | 8.16              | 060    |
| 28825                          | *          |  | 3.59           | 6.80              | 3.65                         | 4.67            | 3.12                    | 0.32             | 10.71             | 7.56              | 8.58              | 7.03              | 060    |
| 28899                          | J          | C Foot/toes surgery procedure                    | 0.00           | 0.0               | 0.00                         | 0.00            | 0.00                    | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹      |
| 29000                          | *          | <ul> <li>Application of body cast</li> </ul>     | 2.25           | 8.77              | 3.70                         | 1.25            | 1.82                    | 0.16             | 11.18             | 6.11              | 3.66              | 4.23              | 00     |
| 29010                          | *          | -  | 2.06           | 10.72             | 4.58                         | 1.21            | 2.15                    | 0.27             | 13.05             | 6.91              | 3.54              | 4.48              | 00     |
| 29015                          | *          | <ul> <li>Application of body cast</li> </ul>     | 2.41           | 5.50              | 3.27                         | 98.0            | 1.17                    | 0.26             | 8.17              | 5.94              | 3.53              | 3.84              | 000    |
| 29020                          | *          | <ul> <li>Application of body cast</li> </ul>     | 2.11           | 8.56              | 3.63                         | 0.88            | 96.0                    | 0.18             | 10.85             | 5.92              | 3.17              | 3.25              | 00     |
| 29025                          | •          | -  | 2.40           | 10.74             | 3.29                         | 1.39            | 99.0                    | 0.11             | 13.25             | 5.80              | 3.90              | 3.17              | 00     |
| 29035                          | •          | <ul> <li>Application of body cast</li> </ul>     | 1.77           | 12.00             | 4.59                         | 1.02            | 1.05                    | 0.25             | 14.02             | 6.61              | 3.04              | 3.07              | 00     |
| 29040                          | *          | •  | 2.22           | 6.65              | 3.31                         | 0.97            | 1.89                    | 0.23             | 9.10              | 5.76              | 3.42              | 4.34              | 00     |
| 29044                          | •          | <ul> <li>Application of body cast</li> </ul>     | 2.12           | 15.67             | 5.62                         | 1.22            | 2.01                    | 0.27             | 18.06             | 8.01              | 3.61              | 4.40              | 00     |
| 29046                          | 1          | <ul> <li>Application of body cast</li> </ul>     | 2.41           | 9.50              | 4.19                         | 1.37            | 2.16                    | 0.28             | 12.19             | 6.88              | 4.06              | 4.85              | 000    |
| 29049                          | 1          | <ul> <li>Application of figure eight</li> </ul>  | 0.89           | 6.07              | 1.86                         | 0.43            | 0.28                    | 0.05             | 7.01              | 2.80              | 1.37              | 1.22              | 000    |
| 29055                          | 1          | <ul> <li>Application of shoulder cast</li> </ul> | 1.78           | 9.74              | 3.41                         | 1.02            | 1.23                    | 0.13             | 11.65             | 5.32              | 2.93              | 3.14              | 00     |
| 29058                          | +          | <ul> <li>Application of shoulder cast</li> </ul> | 1.31           | 6.62              | 2.19                         | 0.61            | 69.0                    | 0.07             | 8.00              | 3.57              | 1.99              | 2.07              | 000    |
| 29065                          | 1          | <ul> <li>Application of long arm cast</li> </ul> | 0.87           | 4.33              | 1.74                         | 0.50            | 0.46                    | 0.10             | 5.30              | 2.71              | 1.47              | 1.43              | 000    |
| 29075                          | 1          | <ul> <li>Application of forearm cast</li> </ul>  | 0.77           | 3.89              | 1.47                         | 0.43            | 0.36                    | 0.08             | 4.74              | 2.32              | 1.28              | 1.21              | 000    |
| 29085                          | •          | <ul> <li>Apply hand/wrist cast</li> </ul>        | 0.87           | 3.78              | 1.35                         | 0.42            | 0.31                    | 90.0             | 4.71              | 2.28              | 1.35              | 1.24              | 000    |
|                                |            |  |                |                   |                              |                 |                         |                  |                   |                   |                   |                   |        |

Page 44 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                    |            |                              | 4DDCNDOM D | NELAIIVE I       | יארסד מוויט                  | ANN / COAN | יי יי דעונה וווו         | UNITERITOR       | <u>.</u> |                  |                  |                   |        |
|--------------------|------------|------------------------------|------------|------------------|------------------------------|------------|--------------------------|------------------|----------|------------------|------------------|-------------------|--------|
|                    |            |                              |            | Non-<br>facility | Fransitioned<br>Non-facility | Facility   | Iransitioned<br>Facility |                  |          | Transitioned     |                  |                   |        |
| / <sub>1</sub> 102 |            |                              | Physician  | practice         | practice                     | practice   | practice                 | Mal-<br>practice | Mon-     | Non-             | 4                | Transitioned      |        |
| ,                  | Mod Status | s Description                | RVUs 3     | RVUs             | expense<br>RVUs              | RVUs       | RVUs                     | RUYS             | Total    | raciiny<br>Total | raciiny<br>Total | racılıty<br>Total | Global |
| 29105              | ∢          | Apply long arm splint        | 0.87       | 2.95             | 1.14                         | 0.34       | 0.29                     | 90:0             | 3.88     | 2.07             | 1.27             | 1.22              | 000    |
| 29125              | ∢          | Apply forearm splint         | 0.59       | 2.42             | 0.91                         | 0.22       | 0.21                     | 0.04             | 3.05     | 1.54             | 0.85             | 0.84              | 000    |
| 29126              | ∢          | Apply forearm splint         | 0.77       | 3.19             | 1.12                         | 0.37       | 0.26                     | 0.05             | 4.01     | 1.94             | 1.19             | 1.08              | 000    |
| 29130              | ∢          | Application of finger splint | 0.50       | 0.68             | 0.31                         | 0.19       | 0.12                     | 0.02             | 1.20     | 0.83             | 0.71             | 0.64              | 000    |
| 29131              | ∢          | Application of finger splint | 0.55       | 1.08             | 0.59                         | 0.26       | 0.22                     | 0.05             | 1.68     | 1.19             | 98.0             | 0.82              | 000    |
| 29200              | ∢          |                              | 0.65       | 0.92             | 0.45                         | 0.21       | 0.17                     | 0.02             | 1.59     | 1.12             | 0.88             | 0.84              | 000    |
| 29220              | ∢          | Strapping of low back        | 0.64       | 0.91             | 0.54                         | 0.29       | 0.23                     | 0.04             | 1.59     | 1.22             | 0.97             | 0.91              | 00     |
| 29240              | ∢          | Strapping of shoulder        | 0.71       | 1.01             | 0.47                         | 0.24       | 0.28                     | 0.02             | 1.74     | 1.20             | 0.97             | 1.01              | 000    |
| 29260              | ∢          | Strapping of elbow or wrist  | 0.55       | 0.85             | 0.40                         | 0.20       | 0.15                     | 0.02             | 1.42     | 0.97             | 0.77             | 0.72              | 000    |
| 29280              | ∢          | Strapping of hand or finger  | 0.51       | 0.85             | 0.39                         | 0.19       | 0.14                     | 0.02             | 1.38     | 0.92             | 0.72             | 0.67              | 000    |
| 29305              | ⋖          | Application of hip cast      | 2.03       | 12.33            | 4.61                         | 1.19       | 1.83                     | 0.24             | 14.60    | 6.88             | 3.46             | 4.10              | 00     |
| 29325              | ∢          | Application of hip casts     | 2.32       | 12.57            | 4.73                         | 1.35       | 1.92                     | 0.22             | 15.11    | 7.27             | 3.89             | 4.46              | 000    |
| 29345              | ∢          | Application of long leg cast | 1.40       | 5.38             | 2.18                         | 0.79       | 0.62                     | 0.13             | 6.91     | 3.71             | 2.32             | 2.15              | 000    |
| 29355              | ∢          | Application of long leg cast | 1.53       | 5.81             | 2.35                         | 98.0       | 0.67                     | 0.13             | 7.47     | 4.01             | 2.52             | 2.33              | 000    |
| 29358              | ⋖          | Apply long feg cast brace    | 1.43       | 6.48             | 2.90                         | 0.84       | 0.85                     | 0.26             | 8.17     | 4.59             | 2.53             | 2.54              | 000    |
| 29365              | ∢          |                              | 1.18       | 4.72             | 1.88                         | 0.67       | 0.52                     | 0.11             | 6.01     | 3.17             | 1.96             | 1.81              | 000    |
| 29405              | ∢          | Apply short leg cast         | 0.86       | 4.01             | 1.65                         | 0.48       | 0.44                     | 0.09             | 4.96     | 2.60             | 1.43             | 1.39              | 00     |
| 29425              | ¥          | Apply short leg cast         | 1.01       | 3.84             | 1.75                         | 0.54       | 0.53                     | 0.11             | 4.96     | 2.87             | 1.66             | 1.65              | 00     |
| 29435              | ∢          | Apply short leg cast         | 1.18       | 6.51             | 2.59                         | 0.72       | 99.0                     | 0.14             | 7.83     | 3.91             | 2.04             | 1.98              | 00     |
| 29440              | ∢          | Addition of walker to cast   | 0.57       | 2.08             | 0.71                         | 0.29       | 0.17                     | 0.02             | 2.67     | 1.30             | 0.88             | 9.76              | 000    |
| 29445              | ∢          | Apply rigid leg cast         | 1.78       | 6.21             | 2.93                         | 0.86       | 1.60                     | 0.22             | 8.21     | 4.93             | 2.86             | 3.60              | 00     |
| 29450              | ∢          | Application of leg cast      | 1.02       | 3.45             | 1.18                         | 0.52       | 0.29                     | 0.03             | 4.50     | 2.23             | 1.57             | 1.34              | 000    |
| 29505              | ∢          | Application long leg splint  | 0.69       | 3.39             | 1.31                         | 0:30       | 0.54                     | 0.05             | 4.13     | 2.05             | 1.04             | 1.28              | 00     |
| 29515              | ∢          | Application lower leg splint | 0.73       | 2.49             | 1.01                         | 0:30       | 0.27                     | 0.05             | 3.27     | 1.79             | 1.08             | 1.05              | 000    |
| 29520              | ∢          |                              | 0.54       | 06:0             | 0.52                         | 0.32       | 0.23                     | 0.02             | 1.46     | 1.08             | 0.88             | 0.79              | 000    |
| 29530              | ∢          | Strapping of knee            | 0.57       | 0.82             | 0.49                         | 0.20       | 0.34                     | 0.04             | 1.43     | 1.10             | 0.81             | 0.95              | 000    |
| 29540              | ∢          | Strapping of ankle           | 0.51       | 0.45             | 0.36                         | 0.20       | 0.18                     | 0.02             | 0.98     | 0.89             | 0.73             | 0.71              | 000    |
| 29550              | ⋖          | Strapping of toes            | 0.47       | 0.41             | 0.33                         | 0.21       | 0.17                     | 0.02             | 0.90     | 0.82             | 0.70             | 99.0              | 000    |
| 29580              | ∢ ·        |                              | 0.57       | 0.75             | 0.83                         | 0.27       | 0.21                     | 0.03             | 1.35     | 1.43             | 0.87             | 0.81              | 00     |
| 29590              | ⋖          | -                            | 0.76       | 0.63             | 0.38                         | 0.32       | 0.19                     | 0.02             | 1.41     | 1.16             | 1.10             | 0.97              | 000    |
| 29700              | ∢          | _                            | 0.57       | 0.59             | 0.41                         | 0.28       | 0.21                     | 0.04             | 1.20     | 1.02             | 0.89             | 0.82              | 000    |
| 29705              | ∢          | _                            | 9.70       | 0.81             | 0.49                         | 0.36       | 0.23                     | 0.0              | 1.61     | 1.29             | 1.16             | 1.03              | 00     |
| 29710              | ⋖          | _                            | 1.34       | 1.40             | 0.72                         | 0.76       | 0.38                     | 0.05             | 2.79     | 2.11             | 2.15             | 1.77              | 000    |
| 29715              | ∢          |                              | 0.94       | 6.51             | 2.33                         | 0.46       | 0.47                     | 0.09             | 7.54     | 3.36             | 1.49             | 1.50              | 000    |
| 29720              | ∢          | Repair of body cast          | 0.68       | 3.99             | 1.19                         | 0.44       | 0.21                     | 0.03             | 4.70     | 1.90             | 1.15             | 0.92              | 000    |
| 29730              | ⋖          |                              | 0.75       | 0.77             | 0.40                         | 0.36       | 0.20                     | 0.03             | 1.55     | 1.18             | 1.14             | 0.98              | 000    |
| 29740              | ∢          | Wedging of cast              | 1.12       | 2.82             | 1.01                         | 0.53       | 0.29                     | 0.05             | 3.99     | 2.18             | 1.70             | 1.46              | 000    |
| 29750              | ∢          | Wedging of clubfoot cast     | 1.26       | 2.86             | 1.12                         | 0.61       | 0.36                     | 0.05             | 4.17     | 2.43             | 1.92             | 1.67              | 00     |
| 29799              | ပ          | Casting/strapping procedure  | 0.00       | 0.00             | 0.00                         | 0.00       | 0.00                     | 0.00             | 0.00     | 0.00             | 0.00             | 0.00              | λ      |
| 29800              | ∢          | Jaw arthroscopy/surgery      | 6.43       | ž                | ₹                            | 8.50       | 5.39                     | 0.36             | Š        | ¥                | 15.29            | 12.18             | 060    |
|                    |            |                              |            |                  |                              |            |                          |                  |          |                  |                  |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        |                              |               | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
|------------------------------|-----|--------|------------------------------|---------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| ~                            |     |        |                              | Physician     | practice         | practice                     | practice        | practice                 | Hal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVIIs | expense<br>RVUs  | expense<br>RVIIs             | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
|                              | 1   | <      | Jaw arthroscopy/surgery      | 8.14          | ¥                | ¥                            | 8.47            | 9.40                     | 1.14             | Ź                 | ¥.                | 17.75             | 18.68             | 060    |
| 29815                        |     | <      | Shoulder arthroscopy         | 5.89          | ¥                | ¥                            | 6.21            | 5.49                     | 0.59             | ž                 | ¥                 | 12.69             | 11.97             | 060    |
| 29819                        |     | ∢      | Shoulder arthroscopy/surgery | 7.62          | ¥                | ₹<br>Z                       | 8.17            | 8.86                     | 1.35             | ¥                 | ¥                 | 17.14             | 17.83             | 060    |
| 29820                        |     | ∢      | Shoulder arthroscopy/surgery | 7.07          | ¥                | ž                            | 7.96            | 8.32                     | 1.35             | Ϋ́                | ¥                 | 16.38             | 16.74             | 060    |
| 29821                        |     | ∢      | Shoulder arthroscopy/surgery | 7.72          | ¥                | ¥                            | 8.41            | 9.01                     | 1.67             | ¥                 | ¥                 | 17.80             | 18.40             | 060    |
| 29822                        |     | ∢      | Shoulder arthroscopy/surgery | 7.43          | ¥                | ¥                            | 8.16            | 8.69                     | 1.36             | ¥                 | ¥                 | 16.95             | 17.48             | 060    |
| 29823                        |     | ∢      | Shoulder arthroscopy/surgery | 8.17          | ¥                | Š                            | 8.39            | 9.42                     | 1.82             | ¥                 | ¥                 | 18.38             | 19.41             | 060    |
| 29825                        |     | ∢      | Shoulder arthroscopy/surgery | 7.62          | ¥                | ¥                            | 8.11            | 8.85                     | 1.60             | ¥                 | ¥                 | 17.33             | 18.07             | 060    |
| 29826                        |     | ∢      | Shoulder arthroscopy/surgery | 8.99          | ¥                | Š                            | 8.94            | 10.28                    | 1.81             | ¥                 | ¥                 | 19.74             | 21.08             | 060    |
| 29830                        |     | ∢      | Elbow arthroscopy            | 5.76          | ¥                | ¥<br>Z                       | 5.17            | 5.62                     | 0.65             | ¥                 | ¥                 | 11.58             | 12.03             | 060    |
| 29834                        |     | ∢      | Elbow arthroscopy/surgery    | 6.28          | ¥                | Š                            | 5.91            | 6.23                     | 0.75             | ¥                 | ¥                 | 12.94             | 13.26             | 060    |
| 29835                        |     | ∢      | Elbow arthroscopy/surgery    | 6.48          | ¥                | ¥                            | 5.90            | 6.38                     | 0.77             | ¥                 | ¥                 | 13.15             | 13.63             | 060    |
| 29836                        |     | ∢      | Elbow arthroscopy/surgery    | 7.55          | ¥                | ¥                            | 92.9            | 7.41                     | 0.90             | ΑĀ                | ¥                 | 15.21             | 15.86             | 060    |
| 29837                        |     | ∢      | Elbow arthroscopy/surgery    | 6.87          | ¥                | ¥                            | 6.33            | 6.80                     | 0.83             | ¥                 | ¥                 | 14.03             | 14.50             | 060    |
| 29838                        |     | ∢      | Elbow arthroscopy/surgery    | 7.71          | ¥                | ž                            | 6.56            | 7.38                     | 0.89             | ¥                 | ¥                 | 15.16             | 15.98             | 060    |
| 29840                        |     | ∢      | Wrist arthroscopy            | 5.54          | ¥                | ¥                            | 7.07            | 4.45                     | 0.42             | ¥                 | ¥                 | 13.03             | 10.41             | 060    |
| 29843                        |     | ∢      | Wrist arthroscopy/surgery    | 6.01          | ¥                | Š                            | 7.33            | 6.39                     | 0.71             | ¥                 | ¥                 | 14.05             | 13.11             | 060    |
| 29844                        |     | ∢      | Wrist arthroscopy/surgery    | 6.37          | ¥                | ¥                            | 7.68            | 6.47                     | 0.74             | ¥                 | ¥                 | 14.79             | 13.58             | 060    |
| 29845                        |     | ∢      | Wrist arthroscopy/surgery    | 7.52          | ≨                | ¥                            | 9.12            | 7.98                     | 0.00             | ¥                 | ¥                 | 17.54             | 16.40             | 060    |
| 29846                        |     | ∢      | Wrist arthroscopy/surgery    | 6.75          | ¥                | Ą<br>Z                       | 9.59            | 8.44                     | 1.72             | ¥                 | ¥                 | 18.06             | 16.91             | 060    |
| 29847                        |     | ∢      | Wrist arthroscopy/surgery    | 7.08          | ¥                | <b>∀</b>                     | 9.93            | 8.00                     | 0.76             | Ϋ́                | ¥                 | 17.77             | 15.84             | 060    |
| 29848                        |     | ∢      | Wrist endoscopy/surgery      | 5.44          | ¥                | <b>∀</b>                     | 2.06            | 4.90                     | 0.49             | ¥                 | ₹                 | 12.99             | 10.83             | 060    |
| 29850                        |     | ∢      | Knee arthroscopy/surgery     | 8.19          | ¥                | Š                            | 6.15            | 5.21                     | 1.36             | ¥                 | ¥                 | 15.70             | 14.76             | 060    |
| 29851                        |     | ∢      | Knee arthroscopy/surgery     | 13.10         | ¥                | ¥                            | 10.20           | 11.46                    | 1.36             | ¥                 | ¥                 | 24.66             | 25.92             | 060    |
| 29855                        |     | ∢      | Tibial arthroscopy/surgery   | 10.62         | ¥                | ¥                            | 9.17            | 11.80                    | 1.47             | ¥                 | ¥                 | 21.26             | 23.89             | 060    |
| 29856                        |     | ∢      | Tibial arthroscopy/surgery   | 14.14         | ¥                | ¥                            | 10.89           | 12.24                    | 1.47             | Ϋ́                | ¥                 | 26.50             | 27.85             | 060    |
| 29860                        |     | ∢      | Hip arthroscopy, dx          | 8.05          | ¥                | Š                            | 6.74            | 5.62                     | 0.59             | ¥                 | ₹                 | 15.38             | 14.26             | 060    |
| 29861                        |     | ∢      | Hip arthroscopy/surgery      | 9.15          | ₹                | ₹                            | 7.71            | 9:26                     | 1.35             | ¥                 | ₹                 | 18.21             | 20.06             | 060    |
| 29862                        |     | ∢      | Hip arthroscopy/surgery      | 9.90          | ¥                | <b>∀</b>                     | 8.09            | 10.22                    | 1.82             | ¥                 | ₹                 | 19.81             | 21.94             | 060    |
| 29863                        |     | ∢      | Hip arthroscopy/surgery      | 9.90          | ₹                | ₹                            | 8.49            | 9.22                     | 1.35             | ₹                 | Š                 | 19.74             | 20.47             | 060    |
| 29870                        |     | ∢      | Knee arthroscopy, diagnostic | 5.07          | ¥                | ¥<br>Z                       | 5.28            | 4.59                     | 0.50             | ¥                 | ¥                 | 10.85             | 10.16             | 060    |
| 29871                        |     | ∢      | Knee arthroscopy/drainage    | 6.55          | ≨                | ¥                            | 6.71            | 7.19                     | 0.75             | ¥                 | ¥                 | 14.01             | 14.49             | 060    |
| 29874                        |     | ∢      | Knee arthroscopy/surgery     | 7.05          | ¥                | ¥                            | 6.68            | 7.99                     | 1.19             | ¥                 | ¥                 | 14.92             | 16.23             | 060    |
| 29875                        |     | ∢      | Knee arthroscopy/surgery     | 6.31          | ¥                | ¥                            | 6.41            | 7.25                     | 1.26             | ¥                 | ¥                 | 13.98             | 14.82             | 060    |
| 29876                        |     | ∢      | Knee arthroscopy/surgery     | 7.92          | ¥                | ¥                            | 7.64            | 9.00                     | 1.53             | ¥                 | ¥                 | 17.09             | 18.45             | 060    |
| 29877                        |     | ∢      | Knee arthroscopy/surgery     | 7.35          | ¥                | ž                            | 6.99            | 8.33                     | 1.42             | ¥                 | Ϋ́                | 15.76             | 17.10             | 060    |
| 29879                        |     | ∢      | Knee arthroscopy/surgery     | 8.04          | ¥                | ¥                            | 7.33            | 9.03                     | 1.71             | ¥                 | ¥                 | 17.08             | 18.78             | 060    |
| 29880                        |     | ∢      | Knee arthroscopy/surgery     | 8.50          | ¥                | ¥                            | 7.60            | 9.51                     | 1.74             | ¥                 | ¥                 | 17.84             | 19.75             | 060    |
| 29881                        |     | ∢      | Knee arthroscopy/surgery     | 7.76          | ≨                | Š                            | 7.20            | 8.75                     | 1.42             | ¥                 | ¥                 | 16.38             | 17.93             | 060    |
| 29882                        |     | ∢      | Knee arthroscopy/surgery     | 8.65          | Š                | Ϋ́                           | 7.64            | 9.66                     | 1.49             | Ϋ́                | Ϋ́                | 17.78             | 19.80             | 060    |

Page 46 of 271
2 Copyright 1994 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |        |        | NA.                          | LINDOM D       | יי אונדייי       | שבטב טאוויטןא                | י שאא (נטיו     | ייי יי                   | ויייואווער       |                   |                   |                   |                   |        |
|-----------------------------|--------|--------|------------------------------|----------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |        |        |                              |                | Non-<br>facility | Iransitioned<br>Non-facility | Facility        | Iransitioned<br>Facility |                  |                   | Transitionad      |                   |                   |        |
| 1                           |        |        |                              | Physician      | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| OPT /<br>HCPCS <sup>2</sup> | Nod Si | Status | Description                  | work 3<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 29883                       |        | ∢      | Knee arthroscopy/surgery     | 9.46           | Ą                | ¥                            | 8.09            | 10.50                    | 2.19             | ΑΆ                | ΑΝ                | 19.74             | 22.15             | 060    |
| 29884                       |        | ∢      | Knee arthroscopy/surgery     | 7.33           | ¥                | ¥                            | 7.46            | 8.43                     | 1.22             | ¥                 | ¥                 | 16.01             | 16.98             | 060    |
| 29885                       |        | ∢      | Knee arthroscopy/surgery     | 60.6           | ¥                | ¥                            | 8.32            | 8.78                     | 1.06             | ¥                 | ¥                 | 18.47             | 18.93             | 060    |
| 29886                       |        | ∢      | Knee arthroscopy/surgery     | 7.54           | Ϋ́               | ¥                            | 7.46            | 7.40                     | 0.88             | ¥                 | ¥                 | 15.88             | 15.82             | 060    |
| 29887                       |        | ∢      | Knee arthroscopy/surgery     | 9.04           | ¥                | Š                            | 8.32            | 10.17                    | 1.34             | ¥                 | ¥                 | 18.70             | 20.55             | 060    |
| 29888                       |        | ∢      | Knee arthroscopy/surgery     | 13.90          | ¥                | ¥                            | 11.05           | 15.21                    | 2.49             | ¥                 | ¥                 | 27.44             | 31.60             | 060    |
| 29889                       |        | ∢      | Knee arthroscopy/surgery     | 15.13          | ¥                | ¥<br>Y                       | 11.37           | 11.19                    | 1.31             | ¥                 | ¥                 | 27.81             | 27.63             | 060    |
| 29891                       |        | ∢      | Ankle arthroscopy/surgery    | 8.40           | ¥                | ¥<br>Z                       | 7.72            | 9.15                     | 1.38             | ¥                 | ¥                 | 17.50             | 18.93             | 060    |
| 29892                       |        | ∢      | Ankle arthroscopy/surgery    | 9.00           | ¥                | ¥                            | 96.7            | 9.21                     | 1.38             | ¥                 | ¥                 | 18.34             | 19.59             | 060    |
| 29893                       |        | ∢      | Scope, plantar fasciotomy    | 5.22           | ¥                | ¥                            | 4.65            | 5.39                     | 0.36             | ¥                 | ¥                 | 10.23             | 10.97             | 060    |
| 29894                       |        | ∢      | Ankle arthroscopy/surgery    | 7.21           | ¥                | ¥                            | 96.9            | 8.20                     | 1.15             | ¥                 | ¥                 | 15.32             | 16.56             | 060    |
| 29895                       |        | ∢      | Ankle arthroscopy/surgery    | 6.9            | ¥                | ¥                            | 6.83            | 7.97                     | 1.18             | ¥                 | ¥                 | 15.00             | 16.14             | 060    |
| 29897                       |        | ∢      | Ankle arthroscopy/surgery    | 7.18           | ¥                | ¥                            | 7.29            | 8.25                     | 1.38             | ¥                 | ¥                 | 15.85             | 16.81             | 060    |
| 29898                       |        | ∢      | Ankle arthroscopy/surgery    | 8.32           | ¥                | ¥                            | 7.24            | 9.26                     | 1.49             | ¥                 | ¥                 | 17.05             | 19.07             | 060    |
| 29909                       |        | ပ      | Arthroscopy of joint         | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | Ж      |
| 30000                       |        | ∢      | Drainage of nose lesion      | 1.43           | 5.06             | 0.99                         | 1.58            | 0.64                     | 0.04             | 3.53              | 2.46              | 3.05              | 2.11              | 010    |
| 30020                       |        | ∢      | Drainage of nose lesion      | 1.43           | 2.26             | 1.05                         | 1.69            | 0.67                     | 0.05             | 3.74              | 2.53              | 3.17              | 2.15              | 010    |
| 30100                       |        | ∢      | Intranasal biopsy            | 0.94           | 1.07             | 0.83                         | 0.53            | 0.42                     | 90:0             | 2.07              | 1.83              | 1.53              | 1.42              | 000    |
| 30110                       |        | ∢      | Removal of nose polyp(s)     | 1.63           | 2.20             | 1.60                         | 0.90            | 0.75                     | 0.11             | 3.94              | 3.34              | 2.64              | 2.49              | 010    |
| 30115                       |        | ∢      | Removal of nose polyp(s)     | 4.35           | ¥                | Š                            | 4.71            | 3.47                     | 0.23             | ¥                 | ¥                 | 9.29              | 8.05              | 060    |
| 30117                       |        | ∢      | Removal of intranasal lesion | 3.16           | 3.70             | 3.24                         | 3.15            | 3.10                     | 0.24             | 7.10              | 6.64              | 6.55              | 6.50              | 060    |
| 30118                       |        | ∢      | Removal of intranasal lesion | 69.6           | ¥                | <b>∀</b>                     | 8.21            | 8.57                     | 0.72             | ¥                 | ¥                 | 18.62             | 18.98             | 060    |
| 30120                       |        | V      | Revision of nose             | 5.27           | 4.71             | 5.90                         | 5.61            | 6.12                     | 0.78             | 10.76             | 11.95             | 11.66             | 12.17             | 060    |
| 30124                       |        | ∢      | Removal of nose lesion       | 3.10           | ¥                | ¥                            | 3.49            | 1.42                     | 0.13             | ≨                 | ¥                 | 6.72              | 4.65              | 060    |
| 30125                       |        | ⋖      | Removal of nose lesion       | 7.16           | ¥                | <b>∀</b>                     | 92.9            | 6.21                     | 0.57             | ¥                 | ¥                 | 14.49             | 13.94             | 060    |
| 30130                       |        | ∢      | Removal of turbinate bones   | 3.38           | ¥                | ¥<br>Z                       | 4.26            | 2.42                     | 0.13             | ¥                 | ¥                 | 7.77              | 5.93              | 060    |
| 30140                       |        | ∢      | Removal of turbinate bones   | 3.43           | ¥                | <b>∀</b>                     | 4.63            | 3.63                     | 0.27             | ¥                 | ₹                 | 8.33              | 7.33              | 060    |
| 30150                       |        | ∢      | Partial removal of nose      | 9.14           | ₹                | ₹                            | 7.94            | 8.44                     | 0.84             | ¥                 | Ϋ́                | 17.92             | 18.42             | 060    |
| 30160                       |        | ∢      | Removal of nose              | 9.58           | ¥                | ¥.                           | 8.02            | 10.59                    | 1.35             | ₹                 | ¥.                | 18.95             | 21.52             | 060    |
| 30200                       |        | ∢      | Injection treatment of nose  | 0.78           | 1.08             | 0.57                         | 0.44            | 0.26                     | 0.03             | 1.89              | 1.38              | 1.25              | 1.07              | 8      |
| 30210                       |        | ⋖      | Nasal sinus therapy          | 1.08           | 1.70             | 0.64                         | 0.60            | 0.26                     | 0.02             | 2.80              | 1.74              | 1.70              | 1.36              | 010    |
| 30220                       |        | ∢      | Insert nasal septal button   | 1.54           | 2.04             | 1.74                         | 0.88            | 0.84                     | 0.13             | 3.71              | 3.41              | 2.55              | 2.51              | 010    |
| 30300                       |        | ⋖      | Remove nasal foreign body    | 1.04           | 1.99             | 0.87                         | 0.38            | 0.28                     | 0.04             | 3.07              | 1.95              | 1.46              | 1.36              | 010    |
| 30310                       |        | ∢      | Remove nasal foreign body    | 1.96           | ¥                | ¥                            | 2.06            | 1.84                     | 0.14             | ¥                 | ¥                 | 4.16              | 3.94              | 010    |
| 30320                       |        | ∢      | Remove nasal foreign body    | 4.52           | ¥                | ¥                            | 5.01            | 4.75                     | 0.34             | ¥                 | ¥                 | 9.87              | 9.61              | 060    |
| 30400                       |        | œ      | Reconstruction of nose       | 9.83           | ¥                | Ϋ́                           | 8.39            | 10.21                    | 1.06             | ¥                 | ¥                 | 19.28             | 21.10             | 060    |
| 30410                       |        | œ      | Reconstruction of nose       | 12.98          | ¥                | ¥                            | 10.08           | 14.15                    | 1.57             | ¥                 | ¥                 | 24.63             | 28.70             | 060    |
| 30420                       |        | œ      | Reconstruction of nose       | 15.88          | ¥                | ¥                            | 11.88           | 17.19                    | 1.74             | ¥                 | ¥                 | 29.50             | 34.81             | 060    |
| 30430                       |        | œ      | Revision of nose             | 7.21           | ¥                | ¥                            | 6.95            | 6.70                     | 0.52             | ¥                 | ¥                 | 14.68             | 14.43             | 060    |
| 30435                       |        | œ      | Revision of nose             | 11.71          | ¥                | ¥                            | 9.51            | 10.66                    | 98.0             | ¥                 | ¥                 | 22.08             | 23.23             | 060    |
|                             |        |        |                              |                |                  |                              |                 |                          |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                                |       |        | ADI                          | JENDUM D                  | יייייייייייייייייייייייייייייייייייייי | ייבריבי מענונאט              | V US) AIRU I    | יייי ייי<br>ייייייייייייייייייייייייייייי | וטוואווער        |                   |                   |                   |                   |        |
|--------------------------------|-------|--------|------------------------------|---------------------------|--|------------------------------|-----------------|---|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                                |       |        |                              |                           | Non-<br>facility                       | Iransitioned<br>Non-facility | Facility        | Iransitioned<br>Facility                  |                  |                   | Transitioned      |                   |                   |        |
| 7                              |       |        |                              | Physician                 | practice                               | practice                     | practice        | practice                                  | Mal              | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> MA | Mod S | Status | Description                  | work <sub>3</sub><br>RVUs | expense<br>RVUs                        | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs                           | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 30450                          |       | œ      | Revision of nose             | 18.65                     | ¥                                      | ΑN                           | 13.23           | 12.46                                     | 0.71             | Ą                 | Ą                 | 32.59             | 31.82             | 060    |
| 30460                          |       | ∢      | Revision of nose             | 96.6                      | ¥                                      | <b>∀</b><br>Z                | 8.49            | 9.11                                      | 0.73             | Ϋ́                | ¥                 | 19.18             | 19.80             | 060    |
| 30462                          |       | ∢      | Revision of nose             | 19.57                     | ¥                                      | ¥                            | 13.40           | 17.32                                     | 1.46             | Ϋ́                | ¥                 | 34.43             | 38.35             | 060    |
| 30520                          |       | ∢      | Repair of nasal septum       | 5.70                      | ¥                                      | ¥                            | 5.80            | 6.55                                      | 0.75             | Ϋ́                | ¥                 | 12.25             | 13.00             | 060    |
| 30540                          |       | ∢      | Repair nasal defect          | 7.75                      | ¥                                      | Š                            | 6.47            | 7.02                                      | 0.55             | ¥                 | ¥                 | 14.77             | 15.32             | 060    |
| 30545                          |       | ∢      | Repair nasal defect          | 11.38                     | ¥                                      | ¥                            | 9.03            | 11.07                                     | 0.73             | ¥                 | ¥                 | 21.14             | 23.18             | 060    |
| 30560                          |       | <      | Release of nasal adhesions   | 1.26                      | 1.87                                   | 0.92                         | 1.64            | 0.64                                      | 0.05             | 3.18              | 2.23              | 2.95              | 1.95              | 010    |
| 30580                          |       | ∢      | Repair upper jaw fistula     | 69.9                      | 4.21                                   | 6.13                         | 5.45            | 3.91                                      | 0.45             | 11.35             | 13.27             | 12.59             | 11.05             | 060    |
| 30600                          |       | ∢      | Repair mouth/nose fistula    | 6.02                      | 4.06                                   | 4.08                         | 5.06            | 4.33                                      | 0.28             | 10.36             | 10.38             | 11.36             | 10.63             | 060    |
| 30620                          |       | ∢      | Intranasal reconstruction    | 5.97                      | ¥                                      | Š                            | 6.18            | 6.89                                      | 98.0             | Ϋ́                | ¥                 | 13.01             | 13.72             | 060    |
| 30630                          |       | ∢      | Repair nasal septum defect   | 7.12                      | ¥                                      | ¥                            | 6.84            | 6.79                                      | 0.56             | ¥                 | ¥                 | 14.52             | 14.47             | 060    |
| 30801                          |       | ∢      | Cauterization inner nose     | 1.09                      | 2.01                                   | 0.89                         | 2.49            | 0.82                                      | 0.04             | 3.14              | 2.02              | 3.62              | 1.95              | 010    |
| 30802                          |       | ∢      | Cauterization inner nose     | 2.03                      | 2.54                                   | 1.40                         | 3.14            | 1.55                                      | 60.0             | 4.66              | 3.52              | 5.26              | 3.67              | 010    |
| 30901                          |       | ∢      | Control of nosebleed         | 1.21                      | 1.80                                   | 0.91                         | 0.59            | 0.38                                      | 0.05             | 3.06              | 2.17              | 1.85              | 1.64              | 000    |
| 30903                          |       | ∢      | Control of nosebleed         | 1.54                      | 2.13                                   | 1.22                         | 0.91            | 0.92                                      | 90.0             | 3.73              | 2.82              | 2.51              | 2.52              | 00     |
| 30905                          |       | ∢      | Control of nosebleed         | 1.97                      | 3.72                                   | 2.39                         | 1.39            | 1.80                                      | 0.13             | 5.82              | 4.49              | 3.49              | 3.90              | 000    |
| 30906                          |       | ∢      | Repeat control of nosebleed  | 2.45                      | 3.96                                   | 1.87                         | 1.93            | 1.36                                      | 60.0             | 6.50              | 4.41              | 4.47              | 3.90              | 00     |
| 30915                          |       | ∢      | Ligation nasal sinus artery  | 7.20                      | ¥                                      | <b>₹</b>                     | 6.93            | 5.76                                      | 0.41             | Š                 | ¥                 | 14.54             | 13.37             | 060    |
| 30920                          |       | ∢      | Ligation upper jaw artery    | 9.83                      | ₹                                      | ₹                            | 8.44            | 9.87                                      | 1.03             | ¥                 | ¥                 | 19.30             | 20.73             | 060    |
| 30930                          |       | ∢      | Therapy fracture of nose     | 1.26                      | ¥                                      | Š                            | 2.55            | 1.22                                      | 90.0             | Š                 | ¥                 | 3.87              | 2.54              | 010    |
| 30999                          |       | ပ      | Nasal surgery procedure      | 0.00                      | 0.00                                   | 0.00                         | 0.00            | 0.00                                      | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ¥      |
| 31000                          |       | ∢      | Irrigation maxillary sinus   | 1.15                      | 1.89                                   | 0.83                         | 99.0            | 0.35                                      | 0.04             | 3.08              | 2.02              | 1.85              | 1.54              | 010    |
| 31002                          |       | ∢      | Irrigation sphenoid sinus    | 1.91                      | Š                                      | Š                            | 2.58            | 0.83                                      | 0.04             | Ϋ́                | ¥                 | 4.53              | 2.78              | 010    |
| 31020                          |       | ∢      | Exploration maxillary sinus  | 2.94                      | 3.51                                   | 3.05                         | 3.52            | 3.05                                      | 0.23             | 99.9              | 6.22              | 69.9              | 6.22              | 060    |
| 31030                          |       | ∢      | Exploration maxillary sinus  | 5.92                      | 3.85                                   | 6.27                         | 4.87            | 6.52                                      | 0.67             | 10.44             | 12.86             | 11.46             | 13.11             | 060    |
| 31032                          |       | ∢      | Explore sinus, remove polyps | 6.57                      | ¥                                      | Š                            | 6.16            | 7.43                                      | 0.77             | Ϋ́                | ¥                 | 13.50             | 14.77             | 060    |
| 31040                          |       | ∢      | Exploration behind upper jaw | 9.42                      | ¥                                      | Š                            | 6.65            | 8.16                                      | 0.67             | ¥                 | ¥                 | 16.74             | 18.25             | 060    |
| 31050                          |       | ∢      | Exploration sphenoid sinus   | 5.28                      | ¥                                      | ₹                            | 5.15            | 6.02                                      | 0.50             | Ž                 | ¥                 | 10.93             | 11.80             | 060    |
| 31051                          |       | ∢      | Sphenoid sinus surgery       | 7.11                      | ¥                                      | ₹<br>Z                       | 6.49            | 7.99                                      | 99.0             | ¥                 | ¥                 | 14.26             | 15.76             | 060    |
| 31070                          |       | ∢      | Exploration of frontal sinus | 4.28                      | ₹                                      | ₹                            | 4.97            | 5.06                                      | 0.39             | ¥                 | Ϋ́                | 9.64              | 9.73              | 060    |
| 31075                          |       | ∢      | Exploration of frontal sinus | 9.16                      | ¥                                      | ₹                            | 8.07            | 10.22                                     | 98.0             | ¥                 | ¥                 | 18.09             | 20.24             | 060    |
| 31080                          |       | ⋖      | Removal of frontal sinus     | 11.42                     | ₹                                      | ₹                            | 8.73            | 9.68                                      | 0.88             | <b>∀</b><br>Z     | ₹                 | 21.03             | 21.98             | 060    |
| 31081                          |       | ∢      | Removal of frontal sinus     | 12.75                     | ¥                                      | Ϋ́                           | 9.76            | 10.84                                     | 1.02             | ¥                 | ₹                 | 23.53             | 24.61             | 060    |
| 31084                          |       | ∢      | Removal of frontal sinus     | 13.51                     | ¥                                      | ¥                            | 10.46           | 14.65                                     | 1.27             | ¥                 | ¥                 | 25.24             | 29.43             | 060    |
| 31085                          |       | ∢      | Removal of frontal sinus     | 14.20                     | ¥                                      | ¥                            | 10.44           | 15.32                                     | 1.38             | ¥                 | ¥                 | 26.02             | 30.90             | 060    |
| 31086                          |       | ∢      | Removal of frontal sinus     | 12.86                     | ₹                                      | ¥                            | 10.33           | 11.43                                     | 0.30             | ¥                 | ¥                 | 24.09             | 25.19             | 060    |
| 31087                          |       | ∢      | Removal of frontal sinus     | 13.10                     | ¥                                      | <b>∀</b>                     | 10.33           | 11.04                                     | 1.04             | ¥                 | ¥                 | 24.47             | 25.18             | 060    |
| 31090                          |       | ∢      | Exploration of sinuses       | 9.53                      | ₹                                      | ₹                            | 8.59            | 10.68                                     | 1.66             | ¥                 | ¥                 | 19.78             | 21.87             | 060    |
| 31200                          |       | ∢      | Removal of ethmoid sinus     | 4.97                      | ¥                                      | ₹                            | 6.20            | 5.31                                      | 0.38             | ¥                 | Ą                 | 11.55             | 10.66             | 060    |
| 31201                          |       | ∢      | Removal of ethmoid sinus     | 8.37                      | ¥                                      | ¥                            | 7.60            | 7.61                                      | 0.59             | Ϋ́                | ¥<br>V            | 16.56             | 16.57             | 060    |
|                                |       |        |                              |                           |  |                              |                 |   |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                |     |        |                              |              | Non-            | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|----------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        | ,                |                   | Transitioned      |                   |                   |        |
| / <sub>l</sub> |     |        |                              | Physician    | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| HCPCS 1        | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 31205          |     | ٨      | Removal of ethmoid sinus     | 10.24        | Ą               | ¥               | 8.88            | 8.75            | 0.63             | ¥                 | Ą                 | 19.75             | 19.62             | 060    |
| 31225          |     | ⋖      | Removal of upper jaw         | 19.23        | ¥               | Š               | 16.76           | 20.02           | 1.85             | Š                 | ¥                 | 37.84             | 41.10             | 060    |
| 31230          |     | ∢      | Removal of upper jaw         | 21.94        | ¥               | Ϋ́              | 19.67           | 22.61           | 1.94             | Ϋ́                | ¥                 | 43.55             | 46.49             | 060    |
| 31231          |     | ∢      | Nasal endoscopy, dx          | 1.10         | 1.62            | 1.52            | 0.61            | 1.27            | 0.12             | 2.84              | 2.74              | 1.83              | 2.49              | 000    |
| 31233          |     | ∢      | Nasal/sinus endoscopy, dx    | 2.18         | 2.25            | 2.84            | 1.23            | 1.45            | 0.24             | 4.67              | 5.26              | 3.65              | 3.87              | 00     |
| 31235          |     | ∢      | Nasal/sinus endoscopy, dx    | 2.64         | 2.53            | 2.58            | 1.45            | 1.34            | 0.20             | 5.37              | 5.42              | 4.29              | 4.18              | 000    |
| 31237          |     | ∢      | Nasal/sinus endoscopy, surg  | 2.98         | 2.77            | 3.36            | 1.67            | 1.75            | 0.29             | 6.04              | 6.63              | 4.94              | 5.02              | 000    |
| 31238          |     | ∢      | Nasal/sinus endoscopy, surg  | 3.26         | 3.13            | 3.71            | 1.89            | 1.94            | 0.35             | 6.74              | 7.32              | 5.50              | 5.55              | 000    |
| 31239          |     | ∢      | Nasal/sinus endoscopy, surg  | 8.70         | ¥               | Ϋ́              | 6.85            | 9.51            | 0.92             | ¥                 | ¥                 | 16.47             | 19.13             | 010    |
| 31240          |     | ∢      | Nasal/sinus endoscopy, surg  | 2.61         | ¥               | Ą               | 1.99            | 2.83            | 0.29             | ¥                 | ¥                 | 4.89              | 5.73              | 000    |
| 31254          |     | ∢      | Revision of ethmoid sinus    | 4.65         | ¥               | Ā               | 3.21            | 4.97            | 0.54             | ¥                 | ¥                 | 8.40              | 10.16             | 000    |
| 31255          |     | ∢      | Removal of ethmoid sinus     | 96.9         | ¥               | ¥               | 4.72            | 7.41            | 0.89             | ¥                 | ¥                 | 12.57             | 15.26             | 00     |
| 31256          |     | ∢      | Exploration maxillary sinus  | 3.29         | Ϋ́              | ¥               | 2.39            | 3.55            | 0.32             | ¥                 | ¥                 | 00.9              | 7.16              | 00     |
| 31267          |     | ∢      | Endoscopy, maxillary sinus   | 5.46         | ¥               | Ϋ́              | 3.61            | 5.16            | 0.63             | ¥                 | ¥                 | 9.70              | 11.25             | 000    |
| 31276          |     | ∢      | Sinus surgical endoscopy     | 8.85         | Ϋ́              | Ϋ́              | 5.69            | 6.89            | 0.57             | ¥                 | ¥                 | 15.11             | 16.31             | 8      |
| 31287          |     | ∢      | Nasal/sinus endoscopy, surg  | 3.92         | ¥               | Ϋ́              | 2.75            | 4.20            | 0.51             | ¥                 | ¥                 | 7.18              | 8.63              | 000    |
| 31288          |     | ∢      | Nasal/sinus endoscopy, surg  | 4.58         | ¥               | Ą               | 3.10            | 4.88            | 0.61             | ¥                 | ¥                 | 8.29              | 10.07             | 000    |
| 31290          |     | ∢      | Nasal/sinus endoscopy, surg  | 17.24        | ¥               | ¥               | 12.01           | 16.41           | 1.41             | ¥                 | ¥                 | 30.66             | 35.06             | 010    |
| 31291          |     | ∢      | Nasal/sinus endoscopy, surg  | 18.19        | ¥               | ¥               | 12.28           | 17.16           | 1.47             | ¥                 | ¥                 | 31.94             | 36.82             | 010    |
| 31292          |     | ∢      | Nasal/sinus endoscopy, surg  | 14.76        | ₹               | Ą               | 10.55           | 13.53           | 1.13             | ¥                 | ¥                 | 26.44             | 29.42             | 010    |
| 31293          |     | ∢      | Nasal/sinus endoscopy, surg  | 16.21        | ¥               | ¥               | 11.77           | 14.86           | 1.24             | ¥                 | ¥                 | 29.22             | 32.31             | 010    |
| 31294          |     | ∢      | Nasal/sinus endoscopy, surg  | 19.06        | ¥               | ¥               | 12.77           | 16.81           | 1.43             | ¥                 | ¥                 | 33.26             | 37.30             | 010    |
| 31299          |     | ပ      | Sinus surgery procedure      | 0.00         | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 00.0              | 0.00              | λ      |
| 31300          |     | ∢      | Removal of larynx lesion     | 14.29        | ¥               | Ϋ́              | 17.31           | 13.76           | 1.00             | ¥                 | ¥                 | 32.60             | 29.05             | 060    |
| 31320          |     | ∢      | Diagnostic incision larynx   | 5.26         | ₹               | Ϋ́              | 11.84           | 6.11            | 0.38             | ¥                 | ¥                 | 17.48             | 11.75             | 060    |
| 31360          |     | ∢      | Removal of larynx            | 17.08        | ¥               | Š               | 20.26           | 20.36           | 1.71             | ¥                 | ¥                 | 39.05             | 39.15             | 060    |
| 31365          |     | ∢      | Removal of larynx            | 24.16        | ¥               | Ϋ́              | 24.46           | 27.75           | 2.43             | ¥                 | ₹                 | 51.05             | 54.34             | 060    |
| 31367          |     | ∢      | Partial removal of larynx    | 21.86        | ¥               | Ϋ́              | 24.25           | 20.08           | 1.47             | ¥                 | ₹                 | 47.58             | 43.41             | 060    |
| 31368          |     | ∢      | Partial removal of larynx    | 27.09        | Š               | Ϋ́              | 29.93           | 29.26           | 2.39             | ¥                 | ¥                 | 59.41             | 58.74             | 060    |
| 31370          |     | ∢      | Partial removal of larynx    | 21.38        | ¥               | Ϋ́              | 23.21           | 19.78           | 1.47             | ¥                 | ¥                 | 46.06             | 42.63             | 060    |
| 31375          |     | ∢      | Partial removal of larynx    | 20.21        | ¥               | ¥               | 23.45           | 17.95           | 1.22             | ¥                 | ¥                 | 44.88             | 39.38             | 060    |
| 31380          |     | ∢      | Partial removal of larynx    | 20.21        | ¥               | ¥               | 22.70           | 19.73           | 1.47             | ¥                 | ¥                 | 44.38             | 41.41             | 060    |
| 31382          |     | ∢      | Partial removal of larynx    | 20.52        | ¥               | ¥               | 22.80           | 18.77           | 1.39             | ¥                 | ¥                 | 44.71             | 40.68             | 060    |
| 31390          |     | ∢      | Removal of larynx & pharynx  | 27.53        | ¥               | Ϋ́              | 29.71           | 29.47           | 3.17             | ¥                 | Ϋ́                | 60.41             | 60.17             | 060    |
| 31395          |     | ∢      | Reconstruct larynx & pharynx | 31.09        | ¥               | Ą               | 35.01           | 36.04           | 3.46             | ¥                 | ¥                 | 69.56             | 70.59             | 060    |
| 31400          |     | ∢      | Revision of larynx           | 10.31        | Š               | ¥               | 15.83           | 10.32           | 0.71             | ¥                 | ₹                 | 26.85             | 21.34             | 060    |
| 31420          |     | ∢      | Removal of epiglottis        | 10.22        | ¥               | Ϋ́              | 14.89           | 10.30           | 99.0             | ¥                 | Ϋ́                | 25.77             | 21.18             | 060    |
| 31500          |     | ∢      | Insert emergency airway      | 2.33         | ¥               | Υ<br>Z          | 69.0            | 1.10            | 0.11             | ¥                 | Ϋ́                | 3.13              | 3.54              | 00     |
| 31502          |     | ∢      | Change of windpipe airway    | 0.65         | 1.45            | 0.84            | 0.26            | 0.54            | 0.05             | 2.15              | 1.54              | 96.0              | 1.24              | 00     |
| 31505          |     | ∢      | Diagnostic laryngoscopy      | 0.61         | 1.44            | 0.71            | 0.43            | 0.29            | 0.04             | 5.09              | 1.36              | 1.08              | 0.94              | 000    |

Page 49 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                   |     |        |                             |              | Non-<br>facility | Transitioned    | Facility        | Transitioned    |                  |                   | 3                   |                   |                   |        |
|-------------------|-----|--------|-----------------------------|--------------|------------------|-----------------|-----------------|-----------------|------------------|-------------------|---------------------|-------------------|-------------------|--------|
| -                 |     |        |                             | Physician    | practice         | practice        | practice        | practice        | Mal-             | Non-              | iransinonea<br>Non- |                   | Transitioned      |        |
| CPT //<br>HCPCS 2 | Wod | Status | Description                 | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total   | Facility<br>Total | Facility<br>Total | Global |
|                   |     | ∢      | Laryngoscopy with biopsy    | 1.92         | 2.24             | 1.01            | 0.98            | 0.70            | 0.05             | 4.21              | 2.98                | 2.95              | 2.67              | 000    |
| 31511             |     | ∢      | Remove foreign body, larynx | 2.16         | 2.48             | 1.40            | 0.73            | 96.0            | 90.0             | 4.72              | 3.64                | 2.97              | 3.20              | 00     |
| 31512             |     | ∢      | Removal of larynx lesion    | 2.07         | 2.44             | 2.07            | 1.11            | 1.73            | 0.16             | 4.67              | 4.30                | 3.34              | 3.96              | 000    |
| 31513             |     | ∢      | Injection into vocal cord   | 2.10         | ¥                | Ϋ́              | 1.58            | 2.28            | 0.30             | ¥                 | Ą                   | 3.98              | 4.68              | 000    |
| 31515             |     | ∢      | Laryngoscopy for aspiration | 1.80         | 2.90             | 1.65            | <b>1</b> .04    | 1.18            | 0.11             | 4.81              | 3.56                | 2.95              | 3.09              | 00     |
| 31520             |     | ∢      | Diagnostic laryngoscopy     | 2.56         | ¥                | Ϋ́              | 1.60            | 1.74            | 0.14             | ¥                 | ¥                   | 4.30              | 4.44              | 000    |
| 31525             |     | ∢      | Diagnostic laryngoscopy     | 2.63         | 2.50             | 2.42            | 1.70            | 1.33            | 0.18             | 5.31              | 5.23                | 4.51              | 4.14              | 000    |
| 31526             |     | ∢      | Diagnostic laryngoscopy     | 2.57         | ₹                | Š               | 1.87            | 2.77            | 0.30             | ¥                 | ¥                   | 4.74              | 5.64              | 000    |
| 31527             |     | ∢      | Laryngoscopy for treatment  | 3.27         | ₹                | Š               | 2.12            | 2.96            | 0.23             | ¥                 | Ą                   | 5.62              | 6.46              | 000    |
| 31528             |     | ∢      | Laryngoscopy and dilatation | 2.37         | ₹                | Ϋ́              | 1.64            | 2.53            | 0.23             | ¥                 | ¥                   | 4.24              | 5.13              | 000    |
| 31529             |     | ∢      | Laryngoscopy and dilatation | 2.68         | ≨                | ¥               | 1.90            | 2.48            | 0.20             | ¥                 | ¥                   | 4.78              | 5.36              | 00     |
| 31530             |     | ∢      | Operative laryngoscopy      | 3.39         | ¥                | ¥               | 1.96            | 3.45            | 0.31             | ¥                 | ¥                   | 5.66              | 7.15              | 000    |
| 31531             |     | ∢      | Operative laryngoscopy      | 3.59         | ¥                | ¥               | 2.52            | 3.85            | 0.47             | ¥                 | ¥                   | 6.58              | 7.91              | 900    |
| 31535             |     | ∢      | Operative laryngoscopy      | 3.16         | ₹                | ¥               | 5.09            | 3.36            | 0.35             | ¥                 | ¥                   | 5.60              | 6.87              | 000    |
| 31536             |     | ∢      | Operative laryngoscopy      | 3.56         | ₹                | ¥               | 2.50            | 3.81            | 0.46             | ¥                 | ¥                   | 6.52              | 7.83              | 000    |
| 31540             |     | ∢      | Operative laryngoscopy      | 4.13         | ₹                | ¥               | 2.80            | 4.40            | 0.48             | ¥                 | ¥                   | 7.41              | 9.01              | 000    |
| 31541             |     | ∢      | Operative laryngoscopy      | 4.53         | ₹                | Ą               | 3.08            | 4.48            | 0.59             | ¥                 | ¥                   | 8.20              | 9.60              | 000    |
| 31560             |     | ∢      | Operative laryngoscopy      | 5.46         | ₹                | Ϋ́              | 3.64            | 4.98            | 0.40             | ¥                 | ¥                   | 9.50              | 10.84             | 000    |
| 31561             |     | ⋖      | Operative laryngoscopy      | 00.9         | ₹                | ¥               | 4.09            | 6.12            | 0.84             | ¥                 | ₹                   | 10.93             | 12.96             | 000    |
| 31570             |     | ∢      | Laryngoscopy with injection | 3.87         | 3.48             | 4.34            | 2.59            | 2.38            | 0.47             | 7.82              | 8.68                | 6.93              | 6.72              | 000    |
| 31571             |     | ∢      | Laryngoscopy with injection | 4.27         | ₹                | Ϋ́              | 2.90            | 4.39            | 0.54             | ¥                 | Ϋ́                  | 7.71              | 9.20              | 000    |
| 31575             |     | ∢      | Diagnostic laryngoscopy     | 1.10         | 1.79             | 1.72            | 0.61            | 0.79            | 0.13             | 3.02              | 2.95                | 1.84              | 2.02              | 000    |
| 31576             |     | ∢      | Laryngoscopy with biopsy    | 1.97         | 1.82             | 2.23            | 1.03            | 2.03            | 0.26             | 4.05              | 4.46                | 3.26              | 4.26              | 000    |
| 31577             |     | ∢      | Remove foreign body, larynx | 2.47         | 2.18             | 2.76            | 1.21            | 2.52            | 0.29             | 4.94              | 5.52                | 3.97              | 5.28              | 000    |
| 31578             |     | ∢      | Removal of larynx lesion    | 2.84         | 2.41             | 3.15            | 1.61            | 2.95            | 0.38             | 5.63              | 6.37                | 4.83              | 6.17              | 000    |
| 31579             |     | ∢      | Diagnostic laryngoscopy     | 2.26         | 2.45             | 2.51            | 1.20            | 1.25            | 0.20             | 4.91              | 4.97                | 3.66              | 3.71              | 000    |
| 31580             |     | ∢      | Revision of larynx          | 12.38        | ¥                | Ϋ́              | 17.38           | 15.43           | 1.28             | ¥                 | ¥                   | 31.04             | 29.09             | 060    |
| 31582             |     | ∢      | Revision of larynx          | 21.62        | ¥                | Ϋ́              | 22.26           | 20.11           | 1.52             | ₹                 | Ϋ́                  | 45.40             | 43.25             | 060    |
| 31584             |     | ∢      | Repair of larynx fracture   | 19.64        | ¥                | Ϋ́              | 18.70           | 15.03           | 1.05             | ¥                 | ₹                   | 39.39             | 35.72             | 060    |
| 31585             |     | ∢      | Repair of larynx fracture   | 4.64         | ¥                | Ϋ́              | 8.68            | 5.24            | 0.31             | ¥                 | Ϋ́                  | 13.63             | 10.19             | 060    |
| 31586             |     | ∢      | Repair of larynx fracture   | 8.03         | ¥                | Ą               | 11.46           | 8.20            | 0.56             | ¥                 | ¥                   | 20.05             | 16.79             | 060    |
| 31587             |     | ∢      | Revision of larynx          | 11.99        | ¥                | ¥               | 15.94           | 9.85            | 0.62             | ¥                 | ¥                   | 28.55             | 22.46             | 060    |
| 31588             |     | ∢      | Revision of larynx          | 13.11        | ₹                | Ϋ́              | 17.94           | 13.19           | 0.91             | ₹                 | Ϋ́                  | 31.96             | 27.21             | 060    |
| 31590             |     | ∢      | Reinnervate larynx          | 6.97         | ¥                | Ϋ́              | 11.96           | 7.68            | 0.49             | ¥                 | ₹                   | 19.42             | 15.14             | 060    |
| 31595             |     | ∢      | Larynx nerve surgery        | 8.34         | ¥                | Ā               | 13.65           | 8.98            | 0.58             | ¥                 | <b>∀</b>            | 22.57             | 17.90             | 060    |
| 31599             |     | ပ      | Larynx surgery procedure    | 0.00         | 0.00             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ₩      |
| 31600             |     | ∢      | Incision of windpipe        | 3.62         | ¥                | Ϋ́              | 2.28            | 3.81            | 0.51             | ¥                 | Ϋ́                  | 6.41              | 7.94              | 000    |
| 31601             |     | ∢      | Incision of windpipe        | 4.45         | ¥                | ¥               | 3.28            | 4.81            | 0.52             | ¥                 | Ϋ́                  | 8.25              | 9.78              | 00     |
| 31603             |     | ∢      | Incision of windpipe        | 4.15         | ¥                | ¥               | 2.56            | 4.08            | 0.52             | ž                 | Ϋ́                  | 7.23              | 8.75              | 000    |
| 31605             |     | ∢      | Incision of windpipe        | 3.58         | ¥                | ¥               | 1.84            | 3.67            | 0.39             | ¥                 | ¥                   | 5.81              | 7.64              | 000    |
|                   |     |        |                             |              |                  |                 |                 |                 |                  |                   |                     |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|            |  |              | fifth.          | Policillo II    |                 |                 |                  |                   |                   |                   |                   |        |
|------------|--|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|            |  |              | racility        | Non-tacility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
|            |  | Physician    | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| Mod Status | Secription                                       | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
|            | Incision   | 8.76         | ₹               | ¥               | 10.57           | 8.07            | 0.72             | ¥                 | ¥                 | 20.05             | 17.55             | 060    |
| <          | Surgery/speech prosthesis                        | 5.64         | ¥               | Ą               | 10.06           | 7.77            | 0.81             | ¥                 | ¥                 | 16.51             | 14.22             | 060    |
| ∢          |  | 0.91         | 1.43            | 1.31            | 0.46            | 0.93            | 0.09             | 2.43              | 2.31              | 1.46              | 1.93              | 8      |
| ∢          | Repair windpipe opening                          | 4.59         | ¥               | A<br>A          | 8.23            | 3.86            | 0.22             | ¥                 | ¥                 | 13.04             | 8.67              | 66     |
| ∢          |  | 7.12         | ¥               | Ą               | 11.69           | 8.41            | 0.57             | ¥                 | ¥                 | 19.38             | 16.10             | 060    |
| ∢          |  | 2.09         | 3.33            | 2.42            | 1.25            | 1.90            | 0.17             | 5.59              | 4.68              | 3.51              | 4.16              | 000    |
| ∢          | Dx bronchoscope/wash                             | 2.67         | 3.18            | 3.30            | 1.12            | 2.79            | 0.27             | 6.12              | 6.24              | 4.06              | 5.73              | 00     |
| ∢          | Dx bronchoscope/brush                            | 3.07         | 3.33            | 3.33            | 1.25            | 1.25            | 0.27             | 6.67              | 29.9              | 4.59              | 4.59              | 8      |
| ∢          | Dx bronchoscope/lavage                           | 3.11         | 3.35            | 3.35            | 1.26            | 1.26            | 0.27             | 6.73              | 6.73              | 4.64              | 4.64              | 8      |
| ∢          | Bronchoscopy with biopsy                         | 3.37         | 3.38            | 3.87            | 1.30            | 3.35            | 0.27             | 7.02              | 7.51              | 4.94              | 6.9               | 8      |
| ∢          | Bronchoscopy with biopsy                         | 3.81         | 3.24            | 4.22            | 1.40            | 3.76            | 0.30             | 7.35              | 8.33              | 5.51              | 7.87              | 00     |
| ∢          |  | 3.37         | ž               | A<br>A          | 1.29            | 3.35            | 0.27             | ¥                 | ¥                 | 4.93              | 6.9               | 00     |
| ∢          | _  | 3.82         | ¥               | Ϋ́              | 2.00            | 3.53            | 0.39             | ¥                 | ¥                 | 6.21              | 7.74              | 00     |
| ∢          | Bronchoscopy with dilation                       | 4.37         | ¥               | ΑN              | 2.04            | 3.72            | 0.38             | ¥                 | ₹                 | 6.79              | 8.47              | 00     |
| ∢          |  | 3.68         | ¥               | ¥               | 1.73            | 3.73            | 0.41             | ¥                 | ¥                 | 5.82              | 7.82              | 00     |
| ⋖          |  | 4.94         | ¥               | Ϋ́              | 2.45            | 4.70            | 0.52             | ¥                 | ¥                 | 7.91              | 10.16             | 00     |
| ∢          | <ul> <li>Bronchoscopy, treat blockage</li> </ul> | 5.03         | ¥               | Ϋ́              | 2.15            | 5.04            | 99.0             | ž                 | ₹                 | 7.84              | 10.73             | 000    |
| ⋖          |  | 3.50         | 1.73            | 1.73            | 1.23            | 1.23            | 99.0             | 5.89              | 5.89              | 5.39              | 5.39              | 000    |
| ⋖          |  | 3.16         | ₹               | Ϋ́              | 1.30            | 3.16            | 0.23             | ¥                 | ₹                 | 4.69              | 6.55              | 00     |
| ⋖          | Bronchoscopy, reclear airways                    | 2.72         | ¥               | Ϋ́              | 1.19            | 2.73            | 0.21             | ¥                 | ₹                 | 4.12              | 5.66              | 000    |
| ∢          | <ul> <li>Bronchoscopy,inject for xray</li> </ul> | 2.17         | Ϋ́              | Ϋ́              | 0.93            | 2.18            | 0.24             | ¥                 | Ϋ́                | 3.34              | 4.59              | 00     |
| ⋖          | Insertion of airway catheter                     | 1.34         | 2.42            | 1.73            | 0.68            | 1.30            | 0.13             | 3.89              | 3.20              | 2.15              | 2.77              | 00     |
| ⋖          | Instill airway contrast dye                      | 1.41         | Ϋ́              | Š               | 0.72            | 0.81            | 0.07             | ¥                 | ¥                 | 2.20              | 2.29              | 00     |
| ⋖          | Insertion of airway catheter                     | 1.30         | Ϋ́              | Ϋ́              | 0.72            | 0.92            | 0.09             | ¥                 | ¥                 | 2.11              | 2.31              | 00     |
| ∢          | Injection for bronchus x-ray                     | 1.11         | Ϋ́              | Ϋ́              | 0.62            | 0.55            | 0.03             | ¥                 | ¥                 | 1.76              | 1.69              | 00     |
| ⋖          | Bronchial brush biopsy                           | 2.12         | 4.60            | 1.74            | 0.92            | 0.82            | 0.05             | 6.77              | 3.91              | 3.09              | 2.99              | 00     |
| ⋖          | Clearance of airways                             | 1.06         | 2.01            | 1.10            | 0.56            | 0.74            | 0.07             | 3.14              | 2.23              | 1.69              | 1.87              | 8      |
| ∢          | Clearance of airways                             | 1.96         | ¥               | Ϋ́              | 0.84            | 1.36            | 0.12             | ¥                 | Ϋ́                | 2.92              | 3.44              | 8      |
| ∢          | Intro windpipe wire/tube                         | 2.85         | 2.02            | 2.52            | 1.03            | 2.27            | 0.18             | 5.05              | 5.55              | 4.06              | 5.30              | 00     |
| ∢          | Repair of windpipe                               | 13.02        | ¥               | ¥               | 16.32           | 11.31           | 0.85             | ¥                 | Ϋ́                | 30.19             | 25.18             | 060    |
| ⋖          | Repair of windpipe                               | 15.93        | Ϋ́              | A<br>A          | 19.27           | 15.64           | 1.13             | ¥                 | ₹                 | 36.33             | 32.70             | 060    |
| ∢          | Repair of windpipe                               | 22.35        | ¥               | Ϋ́              | 17.20           | 13.19           | 1.99             | ₹                 | ¥                 | 41.54             | 37.53             | 060    |
| ⋖          | Reconstruction of windpipe                       | 30.43        | ¥               | Ϋ́              | 20.55           | 20.12           | 0.88             | ¥                 | ¥                 | 51.86             | 51.43             | 060    |
| ⋖          | Repair/graft of bronchus                         | 22.51        | <b>∀</b>        | Ϋ́              | 18.02           | 16.77           | 1.63             | ¥                 | ¥                 | 42.16             | 40.91             | 060    |
| ⋖          |  | 23.54        | ¥               | ¥               | 18.92           | 18.06           | 1.50             | ¥                 | ¥<br>X            | 43.96             | 43.10             | 060    |
| ∢          | Reconstruct windpipe                             | 17.72        | ¥               | ¥               | 16.68           | 18.28           | 1.63             | ¥                 | Š                 | 36.03             | 37.63             | 060    |
| ∢          |  | 23.53        | ¥               | Ą               | 23.29           | 19.55           | 1.53             | ¥                 | ¥                 | 48.35             | 44.61             | 060    |
| ⋖          |  | 17.23        | ¥               | Ą               | 18.82           | 11.97           | 0.92             | ¥                 | ¥                 | 36.97             | 30.12             | 060    |
| <          |  | 23.98        | ¥               | ¥               | 24.59           | 16.97           | 1.75             | ¥                 | ¥                 | 50.32             | 42.70             | 060    |
| •          |  |              |                 |                 |                 |                 |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| practice         practice         Mol-         Non-         Non-         Inno-   |                                     |            |                   | Non-<br>facility    | Transitioned<br>Non-facility | Facility            | Transitioned<br>Facility |                  |                       | Transitioned     |          |                          |            |
|--|-------------------------------------|------------|-------------------|---------------------|------------------------------|---------------------|--------------------------|------------------|-----------------------|------------------|----------|--------------------------|------------|
| NUM         NUM         NUM         Index  |                                     |            | Physician<br>work | practice<br>expense | practice<br>expense          | practice<br>expense | practice<br>expense      | Mal-<br>practice | Non-<br>facility      | Non-<br>facility | Facility | Transitioned<br>Facility |            |
| NA         1239         1109         110         NA         NA         2682         2532           6457         801         686         0.45         1187         952         1286         957           653         1118         686         0.45         1188         952         1294         984           653         1116         686         0.45         1188         952         1294         984           663         8.11         501         0.33         1168         952         1294         984           600         0.00         0.00         0.00         0.00         0.00         0.00         0.00           1.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00           1.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00           1.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00           1.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00 </th <th>Mod Status Description</th> <th></th> <th>RVUs <sup>3</sup></th> <th>RVUs</th> <th>RVUs</th> <th>RVUs</th> <th>RVUs</th> <th>RUYs</th> <th>Total</th> <th>Total</th> <th>Total</th> <th>Total</th> <th>Global</th>  | Mod Status Description              |            | RVUs <sup>3</sup> | RVUs                | RVUs                         | RVUs                | RVUs                     | RUYs             | Total                 | Total            | Total    | Total                    | Global     |
| 467         8 01         4 92         0.36         1187         952         1286         9,77           4 69         8 11,15         6 86         0.45         17,08         13,79         18,41         14,12           4 69         8 11,116         6 86         0.45         17,08         13,79         18,41         14,12           4 69         8 11,16         6 86         0.00         0.00         0.00         0.00         0.00           2 11         2 17         2 17         2 17         0.05         0.00  | A Repair of windpipe injury         |            | 13.13             | ₹                   | ¥<br>Y                       | 12.39               | 11.09                    | 1.10             | ¥                     | ¥                | 26.62    | 25.32                    | 060        |
| 6.53         11.15         5.08         0.45         11.00         15.75         16.11         17.15         17.15         17.15         17.15         17.15         17.15         17.15         17.15         17.15         17.15         17.15         17.15         17.15         17.15         17.15         17.25         17  | _                                   | 7          | 64.3              | 7.02                | 4.67                         | 8.01                | 4.92                     | 0.36             | 11.87                 | 9.52             | 12.86    | 9.77                     | 060        |
| 4509         8.11         500         0.03         11.08         9.02         12.04         9.03           1.60         0.67         0.00         0.00         0.00         0.00         0.00         0.00           1.60         0.67         0.90         0.06         5.07         3.20         2.27         2.50           1.60         0.67         0.90         0.06         5.07         3.20         2.27         2.50           NA         0.95         1.12         0.17         NA         NA         3.26         3.43           NA         0.95         1.12         0.17         NA         NA         3.26         3.43           NA         0.95         1.12         0.17         NA         NA         3.26         3.43           NA         0.95         1.12         0.17         NA         NA         18.29         17.49           NA         1.18         0.96         0.06         5.07         3.20         2.27         2.50           NA         1.18         0.98         0.34         NA         NA         18.29         17.49           NA         1.14         1.27         0.34         NA  | rect                                | י ט        | <u> </u>          | 9.02                | 6.55                         | 1.15                | 0.00                     |                  | 9 5                   | 5.73             | 14.0     | 2.12                     | 9 6        |
| 1.60 0.67 0.90 0.06 5.07 3.20 2.27 2.50 NA 0.90 0.06 5.07 3.20 2.27 2.50 NA 0.90 0.1.31 0.17 NA NA 3.26 3.67 NA 0.90 0.1.31 0.17 NA NA 3.26 3.67 NA 0.90 0.1.31 0.17 NA NA 3.26 3.67 NA 0.93 0.134 NA 0.934 7.84 0.98 NA NA 1.89 17.49 NA 10.84 11.86 1.64 NA NA 24.32 25.34 NA 10.84 11.86 1.64 NA NA 24.32 25.34 NA 11.48 12.94 11.86 1.67 NA NA 27.30 27.99 NA 11.48 12.94 11.95 NA NA 27.30 28.76 NA 11.48 12.94 11.95 NA NA 27.30 28.76 NA 11.48 12.94 11.95 NA NA 27.30 28.76 NA 11.48 12.94 12.94 13.90 NA 11.48 12.94 13.90 NA 11.48 12.94 13.90 NA 11.49 13.20 13.30 NA 14.35 9.87 11.90 NA 14.35 9.87 11.90 NA 14.35 9.87 11.90 NA 14.35 9.87 11.90 NA 14.31 13.22 17.95 NA NA 20.22 20.36 NA NA 2 | A Kevise windpipe scar              | <b>a</b> C | 8 8               | 0.00                | 9.4<br>0.0                   | - 6                 | 0.0                      | 0.00             | -<br>-<br>-<br>-<br>- | 9:55<br>0:00     | 0.00     | t 00                     | g <u>}</u> |
| 2.11       2.17       2.17       0.27       8.09       8.09       8.15       8.15         NA       0.96       1.31       0.17       NA       NA       3.26       3.47         NA       1.58       2.53       0.17       NA       NA       3.26       3.67         NA       1.58       2.53       0.34       NA       NA       3.26       3.67         NA       1.58       2.53       0.34       NA       NA       1.89       1.749         NA       10.12       8.34       1.03       NA       NA       1.89       1.749         NA       10.12       8.34       1.03       NA       NA       1.749       1.749         NA       10.12       8.34       1.03       NA       NA       1.749       1.749         NA       10.82       10.41       1.35       NA       NA       28.30       27.30         NA       11.48       11.63       1.57       NA       NA       28.30       27.30         NA       11.48       11.63       1.73       NA       NA       28.30       27.30         NA       11.48       11.63       1.73       NA <td></td> <td>, —</td> <td>4,</td> <td>3.47</td> <td>1.60</td> <td>0.67</td> <td>06.0</td> <td>90.0</td> <td>5.07</td> <td>3.20</td> <td>2.27</td> <td>2.50</td> <td>000</td>  |                                     | , —        | 4,                | 3.47                | 1.60                         | 0.67                | 06.0                     | 90.0             | 5.07                  | 3.20             | 2.27     | 2.50                     | 000        |
| NA         0.90         1.31         0.17         NA         NA         3.26         3.67           NA         0.95         1.12         0.12         NA         NA         3.26         3.43           NA         9.34         7.84         0.98         NA         NA         1.99         1.749           NA         10.12         8.34         1.03         NA         NA         1899         17.49           NA         10.12         8.34         1.03         NA         NA         18.70         18.51           NA         10.89         11.67         NA         NA         20.33         19.05           NA         11.67         11.33         1.73         NA         NA         20.32         20.34           NA         11.67         11.33         1.07         NA         NA         20.32 </td <td>Total lung lavage</td> <td>S</td> <td>.71</td> <td>2.11</td> <td>2.11</td> <td>2.17</td> <td>2.17</td> <td>0.27</td> <td>8.09</td> <td>8.09</td> <td>8.15</td> <td>8.15</td> <td>000</td>  | Total lung lavage                   | S          | .71               | 2.11                | 2.11                         | 2.17                | 2.17                     | 0.27             | 8.09                  | 8.09             | 8.15     | 8.15                     | 000        |
| NA         0.95         1.12         0.12         NA         NA         3.26         3.43           NA         1.68         2.53         0.34         NA         NA         5.90         6.85           NA         10.12         3.34         1.03         NA         NA         18.90         1.74           NA         10.12         8.34         1.03         NA         NA         18.90         1.74           NA         10.12         8.34         1.03         NA         NA         18.90         1.74           NA         10.84         11.86         1.64         NA         NA         28.32         19.05           NA         10.89         11.48         12.94         1.89         NA         NA         25.35         26.08           NA         11.48         12.94         1.89         NA         NA         25.35         26.08           NA         11.71         10.38         1.07         NA         NA         25.35         26.08           NA         11.71         10.38         1.07         NA         NA         25.35         26.08           NA         11.71         10.38         1.07  | apsed lung                          | 2          | 19                | ¥                   | Ϋ́                           | 06.0                | 1.31                     | 0.17             | ¥                     | ¥                | 3.26     | 3.67                     | 000        |
| NA         158         2.53         0.34         NA         NA         5.90         6.85           NA         10.2         8.34         7.84         0.98         NA         NA         5.90         6.85           NA         10.12         8.34         1.03         NA         NA         18.99         17.49           NA         10.84         11.86         1.64         NA         NA         28.30         27.30           NA         10.84         11.86         1.64         NA         NA         28.90         27.39           NA         10.85         10.41         1.35         NA         NA         28.90         27.39           NA         11.48         12.94         1.89         NA         NA         28.73         28.73           NA         11.49         11.45         1.98         NA         NA         27.39         27.39           NA         11.67         11.33         1.57         NA         NA         27.39         27.05           NA         11.71         11.03         1.07         NA         NA         27.39         27.05           NA         11.45         1.33         1.57  | A Treat lung lining chemically 2.1  | 2.1        | ნ                 | ¥                   | Ą                            | 0.95                | 1.12                     | 0.12             | ¥                     | ¥                | 3.26     | 3.43                     | 00         |
| NA 934 784 0.98 NA NA 18.99 17.49  NA 10.12 8.34 1.03 NA NA 18.99 17.49  NA 10.84 11.86 16.4 NA NA 24.32 25.34  NA 10.86 10.41 1.35 NA NA 24.32 25.34  NA 10.80 11.63 1.73 NA NA 27.30 27.99  NA 11.48 12.94 1.89 NA NA 27.30 27.05  NA 11.67 11.33 1.57 NA NA 27.30 27.05  NA 11.67 11.33 1.57 NA NA 27.39 27.05  NA 11.67 11.33 1.07 NA NA 27.39 27.05  NA 11.67 11.32 1.07 NA NA 20.22 20.36  NA 14.35 9.20 0.73 NA NA 20.22 20.36  NA 15.70 16.80 2.35 NA NA 30.05 28.96  NA 15.70 16.80 2.35 NA NA 30.05 28.96  NA 15.70 16.80 2.35 NA NA 39.25 41.94  NA 15.70 16.80 2.35 NA NA 39.25 41.94  NA 15.70 16.80 2.35 NA NA 39.25 41.94  NA 16.50 18.71 1.46 0.09 3.29 3.42 2.86 3.78  NA 16.50 18.99 1.17 NA NA 39.25 41.94  NA 16.50 18.99 1.18 NA NA 39.25 42.89  NA 16.50 18.99 1.19 NA NA 39.25 42.89  NA 16.50 18.99 1.10 NA NA 39.72 42.89  NA 16.50 18.99 2.78 NA NA 39.72 42.89  NA 16.50 18.99 2.78 NA NA 39.79 3.78  NA 16.50 18.99 2.78 NA NA 39.79 49.51  NA 18.72 2.133 3.04 NA NA 39.79 40.77  NA 18.72 2.133 3.04 NA NA 39.79 40.77  NA 18.74 17.55 2.53 NA NA 37.59 40.77  NA 17.44 17.82 2.53 NA NA 37.59 40.77  NA 17.44 17.82 2.53 NA NA 37.59 40.77  | 90                                  | 3.9        | m                 | ¥                   | Š                            | 1.58                | 2.53                     | 0.34             | ¥                     | ¥                | 2.90     | 6.85                     | 00         |
| NA         10.12         8.34         10.3         NA         NA         20.83         19.05           NA         10.24         10.3         NA         NA         20.83         19.05           NA         10.84         11.86         16.4         NA         NA         24.32         25.34           NA         10.85         10.41         1.35         NA         NA         28.32         26.08           NA         11.48         11.63         1.73         NA         NA         28.37         25.30           NA         10.90         11.63         1.73         NA         NA         26.35         26.08           NA         10.90         11.63         1.73         NA         NA         27.30         28.75           NA         11.71         10.38         1.07         NA         NA         27.30         28.75           NA         11.71         10.38         1.77         NA         NA         20.22         20.36           NA         11.75         10.38         1.75         NA         NA         20.22         20.36           NA         10.061         2.12         0.27         NA         NA   | A Exploration of chest 8.67         | 8.67       |                   | ¥                   | ¥                            | 9.34                | 7.84                     | 0.98             | ₹                     | Ϋ́               | 18.99    | 17.49                    | 060        |
| NA 921 902 1.13 NA NA 18.70 18.51  NA 10.84 11.86 164 NA NA 28.90 27.99  NA 10.80 11.63 1.73 NA NA 28.90 27.99  NA 11.48 12.94 1.89 NA NA 28.30 28.76  NA 11.48 12.94 1.89 NA NA 27.30 28.76  NA 11.67 11.33 1.57 NA NA 20.08 30.43  NA 11.67 11.33 1.57 NA NA 20.08 30.43  NA 11.67 11.33 1.57 NA NA 20.08 30.43  NA 11.67 11.33 1.57 NA NA 20.23 27.05  NA 10.00 8.70 1.00 NA NA 20.27 20.36  NA 10.00 8.70 1.00 NA NA 20.27 20.36  NA 10.01 5.12 0.27 NA NA 30.05 28.96  NA 10.02 8.70 1.00 NA NA 30.05 28.96  NA 10.03 1.32 1.78 NA NA 30.05 28.96  NA 10.04 1.37 1.56 0.09 3.29 3.42 2.86 3.31  NA 10.05 8.09 1.05 NA NA 39.72 2.86 4.10  NA 10.07 8.09 1.05 NA NA 39.72 2.86 4.10  NA 10.08 1.05 NA NA 39.72 2.86 4.10  NA 10.09 2.78 NA NA 39.72 2.86  NA 10.09 2.78 NA NA 39.72 3.88  NA 10.09 2.78 NA NA 39.72 3.88  NA 10.09 2.78 NA NA 46.85 49.65  NA 10.09 2.53 NA NA 46.85 49.67  NA 10.09 2.53 NA NA 46.85  NA 10.09 2.53 NA NA 46.85  NA 10.09 2.53 NA NA 47.89 49.77  | A Exploration of chest 9.68         | 89.6       |                   | ¥                   | Ϋ́                           | 10.12               | 8.34                     | 1.03             | ž                     | ₹                | 20.83    | 19.05                    | 060        |
| NA         10.84         11.86         1.64         NA         NA         24.32         25.34           NA         13.71         12.80         1.57         NA         NA         24.32         25.34           NA         13.71         12.80         1.57         NA         NA         28.90         27.39           NA         11.48         12.94         1.35         NA         NA         27.30         28.70           NA         11.48         12.94         1.89         NA         NA         27.30         28.70           NA         11.67         11.33         1.57         NA         NA         27.30         28.70           NA         11.67         11.33         1.57         NA         NA         27.30         28.70           NA         11.67         11.33         1.57         NA         NA         20.22         20.36           NA         10.61         5.12         0.27         NA         NA         22.33         21.03           NA         10.61         5.12         0.27         NA         NA         22.33         21.03           NA         10.61         5.12         0.27         NA  | A Biopsy through chest wall 8.36    | 8.36       |                   | ¥                   | ¥                            | 9.21                | 9.02                     | 1.13             | ₹                     | Ϋ́               | 18.70    | 18.51                    | 060        |
| NA         13.71         12.80         1.57         NA         NA         28.90         27.99           NA         10.85         10.41         1.35         NA         NA         28.90         27.99           NA         10.86         10.41         1.35         NA         NA         28.30         27.99           NA         11.48         12.94         1.89         NA         NA         20.35         20.08           NA         11.67         11.33         1.57         NA         NA         20.33         20.08           NA         11.67         11.33         1.67         NA         NA         20.22         20.08           NA         11.71         10.38         1.07         NA         NA         20.22         20.36           NA         14.35         9.20         0.73         NA         NA         20.22         20.36           NA         10.61         5.12         0.27         NA         NA         20.22         20.36           NA         10.61         5.12         0.27         NA         NA         20.22         20.36           NA         10.61         6.30         0.73         NA   | A Exploration/biopsy of chest 11.84 | 11.84      |                   | ¥                   | ₹                            | 10.84               | 11.86                    | 1.64             | ₹                     | Ϋ́               | 24.32    | 25.34                    | 060        |
| NA         10.85         10.41         1.35         NA         NA         23.74         23.30           NA         10.90         11.63         1.73         NA         NA         25.35         26.08           NA         11.48         12.94         1.89         NA         NA         27.30         28.76           NA         11.48         12.94         1.89         NA         NA         26.35         26.08           NA         11.67         11.33         1.57         NA         NA         26.39         27.05           NA         11.67         11.33         1.57         NA         NA         26.39         27.05           NA         11.67         11.9         NA         NA         26.39         27.05           NA         10.01         8.70         1.00         NA         NA         26.39         27.05           NA         10.01         8.70         1.00         NA         NA         26.39         27.05           NA         10.01         8.70         1.00         NA         NA         26.39         27.05           NA         10.02         8.70         1.00         NA         NA  | A Explore/repair chest 13.62        | 13.62      |                   | ž                   | ¥                            | 13.71               | 12.80                    | 1.57             | ₹                     | ₹                | 28.90    | 27.99                    | 060<br>0   |
| NA         10.90         11.63         1.73         NA         NA         25.35         26.08           NA         11.48         12.94         1.89         NA         NA         27.30         28.76           NA         11.48         12.94         1.89         NA         NA         27.30         28.76           NA         11.67         11.33         1.57         NA         NA         27.39         27.30         28.76           NA         11.67         1.98         NA         NA         26.39         27.05         27.05           NA         14.35         9.20         0.73         NA         NA         26.39         27.05           NA         10.61         5.12         0.27         NA         NA         26.39         27.05           NA         10.00         8.70         1.00         NA         NA         22.33         21.03           NA         15.70         16.80         2.35         NA         NA         37.32         28.96           NA         15.70         16.80         2.35         NA         NA         28.26         27.86           NA         16.50         18.74         2.66 <td>A Re-exploration of chest 11.54</td> <td>11.54</td> <td></td> <td>¥</td> <td>Ϋ́</td> <td>10.85</td> <td>10.41</td> <td>1.35</td> <td>ž</td> <td>¥</td> <td>23.74</td> <td>23.30</td> <td>060</td>   | A Re-exploration of chest 11.54     | 11.54      |                   | ¥                   | Ϋ́                           | 10.85               | 10.41                    | 1.35             | ž                     | ¥                | 23.74    | 23.30                    | 060        |
| NA 11.48 12.94 1.89 NA NA 27.30 28.76  NA 14.10 14.45 1.98 NA NA 27.30 28.76  NA 11.67 11.33 1.57 NA NA 26.99 27.05  NA 11.71 10.38 1.07 NA NA 26.99 27.05  NA 14.35 9.20 0.73 NA NA 26.92 20.36  NA 10.00 8.70 1.00 NA NA 22.33 21.03  NA 15.70 16.80 2.35 NA NA 30.05 28.96  NA 13.8 12.77 1.64 NA NA 39.25 41.94  1.57 1.01 1.46 0.09 3.29 3.42 2.86 3.31  NA 16.05 8.09 1.05 NA NA 16.26 16.70  2.18 1.21 2.03 0.14 3.88 4.25 3.28 4.10  NA 15.92 19.09 2.78 NA NA 39.72 42.89  NA 18.72 2.133 3.04 NA NA 36.99 48.51  NA 18.72 2.133 3.04 NA NA 36.99 48.51  NA 18.72 2.133 3.04 NA NA 36.90 3.29  NA 18.74 17.85 2.53 NA NA 36.90 3.66  NA 18.75 17.56 2.53 NA NA 36.90 3.66  NA 18.75 17.56 2.53 NA NA 43.89 44.27  | ons                                 | 12.72      |                   | ¥                   | ¥                            | 10.90               | 11.63                    | 1.73             | ž                     | Ϋ́               | 25.35    | 26.08                    | 060        |
| NA 14.10 14.45 1.98 NA NA 30.08 30.43  NA 11.67 11.33 1.57 NA NA 26.99 25.66  NA 97.3 9.87 1.19 NA NA 20.22 20.36  NA 14.35 9.20 0.73 NA NA 20.22 20.36  NA 10.01 8.70 1.00 NA NA 22.33 21.03  NA 15.70 16.80 2.35 NA NA 30.05 28.96  NA 13.11 1.22 1.78 NA NA 30.05 28.96  NA 15.20 1.01 1.46 0.09 3.29 3.42 2.86 3.31  NA 16.05 8.09 1.05 NA NA 16.26 16.70  NA 16.92 19.09 2.78 NA NA 39.72 42.89  NA 18.72 21.33 3.04 NA NA 39.72 42.89  NA 18.72 21.33 3.04 NA NA 39.96  NA 18.74 17.85 2.53 NA NA 36.10 39.66  NA 18.75 21.33 3.04 NA NA 37.99 37.83  NA 18.75 21.33 3.04 NA NA 36.10 39.66  NA 18.75 21.33 3.04 NA NA 36.10 39.66  NA 18.75 21.33 3.04 NA NA 36.10 39.66  NA 18.75 21.33 3.04 NA NA 37.59 40.77  |                                     | 13.93      |                   | ₹                   | ₹                            | 11.48               | 12.94                    | 1.89             | ž                     | ¥                | 27.30    | 28.76                    | 060        |
| NA 11.67 11.33 1.57 NA NA 27.39 27.05  NA 11.71 10.38 1.07 NA NA 26.39 25.66  NA 14.35 9.20 0.73 NA NA 20.22 20.36  NA 14.35 9.20 0.73 NA NA 20.22 20.36  NA 10.00 8.70 0.27 NA NA 22.33 21.03  NA 15.70 16.80 2.35 NA NA 37.32 38.42  NA 14.31 13.22 1.78 NA NA 37.32 38.42  NA 15.50 16.90 3.29 3.42 2.86 3.31  NA 16.05 8.09 1.05 NA NA 39.25 41.94  1.57 1.01 1.46 0.09 3.29 3.42 2.86 3.31  NA 7.65 8.09 1.05 NA NA 16.26 16.70  2.18 1.21 2.03 0.14 3.88 4.25 3.28 4.10  NA 0.89 1.45 0.10 NA NA 39.72 42.89  NA 15.92 19.09 2.78 NA NA 48.69 48.51  NA 18.72 2.1.33 3.04 NA NA 32.94 37.83  NA 18.72 2.1.33 3.04 NA NA 36.10 39.66  NA 14.37 17.55 2.53 NA NA 37.59 40.77  NA 14.37 17.55 2.53 NA NA 37.89 44.27  |                                     | 14.00      |                   | ¥                   | ₹                            | 14.10               | 14.45                    | 1.98             | ₹                     | ¥                | 30.08    | 30.43                    | 060        |
| NA 11.71 10.38 1.07 NA NA 26.99 25.66  NA 9.73 9.87 1.19 NA NA 20.22 20.36  NA 14.35 9.20 0.73 NA NA 20.22 20.36  NA 10.00 8.70 1.00 NA NA 22.33 21.03  NA 15.70 16.80 2.35 NA NA 30.05 28.96  NA 13.18 12.77 1.64 NA NA 39.25 41.94  1.57 1.01 1.46 0.09 3.29 3.42 2.86 3.31  NA 7.65 8.09 1.05 NA NA 16.26 16.70  2.18 1.21 2.03 0.14 3.88 4.25 3.28 4.10  NA 0.89 1.45 0.10 NA NA 39.72 42.89  NA 15.92 19.09 2.78 NA NA 48.69 48.51  NA 18.72 2.1.33 3.04 NA NA 32.94 37.83  NA 18.72 2.1.33 3.04 NA NA 36.10 39.66  NA 14.37 17.55 2.53 NA NA 36.10 39.66  NA 14.37 17.55 2.53 NA NA 37.99 40.77  |                                     | 14.15      |                   | <b>≨</b> :          | ¥:                           | 11.67               | 11.33                    | 1.57             | ≨ :                   | ≨ :              | 27.39    | 27.05                    | 060        |
| NA 9,73 9,87 1,19 NA NA 20,22 20,36  NA 14,35 9,20 0,73 NA NA 30,37 25,22  NA 10,00 8,70 1,00 NA NA 22,33 21,03  NA 15,70 16,80 2,35 NA NA 37,32 38,42  NA 14,31 13,22 1,78 NA NA 37,32 38,42  NA 16,05 18,74 2,66 NA NA 39,25 41,94  1,57 1,01 1,46 0,09 3,29 3,42 2,86 3,31  NA 7,65 8,09 1,05 NA NA 16,26 16,70  2,18 1,21 2,03 0,14 3,88 4,25 3,28 4,10  NA 15,92 19,09 2,78 NA NA 39,72 42,89  NA 18,72 2,133 3,04 NA NA 36,9 48,51  NA 18,72 2,133 3,04 NA NA 36,9 48,51  NA 18,72 2,133 3,04 NA NA 36,10 39,66  NA 14,37 17,55 2,53 NA NA 37,59 40,77  NA 17,44 17,82 2,53 NA NA 43,89 44,27  |                                     | 14.21      |                   | ≨ :                 | ¥ :                          | 11.71               | 10.38                    | 1.07             | <b>≨</b> :            | ¥ :              | 26.99    | 25.66                    | 060        |
| NA 14.35 9.20 0.73 NA NA 30.37 25.22  NA 10.01 8.70 1.03 NA NA 22.33 21.03  NA 15.70 16.80 2.35 NA NA 37.32 38.42  NA 14.31 13.22 1.78 NA NA 30.05 28.96  NA 13.18 12.77 1.64 NA NA 39.25 41.94  1.57 1.01 1.46 0.09 3.29 3.42 2.86 3.31  NA 7.65 8.09 1.05 NA NA 16.26 16.70  2.18 1.21 2.03 0.14 3.88 4.25 3.28 4.10  NA 0.89 1.45 0.10 NA NA 39.72 42.89  NA 15.92 19.09 2.78 NA NA 48.69 48.51  NA 18.72 2.1.33 3.04 NA NA 32.94 37.83  NA 18.72 2.1.33 3.04 NA NA 36.10 39.66  NA 14.37 17.55 2.53 NA NA 37.59 40.77  NA 14.37 17.55 2.53 NA NA 43.89 44.27   |                                     | 9.30       |                   | ₹ :                 | ¥ ÷                          | 9.73                | 9.87                     | 1.19             | <u> </u>              | ₹ 5              | 20.22    | 20.36                    | 9 6        |
| NA 10.00 8.70 1.00 NA NA 22.33 2.103  NA 15.70 16.80 2.35 NA NA 37.32 38.42  NA 14.31 13.22 1.78 NA NA 30.05 28.96  NA 15.51 1.01 1.46 0.09 3.29 3.42 2.86 3.31  NA 7.65 8.09 1.05 NA NA 16.26 16.70  2.18 1.21 2.03 0.14 3.88 4.25 3.28 4.10  NA 0.89 1.45 0.10 NA NA 39.72 42.89  NA 15.92 19.09 2.78 NA NA 48.69 48.51  NA 18.72 2.1.33 3.04 NA NA 32.94 37.83  NA 18.72 2.1.33 3.04 NA NA 32.94 37.83  NA 18.74 17.85 2.53 NA NA 37.59 40.77   |                                     | 67.61      |                   | 2 2                 | <u> </u>                     | 4.50                | 9.20                     | 2 6              | <u> </u>              | 2 2              | 20.00    | 23.22                    | 8 6        |
| NA         15.70         16.80         2.35         NA         NA         37.32         38.42           NA         14.31         13.22         1.78         NA         NA         30.05         28.96           NA         14.31         13.22         1.78         NA         NA         28.26         27.85           NA         16.05         18.74         2.66         NA         NA         39.25         41.94           1.57         1.01         1.46         0.09         3.29         3.42         2.86         27.19           NA         7.65         8.09         1.05         NA         NA         16.26         16.70           2.18         1.21         2.03         0.14         3.88         4.25         3.28         4.10           NA         0.89         1.45         0.10         NA         NA         3.17         3.73           NA         15.92         19.09         2.78         NA         NA         48.69         48.51           NA         18.72         21.33         3.04         NA         48.69         48.61           NA         12.09         17.42         2.53         NA         NA <td>A Treat chest lining</td> <td>11.33</td> <td></td> <td>₹ ¥</td> <td>ζ <del>Υ</del></td> <td>10.00</td> <td>8.70</td> <td>100</td> <td>₹</td> <td>₹</td> <td>22.33</td> <td>21.03</td> <td>060</td>   | A Treat chest lining                | 11.33      |                   | ₹ ¥                 | ζ <del>Υ</del>               | 10.00               | 8.70                     | 100              | ₹                     | ₹                | 22.33    | 21.03                    | 060        |
| NA         14.31         13.22         1.78         NA         NA         30.05         28.96           NA         13.18         12.77         1.64         NA         NA         28.26         27.85           NA         16.05         18.74         2.66         NA         NA         39.25         24.194           1.57         1.01         1.46         0.09         3.29         3.42         2.86         27.194           NA         7.65         8.09         1.05         NA         NA         16.26         16.70           2.18         1.21         2.03         0.14         3.88         4.25         3.28         4.10           NA         0.89         1.45         0.10         NA         NA         3.17         3.73           NA         15.92         19.09         2.78         NA         NA         48.69         48.51           NA         18.72         21.33         3.04         NA         NA         48.69         49.46           NA         18.72         21.33         3.04         NA         NA         32.94         37.83           NA         13.86         17.42         2.53         NA </td <td></td> <td>19.27</td> <td></td> <td>¥</td> <td>¥</td> <td>15.70</td> <td>16.80</td> <td>2.35</td> <td>¥</td> <td>¥</td> <td>37.32</td> <td>38.42</td> <td>060</td>   |                                     | 19.27      |                   | ¥                   | ¥                            | 15.70               | 16.80                    | 2.35             | ¥                     | ¥                | 37.32    | 38.42                    | 060        |
| NA         13.18         12.77         1.64         NA         NA         28.26         27.85           NA         16.05         18.74         2.66         NA         NA         39.25         41.94           1.57         1.01         1.46         0.09         3.29         3.42         2.86         3.31           NA         7.65         8.09         1.05         NA         NA         16.26         16.70           2.18         1.21         2.03         0.14         3.88         4.25         3.28         4.10           NA         0.89         1.45         0.10         NA         NA         3.17         3.73           NA         15.92         19.09         2.78         NA         NA         48.69         48.51           NA         18.72         21.33         3.04         NA         NA         48.69         48.51           NA         18.72         21.33         3.04         NA         NA         48.69         49.46           NA         12.09         17.42         2.53         NA         NA         32.94         37.83           NA         13.86         17.42         2.53         NA   | of lung                             | 13.96      |                   | ¥                   | Ϋ́                           | 14.31               | 13.22                    | 1.78             | ¥                     | ¥                | 30.05    | 28.96                    | 060        |
| NA         16.05         18.74         2.66         NA         NA         39.25         41.94           1.57         1.01         1.46         0.09         3.29         3.42         2.86         3.31           NA         7.65         8.09         1.05         NA         NA         16.26         16.70           2.18         1.21         2.03         0.14         3.88         4.25         3.28         4.10           NA         0.89         1.45         0.10         NA         NA         3.17         3.73           NA         15.92         19.09         2.78         NA         NA         48.69         48.51           NA         18.72         21.33         3.04         NA         NA         48.69         48.51           NA         12.09         16.98         2.53         NA         NA         46.85         49.46           NA         12.09         16.98         2.53         NA         NA         32.94         37.83           NA         13.86         17.42         2.53         NA         NA         37.59         40.77           NA         14.37         17.82         2.53         NA   | D                                   | 13.44      |                   | ¥                   | ¥                            | 13.18               | 12.77                    | 1.64             | ¥                     | ¥                | 28.26    | 27.85                    | 060        |
| 1.57 1.01 1.46 0.09 3.29 3.42 2.86 3.31 NA 7.65 8.09 1.05 NA NA 16.26 16.70 2.18 1.21 2.03 0.14 3.88 4.25 3.28 4.10 NA NA 15.92 19.09 2.78 NA NA 39.72 42.89 NA 18.72 21.33 3.04 NA NA 48.69 48.51 NA 12.09 16.98 2.53 NA NA 32.94 37.83 NA 13.86 17.42 2.53 NA NA 37.59 40.77 NA 17.44 17.82 2.53 NA NA 43.89 44.27   | A Free/remove chest lining 20.54    | 20.54      |                   | ¥                   | Ϋ́                           | 16.05               | 18.74                    | 5.66             | ¥                     | ¥                | 39.25    | 41.94                    | 060        |
| NA 7.65 8.09 1.05 NA NA 16.26 16.70 2.18 1.21 2.03 0.14 3.88 4.25 3.28 4.10 NA 0.89 1.45 0.10 NA NA 3.17 3.73 NA 15.92 19.09 2.78 NA NA 48.69 48.51 NA 18.72 21.33 3.04 NA NA 46.85 49.46 NA 12.09 16.98 2.53 NA NA 32.94 37.83 NA 13.86 17.42 2.53 NA NA 36.10 39.66 NA 14.37 17.55 2.53 NA NA 43.89 44.27  | A Needle biopsy chest lining 1.76   | 1.76       |                   | 1.44                | 1.57                         | 1.01                | 1.46                     | 0.09             | 3.29                  | 3.42             | 2.86     | 3.31                     | 000        |
| 2.18 1.21 2.03 0.14 3.88 4.25 3.28 4.10  NA 0.89 1.45 0.10 NA NA 3.17 3.73  NA 15.92 19.09 2.78 NA NA 48.69 48.51  NA 18.72 21.33 3.04 NA NA 46.85 49.46  NA 12.09 16.98 2.53 NA NA 32.94 37.83  NA 13.86 17.42 2.53 NA NA 36.10 39.66  NA 14.37 17.55 2.53 NA NA 37.59 40.77  NA 17.44 17.82 2.53 NA NA 43.89 44.27   | A Open biopsy chest lining 7.56     | 7.56       |                   | Š                   | Ϋ́                           | 7.65                | 8.09                     | 1.05             | ¥                     | ¥                | 16.26    | 16.70                    | 060        |
| NA 0.89 1.45 0.10 NA NA 3.17 3.73  NA 15.92 19.09 2.78 NA NA 39.72 42.89  NA 19.71 19.53 2.74 NA NA 48.69 48.51  NA 12.09 16.98 2.53 NA NA 46.85 49.46  NA 13.86 17.42 2.53 NA NA 36.10 39.66  NA 14.37 17.55 2.53 NA NA 37.59 40.77  NA 17.44 17.82 2.53 NA NA 43.89 44.27  | A Biopsy, lung or mediastinum 1.93  | 1.93       |                   | 1.81                | 2.18                         | 1.21                | 2.03                     | 0.14             | 3.88                  | 4.25             | 3.28     | 4.10                     | 00         |
| NA         15.92         19.09         2.78         NA         NA         39.72         42.89           NA         19.71         19.53         2.74         NA         NA         48.69         48.51           NA         18.72         21.33         3.04         NA         NA         46.85         49.46           NA         12.09         16.98         2.53         NA         NA         32.94         37.83           NA         13.86         17.42         2.53         NA         NA         36.10         39.66           NA         14.37         17.55         2.53         NA         NA         43.89         44.27           NA         17.44         17.82         2.53         NA         NA         43.89         44.27  |                                     | 2.18       |                   | ¥                   | Ą                            | 0.89                | 1.45                     | 0.10             | ¥                     | ¥                | 3.17     | 3.73                     | 00         |
| NA         19.71         19.53         2.74         NA         NA         48.69         48.51           NA         18.72         21.33         3.04         NA         NA         46.85         49.46           NA         12.09         16.98         2.53         NA         NA         32.94         37.83           NA         13.86         17.42         2.53         NA         NA         36.10         39.66           NA         14.37         17.55         2.53         NA         NA         37.59         40.77           NA         17.44         17.82         2.53         NA         NA         43.89         44.27  |                                     | 21.02      |                   | ¥                   | Ą                            | 15.92               | 19.09                    | 2.78             | ¥                     | ¥                | 39.72    | 42.89                    | 060        |
| NA 18.72 21.33 3.04 NA NA 46.85 49.46  NA 12.09 16.98 2.53 NA NA 32.94 37.83  NA 13.86 17.42 2.53 NA NA 36.10 39.66  NA 14.37 17.55 2.53 NA NA 37.59 40.77  NA 17.44 17.82 2.53 NA NA 43.89 44.27  | A Sleeve pneumonectomy 26.24        | 26.24      |                   | ¥                   | Ą                            | 19.71               | 19.53                    | 2.74             | ¥                     | ¥                | 48.69    | 48.51                    | 060        |
| NA 12.09 16.98 2.53 NA NA 32.94 37.83<br>NA 13.86 17.42 2.53 NA NA 36.10 39.66<br>NA 14.37 17.55 2.53 NA NA 37.59 40.77<br>NA 17.44 17.82 2.53 NA NA 43.89 44.27   |                                     | 25.09      | _                 | ¥                   | ¥                            | 18.72               | 21.33                    | 3.04             | ¥                     | ¥                | 46.85    | 49.46                    | 060        |
| NA 13.86 17.42 2.53 NA NA 36.10 39.66<br>NA 14.37 17.55 2.53 NA NA 37.59 40.77<br>NA 17.44 17.82 2.53 NA NA 43.89 44.27  | of lung                             | 18.3       | 7                 | ¥                   | ¥                            | 12.09               | 16.98                    | 2.53             | ¥                     | ¥                | 32.94    | 37.83                    | 060        |
| . NA 14.37 17.55 2.53 NA NA 37.59 40.77<br>. NA 17.44 17.82 2.53 NA NA 43.89 44.27   |                                     | 19.        | 71                | ¥                   | Š                            | 13.86               | 17.42                    | 2.53             | ¥                     | ¥                | 36.10    | 39.66                    | 060        |
| NA 17.44 17.82 2.53 NA NA 43.89 44.27  | omy                                 | 20.6       | 66                | ¥                   | ¥<br>V                       | 14.37               | 17.55                    | 2.53             | ¥                     | ¥                | 37.59    | 40.77                    | 060        |
|  | λí                                  | 23.6       | 32                | ¥                   | N<br>A                       | 17.44               | 17.82                    | 2.53             | ¥                     | ¥                | 43.89    | 44.27                    | 060        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| cyaperse         production         Mol-         Non-         Intrastitioned           RIVIS         NVIS         NVIS         Iolal         Iolal         Iolal         Iolal         Iolal           18.37         19.03         2.71         NA         NA         46.79         47.45           11.82         13.92         2.36         NA         NA         46.79         47.45           11.82         13.92         2.00         NA         NA         48.70         47.47           17.57         2.02         NA         NA         48.50         48.77         48.77           18.39         2.52         NA         NA         48.50         49.77         48.77           18.39         2.05         NA         NA         48.50         49.77         49.77           18.39         2.05         NA         NA         48.50         49.77 <th></th> <th></th> <th></th> <th></th> <th></th> <th>Non-<br/>facility</th> <th>Transitioned</th> <th>Facility</th> <th>Transitioned Forility</th> <th></th> <th></th> <th>Trancitional</th> <th></th> <th></th> <th></th>  |                                   |                           |              |       |      | Non-<br>facility | Transitioned             | Facility        | Transitioned Forility |                  |                   | Trancitional      |                   |                   |       |
|---|-----------------------------------|---------------------------|--------------|-------|------|------------------|--------------------------|-----------------|-----------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------|
| Attention of the properior of pages         Production of the properior of t                                | _                                 | _                         | _            | _     | p a  | rice<br>clice    | non-rucinity<br>practice | practice        | practice              | Mal-             | Non-              | Non-              |                   | Transitioned      |       |
| NA         18.37         19.03         2.71         NA         46.79         47.45           NA         16.71         16.76         2.36         NA         NA         46.79         47.45           NA         11.82         13.92         2.06         NA         NA         40.32         40.37           NA         17.56         3.95         0.56         NA         NA         40.35         46.47           NA         17.57         2.22         3.07         NA         NA         40.35         40.37           NA         17.57         2.22         3.07         NA         NA         40.35         46.47           NA         18.39         2.3.72         3.07         NA         NA         40.35         40.37           NA         18.39         2.3.72         3.07         NA         NA         40.35         46.47           NA         14.12         13.03         160         NA         NA         48.60         9.19           NA         4.67         4.00         6.45         NA         NA         48.60         9.19           NA         4.67         4.00         6.45         NA         NA  |                                   | work<br>Description RVUs  | work<br>RVUs |       | ex b | ense<br>(Us      | expense<br>RVUs          | expense<br>RVUs | expense<br>RVUs       | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Globa |
| NA         16 71         16 76         2.36         NA         NA         40.32         40.37           NA         1.182         2.00         NA         NA         46.99         3.19           NA         1.186         20.72         3.07         NA         NA         46.99         3.19           NA         1560         20.72         3.07         NA         NA         46.90         3.91           NA         16.80         20.72         3.07         NA         NA         46.90         3.91           NA         16.80         20.72         3.07         NA         NA         46.90         3.91           NA         14.12         13.02         1.00         NA         NA         46.90         3.91           NA         14.12         13.00         1.04         NA         NA         46.90         3.91           NA         4.67         0.05         NA         NA         46.90         3.92         4.97           NA         4.67         0.05         NA         NA         46.90         3.91         4.97           NA         4.64         0.50         NA         NA         46.47         1.0  |                                   | 25.71                     | 25.71        |       |      | ¥                | Ą                        | 18.37           | 19.03                 | 2.71             | N<br>A            | ¥.                | 46.79             | 47.45             |       |
| NA 11.82 13.92 2.00 NA NA 28.12 30.22 NA 16.62 20.72 3.95 0.55 NA NA 6.99 9.19 NA 16.50 20.72 3.28 NA NA 6.50 6.51.83 NA 16.75 22.22 3.28 NA NA 45.05 6.38.3 NA 16.75 22.22 3.28 NA NA 6.50 6.51.83 NA 16.75 22.22 3.28 NA NA 10.58 9.91 NA 16.75 22.22 3.28 NA NA 11.39 9.91 NA 16.75 22.22 3.28 NA NA 11.39 10.83 NA 5.59 4.23 0.45 NA NA 12.97 11.61 NA 16.74 10.24 10.05 NA NA 12.97 11.61 NA 11.72 12.42 17.8 NA NA 12.97 11.61 NA 11.72 12.42 17.8 NA NA 12.97 11.61 NA 11.20 12.41 15.7 NA NA 25.81 25.80 NA 11.21 12.42 1.57 NA NA 25.81 25.80 NA 11.22 12.41 15.7 NA NA 25.67 28.36 NA 11.22 12.42 1.57 NA NA 26.57 28.36 NA 11.24 12.69 13.70 1.16 1.98 NA NA 26.17 26.81 NA 11.25 12.41 1.50 1.96 NA NA 26.17 26.81 NA 11.40 1.56 1.45 1.45 NA NA 26.17 26.81 NA 11.44 1.45 1.45 1.45 1.45 1.45 1.45 1.4   | R Lung volume reduction 21.25     |                           |              | 21.25 |      | ¥                | Ϋ́                       | 16.71           | 16.76                 | 2.36             | ¥                 | ¥                 | 40.32             | 40.37             | 66    |
| NA 1,75 3.95 0.55 NA NA 6.99 9.19  NA 1757 22.22 3.28 NA NA 46505 45.70  NA 1839 23.72 3.61 NA NA 46505 45.70  NA 489 43.7 0.50 NA NA 11.35 10.83  NA 489 43.7 0.50 NA NA 11.35 10.83  NA 5.99 42.2 0.50 NA NA 11.35 10.83  NA 10.14 87.4 10.0 NA NA 12.97 11.61  NA 11.22 12.45 0.50 NA NA 14.81 13.52  NA 11.22 12.45 0.50 NA NA 14.81 13.53  NA 11.22 12.45 0.50 NA NA 14.81 13.53  NA 11.22 12.50 NA NA NA 15.97 11.61  NA 11.22 12.51 NA NA 26.51 25.80  NA 11.32 13.80 2.00 NA NA 26.51 25.80  NA 11.32 13.80 2.00 NA NA 26.51 25.80  NA 11.32 13.80 2.00 NA NA 26.51 26.80  NA 11.30 13.61 1.15 NA NA 26.52 27.07  NA 11.49 14.57 1.60 NA NA 26.52 27.07  NA 11.40 8.15 0.93 NA NA 26.52 27.07  NA 11.41 8.15 0.93 NA NA 26.52 27.07  NA 11.42 0.00 0.00 0.00 0.00 0.00  NA 22.26 26.36 3.90 NA NA 26.50 31.80  NA 22.26 26.36 3.90 NA NA 26.75 38.67  NA 22.26 26.36 3.90 NA NA 26.75 31.80  NA 22.26 26.36 3.90 NA NA 26.75 31.80  NA 26.27 26.36 3.90 NA NA 26.75 31.80  NA 26.28 26.36 3.90 NA NA 26.75 31.80  NA 26.29 26.36 3.90 NA NA 26.70  NA 26.29 26.36 3.90 NA NA 26.70  NA 26.20 31.90  NA 26.20 36.36 3.90 NA NA 36.70  NA 26.20 31.90  NA 26.20 31.90 | A Partial removal of lung 14.30   | Partial removal of lung   |              | 14.30 |      | ₹                | Ϋ́                       | 11.82           | 13.92                 | 2.00             | ¥                 | ₹                 | 28.12             | 30.22             | 60    |
| NA         15 60         2072         3.07         NA         NA         40.35         45.47           NA         17.57         22.22         3.28         NA         NA         46.50         54.70           NA         14.12         13.03         1.60         NA         NA         46.50         54.70           NA         4.67         4.00         0.45         NA         NA         48.50         59.70           NA         4.67         4.00         0.45         NA         NA         11.35         10.28           NA         4.67         4.00         0.45         NA         NA         11.35         10.38           NA         5.96         4.64         0.50         NA         NA         11.23         10.38           NA         5.96         4.63         0.50         NA         NA         11.23         10.38           NA         10.14         8.74         1.00         NA         NA         14.39         14.53           NA         11.12         11.24         1.75         NA         NA         26.51         14.30           NA         11.13         12.51         NA         NA <th< td=""><td>A Repair bronchus (add-on) 4.69</td><td>Repair bronchus (add-on)</td><td></td><td>4.69</td><td></td><td>¥</td><td>A<br/>A</td><td>1.75</td><td>3.95</td><td>0.55</td><td>¥</td><td>¥</td><td>6.99</td><td>9.19</td><td>77</td></th<>  | A Repair bronchus (add-on) 4.69   | Repair bronchus (add-on)  |              | 4.69  |      | ¥                | A<br>A                   | 1.75            | 3.95                  | 0.55             | ¥                 | ¥                 | 6.99              | 9.19              | 77    |
| NA         17.57         22.22         3.28         NA         NA         45.05         49.70           NA         18.39         23.72         3.61         NA         NA         46.50         49.70           NA         46.7         4.00         0.45         NA         NA         48.50         53.83           NA         4.67         4.00         0.45         NA         NA         10.58         9.91           NA         4.67         4.00         0.45         NA         NA         11.35         10.83           NA         4.89         4.37         0.50         NA         NA         11.35         10.83           NA         5.96         4.23         0.50         NA         NA         11.51         12.38           NA         10.14         8.74         1.00         NA         NA         11.61         12.38           NA         11.77         11.36         1.57         NA         NA         26.59         26.58           NA         11.32         13.60         1.57         NA         NA         26.59         26.58           NA         11.32         13.60         1.60         NA         <  |                                   |                           |              | 21.68 |      | ¥                | A<br>A                   | 15.60           | 20.72                 | 3.07             | ¥                 | ¥                 | 40.35             | 45.47             | 66    |
| NA 18.39 23.72 3.61 NA NA 48.50 53.83  NA 14.12 13.03 1.60 NA NA 10.36 29.27  NA 4.89 4.37 0.50 NA NA 11.35 10.83  NA 5.96 4.64 0.50 NA NA 15.24 13.92  NA 5.91 4.63 0.50 NA NA 15.24 13.92  NA 11.12 12.42 1.78 NA NA 25.81 27.11  NA 11.27 11.36 1.57 NA NA 26.21 25.80  NA 11.32 13.80 2.04 NA NA 26.21 25.80  NA 11.32 13.80 2.04 NA NA 26.31 25.80  NA 11.30 10.48 11.5 NA NA 26.31 26.48  NA 11.40 10.48 11.5 NA NA 26.20 24.88  NA 11.61 14.57 2.07 NA NA 26.21 24.47  NA 11.61 14.57 2.07 NA NA 26.32 22.18  NA 11.61 16.79 2.53 NA NA 42.81 41.99  NA 22.26 26.36 3.90 NA NA 26.45 91.27  NA 26.25 26.36 3.90 NA NA 36.45 91.27  NA 26.25 36.07 5.22 NA NA 36.70 31.98   |                                   |                           |              | 24.20 |      | ¥                | A<br>A                   | 17.57           | 22.22                 | 3.28             | ¥                 | ¥                 | 45.05             | 49.70             | 8     |
| NA         14.12         13.03         1.60         NA         NA         30.36         29.27           NA         4.67         4.00         0.45         NA         NA         10.58         9.91           NA         5.15         4.12         0.45         NA         NA         11.34         12.38           NA         5.15         4.12         0.45         NA         NA         11.41         12.38           NA         5.96         4.64         0.50         NA         NA         14.81         12.38           NA         10.14         8.74         10.00         NA         NA         14.81         13.92           NA         10.14         8.74         10.00         NA         NA         14.81         13.62           NA         11.12         12.42         1.78         NA         NA         14.81         13.62           NA         11.12         12.42         1.78         NA         NA         25.81         27.11           NA         11.12         12.42         1.78         NA         NA         25.81         27.11           NA         11.12         12.42         1.78         NA   |                                   |                           |              | 26.50 |      | ¥                | Ϋ́                       | 18.39           | 23.72                 | 3.61             | ¥                 | ¥                 | 48.50             | 53.83             | 8     |
| NA         467         400         045         NA         NA         1058         991           NA         489         437         050         NA         NA         11.36         10.83           NA         5.96         464         0.50         NA         NA         14.31         12.32           NA         5.96         4.63         0.45         NA         NA         12.97         11.61           NA         5.91         4.63         0.50         NA         NA         12.97         11.61           NA         11.02         12.42         1.78         NA         NA         12.97         11.61           NA         11.02         12.42         1.78         NA         NA         20.81         27.11           NA         11.02         12.42         1.78         NA         NA         26.51         27.11           NA         11.02         12.42         1.78         NA         NA         26.51         26.53           NA         11.24         11.36         12.57         NA         NA         26.51         28.36           NA         11.32         13.80         2.00         NA         NA </td <td></td> <td></td> <td></td> <td>14.64</td> <td></td> <td>¥</td> <td>A<br/>A</td> <td>14.12</td> <td>13.03</td> <td>1.60</td> <td>₹</td> <td>₹</td> <td>30.36</td> <td>29.27</td> <td>8</td>   |                                   |                           |              | 14.64 |      | ¥                | A<br>A                   | 14.12           | 13.03                 | 1.60             | ₹                 | ₹                 | 30.36             | 29.27             | 8     |
| NA         4.89         4.37         0.50         NA         NA         11.35         10.83           NA         5.59         4.22         0.45         NA         NA         11.35         10.83           NA         5.59         4.23         0.45         NA         NA         15.24         13.38           NA         5.91         4.63         0.50         NA         NA         12.97         11.61           NA         10.14         8.74         1.00         NA         NA         12.97         11.61           NA         10.14         8.74         1.00         NA         NA         21.81         13.53           NA         11.12         12.42         1.73         NA         NA         21.81         13.53           NA         11.27         11.36         1.57         NA         NA         26.59         20.49           NA         12.70         14.14         1.29         1.84         NA         26.51         25.80           NA         11.27         1.40         1.89         NA         NA         26.54         26.54           NA         11.29         1.29         NA         NA         <  | A Thoracoscopy, diagnostic 5.46   |                           |              | 5.46  |      | ₹                | ¥                        | 4.67            | 4.00                  | 0.45             | ₹                 | ₹                 | 10.58             | 9.91              | 8     |
| NA         5.15         4.12         0.45         NA         NA         13.41         12.38           NA         5.96         4.64         0.50         NA         NA         13.41         12.38           NA         5.91         4.64         0.50         NA         NA         15.97         11.61           NA         10.14         8.74         1.00         NA         NA         12.97         11.61           NA         11.12         12.42         1.78         NA         NA         25.81         20.49           NA         11.12         12.42         1.78         NA         NA         25.81         20.49           NA         11.22         12.42         1.78         NA         NA         25.81         27.11           NA         11.24         16.53         2.35         NA         NA         26.21         26.21           NA         12.04         NA         NA         26.21         27.89         20.49           NA         11.32         13.80         2.00         NA         NA         26.21         28.91           NA         11.32         13.80         2.00         NA         NA   | A Thoracoscopy, diagnostic 5.96   |                           |              | 5.96  |      | ₹                | Ϋ́                       | 4.89            | 4.37                  | 0.50             | ¥                 | ₹                 | 11.35             | 10.83             | 8     |
| NA         596         464         0.50         NA         NA         15.24         13.92           NA         5.99         4.23         0.45         NA         NA         14.81         13.92           NA         10.14         8.74         1.00         NA         NA         14.81         13.63           NA         11.12         12.42         1.78         NA         NA         25.81         27.11           NA         11.12         12.24         1.78         NA         NA         25.81         27.11           NA         11.77         11.36         1.57         NA         NA         26.97         25.80           NA         11.77         11.36         1.57         NA         NA         26.97         25.80           NA         11.26         14.10         1.98         NA         NA         26.97         25.80           NA         10.91         13.60         1.85         NA         NA         26.97         28.45           NA         10.14         12.95         1.97         NA         NA         26.97         28.46           NA         11.32         13.80         2.04         NA   | A Thoracoscopy, diagnostic 7.81   |                           |              | 7.81  |      | ¥                | Ϋ́                       | 5.15            | 4.12                  | 0.45             | ¥                 | ₹                 | 13.41             | 12.38             | 8     |
| NA         5.59         4.23         0.45         NA         NA         12.97         11.61           NA         6.91         4.63         0.65         NA         NA         12.97         11.61           NA         11.12         12.42         1.00         NA         NA         21.89         20.49           NA         11.12         12.42         1.78         NA         NA         25.81         20.49           NA         11.77         11.36         1.57         NA         NA         26.51         25.80           NA         12.58         12.51         1.57         NA         NA         26.52         26.58           NA         12.58         12.51         1.57         NA         NA         26.57         26.80           NA         10.31         13.60         1.85         NA         NA         26.57         26.83           NA         10.14         12.95         1.97         NA         NA         26.57         28.45           NA         11.29         10.48         1.15         NA         NA         26.20         24.76           NA         11.29         11.27         1.24         NA  | A Thoracoscopy, diagnostic 8.78   |                           |              | 8.78  |      | ¥                | Ϋ́                       | 5.96            | 4.64                  | 0.50             | ¥                 | ₹                 | 15.24             | 13.92             | 8     |
| NA         5.91         4.63         0.50         NA         14.81         13.53           NA         10.14         8.74         1.00         NA         NA         14.81         13.53           NA         11.12         12.42         1.78         NA         NA         26.81         20.49           NA         11.77         11.36         1.57         NA         NA         26.51         20.49           NA         12.58         12.51         1.57         NA         NA         26.59         26.52           NA         12.70         14.10         1.98         NA         NA         26.50         20.48           NA         12.70         14.10         1.98         NA         NA         26.50         20.48           NA         10.91         13.60         1.85         NA         NA         26.50         20.48           NA         10.21         13.80         1.97         NA         NA         24.51         20.48           NA         10.23         13.01         NA         NA         24.51         20.48           NA         11.80         10.48         1.15         NA         NA         24.51  | A Thoracoscopy, diagnostic 6.93   |                           |              | 6.93  |      | ₹                | ¥                        | 5.59            | 4.23                  | 0.45             | ¥                 | ₹                 | 12.97             | 11.61             | 8     |
| NA         10.14         8.74         1.00         NA         NA         21.89         20.49           NA         11.12         12.42         1.78         NA         NA         25.81         27.11           NA         11.12         12.42         1.78         NA         NA         26.81         27.11           NA         11.27         11.36         1.57         NA         NA         26.91         27.80           NA         12.70         14.10         1.86         NA         NA         26.97         29.45           NA         11.32         13.60         1.85         NA         NA         26.97         29.45           NA         10.91         13.60         1.85         NA         NA         26.97         29.45           NA         10.91         13.60         1.85         NA         NA         26.97         29.45           NA         10.12         13.80         2.04         NA         NA         26.97         29.45           NA         10.23         13.01         2.04         NA         NA         26.97         29.45           NA         11.61         12.95         11.27         NA <td>A Thoracoscopy, diagnostic 8.40</td> <td></td> <td></td> <td>8.40</td> <td></td> <td>¥</td> <td>Š</td> <td>5.91</td> <td>4.63</td> <td>0.50</td> <td>¥</td> <td>₹</td> <td>14.81</td> <td>13.53</td> <td>8</td>  | A Thoracoscopy, diagnostic 8.40   |                           |              | 8.40  |      | ¥                | Š                        | 5.91            | 4.63                  | 0.50             | ¥                 | ₹                 | 14.81             | 13.53             | 8     |
| NA         11.12         12.42         1.78         NA         NA         25.81         27.11           NA         14.64         16.53         2.35         NA         NA         25.81         27.11           NA         11.77         11.36         1.57         NA         NA         26.59         25.80           NA         12.58         12.51         1.57         NA         NA         26.59         26.50           NA         10.31         13.60         1.85         NA         NA         26.59         26.50           NA         10.31         13.60         1.85         NA         NA         26.57         28.36           NA         10.14         12.95         1.97         NA         NA         26.97         29.45           NA         10.14         12.95         1.97         NA         NA         26.97         29.45           NA         10.23         13.01         2.04         NA         NA         26.97         29.45           NA         11.80         10.48         1.15         NA         NA         26.20         27.18           NA         11.80         10.48         1.15         NA <td>A Thoracoscopy, surgical 10.75</td> <td></td> <td></td> <td>10.75</td> <td></td> <td>₹</td> <td>Ϋ́</td> <td>10.14</td> <td>8.74</td> <td>1.00</td> <td>₹</td> <td>₹</td> <td>21.89</td> <td>20.49</td> <td>060</td>  | A Thoracoscopy, surgical 10.75    |                           |              | 10.75 |      | ₹                | Ϋ́                       | 10.14           | 8.74                  | 1.00             | ₹                 | ₹                 | 21.89             | 20.49             | 060   |
| NA         14.64         16.53         2.35         NA         NA         35.65         37.54           NA         11.77         11.36         1.57         NA         NA         26.21         25.80           NA         12.58         12.51         1.57         NA         NA         26.52         25.80           NA         12.70         14.10         1.98         NA         NA         26.59         26.52           NA         10.91         13.60         1.85         NA         NA         25.67         29.18           NA         10.91         13.80         2.00         NA         NA         26.97         28.36           NA         10.93         13.01         2.04         NA         NA         26.97         28.36           NA         10.53         13.01         2.04         NA         NA         26.97         28.45           NA         10.53         13.01         2.04         NA         NA         28.45         28.45           NA         11.80         10.48         1.15         NA         NA         26.20         24.88           NA         11.96         14.83         2.14         NA <td>A Thoracoscopy, surgical 12.91</td> <td>Thoracoscopy, surgical</td> <td></td> <td>12.91</td> <td></td> <td>₹</td> <td>Š</td> <td>11.12</td> <td>12.42</td> <td>1.78</td> <td>₹</td> <td>₹</td> <td>25.81</td> <td>27.11</td> <td>060</td>  | A Thoracoscopy, surgical 12.91    | Thoracoscopy, surgical    |              | 12.91 |      | ₹                | Š                        | 11.12           | 12.42                 | 1.78             | ₹                 | ₹                 | 25.81             | 27.11             | 060   |
| NA         11.77         11.36         1.57         NA         NA         26.21         25.80           NA         12.58         12.51         1.57         NA         NA         26.59         26.52           NA         12.58         12.51         1.57         NA         NA         26.59         26.52           NA         10.91         13.60         1.85         NA         NA         26.59         26.50           NA         11.32         13.80         2.00         NA         NA         26.91         26.45           NA         10.14         12.95         1.97         NA         NA         26.97         28.45           NA         10.53         13.01         2.04         NA         NA         24.16         26.54           NA         11.60         14.83         2.14         NA         NA         24.51         36.49           NA         11.60         14.83         2.14         NA         NA         26.20         24.88           NA         11.60         14.83         2.14         NA         NA         26.20         24.88           NA         11.61         14.57         2.07         NA <td>A Thoracoscopy, surgical 18.66</td> <td>Thoracoscopy, surgical</td> <td></td> <td>18.66</td> <td></td> <td>¥</td> <td>¥</td> <td>14.64</td> <td>16.53</td> <td>2.35</td> <td>¥</td> <td>¥</td> <td>35.65</td> <td>37.54</td> <td>8</td>  | A Thoracoscopy, surgical 18.66    | Thoracoscopy, surgical    |              | 18.66 |      | ¥                | ¥                        | 14.64           | 16.53                 | 2.35             | ¥                 | ¥                 | 35.65             | 37.54             | 8     |
| NA         12.58         12.51         1.57         NA         NA         26.59         26.52           NA         12.70         14.10         1.98         NA         NA         26.59         26.52           NA         10.31         13.60         1.85         NA         NA         26.57         29.18           NA         11.32         13.60         1.85         NA         NA         26.57         28.36           NA         11.32         13.60         1.85         NA         NA         26.97         29.45           NA         10.42         12.95         1.97         NA         NA         26.57         28.36           NA         11.80         10.48         1.15         NA         NA         24.16         26.44           NA         11.61         14.83         2.14         NA         NA         26.20         24.47           NA         11.19         9.54         1.24         NA         NA         26.52         27.13           NA         11.19         9.54         1.24         NA         NA         26.12         24.47           NA         11.14         8.15         0.93         NA   | A Thoracoscopy, surgical 12.87    | Thoracoscopy, surgical    |              | 12.87 |      | ¥                | ¥                        | 11.77           | 11.36                 | 1.57             | ¥                 | ¥                 | 26.21             | 25.80             | 80    |
| NA 12.70 14.10 1.98 NA NA 27.78 29.18  NA 10.91 13.60 1.85 NA NA 26.97 28.36  NA 10.91 13.60 1.85 NA NA 26.97 29.45  NA 10.14 12.95 1.97 NA NA 24.16 26.54  NA 14.29 19.17 2.79 NA NA 26.20 24.88  NA 11.19 9.54 1.24 NA NA 26.20 24.88  NA 11.19 9.54 1.24 NA NA 26.12 24.47  NA 11.19 9.54 1.24 NA NA 26.12 24.47  NA 11.24 8.15 0.93 NA NA 26.12 24.47  NA 17.24 19.78 2.53 NA NA 42.81 41.99  NA 22.26 26.36 3.90 NA NA 64.79 68.89  NA 24.29 28.63 4.23 NA NA 80.83 85.72  NA 29.25 35.07 NA NA 81.55 34.00  NA 29.25 35.07 SA NA NA 80.83 85.72  NA 14.15 10.43 1.28 NA NA 81.25 31.88  NA 29.25 35.07 SA NA NA 81.25 31.88  NA 29.25 35.07 SA NA NA 80.83 85.72  NA 29.25 35.07 SA NA NA 80.83 85.72  NA 29.25 35.07 SA NA NA 80.83 85.72  |                                   |                           |              | 12.44 |      | ¥                | Ϋ́                       | 12.58           | 12.51                 | 1.57             | ₹                 | ₹                 | 26.59             | 26.52             | 8     |
| NA 10.91 13.60 1.85 NA NA 25.67 28.36 NA 11.32 13.80 2.00 NA NA 26.97 29.45 NA 10.14 12.95 1.97 NA NA 24.16 26.45 NA NA 10.55 13.01 2.04 NA NA 24.16 26.64 NA 11.80 10.48 1.15 NA NA 24.16 26.64 NA 11.80 10.48 1.15 NA NA 26.20 24.88 NA 11.61 14.57 2.07 NA NA 26.20 24.88 NA 11.19 9.54 1.24 NA NA 26.52 27.07 NA 11.19 9.54 1.24 NA NA 26.12 24.47 NA 11.44 8.15 0.93 NA NA 26.12 24.47 NA 17.24 19.78 2.53 NA NA 42.81 41.99 NA 27.26 26.36 3.90 NA NA 42.81 41.99 NA 27.26 26.36 3.90 NA NA 64.79 68.89 NA 28.14 33.03 4.88 NA NA 85.45 91.27 NA 14.15 10.43 1.28 NA NA 85.45 91.27 NA 14.15 10.43 1.28 NA NA 85.45 91.27 NA 14.15 10.43 1.28 NA NA 35.70 31.98   | A Thoracoscopy, surgical 13.10    |                           |              | 13.10 |      | <b>₹</b>         | ₹<br>Z                   | 12.70           | 14.10                 | 1.98             | ₹ :               | ≨ :               | 27.78             | 29.18             | 8     |
| NA 11.32 13.80 2.00 NA NA 26.97 29.45  NA 10.14 12.95 1.97 NA NA 24.16 26.64  NA 14.29 19.17 2.79 NA NA 24.16 26.64  NA 11.80 10.48 1.15 NA NA 26.20 24.88  NA 11.96 14.83 2.14 NA NA 26.20 24.88  NA 11.61 14.57 2.07 NA NA 26.22 27.07  NA 11.19 9.54 1.24 NA NA 26.12 24.47  NA 11.44 8.15 0.93 NA NA 26.12 24.47  NA 17.24 19.78 2.53 NA NA 42.81 41.99  NA 22.26 26.36 3.90 NA NA 64.79 68.89  NA 24.29 28.63 4.23 NA NA 64.79 68.89  NA 29.25 35.07 5.22 NA NA 85.45 91.27  NA 29.25 35.07 5.22 NA NA 85.45 91.27  NA 14.15 10.43 1.28 NA NA 85.45 91.27  |                                   |                           |              | 12.91 |      | ¥:               | Y<br>Z                   | 10.91           | 13.60                 | 1.85             | ₹ :               | ≨ :               | 25.67             | 28.36             | 060   |
| NA 10.14 12.99 1.37 NA 25.74 26.39  NA 10.53 13.01 2.04 NA NA 24.16 26.59  NA 11.80 10.48 1.15 NA NA 24.16 26.48  NA 11.96 14.83 2.14 NA NA 30.54 33.41  NA 11.61 14.57 2.07 NA NA 26.20 27.07  NA 11.19 9.54 1.24 NA NA 26.12 24.47  NA 11.14 8.15 0.93 NA NA 26.12 22.13  NA 17.24 19.78 2.53 NA NA 42.81 41.99  NA 22.26 26.36 3.90 NA NA 64.79 68.89  NA 24.29 28.63 4.23 NA NA 64.79 68.89  NA 29.25 35.07 S.20 NA NA 85.45 91.27  NA 14.15 10.43 1.28 NA NA 35.70 31.98  | Thoracoscopy, surgical            | Thoracoscopy, surgical    |              | 13.65 |      | g<br>Z           | Υ S                      | 11.32           | 13.80                 | 2.00             | ₹ S               | ≨ ≨               | 26.97             | 29.45             | 8 8   |
| NA       17.24       NA       NA       27.10       20.34         NA       11.80       10.48       1.15       NA       NA       34.51       39.39         NA       11.80       10.48       1.15       NA       NA       30.54       33.41         NA       11.96       14.87       2.07       NA       NA       30.54       33.41         NA       11.61       14.57       2.07       NA       NA       26.52       27.07         NA       11.19       9.54       1.24       NA       NA       26.52       27.07         NA       11.19       9.54       1.24       NA       NA       26.12       24.47         NA       11.19       9.54       1.24       NA       NA       26.12       24.47         NA       11.14       8.15       0.93       NA       NA       42.81       41.99         NA       17.24       19.78       2.53       NA       NA       42.81       41.99         NA       22.26       26.36       3.90       NA       NA       42.81       41.99         NA       22.26       26.36       3.90       NA       NA       <  |                                   | I noracoscopy, surgical   |              | 11.65 |      | <u> </u>         | Ç ⊲                      | 10.14           | 13.01                 | 9. 6             | <b>∑</b> 2        | ΣÞ                | 24.74             | 26.03             | 8 8   |
| NA         11.80         10.48         1.15         NA         NA         26.20         24.88           NA         11.96         14.83         2.14         NA         NA         30.54         33.41           NA         13.75         17.40         2.53         NA         NA         34.75         38.40           NA         10.72         11.27         1.60         NA         NA         26.52         27.07           NA         11.19         9.54         1.24         NA         NA         26.12         24.47           NA         11.19         9.54         1.24         NA         NA         26.12         27.18           NA         11.14         8.15         0.93         NA         NA         26.42         22.13           NA         17.24         16.79         2.05         NA         NA         42.81         41.99           NA         17.24         19.78         2.53         NA         NA         42.81         41.99           NA         22.26         26.36         3.90         NA         NA         43.79         68.89           NA         28.14         33.03         4.88         NA   | A Thoracoscopy, surgical 17.43    |                           |              | 17.43 |      | ≨≨               | ź                        | 14.29           | 19.17                 | 2.79             | ≨                 | ≨                 | 34.51             | 39.39             | 8 8   |
| NA         11.96         14.83         2.14         NA         NA         30.54         33.41           NA         13.75         17.40         2.53         NA         NA         34.75         38.40           NA         10.72         11.27         1.60         NA         NA         26.52         27.07           NA         11.61         14.57         2.07         NA         NA         26.22         27.07           NA         11.19         9.54         1.24         NA         NA         26.12         24.47           NA         11.19         9.54         1.24         NA         NA         26.12         24.47           NA         11.14         8.15         0.93         NA         NA         26.12         24.47           NA         17.24         18.75         2.05         NA         NA         42.81         41.99           NA         17.24         19.78         2.53         NA         NA         41.25         43.79           NA         22.26         26.36         3.90         NA         NA         64.79         68.89           NA         28.14         33.03         4.88         NA   |                                   | Thoracoscopy, surgical    |              | 13.25 |      | ¥                | A<br>A                   | 11.80           | 10.48                 | 1.15             | ¥                 | ¥                 | 26.20             | 24.88             | 060   |
| NA         13.75         17.40         2.53         NA         NA         34.75         38.40           NA         10.72         11.27         1.60         NA         NA         26.52         27.07           NA         11.61         14.57         2.07         NA         NA         26.22         27.07           NA         11.19         9.54         1.24         NA         NA         26.12         24.47           NA         11.14         8.15         0.93         NA         NA         26.12         24.47           NA         17.24         16.79         2.05         NA         NA         42.81         41.99           NA         17.24         19.78         2.53         NA         NA         41.25         43.79           0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00           NA         24.29         28.63         4.23         NA         NA         64.79         68.89           NA         29.25         35.07         5.22         NA         NA         80.83         85.72           NA         29.25         35.07         5.22         NA <td></td> <td></td> <td></td> <td>16.44</td> <td></td> <td>¥</td> <td>¥</td> <td>11.96</td> <td>14.83</td> <td>2.14</td> <td>Ϋ́</td> <td>¥</td> <td>30.54</td> <td>33.41</td> <td>66</td>  |                                   |                           |              | 16.44 |      | ¥                | ¥                        | 11.96           | 14.83                 | 2.14             | Ϋ́                | ¥                 | 30.54             | 33.41             | 66    |
| NA         10.72         11.27         1.60         NA         NA         26.52         27.07           NA         11.61         14.57         2.07         NA         NA         26.22         27.07           NA         11.19         9.54         1.24         NA         NA         26.12         24.47           NA         11.44         8.15         0.93         NA         NA         26.12         24.47           NA         17.24         16.79         2.05         NA         NA         42.81         41.99           NA         17.24         19.78         2.53         NA         NA         41.25         43.79           0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00           NA         24.29         28.63         4.23         NA         NA         64.79         68.89           NA         29.25         35.07         5.22         NA         NA         80.83         85.72           NA         29.25         35.07         5.22         NA         NA         85.45         91.27           NA         14.15         10.43         1.28         NA <td>A Thoracoscopy, surgical 18.47</td> <td></td> <td></td> <td>18.47</td> <td></td> <td>¥</td> <td>Ϋ́</td> <td>13.75</td> <td>17.40</td> <td>2.53</td> <td>¥</td> <td>¥</td> <td>34.75</td> <td>38.40</td> <td>8</td>   | A Thoracoscopy, surgical 18.47    |                           |              | 18.47 |      | ¥                | Ϋ́                       | 13.75           | 17.40                 | 2.53             | ¥                 | ¥                 | 34.75             | 38.40             | 8     |
| NA         11.61         14.57         2.07         NA         NA         29.22         32.18           NA         11.19         9.54         1.24         NA         NA         26.12         24.47           NA         11.44         8.15         0.93         NA         NA         25.42         22.13           NA         17.24         19.78         2.05         NA         NA         42.81         41.99           NA         17.24         19.78         2.53         NA         NA         41.25         43.79           0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00           NA         22.26         26.36         3.90         NA         NA         64.79         68.89           NA         24.29         28.63         4.23         NA         NA         70.32         74.66           NA         29.25         35.07         5.22         NA         NA         85.45         91.27           NA         14.15         10.43         1.28         NA         NA         35.70         31.98   | A Thoracoscopy, surgical 14.20    |                           |              | 14.20 |      | ¥                | Ϋ́                       | 10.72           | 11.27                 | 1.60             | ¥                 | ₹                 | 26.52             | 27.07             | 80    |
| NA 11.19 9.54 1.24 NA NA 26.12 24.47  NA 11.44 8.15 0.93 NA NA 25.42 22.13  NA 17.24 19.78 2.53 NA NA 41.25 43.79  0.00 0.00 0.00 0.00 0.00 0.00 0.00  NA 22.26 26.36 3.90 NA NA 64.79 68.89  NA 24.29 28.63 4.23 NA NA 64.79 68.89  NA 28.14 33.03 4.88 NA NA 80.83 85.72  NA 29.25 35.07 5.22 NA NA 85.45 91.27  NA 14.15 10.43 1.28 NA NA 35.70 31.98  | gical                             | Thoracoscopy, surgical    | gical        | 15.54 |      | ¥                | ž                        | 11.61           | 14.57                 | 2.07             | ¥                 | ₹                 | 29.22             | 32.18             | 80    |
| NA         11.44         8.15         0.93         NA         NA         25.42         22.13           NA         17.24         19.78         2.53         NA         NA         42.81         41.99           NA         17.24         19.78         2.53         NA         NA         41.25         43.79           0.00         0.00         0.00         0.00         0.00         0.00         0.00           NA         22.26         26.36         3.90         NA         NA         64.79         68.89           NA         24.29         28.63         4.23         NA         NA         70.32         74.66           NA         29.25         35.07         5.22         NA         NA         85.45         91.27           NA         14.15         10.43         1.28         NA         NA         35.70         31.98   | A Repair lung hernia 13.69        |                           |              | 13.69 |      | ¥                | Š                        | 11.19           | 9.54                  | 1.24             | ¥                 | Ϋ́                | 26.12             | 24.47             | 060   |
| NA         17.61         16.79         2.05         NA         NA         42.81         41.99           NA         17.24         19.78         2.53         NA         NA         41.25         43.79           0.00         0.00         0.00         0.00         0.00         0.00         0.00           NA         22.26         26.36         3.90         NA         NA         64.79         68.89           NA         24.29         28.63         4.23         NA         NA         70.32         74.66           NA         28.14         33.03         4.88         NA         NA         80.83         85.72           NA         29.25         35.07         5.22         NA         NA         85.45         91.27           NA         14.15         10.43         1.28         NA         NA         35.70         31.98  | Irainage                          |                           |              | 13.05 |      | ₹                | Š                        | 11.44           | 8.15                  | 0.93             | ¥                 | ₹                 | 25.42             | 22.13             | 060   |
| NA         17.24         19.78         2.53         NA         NA         41.25         43.79           0.00   | A Close bronchial fistula 23.15   |                           |              | 23.15 |      | ¥                | Ϋ́                       | 17.61           | 16.79                 | 2.05             | Ϋ́                | ¥                 | 42.81             | 41.99             | 060   |
| 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0  | A Reconstruct injured chest 21.48 | Reconstruct injured chest |              | 21.48 |      | ¥                | Ϋ́                       | 17.24           | 19.78                 | 2.53             | ¥                 | Ϋ́                | 41.25             | 43.79             | 060   |
| NA 22.26 26.36 3.90 NA NA 64.79 68.89  NA 24.29 28.63 4.23 NA NA 70.32 74.66  NA 28.14 33.03 4.88 NA NA 80.83 85.72  NA 29.25 35.07 5.22 NA NA 85.45 91.27  NA 14.15 10.43 1.28 NA NA 35.70 31.98   | Donor pneumonectomy               | Donor pneumonectomy       |              | 0.00  |      | 0.00             | 00:00                    | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž     |
| NA 24.29 28.63 4.23 NA NA 70.32 74.66<br>NA 28.14 33.03 4.88 NA NA 80.83 85.72<br>NA 29.25 35.07 5.22 NA NA 85.45 91.27<br>NA 14.15 10.43 1.28 NA NA 35.70 31.98  | A Lung transplant, single 38.63   | Lung transplant, single   |              | 38.63 |      | ¥                | ¥                        | 22.26           | 26.36                 | 3.90             | ¥                 | ¥                 | 64.79             | 68.89             | 060   |
| NA 29.25 35.07 5.22 NA NA 80.83 85.72<br>NA 29.25 35.07 5.22 NA NA 85.45 91.27<br>NA 14.15 10.43 1.28 NA NA 35.70 31.98   | Lung transplant w/bypass          | Lung transplant w/bypass  | SS           | 41.80 |      | ¥                | Ϋ́                       | 24.29           | 28.63                 | 4.23             | ¥                 | ¥                 | 70.32             | 74.66             | 060   |
| NA 29.25 35.07 5.22 NA NA 85.45 91.27<br>NA 14.15 10.43 1.28 NA NA 35.70 31.98  |                                   | Lung transplant, double   |              | 47.81 |      | ¥                | Ϋ́                       | 28.14           | 33.03                 | 4.88             | ¥                 | ¥                 | 80.83             | 85.72             | 060   |
| NA 14.15 10.43 1.28 NA NA 35.70 31.98   | A Lung transplant w/bypass 50.98  |                           |              | 50.98 |      | ¥                | Ϋ́                       | 29.25           | 35.07                 | 5.22             | ¥                 | ¥                 | 85.45             | 91.27             | 060   |
|   | A Removal of rib(s) 20.27         |                           |              | 20.27 |      | ¥                | ž                        | 14.15           | 10.43                 | 1.28             | ž                 | ¥                 | 35.70             | 31.98             | 060   |

Page 53 of 271
2 Copyright 1994 American Descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                          |                                  | Global           | 060                        | 060                        | 060              | 00                       | ₹                       | 000                   | 000                          | 060                   | 060                   | 060                   | 060                          | 060                          | 060                         | 060                     | 060                     | 060                          | 060                          | 060                          | 060                          | 060                          | 00                           | 00                           | 060                          | 060                          | 060                         | 060                          | 060                     | 060                         | 060                        | 060                   | 060                   | 060                         | 060                         | 060                         | 060                          | 060                          | 060                          | 060                        | 060                         | 060                          |
|--------------------------|----------------------------------|------------------|----------------------------|----------------------------|------------------|--------------------------|-------------------------|-----------------------|------------------------------|-----------------------|-----------------------|-----------------------|------------------------------|------------------------------|-----------------------------|-------------------------|-------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|------------------------------|-------------------------|-----------------------------|----------------------------|-----------------------|-----------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|
|                          | Transitioned<br>Coults.          | raciiny<br>Total | 36.98                      | 46.33                      | 33.34            | 2.84                     | 0.00                    | 3.85                  | 3.06                         | 11.75                 | 27.31                 | 26.82                 | 42.42                        | 39.72                        | 25.95                       | 56.82                   | 38.22                   | 26.22                        | 22.60                        | 15.02                        | 17.75                        | 18.15                        | 09.9                         | 6.78                         | 11.64                        | 12.61                        | 14.43                       | 11.04                        | 11.56                   | 10.72                       | 10.89                      | 11.18                 | 13.28                 | 6.33                        | 11.67                       | 13.74                       | 18.67                        | 24.92                        | 27.85                        | 14.11                      | 6.24                        | 14.39                        |
|                          | Lacility                         | raciiny<br>Total | 38.08                      | 47.97                      | 33.93            | 2.50                     | 0.00                    | 3.32                  | 3.45                         | 11.26                 | 22.31                 | 21.59                 | 37.34                        | 44.47                        | 27.14                       | 53.52                   | 39.53                   | 22.99                        | 19.49                        | 13.01                        | 14.98                        | 15.50                        | 5.11                         | 5.54                         | 10.39                        | 11.75                        | 14.38                       | 10.35                        | 11.33                   | 10.14                       | 10.59                      | 9.69                  | 12.79                 | 6.73                        | 13.42                       | 15.75                       | 22.43                        | 24.63                        | 27.52                        | 14.06                      | 7.20                        | 13.32                        |
| 3                        | Iransitioned<br>Non-<br>facility | racuny<br>Total  | Ą                          | ¥                          | ¥                | 3.16                     | 0.00                    | ¥                     | ¥                            | ¥                     | ¥                     | ¥                     | ¥                            | ¥                            | ¥                           | ¥                       | ¥                       | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                           | ¥                            | ¥                       | ¥                           | ¥                          | ¥                     | ¥                     | ¥                           | Ϋ́                          | ¥                           | ¥                            | ₹                            | ¥                            | ¥                          | ¥                           | Š<br>Ž                       |
|                          | Non-                             | Total            | A<br>N                     | ¥                          | ¥                | 3.77                     | 0.00                    | ¥                     | ¥                            | ¥                     | ¥                     | ¥                     | ¥                            | ¥                            | ¥                           | ¥                       | ¥                       | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ž                           | ¥                            | ¥                       | ₹                           | ≨                          | ¥                     | ¥                     | ¥                           | ¥                           | ¥                           | ¥                            | ¥                            | ¥                            | ¥                          | ¥                           | Υ <sub></sub>                |
|                          | Mal-<br>practice                 | RUYS             | 2.03                       | 2.28                       | 1.37             | 0.10                     | 0.00                    | 0.11                  | 0.09                         | 0.49                  | 1.97                  | 2.04                  | 3.07                         | 1.96                         | 1.15                        | 4.04                    | 1.74                    | 1.49                         | 1.31                         | 1.05                         | <b>2</b> .                   | 1.20                         | 0.21                         | 0.21                         | 0.69                         | 69.0                         | 0.83                        | 0.43                         | 0.43                    | 0.49                        | 0.49                       | 0.79                  | 0.79                  | 0.04                        | 0.18                        | 0.26                        | 0.49                         | 0.88                         | 1.57                         | 69.0                       | 0.34                        | 1.20                         |
| Transitioned<br>Exciting | radiny<br>practice<br>expense    | RVUs             | 14.20                      | 17.28                      | 12.54            | 06.0                     | 0.00                    | 1.50                  | 0.73                         | 4.46                  | 12.73                 | 12.69                 | 20.64                        | 15.97                        | 10.44                       | 28.22                   | 15.09                   | 12.25                        | 11.11                        | 7.30                         | 8.67                         | 8.82                         | 3.09                         | 3.17                         | 5.43                         | 5.55                         | 5.85                        | 5.22                         | 5.38                    | 4.79                        | 4.88                       | 5.43                  | 6.03                  | 3.00                        | 3.67                        | 4.08                        | 5.58                         | 10.33                        | 11.06                        | 5.82                       | 2.66                        | 7.02                         |
| Lacility.                | raciiny<br>practice<br>exnense   | RVUs             | 15.30                      | 18.92                      | 13.13            | 0.56                     | 0.00                    | 0.97                  | 1.12                         | 3.97                  | 7.73                  | 7.46                  | 15.56                        | 20.72                        | 11.63                       | 24.92                   | 16.40                   | 9.02                         | 8.00                         | 5.29                         | 5.90                         | 6.17                         | 1.60                         | 1.93                         | 4.18                         | 4.69                         | 5.80                        | 4.53                         | 5.15                    | 4.21                        | 4.58                       | 3.94                  | 5.54                  | 3.40                        | 5.42                        | 60.9                        | 9.34                         | 10.04                        | 10.73                        | 2.77                       | 3.62                        | 5.95                         |
| Transitioned             | Non-tacility<br>practice         | expense<br>RVUs  | NA                         | ¥<br>¥                     | ¥                | 1.22                     | 0.00                    | ¥                     | ¥                            | ¥                     | ž                     | ¥                     | ¥                            | Š                            | ¥                           | ¥                       | ¥                       | ¥                            | ¥                            | ¥                            | Ϋ́                           | Ϋ́                           | ¥                            | ¥                            | Ϋ́                           | ¥                            | Ϋ́                          | ¥                            | ¥                       | ¥<br>X                      | Ϋ́                         | Ϋ́                    | ¥                     | ¥                           | ¥                           | ¥                           | ₹                            | ¥                            | ¥                            | Š                          | ¥                           | ¥                            |
| Non-                     | ractiny<br>practice<br>expense   | expense<br>RVUs  | AN                         | ¥                          | ¥                | 1.83                     | 0.0                     | ¥                     | ¥                            | ¥                     | ¥                     | ¥                     | ¥                            | ¥                            | ¥                           | ¥                       | ¥                       | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                            | ¥                           | ¥                            | ¥                       | ¥                           | ₹                          | ≨                     | ¥                     | ¥                           | ¥                           | ¥                           | ¥                            | ¥                            | ¥                            | ¥                          | ¥                           | ₹                            |
|                          | Physician                        | Work 3<br>RVUs   | 20.75                      | 26.77                      | 19.43            | 1.84                     | 0.00                    | 2.24                  | 2.24                         | 6.80                  | 12.61                 | 12.09                 | 18.71                        | 21.79                        | 14.36                       | 24.56                   | 21.39                   | 12.48                        | 10.18                        | 6.67                         | 8.04                         | 8.13                         | 3.30                         | 3.40                         | 5.52                         | 6.37                         | 7.75                        | 5.39                         | 5.75                    | 5.44                        | 5.52                       | 4.96                  | 6.46                  | 3.29                        | 7.82                        | 9.40                        | 12.60                        | 13.71                        | 15.22                        | 7.60                       | 3.24                        | 6.17                         |
|                          |                                  | Description      | Revise & repair chest wall | Revise & repair chest wall | Revision of lung | Therapeutic pneumothorax | Chest surgery procedure | Drainage of heart sac | Repeat drainage of heart sac | Incision of heart sac | Incision of heart sac | Incision of heart sac | Partial removal of heart sac | Partial removal of heart sac | Removal of heart sac lesion | Removal of heart lesion | Removal of heart lesion | Insertion of heart pacemaker | Insertion of heart electrode | Insertion of heart electrode | Insertion of pulse generator | Insertion of pulse generator | Upgrade of pacemaker system | Revision implanted electrode | Insert/revise electrode | Repair pacemaker electrodes | Repair pacemaker electrode | Pacemaker aicd pocket | Pacemaker aicd pocket | Removal of pacemaker system | Removal of pacemaker system | Removal pacemaker electrode | Remove electrode/thoracotomy | Remove electrode/thoracotomy | Remove electrode/thoracotomy | Insert/replace pulse gener | Remove puise generator only | Repair pulse generator/leads |
|                          |                                  | Status           | ⋖                          | ∢                          | ∢                | ∢                        | ပ                       | ∢                     | ∢                            | ∢                     | ∢                     | ∢                     | ∢                            | ∢                            | ∢                           | ∢                       | ∢                       | ∢                            | ∢                            | ∢                            | ∢                            | ∢                            | ∢                            | ∢                            | 4                            | 4                            | ∢                           | ∢                            | <                       | ∢                           | ∢                          | ∢                     | ∢                     | ∢                           | ∢                           | ∢                           | ∢                            | ∢                            | ∢                            | ∢                          | ∢                           | ∢                            |
|                          |                                  |                  |                            |                            |                  |                          |                         |                       |                              |                       |                       |                       |                              |                              |                             |                         |                         |                              |                              |                              |                              |                              |                              |                              |                              |                              |                             |                              |                         |                             |                            |                       |                       |                             |                             |                             |                              |                              |                              |                            |                             |                              |
|                          |                                  | HCPCS 2 Mod      |                            |                            |                  |                          |                         |                       |                              |                       |                       |                       |                              |                              |                             |                         |                         |                              |                              |                              |                              |                              |                              |                              |                              |                              |                             |                              |                         |                             |                            |                       |                       |                             |                             |                             |                              |                              |                              |                            |                             |                              |

Page 54 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| Made   States   Paracities      | \$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |                       |                   | Non-<br>facility    | Transitioned<br>Non-facility | Facility            | Transitioned<br>Facility |                  |                  | Transitioned     |          |                          |        |
|--|---|-----------------------|-------------------|---------------------|------------------------------|---------------------|--------------------------|------------------|------------------|------------------|----------|--------------------------|--------|
| A Remove generaterativation of the control of the c | \$\frac{1}{2}\$\$\fra |                       | Physician<br>work | practice<br>expense | practice<br>expense          | practice<br>expense | practice<br>expense      | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| A Remove generality monotoneous 2564 NA NA 1287 1059 120 NA NA 1645 19.08 A A Remove generality monotoneous 2664 NA NA 1262 1587 120 NA NA 1645 19.08 NA NA 164 |   | escription            | RVUs              | KVUS                | RVUs                         | KVUS                | KVUS                     | KUYS             | lotal            | Total            | Total    | lotal                    | Global |
| A implant heart defibrillation   |   | enerator/thoracotomy  | 22.64             | ¥                   | ¥                            | 12.97               | 10.59                    | 1.20             | ¥                | <b>∀</b>         | 36.81    | 34.43                    | 060    |
| A implant heart definition   |   | e generator           | 8.97              | ¥                   | ¥                            | 6.28                | 8.91                     | 1.20             | ¥                | Ϋ́               | 16.45    | 19.08                    | 060    |
| A imperimental controllator 20.71 NA NA 1415 250 NA NA 1948 43.06  A histoplace leads/genet 10.21 NA NA 22.63 14.23 0.67 NA NA 1948 23.06  A Ablate heart dystrythmic ross 2.88 NA NA 22.63 14.23 0.67 NA NA 65.54 1 30.01  A Ablate heart dystrythmic ross 2.88 NA NA NA 22.63 14.23 NA NA 65.64 1 30.01  A Repair of heart dystrythmic ross 2.88 NA NA NA 22.63 12.81 NA NA 62.64 62.17  A Repair of heart dystrythmic ross 2.88 NA NA NA 19.65 12.81 NA NA 62.64 62.17  A Repair of heart dystrythmic ross 2.37 NA NA 19.65 12.81 NA NA 44.78 1.41  A Repair of heart dystrythmic ross 2.37 NA NA 19.65 12.81 NA NA 44.78 1.41  A Repair of heart dystrythmic ross 2.37 NA NA 19.65 12.81 NA NA 44.78 1.41  A Repair of heart dystrythmic ross 2.37 NA NA 19.65 12.81 NA NA 44.78 1.41  A Repair of heart dystrythmic ross 2.37 NA NA 19.89 12.81 NA NA 44.78 1.41  A Repair of heart dystrythmic ross 2.37 NA NA 19.80 12.81 NA NA 44.78 1.41  A Repair of heart dystrythmic ross 2.37 NA NA 19.80 12.82 NA NA 44.65 1.42  A Repair of read voice dystes graft 2.39 NA NA 19.80 16.89 18.7 NA NA 44.65 1.42  A Nepair major vessel graft 2.39 NA NA NA 22.43 18.7 NA NA 44.65 1.42  A Nepair major vessel graft 2.39 NA NA NA 22.43 18.80 16.89 18.7 NA NA 44.65 1.42  A Nepair of ortic valve 2.30 NA NA NA 22.43 18.80 16.89 18.7 NA NA 44.65 1.42  A Replacement, and trick valve 2.30 NA NA NA 22.43 18.64 18.7 NA NA 44.65 1.42  A Replacement, and trick valve 2.30 NA NA NA 22.43 18.64 18.7 NA NA 66.95 18.45  A Replacement, and trick valve 2.30 NA NA NA 22.65 18.30 NA NA 66.95 18.34  A Replacement, and trick valve 2.30 NA NA NA 22.65 18.30 NA NA 66.95 18.34  A Replacement, and trick valve 2.30 NA NA 22.65 18.30 NA NA 22.65 1 |   | heart defibrillator   | 14.30             | ¥                   | ¥                            | 12.25               | 15.87                    | 1.85             | ¥                | ¥                | 28.40    | 32.02                    | 060    |
| A hiser-frequency exactly controlled by the cont |   | heart defibrillator   | 20.71             | ¥                   | ¥                            | 14.15               | 20.46                    | 2.50             | ¥                | Ϋ́               | 37.36    | 43.67                    | 060    |
| A hister heart dysrifythm focus 24.86 NA NA 22.65 15.07 NA NA 45.15 30.01  A Ablate heart dysrifythm focus 24.88 NA NA 22.65 15.07 NA NA 45.15 30.01  A Ablate heart dysrifythm focus 24.88 NA NA 22.65 15.07 NA NA 45.15 37.89  A Ablate heart dysrifythm focus 24.88 NA NA 18.26 15.45 2.14 NA NA 45.05 25.01  A Repair of heart wound 17.92 NA NA 19.86 19.13 240 NA NA 43.70 35.00  A Repair of heart wound 17.92 NA NA 19.86 19.13 240 NA NA 43.70 35.00  A Repair of heart wound 17.92 NA NA 19.86 19.13 240 NA NA 43.70 35.00  A Repair major blood vessel(s) 16.70 NA NA 15.36 15.85 19.80 NA NA 44.17 34.10  A Repair major blood vessel(s) 20.62 NA NA NA 15.36 15.83 NA NA 44.17 34.10  A Repair major blood vessel(s) 20.62 NA NA NA 15.36 15.83 NA NA 44.65 15.30  A Repair major blood vessel(s) 20.62 NA NA NA 15.36 15.03 NA NA 44.65 15.30  A Repair major blood vessel(s) 20.62 NA NA NA 15.36 15.03 15.1 NA NA 44.65 15.30  A Repair major blood vessel(s) 20.62 NA NA NA 15.36 15.03 15.1 NA NA 44.65 15.30  A Repair major blood vessel grift 20.43 NA NA NA 17.89 26.81 NA NA 44.65 15.30  A Repair major blood vessel grift 20.43 NA NA NA 25.29 18.99 18.70 NA NA 44.65 15.30  A Repair major blood vessel grift 20.40 NA NA 17.89 26.81 NA NA 44.65 15.30  A Repair major blood vessel grift 20.40 NA NA 25.40 15.00 NA NA 45.60 15.30  A Repair major blood vessel grift 20.40 NA NA 25.40 15.40 NA NA 45.60 15.30  A Repair major blood vessel grift 20.40 NA NA 25.40 15.40 NA NA 45.60 15.30  A Repair major blood vessel grift 20.40 NA NA 25.40 15.40 NA NA 45.60 15.30  A Replacement, acutic valve 25.40 NA NA 25.40 15.40 NA NA 65.60 15.40  A Replacement, acutic valve 25.40 NA NA 25.40 15.40 NA NA 65.60 15.40  A Replacement, acutic valve 25.40 NA NA 25.40 15.40 NA NA 65.60 15.40  A Replacement of acutic valve 25.40 NA NA 25.40 15.40 NA NA 65.60 15.40  A Replacement of acutic valve 25.40 NA NA 25.40 15.40 NA NA 65.60 15.40  A Replacement of mittal valve 25.40 NA NA 25.40 15.40 NA NA 65.40 15.40  A Repair of mittal valve 25.40 NA NA 25.40 15.40 NA NA 65.40 15.40  A  |   | splace leads          | 10.21             | ₹                   | Ą                            | 7.42                | 11.00                    | 1.85             | ¥                | Ϋ́               | 19.48    | 23.06                    | 060    |
| A Ablate heart dysrhyfim frocas 21 86 NA NA 21 85 16.07 NA NA 49.29 44.51 97.59   A Ablate heart dysrhyfim frocas 21 86 NA NA 24 67 23 22 5.51 NA NA 49.29 44.50   A Ablate heart dysrhyfim frocas 21.06 NA NA 15.05 15.32 2.33 NA NA NA 95.06 85.31   A Ablate heart dysrhyfim frocas 21.06 NA NA 15.05 15.42 NA NA 95.00 85.31   A Ablate heart dysrhyfim frocas 22.37 NA NA NA 15.05 15.41 15.11 NA NA 35.00 35.40   A Repair of heart wound 21.44 NA NA 15.05 15.32 2.03 NA NA 35.00 35.40   A Repair of heart wound 21.44 NA NA 15.05 16.73 2.01 NA NA 34.51 32.83   A Exploratory heart surgery 22.37 NA NA NA 15.30 17.35 15.80 NA NA 34.17 41.11   A Repair major vessel graft 21.43 NA NA 18.80 15.03 15.11 NA NA 41.79 41.04 45.37   A Insert major vessel graft 20.00 NA NA NA 21.95 2.83 NA NA 41.79 36.30   A Newton physics of the control of the |   | place leads/gener     | 13.28             | ¥                   | ¥                            | 9.33                | 14.23                    | 2.50             | ¥                | ¥                | 25.11    | 30.01                    | 060    |
| A Ablate heard dysrhythm focus   |   | neart dysrhythm focus | 21.85             | ¥                   | ¥                            | 22.63               | 15.07                    | 0.67             | ¥                | ¥                | 45.15    | 37.59                    | 060    |
| A Reconstruct atrial and 1106 NA NA 2582 333 NA NA NA 5290 4486  A Rebair of heart vound from the control of th |   | neart dysrhythm focus | 24.88             | ¥                   | ¥                            | 21.83               | 18.82                    | 2.51             | ¥                | ¥                | 49.22    | 46.21                    | 060    |
| A Repair of heart wound 1792 NA NA 1505 1784 214 NA NA 53504 4486  A Repair of heart wound 1792 NA NA 1505 1784 215 NA NA 3500 4287  A Repair of heart wound 1792 NA NA 1505 1813 151 NA NA 4370 4287  A Repair of heart wound 1772 NA NA 1505 1813 151 NA NA 4370 4287  A Repair of heart wound 1772 NA NA 1505 1813 151 NA NA 4417 44171  A Repair major blood vessel(s) 1677 NA NA 1506 1813 1818 182 NA NA 4417 44171  A Repair major vessel graft 2020 NA NA 1500 2286 182 NA NA 4404 4629  A Insert major vessel graft 2001 NA NA 1506 1828 182 NA NA 4404 4629  A Insert major vessel graft 2001 NA NA 1793 2281 NA NA 4463 4279  A Insert major vessel graft 2001 NA NA 1793 2281 NA NA 4463 4279  A Insert major vessel graft 2001 NA NA 1793 2881 187 NA NA 4463 4279  A Insert major vessel graft 2001 NA NA 1793 2881 187 NA NA 4465 1593  A Valvulojasty, world 2001 NA NA NA 2248 187 NA NA 4466 1593  A Replacement of aortic valve 2001 NA NA 2248 3117 NA NA 4665 1737 6047  A Replacement of aortic valve 2001 NA NA 2248 3117 NA NA 6691 1878  A Replacement of aortic valve 2003 NA NA 2269 8691 417 NA NA 6691 1878  A Replacement of aortic valve 2003 NA NA 2269 8691 417 NA NA 6691 1878  A Replacement of aortic valve 2003 NA NA 2269 8691 417 NA NA 6691 1878  A Replacement of aortic valve 2003 NA NA 2269 8691 417 NA NA 6691 1878  A Replacement of aortic valve 2003 NA NA 2269 8691 417 NA NA 6691 1878  A Replacement of aortic valve 2003 NA NA 2269 8691 417 NA NA 6691 1878  A Replacement of aortic valve 2003 NA NA 2269 8691 417 NA NA 6691 1878  A Replacement of aortic valve 2003 NA NA 2269 8691 417 NA NA 6691 1878  A Replacement of aortic valve 2003 NA NA 2269 8691 6185  A Replacement of aortic valve 2003 NA NA 2269 8691 6185  A Replacement of aortic valve 2009 NA NA 2269 8691 6185  A Replacement of aortic valve 2009 NA NA 2269 8691 6185  A Replacement of aortic valve 2009 NA NA 2269 8691 6185  A Replacement of aortic valve 2009 NA NA 2269 8691 6185  A Replacement of aortic valve 2009 NA NA 2269 8691 6185  A Replacement of aortic valve 2009 NA NA 2269 |   | truct atria           | 31.06             | ¥                   | ¥                            | 24.67               | 23.92                    | 3.33             | ¥                | Ϋ́               | 59.06    | 58.31                    | 060    |
| A Repair of heart wound 17.92 NA NA 15.05 15.45 NA NA 45.00 35.40 A Repair of heart wound 21.44 NA NA 14.53 12.81 NA NA 45.70 42.97 NA Repair of heart wound 21.44 NA NA 14.53 12.81 12.81 NA NA 43.70 42.97 NA Repair of heart wound 21.44 NA NA 14.53 12.81 NA NA 45.70 12.81 NA NA 45.7 |   | neart dysrhythm focus | 24.88             | ¥                   | <b>∀</b>                     | 25.92               | 17.84                    | 2.14             | ¥                | ₹                | 52.94    | 44.86                    | 060    |
| A Repair of heart wound  | <pre></pre>   | of heart wound        | 17.92             | ¥                   | ¥                            | 15.05               | 15.45                    | 2.03             | ¥                | ¥                | 35.00    | 35.40                    | 060    |
| A         Exploratory heart surgery         18.51         NA         N4.53         12.81         151         NA         NA         44.55         12.81         151         NA         NA         44.57         12.81         157         NA         NA         44.57         12.81         157         NA         NA         44.17         41.11         44.17   | 4 < 4 < 4 < 4 < 4 < 4 < 4 < 4 < 4 < 4 <   | of heart wound        | 21.44             | ¥                   | <b>∀</b>                     | 19.86               | 19.13                    | 2.40             | ¥                | ¥                | 43.70    | 42.97                    | 060    |
| A         Exploration years surgery         2.2.7         NA         19.79         16.73         2.01         NA         44.17         41.11   |   | tory heart surgery    | 18.51             | ¥                   | ¥                            | 14.53               | 12.81                    | 1.51             | ¥                | ¥                | 34.55    | 32.83                    | 060    |
| A Repair major vessel graft         16 79         NA         15.36         15.35         15.95         NA         NA         15.96         15.35         15.96         NA         NA         34.10         34.11         34.10         34.11         34.10         34.11         34.10         34.11         34.10         34.11         34.10         34.11         34.10         34.10         34.10         34.10         34.11         34.10         34.10         34.11         34.11         34.10         34.11         34.10         34.10         34.11         34.10         34.10         34.10         34.10         34.11         34.10         34.11         34.11         34.11         34.11         34.11         34.11         34.11   |   | tory heart surgery    | 22.37             | ¥                   | ₹                            | 19.79               | 16.73                    | 2.01             | ¥                | ¥                | 44.17    | 41.11                    | 060    |
| A Repair major vessel         20.20         NA         NA         13.90         21.18         2.82         NA         NA         36.92         44.20           A Repair major vessel graft         20.22         NA         NA         1.88         1.63         1.51         NA         A.42         46.29           A Insert major vessel graft         23.96         NA         NA         1.88         1.69         1.87         NA         NA         44.69           A Insert major vessel graft         23.91         NA         NA         1.88         1.69         1.87         NA         NA         44.69           A Insert major vessel graft         23.91         NA         NA         1.88         1.69         1.87         NA         NA         44.69         5.73           A Repair of acortic valve         23.91         NA         NA         1.73         2.21         NA         NA         44.05         5.13           A Popare beat-acortic valve         23.91         NA         NA         2.74         NA         1.73         2.21         NA         NA         44.05         5.13           A Replacement of acortic valve         23.91         NA         NA         2.74         3.14   | ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~   | major blood vessel(s) | 16.79             | ¥                   | <b>∀</b>                     | 15.36               | 15.35                    | 1.96             | ¥                | ¥                | 34.11    | 34.10                    | 060    |
| A Repair major blood vessel(s)         20.62         NA         NA         20.66         22.85         2.82         NA         44.04         46.29           A Insert major vessel graft         21.43         NA         NA         18.86         15.03         1.51         NA         44.03         9.27           A Insert major vessel graft         21.43         NA         NA         18.96         16.95         18.7         NA         NA         44.63         9.717         9.779         9.779           A Insert major vessel graft         30.01         NA         NA         25.29         18.59         1.87         NA         NA         44.63         9.77   | ~~<br><<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<<   | major vessel          | 20.20             | ¥                   | ¥                            | 13.90               | 21.18                    | 2.82             | ¥                | ₹                | 36.92    | 44.20                    | 060    |
| A insert major vessel graff 21.43 NA NA 18.85 15.03 15.1 NA NA 41.79 37.97 A insert major vessel graff 30.01 NA NA 25.29 18.59 18.7 NA NA 44.59 42.79 37.97 A sharingor vessel graff 30.01 NA NA 25.29 18.59 18.7 NA NA 44.50 54.37 54.77  | < < < < < < < < < < < < < < < < < < <   | major blood vessel(s) | 20.62             | ¥                   | ¥                            | 20.60               | 22.85                    | 2.82             | ¥                | ₹                | 44.04    | 46.29                    | 060    |
| A Insert major vessel graff         23.96         NA         18.80         16.96         187         NA         NA         44.63         42.79           A Insert major vessel graff         30.01         NA         NA         18.80         16.96         187         NA         NA         47.79         42.79           A Replacement of aordic valve         25.34         NA         NA         21.95         26.81         2.21         NA         NA         44.05         51.93           A Valvuloplasty, open         23.91         NA         NA         27.72         2.21         NA         NA         44.05         51.93           A Pepate heart-arcatez conduit         28.54         NA         NA         27.42         27.02         2.21         NA         A4.05         51.93           A Pepate heart-arcatez conduit         28.54         NA         NA         25.45         31.71         4.17         NA         44.05         51.93           A Replacement of aortic valve         32.30         NA         NA         26.83         31.74         4.17         NA         49.96         53.75           A Replacement of aortic valve         32.20         NA         NA         26.83         NA         NA </td <td>&lt; &lt; &lt;</td> <td>najor vessel graft</td> <td>21.43</td> <td>ž</td> <td>¥</td> <td>18.85</td> <td>15.03</td> <td>1.51</td> <td>¥</td> <td>Ϋ́</td> <td>41.79</td> <td>37.97</td> <td>060</td>   | < < < < < < < < < < < < < < < < < < <   | najor vessel graft    | 21.43             | ž                   | ¥                            | 18.85               | 15.03                    | 1.51             | ¥                | Ϋ́               | 41.79    | 37.97                    | 060    |
| A lineart major vessel graft 30.01 NA NA 25.29 18.59 187 NA NA 49.50 54.37  A Repair of aortic valve 25.34 NA NA 22.74 27.02 2.21 NA NA 49.69 54.37  A Valvuloplasty, wore bypass 24.89 NA NA 22.74 27.02 2.21 NA NA 49.69 54.12  A Valvuloplasty, wore bypass 24.89 NA NA 22.74 27.02 2.21 NA NA 49.64 54.12  A Prepare heart-aorta conduit 28.54 NA NA 24.84 31.64 4.37 NA NA 64.26 54.55  A Replacement of aortic valve 32.47 NA NA 26.29 37.72 5.83 NA NA 66.29 74.21  A Replacement of aortic valve 32.47 NA NA 26.29 37.72 5.83 NA NA 66.91 78.34  A Replacement of aortic valve 32.54 NA NA 26.29 37.72 5.83 NA NA 66.91 78.34  A Replacement of aortic valve 30.35 NA NA 26.18 29.61 4.17 NA NA 61.29 69.76  A Replacement of aortic valve 30.35 NA NA 26.18 29.61 4.17 NA NA 61.29 69.76  A Replacement of aortic valve 27.15 NA NA 26.18 29.61 4.17 NA NA 61.29 69.76  A Repair of mitral valve 22.70 NA NA 26.18 29.61 3.90 NA NA 57.23 64.87  A Repair of mitral valve 22.70 NA NA 26.51 3.90 NA NA 57.23 64.87  A Repair of mitral valve 22.70 NA NA 26.55 3.50 NA NA 67.29 61.35  A Repair of mitral valve 31.03 NA NA 26.55 3.50 NA NA 67.29 61.35  A Repair of mitral valve 31.03 NA NA 27.45 3.50 NA NA 67.90 71.21  A Repair of mitral valve 31.03 NA NA 27.45 3.50 NA NA 67.90 71.21  A Repair of mitral valve 31.03 NA NA 27.45 3.50 NA NA 67.90 61.35  A Repair of mitral valve 31.03 NA NA 27.45 3.50 NA NA 67.90 61.35  A Repair of mitral valve 31.43 NA NA 27.45 3.50 NA NA 67.90 61.25  A Repair of mitral valve 31.43 NA NA 27.45 3.50 NA NA 67.90 61.20  A Repair of mitral valve 31.43 NA NA 27.45 3.50 NA NA 67.90 61.20  A Repair of mitral valve 31.43 NA NA 27.45 3.50 NA NA 67.90 61.20  A Repair of mitral valve 31.43 NA NA 27.45 3.50 NA NA 67.90 64.00  A Repair of mitral valve 31.43 NA NA 27.45 3.50 NA NA 67.90 64.00  A Repair of mitral valve 31.43 NA NA 27.45 3.50 NA NA 67.90 64.00  A Repair of mitral valve 31.43 NA NA 27.45 3.50 NA NA 67.90 64.00  A Repair of mitral valve 31.43 NA NA 27.45 3.50 NA NA 67.90 67.00  A Repair of mitral valve 31.43 NA NA 67.90 67.00 3.7 | ,,  | najor vessel graft    | 23.96             | ¥                   | <b>∀</b>                     | 18.80               | 16.96                    | 1.87             | ¥                | ¥                | 44.63    | 42.79                    | 060    |
| A Repair of aortic valve 25.34 NA NA 21.95 26.82 2.21 NA NA 49.50 54.37 NA NA 49.60 24.37 NA NA 49.60 51.93 A Valuuloplasty, open 28.54 NA NA 27.74 27.01 NA NA 44.65 51.93 A Prepare heart-aorta conduit 28.54 NA NA 27.74 27.74 27.01 NA NA 66.55 51.93 A Replacement of aortic valve 32.47 NA NA 27.33 35.91 S.83 NA NA SC.55 S.83 NA NA SC.59 77.75 64.55 A Replacement of aortic valve 32.47 NA NA 26.29 37.72 5.83 NA NA SC.59 53.34 NA SC.59 S.31 NA NA SC.50 S.31 NA NA S | -   | najor vessel graft    | 30.01             | ¥                   | ₹                            | 25.29               | 18.59                    | 1.87             | ¥                | ₹                | 57.17    | 50.47                    | 060    |
| Valvuloplasty, open         23.91         NA         17.93         25.81         2.21         NA         44.05         51.93           Valvuloplasty, wicp bypass         24.89         NA         NA         17.93         25.81         2.21         NA         A 4.05         51.93           Valvuloplasty, wicp bypass         22.89         NA         NA         22.74         27.02         2.21         NA         A 4.05         51.93           Prepare heart-acria conduit         32.64         NA         NA         26.83         35.63         NA         NA         66.95         64.56           Replacement, acritic valve         32.47         NA         NA         26.83         35.83         NA         NA         66.91         73.76           Replacement, acritic valve         32.47         NA         NA         26.29         37.72         583         NA         NA         66.91         78.34           Replacement, acritic valve         35.24         NA         NA         26.29         37.72         583         NA         NA         66.91         78.41           Replacement, acritic valve         35.24         NA         NA         26.93         39.41         56.83         NA         <  |   | of aortic valve       | 25.34             | ₹                   | Ϋ́                           | 21.95               | 26.82                    | 2.21             | Ϋ́               | ₹                | 49.50    | 54.37                    | 060    |
| Valvuloplasty, w/cp bypass         24.89         NA         NA         22.74         27.02         2.21         NA         49.84         54.12           Prepare heart-aord conduit         28.54         NA         NA         24.84         31.64         4.37         NA         NA         56.55           Replacement of aortic valve         32.30         NA         NA         26.83         35.63         5.83         NA         NA         65.95           Replacement of aortic valve         32.47         NA         NA         26.29         37.72         5.83         NA         NA         65.95           Replacement of aortic valve         32.47         NA         NA         26.29         37.72         5.83         NA         NA         65.91         73.14           Replacement of aortic valve         35.24         NA         NA         26.29         37.72         5.83         NA         NA         65.91         73.74           Replacement of aortic valve         35.24         NA         NA         26.29         37.72         5.83         NA         NA         65.91         73.74           Revision, subralvular tissue         27.15         NA         NA         25.61         4.17  |   | plasty, open          | 23.91             | ¥                   | ₹                            | 17.93               | 25.81                    | 2.21             | ¥                | ₹                | 44.05    | 51.93                    | 060    |
| A         Prepare heart-aorta conduit         28.54         NA         A 24.84         31.64         4.37         NA         64.55         64.55         64.55         A Replacement of aortic valve         30.61         NA         NA         26.45         31.17         4.17         NA         NA         67.75         64.55         65.95         A 62.95         31.77         NA         NA         A 62.95         31.77         4.17         NA         NA         66.95         7.37         65.95         7.21         65.83         NA         NA         66.95         7.37         65.95         7.21         65.83         NA         NA         66.91         7.34         65.95         7.21         6.83         NA         NA         66.91         7.37         65.95         7.21         7.33         65.95         7.21         7.34         8.34         7.34         7.34         7.34         7.34         7.34         8.34         7.34         <  | < < < < < < < < < < < < < < < < < < <   | plasty, w/cp bypass   | 24.89             | ¥                   | ₹                            | 22.74               | 27.02                    | 2.21             | ¥                | ¥                | 49.84    | 54.12                    | 060    |
| A         Replacement of aortic valve         30.61         NA         25.45         31.17         4.17         NA         NA         60.23         65.95           A         Replacement, aortic valve         32.30         NA         NA         26.83         35.63         5.83         NA         NA         64.96         73.76           A         Replacement, aortic valve         32.47         NA         NA         26.29         37.72         5.83         NA         NA         66.91         73.76           A         Replacement of aortic valve         35.24         NA         NA         26.29         37.72         5.83         NA         NA         66.91         73.76           A         Replacement of aortic valve         35.24         NA         NA         25.61         33.58         NA         NA         66.91         78.34           A         Revision, subralvular tissue         27.15         NA         NA         25.61         33.58         NA         NA         61.79         60.93           A         Revision of mitral valve         28.53         NA         NA         29.61         3.90         NA         74.48           A         Repair of mitral valve  | < < < < < < < < < < < < < < < < < < <   | e heart-aorta conduit | 28.54             | ¥                   | ₹                            | 24.84               | 31.64                    | 4.37             | ¥                | ¥                | 57.75    | 64.55                    | 060    |
| A Replacement, aortic valve         32.30         NA         A CB.83         5.63         NA         NA         64.96         73.76           A Replacement of aortic valve         32.47         NA         NA         26.29         37.72         5.83         NA         NA         66.91         73.75           A Replacement of aortic valve         35.24         NA         NA         26.29         37.72         5.83         NA         NA         66.91         78.34           A Replacement of aortic valve         30.35         NA         NA         26.61         33.41         5.66         NA         NA         72.35         80.31           A Revision, such valual rissue         27.15         NA         NA         25.61         29.61         4.17         NA         NA         66.91         3.35         8.43         80.31         7.35         80.35         9.35         9.44         80.35         9.44         9.34         66.91         7.37         9.35         9.41         67.70         9.34         9.41         9.35         9.35         9.35         9.31         9.35         9.35         9.35         9.35         9.35         9.35         9.35         9.35         9.35         9.35         9.35<   | < < < < < < < < < < < < < < < < < < <   | ement of aortic valve | 30.61             | ¥                   | ₹                            | 25.45               | 31.17                    | 4.17             | ¥                | ¥                | 60.23    | 65.95                    | 060    |
| A Replacement of aortic valve         32.47         NA         Z7.33         35.91         5.83         NA         NA         65.63         74.21           A Replacement of aortic valve         34.79         NA         NA         26.29         37.72         5.83         NA         NA         66.91         78.34           A Replacement, aortic valve         35.24         NA         NA         26.91         37.72         5.83         NA         NA         66.91         78.34           A Replacement, aortic valve         30.35         NA         NA         25.61         33.58         5.83         NA         NA         66.91         78.34           A Revision, subvalvular tissue         27.15         NA         NA         25.61         33.58         5.83         NA         NA         67.73         69.75           A Revision, subvalvular tissue         27.15         NA         NA         25.18         29.01         3.90         NA         NA         74.48           A Revision of mitral valve         22.53         NA         NA         27.75         30.65         NA         NA         52.75         NA         NA         27.45         NA         NA         52.70         NA         NA  | < < < < < < < < < < < < < < < < < < <   | ement, aortic valve   | 32.30             | ¥                   | Ϋ́                           | 26.83               | 35.63                    | 5.83             | ¥                | ¥                | 64.96    | 73.76                    | 060    |
| A         Replacement of aortic valve         34.79         NA         V6.29         37.72         5.83         NA         NA         66.91         78.34           A         Replacement, aortic valve         35.24         NA         NA         31.45         39.41         5.66         NA         NA         72.35         80.31           A         Repair, aortic valve         30.35         NA         NA         25.61         33.56         5.83         NA         NA         72.35         80.31           A         Revision, subvalvular tissue         27.15         NA         NA         25.61         4.17         NA         NA         67.29         69.76           A         Revision, subvalvular tissue         27.15         NA         NA         25.61         4.17         NA         NA         67.29         69.76           A         Revision of mitral valve         28.53         NA         NA         27.15         NA         NA         57.70         69.66           A         Repair of mitral valve         27.00         NA         NA         27.45         36.65         4.54         NA         67.17         69.66           A         Repair of mitral valve         27.00  | < < < < < < < < < < < < < < < < < < <   | ement of aortic valve | 32.47             | ¥                   | ₹                            | 27.33               | 35.91                    | 5.83             | ¥                | ₹                | 65.63    | 74.21                    | 060    |
| A         Replacement, aortic valve         35.24         NA         NA         31.45         39.41         5.66         NA         NA         72.35         80.31           A         Repair, aortic valve         30.35         NA         NA         25.61         33.58         5.83         NA         NA         67.79         69.76           A         Revision, subvalvular tissue         27.15         NA         NA         25.61         4.17         NA         NA         61.79         69.76           A         Revision, subvalvular tissue         27.15         NA         NA         25.14         NA         A.77         NA         NA         69.76         60.93           A         Revision of mitral valve         28.53         NA         NA         25.14         NA         A.48         A.448           A         Revision of mitral valve         25.94         NA         NA         21.78         28.67         NA         NA         NA         52.75         NA         NA         52.55         NA         NA         52.94         NA         NA         26.95         NA         NA         52.96         NA         84.99         61.35         61.44         88         61.44   | <b>~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~</b> ~ ~ ~ ~ ~ ~ ~ ~  | ement of aortic valve | 34.79             | ¥                   | ₹                            | 26.29               | 37.72                    | 5.83             | ¥                | ¥                | 66.91    | 78.34                    | 060    |
| A         Repair, aortic valve         30.35         NA         NA         25.61         33.58         5.83         NA         NA         61.79         69.76           A         Revision, subvalvular tissue         27.15         NA         NA         21.18         29.61         4.17         NA         NA         52.50         60.93           A         Revision, subvalvular tissue         27.15         NA         NA         25.18         29.20         3.90         NA         NA         52.50         60.93           A         Revision of mitral valve         22.70         NA         NA         14.92         19.86         1.92         NA         NA         50.6         44.48           A         Revision of mitral valve         25.94         NA         NA         21.78         28.67         5.05         NA         NA         52.77         59.66           A         Repair of mitral valve         27.00         NA         NA         23.75         30.11         4.24         NA         61.35           A         Repair of mitral valve         31.03         NA         NA         26.57         32.65         4.93         NA         62.14         68.22           A   | < < < < < < < < < < < < <   | ement, aortic valve   | 35.24             | ¥                   | Ϋ́                           | 31.45               | 39.41                    | 5.66             | ¥                | ₹                | 72.35    | 80.31                    | 060    |
| A         Revision, subvalvular tissue         27.15         NA         NA         21.18         29.61         4.17         NA         NA         52.50         60.93           A         Revise ventricle muscle         30.35         NA         NA         25.18         29.20         3.90         NA         NA         59.43         63.45           A         Revision of mitral valve         22.70         NA         NA         14.92         19.86         1.92         NA         NA         59.43         63.45           A         Revision of mitral valve         22.70         NA         NA         21.78         28.67         5.05         NA         NA         59.66         44.48           A         Revision of mitral valve         25.94         NA         NA         21.78         28.67         5.05         NA         NA         52.77         59.66           A         Repair of mitral valve         27.00         NA         NA         26.57         32.65         4.54         NA         NA         62.14         68.22           A         Repair of mitral valve         33.72         NA         NA         29.05         35.52         4.93         NA         67.70         74.17 </td <td>&lt; &lt; &lt; &lt; &lt; &lt; &lt; &lt; &lt; &lt; &lt;</td> <td>aortic valve</td> <td>30.35</td> <td>¥</td> <td>₹</td> <td>25.61</td> <td>33.58</td> <td>5.83</td> <td>¥</td> <td>¥</td> <td>61.79</td> <td>92.69</td> <td>060</td>   | < < < < < < < < < < <   | aortic valve          | 30.35             | ¥                   | ₹                            | 25.61               | 33.58                    | 5.83             | ¥                | ¥                | 61.79    | 92.69                    | 060    |
| A         Revise ventricle muscle         30.35         NA         NA         25.18         29.20         3.90         NA         69.43         63.45           A         Revision of mitral valve         28.53         NA         NA         23.87         31.51         4.83         NA         NA         57.23         64.87           A         Revision of mitral valve         22.70         NA         NA         14.92         19.86         1.92         NA         NA         57.23         64.87           A         Revision of mitral valve         25.94         NA         NA         21.78         28.67         5.05         NA         NA         52.77         59.66           A         Repair of mitral valve         27.00         NA         NA         23.75         30.11         4.24         NA         62.14         68.22           A         Repair of mitral valve         31.03         NA         NA         26.57         32.65         4.54         NA         67.70         74.17           A         Repair of mitral valve         31.43         NA         NA         27.45         35.00         4.78         NA         67.70         74.17           A         Replacement   | < < < < < < < < < <   | n, subvalvular tissue | 27.15             | ¥                   | ¥                            | 21.18               | 29.61                    | 4.17             | ¥                | ¥                | 52.50    | 60.93                    | 060    |
| A Revision of mitral valve 22.70 NA NA 23.87 31.51 4.83 NA NA 57.23 64.87 A Revision of mitral valve 22.70 NA NA 14.92 19.86 1.92 NA NA 52.77 59.66 A Revision of mitral valve 27.00 NA NA 23.75 30.11 4.24 NA NA 52.77 59.66 A Repair of mitral valve 31.03 NA NA 26.57 32.65 4.54 NA NA 62.14 68.22 A Repair of mitral valve 33.72 NA NA 29.05 35.52 4.93 NA NA 67.70 74.17 A Replacement of mitral valve 23.60 NA NA 22.29 26.70 3.70 NA NA 49.59 54.00   | < < < < < < < < <   | ventricle muscle      | 30.35             | ¥                   | Ϋ́                           | 25.18               | 29.20                    | 3.90             | ¥                | ₹                | 59.43    | 63.45                    | 060    |
| A Revision of mitral valve       22.70       NA       NA       14.92       19.86       1.92       NA       NA       39.54       44.48         A Revision of mitral valve       25.94       NA       NA       14.92       19.86       1.92       NA       NA       50.5       NA       NA       59.66         A Repair of mitral valve       27.00       NA       NA       23.75       30.11       4.24       NA       NA       64.35         A Repair of mitral valve       31.03       NA       NA       26.57       32.65       4.54       NA       NA       62.14       68.22         A Replacement of mitral valve       33.72       NA       NA       29.05       35.52       4.93       NA       67.70       74.17         A Revision of tricuspid valve       23.60       NA       NA       49.59       54.00   | < < < < < < <   | of aortic valve       | 28.53             | ¥                   | ₹                            | 23.87               | 31.51                    | 4.83             | ¥                | ₹                | 57.23    | 64.87                    | 060    |
| A Revision of mitral valve 25.94 NA NA 21.78 28.67 5.05 NA NA 52.77 59.66 A Repair of mitral valve 27.00 NA NA 23.75 30.11 4.24 NA NA 54.99 61.35 A Repair of mitral valve 31.03 NA NA 26.57 32.65 4.54 NA NA 62.14 68.22 A Repair of mitral valve 33.72 NA NA 29.05 35.52 4.93 NA NA 67.70 74.17 A Replacement of mitral valve 23.60 NA NA 22.29 26.70 3.70 NA NA 49.59 54.00   | < < < < < <   | n of mitral valve     | 22.70             | ¥                   | ₹                            | 14.92               | 19.86                    | 1.92             | ¥                | ₹                | 39.54    | 44.48                    | 060    |
| A Repair of mitral valve 27.00 NA NA 23.75 30.11 4.24 NA NA 54.99 61.35 A Repair of mitral valve 31.03 NA NA 26.57 32.65 4.54 NA NA 62.14 68.22 A Repair of mitral valve 33.72 NA NA 29.05 35.52 4.93 NA NA 67.70 74.17 A Replacement of mitral valve 31.43 NA NA 22.29 26.70 3.70 NA NA 49.59 54.00   | <b>4444</b>   | n of mitral valve     | 25.94             | ¥                   | Ϋ́                           | 21.78               | 28.67                    | 5.05             | ¥                | ¥                | 52.77    | 99.66                    | 060    |
| A Repair of mitral valve 31.03 NA NA 26.57 32.65 4.54 NA NA 62.14 68.22 A Repair of mitral valve 33.72 NA NA 29.05 35.52 4.93 NA NA 67.70 74.17 A Replacement of mitral valve 31.43 NA NA 27.45 35.00 4.78 NA NA 63.66 71.21 A Revision of tricuspid valve 23.60 NA NA 22.29 26.70 3.70 NA NA 49.59 54.00  | 4444  | of mitral valve       | 27.00             | ¥                   | ₹                            | 23.75               | 30.11                    | 4.24             | ¥                | ¥                | 54.99    | 61.35                    | 060    |
| A Repair of mitral valve 33.72 NA NA 29.05 35.52 4.93 NA NA 67.70 74.17 A Replacement of mitral valve 31.43 NA NA 27.45 35.00 4.78 NA NA 63.66 71.21 A Revision of tricuspid valve 23.60 NA NA 22.29 26.70 3.70 NA NA 49.59 54.00  | <b>444</b>  | of mitral valve       | 31.03             | ¥                   | ₹                            | 26.57               | 32.65                    | 4.54             | Ϋ́               | ₹                | 62.14    | 68.22                    | 060    |
| Replacement of mitral valve 31.43 NA NA 27.45 35.00 4.78 NA NA 63.66 71.21 Revision of tricuspid valve 23.60 NA NA 22.29 26.70 3.70 NA NA 49.59 54.00  |   | of mitral valve       | 33.72             | ¥                   | ₹                            | 29.05               | 35.52                    | 4.93             | ¥                | ¥                | 67.70    | 74.17                    | 060    |
| A Revision of tricuspid valve 23.60 NA NA 22.29 26.70 3.70 NA NA 49.59 54.00   | ∢   | ement of mitral valve | 31.43             | ¥                   | ¥                            | 27.45               | 35.00                    | 4.78             | ¥                | ¥                | 63.66    | 71.21                    | 060    |
|  |   | n of tricuspid valve  | 23.60             | ¥                   | ¥                            | 22.29               | 26.70                    | 3.70             | ¥                | ¥                | 49.59    | 54.00                    | 060    |

Page 55 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 chodicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| Physician   Intility   Min-facility   Facility   Facility   Min-facility   Facility   Facility   Min-facility   Min-facility   Facility   Min-facility   M   |     |        |                              |           | Hon-     | Iransitioned | ,        | Iransitioned |                  |                  | ,                |          |                          |        |
|--|-----|--------|------------------------------|-----------|----------|--------------|----------|--------------|------------------|------------------|------------------|----------|--------------------------|--------|
| Note   Proceedings   Process   Pro   |     |        |                              | :         | facility | Non-facility | Facility | Facility     | 1-11             | =                | Transitioned     |          | :                        |        |
| A Revision of principality functionary valve 28.73 NA NA 22.55 30.36 456 NA NA 52.52 25.0 456 NA NA 52.52 25.0 456 NA NA 52.55 24 466 NA NA 52.52 25.0 456 NA NA 52.50 25.0 456 N | -   |        |                              | Physician | practice | practice     | practice | practice     | mar-<br>practice | Mon-<br>facility | Mon-<br>facility | Earility | Iransitioned<br>Eacities |        |
| A Velvolioplesty, tricuspid 2.56.2 NA NA 22.55 9.89 4.66 NA NA 62.55 NA A Velvolioplesty, tricuspid 2.73 NA NA 22.44 91.89 4.665 NA NA 65.54 NA 65.64 NA NA 65.65 NA 65.65 NA NA 65.65 NA 65.65 NA NA 65.65 NA  | ς,  | Status | Description                  | RVUs 3    | RVUs     | RVUs         | RVUs     | RVUs         | RUVs             | Total            | Total            | Total    | Total                    | Global |
| A Registro fricuspid valve 25.73 NA NA 2245 30.35 4.65 NA NA 55.54 A Registroe fricuspid valve 30.12 NA NA 2245 30.35 4.65 NA NA 65.69 NA  | _ [ | ⊲      | Valvuloplasty, tricuspid     | 25.62     | ¥        | Ą            | 22.25    | 28.50        | 4.65             | Ą                | ¥                | 52.52    | 58.77                    | 060    |
| A Revision of pulmonary valve 28.79 NA NA 2544 3189 465 NA NA 6588 A Revision of pulmonary valve 20.81 NA NA 2553 32.21 192 NA NA 41.93 NA |     | <      | Valvuloplasty, tricuspid     | 27.33     | ¥        | Ą            | 23.56    | 30.36        | 4.65             | ¥                | ¥                | 55.54    | 62.34                    | 060    |
| A Revision of pulmonary valve 2012 NA NA 2553 3335 499 NA NA 6668  A Valvotomy pulmonary valve 2225 NA NA NA 1669 2215 NA NA 4668  A Revision of pulmonary valve 2225 NA NA NA 1669 2216 NA NA NA 4136  A Revision of pulmonary valve 2225 NA NA NA 1669 2219 NA NA 4136  A Revision of pulmonary valve 2225 NA NA NA 1669 2219 NA NA 4136  A Revision of pulmonary valve 2225 NA NA NA 1669 2219 NA NA NA 4136  A Revision of pulmonary valve 2247 NA NA NA 2269 2219 NA NA NA 4136  A Revision of pulmonary valve 2247 NA NA NA 2269 2216 NA NA NA 4268  A Repair heart vessel fistula 2555 NA NA NA 1226 2270 407 NA NA 6488  A Repair heart vessel fistula 2555 NA NA NA 1226 1592 1596 NA NA 4689  A Coronary attery correction 22178 NA NA 2544 2044 407 NA NA 4581  A Coronary attery correction 22178 NA NA NA 2544 2044 407 NA NA 5387  A Coronary attery correction 22178 NA NA NA 2544 2044 407 NA NA 5387  A Coronary attery correction 22170 NA NA 2544 2044 407 NA NA 5387  A CAGG vein, intere 2267 NA NA NA 2270 3289 407 NA NA 5387  A CAGG vein, intere 2267 NA NA NA 2270 3289 626 NA NA 5387  A CAGG vein, intere 2267 NA NA NA 2270 3289 626 NA NA 6513  A CAGG vein, intere 3719 NA NA 2710 3289 626 NA NA NA 5389  A CAGG vein, intere 3719 NA NA 2710 3289 626 NA NA A 5389  A CAGG vein, intere 3719 NA NA 2710 3289 626 NA NA A 5389  A CAGG vein, intere 3719 NA NA 2710 3289 636 NA NA A 5389  A CAGG vein, intere 3719 NA NA 272 1022 1399 NA NA 5296  A CAGG attery-vein three 3719 NA NA 272 1022 1399 NA NA 5296  A CAGG attery-vein three 3719 NA NA 272 1022 1399 NA NA 5296  A CAGG attery-vein three 3719 NA NA 2269 3299 1399 NA NA 3299  A CAGG attery-vein three 3199 NA NA 3289 6274 NA NA 3299  A CAGG attery-vein three 3279 NA NA NA 2269 3299 1390 NA NA 3299  A CAGG attery-vein three 3279 NA NA NA 2269 3299 1390 NA NA 3299  A CAGG attery-vein three 3279 NA NA 3269 3299 1390 NA NA 3299  A CAGG attery-vein three 3279 NA NA NA 3269 3299 1390 NA NA 3299  A CAGG attery-vein three 3279 NA NA 3299 3299 1390 NA NA 3299  A CAGG attery-vein three 3279 NA NA 3299 3299 139 |     | <      | Replace tricuspid valve      | 28.79     | ¥        | ¥            | 24.44    | 31.89        | 4.65             | ¥                | ¥                | 57.88    | 65.33                    | 060    |
| A Revision of pulmonary valve 22.5 NA NA 16.89 24.15 NA NA 4666 A Revision of pulmonary valve 22.5 NA NA 16.89 24.15 NA NA 46.89 A Revision of pulmonary valve 22.5 NA NA NA 17.45 24.29 NA NA 4.135 NA NA 4.135 NA Replacement, pulmonary valve 22.04 NA NA 23.86 13.07 4.72 NA NA 4.135 NA Replacement, pulmonary valve 23.04 NA NA 23.86 13.07 4.72 NA NA 4.131 NA NA 65.55 NA NA NA 23.86 13.07 4.72 NA NA 65.55 NA NA NA 23.89 13.07 4.72 NA NA 65.55 NA NA 19.26 25.99 NA NA 65.55 NA NA 19.26 15.09 NA NA 4.28 NA NA 65.55 NA NA NA 19.26 15.09 NA NA 4.28 NA NA 65.29 NA NA 19.26 15.09 NA NA 4.28 NA NA 65.29 NA NA 19.26 15.09 NA NA 4.28 NA NA 65.29 NA NA 19.26 15.09 NA NA 4.28 NA NA 65.29 NA NA 19.26 15.09 NA NA 4.28 NA NA 65.29 NA NA 65.29 NA NA NA 65.29 NA NA 65.29 NA NA 66.29 NA NA NA 65.29 NA NA 66.29 NA NA NA 66.29 N |     | ∢      | Revision of tricuspid valve  | 30.12     | ¥        | ¥            | 25.53    | 33.35        | 4.93             | ¥                | ¥                | 60.58    | 68.40                    | 060    |
| A Revision of pulmonary valve 22.5 NA NA 16.89 24.15 22.1 NA NA 4135 A Revision of pulmonary valve 22.2 NA NA 16.61 25.28 2.21 NA NA 4191 A Revision of pulmonary valve 22.5 NA NA 16.61 25.28 2.21 NA NA 42.86 A Revision of pulmonary valve 28.41 NA NA 22.66 22.8 39 NA NA 52.82 3 1.0 NA NA 52.83 4.2 NA NA 52.8 3.1 NA NA 52.8 |     | ∢      | Revision of pulmonary valve  | 20.81     | ¥        | ¥            | 23.93    | 22.12        | 1.92             | Ϋ́               | ¥                | 46.66    | 44.85                    | 060    |
| A Revision of pulmonary valve 22.5 NA NA 1746 2429 22.1 NA NA 41991  A Revision of pulmonary valve 23.04 NA NA 23.96 28.9 22.1 NA NA 41991  A Replacement, pulmonary valve 28.4 1 NA NA 23.96 28.9 28.9 NA NA 54.86  A Revision of heart chamber 25.77 NA NA 23.96 28.9 4.4 NA NA 51.16  A Replacement, pulmonary valve cold 27.2 NA NA 23.9 31.2 4.7 NA NA 54.88  A Revision of heart chamber 25.7 NA NA 19.2 19.2 30.1 4.17 NA NA 54.88  A Replacement, pulmonary valve cold 27.2 NA NA 19.2 19.2 19.0 NA NA 54.88  A Replat heart vessel fistula 25.6 NA NA 19.2 19.2 19.0 NA NA 44.88  A Cononary aftery correction 21.04 NA NA 17.96 15.9 19.0 NA NA 43.81  A Cononary aftery correction 26.7 NA NA 25.4 19.0 NA NA 53.87  A Commany aftery correction 26.7 NA NA 25.4 28.9 4.07 NA NA 53.87  A Commany aftery correction 26.7 NA NA 25.4 28.9 4.07 NA NA 53.87  A CABG, veril, four 27.2 NA NA 25.4 28.9 4.07 NA NA 53.87  A CABG, veril, four 31.96 NA NA 27.0 NA NA 53.8 5.7 NA NA 53.8 A CABG, veril, four 31.96 NA NA 31.6 NA NA 53.8 A CABG, veril, four 48.8 NA NA 31.6 NA NA 53.8 A CABG, veril, four 48.8 NA NA 31.6 NA NA 51.8 CABG, veril, four 48.8 NA NA 27.0 NA NA 51.8 CABG, veril, four 48.8 NA NA 27.0 NA NA 51.8 CABG, veril, four 48.8 NA NA 27.0 NA NA 51.8 CABG, veril, four 48.8 NA NA 27.0 NA NA 51.8 CABG, veril, four 54.0 NA NA 51.8 CABG, artery-veril, four 54.0 NA NA 52.9 S.38 5.3 NA NA 52.0 NA NA 52.0 S.38 5.3 NA NA 52.0 NA NA 52.0 S.38 5.3 NA CABG, arterial four 7 NA NA 52.0 S.38 5.3 NA NA 52.0 S.38 5.3 NA NA 52.0 S.38 5.3 NA NA 52.0 S  | _   | ⋖      | Valvotomy, pulmonary valve   | 22.25     | ¥        | ¥            | 16.89    | 24.15        | 2.21             | Ϋ́               | ¥                | 41.35    | 48.61                    | 060    |
| A Registrement, bulmonary valve 23.04 NA NA 1861 25.22 NA NA 43.86  A Registrement, bulmonary valve 28.41 NA NA 22.56 28.52 3.97 NA NA 43.86  A Registrement, bulmonary valve 26.74 NA NA 22.56 28.52 3.90 NA NA 52.57 3.015 4.24 NA NA 52.59 28.52 3.90 NA NA 54.39  A Registrement, bulmonary valve clot 27.25 NA NA NA 22.96 28.52 3.90 NA NA 54.39  A Registrement vessel fistula 25.55 NA NA 19.20 15.09 14.07 NA NA 46.88  A Coronary artery correction 21.73 NA NA 17.62 15.92 1.96 NA NA 46.81  A Coronary artery graft 24.66 NA NA 25.14 28.37 4.07 NA NA 45.81  A CABG, valin, single 25.71 NA NA 25.14 28.37 4.07 NA NA 57.97  A CABG, valin, single 25.72 NA NA 25.13 28.5 3.90 NA NA 55.97  A CABG, valin, three 25.72 NA NA 27.09 36.39 5.27 NA NA 57.07  A CABG, valin, three 25.72 NA NA 27.09 36.39 5.27 NA NA 57.07  A CABG, valin, three 25.72 NA NA 27.09 36.39 5.27 NA NA 57.07  A CABG, valin, single 25.70 NA NA 27.09 36.39 5.27 NA NA 57.07  A CABG, valin, three 31.56 NA NA 27.09 36.39 5.27 NA NA 57.07  A CABG, valin, three 37.40 NA NA 27.09 36.39 5.27 NA NA 57.07  A CABG, valin, three 37.40 NA NA 27.09 36.39 5.09 NA NA 57.07  A CABG, valin, three 37.40 NA NA 27.09 36.39 5.09 NA NA 57.07  A CABG, valin, three 37.40 NA NA 27.09 36.39 5.00 NA NA 57.07  A CABG, valin, three 37.40 NA NA 27.09 36.39 5.00 NA NA 57.07  A CABG, valin, three 37.40 NA NA 27.09 36.30 NA NA 57.07  A CABG, valin, three 37.40 NA NA 27.09 36.30 NA NA 57.07  A CABG, artery-velin, free 4 3.50 NA NA 27.09 38.30 NA NA 57.07  A CABG, artery-velin, free 4 3.50 NA NA 27.09 38.30 NA NA 57.07  A CABG, artery-velin, free 4 3.50 NA NA 27.09 38.30 NA NA 57.07  A CABG, artery-velin, free 4 3.50 NA NA 27.09 38.30 NA NA 57.07  A CABG, artery-velin, free 4 3.50 NA NA 27.09 38.30 NA NA 57.07  A CABG, artery-velin, free 4 3.50 NA NA 27.09 38.30 NA NA 57.00 NA NA 57.00 NA NA 57.00 NA NA 57.00 NA 57.00 NA NA 57.00 NA NA 57.00 NA NA 57.00 NA 57.00 NA 57.00 NA 57.00 NA NA 57.00   | ~   | ⋖      | Revision of pulmonary valve  | 22.25     | ¥        | Ϋ́           | 17.45    | 24.29        | 2.21             | Ϋ́               | ¥                | 41.91    | 48.75                    | 060    |
| A Repair charty pulmonary valve 28.41 NA NA 2336 3127 4778 NA NA 56.55  A Revision of heart chamber 25.77 NA NA NA 20.16 28.55 38.0 NA NA 56.55  A Repair heart vessel fistula 25.55 NA NA 1430 15.09 136 NA NA 51.16  A Repair heart vessel fistula 25.55 NA NA 1430 15.09 136 NA NA 51.16  A Coronary artery graft 21.78 NA NA 17.36 21.99 4.07 NA NA 44.88  A Coronary artery graft 21.78 NA NA 26.11 30.44 4.77 NA NA 45.81  A Repair artery valured 25.52 NA NA NA 26.11 30.44 4.77 NA NA 51.81  A Repair artery valured 25.52 NA NA NA 26.11 30.44 4.77 NA NA 51.54  A Repair artery valured 25.52 NA NA NA 26.11 30.44 4.77 NA NA 51.54  A CABG, vain, three 25.52 NA NA NA 26.13 32.48 4.87 NA NA 55.35  A CABG, vain, three 35.00 NA NA 27.30 30.27 38.90 5.66 NA NA 51.50  A CABG, vain, three 35.00 NA NA 27.30 30.27 38.90 5.66 NA NA 51.82  A CABG, vain, three 35.00 NA NA 27.30 30.27 38.90 5.66 NA NA 51.82  A CABG, vain, three 35.00 NA NA 27.30 30.27 38.90 5.66 NA NA 51.82  A CABG, vain, three 35.00 NA NA 27.30 30.27 38.90 NA NA 51.82  A CABG, vain, three 37.40 NA NA 27.30 30.27 38.90 NA NA 31.82  A CABG, artery-vain, three 37.40 NA NA 27.30 10.29 NA NA 18.22  A CABG, artery-vain, three 37.00 NA NA 26.39 5.31 0.80 NA NA 26.39 5.40 NA NA 26.39 5.40 NA NA 26.30 5.40 NA NA 2 | *   | ∢      | Revision of pulmonary valve  | 23.04     | ¥        | ₹            | 18.61    | 25.28        | 2.21             | ¥                | ¥                | 43.86    | 50.53                    | 060    |
| A Revision of heart chamber 26.77 NA NA 22.56 22.55 3.90 NA NA 52.23  A Revision of heart chamber 26.74 NA NA 22.56 22.55 3.90 NA NA 52.23  A Repair post vessel fistula 25.55 NA NA 19.26 23.99 1.96 NA NA 45.39  A Repair post vessel fistula 25.55 NA NA 19.26 21.99 1.96 NA NA 46.39  A Coronary artery graft 21.72 NA NA 17.78 1.96 1.96 NA NA 46.39  A Coronary artery graft 21.72 NA NA 17.78 1.96 1.96 NA NA 40.62  A Coronary artery graft 24.66 NA NA 25.41 20.63 1.96 NA NA 57.54  A CABG vein, single 25.71 NA NA 25.41 20.63 1.96 NA NA 57.54  A CABG vein, four 25.50 NA NA 27.06 23.99 1.96 NA NA 57.54  A CABG vein, four 25.50 NA NA 27.06 25.39 1.96 NA NA 57.54  A CABG vein, four 25.50 NA NA 27.06 25.39 1.96 NA NA 57.64  A CABG vein, four 25.50 NA NA 27.06 25.39 1.96 NA NA 57.09 1.96 NA N | 'n  | ∢      | Replacement, pulmonary valve | 28.41     | ¥        | ₹            | 23.36    | 31.27        | 4.78             | ¥                | ¥                | 56.55    | 64.46                    | 060    |
| A Repair posth veake clot  | (0  | ∢      | Revision of heart chamber    | 25.77     | ¥        | ₹            | 22.56    | 28.55        | 3.90             | ¥                | ¥                | 52.23    | 58.22                    | 060    |
| A Repair prosth rate old   | ഹ   | ∢      | Revision of heart chamber    | 26.74     | ¥        | Š            | 20.18    | 28.99        | 4.24             | ₹                | ¥                | 51.16    | 29.97                    | 060    |
| A Repair heart vessel fistula  | "   | ∢      | Repair, prosth valve clot    | 27.25     | ₹        | ¥            | 22.97    | 30.15        | 4.17             | ¥                | ¥                | 54.39    | 61.57                    | 060    |
| A Repair heart vessel fistula 1778 NA NA 1430 1509 1509 NA NA 3404 A Coronary artery graft 21.04 NA NA 1762 1592 196 NA NA 4062 A Coronary artery graft 21.04 NA NA 1762 1592 196 NA NA 4062 A Repair artery withrunel 26.84 NA NA 25.14 28.37 4.07 NA NA 57.84 A Repair artery withrunel 26.84 NA NA 25.14 30.43 4.77 NA NA 57.54 A CABG, vein, two 27.40 NA NA 27.80 27.94 4.07 NA NA 50.99 A CABG, vein, three 29.67 NA NA 27.80 27.94 4.07 NA NA 50.99 A CABG, vein, three 29.67 NA NA 27.80 57.94 4.07 NA NA 56.35 A CABG, vein, three 29.67 NA NA 27.80 57.94 4.07 NA NA 56.35 A CABG, vein, three 29.67 NA NA 27.90 56.6 NA NA 75.07 A CABG, vein, three 29.67 NA NA 27.90 56.6 NA NA 75.07 A CABG, vein, three 29.40 NA NA 27.90 56.6 NA NA 75.07 A CABG, vein, three 29.40 NA NA 27.90 56.6 NA NA 75.07 A CABG, vein, three 29.40 NA NA 27.90 56.6 NA NA 18.22 A CABG, vein, three 29.40 NA NA 27.90 56.6 NA NA 76.07 A CABG, vein, three 29.40 NA NA 27.90 56.6 NA NA 18.22 A CABG, vein, three 29.40 NA NA 27.90 57.91 0.00 NA NA 18.22 A CABG, vein, three 29.40 NA NA 27.90 57.91 0.00 NA NA 28.90 56.00 NA NA 18.22 A CABG, artery-vein, three 29.40 NA NA 16.38 53.17 NA NA 18.22 A CABG, artery-vein, three 29.40 NA NA 16.38 53.17 NA NA 18.22 A CABG, artery-vein, single 25.80 NA NA 16.38 53.25 17.1 NA NA 23.95 A CABG, artery-vein, single 25.80 NA NA 16.38 93.6 17.1 NA NA 52.95 A CABG, artery-vein, single 25.80 NA NA 16.38 93.6 17.1 NA NA 52.95 A CABG, artery-vein, single 25.80 NA NA 16.38 93.6 17.1 NA NA 52.95 A CABG, artery-vein, single 25.80 NA NA 16.38 93.6 17.1 NA NA 52.95 A CABG, artery-vein, single 25.80 NA NA 16.38 93.6 17.1 NA NA 52.95 A CABG, artery-vein, single 25.80 NA NA 25.70 17.9 NA NA 52.95 A CABG, arterial, three 30.70 NA NA 25.70 17.9 NA NA 52.95 A CABG, arterial, three 30.70 NA NA 25.70 17.9 NA NA 52.95 A CABG, arterial, three 30.70 NA NA 25.70 17.9 NA NA 52.90 A CABG, arterial, three 30.70 NA NA 25.70 17.9 NA NA 52.90 A CABG, arterial, three 30.70 NA NA 25.70 17.9 NA NA 52.90 A CABG, arterial, three 30.70 NA NA 25.70 17.9 NA NA 52.90 A CA | _   | ∢      | Repair heart vessel fistula  | 25.55     | ¥        | Š            | 19.26    | 27.70        | 4.07             | ¥                | ¥                | 48.88    | 57.32                    | 060    |
| A Coronary artery correction 21.04 NA NA 17.62 15.92 1.96 NA NA 40.62 A Coronary artery graff 24.66 NA NA 25.14 28.37 4.07 NA NA 43.81 Coronary artery graff 24.66 NA NA 25.14 28.37 4.07 NA NA 43.81 A Repair artery withmel 26.84 NA NA 26.41 30.63 4.72 NA NA 57.97 A Repair artery withmel 26.71 NA NA 26.41 30.63 4.72 NA NA 57.97 A CABG, vein, itnee 27.40 NA NA 21.88 30.40 4.47 NA NA 56.35 A CABG, vein, itnee 35.00 NA NA 21.89 5.27 NA NA 56.35 A CABG, vein, itnee 35.00 NA NA 31.61 41.39 6.06 NA NA 50.93 A CABG, vein, itnee 35.00 NA NA 31.61 41.39 6.06 NA NA 50.93 A CABG, vein, itnee 25.77 NA NA NA 31.61 41.39 6.06 NA NA 50.93 A CABG, artery-vein, itnee 7.12 NA NA 56.11 9.00 NA NA 13.82 A CABG, artery-vein, itnee 7.12 NA NA 56.11 9.00 NA NA 13.82 A CABG, artery-vein, itnee 7.12 NA NA 56.11 9.00 NA NA 13.82 A CABG, artery-vein, itnee 7.12 NA NA 25.01 1.19 NA NA 13.82 A CABG, artery-vein, itnee 7.12 NA NA 25.01 1.19 NA NA 25.01 A CABG, artery-vein, inter 7.12 NA NA 25.01 1.10 NA NA 25.01 A CABG, artery-vein, inter 7.12 NA NA 25.01 1.10 NA NA 25.01 A CABG, artery-vein, inter 7.12 NA NA 25.01 1.10 NA NA 25.01 A CABG, arterial, tune 7.12 NA NA 25.01 1.10 NA NA 25.01 A CABG, arterial, tune 7.13 NA NA 25.01 1.10 NA NA 25.01 A CABG, arterial, tune 8.31 NA NA 25.01 1.10 NA NA 25.01 A CABG, arterial, tune 8.32 NA NA 25.01 1.34.73 5.24 NA NA 25.01 A CABG, arterial, tune 8.32 NA NA 25.01 1.34.73 5.24 NA NA 25.01 A CABG, arterial, tune 7.34.79 NA NA 25.01 24.72 NA NA 25.01 A CABG, arterial, tune 8.35 NA NA 25.01 24.72 NA NA 25.01 A CABG, arterial, tune 8.35 NA NA 25.01 24.72 NA NA 25.01 A CABG, arterial, tune 8.35 NA NA 25.01 24.72 NA NA 25.01 A CABG, arterial, tune 8.35 NA NA 25.01 24.72 NA NA 25.01 A CABG, arterial, tune 8.35 NA NA 25.01 24.72 NA NA 25.01 A CABG, arterial, tune 8.35 NA NA 25.01 24.72 NA NA 25.01 A CABG, arterial, tune 8.35 NA NA 25.01 24.72 NA NA 25.01 A CABG, arterial, tune 8.35 NA NA 25.01 24.72 NA NA 25.01 A CABG, arterial, tune 8.35 NA NA 25.01 24.72 NA NA 25.01 A CABG, arterial, tune 8.35 NA NA 25.01 24.7 | _   | ∢      | Repair heart vessel fistula  | 17.78     | ¥        | ¥            | 14.30    | 15.09        | 1.96             | ¥                | ¥                | 34.04    | 34.83                    | 060    |
| A Coronary artery graft 21.78 NA NA 17.96 23.99 407 NA NA 43.81  A Repair artery valuntel 26.84 NA NA 26.41 20.37 4.07 NA NA 57.54  A Repair artery valuntel 26.871 NA NA 26.41 30.63 4.72 NA NA 57.54  A CABG, vein, two 27.40 NA NA 26.43 30.63 4.87 NA NA 57.54  A CABG, vein, two 27.40 NA NA 26.43 30.89 5.27 NA NA 57.57  A CABG, vein, five 25.67 NA NA NA 26.43 30.89 5.27 NA NA 56.35  A CABG, vein, five 25.67 NA NA 26.43 30.89 5.66 NA NA 56.77  A CABG, vein, five 33.60 NA NA 27.06 35.38 5.27 NA NA 56.77  A CABG, vein, five 33.60 NA NA 27.06 35.38 5.27 NA NA 56.77  A CABG, vein, five 33.60 NA NA 27.10 2.85 0.39 NA NA 56.77  A CABG, vein, five 35.00 NA NA 27.11 2.85 0.39 NA NA 56.77  A CABG, artery-vein, five 11.67 NA NA 27.91 0.80 NA NA 13.82  A CABG, artery-vein, five 11.67 NA NA 27.91 0.80 NA NA 13.82  A CABG, artery-vein, five 11.67 NA NA 22.94 28.86 4.19 NA NA 22.96  A CABG, artery-vein, five 13.95 NA NA 22.94 28.86 4.19 NA NA 52.96  A CABG, artery-vein, five 28.82 NA NA NA 22.94 28.86 4.19 NA NA 52.96  A CABG, arterial, three 28.82 NA NA NA 22.94 28.86 4.19 NA NA 52.96  A CABG, arterial, three 31.81 NA NA 26.78 32.25 4.72 NA NA 59.32  A CABG, arterial, three 31.81 NA NA 26.78 32.25 4.72 NA NA 59.32  A CABG, arterial, three 31.81 NA NA 26.81 38.73 5.24 NA NA 59.30  A CABG, arterial, three 31.81 NA NA 26.81 38.73 5.24 NA NA 59.32  A CABG, arterial, three 31.81 NA NA 26.81 38.73 5.24 NA NA 59.30  A CABG, arterial, three 31.81 NA NA 26.81 38.73 5.24 NA NA 59.30  A CABG, arterial, three 31.81 NA NA 26.81 38.73 5.24 NA NA 59.30  A CABG, arterial, three 31.81 NA NA 26.81 38.73 6.93 NA NA 59.90  A CABG, arterial, three 31.81 NA NA 26.91 38.73 5.24 NA NA 59.90  A CABG, arterial, three 31.81 NA NA 26.91 38.73 6.93 NA NA 59.90  A CABG, arterial, three 31.81 NA NA 26.91 38.73 6.93 NA NA 59.90  A CABG, arterial, three 31.81 NA NA 26.91 38.73 6.93 NA NA 59.90  A CABG, arterial, three 31.81 NA NA 30.91 38.73 6.93 NA NA 59.90  A CABG, arterial, three 31.81 NA NA 30.91 38.73 6.93 NA NA 59.90  A CABG, arterial, three 31.81 NA NA | ٠.  | ∢      | Coronary artery correction   | 21.04     | ¥        | ¥            | 17.62    | 15.92        | 1.96             | ¥                | ¥                | 40.62    | 38.92                    | 060    |
| A CABG, vein, three 25.12 NA NA 25.14 28.37 4.07 NA NA 53.87 A CABG, vein, three 25.12 NA NA 25.13 32.86 A 4.77 NA NA 50.99 5.54 CABG, vein, three 25.12 NA NA 25.13 32.86 A 4.77 NA NA 50.99 5.57 A CABG, vein, three 25.07 NA NA 27.06 35.38 5.27 NA NA 50.99 CABG, vein, three 25.07 NA NA 27.06 35.38 5.27 NA NA 50.99 CABG, vein, three 25.07 NA NA 27.06 35.38 5.27 NA NA 50.99 CABG, vein, three 35.00 NA NA 27.06 35.38 5.27 NA NA 27.09 CABG, vein, three 35.00 NA NA 27.06 35.38 5.27 NA NA 27.09 CABG, vein, three 35.00 NA NA 30.27 38.90 5.66 NA NA 50.99 CABG, vein, three 35.00 NA NA 30.27 38.90 5.66 NA NA 30.90 CABG, vein, three 35.00 NA NA 30.27 38.90 5.66 NA NA 30.90 CABG, vein, three 37.10 NA NA 38.3 5.31 0.80 NA NA 30.90 CABG, vein, three 37.10 NA NA 38.3 5.31 0.80 NA NA 32.06 CABG, artery-vein, three 37.10 NA NA 38.3 5.31 0.80 NA NA 32.06 CABG, artery-vein, three 37.10 NA NA 30.90 NA NA 32.90 CABG, artery-vein, three 37.80 NA NA 30.90 NA 30.90 NA NA 30.90 NA NA 30.90 NA NA 30.90  |     | ∢      | Coronary artery graft        | 21.78     | ¥        | Ą            | 17.96    | 23.99        | 4.07             | ¥                | ¥                | 43.81    | 49.84                    | 060    |
| A Repair artery writunel 26.84 NA NA 26.41 30.63 4.72 NA NA 57.97 NA CABG, vein, single 25.17 NA NA 26.11 30.44 4.77 NA NA 57.54 NA NA 57.54 A CABG, vein, three 29.67 NA NA 23.48 30.40 4.47 NA NA 56.35 A CABG, vein, three 29.67 NA NA 23.48 30.40 4.47 NA NA 56.35 A CABG, vein, five 35.00 NA NA 30.27 38.90 5.66 NA NA 64.28 A CABG, vein, five 37.40 NA NA 30.27 38.90 5.66 NA NA 75.07 NA NA 75.07 NA NA 31.61 41.39 6.06 NA NA 75.07 NA NA 56.05 NA NA 75.07 NA NA 56.05 NA NA 18.22 NA CABG, artery-vein, five 11.67 NA NA 72.3 10.22 1.59 NA NA 18.22 NA CABG, artery-vein, five 11.67 NA NA 16.38 9.35 1.77 NA NA 18.22 NA CABG, arterial, single 25.83 NA NA 16.38 9.35 1.77 NA NA 52.96 NA NA 52.96 NA CABG, arterial, single 25.83 NA NA 25.94 28.86 4.19 NA NA 52.96 NA CABG, arterial, single 25.83 NA NA 25.94 28.86 4.19 NA NA 52.96 NA CABG, arterial, single 25.83 NA NA 25.94 28.85 NA NA 26.95 NA NA 26.95 NA CABG, arterial, single 25.83 NA NA 26.93 NA NA 59.32 NA CABG, arterial, frour 28.85 NA NA 36.47 NA NA 36.49 NA NA 76.99 NA NA |     | ∢      | Coronary artery graft        | 24.66     | ¥        | ¥            | 25.14    | 28.37        | 4.07             | ¥                | ¥                | 53.87    | 57.10                    | 060    |
| A Repair artery, translocation 26.71 NA NA 26.11 30.44 4.72 NA NA 57.54 A CABG, vein, single 25.12 NA NA 26.13 32.86 4.87 NA NA 59.67 A CABG, vein, three 29.67 NA NA 26.13 32.86 4.87 NA NA 59.67 A CABG, vein, three 35.00 NA NA 27.06 35.38 5.27 NA NA 59.67 A CABG, vein, three 37.40 NA NA 27.06 35.38 5.27 NA NA 59.67 A CABG, vein, three 37.40 NA NA 27.06 35.38 5.27 NA NA 59.67 A CABG, vein, three 37.40 NA NA 27.06 35.38 5.27 NA NA 59.67 A CABG, vein, three 2.57 NA NA 21.61 4.139 6.06 NA NA 70.03 A CABG, artery-vein, three 3.740 NA NA 27.23 16.21 1.19 NA NA 18.22 A CABG, artery-vein, three 11.67 NA NA 8.96 12.69 1.99 NA NA 18.22 A CABG, artery-vein, single 25.83 NA NA 16.38 6.39 NA NA 18.22 A CABG, artery-vein, three 11.67 NA NA 22.94 28.86 4.19 NA NA 29.95 A CABG, artery-vein, three 3.47 NA NA 22.94 28.86 4.19 NA NA 29.95 A CABG, artery-vein, three 3.47 NA NA 22.94 28.86 4.19 NA NA 29.95 A CABG, arterial, two 28.82 NA NA 26.95 A CABG, arterial, three 3.47 NA NA 26.95  |     | ∢      | Repair artery w/tunnel       | 26.84     | ¥        | ž            | 26.41    | 30.63        | 4.72             | ₹                | ¥                | 57.97    | 62.19                    | 060    |
| A CABG, vein, single 25.12 NA NA 21.80 27.94 4.07 NA NA 50.99 A CABG, vein, two 27.40 NA NA 23.48 30.40 4.47 NA NA 56.35 A CABG, vein, four 31.95 NA NA NA 27.06 35.38 5.27 NA NA CABG, vein, five 35.00 NA NA 27.06 35.38 5.27 NA NA CABG, vein, sixt 37.40 NA NA 27.06 35.38 6.27 NA NA CABG, vein, sixt 37.40 NA NA 27.09 35.31 0.80 NA NA 57.07 A CABG, artery-vein, three 37.40 NA NA 27.09 5.66 NA NA 57.07 A CABG, artery-vein, three 37.40 NA NA 5.51 7.75 11.9 NA NA 51.82 A CABG, artery-vein, from 11.67 NA NA 6.51 7.75 11.9 NA NA 13.82 A CABG, artery-vein, from 11.67 NA NA 16.38 9.35 1.77 NA NA 22.95 A CABG, artery-vein, from 25.83 NA NA 16.38 9.35 1.77 NA NA 23.95 A CABG, arterial, single 25.83 NA NA 25.74 NA NA 52.96 A CABG, arterial, two 25.83 NA NA 26.82 4.19 NA NA 59.32 A CABG, arterial, two 25.83 NA NA 26.82 4.19 NA NA 59.95 A CABG, arterial, three 31.81 NA NA 26.82 4.19 NA NA 59.32 A CABG, arterial, three 31.81 NA NA 26.82 4.19 NA NA 60.00 A CABG, arterial, three 31.81 NA NA 26.82 4.19 NA NA 60.00 A Removal of heart damage 36.78 NA NA 26.89 A.19 NA NA 64.99 A CABG, arterial, cort-three 25.51 NA NA 26.81 A.19 NA NA 64.99 A CABG, arterial, three 31.81 NA NA 26.81 A.19 NA NA 64.99 A CABG, arterial, three 31.81 NA NA 26.81 A.19 NA NA 64.99 A CABG, arterial, two 32.91 A.19 NA NA 26.81 A.19 NA NA 64.99 A CABG, arterial, two 34.79 NA NA 26.81 A.19 NA NA 64.99 A CABG, arterial, three 31.81 NA NA 26.81 A.19 NA NA 64.99 A CABG, arterial, three 31.81 NA NA 26.81 A.19 NA NA 64.99 A CABG, arterial, three 31.81 NA NA 26.81 A.19 NA NA 64.99 A CABG, arterial, three 31.81 NA NA 26.81 A.19 NA NA 64.99 A CABG, arterial, three 31.81 NA NA 26.81 A.19 NA NA 64.99 A CABG, arterial, tourt-three 26.51 NA NA 26.91 A.19 NA NA 64.99 A CABG, arterial, tourt-three 26.51 NA NA 26.91 A.19 NA NA 64.99 A CABG, arterial, tourt-three 26.51 NA NA 26.91 A.19 NA A.19 NA 64.99  |     | ∢      | Repair artery, translocation | 26.71     | ¥        | ¥            | 26.11    | 30.44        | 4.72             | ¥                | ¥                | 57.54    | 61.87                    | 060    |
| A CABG, vein, two  A CABG, vein, three  B CABG, artery-vein, three  B CABG, arterial, three   | _   | ∢      | CABG, vein, single           | 25.12     | ¥        | Ϋ́           | 21.80    | 27.94        | 4.07             | ¥                | ž                | 50.99    | 57.13                    | 060    |
| A CABG, vein, three 29.67 NA NA 25.13 32.85 4.87 NA NA 59.67 A CABG, vein, four 31.95 NA NA 27.06 35.38 5.27 NA NA 64.28 A CABG, vein, five 37.40 NA NA 31.61 41.39 6.06 NA NA 75.07 A CABG, vein, five 2.57 NA NA NA 2.17 2.85 0.39 NA NA 75.07 A CABG, artery-vein, three 7.12 NA NA 7.23 10.28 NA NA 13.82 A CABG, artery-vein, three 11.67 NA NA 7.23 10.22 1.59 NA NA 13.82 A CABG, artery-vein, five 11.67 NA NA 16.38 9.35 1.71 NA NA 25.95 A CABG, artery-vein, five 11.67 NA NA 16.38 9.35 1.71 NA NA 25.95 A CABG, artery-vein, five 13.95 NA NA 16.38 9.35 1.71 NA NA 25.95 A CABG, artery-vein, five 25.83 NA NA 16.38 9.35 1.71 NA NA 52.96 A CABG, arterial, three 31.81 NA NA 25.78 32.25 4.79 NA NA 52.96 A CABG, arterial, three 31.81 NA NA 25.78 32.25 NA NA 60.00 A CABG, arterial, three 31.81 NA NA 26.82 31.72 4.33 NA NA 60.00 A CABG, arterial, three 34.79 NA NA 26.82 31.72 4.33 NA NA 70.97 A CABG, arterial, three 34.79 NA NA 26.82 31.72 4.33 NA NA 74.50 A CABG, arterial, three 34.79 NA NA 26.82 31.72 4.33 NA NA 74.50 A CABG, arterial, three 34.79 NA NA 26.82 31.72 4.33 NA NA 74.50 A Repair of heart lesion 28.51 NA NA 26.61 31.78 NA NA 54.96 A Chang, arterial, three 29.51 NA NA 26.95 4.78 NA NA 54.96  |     | ∢      | CABG, vein, two              | 27.40     | ₹        | Ϋ́           | 23.48    | 30.40        | 4.47             | ¥                | Š                | 55.35    | 62.27                    | 060    |
| A CABG, vein, frour 31.95 NA NA 27.06 35.38 5.27 NA NA 64.28  A CABG, vein, frive 35.00 NA NA 30.27 38.90 5.66 NA NA 70.93  A CABG, artery-vein, single 2.57 NA NA 3.81 6.06 NA NA 5.13  A CABG, artery-vein, three 7.12 NA NA 5.51 7.75 1.19 NA NA 13.82  A CABG, artery-vein, three 7.12 NA NA 5.51 7.75 1.19 NA NA 13.82  A CABG, artery-vein, frive 11.67 NA NA 7.23 10.22 1.59 NA NA 18.22  A CABG, artery-vein, frive 11.67 NA NA 7.23 10.22 1.59 NA NA 18.22  A CABG, artery-vein, frive 11.67 NA NA 16.38 9.35 1.71 NA NA 25.96  A CABG, artery-vein, frive 2.88 NA NA 16.38 9.35 1.71 NA NA 25.96  A CABG, artery-vein, frive 2.88 NA NA 25.78 2.39 NA NA 59.32  A CABG, artery-vein, frive 31.81 NA NA 25.78 32.25 4.72 NA NA 59.32  A CABG, arterial, three 31.81 NA NA 25.01 34.73 5.24 NA NA 60.00  A CABG, arterial, fourt 34.79 NA NA 26.01 34.73 5.24 NA NA 70.97  A CABG, arterial, fourt 2.88 NA NA 26.01 34.73 5.24 NA NA 70.97  A CABG, arterial, fourt 2.88 NA NA 26.01 34.73 6.24 NA NA 70.97  A CABG, arterial, fourt 6 year darterial gourt 6 year darterial, fourt 6 year of veint dartage 36.78 NA NA 26.96  A CABG, arterial, fourt 6 year darterial, fourt 6 year of veint darterectory 2.951 NA NA 26.96  A CABG, arterial, fourt 6 year of veint darterectory 6 year of veint darterectory 6.455 NA NA 26.95  A CABG, arterial, fourt 6 year of veint darterectory 6.455 NA NA 26.95  A CABG, arterial, fourt 6 year of veint 6 year 6.95  A CABG, arterial, fourt 8.95  |     | ∢      | CABG, vein, three            | 29.67     | ¥        | Š            | 25.13    | 32.85        | 4.87             | ¥                | ¥                | 29.67    | 62.39                    | 060    |
| A CABG, vein, five 35.00 NA NA 30.27 38.90 5.66 NA NA 70.93 A CABG, vein, six+ A CABG, artery-vein, six+ A CABG, artery-vein, three A CABG, artery-vein, five A CABG, arterial, single A CABG, arterial, single A CABG, arterial, four+ A CABG, arterial, four+ B CABG, ar |     | ∢      | CABG, vein, four             | 31.95     | ₹        | Ϋ́           | 27.06    | 35.38        | 5.27             | ₹                | ¥                | 64.28    | 72.60                    | 060    |
| A CABG, vein, six+  A CABG, artery-vein, single  A CABG, artery-vein, three  A CABG, artery-vein, five  A CABG, arterial, single  A CABG, arterial, single  A CABG, arterial, three  A CABG, arterial, three  A CABG, arterial, three  A CABG, arterial, four+  A Removal of heart lesion  A Repair of heart damage  A CABG, arterial, four+  A CABG, arterial, four+  A CABG, arterial, four+  A Repair of heart lesion  A CABG, arterial, four+  A CABG, arterial, four+  A CABG, arterial, four+  A Repair of heart lesion  A CABG, arterial, four+  A CABG, arterial, four+  A CABG, arterial, four+  A Repair of heart lesion  A CABG, arterial, four+  A CABG, arterial, four+  A CABG, arterial, four+  A Repair of heart lesion  A CABG, arterial, four+  A CABG, arterial, four+  A CABG, arterial, four+  A CABG, arterial, four+  A Repair of heart lesion  A CABG, arterial, four+  A CABG, |     | ∢      | CABG, vein, five             | 35.00     | ¥        | ₹            | 30.27    | 38.90        | 5.66             | ¥                | ¥                | 70.93    | 79.56                    | 060    |
| A CABG, artery-vein, single 2.57 NA NA 2.17 2.85 0.39 NA NA 5.13 A CABG, artery-vein, two 4.85 NA NA 3.83 5.31 0.80 NA NA 9.48 A CABG, artery-vein, three 7.12 NA NA 5.51 7.75 1.19 NA NA 13.82 A CABG, artery-vein, five 11.67 NA NA 7.23 10.22 1.59 NA NA 18.22 A CABG, artery-vein, five 11.67 NA NA 7.23 10.22 1.59 NA NA 18.22 A CABG, artery-vein, five 11.67 NA NA 10.61 15.15 2.39 NA NA 22.95 A CABG, artery-vein, six+ 13.95 NA NA 16.38 9.35 1.71 NA NA 22.96 A CABG, artery-vein, six+ 13.95 NA NA 16.38 9.35 1.71 NA NA 59.95 A CABG, arterial, single 25.83 NA NA 22.94 22.86 4.19 NA NA 59.32 A CABG, arterial, three 31.81 NA NA 25.01 34.73 5.24 NA NA 60.00 A CABG, arterial, four+ 34.79 NA NA 26.82 5.77 NA NA 60.00 A Removal of heart lesion 28.85 NA NA 32.81 36.83 4.91 NA NA 7.13 A Chosure of valve 29.51 NA NA 20.67 31.59 4.78 NA NA 54.96   |     | ∢      | CABG, vein, six+             | 37.40     | Š        | ¥            | 31.61    | 41.39        | 90.9             | ¥                | ¥                | 75.07    | 84.85                    | 060    |
| A CABG, artery-vein, two  A CABG, artery-vein, two  A CABG, artery-vein, three  A CABG, artery-vein, flow  A CABG, arterial, three  A CABG, arterial, flow  |     | ∢      | CABG, artery-vein, single    | 2.57      | ₹        | ₹            | 2.17     | 2.85         | 0.39             | ¥                | ¥                | 5.13     | 5.81                     | 222    |
| A CABG, artery-vein, three 7.12 NA NA 5.51 7.75 1.19 NA NA 13.82 A CABG, artery-vein, four 9.40 NA NA 7.23 10.22 1.59 NA NA 18.22 A CABG, artery-vein, five 11.67 NA NA 8.96 12.69 1.99 NA NA 22.62 A CABG, artery-vein, six+ 13.95 NA NA 16.38 9.35 1.71 NA NA 22.95 A CABG, artery binss/reop 5.86 NA NA 16.38 9.35 1.71 NA NA 23.95 A CABG, arterial, single 28.82 NA NA 22.94 28.86 4.19 NA NA 52.96 A CABG, arterial, four+ 34.79 NA NA 25.01 34.73 5.24 NA NA 62.06 A CABG, arterial, four+ 34.79 NA NA 26.82 31.72 4.33 NA NA 74.00 A Removal of heart lesion 28.85 NA NA 26.82 31.72 4.33 NA NA 74.00 A Repair of heart damage 36.77 NA NA 74.50 A Closure of valve 29.51 NA NA 20.67 31.59 4.78 NA NA 54.96   |     | ∢      | CABG, artery-vein, two       | 4.85      | ¥<br>¥   | ¥            | 3.83     | 5.31         | 0.80             | ₹                | Ϋ́               | 9.48     | 10.96                    | 777    |
| A CABG, artery-vein, four 1.67 NA NA 7.23 10.22 1.59 NA NA 18.22  A CABG, artery-vein, five 11.67 NA NA 8.96 12.69 1.99 NA NA 22.62  A CABG, artery-vein, six+ 13.95 NA NA 16.38 1.35 1.71 NA NA 22.95  A CABG, artery bypass/reop 5.86 NA NA 16.38 1.35 1.71 NA NA 23.95  A CABG, arterial, single 25.83 NA NA 22.94 28.86 4.19 NA NA 52.96  A CABG, arterial, two 28.82 NA NA 25.01 34.73 5.24 NA NA 59.32  A CABG, arterial, four+ 34.79 NA NA 25.01 34.73 5.24 NA NA 70.97  A Removal of heart lesion 28.85 NA NA 26.82 31.72 4.33 NA NA 74.50  A Repair of heart damage 36.78 NA NA 20.67 31.59 4.78 NA NA 54.96  A Closure of valve 29.51 NA NA 20.67 31.59 4.78 NA NA 54.96   |     | ∢      | CABG, artery-vein, three     | 7.12      | ¥        | Š            | 5.51     | 7.75         | 1.19             | ¥                | ¥                | 13.82    | 16.06                    | 222    |
| A CABG, artery-vein, five 11.67 NA NA 8.96 12.69 1.99 NA NA 22.62 A CABG, artery-vein, six+ 13.95 NA NA 10.61 15.15 2.39 NA NA 26.95 A Coronary artery, bypass/reop 5.86 NA NA 16.38 9.35 1.71 NA NA 23.95 A CABG, arterial, single 25.83 NA NA 22.94 28.86 4.19 NA NA 52.96 A CABG, arterial, two 28.82 NA NA 25.78 32.25 4.72 NA NA 59.32 A CABG, arterial, three 31.81 NA NA 25.01 34.73 5.24 NA NA 62.06 A CABG, arterial, four+ 34.79 NA NA 26.82 31.72 4.33 NA NA 70.97 A Repair of heart damage 36.78 NA NA 26.82 31.72 4.91 NA NA 74.50 A Closure of valve 29.51 NA NA 20.67 31.59 4.78 NA NA 54.96  |     | ∢      | CABG, artery-vein, four      | 9.40      | ¥        | ₹            | 7.23     | 10.22        | 1.59             | ¥                | ₹                | 18.22    | 21.21                    | 777    |
| A CABG, artery-vein, six+ 13.95 NA NA 10.61 15.15 2.39 NA NA 26.95 A Coronary artery, bypass/reop 5.86 NA NA 16.38 9.35 1.71 NA NA 23.95 A CABG, arterial, single 25.83 NA NA 22.94 28.86 4.19 NA NA 52.96 A CABG, arterial, two 28.82 NA NA 25.01 34.73 5.24 NA NA 59.32 A CABG, arterial, three 31.81 NA NA 25.01 34.73 5.24 NA NA 62.06 A Removal of heart lesion 28.85 NA NA 26.82 31.72 4.33 NA NA 70.97 A Repair of heart damage 36.78 NA NA 20.67 31.59 4.78 NA NA 54.96 A Closure of valve 29.51 NA NA 20.67 31.59 4.78 NA NA 54.96  |     | ∢      | CABG, artery-vein, five      | 11.67     | ¥        | ¥            | 8.96     | 12.69        | 1.99             | ¥                | ¥                | 22.62    | 26.35                    | 777    |
| A Coronary artery, bypass/reop 5.86 NA NA 16.38 9.35 1.71 NA NA 23.95 A CABG, arterial, single A CABG, arterial, two B CABG, arterial, three B CABG, arterial, tour+ B CABG, arterial, three B CABG, a |     | ∢      | CABG, artery-vein, six+      | 13.95     | Š        | ¥            | 10.61    | 15.15        | 2.39             | ₹                | Ϋ́               | 26.95    | 31.49                    | 777    |
| A CABG, arterial, single 25.83 NA NA 22.94 28.86 4.19 NA NA 52.96 A CABG, arterial, two 28.82 NA NA 25.78 32.25 4.72 NA NA 59.32 A CABG, arterial, three 31.81 NA NA 25.01 34.73 5.24 NA NA 62.06 A CABG, arterial, four+ 34.79 NA NA 26.82 31.72 4.33 NA NA 60.00 A Removal of heart damage 36.78 NA NA 26.82 31.72 4.33 NA NA 60.00 A Repair of heart damage 36.78 NA NA 22.19 31.8 0.49 NA NA 71.3 A Closure of valve 29.51 NA NA 20.67 31.59 4.78 NA NA 54.96  |     | ∢      | Coronary artery, bypass/reop | 5.86      | ¥        | ¥            | 16.38    | 9.35         | 1.71             | ¥                | ¥                | 23.95    | 16.92                    | 777    |
| A CABG, arterial, two 28.82 NA NA 25.78 32.25 4.72 NA NA 59.32 A CABG, arterial, three 31.81 NA NA 25.01 34.73 5.24 NA NA 62.06 A CABG, arterial, four+ 34.79 NA NA 26.82 31.72 4.33 NA NA 60.00 A Removal of heart damage 36.78 NA NA 26.82 31.72 4.33 NA NA 60.00 A Repair of heart damage 36.78 NA NA 22.19 31.80 0.49 NA NA 71.3 A Closure of valve 29.51 NA NA 20.67 31.59 4.78 NA NA 54.96   |     | ∢      | CABG, arterial, single       | 25.83     | ¥        | ¥            | 22.94    | 28.86        | 4.19             | ¥                | ¥                | 52.96    | 58.88                    | 060    |
| A CABG, arterial, three 31.81 NA NA 25.01 34.73 5.24 NA NA 62.06 A CABG, arterial, four+ 34.79 NA NA 30.41 38.75 5.77 NA NA 70.97 A Removal of heart design 28.85 NA NA 26.82 31.72 4.33 NA NA 60.00 A Repair of heart damage 36.78 NA NA 32.81 36.63 4.91 NA NA 74.50 A Open coronary endarterectomy 4.45 NA NA 20.67 31.59 4.78 NA NA 54.96  |     | ∢      | CABG, arterial, two          | 28.82     | ¥        | ¥            | 25.78    | 32.25        | 4.72             | ¥                | ¥                | 59.32    | 62.79                    | 060    |
| A CABG, arterial, four+ 34.79 NA NA 30.41 38.75 5.77 NA NA 70.97 A Removal of heart lesion 28.85 NA NA 26.82 31.72 4.33 NA NA 60.00 A Repair of heart damage 36.78 NA NA 32.81 36.63 4.91 NA NA 74.50 A Open coronary endarterectomy 4.45 NA NA 20.67 31.59 4.78 NA NA 54.96   |     | ∢      | CABG, arterial, three        | 31.81     | ¥        | ¥            | 25.01    | 34.73        | 5.24             | ₹                | ¥                | 62.06    | 71.78                    | 060    |
| A Removal of heart lesion 28.85 NA NA 26.82 31.72 4.33 NA NA 60.00 A Repair of heart damage 36.78 NA NA 32.81 36.63 4.91 NA NA 74.50 A Open coronary endarterectomy 4.45 NA NA 2.19 3.18 0.49 NA NA 7.13 A Closure of valve 29.51 NA NA 20.67 31.59 4.78 NA NA 54.96   |     | ∢      | CABG, arterial, four+        | 34.79     | ¥        | ¥            | 30.41    | 38.75        | 2.77             | ¥                | ž                | 70.97    | 79.31                    | 060    |
| A Repair of heart damage 36.78 NA NA 32.81 36.63 4.91 NA NA 74.50 A Open coronary endarterectomy 4.45 NA NA 2.19 3.18 0.49 NA 7.13 A Closure of valve 29.51 NA NA 20.67 31.59 4.78 NA NA 54.96   |     | ∢      | Removal of heart lesion      | 28.85     | ¥        | Ą            | 26.82    | 31.72        | 4.33             | ¥                | ¥                | 00.09    | 64.90                    | 060    |
| A Open coronary endarterectomy 4.45 NA NA 20.67 31.8 0.49 NA NA 7.13 A Closure of valve 29.51 NA NA 20.67 31.59 4.78 NA NA 54.96   |     | ∢      | Repair of heart damage       | 36.78     | ¥        | ¥.           | 32.81    | 36.63        | 4.91             | Ϋ́               | ¥                | 74.50    | 78.32                    | 060    |
| A Closure of valve 29.51 NA NA 20.67 31.59 4.78 NA NA 54.96  |     | ∢      | Open coronary endarterectomy | 4.45      | ¥        | ¥            | 2.19     | 3.18         | 0.49             | ¥                | ¥                | 7.13     | 8.12                     | 777    |
|  | _   | ∢      | Closure of valve             | 29.51     | ¥        | ¥            | 20.67    | 31.59        | 4.78             | ¥                | ¥                | 54.96    | 65.88                    | 060    |

Page 56 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 chidicales RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                             |     |        | e de la companya de l |              | Mon.            | Trancitioned    |                 | Transitioned    |                 | ı                 |                   |                   |                     |        |
|-----------------------------|-----|--------|--|--------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------|-------------------|-------------------|---------------------|--------|
|                             |     |        |  |              | facility        | Non-facility    | Facility        | Facility        |                 |                   | Transitioned      |                   |                     |        |
| , l                         |     |        |  | Physician    | practice        | practice        | practice        | practice        | Mal-            | Non-              | Non-              | į                 | <b>Transitioned</b> |        |
| CPI /<br>HCPCS <sup>2</sup> | Mod | Status | Description  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | produce<br>RUYs | tacility<br>Total | tacility<br>Total | racility<br>Total | Facility<br>Total   | Global |
| 33602                       |     | ٨      | Closure of valve   | 28.54        | Ą               | ₹               | 22.20           | 30.36           | 4.17            | ΝΑ                | A                 | 54.91             | 63.07               | 060    |
| 33606                       |     | <      | Anastomosis/artery-aorta   | 30.74        | ¥               | ¥<br>Y          | 26.48           | 34.14           | 5.83            | ¥                 | ¥                 | 63.05             | 70.71               | 060    |
| 33608                       |     | ∢      | Repair anomaly w/conduit   | 31.09        | ¥               | ¥               | 24.77           | 34.03           | 5.83            | ¥                 | ¥                 | 61.69             | 70.95               | 060    |
| 33610                       |     | ∢      | Repair by enlargement  | 30.61        | ¥               | Υ<br>Y          | 21.21           | 32.71           | 5.83            | ¥                 | ¥                 | 57.65             | 69.15               | 060    |
| 33611                       |     | ⋖      | Repair double ventricle  | 32.30        | ¥               | Ϋ́              | 24.23           | 34.98           | 5.83            | ¥                 | ¥                 | 62.36             | 73.11               | 060    |
| 33612                       |     | ∢      | Repair double ventricle  | 33.26        | ¥               | Š               | 25.90           | 36.26           | 5.83            | ¥                 | ¥                 | 64.99             | 75.35               | 060    |
| 33615                       |     | ∢      | Repair (simple fontan)   | 32.06        | ¥               | Ą               | 25.66           | 35.13           | 5.83            | ¥                 | ¥                 | 63.55             | 73.02               | 060    |
| 33617                       |     | ∢      | Repair by modified fontan  | 34.03        | ¥               | Ϋ́              | 26.83           | 37.17           | 5.83            | ¥                 | ¥                 | 69.99             | 77.03               | 060    |
| 33619                       |     | ⋖      | Repair single ventricle  | 37.57        | ¥               | Ϋ́              | 35.42           | 42.49           | 6.29            | ¥                 | ¥                 | 79.28             | 86.35               | 060    |
| 33641                       |     | ∢      | Repair heart septum defect   | 21.39        | ¥               | Ϋ́              | 18.96           | 23.90           | 3.81            | ¥                 | ¥                 | 44.16             | 49.10               | 060    |
| 33645                       |     | ⋖      | Revision of heart veins  | 24.82        | ¥               | Ϋ́              | 20.15           | 27.26           | 3.81            | ¥                 | ¥                 | 48.78             | 55.89               | 060    |
| 33647                       |     | ⋖      | Repair heart septum defects  | 28.73        | Ą               | Ϋ́              | 24.03           | 31.73           | 4.91            | ¥                 | ¥                 | 27.67             | 65.37               | 060    |
| 33660                       |     | ∢      | Repair of heart defects  | 25.54        | ¥               | ¥               | 21.71           | 28.29           | 4.24            | ¥                 | ¥                 | 51.49             | 58.07               | 060    |
| 33665                       |     | ∢      | Repair of heart defects  | 28.60        | ¥               | Ϋ́              | 22.68           | 31.13           | 4.24            | ¥                 | ¥                 | 55.52             | 63.97               | 060    |
| 33670                       |     | ⋖      | Repair of heart chambers   | 32.73        | ¥               | Ϋ́              | 23.56           | 35.19           | 5.83            | ¥                 | ¥                 | 62.12             | 73.75               | 060    |
| 33681                       |     | ∢      | Repair heart septum defect   | 27.67        | ¥               | Ϋ́              | 22.97           | 30.52           | 4.91            | ¥                 | ¥                 | 55.55             | 63.10               | 060    |
| 33684                       |     | ∢      | Repair heart septum defect   | 29.65        | ¥               | Ϋ́              | 21.43           | 31.91           | 4.91            | ¥                 | ¥                 | 55.99             | 66.47               | 060    |
| 33688                       |     | ∢      | Repair heart septum defect   | 30.62        | ¥               | ¥               | 25.61           | 33.82           | 4.91            | ¥                 | ¥                 | 61.14             | 69.35               | 060    |
| 33690                       |     | ∢      | Reinforce pulmonary artery   | 19.55        | ¥               | Ϋ́              | 17.23           | 21.81           | 3.36            | ¥                 | ¥                 | 40.14             | 44.72               | 060    |
| 33692                       |     | ∢      | Repair of heart defects  | 30.75        | Ϋ́              | ¥               | 23.67           | 33.45           | 5.83            | ¥                 | ¥                 | 60.25             | 70.03               | 060    |
| 33694                       |     | ∢      | Repair of heart defects  | 31.73        | ¥               | Š               | 27.81           | 35.36           | 5.83            | ¥                 | ¥                 | 65.37             | 72.92               | 060    |
| 33697                       |     | ∢      | Repair of heart defects  | 33.71        | ¥               | ¥               | 26.78           | 36.88           | 5.83            | ¥                 | ¥                 | 66.32             | 76.42               | 060    |
| 33702                       |     | ⋖      | Repair of heart defects  | 26.54        | ¥               | ¥               | 23.06           | 29.53           | 4.17            | ž                 | ¥                 | 53.77             | 60.24               | 060    |
| 33710                       |     | ∢      | Repair of heart defects  | 29.71        | ¥               | Ϋ́              | 24.92           | 32.83           | 4.91            | ¥                 | ¥                 | 59.54             | 67.45               | 060    |
| 33720                       |     | ⋖      | Repair of heart defect   | 26.56        | ¥               | ¥               | 20.47           | 28.90           | 4.17            | ¥                 | ¥                 | 51.20             | 59.63               | 060    |
| 33722                       |     | ∢      | Repair of heart defect   | 28.41        | ¥               | Ϋ́              | 21.37           | 30.15           | 4.17            | ¥                 | ¥                 | 53.95             | 62.73               | 060    |
| 33730                       |     | ⋖      | Repair heart-vein defect(s)  | 31.67        | Ϋ́              | ¥               | 23.84           | 34.32           | 5.83            | ¥                 | ¥                 | 61.34             | 71.82               | 060    |
| 33732                       |     | ∢      | Repair heart-vein defect   | 28.16        | ¥               | Ϋ́              | 22.28           | 30.79           | 4.24            | ¥                 | ¥                 | 54.68             | 63.19               | 060    |
| 33735                       |     | ∢      | Revision of heart chamber  | 21.39        | ¥               | ž               | 15.72           | 24.84           | 3.81            | ¥                 | ¥                 | 40.92             | 50.04               | 060    |
| 33736                       |     | ⋖      | Revision of heart chamber  | 23.52        | ¥               | Š               | 22.66           | 26.58           | 3.81            | ¥                 | ž                 | 49.99             | 53.91               | 060    |
| 33737                       |     | ⋖      | Revision of heart chamber  | 21.76        | ¥               | Ϋ́              | 15.09           | 23.26           | 3.81            | ¥                 | ¥                 | 40.66             | 48.83               | 060    |
| 33750                       |     | ∢      | Major vessel shunt   | 21.41        | ¥               | Ϋ́              | 18.33           | 22.57           | 3.36            | ¥                 | ¥                 | 43.10             | 47.34               | 060    |
| 33755                       |     | ∢      | Major vessel shunt   | 21.79        | ¥               | Ϋ́              | 13.44           | 21.35           | 3.36            | ¥                 | ¥                 | 38.59             | 46.50               | 060    |
| 33762                       |     | ∢      | Major vessel shunt   | 21.79        | ¥               | Ϋ́              | 16.99           | 22.23           | 3.36            | ¥                 | ₹                 | 42.14             | 47.38               | 060    |
| 33764                       |     | ⋖      | Major vessel shunt & graft   | 21.79        | ¥               | ¥               | 14.40           | 21.59           | 3.36            | ¥                 | ¥                 | 39.55             | 46.74               | 060    |
| 33766                       |     | ∢      | Major vessel shunt   | 22.76        | ¥               | ¥               | 15.77           | 21.93           | 3.36            | ¥                 | ¥                 | 41.89             | 48.05               | 060    |
| 33767                       |     | ∢      | Major vessel shunt   | 24.50        | ¥               | Ϋ́              | 22.55           | 26.55           | 3.81            | ¥                 | ¥                 | 50.86             | 54.86               | 060    |
| 33770                       |     | ∢      | Repair great vessels defect  | 33.29        | ¥               | Ϋ́              | 22.23           | 35.36           | 5.83            | ¥                 | ¥                 | 61.35             | 74.48               | 060    |
| 33771                       |     | 4      | Repair great vessels defect  | 34.65        | ¥               | Ϋ́              | 28.32           | 38.11           | 5.83            | ¥                 | ¥                 | 68.80             | 78.59               | 060    |
| 33774                       |     | ∢      | Repair great vessels defect  | 30.98        | ¥               | Υ<br>Υ          | 30.25           | 33.02           | 4.24            | ¥                 | ¥                 | 65.47             | 68.24               | 060    |
|                             |     |        |  |              |                 |                 |                 |                 |                 |                   |                   |                   |                     |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                   |         |        |                              |              | Mon-            | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|-------------------|---------|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                   |         |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| 1                 |         |        |                              | Physician    | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              | •                 | Transitioned      |        |
| CPT //<br>HCPCS 7 | Mod Sta | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 33775             |         | ∢      | Repair great vessels defect  | 32.20        | Ą               | ΑN              | 27.01           | 32.21           | 4.24             | ΝΑ                | Ą                 | 63.45             | 68.65             | 060    |
| 33776             |         | ∢      | Repair great vessels defect  | 34.04        | ¥               | Α               | 28.13           | 35.46           | 4.91             | ¥                 | ¥                 | 67.08             | 74.41             | 060    |
| 33777             |         | ∢      | Repair great vessels defect  | 33.46        | ¥               | Ϋ́              | 27.91           | 32.43           | 4.24             | ¥                 | ¥                 | 65.61             | 70.13             | 060    |
| 33778             |         | ∢      | Repair great vessels defect  | 35.82        | ¥               | ¥               | 29.64           | 39.48           | 5.77             | ¥                 | ¥                 | 71.23             | 81.07             | 060    |
| 33779             |         | ∢      | Repair great vessels defect  | 36.21        | ¥               | ¥               | 35.24           | 41.23           | 5.77             | ¥                 | ¥                 | 77.22             | 83.21             | 060    |
| 33780             |         | ∢      | Repair great vessels defect  | 36.94        | ¥               | ¥               | 29.28           | 40.39           | 5.77             | ¥                 | ¥                 | 71.99             | 83.10             | 060    |
| 33781             |         | ∢      | Repair great vessels defect  | 36.45        | ¥               | ¥               | 29.95           | 40.13           | 5.77             | ¥                 | ¥                 | 72.17             | 82.35             | 060    |
| 33786             |         | 4      | Repair arterial trunk        | 34.84        | ¥               | A<br>A          | 28.46           | 38.31           | 5.83             | ¥                 | ¥                 | 69.13             | 78.98             | 060    |
| 33788             |         | ∢      | Revision of pulmonary artery | 26.62        | ¥               | ¥               | 22.31           | 29.41           | 4.07             | Ϋ́                | ¥                 | 53.00             | 60.10             | 060    |
| 33800             |         | ⋖      | Aortic suspension            | 16.24        | ¥               | Ą               | 13.00           | 14.76           | 1.96             | ¥                 | ¥                 | 31.20             | 32.96             | 060    |
| 33802             |         | ∢      | Repair vessel defect         | 17.66        | ¥               | ¥               | 13.19           | 19.12           | 3.36             | ¥                 | ¥                 | 34.21             | 40.14             | 060    |
| 33803             |         | ∢      | Repair vessel defect         | 19.60        | ¥               | Š               | 13.25           | 20.86           | 3.36             | ¥                 | ¥                 | 36.21             | 43.82             | 060    |
| 33813             |         | ∢      | Repair septal defect         | 20.65        | ₹               | ¥               | 14.59           | 21.63           | 3.36             | ¥                 | ¥                 | 38.60             | 45.64             | 060    |
| 33814             |         | ∢      | Repair septal defect         | 25.77        | ₹               | ¥               | 21.63           | 28.49           | 4.17             | ¥                 | ¥                 | 51.57             | 58.43             | 060    |
| 33820             |         | ∢      | Revise major vessel          | 16.29        | ₹               | ¥               | 11.28           | 17.41           | 3.36             | ¥                 | ¥                 | 30.93             | 37.06             | 060    |
| 33822             |         | ⋖      | Revise major vessel          | 17.32        | ¥               | ¥               | 12.13           | 18.54           | 3.36             | ¥                 | ¥                 | 32.81             | 39.22             | 060    |
| 33824             |         | ∢      | Revise major vessel          | 19.52        | ₹               | ¥               | 16.92           | 21.71           | 3.36             | ¥                 | ¥                 | 39.80             | 44.59             | 060    |
| 33840             |         | ∢      | Remove aorta constriction    | 20.63        | ₹               | ¥               | 15.23           | 22.27           | 4.37             | ¥                 | ¥                 | 40.23             | 47.27             | 060    |
| 33845             |         | ∢      | Remove aorta constriction    | 22.12        | ₹               | Š               | 15.28           | 23.62           | 4.37             | ₹                 | ¥                 | 41.77             | 50.11             | 060    |
| 33851             |         | ∢      | Remove aorta constriction    | 21.27        | ₹               | Š               | 14.96           | 22.79           | 4.37             | ₹                 | ₹                 | 40.60             | 48.43             | 060    |
| 33852             |         | ∢      | Repair septal defect         | 23.71        | ₹               | Š               | 20.38           | 26.32           | 4.37             | ¥                 | ¥                 | 48.46             | 54.40             | 060    |
| 33853             |         | ∢      | Repair septal defect         | 31.72        | ₹               | Š               | 27.83           | 35.35           | 5.83             | Ϋ́                | ¥                 | 65.38             | 72.90             | 060    |
| 33860             |         | ∢      | Ascending aorta graft        | 33.96        | ¥               | ž               | 27.94           | 35.24           | 4.83             | ¥                 | ¥                 | 66.73             | 74.03             | 060    |
| 33861             |         | ∢      | Ascending aorta graft        | 34.52        | ₹               | <b>∀</b>        | 28.87           | 35.47           | 4.83             | ¥                 | ¥                 | 68.22             | 74.82             | 060    |
| 33863             |         | ∢      | Ascending aorta graft        | 36.47        | ₹               | ď<br>Z          | 30.38           | 35.85           | 4.83             | Ϋ́                | Ϋ́                | 71.68             | 77.15             | 060    |
| 33870             |         | ∢      | Transverse aortic arch graft | 40.31        | ₹               | Ϋ́              | 31.36           | 43.90           | 6.29             | ¥                 | ¥                 | 96.77             | 90.50             | 060    |
| 33875             |         | ∢      | Thoracic aorta graft         | 33.06        | Ϋ́              | Š               | 26.84           | 32.14           | 4.37             | ¥                 | Š                 | 64.27             | 69.57             | 060    |
| 33877             |         | ∢      | Thoracoabdominal graft       | 42.60        | ₹               | Ą               | 36.40           | 45.00           | 6.56             | ¥                 | ¥                 | 85.56             | 94.16             | 060    |
| 33910             |         | ∢      | Remove lung artery emboli    | 24.59        | ¥               | <b>∀</b>        | 22.35           | 17.51           | 2.17             | ¥                 | ¥                 | 49.11             | 44.27             | 060    |
| 33915             |         | ∢      | Remove lung artery emboli    | 21.02        | Ϋ́              | Š               | 16.68           | 13.95           | 1.74             | ¥                 | ¥                 | 39.44             | 36.71             | 060    |
| 33916             |         | ∢      | Surgery of great vessel      | 25.83        | ₹               | Ϋ́              | 24.27           | 20.37           | 2.68             | ¥                 | ₹                 | 52.78             | 48.88             | 060    |
| 33917             |         | ∢      | Repair pulmonary artery      | 24.50        | ₹               | ¥<br>Z          | 19.60           | 26.84           | 4.93             | ¥                 | ¥                 | 49.03             | 56.27             | 060    |
| 33918             |         | ⋖      | Repair pulmonary atresia     | 26.45        | ¥               | Ϋ́              | 18.89           | 28.41           | 4.07             | ₹                 | ¥                 | 49.41             | 58.93             | 060    |
| 33919             |         | Ø      | Repair pulmonary atresia     | 32.67        | ¥               | Ϋ́              | 31.29           | 37.07           | 5.83             | ¥                 | ₹                 | 62.69             | 75.57             | 060    |
| 33920             |         | ⋖      | Repair pulmonary atresia     | 31.95        | ¥               | Ϋ́              | 27.31           | 35.44           | 5.83             | ¥                 | ¥                 | 62:09             | 73.22             | 060    |
| 33922             |         | ∢      | Transect pulmonary artery    | 23.52        | ₹               | ¥               | 22.35           | 26.65           | 2.21             | ¥                 | Š                 | 48.08             | 52.38             | 060    |
| 33924             |         | ∢      | Remove pulmonary shunt       | 5.50         | ¥               | Ą               | 2.57            | 3.90            | 0.61             | ¥                 | ¥                 | 8.68              | 10.01             | 777    |
| 33930             |         | ×      | Removal of donor heart/lung  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 33935             |         | œ      | Transplantation, heart/lung  | 96.09        | ₹               | ¥<br>Z          | 33.35           | 62.92           | 10.59            | ¥                 | ₹                 | 104.90            | 134.47            | 060    |
| 33940             |         | ×      | Removal of donor heart       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|                   |         |        |                              |              |                 |                 |                 |                 |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| facility         Facility         Facility         Facility           actice         practice         practice           pense         expense         expense           RVIS         RVIS           NA         24.41         43.80           NA         10.08         8.23           NA         9.50         8.08           NA         4.53         7.70           NA         4.53         7.27           NA         31.35         19.39           NA         33.03         23.99           NA         17.27         14.35           NA         17.27         15.87           NA         6.77         9.49           NA         6.77         9.49           NA         6.77         9.49           NA         5.17         8.08           NA         4.45         7.27   | Non Pr  | Physician work 3 RVUS 3 RVUS 10.00 19.36 10.93 6.75 9.69 9.76 19.29 19.29 19.29 19.29 19.29 19.29 19.29 19.29 19.29 19.29 19.20 19.20 19.20 19.20 19.20 19.20 19.20 19.20 19.20 19.20 19.20 19.20 19.20 19.4 | Transplantation of heart External circulation assist External circulation assist Aortic circulation assist Insert balloon device Remove intra-aortic balloon Implant ventricular device Remove ventricular device Removal of artery clot Removal of vein clot |
|---|---|--|---|
| RVUs<br>RVUs<br>24.41<br>10.08<br>9.50<br>6.63<br>9.96<br>4.53<br>13.40<br>31.35<br>33.03<br>17.27<br>17.27<br>17.27<br>6.77<br>6.77<br>8.48<br>8.48  | \$\frac{1}{2} \frac{1}{2} \frac | A N N N N N N N N N N N N N N N N N N N  |   |
| 24.41<br>10.08<br>9.50<br>6.63<br>9.96<br>4.53<br>13.40<br>31.35<br>33.03<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.27<br>17.2 | \bar{Z} Z       | 2  | P.,   |
| 24.41<br>10.08<br>9.50<br>6.63<br>9.96<br>13.40<br>33.03<br>16.97<br>17.27<br>0.00<br>6.77<br>8.48<br>8.48  | Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z   | 4     4 <th></th>  |   |
| 10.08<br>9.50<br>9.50<br>9.96<br>13.40<br>33.03<br>16.97<br>17.27<br>0.00<br>6.77<br>6.77<br>7.35<br>9.10   | Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z   | ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~  | -   |
| 9.50<br>6.63<br>9.96<br>13.40<br>31.35<br>33.03<br>16.97<br>17.27<br>0.00<br>6.77<br>6.77<br>7.73<br>8.48<br>8.48   | Z Z Z Z Z Z Z Z Z Z C C Z Z Z Z Z Z Z Z   | Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z  | -   |
| 6.63<br>9.96<br>13.40<br>31.35<br>33.03<br>16.97<br>17.27<br>0.00<br>6.77<br>6.77<br>7.73<br>8.48<br>8.48   | Z Z Z Z Z Z Z Z Z C C Z Z Z Z Z Z Z Z Z   | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$   | •   |
| 9.96 4.53 13.40 31.35 33.03 14.27 0.00 6.77 5.17 5.17 6.17  | Z Z Z Z Z Z Z Z O Z Z Z Z Z Z Z Z Z Z Z   | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$   | •   |
| 4.53<br>13.40<br>31.35<br>33.03<br>16.97<br>17.27<br>0.00<br>6.77<br>8.48<br>8.48<br>5.17<br>9.10   | Z Z Z Z Z Z O Z Z Z Z Z Z Z Z Z Z Z Z Z   | Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z  | -   |
| 13.40<br>31.35<br>33.03<br>16.97<br>17.27<br>0.00<br>6.77<br>8.48<br>8.48<br>5.17<br>9.10   | Z Z Z Z Z O Z Z Z Z Z Z Z Z Z Z Z Z Z Z   | \$ \$ \$ \$ \$ \$ 0 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$   | -   |
| 31.35<br>33.03<br>16.97<br>17.27<br>0.00<br>6.77<br>8.48<br>5.17<br>9.10  | Z Z Z Z ° Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z   | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$   | -   |
| 33.03<br>16.97<br>17.27<br>0.00<br>6.77<br>8.48<br>5.17<br>9.10   | Z Z Z º Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z   | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$   | -   |
| 16.97<br>17.27<br>0.00<br>6.77<br>8 48<br>5.17<br>4.35  | Z Z O Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z   | \$ \$ 8 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$  | •   |
| 17.27<br>0.00<br>6.77<br>8.48<br>5.17<br>4.35   | Z <sup>O</sup> Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z  | \$ 00 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$   | _   |
| 0.00<br>6.77<br>8.48<br>5.17<br>4.35  | O Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z   | 00 <b>4 4 4 4 4 4 4 4 4 4</b> 4 4 4 4 4 4 4 4 4  |   |
| 6.77<br>8.48<br>5.17<br>4.35<br>9.10  | Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z   | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$   |   |
| 8.48<br>5.17<br>4.35<br>9.10  | Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z   | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$  |   |
| 5.17<br>4.35<br>9.10  | <b>ヹヹヹヹヹヹヹ</b> ヹヹヹ  | \$ \$ \$ \$ \$ \$ \$ \$ \$   |   |
| 4.35<br>9.10  | Z Z Z Z Z Z Z Z Z   | ¥  |   |
| 9.10  | ヹヹヹヹヹヹ  | \$ \$ \$ \$ \$ \$ \$   |   |
|   | <b>Ž Z Z Z Z Z</b>  | <u> </u>   |   |
| 5.24  | ヹヹヹヹ  | <b>₹</b> ₹ ₹ ₹   |   |
| 69.9  | ŽŽZZ  | <b>≨</b>   |   |
| 7.28  | ŻŹZ   | ₹ ₹  |   |
| 5.72  | ΖZ  | ≨  |   |
| 7.71  | Z   |  |   |
| 5.76  |   | ¥  |   |
| 4.53  | Z   | ₹  |   |
| 7.08  | Z   | ₹  |   |
| 13.40   | Ż   | ₹  |   |
| 8.19  | Ż   | ₹  |   |
| 8.50  | Z   | ¥  |   |
| 9.15  | Ż   | ¥  |   |
| 9.73  | Ż   | ¥  |   |
| 10.41   | Ż   | ¥  |   |
| 8.47  | Ż   | ¥  |   |
| 6.02  | Z   | ¥  |   |
| 8.32  | Ż   | ₹  |   |
| 10.92   | Ż   | ¥  |   |
| 12.71   | Ż   | ¥  |   |
| 6.20  | Ž   | ¥  |   |
| 13.75   | Ź   | ¥  |   |
| 16.88   | Ż   | ¥  |   |
| 17.11   | Ż   | ¥  |   |

Page 59 of 271

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                  |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
|----------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                                  | Physician    | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-              | 4                 | Transitioned      |        |
| Description                      | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | tacility<br>Total | tacility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| <br>Repair artery rupture, aorta | 38.39        | Ą               | NA              | 18.58           | 26.03           | 4.08             | ¥                 | NA                | 61.05             | 68.50             | 060    |
| Repair defect of artery          | 30.76        | ¥               | Ϋ́              | 14.96           | 21.77           | 3.38             | ¥                 | ¥                 | 49.10             | 55.91             | 060    |
| Repair artery rupture, groin     | 33.57        | ¥               | Ą               | 16.07           | 25.31           | 4.08             | ¥                 | ¥                 | 53.72             | 62.96             | 060    |
| Repair defect of artery          | 16.43        | ¥               | Ą<br>V          | 9.10            | 16.60           | 2.89             | ¥                 | ₹                 | 28.42             | 35.92             | 060    |
| Repair artery rupture, spleen    | 18.69        | ¥               | ¥               | 9.87            | 10.97           | 1.74             | ¥                 | ¥                 | 30.30             | 31.40             | 060    |
| Repair defect of artery          | 25.99        | ¥               | ¥               | 12.98           | 18.81           | 2.86             | ¥                 | ¥                 | 41.83             | 47.66             | 060    |
| Repair artery rupture, belly     | 33.45        | ž               | ¥<br>V          | 15.62           | 18.49           | 3.10             | ¥                 | ¥                 | 52.17             | 55.04             | 060    |
| Repair defect of artery          | 18.55        | ¥               | ¥               | 10.21           | 15.48           | 2.46             | ¥                 | ¥                 | 31.22             | 36.49             | 060    |
| Repair artery rupture, groin     | 21.95        | Š               | ₹               | 11.52           | 18.08           | 2.80             | ¥                 | ž                 | 36.27             | 42.83             | 060    |
| Repair defect of artery          | 14.46        | ¥               | ¥               | 8.03            | 13.97           | 2.25             | ¥                 | ¥                 | 24.74             | 30.68             | 060    |
| Repair artery rupture, thigh     | 15.86        | Ϋ́              | ¥               | 8.41            | 15.21           | 2.53             | ¥                 | ¥                 | 26.80             | 33.60             | 060    |
| Repair defect of artery          | 17.00        | ¥               | ¥               | 9.61            | 14.91           | 2.30             | ¥                 | ¥                 | 28.91             | 34.21             | 060    |
| Repair artery rupture, knee      | 16.70        | ¥               | Ą               | 9.89            | 10.02           | 1.53             | ¥                 | ¥                 | 28.12             | 28.25             | 060    |
| Repair defect of artery          | 18.76        | ¥               | Ϋ́              | 10.46           | 15.54           | 2.46             | ¥                 | ¥                 | 31.68             | 36.76             | 060    |
| Repair artery rupture            | 19.78        | ¥               | ¥               | 10.77           | 17.90           | 2.80             | ¥                 | ¥                 | 33.35             | 40.48             | 060    |
| Repair blood vessel lesion       | 13.62        | ¥               | ¥               | 7.33            | 7.83            | 1.16             | ¥                 | ¥                 | 22.11             | 22.61             | 060    |
| Repair blood vessel lesion       | 17.74        | Ϋ́              | ₹               | 9.79            | 11.12           | 1.26             | ¥                 | ¥                 | 28.79             | 30.12             | 060    |
| Repair blood vessel lesion       | 12.25        | ¥               | ¥               | 6.95            | 9.66            | 1.53             | ₹                 | ž                 | 20.73             | 23.44             | 060    |
| Repair blood vessel lesion       | 14.28        | ¥               | ¥               | 8.22            | 8.66            | 1.24             | ¥                 | ž                 | 23.74             | 24.18             | 060    |
| Repair blood vessel lesion       | 18.43        | ž               | ₹               | 9.79            | 11.67           | 1.73             | ₹                 | Š                 | 29.95             | 31.83             | 060    |
| Repair blood vessel lesion       | 12.75        | ¥               | A<br>A          | 7.19            | 10.21           | 1.67             | ¥                 | ž                 | 21.61             | 24.63             | 060    |
| Repair blood vessel lesion       | 66.6         | ¥               | ¥               | 5.64            | 9.61            | 1.52             | ₹                 | ¥                 | 17.15             | 21.12             | 060    |
| Repair blood vessel lesion       | 9.25         | ¥               | ₹               | 5.77            | 9.71            | 1.59             | ¥                 | ¥                 | 16.61             | 20.55             | 060    |
| Repair blood vessel lesion       | 10.15        | ¥               | ₹               | 8.88            | 11.01           | 1.51             | ₹                 | ¥                 | 20.54             | 22.67             | 060    |
| Repair blood vessel lesion       | 22.12        | Ϋ́              | ₹               | 20.99           | 16.14           | 2.03             | ₹                 | <b>∀</b><br>Z     | 45.14             | 40.29             | 060    |
| Repair blood vessel lesion       | 18.75        | ¥               | ¥               | 19.38           | 13.54           | 1.63             | ¥                 | ¥                 | 39.76             | 33.92             | 060    |
| Repair blood vessel lesion       | 16.42        | ¥               | ¥               | 8.70            | 11.21           | 1.72             | ₹                 | ¥                 | 26.84             | 29.35             | 060    |
| Repair blood vessel lesion       | 90.6         | Ϋ́              | ₹               | 6.36            | 9.71            | 1.53             | ₹                 | ₹                 | 16.95             | 20.30             | 060    |
| Repair blood vessel lesion       | 12.00        | ¥               | ¥               | 7.01            | 12.50           | 2.28             | ₹                 | Ϋ́                | 21.29             | 26.78             | 060    |
| Repair blood vessel lesion       | 10.54        | ₹               | <b>∀</b>        | 6.44            | 11.05           | 2.00             | ₹                 | ∢<br>Z            | 18.98             | 23.59             | 060    |
| Repair blood vessel lesion       | 23.12        | ¥               | ₹               | 27.25           | 17.79           | 2.03             | ¥                 | ¥                 | 52.40             | 45.94             | 060    |
| Repair blood vessel lesion       | 19.84        | Ϋ́              | ¥               | 20.74           | 18.99           | 1.68             | ¥                 | Ϋ́                | 42.26             | 40.51             | 060    |
| Repair blood vessel lesion       | 17.49        | ¥               | Ϋ́              | 9.22            | 10.11           | 1.47             | ¥                 | ¥                 | 28.18             | 29.07             | 060    |
| Repair blood vessel lesion       | 11.38        | ¥               | ¥               | 6.95            | 11.83           | 1.87             | ¥                 | Ϋ́                | 20.20             | 25.08             | 060    |
| Repair blood vessel lesion       | 11.63        | ¥               | ¥               | 6.31            | 11.99           | 2.08             | ¥                 | ¥                 | 20.02             | 25.70             | 060    |
| Repair blood vessel lesion       | 10.30        | ¥               | ¥               | 6.03            | 10.73           | 1.89             | ¥                 | ¥                 | 18.22             | 22.92             | 060    |
| Repair blood vessel lesion       | 22.12        | ¥               | Š               | 21.83           | 15.66           | 2.00             | ¥                 | ¥                 | 45.95             | 39.78             | 060    |
| Repair blood vessel lesion       | 18.75        | ž               | Ą               | 19.53           | 13.72           | 1.77             | Ϋ́                | Ϋ́                | 40.05             | 34.24             | 060    |
| Repair blood vessel lesion       | 16.48        | ¥               | ¥               | 9.03            | 16.32           | 2.64             | ¥                 | ٧                 | 28.15             | 35.44             | 060    |
| Repair blood vessel lesion       | 11.87        | Ϋ́              | ¥               | 7.21            | 11.34           | 1.82             | ¥                 | ¥                 | 20.90             | 25.03             | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

Page 61 of 271 2 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                                |            | •                       |                | Mon-            | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                     |        |
|--------------------------------|------------|-------------------------|----------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|---------------------|--------|
|                                |            |                         |                | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                     |        |
| -                              |            |                         | Physician      | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              |                   | <b>Transitioned</b> |        |
| CPT '/<br>HCPCS <sup>2</sup> M | Mod Status | Description             | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total   | Global |
| 35500                          | ပ          | Harvest vein for bypass | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | 777    |
| 35501                          | ∢          | Artery bypass graft     | 19.19          | ¥               | Ϋ́              | 9.34            | 18.09           | 2.73             | ¥                 | ¥                 | 31.26             | 40.01               | 060    |
| 35506                          | ∢          | Artery bypass graft     | 19.67          | ¥               | ¥               | 9.66            | 18.02           | 2.85             | ¥                 | ¥                 | 32.18             | 40.54               | 060    |
| 35507                          | ∢          | Artery bypass graft     | 19.67          | ¥               | Ą               | 9.94            | 17.07           | 2.82             | ¥                 | ¥                 | 32.43             | 39.56               | 060    |
| 35508                          | ∢          | Artery bypass graft     | 18.65          | ¥               | ¥               | 9.64            | 17.15           | 2.68             | ¥                 | ¥                 | 30.97             | 38.48               | 060    |
| 35509                          | ∢          | Artery bypass graft     | 18.07          | ¥               | Ϋ́              | 90.6            | 17.65           | 3.07             | ¥                 | ¥                 | 30.20             | 38.79               | 060    |
| 35511                          | ∢          | Artery bypass graft     | 16.83          | ¥               | ¥               | 8.83            | 10.68           | 1.50             | ¥                 | ¥                 | 27.16             | 29.01               | 060    |
| 35515                          | ∢          | Artery bypass graft     | 18.65          | ¥               | ¥               | 10.09           | 11.68           | 1.57             | ¥                 | ¥                 | 30.31             | 31.90               | 060    |
| 35516                          | ∢          | Artery bypass graft     | 16.32          | ¥               | ¥               | 8.23            | 16.20           | 2.77             | ¥                 | ¥                 | 27.32             | 35.29               | 060    |
| 35518                          | ∢          | Artery bypass graft     | 15.42          | ¥               | ¥               | 7.41            | 15.66           | 2.64             | ¥                 | ¥                 | 25.47             | 33.72               | 060    |
| 35521                          | ∢          | Artery bypass graft     | 16.17          | ¥               | ¥               | 8.77            | 16.46           | 2.61             | ¥                 | ¥                 | 27.55             | 35.24               | 060    |
| 35526                          | ∢          | Artery bypass graft     | 20.00          | ¥               | ¥<br>Y          | 10.74           | 13.22           | 1.91             | ¥                 | ¥                 | 32.65             | 35.13               | 060    |
| 35531                          | ∢          | Artery bypass graft     | 25.61          | ¥               | Š               | 12.63           | 19.64           | 3.05             | ¥                 | ¥                 | 41.29             | 48.30               | 060    |
| 35533                          | ∢          | Artery bypass graft     | 20.52          | ¥               | ¥               | 10.50           | 19.75           | 3.47             | ¥                 | ¥                 | 34.49             | 43.74               | 060    |
| 35536                          | ∢          | Artery bypass graft     | 23.11          | ¥               | ¥               | 11.73           | 20.33           | 3.26             | ¥                 | ¥                 | 38.10             | 46.70               | 060    |
| 35541                          | ∢          | Artery bypass graft     | 25.80          | ₹               | <b>₹</b>        | 13.63           | 19.32           | 2.86             | ¥                 | Š                 | 42.29             | 47.98               | 060    |
| 35546                          | ∢          | Artery bypass graft     | 25.54          | ¥               | ₹               | 13.18           | 20.70           | 3.33             | ₹                 | ₹                 | 42.05             | 49.57               | 060    |
| 35548                          | ∢          | Artery bypass graft     | 21.57          | ¥               | ¥               | 10.79           | 18.61           | 2.86             | ¥                 | ¥                 | 35.22             | 43.04               | 060    |
| 35549                          | ⋖          | Artery bypass graft     | 23.35          | ¥               | ₹               | 12.14           | 20.44           | 3.33             | ¥                 | ¥                 | 38.82             | 47.12               | 060    |
| 35551                          | ∢          | Artery bypass graft     | 26.67          | ¥               | ¥               | 13.89           | 19.14           | 3.03             | ¥                 | ¥                 | 43.59             | 48.84               | 060    |
| 35556                          | ∢          | Artery bypass graft     | 21.76          | ¥               | ₹               | 11.09           | 18.01           | 2.90             | ¥                 | ≨                 | 35.75             | 42.67               | 060    |
| 35558                          | ∢          | Artery bypass graft     | 14.04          | ¥:              | ¥ :             | 7.56            | 14.46           | 2.53             | ≨ :               | ¥ :               | 24.13             | 31.03               | 060    |
| 35560                          | ∢          | Artery bypass graft     | 23.56          | ¥ :             | ₹ :             | 12.13           | 19.49           | 3.07             | <b>≨</b> :        | Ž:                | 38.76             | 46.12               | 060    |
| 35563                          | ∢          | Artery bypass graft     | 15.14          | ≨ :             | <b>≨</b> :      | 8.23            | 8.83            | 1.33             | ≨ :               | ≨ :               | 24.70             | 25.30               | 060    |
| 35565                          | ⋖          | Artery bypass graft     | 15.14          | ₹ :             | ₹ :             | 8.40            | 15.65           | 2.75             | ≨ :               | ₹ :               | 26.29             | 33.54               | 060    |
| 35566                          | ∢          | Artery bypass graft     | 26.92          | ¥:              | <b>≨</b> :      | 15.28           | 20.61           | 3.19             | ≨ :               | ¥ :               | 45.39             | 50.72               | 060    |
| 35571                          | ∢ ⋅        | Artery bypass graft     | 18.58          | ₹ :             | <u> </u>        | 11.24           | 18.57           | 3.03             | ≨ :               | ₹ :               | 32.85             | 40.18               | 9 6    |
| 35582                          | ∢ ⋅        | Vein bypass graft       | 27.13          | ₹ :             | ₹ :             | 13.49           | 22.69           | 3.00<br>0.00     | ≨ \$              | ¥ :               | 44.45             | 33.03               | 9 6    |
| 35583                          | ∢ •        | Vein bypass graft       | 22.37          | ¥               | Y Y             | 17.00           | 19.00           | 5.23<br>5.63     | <u> </u>          | ₹ <u>₹</u>        | 37.00             | 45.20               | 200    |
| 22303                          | < <        | Veil bypass glait       | 10.05          | <u> </u>        | <u> </u>        | 1.63            | 10.00           | 20.00            | <u> </u>          | Ş                 | 37.70             | 70.07               | 8 8    |
| 35601                          | € 4        | Veill bypass grait      | 17.50          | Z Z             | ζ <del>Υ</del>  | 8.64            | 17.49           | 2.53             | ₹ <del>₹</del>    | £ ₹               | 28.75             | 37.60               | 060    |
| 35606                          | < ⊲        | Artery bynass graff     | 18.71          | ¥               | Ϋ́ X            | 9.17            | 16.58           | 2.75             | ¥                 | ₹<br>Z            | 30.63             | 38.04               | 060    |
| 35612                          | < ∢        | Artery bypass graft     | 15.76          | ₹               | Ź               | 8.44            | 15.75           | 2.58             | ₹                 | ₹                 | 26.78             | 34.09               | 060    |
| 35616                          | < <        | Artery bypass graft     | 15.70          | ¥               | ¥               | 7.84            | 15.63           | 2.68             | ¥                 | ¥                 | 26.22             | 34.01               | 060    |
| 35621                          | ⋖          | Artery bypass graft     | 14.54          | ¥               | ¥               | 7.80            | 14.96           | 2.97             | ¥                 | ¥                 | 25.31             | 32.47               | 060    |
| 35623                          | ∢          | Bypass graft, not vein  | 16.62          | ¥               | ¥               | 8.82            | 8.77            | 1.47             | ¥                 | ¥                 | 26.91             | 26.86               | 060    |
| 35626                          | ∢          | Artery bypass graft     | 23.63          | ¥               | ¥               | 12.53           | 19.83           | 3.19             | ¥                 | ¥                 | 39.35             | 46.65               | 060    |
| 35631                          | ⋖          | Artery bypass graft     | 24.60          | ¥               | ¥               | 12.57           | 17.69           | 2.79             | ¥                 | ¥                 | 39.96             | 45.08               | 060    |
| 35636                          | ∢          | Artery bypass graft     | 22.46          | Ϋ́              | Y<br>Y          | 11.61           | 13.89           | 1.92             | ¥                 | ₹                 | 35.99             | 38.27               | 060    |

7 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |        | Ē                            |              | Non-            | Transitioned    |                 | Iransitioned    |                  | _                 |                   |                   |                   |        |
|--------------------|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                    |        |                              |              | facility        | Non-facility    | Facility        | Facility        | :                |                   | Transitioned      |                   |                   |        |
| _,                 |        |                              | Physician    | practice        | practice        | practice        | practice        | -Wal-            | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
|                    | ⋖      | Artery bypass graft          | 24.57        | ¥               | W               | 12.74           | 19.92           | 3.19             | ΑN                | ΑN                | 40.50             | 47.68             | 060    |
|                    | ∢      | Artery bypass graft          | 17.98        | ¥               | ¥               | 9.17            | 10.70           | 1.72             | ¥                 | ¥                 | 28.87             | 30.40             | 060    |
| 35645              | ∢      | Artery bypass graft          | 17.47        | ₹               | Ā               | 8.22            | 11.13           | 1.60             | Ϋ́                | ¥                 | 27.29             | 30.20             | 060    |
| 35646              | ∢      | Artery bypass graft          | 25.81        | ¥               | ¥               | 13.23           | 22.67           | 3.70             | Ϋ́                | Ϋ́                | 42.74             | 52.18             | 060    |
| 35650              | ∢      | Artery bypass graft          | 14.36        | ¥               | Ą               | 7.40            | 14.71           | 2.79             | ¥                 | Š                 | 24.55             | 31.86             | 060    |
|                    | ∢      | Artery bypass graft          | 25.04        | ¥               | Ą               | 13.43           | 22.96           | 3.67             | Ϋ́                | ¥                 | 42.14             | 51.67             | 060    |
| 35654              | ∢      | Artery bypass graft          | 18.61        | ¥               | ¥               | 9.77            | 19.11           | 3.46             | ¥                 | ¥                 | 31.84             | 41.18             | 060    |
| 35656              | ∢      | Artery bypass graft          | 19.53        | ¥               | Ϋ́              | 9.56            | 16.82           | 2.82             | ¥                 | ¥                 | 31.91             | 39.17             | 060    |
|                    | ∢      | Artery bypass graft          | 13.18        | ¥               | ¥               | 6.97            | 13.55           | 2.58             | ¥                 | ¥                 | 22.73             | 29.31             | 060    |
| 35663              | ∢      | Artery bypass graft          | 14.17        | ¥               | Ą               | 8.13            | 14.72           | 2.97             | ¥                 | Ϋ́                | 25.27             | 31.86             | 060    |
| 35665              | ∢      | Artery bypass graft          | 15.40        | ¥               | ¥               | 8.67            | 15.95           | 2.79             | ¥                 | Ϋ́                | 26.86             | 34.14             | 060    |
| 35666              | ∢      | Artery bypass graft          | 19.19        | ¥               | Ϋ́              | 11.88           | 19.30           | 3.13             | Ϋ́                | ¥                 | 34.20             | 41.62             | 060    |
|                    | ∢      | Artery bypass graft          | 14.80        | ¥               | ¥               | 9.70            | 15.12           | 3.19             | ¥                 | ¥                 | 27.69             | 33.11             | 060    |
|                    | ∢      | Composite bypass graft       | 1.60         | ¥               | Ϋ́              | 2.05            | 7.73            | 2.75             | ¥                 | Ą                 | 6.40              | 12.08             | 777    |
|                    | ∢      | Composite bypass graft       | 7.20         | 2.81            | 2.81            | 2.74            | 2.74            | 2.75             | 12.76             | 12.76             | 12.69             | 12.69             | 222    |
|                    | ∢      | Composite bypass graft       | 8.50         | 3.32            | 3.32            | 3.22            | 3.22            | 2.75             | 14.57             | 14.57             | 14.47             | 14.47             | 777    |
|                    | ∢      | Arterial transposition       | 18.05        | ≨               | ¥               | 8.79            | 18.17           | 2.98             | ¥                 | Š                 | 29.82             | 39.20             | 060    |
|                    | ∢      | Arterial transposition       | 15.36        | ¥               | ¥               | 7.47            | 9.52            | 1.49             | ¥                 | ₹                 | 24.32             | 26.37             | 060    |
|                    | ∢      | Arterial transposition       | 19.16        | ¥               | ¥               | 9.12            | 9.88            | 1.70             | ₹                 | Š                 | 29.98             | 30.74             | 060    |
|                    | ∢      | Arterial transposition       | 19.16        | ¥               | Ϋ́              | 9.04            | 9.86            | 1.70             | ¥                 | Š                 | 29.90             | 30.72             | 060    |
|                    | ∢      | Reoperation, bypass graft    | 3.08         | ₹               | Ϋ́              | 2.78            | 2.01            | 0.30             | ¥                 | Ϋ́                | 6.16              | 5.39              | 222    |
|                    | ∢      | Exploration, carotid artery  | 5.55         | ≨ :             | ¥<br>Z          | 4.13            | 5.77            | 0.98             | <b>ĕ</b>          | ₹<br>Z            | 10.66             | 12.30             | 060    |
|                    | ∢      | Exploration, femoral artery  | 5.28         | ≨ :             | ¥:              | 3.78            | 5.47            | 0.87             | ≨ :               | ¥<br>Z            | 9.93              | 11.62             | 060    |
|                    | ∢      | Exploration popliteal artery | 5.37         | ₹               | <b>∀</b>        | 3.96            | 5.66            | 0.90             | ₹                 | ₹<br>Z            | 10.23             | 11.93             | 060    |
|                    | ∢ •    | Exploration of artery/vein   | 5.37         | ≨ :             | ₹ å             | 3.99            | 5.73            | 0.89             | <b>≨</b>          | ₹ \$              | 10.25             | 11.99             | 060    |
|                    | ∢ •    | Explore neck vessels         | 7.02         | <u> </u>        | Ž               | 4.24            | 5.50<br>8.00    | 0.70             | <u> </u>          | <u> </u>          | 20.02             | 50.0              | 200    |
|                    | ∢ <    | Explore chest Vessels        | 9 77         | ž ž             | ₹ <b>4</b>      | 9. 9.<br>9. 9.  | 7.49            | 1.12             | ξ Z               | ζ Z               | 17 29             | 18.39             |        |
|                    | < ∢    | Explore limb vessels         | 5.55         | ≨               | Ź<br>Ż          | 3.88            | 5.70            | 06:0             | Ź                 | ž ₹               | 10.33             | 12.15             | 060    |
|                    | < <    | Repair vessel graft defect   | 22.17        | ¥               | Ą               | 12.48           | 11.78           | 1.93             | ¥                 | ¥                 | 36.58             | 35.88             | 060    |
| 35875              | ∢      | Removal of clot in graft     | 10.13        | ₹               | Ϋ́              | 5.87            | 8.15            | 1.29             | ¥                 | Ϋ́                | 17.29             | 19.57             | 060    |
| 35876              | ∢      | Removal of clot in graft     | 17.00        | ¥               | Ϋ́              | 8.90            | 8.91            | 1.29             | ¥                 | Ϋ́                | 27.19             | 27.20             | 060    |
|                    | ∢      | Excision, graft, neck        | 8.19         | ¥               | Ϋ́              | 5.87            | 7.31            | 1.14             | ¥                 | Ą                 | 15.20             | 16.64             | 060    |
| 35903              | ∢      | Excision, graft, extremity   | 9.39         | ¥               | ¥               | 7.77            | 7.79            | 1.14             | ¥                 | ¥                 | 18.30             | 18.32             | 060    |
| 35905              | ∢      | Excision, graft, thorax      | 18.19        | ¥               | ¥               | 20.33           | 10.93           | 1.14             | Ϋ́                | Ą                 | 39.66             | 30.26             | 060    |
|                    | ∢      | Excision, graft, abdomen     | 19.24        | Ϋ́              | ¥               | 12.34           | 8.93            | 1.14             | ¥                 | ¥                 | 32.72             | 29.31             | 060    |
| 36000              | ∢      | Place needle in vein         | 0.18         | 0.43            | 0.30            | 0.05            | 0.10            | 0.03             | 0.64              | 0.51              | 0.26              | 0.31              | ×      |
| 36005              | ∢      | Injection, venography        | 0.95         | 16.56           | 4.52            | 0.26            | 0.45            | 0.03             | 17.54             | 5.50              | 1.24              | 1.43              | 000    |
| 36010              | ∢      | Place catheter in vein       | 2.43         | ¥               | ¥               | 1.54            | 2.10            | 0.24             | ¥                 | ¥                 | 4.21              | 4.77              | ×      |
|                    | ∢      | Place catheter in vein       | 3.14         | ¥               | Ą               | 1.84            | 2.01            | 0.17             | Ϋ́                | ¥                 | 5.15              | 5.32              | ×      |
|                    |        |                              |              |                 |                 |                 |                 |                  |                   |                   |                   |                   |        |

Page 63 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Denial Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                |            |   |              | Non-            | Transitioned    |                 | Transitioned    |                  |                   |                     |                   |                     |            |
|--------------------------------|------------|---|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|---------------------|-------------------|---------------------|------------|
|                                |            |   |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | <b>Transitioned</b> |                   |                     |            |
| 1,                             |            |   | Physician    | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-                | 1                 | <b>Transitioned</b> |            |
| CPT /<br>HCPCS <sup>2</sup> ML | Mod Status | Description   | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total   | Facility<br>Total | Facility<br>Total   | Global     |
| 36012                          | ∢          | Place catheter in vein                              | 3.52         | Ą               | Ą               | 2.23            | 2.73            | 0.25             | Ą                 | ¥                   | 00.9              | 6.50                | ××         |
| 36013                          | ∢          | Place catheter in artery                            | 2.52         | ¥               | Ϋ́              | 1.40            | 2.07            | 0.24             | ¥                 | ¥                   | 4.16              | 4.83                | ×          |
| 36014                          | ∢          | Place catheter in artery                            | 3.02         | ¥               | ₹               | 1.87            | 2.32            | 0.21             | ¥                 | ¥                   | 5.10              | 5.55                | ×          |
| 36015                          | ∢          | Place catheter in artery                            | 3.52         | ¥               | Ą               | 1.99            | 2.67            | 0.25             | ¥                 | ¥                   | 5.76              | 6.44                | ×          |
| 36100                          | ∢          | Establish access to artery                          | 3.02         | ¥               | ¥               | 2.08            | 2.63            | 0.25             | ¥                 | ¥                   | 5.35              | 5.90                | ×          |
| 36120                          | ∢          | Establish access to artery                          | 2.01         | ¥               | ¥               | 1.47            | 2.17            | 0.23             | ¥                 | ¥                   | 3.71              | 4.41                | ×          |
| 36140                          | ∢          | Establish access to artery                          | 2.01         | ¥               | ¥               | 1.48            | 1.52            | 0.19             | ¥                 | ¥                   | 3.68              | 3.72                | ×          |
| 36145                          | ∢          | Artery to vein shunt                                | 2.01         | ¥               | Ą               | 1.57            | 2.19            | 0.38             | ¥                 | ¥                   | 3.96              | 4.58                | ×          |
| 36160                          | ∢          | Establish access to aorta                           | 2.52         | Š               | ¥               | 1.73            | 2.32            | 0.27             | ¥                 | ¥                   | 4.52              | 5.11                | ×          |
| 36200                          | ∢          | Place catheter in aorta                             | 3.02         | ¥               | Ϋ́              | 0.87            | 2.44            | 0.22             | ¥                 | ¥<br>V              | 4.11              | 5.68                | ×          |
| 36215                          | ∢          | Place catheter in artery                            | 4.68         | ¥               | Ą               | 2.45            | 2.88            | 0.18             | ¥                 | ¥                   | 7.31              | 7.74                | ×          |
| 36216                          | ∢          | Place catheter in artery                            | 5.28         | ¥               | Ϋ́              | 2.78            | 3.37            | 0.21             | ¥                 | ¥                   | 8.27              | 8.86                | ×          |
| 36217                          | ∢          | Place catheter in artery                            | 6.30         | ¥               | Ϋ́              | 3.13            | 3.97            | 0.25             | ¥                 | ¥                   | 9.68              | 10.52               | ×          |
| 36218                          | ∢          | Place catheter in artery                            | 1.01         | ¥               | Ϋ́              | 1.58            | 06.0            | 0.04             | ₹                 | ¥                   | 2.63              | 1.95                | 777        |
| 36245                          | ∢          | Place catheter in artery                            | 4.68         | ¥               | ¥               | 2.53            | 3.20            | 0.20             | ₹                 | ¥                   | 7.41              | 8.08                | ×          |
| 36246                          | ∢          | Place catheter in artery                            | 5.28         | ¥               | Ϋ́              | 2.85            | 3.39            | 0.21             | ¥                 | <b>∀</b>            | 8.34              | 8.88                | ×          |
| 36247                          | ∢          | Place catheter in artery                            | 6.30         | <b>₹</b>        | ¥               | 3.08            | 3.96            | 0.25             | ¥                 | ₹                   | 9.63              | 10.51               | ×          |
| 36248                          | ∢          | Place catheter in artery                            | 1.01         | Š               | ¥<br>Y          | 1.58            | 06:0            | 0.04             | ₹                 | Š                   | 2.63              | 1.95                | 777        |
| 36260                          | ⋖          | Insertion of infusion pump                          | 9.71         | Š               | ¥<br>¥          | 5.68            | 6.90            | 1.10             | ¥                 | ₹                   | 16.49             | 17.71               | 060        |
| 36261                          | ∢          | Revision of infusion pump                           | 5.45         | ≨               | ₹               | 3.71            | 2.74            | 0.33             | ¥                 | ₹                   | 9.49              | 8.52                | 060        |
| 36262                          | ∢          | Removal of infusion pump                            | 4.02         | Ϋ́              | ₹               | 3.02            | 2.32            | 0.31             | ₹                 | ₹<br>Z              | 7.35              | 6.65                | 060        |
| 36299                          | ပ          | Vessel injection procedure                          | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00                | 0.00              | 0.00                | }          |
| 36400                          | ∢          | Drawing blood                                       | 0.18         | 0.50            | 0.20            | 0.04            | 0.05            | 0.01             | 0.69              | 0.39                | 0.23              | 0.24                | ž          |
| 36405                          | ∢ •        | Drawing blood                                       | 0.18         | 0.36            | 0.46            | 0.04            | 0.20            | 0.02             | 0.56              | 0.66                | 0.24              | 0.40                | X S        |
| 36406                          | ∢          | Drawing blood                                       | 0.18         | 0.36            | 0.22            | 0.04            | 90.0            | 0.01             | 0.55              | 0.41                | 0.23              | 0.27                | ž          |
| 36410                          | ∢          | Drawing blood                                       | 0.18         | 0.37            | 0.27            | 9.0             | 0.09            | 0.02             | 0.57              | 0.47                | 0.24              | 0.29                | ž          |
| 36415                          |            | Drawing blood                                       | 0.00         | 00.0            | 0.00            | 0.00            | 0.00            | 0.00             | 3                 | 0.00                | 9.5               | 00.0                | <b>X</b>   |
| 36420                          | ∢ •        | Establish access to vein                            | 1.01         | ₹ <u>.</u>      | 1 C             | 0.00            | 0.51            | 9.0              | ₹ °               | Ž 7                 | 3 5               | <u>.</u> .          | <b>{</b> } |
| 36425<br>36430                 | ∢          | Establish access to Veill Blood transfusion service | 0.0          | 10.7            | 2.7             | 0.53            | 0.52            | 0.0              | 3.20<br>1.09      | ÷ 6                 | 0.58              | 0.57                | { X        |
| 36440                          | < ∢        | Blood transfusion service                           | 1.03         | ¥               | ¥               | 0.44            | 0.88            | 0.05             | ¥                 | ¥                   | 1.52              | 1.96                | ×          |
| 36450                          | <          | Exchange transfusion service                        | 2.23         | ¥               | ¥               | 0.89            | 66.0            | 0.14             | ¥                 | ¥                   | 3.26              | 3.36                | ×          |
| 36455                          | ∢          | Exchange transfusion service                        | 2.43         | ¥               | ₹               | 0.92            | 2.08            | 0.17             | ¥                 | ¥                   | 3.52              | 4.68                | ×          |
| 36460                          | ⋖          | Transfusion service, fetal                          | 6.59         | ¥               | ¥               | 2.43            | 4.44            | 0.85             | ¥                 | ¥                   | 9.87              | 11.88               | ×          |
| 36468                          | œ          | Injection(s); spider veins                          | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00                | ×          |
| 36469                          | œ          | Injection(s); spider veins                          | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00                | 0.00              | 0.00                | ×          |
| 36470                          | ∢          | Injection therapy of vein                           | 1.09         | 2.31            | 0.80            | 0.40            | 0.21            | 0.03             | 3.43              | 1.92                | 1.52              | 1.33                | 010        |
| 36471                          | ∢          | Injection therapy of veins                          | 1.57         | 2.59            | 96.0            | 0.58            | 0.30            | 0.04             | 4.20              | 2.57                | 2.19              | 1.91                | 010        |
| 36481                          | ∢          | Insertion of catheter, vein                         | 6.99         | <b>∀</b>        | ¥               | 2.34            | 4.90            | 0.48             | ¥                 | ¥                   | 9.81              | 12.37               | 00         |
| 36488                          | ∢          | Insertion of catheter, vein                         | 1.35         | ¥               | ¥               | 0.54            | 0.92            | 0.11             | ž                 | ₹                   | 2.00              | 2.38                | 000        |

Page 64 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Dental Association. All rights reserved.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| (PT 1/ |            |                                |                |                 |                 |          |                 |      |          |                   |                   |                   |          |
|--------|------------|--------------------------------|----------------|-----------------|-----------------|----------|-----------------|------|----------|-------------------|-------------------|-------------------|----------|
|        |            |                                |                | facility        | Non-facility    | Facility | Facility        |      |          | Transitioned      |                   |                   |          |
|        |            |                                | Physician      | practice        | practice        | practice | practice        | Mal- | Non-     | Non-              | ÷                 | Transitioned      |          |
|        | Mod Status | s                              | Work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | RVUs     | expense<br>RVUs | RUVs | Total    | racılıry<br>Total | raciiity<br>Total | Facility<br>Total | Global   |
| 36489  | ۲          | Insertion of catheter, vein    | 1.22           | 3.45            | 1.78            | 0.46     | 1.03            | 0.13 | 4.80     | 3.13              | 1.81              | 2.38              | 000      |
| 36490  | ∢          | Insertion of catheter, vein    | 1.67           | ¥               | Ϋ́              | 0.56     | 1.27            | 0.16 | ¥        | Ϋ́                | 2.39              | 3.10              | 8        |
| 36491  | ⋖          | Insertion of catheter, vein    | 1.43           | ¥               | Ą               | 0.58     | 1.42            | 0.25 | ¥        | Ϋ́                | 2.26              | 3.10              | 8        |
| 36493  | ∢          | Repositioning of cvc           | 1.21           | ¥               | Ą               | 0.57     | 0.65            | 0.13 | ž        | ¥                 | 1.91              | 1.99              | 8        |
| 36500  | ⋖          | Insertion of catheter, vein    | 3.52           | ¥               | ¥               | 1.86     | 0.53            | 0.01 | ¥        | Ϋ́                | 5.39              | 4.06              | 8        |
| 36510  | ∢          | Insertion of catheter, vein    | 1.09           | ¥               | Ą               | 0.71     | 0.32            | 0.02 | ¥        | Ϋ́                | 1.82              | 1.43              | 8        |
| 36520  | ⋖          | Plasma and/or cell exchange    | 1.74           | ¥               | Ą               | 0.88     | 1.77            | 0.09 | ¥        | Ϋ́                | 2.71              | 3.60              | 8        |
| 36522  | ∢          | Photopheresis                  | 1.67           | 7.87            | 3.99            | 1.00     | 1.75            | 0.29 | 9.83     | 5.95              | 2.96              | 3.71              | 8        |
| 36530  | œ          | Insertion of infusion pump     | 6.20           | ¥               | ¥               | 3.47     | 4.79            | 0.80 | ¥        | Š                 | 10.47             | 11.79             | 010      |
| 36531  | œ          |                                | 4.87           | ¥               | ¥               | 3.13     | 4.34            | 0.21 | ¥        | Ϋ́                | 8.21              | 9.42              | 910      |
| 36532  | œ          | Removal of infusion pump       | 3.30           | ¥               | Š               | 1.68     | 1.86            | 0.29 | ¥        | Ϋ́                | 5.27              | 5.45              | 99       |
| 36533  | ∢          | Insertion of access port       | 5.32           | 3.20            | 4.30            | 3.11     | 4.27            | 99.0 | 9.18     | 10.28             | 60.6              | 10.25             | 010      |
| 36534  | ⋖          | Revision of access port        | 2.80           | ¥               | ž               | 1.54     | 2.89            | 0.16 | ¥        | Ϋ́                | 4.50              | 5.85              | 9        |
| 36535  | ∢          | Removal of access port         | 2.27           | 2.16            | 2.01            | 2.21     | 2.02            | 0.30 | 4.73     | 4.58              | 4.78              | 4.59              | 99       |
| 36600  | ∢          | . Withdrawal of arterial blood | 0.32           | 0.30            | 0.30            | 90.0     | 0.25            | 0.02 | 0.64     | 0.64              | 0.42              | 0.59              | ž        |
| 36620  | ∢          | Insertion catheter, artery     | 1.15           | ¥               | Ą               | 0.38     | 0.64            | 0.11 | ¥        | Ϋ́                | 1.64              | 1.90              | 8        |
| 36625  | ∢          | Insertion catheter, artery     | 2.11           | ¥               | ¥               | 09.0     | 0.85            | 0.14 | ¥        | ₹                 | 2.85              | 3.10              | 8        |
| 36640  | ⋖          | Insertion catheter, artery     | 2.10           | ¥               | ¥               | 1.09     | 2.16            | 0.31 | ¥        | Ϋ́                | 3.50              | 4.57              | 8        |
| 36660  | ∢          | Insertion catheter, artery     | 1.40           | ¥               | Ϋ́              | 92.0     | 0.59            | 0.03 | ž        | ₹                 | 2.19              | 2.02              | 8        |
| 36680  | ∢          | Insert needle, bone cavity     | 1.20           | ¥               | Ϋ́              | 0.54     | 1.15            | 0.08 | ž        | ₹                 | 1.82              | 2.43              | 8        |
| 36800  | ⋖          | Insertion of cannula           | 2.43           | ¥               | Š               | 1.57     | 2.20            | 0.22 | ¥        | ₹                 | 4.22              | 4.85              | 8        |
| 36810  | ⋖          | Insertion of cannula           | 3.97           | ¥               | Š               | 2.44     | 4.17            | 0.58 | ž        | ₹                 | 6.99              | 8.72              | 8        |
| 36815  | ⋖          | Insertion of cannula           | 2.62           | Š               | <b>∀</b>        | 1.83     | 2.81            | 0.55 | ¥        | <b>∀</b>          | 5.00              | 5.98              | 8        |
| 36821  | ⋖          | Artery-vein fusion             | 8.93           | ¥               | Ϋ́              | 4.87     | 7.11            | 1.14 | ž        | ₹                 | 14.94             | 17.18             | 060      |
| 36822  | ⋖          | Insertion of cannula(s)        | 5.42           | ₹               | ¥<br>Z          | 7.64     | 6.47            | 0.60 | ¥        | ₹                 | 13.66             | 12.49             | 8        |
| 36823  | ပ          | Insertion cannula(s)           | 0.00           | 0.00            | 0.00            | 0.00     | 0.00            | 0.00 | 0.00     | 0.00              | 0.00              | 0.00              | ž        |
| 36825  | ∢          | Artery-vein graft              | 9.84           | ¥               | Ϋ́              | 5.49     | 10.18           | 1.73 | ¥        | ¥                 | 17.06             | 21.75             | 060      |
| 36830  | ∢          | . Artery-vein graft            | 12.00          | ¥               | Ϋ́              | 6.14     | 9.64            | 1.85 | ¥        | Ϋ́                | 19.99             | 23.49             | 8        |
| 36831  | ⋖          | Av fistula excision            | 8.00           | 2.38            | 2.38            | 2.98     | 2.98            | 1.29 | 11.67    | 11.67             | 12.27             | 12.27             | 060<br>0 |
| 36832  | ⋖          | Av fistula revision            | 10.50          | ₹<br>Z          | ¥               | 5.56     | 7.17            | 1.86 | ž        | <b>∀</b>          | 17.92             | 19.53             | 8        |
| 36833  | ∢          | Av fistula revision            | 11.95          | 4.52            | 4.52            | 4.49     | 4.49            | 1.29 | 17.76    | 17.76             | 17.73             | 17.73             | 8        |
| 36834  | ∢          | Repair A-V aneurysm            | 9.93           | Ϋ́              | ¥               | 5.04     | 7.61            | 1.30 | ¥        | <b>∀</b>          | 16.27             | 18.84             | 8        |
| 36835  | ∢          | Artery to vein shunt           | 7.15           | ¥               | ¥               | 4.13     | 3.82            | 0.62 | ¥        | Ϋ́                | 11.90             | 11.59             | 8        |
| 36860  | ∢          | . External cannula declotting  | 2.01           | 2.62            | 2.75            | 2.04     | 2.31            | 0.34 | 4.97     | 5.10              | 4.39              | 4.66              | 8        |
| 36861  | ∢          | . Cannula declotting           | 2.52           | ¥               | Š               | 1.63     | 2.67            | 0.79 | ¥        | Ϋ́                | 4.94              | 5.98              | 8        |
| 37140  | ∢          | Revision of circulation        | 23.60          | ž               | ¥<br>V          | 10.54    | 15.90           | 2.61 | ¥        | Ϋ́                | 36.75             | 42.11             | 66       |
| 37145  | ∢          | Revision of circulation        | 24.61          | Š               | Š               | 13.08    | 17.21           | 1.35 | ¥        | ¥                 | 39.04             | 43.17             | 66       |
| 37160  | ∢          | Revision of circulation        | 21.60          | Ą               | Ϋ́              | 10.53    | 17.07           | 2.97 | ¥        | Ϋ́                | 35.10             | 41.64             | 8        |
| 37180  | ∢          | Revision of circulation        | 24.61          | ¥               | Š               | 11.26    | 14.37           | 2.16 | ¥        | ¥                 | 38.03             | 41.14             | 66       |
| 37181  | ∢          | Splice spleen/kidney veins     | 26.68          | Š               | Ϋ́              | 12.02    | 16.36           | 2.75 | <b>∀</b> | Ϋ́                | 41.45             | 45.79             | 060      |

Fage 65 of 271 Codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                             |     |        |                              |           |                  |                              |                 | 1 11 11               |                  |                   |                   |                   |                   |        |
|-----------------------------|-----|--------|------------------------------|-----------|------------------|------------------------------|-----------------|-----------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |     |        |                              |           | non-<br>facility | Iransitioned<br>Non-facility | Facility        | ransmonea<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| -                           |     |        |                              | Physician | practice         | practice                     | practice        | practice              | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| OPT //<br>HCPG <sup>2</sup> | Mod | Status | Description                  | work 3    | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs       | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 37195                       |     | ∢      | Thrombolytic therapy, stroke | 0.00      | 8.37             | 8.34                         | 8.37            | 8.34                  | 0.42             | 8.79              | 8.76              | 1                 | 8.76              | ×      |
| 37200                       |     | ∢      | Transcatheter biopsy         | 4.56      | ¥                | ¥                            | 3.32            | 2.13                  | 0.10             | ¥                 | ¥                 |                   | 6.79              | 000    |
| 37201                       |     | ∢      | Transcatheter therapy infuse | 5.00      | ¥                | Š                            | 2.90            | 5.20                  | 0.50             | ž                 | ¥                 |                   | 10.70             | 000    |
| 37202                       |     | ⋖      | Transcatheter therapy infuse | 5.68      | ¥                | Ϋ́                           | 3.87            | 4.47                  | 0.39             | ¥                 | ¥                 |                   | 10.54             | 00     |
| 37203                       |     | ∢      | Transcatheter retrieval      | 5.03      | ¥                | ¥                            | 2.87            | 3.83                  | 0.35             | ¥                 | ¥                 |                   | 9.21              | 00     |
| 37204                       |     | ∢      | Transcatheter occlusion      | 18.14     | ¥                | ¥                            | 7.41            | 13.05                 | 1.25             | ¥                 | ¥                 |                   | 32.44             | 00     |
| 37205                       |     | ∢      | Transcatheter stent          | 8.28      | ¥                | ¥                            | 4.61            | 5.35                  | 0.33             | ¥                 | ¥                 |                   | 13.96             | 00     |
| 37206                       |     | ⋖      | Transcatheter stent add-on   | 4.13      | ¥                | Ą                            | 2.36            | 2.69                  | 0.16             | ¥                 | ¥                 |                   | 6.98              | 777    |
| 37207                       |     | ∢      | Transcatheter stent          | 8.28      | ¥                | ¥                            | 4.31            | 5.28                  | 0.33             | ¥                 | ¥                 |                   | 13.89             | 8      |
| 37208                       |     | ∢      | Transcatheter stent add-on   | 4.13      | ¥                | ¥                            | 1.91            | 2.58                  | 0.16             | ¥                 | ¥                 |                   | 6.87              | 777    |
| 37209                       |     | ∢      | Exchange arterial catheter   | 2.27      | ¥                | ž                            | 1.64            | 1.56                  | 0.09             | ¥                 | ¥                 |                   | 3.92              | 8      |
| 37250                       |     | ⋖      | Intravascular us             | 2.10      | ¥                | ¥                            | 1.74            | 1.37                  | 0.10             | ¥                 | ¥                 |                   | 3.57              | 777    |
| 37251                       |     | ∢      | Intravascular us             | 1.60      | ¥                | ¥                            | 1.50            | 1.08                  | 0.08             | ¥                 | ¥                 |                   | 2.76              | 777    |
| 37565                       |     | ⋖      | Ligation of neck vein        | 4.44      | Ý                | Ą                            | 2.81            | 3.79                  | 0.58             | ¥                 | ¥                 |                   | 8.81              | 060    |
| 37600                       |     | ∢      | Ligation of neck artery      | 4.57      | ¥                | Ą                            | 4.03            | 5.06                  | 0.63             | ¥                 | ¥                 |                   | 10.26             | 060    |
| 37605                       |     | ∢      | Ligation of neck artery      | 6.19      | ¥                | ¥                            | 4.35            | 5.61                  | 0.81             | ¥                 | ¥                 |                   | 12.61             | 060    |
| 37606                       |     | ∢      | Ligation of neck artery      | 6.28      | ₹                | ₹                            | 5.02            | 6.07                  | 0.56             | ¥                 | ¥                 |                   | 12.91             | 060    |
| 37607                       |     | ∢      | Ligation of fistula          | 6.16      | ¥                | ¥                            | 3.30            | 3.32                  | 0.56             | ¥                 | ¥                 |                   | 10.04             | 060    |
| 37609                       |     | ∢      | Temporal artery procedure    | 2.30      | 5.03             | 3.07                         | 2.10            | 2.33                  | 0.30             | 7.63              | 2.67              |                   | 4.93              | 010    |
| 37615                       |     | ∢      | Ligation of neck artery      | 5.73      | ¥                | ₹                            | 4.28            | 5.65                  | 0.87             | ž                 | ¥                 |                   | 12.25             | 060    |
| 37616                       |     | ∢      | Ligation of chest artery     | 16.49     | ₹                | ¥                            | 15.97           | 7.42                  | 0.65             | ¥                 | ¥                 |                   | 24.56             | 060    |
| 37617                       |     | ∢      | Ligation of abdomen artery   | 15.95     | ž                | Ϋ́                           | 9.15            | 8.80                  | 1.20             | ¥                 | ¥                 |                   | 25.95             | 060    |
| 37618                       |     | ∢      | Ligation of extremity artery | 4.84      | ¥                | ¥                            | 3.47            | 4.92                  | 0.83             | ¥                 | ¥                 |                   | 10.59             | 060    |
| 37620                       |     | ∢      | Revision of major vein       | 10.56     | ¥                | ¥                            | 5.72            | 8.60                  | 1.16             | ¥                 | ¥                 |                   | 20.32             | 060    |
| 37650                       |     | ∢      | Revision of major vein       | 5.13      | ¥                | ₹                            | 3.50            | 4.15                  | 0.41             | ¥                 | ¥                 |                   | 9.69              | 060    |
| 37660                       |     | ⋖      | Revision of major vein       | 10.61     | ¥                | ₹                            | 6.52            | 6.31                  | 0.84             | ¥                 | ¥                 |                   | 17.76             | 060    |
| 37700                       |     | ∢      | Revise leg vein              | 3.73      | ¥                | ₹                            | 2.60            | 3.61                  | 0.57             | ¥                 | ¥                 |                   | 7.91              | 060    |
| 37720                       |     | ∢      | Removal of leg vein          | 5.66      | ¥                | ¥                            | 3.35            | 5.00                  | 0.81             | ž                 | ¥                 |                   | 11.47             | 060    |
| 37730                       |     | ∢      | Removal of leg veins         | 7.33      | ¥                | ₹<br>Ž                       | 4.38            | 6.75                  | 1.10             | ¥                 | ¥                 |                   | 15.18             | 060    |
| 37735                       |     | ∢      | Removal of leg veins/lesion  | 10.53     | ¥                | ¥                            | 6.31            | 8.37                  | 1.31             | ¥                 | <b>∀</b>          |                   | 20.21             | 060    |
| 37760                       |     | ∢      | Revision of leg veins        | 10.47     | ¥                | ¥                            | 6.50            | 7.72                  | 1.19             | ¥                 | ¥                 |                   | 19.38             | 060    |
| 37780                       |     | ∢      | Revision of leg vein         | 3.84      | ¥                | ¥                            | 2.64            | 2.20                  | 0.27             | ¥                 | ₹                 |                   | 6.31              | 060    |
| 37785                       |     | ∢      | Revise secondary varicosity  | 3.88      | 5.46             | 2.16                         | 3.16            | 1.59                  | 0.14             | 9.48              | 6.18              |                   | 5.61              | 060    |
| 37788                       |     | ∢      | Revascularization, penis     | 22.01     | ¥                | ¥                            | 11.46           | 15.19                 | 1.16             | ¥                 | ¥                 |                   | 38.36             | 060    |
| 37790                       |     | ∢      | Penile venous occlusion      | 8.34      | ¥                | ¥                            | 6.24            | 6.20                  | 0.43             | ¥                 | ¥                 |                   | 14.97             | 060    |
| 37799                       |     | ပ      | Vascular surgery procedure   | 0.00      | 0.00             | 0.00                         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              |                   | 0.00              | Ж      |
| 38100                       |     | 4      | Removal of spleen, total     | 13.01     | ¥                | Ϋ́                           | 6.56            | 8.60                  | 1.42             | ¥                 | ¥                 |                   | 23.03             | 060    |
| 38101                       |     | ∢      | Removal of spleen, partial   | 13.74     | ¥                | ¥                            | 7.24            | 7.50                  | 1.18             | ¥                 | ¥                 |                   | 22.42             | 060    |
| 38102                       |     | ∢      | Removal of spleen, total     | 4.80      | ¥                | ¥                            | 1.99            | 2.54                  | 0.45             | ¥                 | ¥                 |                   | 7.79              | 777    |
| 38115                       |     | ∢      | Repair of ruptured spleen    | 14.19     | Ϋ́               | ¥<br>Y                       | 7.02            | 7.97                  | 1.17             | Ϋ́                | Ϋ́                |                   | 23.33             | 060    |
|                             |     |        |                              |           |                  |                              |                 |                       |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        |                              |              | Non-            | Transitioned    | Facility        | Transitioned    |                  |                   | 7                 |                   |                   |        |
|------------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| -                            |     |        |                              | Physician    | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| OPT //<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 39220                        |     | ⋖      | Removal chest lesion         | 17.42        | ¥               | ₹               | 12.44           | 15.27           | 2.21             | ₹                 | ₹                 | 32.07             | 34.90             | 060    |
| 39400                        |     | <      | Visualization of chest       | 5.61         | ¥               | ₹               | 6.38            | 5.77            | 0.74             | ¥                 | ¥                 | 12.73             | 12.12             | 010    |
| 39499                        |     | ပ      | Chest procedure              | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₩      |
| 39501                        |     | ∢      | Repair diaphragm laceration  | 13.19        | ž               | ¥               | 8.94            | 10.91           | 1.64             | ¥                 | ¥                 | 23.77             | 25.74             | 060    |
| 39502                        |     | ∢      | Repair paraesophageal hernia | 16.33        | ¥               | ¥               | 9.73            | 12.15           | 1.92             | ¥                 | ₹                 | 27.98             | 30.40             | 060    |
| 39503                        |     | ∢      | Repair of diaphragm hernia   | 34.85        | ž               | ¥               | 15.89           | 24.47           | 2.30             | ¥                 | ₹                 | 53.04             | 61.62             | 060    |
| 39520                        |     | <      | Repair of diaphragm hernia   | 16.10        | ¥               | Ϋ́              | 10.62           | 12.86           | 1.92             | ¥                 | ¥                 | 28.64             | 30.88             | 060    |
| 39530                        |     | ⋖      | Repair of diaphragm hernia   | 15.41        | Ϋ́              | ₹<br>Z          | 10.14           | 13.98           | 2.12             | ¥                 | ¥                 | 27.67             | 31.51             | 060    |
| 39531                        |     | ∢      | Repair of diaphragm hernia   | 16.42        | ¥               | Ϋ́              | 10.21           | 10.69           | 1.4              | ¥                 | Ϋ́                | 28.04             | 28.52             | 060    |
| 39540                        |     | ∢      | Repair of diaphragm hernia   | 13.32        | ¥               | ₹               | 9.08            | 12.02           | 1.96             | ¥                 | Ϋ́                | 24.36             | 27.30             | 060    |
| 39541                        |     | ∢      | Repair of diaphragm hernia   | 14.41        | ¥               | <b>∀</b>        | 9.13            | 12.18           | 1.85             | ¥                 | Ϋ́                | 25.39             | 28.44             | 060    |
| 39545                        |     | ∢      | Revision of diaphragm        | 13.37        | ¥               | Š               | 9.70            | 8.85            | 1.02             | ¥                 | ¥                 | 24.09             | 23.24             | 060    |
| 39599                        |     | ပ      | Diaphragm surgery procedure  | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹      |
| 40490                        |     | ∢      | Biopsy of lip                | 1.22         | 1.32            | 0.93            | 0.62            | 0.46            | 0.05             | 2.59              | 2.20              | 1.89              | 1.73              | 00     |
| 40500                        |     | ∢      | Partial excision of lip      | 4.28         | 4.34            | 4.92            | 5.17            | 5.13            | 0.74             | 9.36              | 9.94              | 10.19             | 10.15             | 060    |
| 40510                        |     | ∢      | Partial excision of lip      | 4.70         | 5.14            | 5.49            | 5.81            | 5.66            | 0.65             | 10.49             | 10.84             | 11.16             | 11.01             | 060    |
| 40520                        |     | ∢      | Partial excision of lip      | 4.67         | 5.64            | 5.07            | 5.91            | 5.14            | 0.53             | 10.84             | 10.27             | 11.11             | 10.34             | 060    |
| 40525                        |     | ∢      | Reconstruct lip with flap    | 7.55         | ₹               | Š               | 7.70            | 8.69            | 1.12             | ¥                 | ₹                 | 16.37             | 17.36             | 060    |
| 40527                        |     | ∢      | Reconstruct lip with flap    | 9.13         | ¥               | ¥               | 8.73            | 10.36           | 1.29             | ₹                 | ₹                 | 19.15             | 20.78             | 060    |
| 40530                        |     | ∢      | Partial removal of lip       | 5.40         | 4.77            | 5.34            | 5.51            | 5.53            | 0.58             | 10.75             | 11.32             | 11.49             | 11.51             | 060    |
| 40650                        |     | ∢      | Repair lip                   | 3.64         | 3.88            | 4.23            | 3.58            | 4.15            | 0.51             | 8.03              | 8.38              | 7.73              | 8.30              | 060    |
| 40652                        |     | ∢      | Repair lip                   | 4.26         | 5.04            | 5.08            | 5.35            | 5.16            | 0.62             | 9.92              | 96.6              | 10.23             | 10.04             | 060    |
| 40654                        |     | ∢      | Repair lip                   | 5.31         | 5.65            | 6.17            | 6.25            | 6.32            | 0.78             | 11.74             | 12.26             | 12.34             | 12.41             | 060    |
| 40700                        |     | ∢      | Repair cleft lip/nasal       | 12.79        | ¥               | Š               | 9.72            | 9.32            | 1.0              | ¥                 | ¥                 | 23.51             | 23.11             | 060    |
| 40701                        |     | ∢      | Repair cleft lip/nasal       | 15.85        | ¥               | Y<br>Y          | 10.34           | 18.32           | 1.27             | ₹                 | ₹                 | 27.46             | 35.44             | 060    |
| 40702                        |     | ∢      | Repair cleft lip/nasal       | 13.04        | ¥               | Ϋ́              | 9.18            | 9.92            | 0.86             | ¥                 | ₹                 | 23.08             | 23.82             | 060    |
| 40720                        |     | ∢      | Repair cleft lip/nasal       | 13.55        | ¥               | ¥               | 10.66           | 10.47           | 1.40             | ¥                 | ₹                 | 25.61             | 25.42             | 060    |
| 40761                        |     | ∢      | Repair cleft lip/nasal       | 14.72        | ¥               | ₹               | 12.39           | 11.92           | 1.36             | ¥                 | ₹                 | 28.47             | 28.00             | 060    |
| 40799                        |     | ပ      | Lip surgery procedure        | 0.00         | 0.0             | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ₹      |
| 40800                        |     | ∢      | Drainage of mouth lesion     | 1.17         | 1.55            | 0.99            | 0.48            | 0.42            | 0.05             | 2.77              | 2.21              | 1.70              | 1.64              | 010    |
| 40801                        |     | ∢      | Drainage of mouth lesion     | 2.53         | 5.06            | 1.90            | 2.14            | 1.23            | 0.13             | 4.72              | 4.56              | 4.80              | 3.89              | 010    |
| 40804                        |     | ∢      | Removal foreign body, mouth  | 1.24         | 1.98            | 0.97            | 2.19            | 0.79            | 0.05             | 3.27              | 2.26              | 3.48              | 2.08              | 010    |
| 40805                        |     | ∢      | Removal foreign body, mouth  | 2.69         | 2.58            | 2.68            | 3.22            | 2.84            | 0.23             | 5.50              | 5.60              | 6.14              | 5.76              | 010    |
| 40806                        |     | ∢      | Incision of lip fold         | 0.31         | 0.72            | 0.47            | 0.93            | 0.53            | 0.02             | 1.05              | 0.80              | 1.26              | 98.0              | 00     |
| 40808                        |     | ∢      | Biopsy of mouth lesion       | 96.0         | 1.60            | 1.02            | 2.12            | 0.84            | 90.0             | 2.62              | 2.04              | 3.14              | 1.86              | 010    |
| 40810                        |     | ∢      | Excision of mouth lesion     | 1.31         | 2.13            | 1.49            | 2.40            | 1.08            | 0.09             | 3.53              | 2.89              | 3.80              | 2.48              | 010    |
| 40812                        |     | ∢      | Excise/repair mouth lesion   | 2.31         | 2.38            | 1.82            | 2.96            | 1.36            | 0.11             | 4.80              | 4.24              | 5.38              | 3.78              | 010    |
| 40814                        |     | ∢      | Excise/repair mouth lesion   | 3.42         | 3.32            | 3.46            | 4.37            | 2.41            | 0.25             | 6.9               | 7.13              | 8.04              | 90.9              | 060    |
| 40816                        |     | ∢      | Excision of mouth lesion     | 3.67         | 3.59            | 3.52            | 4.67            | 2.48            | 0.26             | 7.52              | 7.45              | 8.60              | 6.41              | 060    |
| 40818                        |     | ∢      | Excise oral mucosa for graft | 2.41         | 3.22            | 2.64            | 4.77            | 3.02            | 0.16             | 5.79              | 5.21              | 7.34              | 5.59              | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                  |     |        |                              |              | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |            |
|------------------|-----|--------|------------------------------|--------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
| 1                |     |        |                              | Physician    | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |            |
| CPT /<br>HCPCS 2 | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Globa      |
| 40819            |     | ∢      | Excise lip or cheek fold     | 2.41         | 2.85             | 1.71                         | 3.33            | 1.34                     | 0.11             | 5.37              | 4.23              | 5.85              | 3.86              | 060        |
| 40820            |     | ∢      | Treatment of mouth lesion    | 1.28         | 1.86             | 06:0                         | 2.30            | 0.79                     | 0.05             | 3.19              | 2.23              | 3.63              | 2.12              | 010        |
| 40830            |     | ∢      | Repair mouth laceration      | 1.76         | 1.94             | 1.03                         | 1.91            | 1.03                     | 0.05             | 3.75              | 2.84              | 3.72              | 2.84              | 010        |
| 40831            |     | ∢      | Repair mouth laceration      | 2.46         | 2.29             | 2.16                         | 2.72            | 2.26                     | 0.16             | 4.91              | 4.78              | 5.34              | 4.88              | 010        |
| 40840            |     | œ      | Reconstruction of mouth      | 8.73         | 5.50             | 6.49                         | 7.28            | 6.94                     | 0.57             | 14.80             | 15.79             | 16.58             | 16.24             | 8          |
| 40842            |     | œ      | Reconstruction of mouth      | 8.73         | 5.49             | 6.49                         | 6.54            | 6.75                     | 0.57             | 14.79             | 15.79             | 15.84             | 16.05             | 8          |
| 40843            |     | œ      | Reconstruction of mouth      | 12.10        | 92.9             | 8.80                         | 7.73            | 9.10                     | 0.81             | 19.47             | 21.71             | 20.64             | 22.01             | 8          |
| 40844            |     | œ      | Reconstruction of mouth      | 16.01        | 8.09             | 11.49                        | 8.65            | 11.63                    | 1.06             | 25.16             | 28.56             | 25.72             | 28.70             | 66         |
| 40845            |     | ď      | Reconstruction of mouth      | 18.58        | 9.83             | 19.09                        | 11.31           | 19.46                    | 1.51             | 29.92             | 39.18             | 31.40             | 39.55             | 060        |
| 40899            |     | ပ      | Mouth surgery procedure      | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹          |
| 41000            |     | ∢      | Drainage of mouth lesion     | 1.30         | 1.83             | 1.07                         | 1.63            | 0.72                     | 90.0             | 3.19              | 2.43              | 2.99              | 2.08              | 010        |
| 41005            |     | ∢      | Drainage of mouth lesion     | 1.26         | 1.76             | 0.94                         | 1.80            | 0.95                     | 0.05             | 3.07              | 2.25              | 3.11              | 2.26              | 910        |
| 41006            |     | ∢      | Drainage of mouth lesion     | 3.24         | 3.10             | 1.60                         | 3.34            | 1.66                     | 0.09             | 6.43              | 4.93              | 6.67              | 4.99              | 66         |
| 41007            |     | ∢      | Drainage of mouth lesion     | 3.10         | 2.92             | 3.09                         | 3.01            | 3.12                     | 0.23             | 6.25              | 6.42              | 6.34              | 6.45              | 80         |
| 41008            |     | ∢      | Drainage of mouth lesion     | 3.37         | 3.01             | 1.62                         | 3.27            | 1.25                     | 0.09             | 6.47              | 5.08              | 6.73              | 4.71              | 060        |
| 41009            |     | ∢      | Drainage of mouth lesion     | 3.59         | 2.99             | 3.44                         | 3.32            | 3.52                     | 0.27             | 6.85              | 7.30              | 7.18              | 7.38              | 8          |
| 41010            |     | ∢      | Incision of tongue fold      | 1.06         | 2.27             | 0.87                         | 3.23            | 1.1                      | 0.03             | 3.36              | 1.96              | 4.32              | 2.20              | 010        |
| 41015            |     | ∢      | Drainage of mouth lesion     | 3.96         | 3.32             | 1.54                         | 3.18            | 1.50                     | 0.08             | 7.36              | 5.58              | 7.22              | 5.54              | 8          |
| 41016            |     | ∢      | Drainage of mouth lesion     | 4.07         | 3.34             | 3.84                         | 3.32            | 3.83                     | 0.30             | 7.71              | 8.21              | 69.7              | 8.20              | 8          |
| 41017            |     | ∢      | Drainage of mouth lesion     | 4.07         | 3.33             | 1.97                         | 3.28            | 1.96                     | 0.11             | 7.51              | 6.15              | 7.46              | 6.14              | 8          |
| 41018            |     | ∢      | Drainage of mouth lesion     | 5.10         | 3.76             | 4.14                         | 3.40            | 4.05                     | 0.30             | 9.16              | 9.54              | 8.80              | 9.45              | 8          |
| 41100            |     | ∢      | Biopsy of tongue             | 1.63         | 2.11             | 1.18                         | 2.56            | 0.97                     | 90.0             | 3.80              | 2.87              | 4.25              | 5.66              | 010        |
| 41105            |     | ∢      | Biopsy of tongue             | 1.42         | 1.96             | 1.33                         | 2.51            | 1.05                     | 0.0              | 3.47              | 2.84              | 4.02              | 2.56              | 010        |
| 41108            |     | ∢      | Biopsy of floor of mouth     | 1.05         | 1.81             | 1.14                         | 2.25            | 0.91                     | 0.07             | 2.93              | 2.26              | 3.37              | 2.03              | 010        |
| 41110            |     | ∢      | Excision of tongue lesion    | 1.51         | 2.43             | 1.67                         | 2.59            | 1.18                     | 0.12             | 4.06              | 3.30              | 4.22              | 2.81              | 910        |
| 41112            |     | ∢      | Excision of tongue lesion    | 2.73         | 2.87             | 2.66                         | 3.54            | 1.86                     | 0.18             | 5.78              | 5.57              | 6.45              | 4.77              | 8          |
| 41113            |     | ∢      | Excision of tongue lesion    | 3.19         | 2.89             | 3.50                         | 4.27            | 2.46                     | 0.29             | 6.37              | 6.98              | 7.75              | 5.94              | 060        |
| 41114            |     | ∢      | Excision of tongue lesion    | 8.47         | ¥                | ¥                            | 6.27            | 6.77                     | 0.57             | ₹                 | ₹                 | 15.31             | 15.81             | 8          |
| 41115            |     | ∢      | Excision of tongue fold      | 1.74         | 2.20             | 2.00                         | 2.41            | 2.05                     | 0.13             | 4.07              | 3.87              | 4.28              | 3.92              | 910        |
| 41116            |     | ∢      | Excision of mouth lesion     | 2.44         | 2.7              | 2.70                         | 3.42            | 2.88                     | 0.21             | 5.36              | 5.35              | 9.07              | 5.53              | 80         |
| 41120            |     | ∢      | Partial removal of tongue    | 9.77         | ₹                | ₹                            | 8.52            | 8.06                     | 69.0             | ¥                 | ₹<br>Z            | 18.98             | 18.52             | 060<br>060 |
| 41130            |     | ∢      | Partial removal of tongue    | 11.15        | Ϋ́               | ¥                            | 9.46            | 9.74                     | 0.89             | ¥                 | Ϋ́                | 21.50             | 21.78             | 060        |
| 41135            |     | ∢      | Tongue and neck surgery      | 23.09        | ¥                | ¥                            | 16.51           | 19.02                    | 2.07             | ¥                 | Ϋ́                | 41.67             | 44.18             | 80         |
| 41140            |     | ∢      | Removal of tongue            | 25.50        | <b>∀</b>         | ¥                            | 18.24           | 19.94                    | 1.92             | ¥                 | Ϋ́                | 45.66             | 47.36             | 060        |
| 41145            |     | ∢      | Tongue removal; neck surgery | 30.06        | ¥                | ¥                            | 22.58           | 24.19                    | 2.31             | ¥                 | Ą                 | 54.95             | 56.56             | 060        |
| 41150            |     | ∢      | Tongue, mouth, jaw surgery   | 23.04        | ¥                | ¥                            | 17.19           | 19.73                    | 1.92             | ¥                 | Ϋ́                | 42.15             | 44.69             | 060        |
| 41153            |     | ∢      | Tongue, mouth, neck surgery  | 23.77        | ¥                | Š                            | 17.95           | 24.84                    | 2.37             | ¥                 | Ϋ́                | 44.09             | 50.98             | 060        |
| 41155            |     | ∢      | Tongue, jaw, & neck surgery  | 27.72        | ¥                | Ϋ́                           | 20.54           | 29.51                    | 2.93             | ¥                 | Ϋ́                | 51.19             | 60.16             | 060        |
| 41250            |     | ∢      | Repair tongue laceration     | 1.91         | 2.14             | 1.41                         | 1.73            | 1.30                     | 0.0              | 4.14              | 3.41              | 3.73              | 3.30              | 910        |
| 41251            |     | ∢      | Repair tongue laceration     | 2.27         | 1.97             | 2.18                         | 2.17            | 2.23                     | 0.16             | 4.40              | 4.61              | 4.60              | 4.66              | 010        |

Page 69 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        |                              |                | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
|------------------------------|-----|--------|------------------------------|----------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| -                            |     |        |                              | Physician      | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work 3<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 41252                        |     | ◄      | Repair tongue laceration     | 2.97           | 2.87             | 2.63                         | 2.67            | 2.58                     | 0.20             | 6.04              | 5.80              | 5.84              | 5.75              | 010    |
| 41500                        |     | ∢      | Fixation of tongue           | 3.71           | ¥                | A<br>A                       | 3.46            | 3.54                     | 0.20             | ¥                 | ¥                 | 7.37              | 7.45              | 060    |
| 41510                        |     | ∢      | Tongue to lip surgery        | 3.42           | ¥                | Ą                            | 4.21            | 3.12                     | 0.35             | ¥                 | ¥                 | 7.98              | 6.89              | 060    |
| 41520                        |     | ∢      | Reconstruction, tongue fold  | 2.73           | 2.38             | 2.94                         | 3.37            | 3.19                     | 0.22             | 5.33              | 5.89              | 6.32              | 6.14              | 060    |
| 41599                        |     | ပ      | Tongue and mouth surgery     | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 00.0              | 0.00              | Х      |
| 41800                        |     | ∢      | Drainage of gum lesion       | 1.17           | 1.52             | 0.94                         | 1.36            | 0.63                     | 0.05             | 2.74              | 2.16              | 2.58              | 1.85              | 010    |
| 41805                        |     | ∢      | Removal foreign body, gum    | 1.24           | 1.50             | 1.06                         | 1.89            | 1.16                     | 90.0             | 2.80              | 2.36              | 3.19              | 2.46              | 010    |
| 41806                        |     | ∢      | Removal foreign body,jawbone | 2.69           | 5.09             | 1.86                         | 2.67            | 1.34                     | 0.12             | 4.90              | 4.67              | 5.48              | 4.15              | 010    |
| 41820                        |     | œ      | Excision, gum, each quadrant | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 00.0              | 0.00              | ×      |
| 41821                        |     | œ      | Excision of gum flap         | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 41822                        |     | œ      | Excision of gum lesion       | 2.31           | 2.24             | 3.03                         | 0.97            | 2.71                     | 0.20             | 4.75              | 5.54              | 3.48              | 5.22              | 010    |
| 41823                        |     | œ      | Excision of gum lesion       | 3.30           | 2.91             | 3.68                         | 3.00            | 3.71                     | 0.27             | 6.48              | 7.25              | 6.57              | 7.28              | 060    |
| 41825                        |     | ∢      | Excision of gum lesion       | 1.31           | 1.89             | 1.69                         | 2.34            | 1.19                     | 0.11             | 3.31              | 3.11              | 3.76              | 2.61              | 010    |
| 41826                        |     | ∢      | Excision of gum lesion       | 2.31           | 2.20             | 2.24                         | 2.52            | 1.48                     | 0.14             | 4.65              | 4.69              | 4.97              | 3.93              | 010    |
| 41827                        |     | ∢      | Excision of gum lesion       | 3.42           | 2.95             | 3.80                         | 3.77            | 2.47                     | 0.30             | 6.67              | 7.52              | 7.49              | 6.19              | 060    |
| 41828                        |     | œ      | Excision of gum lesion       | 3.09           | 2.56             | 3.96                         | 2.48            | 3.94                     | 0.26             | 5.91              | 7.31              | 5.83              | 7.29              | 010    |
| 41830                        |     | œ      | Removal of gum tissue        | 3.35           | 2.70             | 3.68                         | 2.94            | 3.74                     | 0.28             | 6.33              | 7.31              | 6.57              | 7.37              | 010    |
| 41850                        |     | œ      | Treatment of gum lesion      | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 41870                        |     | œ      | Gum graft                    | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 41872                        |     | œ      | Repair gum                   | 2.59           | 2.31             | 2.90                         | 3.42            | 3.17                     | 0.21             | 5.11              | 5.70              | 6.22              | 5.97              | 060    |
| 41874                        |     | œ      | Repair tooth socket          | 3.09           | 2.40             | 3.37                         | 2.46            | 3.38                     | 0.25             | 5.74              | 6.71              | 5.80              | 6.72              | 060    |
| 41899                        |     | ပ      | Dental surgery procedure     | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | λ      |
| 42000                        |     | ∢      | Drainage mouth roof lesion   | 1.23           | 1.88             | 0.97                         | 1.69            | 0.68                     | 0.05             | 3.16              | 2.25              | 2.97              | 1.96              | 010    |
| 42100                        |     | ∢      | Biopsy roof of mouth         | 1.31           | 1.93             | 1.13                         | 2.41            | 0.93                     | 90.0             | 3.30              | 2.50              | 3.78              | 2.30              | 010    |
| 42104                        |     | ∢      | Excision lesion, mouth roof  | 1.64           | 2.00             | 1.82                         | 2.64            | 1.32                     | 0.13             | 3.77              | 3.59              | 4.41              | 3.09              | 010    |
| 42106                        |     | ∢      | Excision lesion, mouth roof  | 2.10           | 2.16             | 2.35                         | 2.84            | 1.62                     | 0.16             | 4.42              | 4.61              | 5.10              | 3.88              | 010    |
| 42107                        |     | ∢      | Excision lesion, mouth roof  | 4.44           | 3.45             | 4.84                         | 4.43            | 3.10                     | 0.39             | 8.28              | 29.6              | 9.26              | 7.93              | 060    |
| 42120                        |     | ∢      | Remove palate/lesion         | 6.17           | ≨                | Š                            | 5.93            | 7.01                     | 0.79             | ¥                 | <b>∀</b>          | 12.89             | 13.97             | 060    |
| 42140                        |     | ∢      | Excision of uvula            | 1.62           | 2.86             | 1.82                         | 3.17            | 1.90                     | 0.12             | 4.60              | 3.56              | 4.91              | 3.64              | 060    |
| 42145                        |     | ∢      | Repair, palate,pharynx/uvula | 8.05           | ₹                | ¥                            | 7.37            | 9.06                     | 1.13             | ¥                 | ¥                 | 16.55             | 18.24             | 060    |
| 42160                        |     | ∢      | Treatment mouth roof lesion  | 1.80           | 2.26             | 1.81                         | 2.70            | 1.30                     | 0.13             | 4.19              | 3.74              | 4.63              | 3.23              | 010    |
| 42180                        |     | ∢      | Repair palate                | 2.50           | 2.49             | 2.45                         | 2.46            | 2.44                     | 0.20             | 5.19              | 5.15              | 5.16              | 5.14              | 010    |
| 42182                        |     | ∢      | Repair palate                | 3.83           | 2.64             | 3.49                         | 3.42            | 3.68                     | 0.30             | 6.77              | 7.62              | 7.55              | 7.81              | 010    |
| 42200                        |     | ∢      | Reconstruct cleft palate     | 12.00          | ¥                | Ϋ́                           | 10.23           | 8.41                     | 99.0             | ¥                 | Š                 | 22.89             | 21.07             | 060    |
| 42205                        |     | ∢      | Reconstruct cleft palate     | 9.59           | ¥                | Ϋ́                           | 6.44            | 10.20                    | 0.62             | ¥                 | Ϋ́                | 16.65             | 20.41             | 060    |
| 42210                        |     | 4      | Reconstruct cleft palate     | 14.50          | ¥                | Ϋ́                           | 9.41            | 12.54                    | 0.74             | ¥                 | Ą                 | 24.65             | 27.78             | 060    |
| 42215                        |     | ∢      | Reconstruct cleft palate     | 8.82           | ¥                | Ϋ́                           | 8.12            | 8.28                     | 0.67             | ¥                 | Ϋ́                | 17.61             | 17.77             | 060    |
| 42220                        |     | ∢      | Reconstruct cleft palate     | 7.02           | ₹                | Ą                            | 5.97            | 5.89                     | 0.63             | ¥                 | <b>∀</b>          | 13.62             | 13.54             | 060    |
| 42225                        |     | ∢      | Reconstruct cleft palate     | 9.54           | ¥                | ¥                            | 8.58            | 7.76                     | 0.84             | ¥                 | ¥                 | 18.96             | 18.14             | 060    |
| 42226                        |     | ∢      | Lengthening of palate        | 10.01          | ¥                | Ϋ́                           | 9.18            | 8.72                     | 0.67             | ¥                 | ¥                 | 19.86             | 19.40             | 060    |
|                              |     |        |                              |                |                  |                              |                 |                          |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| State of the control of the                         |     |                             |                | Non-<br>facility | Transitioned<br>Non-facility | Facility | Transitioned<br>Facility |                  |                  | Transitioned     |          |                          |        |
|--|-----|-----------------------------|----------------|------------------|------------------------------|----------|--------------------------|------------------|------------------|------------------|----------|--------------------------|--------|
| Procession of partial p                        |     |                             | Physician work | practice         | practice                     | practice | practice                 | Mal.<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| Lengthening of palate         952         NA         NA         756         794         NA         NA         145         1747         1774   | - 2 |                             | RVUs 3         | RVUs             | RVUs                         | RVUs     | RVUs                     | RUVs             | Total            | Total            | Total    | Total                    | Global |
| Regale froates         787         NA         NA         6.28         6.93         NA         NA         14.53         14.94           Regale froates to the fistulate         1.96         1.19         1.22         0.73         1.82         1.49         16.94         1.93         1.49         1.99         1.90         1.90         0.00   | - ~ | Lengthening of palate       | 9.52           | AN               | ĄN                           | 7.65     | 7.94                     | 0:30             | Ą                | ¥                | 17.47    | 17.76                    | 060    |
| Repair note to it in the standard parameters of the standard parameters of the standard parameters of the standard parameters of the standard parameters and the standard parameters of the standard parameters and the standard parameters of the standard parameters and the standard parameters of the standard parameters and the standard parameters of the standard parame                        |     | _                           | 7.87           | ¥                | ¥                            | 6.28     | 60.9                     | 0.38             | ¥                | ¥                | 14.53    | 14.34                    | 060    |
| Preparation, palate mold  154 119 192 0779 182 018 288 359 324 349  Insertion, palate prosthesis  150 000 000 000 000 000 000 000 000 000  |     |                             | 9.80           | 6.11             | 4.77                         | 6.34     | 4.83                     | 0.34             | 16.25            | 14.91            | 16.48    | 14.97                    | 060    |
| Inseretive, patient protestes 193 134 154 154 099 145 010 33 359 303 303 350 Dainage of salivary gland (a.g. 178) 134 154 154 154 099 000 000 000 000 000 000 000 000 00   |     | _                           | 1.54           | 1.19             | 1.92                         | 0.79     | 1.82                     | 0.13             | 2.86             | 3.59             | 2.46     | 3.49                     | 010    |
| Dailangey surgey,  Dailangey of salivary gland  Excise parottic gland/lesion  Excise parottic gl |     |                             | 1.93           | 1.34             | 1.54                         | 0.98     | 1.45                     | 0.12             | 3.39             | 3.59             | 3.03     | 3.50                     | 010    |
| Desimage of salivary gland  Desimage of salivary duct  Desimage of salivary  |     | _                           | 0.00           | 0.00             | 00:0                         | 0.00     | 0.00                     | 0.00             | 0.0              | 0.00             | 0.00     | 0.00                     | Х      |
| Desimage of salivary gland         607         NA         583         324         021         NA         187         324         021         NA         187         343         294         450         297         Desimage of salivary gland         156         173         123         240         0.05         343         294         457         473         473         473         474         475         473         473         474 </td <td></td> <td>_</td> <td>1.93</td> <td>2.20</td> <td>1.33</td> <td>2.77</td> <td>1.08</td> <td>0.09</td> <td>4.22</td> <td>3.35</td> <td>4.79</td> <td>3.10</td> <td>010</td>   |     | _                           | 1.93           | 2.20             | 1.33                         | 2.77     | 1.08                     | 0.09             | 4.22             | 3.35             | 4.79     | 3.10                     | 010    |
| Deliniage of salivary gland 156 1778 129 240 102 009 334 259 440 267 Create salivary cytid drain 273 229 220 129 200 171 477 477 457 457 457 Create salivary optid drain 273 229 220 129 200 171 477 477 457 457 457 457 Create salivary optid drain 273 229 220 129 200 171 477 477 457 457 457 457 457 Create salivary optid drain 273 236 220 120 000 055 007 750 520 720 720 720 720 720 720 720 720 720 7   |     |                             | 6.07           | ¥                | ¥                            | 5.83     | 3.24                     | 0.21             | ¥                | ₹                | 12.11    | 9.52                     | 060    |
| Decinge of salivary gland Create salivary cyst drain Create salivary gland Create salivary cyst drain Create salivary stone  |     | _                           | 1.56           | 1.78             | 1.29                         | 2.40     | 1.02                     | 0.09             | 3.43             | 2.94             | 4.05     | 2.67                     | 010    |
| Create salivary cyst drain         275         228         230         124         204         0.16         5.19         5.21         4.15         4.95           Removal of salivary cyst drain         2.18         3.46         4.25         2.27         3.94         0.26         7.50         8.29         6.27         7.98           Removal of salivary stone         2.1         3.06         2.78         4.40         2.11         0.21         6.68         6.30         7.92         6.68           Removal of salivary stone         3.31         3.06         2.78         4.40         2.11         0.21         6.89         6.90         3.77         2.99           Biopsy of salivary gland         0.78         2.21         1.20         0.90         0.56         0.30         8.63         8.43         1.96         6.79         1.60         8.99         1.70         1.99         8.09         8.09         8.00         8.09         8.00         8.09         8.00         8.09         8.00         8.09         8.00         8.09         8.00         8.00         8.00         8.00         8.00         8.00         8.00         8.00         8.00         8.00         8.00         8.00         8.00  |     |                             | 2.35           | 2.21             | 2.05                         | 2.95     | 2.23                     | 0.17             | 4.73             | 4.57             | 5.47     | 4.75                     | 010    |
| Create salivary cycl drain         378         346         425         223         394         0.26         7.60         480         377         379         7.98           Removal of salivary store         3.31         3.06         1.74         0.87         0.67         0.09         4.00         3.77         3.71         2.97           Removal of salivary store         3.31         3.06         2.74         0.44         561         3.14         0.35         887         9.39         1.79         5.97           Removal of salivary store         0.72         2.21         1.20         0.09         0.05         0.07         2.07         3.79         5.04           Biopsy of salivary gland         2.29         2.89         1.14         0.35         0.08         3.07         2.07         1.76         1.41         0.05         0.08         3.07         2.07         1.76         0.09         4.00         1.76         0.09         4.00         1.76         0.09         4.00         1.71         0.08         0.09         4.00         1.71         0.09         0.05         0.09         0.09         0.09         0.09         0.09         0.09         0.09         0.09         0.09         0.09  |     | _                           | 2.75           | 2.28             | 2.30                         | 1.24     | 2.04                     | 0.16             | 5.19             | 5.21             | 4.15     | 4.95                     | 060    |
| Removal of salivary stone         221         230         147         087         067         0.09         460         377         317         297           Removal of salivary stone         3.31         3.06         2.78         4.40         2.11         6.28         6.30         7.79         5.65           Biopsy of salivary stone         3.50         2.21         1.20         0.90         0.55         0.08         3.77   |     | _                           | 3.78           | 3.46             | 4.25                         | 2.23     | 3.94                     | 0.26             | 7.50             | 8.29             | 6.27     | 7.98                     | 060    |
| Removal of salivary stone         3.31         3.06         2.78         4.40         2.11         0.21         6.58         6.30         7.32         5.63           Removal of salivary stone         4.60         3.22         4.44         5.61         3.14         0.35         8.87         9.39         1.056         8.09           Biopsy of salivary gland         3.29         2.89         1.98         3.87         1.60         0.15         6.33         5.42         7.31         5.04           Excision of salivary cyst         4.54         3.79         3.59         5.11         3.32         0.23         6.33         5.42         7.31         5.04           Excision of salivary cyst         4.54         3.79         3.59         5.11         3.32         0.23         6.33         5.42         7.31         6.04         7.20         6.33         6.34         8.74         6.95         8.75         8.75         8.73   |     | _                           | 2.21           | 2.30             | 1.47                         | 0.87     | 0.67                     | 0.09             | 4.60             | 3.77             | 3.17     | 2.97                     | 010    |
| Removal of salivary stone         460         382         444         561         3.14         0.35         887         9.39         10.56         8.09           Blopsy of salivary gland         0.78         2.21         1.20         0.90         0.55         0.06         3.07         2.06         1.76         1.41           Blopsy of salivary gland         3.29         2.89         1.99         5.11         3.32         0.30         8.63         8.43         9.96         8.76           Excise paroid glandlesion         9.84         1.89         1.84         1.87         1.46         NA         NA         1.89         1.87         1.60         0.15         6.03         8.63         8.70         9.96         8.70           Excise paroid glandlesion         1.63         NA         NA         NA         1.46         NA         NA         1.80         1.37         1.46         NA         NA         3.20         2.50         8.71         1.80         1.75         1.74         1.79         8.72         8.72         1.00         9.93         8.72         9.96         8.72         9.73         8.73         8.73         9.60         1.73         9.73         8.73         9.73  |     | _                           | 3.31           | 3.06             | 2.78                         | 4.40     | 2.11                     | 0.21             | 6.58             | 6.30             | 7.92     | 5.63                     | 060    |
| Biopsy of salivary gland         0.78         2.21         1.20         0.90         0.55         0.08         3.07         2.06         1.76         1.41           Biopsy of salivary gland         3.29         2.89         1.98         3.87         1.60         0.95         6.33         5.42         7.31         5.04           Excise paroid gland/lesion         2.84         3.79         4.16         3.33         0.23         5.78         6.01         7.20         6.37           Excise paroid gland/lesion         16.89         NA         NA         1.46         3.33         0.23         5.78         6.01         7.20         6.37           Excise paroid gland/lesion         19.59         NA         NA         1.46         1.37         NA         NA         1.68         8.77         9.78         6.59         6.37         6.37         6.37         6.37         6.39         8.78         8.78         8.78         8.78         8.78         8.78         8.78         8.78         8.78         8.78         8.78         8.79         8.88         8.77         9.89         8.73         8.88         8.77         9.88         8.77         9.89         8.78         8.77         9.89         9.8  |     |                             | 4.60           | 3.92             | 4.44                         | 5.61     | 3.14                     | 0.35             | 8.87             | 9.39             | 10.56    | 8.09                     | 060    |
| Biopsy of salivary gland         3.29         2.89         1.98         3.87         1.60         0.15         6.33         5.42         7.31         5.04           Excision of salivary oyst         4.54         3.79         3.59         5.11         3.92         0.30         8.63         8.43         9.56         8.76           Excise paroid gland/lesion         9.34         NA         NA         13.08         13.59         1.31         NA         NA         18.20         16.59         8.75           Excise paroid gland/lesion         19.59         NA         NA         13.08         13.59         1.31         NA         NA         18.20         16.59         8.75           Excise paroid gland/lesion         19.59         NA         NA         13.69         1.31         NA         NA         18.20         16.59           Excise paroid gland/lesion         21.26         NA         NA         17.77         1.48         17.77         NA         NA         31.28         3.79         3.79         3.79         3.79         3.79         3.79         3.79         3.79         3.79         3.79         3.79         3.79         3.79         3.79         3.79         3.79         3.79   |     | _                           | 0.78           | 2.21             | 1.20                         | 0.90     | 0.55                     | 90.0             | 3.07             | 5.06             | 1.76     | 1.41                     | 000    |
| Excision of salivary cyst         4.54         3.79         3.59         5.11         3.92         0.30         8.63         8.43         9.95         8.76           Drainage of salivary cyst         2.81         2.74         2.97         4.16         3.33         0.23         5.78         6.01         7.20         6.37           Excise parotid gland/lesion         16.89         NA         NA         13.08         13.57         1.46         NA         NA         31.28         31.79           Excise parotid gland/lesion         19.59         NA         NA         18.84         15.77         1.46         NA         NA         31.28         31.79         31.79           Excise parotid gland/lesion         19.59         NA         NA         14.84         15.77         1.46         NA         NA         31.28         31.79         31.79           Excise parotid gland/lesion         19.59         NA         NA         1.69         2.30         2.30         2.30         2.30         3.68         3.68         3.68         3.68         3.67         3.79         3.79         3.79         3.77         3.79         3.77         3.79         3.77         3.70         3.72         3.79  |     |                             | 3.29           | 2.89             | 1.98                         | 3.87     | 1.60                     | 0.15             | 6.33             | 5.42             | 7.31     | 5.04                     | 010    |
| Excise parotid gland/lesion         2.81         2.74         2.97         4.16         3.33         0.23         5.78         6.01         7.20         6.37           Excise parotid gland/lesion         9.34         NA         18.4         6.87         0.72         NA         18.20         16.93           Excise parotid gland/lesion         19.59         NA         NA         18.4         15.77         1.46         NA         3.96.3         3.68.2           Excise parotid gland/lesion         13.02         NA         NA         16.8         11.76         1.12         NA         NA         3.68.3           Excise parotid gland/lesion         13.02         NA         NA         16.8         11.76         1.12         NA         NA         3.68.3           Excise parotid gland/lesion         13.02         NA         NA         16.8         17.76         1.17         NA         NA         3.69.3         3.68.2           Excise parotid gland/lesion         21.26         NA         NA         16.8         23.0         2.51         A.10         A.27         A.58         3.68.2           Excise parotid gland/lesion         21.26         NA         NA         16.40         27.8         4.10<   |     | _                           | 4.54           | 3.79             | 3.59                         | 5.11     | 3.92                     | 0.30             | 8.63             | 8.43             | 9.95     | 8.76                     | 060    |
| Excise parotid gland/lesion         9.34         NA         8.14         6.87         0.72         NA         18.20         16.93           Excise parotid gland/lesion         16.89         NA         NA         13.08         13.59         1.31         NA         NA         36.93         36.25           Excise parotid gland/lesion         15.02         NA         NA         16.89         11.76         1.12         NA         NA         39.63         36.73           Excise parotid gland/lesion         21.26         NA         NA         16.89         11.76         1.14         NA         39.63         36.73           Excise parotid gland/lesion         21.26         NA         NA         16.89         13.76         1.14         NA         39.63         36.77           Excision submaxillary gland         6.97         NA         16.80         23.00         2.51         NA         NA         14.14         15.58           Excision submaxillary gland         6.97         NA         16.90         7.84         0.77         NA         14.14         15.58           Repair salivary clarch         6.18         4.78         6.73         6.21         7.09         0.67         11.63         13.94 </td <td></td> <td>_</td> <td>2.81</td> <td>2.74</td> <td>2.97</td> <td>4.16</td> <td>3.33</td> <td>0.23</td> <td>5.78</td> <td>6.01</td> <td>7.20</td> <td>6.37</td> <td>060</td>  |     | _                           | 2.81           | 2.74             | 2.97                         | 4.16     | 3.33                     | 0.23             | 5.78             | 6.01             | 7.20     | 6.37                     | 060    |
| Excise parotid gland/lesion         16.89         NA         13.08         13.59         1.31         NA         NA         31.28         31.79           Excise parotid gland/lesion         19.59         NA         NA         14.84         15.77         1.46         NA         NA         35.89         36.82           Excise parotid gland/lesion         21.20         NA         NA         16.88         11.76         1.12         NA         NA         35.89         36.82           Excision submaxillary gland         6.97         NA         NA         6.40         7.84         0.77         NA         18.93         36.75           Excision sublingual gland/lesion         6.97         NA         NA         6.40         7.84         0.77         NA         14.14         15.89           Excision sublingual gland/lesion         4.62         3.99         3.78         5.25         4.10         0.27         NA         14.14         15.89           Repair salivary duct         4.62         3.99         3.78         5.25         4.10         0.27         NA         14.14         15.89           Parotid duct diversion         6.11         NA         NA         7.95         8.18         0.67  |     | _                           | 9.34           | ¥                | ¥                            | 8.14     | 6.87                     | 0.72             | ¥                | ¥                | 18.20    | 16.93                    | 060    |
| Excise parotid gland/lesion         19:59         NA         14.84         15.77         1.46         NA         NA         35.89         36.82           Excise parotid gland/lesion         13.02         NA         NA         10.88         11.76         1.12         NA         NA         25.90   |     |                             | 16.89          | Ϋ́               | ¥                            | 13.08    | 13.59                    | 1.31             | ¥                | ₹                | 31.28    | 31.79                    | 060    |
| Excise parotid gland/lesion         13.02         NA         NA         10.88         11.76         1.12         NA         NA         25.09           Excise parotid gland/lesion         21.26         NA         NA         10.88         11.76         1.12         NA         NA         25.00         25.1         NA         NA         39.63         46.77         25.90         25.91         NA         14.14         15.58         46.77         46.77         10.14         18.58         46.77         46.77         10.14         18.58         46.77  |     | Excise parotid gland/lesion | 19.59          | ¥                | ¥                            | 14.84    | 15.77                    | 1.46             | ₹                | ₹                | 35.89    | 36.82                    | 060    |
| Excise parotid gland/lesion         21.26         NA         NA         15.86         23.00         2.51         NA         NA         46.77           Excision submaxillary gland         6.97         NA         NA         6.40         7.84         0.77         NA         14.14         15.88           Excision subingual gland         4.62         3.99         3.78         5.25         4.10         0.27         8.88         8.67         10.14         15.89           Repair salivary duct         6.18         4.78         6.73         5.33         5.08         0.39         8.71         9.45         10.02         9.77           Repair salivary duct         6.18         4.78         6.21         7.09         0.67         11.63         13.58         13.06         13.94           Parotid duct diversion         9.10         NA         NA         7.95         8.18         0.74         NA         17.79         18.02           Parotid duct diversion         11.54         NA         NA         9.43         8.31         0.96         NA         14.21         16.39           Parotid duct diversion         8.15         NA         NA         5.40         7.58         0.66         NA  |     | _                           | 13.02          | ¥                | ¥                            | 10.88    | 11.76                    | 1.12             | ¥                | ¥                | 25.02    | 25.90                    | 060    |
| Excision submaxillary gland         6.97         NA         NA         6.40         7.84         0.77         NA         NA         14.14         15.58           Excision sublingual gland         4.62         3.99         3.78         5.26         4.10         0.27         8.88         8.67         10.14         8.99           Repair salivary duct         4.30         4.02         4.76         5.25         4.10         0.27         8.88         8.67         10.14         8.99           Repair salivary duct         6.18         4.78         6.23         5.26         4.10         0.27         8.88         8.67         10.14         8.99           Repair salivary duct         6.18         4.78         6.23         5.36         0.67         11.63         13.58         13.06         13.99           Parotid duct diversion         11.54         NA         NA         7.95         8.18         0.74         NA         17.79         18.02           Parotid duct diversion         11.55         11.75         3.30         0.34         0.45         0.06         NA         NA         14.21         16.39           Parotid duct diversion         1.15         11.75         3.30         0.34 <td></td> <td></td> <td>21.26</td> <td>Ϋ́</td> <td>Š</td> <td>15.86</td> <td>23.00</td> <td>2.51</td> <td>¥</td> <td><b>∀</b></td> <td>39.63</td> <td>46.77</td> <td>060</td>   |     |                             | 21.26          | Ϋ́               | Š                            | 15.86    | 23.00                    | 2.51             | ¥                | <b>∀</b>         | 39.63    | 46.77                    | 060    |
| Excision sublingual gland         4.62         3.99         3.78         5.25         4.10         0.27         8.88         8.67         10.14         8.99           Repair salivary duct         4.30         4.02         4.76         5.33         5.08         0.39         8.71         9.45         10.02         9.77           Repair salivary duct         6.18         4.78         6.73         6.21         7.09         0.67         11.63         13.58         13.06         13.94           Parotid duct diversion         6.11         NA         NA         7.95         8.18         0.74         NA         17.99         18.02           Parotid duct diversion         11.54         NA         NA         7.95         8.18         0.74         NA         17.79         18.02           Parotid duct diversion         11.54         NA         NA         5.40         7.58         0.66         NA         NA         17.29         11.99           Parotid duct diversion         11.55         NA         NA         5.40         7.58         0.66         NA         NA         14.21         16.39         11.79         11.79         11.73         11.75         13.0         13.0         13.0  |     |                             | 6.97           | ¥                | ¥                            | 6.40     | 7.84                     | 0.77             | ¥                | Ą                | 14.14    | 15.58                    | 060    |
| Repair salivary duct         4.30         4.02         4.76         5.33         5.08         0.39         8.71         9.45         10.02         9.77           Repair salivary duct         6.18         4.78         6.73         6.21         7.09         0.67         11.63         13.58         13.06         13.94           Parotid duct diversion         6.11         NA         NA         6.29         5.36         0.52         NA         NA         12.92         11.99           Parotid duct diversion         11.54         NA         NA         7.95         8.18         0.74         NA         17.9         18.02           Parotid duct diversion         11.54         NA         NA         7.95         8.18         0.74         NA         17.93         13.03           Parotid duct diversion         8.15         NA         NA         7.58         0.66         NA         NA         17.79         18.02           Parotid duct diversion         8.15         NA         NA         5.40         7.58         0.66         NA         NA         14.21         16.33         10.65         1.75         0.75         0.75         0.75         0.75         0.75         0.75         0.  |     |                             | 4.62           | 3.99             | 3.78                         | 5.25     | 4.10                     | 0.27             | 8.88             | 8.67             | 10.14    | 8.99                     | 060    |
| Repair salivary duct         6.18         4.78         6.73         6.21         7.09         0.67         11.63         13.58         13.06         13.94           Parotid duct diversion         6.11         NA         NA         6.29         5.36         0.52         NA         NA         12.92         11.99           Parotid duct diversion         11.54         NA         NA         7.95         8.18         0.74         NA         NA         17.99         11.99           Parotid duct diversion         11.54         NA         NA         7.95         8.18         0.74         NA         NA         17.99         11.99           Parotid duct diversion         11.54         NA         NA         7.58         0.66         NA         NA         17.79         18.02           Injection for salivary fistula         8.15         1.41.75         3.30         0.34         0.45         0.03         4.58         1.62         1.73           Closure of salivary duct         0.77         0.89         0.54         0.40         0.26         0.03         1.69         1.34         1.20         1.84           Ligation of salivary duct         2.53         2.41         4.21         2.71   |     | Repair salivary duct        | 4.30           | 4.02             | 4.76                         | 5.33     | 5.08                     | 0.39             | 8.71             | 9.45             | 10.02    | 9.77                     | 060    |
| Parotid duct diversion         6.11         NA         NA         6.29         5.36         0.52         NA         NA         12.92         11.99           Parotid duct diversion         9.10         NA         NA         7.95         8.18         0.74         NA         17.79         18.02           Parotid duct diversion         11.54         NA         NA         9.43         8.31         0.96         NA         NA         17.79         18.02           Parotid duct diversion         8.15         NA         NA         5.40         7.58         0.66         NA         NA         14.21         16.39           Injection for salivary x-ray         1.25         11.75         3.30         0.34         0.45         0.03         4.58         1.62         1.73           Closure of salivary fistula         4.82         4.97         4.41         5.78         4.61         0.36         0.3         1.69         1.73         1.73           Dilation of salivary duct         0.77         0.89         0.54         0.40         0.26         0.03         1.34         1.20         1.84           Salivary surgery procedure         0.00         0.00         0.00         0.00         0.00   |     |                             | 6.18           | 4.78             | 6.73                         | 6.21     | 7.09                     | 0.67             | 11.63            | 13.58            | 13.06    | 13.94                    | 060    |
| Parotid duct diversion         9.10         NA         NA         7.95         8.18         0.74         NA         NA         17.79         18.02           Parotid duct diversion         11.54         NA         NA         5.40         7.58         0.66         NA         NA         17.9         18.02           Parotid duct diversion         8.15         NA         NA         5.40         7.58         0.66         NA         NA         14.21         16.39           Injection for salivary x-ray         1.25         11.75         3.30         0.34         0.45         0.03         13.03         4.58         1.62         1.73           Closure of salivary x-ray         1.25         11.75         3.30         0.34         0.45         0.03         4.58         1.62         1.73           Dilation of salivary duct         0.77         0.89         0.54         0.40         0.26         0.03         1.69         1.84         3.20         1.89           Ligation of salivary duct         2.53         3.02         2.41         4.21         2.71         0.20         5.75         5.14         6.94         5.44           Salivary surgery procedure         0.00         0.00         0.00  |     | _                           | 6.11           | ¥                | ¥                            | 6.29     | 5.36                     | 0.52             | ¥                | ₹<br>Z           | 12.92    | 11.99                    | 060    |
| Parotid duct diversion         11.54         NA         NA         9.43         8.31         0.96         NA         NA         21.93         20.81           Parotid duct diversion         8.15         NA         NA         5.40         7.58         0.66         NA         NA         14.21         16.39           Injection for salivary x-ray         1.25         11.75         3.30         0.34         0.45         0.03         13.03         4.58         1.62         1.73           Closure of salivary fistula         4.82         4.97         4.41         5.78         4.61         0.36         10.15         9.59         10.96         9.79           Dilation of salivary duct         0.77         0.89         0.54         0.40         0.26         0.03         1.69         1.84         3.20         1.89           Ligation of salivary duct         2.53         3.02         2.41         4.21         2.71         0.20         5.75         5.14         6.94         5.44           Salivary surgery procedure         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00   |     |                             | 9.10           | ٧                | ¥                            | 7.95     | 8.18                     | 0.74             | ₹                | ₹                | 17.79    | 18.02                    | 060    |
| Parotid duct diversion         8.15         NA         NA         5.40         7.58         0.66         NA         NA         14.21         16.39           Injection for salivary x-ray         1.25         11.75         3.30         0.34         0.45         0.03         13.03         4.58         1.62         1.73           Closure of salivary x-ray         1.25         11.75         3.30         0.34         0.45         0.03         1.69         1.62         1.73           Closure of salivary fistula         4.82         4.97         4.41         5.78         4.61         0.36         10.15         9.59         10.96         9.79           Dilation of salivary duct         1.13         1.01         0.66         2.02         0.71         0.05         2.19         1.84         3.20         1.89           Ligation of salivary duct         2.53         3.02         2.41         4.21         2.71         0.20         5.75         5.14         6.94         5.44           Salivary surgery procedure         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00   |     | _                           | 11.54          | ¥                | ¥                            | 9.43     | 8.31                     | 96.0             | ¥                | <b>∀</b><br>Z    | 21.93    | 20.81                    | 060    |
| Injection for salivary x-ray         1.25         11.75         3.30         0.34         0.45         0.03         13.03         4.58         1.62         1.73           Closure of salivary fistula         4.82         4.97         4.41         5.78         4.61         0.36         10.15         9.59         10.96         9.79           Dilation of salivary duct         0.77         0.89         0.54         0.40         0.26         0.03         1.69         1.34         1.20         1.06           Ligation of salivary duct         2.53         3.02         2.41         4.21         2.71         0.20         5.75         5.14         6.94         5.44           Salivary surgery procedure         0.00 </td <td></td> <td>_</td> <td>8.15</td> <td>Ϋ́</td> <td>¥</td> <td>5.40</td> <td>7.58</td> <td>99.0</td> <td>¥</td> <td>¥</td> <td>14.21</td> <td>16.39</td> <td>060</td>   |     | _                           | 8.15           | Ϋ́               | ¥                            | 5.40     | 7.58                     | 99.0             | ¥                | ¥                | 14.21    | 16.39                    | 060    |
| Closure of salivary fistula         4.82         4.97         4.41         5.78         4.61         0.36         10.15         9.59         10.96         9.79           Dilation of salivary duct         0.77         0.89         0.54         0.40         0.26         0.03         1.69         1.34         1.20         1.06           Ligation of salivary duct         2.53         3.02         2.41         4.21         2.71         0.20         5.75         5.14         6.94         5.44           Salivary surgery procedure         0.00 <td></td> <td>_</td> <td>1.25</td> <td>11.75</td> <td>3.30</td> <td>0.34</td> <td>0.45</td> <td>0.03</td> <td>13.03</td> <td>4.58</td> <td>1.62</td> <td>1.73</td> <td>00</td>  |     | _                           | 1.25           | 11.75            | 3.30                         | 0.34     | 0.45                     | 0.03             | 13.03            | 4.58             | 1.62     | 1.73                     | 00     |
| Dilation of salivary duct         0.77         0.89         0.54         0.40         0.26         0.03         1.69         1.34         1.20         1.06           Dilation of salivary duct         1.13         1.01         0.66         2.02         0.71         0.05         2.19         1.84         3.20         1.89           Ligation of salivary duct         2.53         3.02         2.41         4.21         2.71         0.20         5.75         5.14         6.94         5.44           Salivary surgery procedure         0.00   |     | _                           | 4.82           | 4.97             | 4.41                         | 5.78     | 4.61                     | 0.36             | 10.15            | 9.59             | 10.96    | 9.79                     | 060    |
| Dilation of salivary duct         1.13         1.01         0.66         2.02         0.71         0.05         2.19         1.84         3.20         1.89           Ligation of salivary duct         2.53         3.02         2.41         4.21         2.71         0.20         5.75         5.14         6.94         5.44           Salivary surgery procedure         0.00 <td></td> <td>_</td> <td>0.77</td> <td>0.89</td> <td>0.54</td> <td>0.40</td> <td>0.26</td> <td>0.03</td> <td>1.69</td> <td>1.34</td> <td>1.20</td> <td>1.06</td> <td>8</td>  |     | _                           | 0.77           | 0.89             | 0.54                         | 0.40     | 0.26                     | 0.03             | 1.69             | 1.34             | 1.20     | 1.06                     | 8      |
| Ligation of salivary duct         2.53         3.02         2.41         4.21         2.71         0.20         5.75         5.14         6.94         5.44           Salivary surgery procedure         0.00         0.0  |     |                             | 1.13           | 1.01             | 99.0                         | 2.02     | 0.71                     | 0.05             | 2.19             | 1.84             | 3.20     | 1.89                     | 8      |
| Salivary surgery procedure         0.00 <th< td=""><td></td><td></td><td>2.53</td><td>3.02</td><td>2.41</td><td>4.21</td><td>2.71</td><td>0.20</td><td>5.75</td><td>5.14</td><td>6.94</td><td>5.44</td><td>060</td></th<>   |     |                             | 2.53           | 3.02             | 2.41                         | 4.21     | 2.71                     | 0.20             | 5.75             | 5.14             | 6.94     | 5.44                     | 060    |
| Drainage of tonsil abscess         1.62         2.46         1.31         2.17         0.89         0.08         4.16         3.01         3.87         2.59           Drainage of throat abscess         5.42         4.29         2.61         4.78         2.73         0.17         9.88         8.20         10.37         8.32   |     |                             | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | Х      |
| Drainage of throat absoess 5.42 4.29 2.61 4.78 2.73 0.17 9.88 8.20 10.37 8.32  |     | _                           | 1.62           | 2.46             | 1.31                         | 2.17     | 0.89                     | 0.08             | 4.16             | 3.01             | 3.87     | 2.59                     | 010    |
|  |     | _                           | 5.42           | 4.29             | 2.61                         | 4.78     | 2.73                     | 0.17             | 9.88             | 8.20             | 10.37    | 8.32                     | 010    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|       |        |        |                              | LINDOM D          | Mon-                | Transitioned        | א אוא לכטזא         | Transitioned        | ייייייייייייייייייייייייייייייייייייייי | ı                |                  |          |                          |        |
|-------|--------|--------|------------------------------|-------------------|---------------------|---------------------|---------------------|---------------------|---|------------------|------------------|----------|--------------------------|--------|
|       |        |        |                              |                   | facility            | Non-facility        | Facility            | Facility            | :                                       |                  | Transitioned     |          |                          |        |
| / LdD |        |        |                              | Physician<br>work | practice<br>expense | practice<br>expense | practice<br>expense | practice<br>expense | Mal-<br>practice                        | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| _     | Mod St | Status | Description                  | RVUs 3            | RVUs                | RVUs                | RVUs                | RVUs                | RUYs                                    | Total            | Total            | Total    | Total                    | Global |
| 42725 |        | A      | Drainage of throat abscess   | 10.72             | ¥                   | ¥                   | 8.24                | 99.5                | 0.41                                    | ¥                | ¥                | 19.37    | 16.81                    | 060    |
| 42800 |        | ∢      | Biopsy of throat             | 1.39              | 2.30                | 1.18                | 2.53                | 0.93                | 90:0                                    | 3.75             | 2.63             | 3.98     | 2.38                     | 010    |
| 42802 |        | ∢      | Biopsy of throat             | 1.54              | 2.40                | 1.43                | 2.59                | 1.48                | 0.09                                    | 4.03             | 3.06             | 4.22     | 3.11                     | 010    |
| 42804 |        | 4      | Biopsy of upper nose/throat  | 1.24              | 2.23                | 1.44                | 2.50                | 1.51                | 0.10                                    | 3.57             | 2.78             | 3.84     | 2.85                     | 010    |
| 42806 |        | ∢      | Biopsy of upper nose/throat  | 1.58              | 2.60                | 1.79                | 2.82                | 1.85                | 0.13                                    | 4.31             | 3.50             | 4.53     | 3.56                     | 010    |
| 42808 |        | 4      | Excise pharynx lesion        | 2.30              | 3.53                | 2.93                | 3.24                | 2.86                | 0.23                                    | 90.9             | 5.46             | 5.77     | 5.39                     | 010    |
| 42809 |        | ∢      | Remove pharynx foreign body  | 1.81              | 2.68                | 1.34                | 1.83                | 1.13                | 90:0                                    | 4.55             | 3.21             | 3.70     | 3.00                     | 010    |
| 42810 |        | ∢      | Excision of neck cyst        | 3.33              | 4.16                | 3.60                | 4.09                | 3.58                | 0.37                                    | 7.86             | 7.30             | 7.79     | 7.28                     | 060    |
| 42815 |        | ∢      | Excision of neck cyst        | 7.23              | ¥                   | Š                   | 6.59                | 8.12                | 0.88                                    | ¥                | ¥                | 14.70    | 16.23                    | 060    |
| 42820 |        | ∢      | Remove tonsils and adenoids  | 3.91              | ¥                   | Y<br>Y              | 2.45                | 3.18                | 0.25                                    | ¥                | ¥                | 6.61     | 7.34                     | 060    |
| 42821 |        | ∢      | Remove tonsils and adenoids  | 4.29              | ¥                   | ¥                   | 4.28                | 4.27                | 0.36                                    | ¥                | Š                | 8.93     | 8.92                     | 060    |
| 42825 |        | ∢      | Removal of tonsils           | 3.42              | ¥                   | ¥                   | 3.70                | 3.08                | 0.26                                    | ¥                | ¥                | 7.38     | 9.76                     | 060    |
| 42826 |        | ∢      | Removal of tonsils           | 3.38              | ₹                   | Ϋ́                  | 3.79                | 3.98                | 0.34                                    | ₹                | ¥                | 7.51     | 7.70                     | 060    |
| 42830 |        | ∢      | Removal of adenoids          | 2.57              | ¥                   | Ϋ́                  | 2.77                | 2.21                | 0.21                                    | ¥                | ¥                | 5.55     | 4.99                     | 060    |
| 42831 |        | ∢      | Removal of adenoids          | 2.71              | ¥                   | ¥<br>X              | 2.89                | 2.64                | 0.20                                    | ₹                | ¥                | 5.80     | 5.52                     | 060    |
| 42835 |        | ∢      | Removal of adenoids          | 2.30              | ¥                   | ¥<br>Z              | 2.80                | 2.22                | 0.08                                    | ₹                | ¥                | 5.18     | 4.60                     | 060    |
| 42836 |        | ∢      | Removal of adenoids          | 3.18              | ¥                   | ¥                   | 3.66                | 3.19                | 0.24                                    | ¥                | Š                | 7.08     | 6.61                     | 060    |
| 42842 |        | ∢      | Extensive surgery of throat  | 8.76              | ¥                   | ¥                   | 7.80                | 7.40                | 0.57                                    | ₹                | Ϋ́               | 17.13    | 16.73                    | 060    |
| 42844 |        | ∢      | Extensive surgery of throat  | 14.31             | ₹                   | ¥                   | 11.09               | 11.61               | 0.99                                    | ¥                | ¥                | 26.39    | 26.91                    | 060    |
| 42845 |        | ∢      | Extensive surgery of throat  | 24.29             | ₹                   | ¥                   | 17.79               | 19.61               | 1.74                                    | ¥                | Š                | 43.82    | 45.64                    | 060    |
| 42860 |        | ∢      | Excision of tonsil tags      | 2.22              | ¥                   | ¥<br>X              | 2.99                | 2.29                | 0.16                                    | ¥                | Ϋ́               | 5.37     | 4.67                     | 060    |
| 42870 |        | ∢      | Excision of lingual tonsil   | 5.40              | ¥                   | Ϋ́                  | 6.04                | 3.40                | 0.20                                    | ¥                | ¥                | 11.64    | 9.00                     | 060    |
| 42890 |        | ∢      | Partial removal of pharynx   | 12.94             | ₹                   | ¥                   | 11.14               | 10.11               | 0.81                                    | ₹                | Ϋ́               | 24.89    | 23.86                    | 060    |
| 42892 |        | ∢      | Revision of pharyngeal walls | 15.83             | ¥                   | ¥                   | 12.53               | 12.02               | 66.0                                    | ₹                | ¥                | 29.35    | 28.84                    | 060    |
| 42894 |        | ∢      | Revision of pharyngeal walls | 22.88             | Ϋ́                  | ₹                   | 17.04               | 17.33               | 1.43                                    | ¥                | ₹                | 41.35    | 41.64                    | 060    |
| 42900 |        | ∢      | Repair throat wound          | 5.25              | ¥                   | Ϋ́                  | 4.48                | 4.59                | 0.38                                    | ¥                | ¥                | 10.11    | 10.22                    | 010    |
| 42950 |        | ∢      | Reconstruction of throat     | 8.10              | ¥                   | ¥                   | 7.48                | 9.12                | 0.86                                    | ¥                | ₹                | 16.44    | 18.08                    | 060    |
| 42953 |        | ∢      | Repair throat, esophagus     | 8.96              | ¥                   | Š                   | 8.75                | 7.35                | 0.73                                    | ¥                | Ϋ́               | 18.44    | 17.04                    | 060    |
| 42955 |        | ∢      | Surgical opening of throat   | 7.39              | ¥                   | Ϋ́                  | 6.62                | 4.36                | 0.34                                    | ¥                | ₹                | 14.35    | 12.09                    | 060    |
| 42960 |        | ∢      | Control throat bleeding      | 2.33              | ¥                   | ¥                   | 2.49                | 1.50                | 0.09                                    | ₹                | <b>₹</b>         | 4.91     | 3.92                     | 010    |
| 42961 |        | ∢      | Control throat bleeding      | 5.59              | ¥                   | Ϋ́                  | 5.14                | 2.71                | 0.15                                    | ¥                | ¥                | 10.88    | 8.45                     | 060    |
| 42962 |        | ∢      | Control throat bleeding      | 7.14              | ¥                   | ¥                   | 6.14                | 6.40                | 0.53                                    | ¥                | Ą<br>Y           | 13.81    | 14.07                    | 060    |
| 42970 |        | ∢      | Control nose/throat bleeding | 5.43              | ¥                   | ¥                   | 3.85                | 1.80                | 0.08                                    | ¥                | ¥<br>V           | 9.36     | 7.31                     | 060    |
| 42971 |        | ∢      | Control nose/throat bleeding | 6.21              | ¥                   | ¥                   | 5.84                | 3.82                | 0.27                                    | ¥                | ¥                | 12.32    | 10.30                    | 060    |
| 42972 |        | ∢      | Control nose/throat bleeding | 7.20              | ¥                   | ¥                   | 5.83                | 5.16                | 0.57                                    | Ą                | Š                | 13.60    | 12.93                    | 060    |
| 42999 |        | ပ      | Throat surgery procedure     | 0.00              | 0.00                | 0.00                | 0.00                | 0.00                | 0.0                                     | 0.0              | 0.00             | 0.00     | 0.00                     | Ж      |
| 43020 |        | ∢      | Incision of esophagus        | 8.09              | ¥                   | Ϋ́                  | 5.91                | 6.83                | 0.56                                    | ¥                | ¥                | 14.56    | 15.48                    | 060    |
| 43030 |        | ∢      | Throat muscle surgery        | 7.69              | ¥                   | ¥                   | 6.80                | 8.59                | 0.95                                    | ¥                | ¥                | 15.44    | 17.23                    | 060    |
| 43045 |        | ∢      | Incision of esophagus        | 20.12             | ¥                   | ¥                   | 12.93               | 13.37               | 1.85                                    | ¥                | Ϋ́               | 34.90    | 35.34                    | 060    |
| 43100 |        | ∢      | Excision of esophagus lesion | 9.19              | ¥                   | ď<br>Ž              | 9.37                | 7.38                | 0.74                                    | ¥                | ₹                | 19.30    | 17.31                    | 060    |
|       |        |        |                              |                   |                     |                     |                     |                     |   |                  |                  |          |                          |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |        |        |                               |              | Mon.            | Turnitaria      |                 | Trancitional    |                  |                   |                   |                   |                   |        |
|------------------------------|--------|--------|-------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |        |        |                               |              | racility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| -                            |        |        |                               | Physician    | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| OPT //<br>HCPCS <sup>2</sup> | Mod St | Status | Description                   | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 43101                        |        | ⋖      | Excision of esophagus lesion  | 16.24        | ž               | ¥               | 10.21           | 10.27           | 1.47             | Ϋ́                | Ą                 | 27.92             | 27.98             | 060    |
| 43107                        |        | ∢      | Removal of esophagus          | 28.79        | ¥               | ¥<br>Z          | 17.20           | 22.62           | 3.46             | ¥                 | ¥                 | 49.45             | 54.87             | 060    |
| 43108                        |        | ⋖      | Removal of esophagus          | 34.19        | ¥               | ¥               | 19.05           | 25.33           | 3.73             | ¥                 | ¥                 | 26.92             | 63.25             | 060    |
| 43112                        |        | ⋖      | Removal of esophagus          | 31.22        | ¥               | ¥               | 18.65           | 22.29           | 3.30             | ¥                 | ¥                 | 53.17             | 56.81             | 060    |
| 43113                        |        | ⋖      | Removal of esophagus          | 35.27        | ¥               | ¥               | 20.03           | 25.57           | 3.73             | ¥                 | ₹                 | 59.03             | 64.57             | 060    |
| 43116                        |        | ⋖      | Partial removal of esophagus  | 31.22        | ¥               | ¥               | 24.37           | 26.66           | 3.73             | ¥                 | ¥                 | 59.32             | 61.61             | 060    |
| 43117                        |        | ∢      | Partial removal of esophagus  | 30.02        | ¥               | ¥<br>¥          | 17.96           | 25.06           | 3.73             | ¥                 | ¥                 | 51.71             | 58.81             | 060    |
| 43118                        |        | ∢      | Partial removal of esophagus  | 33.20        | ¥               | Š               | 18.17           | 25.11           | 3.73             | ₹                 | ¥                 | 55.10             | 62.04             | 060    |
| 43121                        |        | 4      | Partial removal of esophagus  | 29.19        | ¥               | Š               | 17.30           | 21.71           | 3.28             | ₹                 | ¥                 | 49.77             | 54.18             | 060    |
| 43122                        |        | ∢      | Parital removal of esophagus  | 29.11        | ¥               | Š               | 16.62           | 21.54           | 3.28             | ₹                 | ¥                 | 49.01             | 53.93             | 060    |
| 43123                        |        | ∢      | Partial removal of esophagus  | 33.20        | ¥               | Š               | 18.33           | 25.15           | 3.73             | ₹                 | ₹                 | 55.26             | 62.08             | 060    |
| 43124                        |        | ∢      | Removal of esophagus          | 27.32        | ¥               | ¥               | 17.45           | 22.68           | 3.46             | ₹                 | ¥                 | 48.23             | 53.46             | 060    |
| 43130                        |        | ∢      | Removal of esophagus pouch    | 11.75        | ¥               | ž               | 10.67           | 11.23           | 1.25             | ₹                 | ¥                 | 23.67             | 24.23             | 060    |
| 43135                        |        | ∢      | Removal of esophagus pouch    | 16.10        | ¥               | Š               | 11.10           | 12.32           | 1.70             | ¥                 | ¥                 | 28.90             | 30.12             | 060    |
| 43200                        |        | ∢      | Esophagus endoscopy           | 1.59         | 5.41            | 3.01            | 1.02            | 1.68            | 0.20             | 7.20              | 4.80              | 2.81              | 3.47              | 000    |
| 43202                        |        | ⋖      | Esophagus endoscopy, biopsy   | 1.89         | 4.50            | 3.09            | 0.95            | 1.93            | 0.24             | 6.63              | 5.22              | 3.08              | 4.06              | 00     |
| 43204                        |        | ∢      | Esophagus endoscopy & inject  | 3.77         | ž               | ž               | 1.44            | 3.74            | 0.28             | ₹                 | ¥                 | 5.49              | 7.79              | 00     |
| 43205                        |        | ∢      | Esophagus endoscopy/ligation  | 3.79         | ¥               | ¥               | 1.47            | 2.57            | 0.14             | ¥                 | Ϋ́                | 5.40              | 6.50              | 000    |
| 43215                        |        | ∢      | Esophagus endoscopy           | 2.60         | ¥               | <b>₹</b>        | 1.13            | 2.61            | 0.36             | ¥                 | Ϋ́                | 4.09              | 2.57              | 000    |
| 43216                        |        | ∢      | Esophagus endoscopy/lesion    | 2.40         | ¥               | ž               | 1.02            | 2.41            | 0.29             | ₹                 | Ϋ́                | 3.71              | 5.10              | 000    |
| 43217                        |        | ∢      | Esophagus endoscopy           | 2.90         | ¥               | ¥               | 1.16            | 2.89            | 0.29             | ¥                 | Ϋ́                | 4.35              | 90.9              | 00     |
| 43219                        |        | ∢      | Esophagus endoscopy           | 2.80         | ¥               | Š               | 1.20            | 2.81            | 0.27             | ž                 | ¥                 | 4.27              | 5.88              | 000    |
| 43220                        |        | ∢      | Esophagus endoscopy, dilation | 2.10         | ¥               | Š               | 0.92            | 2.11            | 0.21             | ¥                 | Ϋ́                | 3.23              | 4.42              | 00     |
| 43226                        |        | ∢      | Esophagus endoscopy, dilation | 2.34         | ₹               | Š               | 96.0            | 2.33            | 0.20             | ¥                 | ¥                 | 3.50              | 4.87              | 00     |
| 43227                        |        | ∢      | Esophagus endoscopy, repair   | 3.60         | ¥               | ¥               | 1.38            | 3.57            | 0.27             | ¥                 | ₹                 | 5.25              | 7.44              | 00     |
| 43228                        |        | ∢      | Esophagus endoscopy,ablation  | 3.77         | ¥               | ď<br>Ž          | 1.49            | 3.75            | 0.30             | ¥                 | ¥                 | 5.56              | 7.82              | 000    |
| 43234                        |        | ∢      | Upper GI endoscopy, exam      | 2.01         | 2.62            | 2.75            | 0.87            | 2.02            | 0.23             | 4.86              | 4.99              | 3.11              | 4.26              | 00     |
| 43235                        |        | ∢      | Upper gi endoscopy,diagnosis  | 2.39         | 4.46            | 3.61            | 0.98            | 2.38            | 0.23             | 7.08              | 6.23              | 3.60              | 2.00              | 000    |
| 43239                        |        | ∢      | Upper GI endoscopy, biopsy    | 2.69         | 4.49            | 3.92            | 1.08            | 2.68            | 0.26             | 7.44              | 6.87              | 4.03              | 5.63              | 00     |
| 43241                        |        | ∢      | Upper GI endoscopy with tube  | 2.59         | ¥               | ₹               | 1.03            | 2.58            | 0.30             | ¥                 | ¥                 | 3.92              | 5.47              | 00     |
| 43243                        |        | ∢      | Upper GI endoscopy & inject.  | 4.57         | ¥               | ¥               | 1.70            | 4.52            | 0.31             | ¥                 | ¥                 | 6.58              | 9.40              | 00     |
| 43244                        |        | ∢      | Upper GI endoscopy/ligation   | 4.59         | ¥<br>Z          | ¥               | 1.71            | 3.26            | 0.32             | ¥                 | ₹                 | 6.62              | 8.17              | 00     |
| 43245                        |        | ∢      | Operative upper GI endoscopy  | 3.39         | ¥               | Š               | 1.31            | 3.37            | 0.31             | ¥                 | ₹                 | 5.01              | 7.07              | 8      |
| 43246                        |        | ∢      | Place gastrostomy tube        | 4.33         | ¥               | ¥               | 1.61            | 4.28            | 0.40             | ¥                 | Ϋ́                | 6.34              | 9.01              | 000    |
| 43247                        |        | ∢      | Operative upper GI endoscopy  | 3.39         | ¥               | ¥               | 1.31            | 3.37            | 0.30             | ¥                 | ¥                 | 5.00              | 7.06              | 000    |
| 43248                        |        | ∢      | Upper GI endoscopy/guidewire  | 3.15         | ¥               | ¥               | 1.23            | 3.14            | 0.27             | ¥                 | Ϋ́                | 4.65              | 6.56              | 00     |
| 43249                        |        | ∢      | Esophagus endoscopy, dilation | 2.90         | ¥               | ¥               | 1.15            | 2.88            | 0.23             | ¥                 | ¥                 | 4.28              | 6.01              | 000    |
| 43250                        |        | ⋖      | Upper GI endoscopy/tumor      | 3.20         | ¥               | ¥               | 1.25            | 3.18            | 0.34             | ¥                 | Ϋ́                | 4.79              | 6.72              | 00     |
| 43251                        |        | ⋖      | Operative upper GI endoscopy  | 3.70         | ¥               | ¥               | 1.42            | 3.67            | 0.34             | ¥                 | Ϋ́                | 5.46              | 7.71              | 00     |
| 43255                        |        | ∢      | Operative upper GI endoscopy  | 4.40         | ž               | Υ <sub></sub>   | 1.59            | 4.34            | 0:30             | ž                 | Υ<br>Y            | 6.29              | 9.04              | 000    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| practice         practice         Mal-         Non-         Non-         Inno-         Innostitioned activities           RVIVE         RVIVE         Rulifie         Inclinity         Inclinity         Fraility         Fraility         Fraility           1.87         3.73         0.27         NA         NA         6.56         9.36           2.17         5.41         0.31         NA         NA         6.69         9.36           2.18         3.73         0.27         NA         NA         6.69         9.36           2.18         3.73         0.27         NA         NA         6.69         9.36           2.28         3.73         0.27         NA         NA         11.68         11.69           2.29         5.44         0.31         NA         NA         11.69         11.60           2.25         5.31         0.36         NA         NA         11.60         11.40           2.25         5.34         0.38         NA         NA         11.40         11.40           2.26         6.59         0.44         NA         NA         11.40         12.44         11.40           2.27         6.59         0   |  |                                    |              |           |             | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |      |                   | Transitioned      |                   |                   |              |
|---|--|------------------------------------|--------------|-----------|-------------|------------------|------------------------------|-----------------|--------------------------|------|-------------------|-------------------|-------------------|-------------------|--------------|
| Applies         Expense         Papers         Paper   | _  | _                                  | _            | _         | D.d         | ctice            | practice                     | practice        | practice                 | Mal- | Mon-              | Non-              | ÷                 | Transitioned      |              |
| NA         1.70         451         0.30         NA         6.55         9.36           NA         2.17         A.51         0.30         NA         NA         6.56         9.36           NA         2.17         5.44         0.31         NA         NA         7.01         8.89           NA         2.26         5.24         0.31         NA         NA         7.01         8.89         12.02           NA         2.26         5.34         0.33         NA         NA         16.51         15.12           NA         3.17         6.34         0.38         NA         NA         16.56         15.10           NA         2.25         5.36         0.40         NA         NA         16.51         17.43           NA         2.25         6.87         0.40         NA         NA         16.56         15.40           NA         2.56         0.40         NA         NA         16.50         15.41         16.60           NA         2.56         0.40         NA         NA         16.50         15.41         16.60           NA         2.52         6.87         0.40         NA         16.56  | work expended the states and states are states and states and states and states and states are states and states are states and states and states are states and states and states are states are states are states are states and states are stat | Work 3 Work 3 RVUs 3 RVUs 3 RVUs   | work<br>RVUs |           | expe<br>RVI | rse<br>Js        | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | RUYs | racılıry<br>Total | tacılıty<br>Total | racility<br>Total | racility<br>Total | Global       |
| NA         185         373         027         NA         NA         701         889           NA         2.87         5.41         0.31         NA         NA         701         889           NA         2.87         5.41         0.31         NA         NA         71.08           NA         2.87         5.31         0.36         NA         NA         10.51         11.80           NA         2.67         5.31         0.36         NA         NA         10.56         11.80           NA         3.17         6.34         0.38         NA         NA         10.51         15.12           NA         2.65         6.69         0.38         NA         NA         10.43         14.46           NA         2.65         6.69         0.38         NA         NA         10.42         14.46           NA         2.65         6.87         0.39         NA         NA         10.43         14.66           NA         2.65         6.87         0.39         NA         NA         10.43         14.66           NA         1.68         18.70         NA         NA         10.43         14.46 <td>A Operative upper GI endoscopy 4.55 N</td> <td></td> <td></td> <td>4.55 N</td> <td>z</td> <td>٧</td> <td>AN<br/>AN</td> <td>1.70</td> <td>4.51</td> <td>0.30</td> <td>¥</td> <td>¥</td> <td>6.55</td> <td>9:36</td> <td>000</td>                         | A Operative upper GI endoscopy 4.55 N  |                                    |              | 4.55 N    | z           | ٧                | AN<br>AN                     | 1.70            | 4.51                     | 0.30 | ¥                 | ¥                 | 6.55              | 9:36              | 000          |
| NA         2.17         5.41         0.31         NA         NA         8.44         11.68           NA         2.28         5.44         0.31         NA         NA         8.44         11.68           NA         2.26         5.31         0.30         NA         NA         10.51         11.80           NA         2.25         5.31         0.30         NA         NA         10.51         11.80           NA         2.26         6.69         0.38         NA         NA         10.54         14.46           NA         2.67         7.28         0.44         NA         NA         10.42         14.46           NA         2.67         5.22         0.33         NA         NA         10.44         14.46           NA         2.63         6.89         0.33         NA         NA         10.44         14.46           NA         2.63         0.33         NA         NA         10.46         15.14           NA         2.63         0.33         NA         NA         10.46         15.46           NA         1.65         1.50         1.33         NA         NA         10.46         17.46   | A Endoscopic ultrasound exam 4.89 N  |                                    |              | 4.89<br>N | z           | ∡                | ¥                            | 1.85            | 3.73                     | 0.27 | ¥                 | ¥                 | 7.01              | 8.89              | 000          |
| NA         228         544         031         NA         886         1202           NA         226         728         045         NA         NA         886         1202           NA         226         531         039         NA         NA         1051         1512           NA         3.17         6.69         0.48         NA         NA         12.45         17.43           NA         2.25         6.69         0.49         NA         NA         12.45         17.43           NA         2.67         6.69         0.40         NA         NA         10.50         15.11           NA         2.67         6.96         0.40         NA         NA         10.50         15.41           NA         2.65         6.97         0.44         NA         10.50         15.41           NA         2.65         6.87         0.33         NA         NA         10.45         14.45           NA         1.75         8.64         1.20         NA         NA         10.45         14.46           NA         2.25         6.37         NA         NA         10.45         14.46           N   | A Endoscopy, bile duct/pancreas 5.96 N   | Endoscopy,bile duct/pancreas       |              | 5.96 N    | _           | ≰                | Ϋ́                           | 2.17            | 5.41                     | 0.31 | ¥                 | ¥                 | 8.44              | 11.68             | 000          |
| NA         267         728         045         NA         NA         1051         1512           NA         225         531         030         NA         NA         187         1512           NA         3.17         6.34         0.38         NA         NA         12.45         15.12           NA         2.65         6.69         0.38         NA         NA         12.45         15.62           NA         2.65         6.69         0.38         NA         NA         10.42         14.46           NA         2.65         6.69         0.38         NA         NA         10.42         14.46           NA         2.65         6.87         0.39         NA         NA         10.43         14.65           NA         2.65         6.87         0.39         NA         NA         10.43         14.65           NA         2.65         6.87         0.39         NA         NA         10.43         14.65           NA         1.68         18.96         1.39         NA         NA         14.78         15.91           NA         1.68         1.89         1.39         NA         NA         <   | A Endoscopy,bile duct/pancreas 6.27  | Endoscopy, bile duct/pancreas      |              | 6.27      |             | ¥                | Ϋ́                           | 2.28            | 5.44                     | 0.31 | ¥                 | ¥                 | 8.86              | 12.02             | 00           |
| NA         2.25         5.31         0.30         NA         NA         8.74         11.80           NA         3.17         8.05         0.48         NA         NA         12.55         17.43           NA         2.65         6.69         0.38         NA         NA         12.55         17.45         16.66           NA         2.65         6.69         0.38         NA         NA         10.42         14.46           NA         2.65         6.69         0.38         NA         NA         10.42         14.46           NA         2.65         6.69         0.38         NA         NA         10.42         14.46           NA         2.65         6.96         0.39         NA         NA         10.42         14.46           NA         2.65         0.39         NA         NA         10.45         12.44           NA         2.65         0.33         NA         NA         10.45         12.44           NA         1.65         1.33         NA         NA         10.45         12.46           NA         1.65         1.33         NA         NA         10.45         12.46  |  | Endoscopy, bile duct/pancreas      |              | 7.39      |             | ¥                | Ž                            | 2.67            | 7.28                     | 0.45 | ¥                 | ¥                 | 10.51             | 15.12             | 000          |
| NA         317         805         0.48         NA         NA         12.55         17.43           NA         3.17         6.34         0.48         NA         NA         12.55         17.43           NA         2.67         6.34         0.38         NA         NA         12.45         15.62           NA         2.67         7.28         0.44         NA         NA         10.42         14.46           NA         2.67         6.87         0.39         NA         NA         10.43         14.46           NA         2.65         6.87         0.39         NA         NA         10.43         14.65           NA         1.60         NA         NA         NA         10.43         12.40           NA         1.60         NA         NA         10.43         12.40         12.40           NA         1.65         1.30         NA         NA         14.45         20.43         14.40           NA         1.68         1.80         NA         NA         14.47         20.43         14.40           NA         1.1.44         1.27         NA         NA         28.43         20.14   |  | Endoscopy, bile duct/pancreas      |              | 6.19      |             | ₹                | Š                            | 2.25            | 5.31                     | 0.30 | ¥                 | ¥                 | 8.74              | 11.80             | 000          |
| NA         3.17         6.34         0.38         NA         NA         12.45         15.62           NA         2.65         6.69         0.38         NA         NA         12.45         14.46           NA         2.267         5.96         0.44         NA         NA         10.43         14.46           NA         2.65         6.87         0.39         NA         NA         10.43         14.65           NA         2.63         6.87         0.39         NA         NA         10.43         14.65           NA         1.68         1.80         1.33         NA         NA         10.43         14.65           NA         16.86         18.05         2.53         NA         NA         10.43         14.65           NA         16.86         18.05         2.53         NA         NA         44.78         45.97           NA         16.86         18.05         2.53         NA         NA         44.78         45.97           NA         16.86         18.05         1.53         NA         NA         44.78         45.97           NA         10.73         12.19         NA         NA <t< td=""><td>Endoscopy,bile duct/pancreas</td><td>Endoscopy,bile duct/pancreas</td><td></td><td>8.90</td><td></td><td>¥</td><td>Ϋ́</td><td>3.17</td><td>8.05</td><td>0.48</td><td>¥</td><td>¥</td><td>12.55</td><td>17.43</td><td>000</td></t<>      | Endoscopy,bile duct/pancreas   | Endoscopy,bile duct/pancreas       |              | 8.90      |             | ¥                | Ϋ́                           | 3.17            | 8.05                     | 0.48 | ¥                 | ¥                 | 12.55             | 17.43             | 000          |
| NA         265         669         0.38         NA         NA         1042         1446           NA         2.67         728         0.44         NA         NA         10.50         15.11           NA         2.67         7.28         0.44         NA         NA         10.50         15.11           NA         2.63         6.87         0.39         NA         NA         10.46         12.94           NA         7.11         9.96         1.33         NA         NA         10.35         12.94           NA         16.66         1.33         NA         NA         NA         10.55         12.94           NA         16.66         1.33         NA         NA         NA         10.35         12.94           NA         16.66         1.33         NA         NA         10.35         12.94         12.94           NA         16.76         1.80         NA         NA         4.45         45.97           NA         10.73         12.19         1.80         NA         NA         28.43         26.43           NA         10.73         12.19         NA         NA         28.44         28.19 <td></td> <td>Endoscopy,bile duct/pancreas</td> <td></td> <td>8.90</td> <td></td> <td>¥</td> <td>Ϋ́</td> <td>3.17</td> <td>6.34</td> <td>0.38</td> <td>¥</td> <td>¥</td> <td>12.45</td> <td>15.62</td> <td>000</td>                                |  | Endoscopy,bile duct/pancreas       |              | 8.90      |             | ¥                | Ϋ́                           | 3.17            | 6.34                     | 0.38 | ¥                 | ¥                 | 12.45             | 15.62             | 000          |
| NA         2.67         7.28         0.44         NA         NA         10.50         15.11           NA         2.20         5.96         0.40         NA         NA         10.43         12.40           NA         2.20         5.96         0.40         NA         NA         10.43         12.40           NA         2.65         6.87         0.33         NA         NA         10.43         12.40           NA         17.58         15.56         1.33         NA         NA         41.65         12.40           NA         17.58         16.56         1.33         NA         NA         44.78         45.97           NA         16.86         18.05         2.53         NA         NA         28.40         29.43           NA         10.67         12.10         1.98         NA         NA         28.47         30.08           NA         11.66         8.91         1.37         NA         NA         28.43         30.74           NA         11.36         12.20         1.37         NA         NA         28.43         30.74           NA         11.36         1.27         NA         NA         <  |  | Endoscopy,bile duct/pancreas       |              | 7.39      |             | ¥                | Ą                            | 2.65            | 69.9                     | 0.38 | ¥                 | ¥                 | 10.42             | 14.46             | 000          |
| NA 220 5.96 0.40 NA NA 864 12.40  NA 265 6.87 0.39 NA NA 10.43 14.65  NA 7.11 9.96 1.33 NA NA 17.58 20.43  NA 17.58 15.56 1.39 NA NA 17.58 20.43  NA 10.73 12.19 1.80 NA NA 28.47 45.97  NA 10.67 12.12 1.79 NA NA 28.47 30.66  NA 11.6 8.91 1.37 NA NA 28.49 29.66  NA 11.6 8.91 1.37 NA NA 28.49 29.65  NA 11.6 1.84 1.87 NA NA 28.49 29.65  NA 11.6 1.84 1.87 NA NA 28.49 29.65  NA 11.56 1.29 1.22 NA NA 28.43 30.74  NA 11.56 2.51 NA NA 28.43 30.74  NA 11.56 2.51 NA NA 28.43 30.74  NA 11.56 2.51 NA NA 28.43 30.74  NA 11.56 2.50 1.20 NA NA 28.37 22.47  NA 10.64 11.47 1.28 NA NA 28.93 30.10  NA 10.64 11.47 1.28 NA NA 29.01 29.84  NA 10.65 1.51 NA NA 29.01 29.84  NA 10.68 1.36 0.09 NA NA 29.01 29.84  NA 10.68 1.38 0.09 NA NA 29.01 29.88  NA 10.68 1.38 0.09 NA NA 29.01 29.01  NA 10.69 2.25 0.19 NA NA 29.01 29.01 | 7.39   | Endoscopy,bile duct/pancreas 7.39  | 7.39         |           |             | ¥                | ¥                            | 2.67            | 7.28                     | 0.44 | ₹                 | ¥                 | 10.50             | 15.11             | 000          |
| NA         2.65         6.87         0.39         NA         NA         10.43         14.65           NA         7.11         9.96         1.33         NA         NA         10.43         12.94           NA         7.58         5.22         0.33         NA         NA         41.78         20.43           NA         16.86         18.05         2.53         NA         NA         44.78         45.97           NA         16.86         18.05         2.53         NA         NA         44.78         45.97           NA         10.73         12.19         1.80         NA         NA         28.40         29.86           NA         10.67         12.10         1.98         NA         NA         28.40         29.86           NA         11.69         NA         NA         28.40         29.86         47.00           NA         11.60         NA         NA         28.40         29.86           NA         11.60         NA         NA         28.40         29.86           NA         11.84         1.87         NA         NA         28.13         30.66           NA         11.34 <t< td=""><td>6.04</td><td>Endoscopy,bile duct/pancreas 6.04</td><td>6.04</td><td></td><td></td><td>¥</td><td>Ϋ́</td><td>2.20</td><td>5.96</td><td>0.40</td><td>¥</td><td>₹</td><td>8.64</td><td>12.40</td><td>8</td></t<>                                    | 6.04   | Endoscopy,bile duct/pancreas 6.04  | 6.04         |           |             | ¥                | Ϋ́                           | 2.20            | 5.96                     | 0.40 | ¥                 | ₹                 | 8.64              | 12.40             | 8            |
| NA         2.63         5.22         0.33         NA         NA         10.35         12.94           NA         17.58         15.56         1.33         NA         NA         17.58         20.43           NA         16.86         16.36         1.33         NA         NA         36.12         34.10           NA         16.86         16.56         1.39         NA         NA         26.43         34.10           NA         16.86         16.78         1.80         NA         NA         28.40         29.86           NA         10.73         12.19         1.60         NA         NA         28.40         29.86           NA         10.67         12.12         1.79         NA         NA         28.43         30.06           NA         11.64         1.44         1.37         NA         NA         28.43         30.06           NA         11.34         1.87         NA         NA         28.43         30.06           NA         11.34         1.87         NA         NA         28.43         30.06           NA         11.34         1.87         NA         NA         28.43         30.18  |  | 7.39                               | 7.39         |           |             | ₹                | ¥                            | 2.65            | 6.87                     | 0.39 | ₹                 | ₹                 | 10.43             | 14.65             | 00           |
| NA         7.11         9.96         1.33         NA         NA         17.58         20.43           NA         17.58         15.56         1.39         NA         NA         47.78         20.43           NA         16.86         16.56         1.39         NA         NA         44.78         45.97           NA         10.73         12.19         1.60         NA         NA         28.47         45.97           NA         10.73         12.10         1.98         NA         NA         28.47         45.97           NA         10.67         12.12         1.79         NA         NA         28.67         30.08           NA         10.67         12.12         1.79         NA         NA         28.63         30.08           NA         11.16         8.91         1.37         NA         NA         28.43         30.08           NA         11.16         8.91         1.37         NA         NA         28.43         30.08           NA         11.16         8.91         1.37         NA         NA         28.13         30.74           NA         11.25         NA         NA         29.13   |  | Endoscopy,bile duct/pancreas 7.39  | 7.39         |           | _           | ≰                | Ą                            | 2.63            | 5.22                     | 0.33 | ¥                 | ¥                 | 10.35             | 12.94             | 00           |
| NA 17.58 15.6 1.39 NA NA 36.12 34.10  NA 16.86 18.05 2.53 NA NA 44.78 45.97  NA 10.73 12.19 1.80 NA NA 28.40 29.86  NA 10.67 12.10 1.98 NA NA 28.23 30.08  NA 11.16 8.91 1.37 NA NA 28.43 30.08  NA 11.16 8.91 1.37 NA NA 28.19 29.65  NA 11.36 12.96 1.97 NA NA 29.34 32.72  NA 11.35 12.96 1.97 NA NA 29.34 32.72  NA 12.92 11.29 1.22 NA NA 29.33 30.74  NA 12.92 11.29 1.22 NA NA 29.33 30.74  NA 15.74 21.32 3.28 NA NA 29.33 23.24  NA 16.74 21.32 3.28 NA NA 29.01 29.84  NA 17.78 25.01 3.73 NA NA 29.01 29.84  NA 11.89 10.78 1.51 NA NA 29.01 29.84  NA 11.89 10.78 1.51 NA NA 29.01 29.84  NA 10.57 14.31 2.07 NA NA 29.01 29.84  NA 10.57 14.31 2.07 NA NA 29.01 29.84  NA 10.57 14.31 2.07 NA NA 29.01 29.84  NA 10.58 10.74 1.34 NA NA 29.03 32.18  NA 10.58 10.74 1.34 NA NA 28.77 32.51  NA 10.58 10.74 1.34 NA NA 28.77 32.51  NA 10.58 10.74 1.34 NA NA 28.77 29.03  O.80 0.54 0.69 0.04 2.41 2.22 1.96 2.11  NA 0.58 1.38 0.09 NA NA 2.18 2.98   |  | Repair of esophagus 9.14           | 9.14         |           | _           | ≰                | Ϋ́                           | 7.11            | 96.6                     | 1.33 | ¥                 | ¥                 | 17.58             | 20.43             | 060          |
| NA         16.86         18.05         2.53         NA         NA         44.78         45.97           NA         22.45         16.78         1.80         NA         NA         44.78         45.97           NA         10.73         12.19         1.60         NA         NA         28.47         30.66           NA         10.73         12.10         1.98         NA         NA         28.47         30.66           NA         11.66         8.91         1.37         NA         NA         28.49         29.65           NA         11.04         14.42         2.07         NA         NA         28.19         29.65           NA         11.04         14.42         2.07         NA         NA         28.19         29.65           NA         11.04         14.42         2.07         NA         NA         28.13         30.74           NA         11.04         14.42         2.07         NA         NA         28.13         30.74           NA         11.04         14.42         1.20         NA         NA         29.13         30.74           NA         10.46         9.76         1.20         NA  |  | Repair esophagus and fistula 17.15 | 17.15        |           | z           | ∢                | A<br>A                       | 17.58           | 15.56                    | 1.39 | ₹                 | ¥                 | 36.12             | 34.10             | 060          |
| NA         22.45         16.78         1.80         NA         NA         52.67         47.00           NA         10.73         12.19         1.60         NA         NA         28.40         29.86           NA         10.73         12.19         1.60         NA         NA         28.40         29.86           NA         10.67         12.12         1.79         NA         NA         28.44         26.61           NA         10.67         12.12         1.79         NA         NA         28.44         26.19           NA         10.67         11.29         1.37         NA         NA         28.44         26.19           NA         10.34         11.29         1.20         NA         NA         29.34         32.72           NA         11.29         1.22         NA         NA         29.34         32.72           NA         10.46         9.76         1.20         NA         NA         28.45         26.37           NA         10.46         9.76         1.20         NA         NA         23.25         23.12           NA         10.46         9.67         1.15         NA         NA  | Repair of esophagus 25.39  | Repair of esophagus 25.39          | 25.39        |           | Ż           | 4                | ¥                            | 16.86           | 18.05                    | 2.53 | ¥                 | ¥                 | 44.78             | 45.97             | 060          |
| NA         10.73         12.19         1.60         NA         NA         28.40         29.86           NA         9.71         12.10         1.98         NA         NA         28.44         28.45         30.66           NA         10.67         12.12         1.79         NA         NA         28.44         26.19           NA         10.67         12.12         1.37         NA         NA         28.43         26.19           NA         10.38         11.84         1.87         NA         NA         28.49         29.65           NA         11.04         14.42         2.07         NA         NA         28.19         29.65           NA         11.36         1.20         NA         NA         29.34         32.72           NA         11.29         1.22         NA         NA         29.34         32.72           NA         10.46         9.76         1.20         NA         NA         26.45         25.75           NA         10.46         9.76         1.15         NA         NA         23.25         23.12           NA         10.46         9.67         1.15         NA         NA   | Repair esophagus and fistula 28.42   | Repair esophagus and fistula 28.42 | 28.42        |           | Ž           | _                | ¥                            | 22.45           | 16.78                    | 1.80 | ¥                 | ₹                 | 52.67             | 47.00             | 0 <u>6</u> 0 |
| NA 971 12.10 1.98 NA NA 28.27 30.66  NA 10.67 12.12 1.79 NA NA 28.63 30.08  NA 11.16 8.91 1.37 NA NA 28.44 26.19  NA 11.04 11.42 2.07 NA NA 29.34 32.72  NA 12.92 11.29 1.22 NA NA 29.33 30.74  NA 12.92 11.29 1.22 NA NA 29.33 30.74  NA 10.64 11.47 1.28 NA NA 29.01 29.84  NA 10.67 14.31 2.07 NA NA 28.01 29.84  NA 10.67 14.31 2.07 NA NA 28.01 29.84  NA 10.67 14.31 2.07 NA NA 28.72 32.51  NA 10.67 14.31 2.07 NA NA 29.01 29.84  NA 10.67 14.31 2.07 NA NA 29.01 30.10  NA 10.69 13.15 NA NA 20.93 21.52  NA 10.68 10.74 1.34 NA NA 21.39 19.27  NA 10.68 10.74 1.34 NA NA 22.22 1.96 2.11  NA 0.68 0.64 2.41 2.22 1.96 2.11  NA 0.69 2.25 0.19 NA NA 21.8 2.98  | 16.07  | Fuse esophagus & stomach 16.07     | 16.07        |           | Ž:          | €.               | ¥<br>Z                       | 10.73           | 12.19                    | 1.60 | ₹                 | ¥∶                | 28.40             | 29.86             | 060          |
| NA 10.67 12.12 1.79 NA NA 28.63 30.08  NA 11.16 8.91 1.37 NA NA 28.44 26.19  NA 10.38 11.84 1.87 NA NA 28.49 29.65  NA 11.04 14.42 2.07 NA NA 29.34 32.72  NA 11.29 11.29 1.22 NA NA 29.35 29.32  NA 10.54 1.15 1.20 NA NA 23.37 22.47  NA 10.64 11.47 1.28 NA NA 23.25 23.12  NA 10.64 11.47 1.21 NA NA 29.01 29.84  NA 10.67 14.31 2.07 NA NA 28.71 32.51  NA 10.69 13.15 1.97 NA NA 28.72 29.03  O.80 0.54 0.69 0.04 2.41 2.22 1.96  NA 10.58 1.38 0.09 NA NA 21.39 19.27  NA 0.58 1.38 0.09 NA NA 22.39 21.62  NA 0.58 1.38 0.09 NA NA 22.39 21.62  NA 0.58 1.38 0.09 NA NA 28.87 29.03  O.80 0.54 0.69 0.04 2.41 2.22 1.96  NA 0.55 1.38 0.09 NA NA 3.71 5.01  | 16.58  | Revise esophagus & stomach 16.58   | 16.58        |           | Z           | ∢                | Ϋ́                           | 9.71            | 12.10                    | 1.98 | ₹                 | ₹                 | 28.27             | 30.66             | 060          |
| NA 11.16 8.91 1.37 NA NA 28.44 26.19  NA 10.38 11.84 1.87 NA NA 28.44 26.19  NA 11.04 14.42 2.07 NA NA 29.34 32.72  NA 11.29 11.29 1.22 NA NA 29.35 29.32  NA 10.64 9.76 1.20 NA NA 23.25 23.12  NA 10.64 11.47 1.28 NA NA 29.01 29.84  NA 10.67 14.31 2.07 NA NA 28.77 32.51  NA 10.67 14.31 2.07 NA NA 28.77 32.51  NA 10.69 13.15 1.97 NA NA 29.01 29.84  NA 10.67 14.31 2.07 NA NA 29.01 33.18  NA 10.67 14.31 2.07 NA NA 29.01 33.18  NA 10.67 14.31 2.07 NA NA 29.03 21.62  NA 10.68 10.74 1.34 NA NA 29.03  O.80 0.54 0.69 0.04 2.41 2.22 1.96 2.11  NA 0.58 1.38 0.09 NA NA 2.18 2.98  NA 0.58 1.38 0.09 NA NA 2.18 2.98  NA 0.59 2.25 0.19 NA NA 3.71 5.01   | Revise esophagus & stomach 16.17   | Revise esophagus & stomach 16.17   | 16.17        |           | Z,          | ⊴ :              | ¥ :                          | 10.67           | 12.12                    | 1.79 | ¥:                | ≨ :               | 28.63             | 30.08             | 060          |
| NA 10.38 11.84 1.87 NA NA 28.19 29.65  NA 11.04 14.42 2.07 NA NA 29.34 32.72  NA 11.35 12.96 1.97 NA NA 29.34 32.72  NA 12.92 11.29 1.22 NA NA 29.35 29.32  NA 10.46 9.76 1.20 NA NA 23.37 22.47  NA 10.64 11.47 1.28 NA NA 29.01 29.84  NA 10.64 11.47 1.28 NA NA 29.01 29.84  NA 10.67 14.31 2.07 NA NA 28.77 32.51  NA 10.69 13.15 1.97 NA NA 29.03 21.62  NA 10.68 10.74 1.34 NA NA 21.39 19.27  NA 10.68 10.74 1.34 NA NA 22.39 19.27  NA 10.68 10.74 1.34 NA NA 29.87 29.03  O.80 0.54 0.69 0.04 2.41 2.22 1.96 2.11  NA 0.95 2.25 0.19 NA NA 3.71 5.01   | Revise esophagus & stomach 15.91   | Revise esophagus & stomach 15.91   | 15.91        |           |             | ≰ :              | ¥ :                          | 11.16           | 8.91                     | 1.37 | <b>≨</b> :        | ₹ :               | 28.44             | 26.19             | 060          |
| NA 11.34 14.42 2.07 NA NA 29.34 32.72  NA 11.35 12.96 1.97 NA NA 29.34 30.74  NA 10.46 9.76 1.20 NA NA 23.37 22.47  NA 10.64 11.47 1.28 NA NA 29.01 29.84  NA 10.67 14.31 2.07 NA NA 28.77 32.51  NA 10.67 14.31 2.07 NA NA 28.77 32.51  NA 10.67 14.31 2.07 NA NA 29.01 29.84  NA 10.67 14.31 2.07 NA NA 29.01 29.84  NA 10.67 14.31 2.07 NA NA 29.03 21.62  NA 10.68 10.74 1.34 NA 20.93 21.62  NA 10.68 10.74 1.34 NA 29.87 29.03  O.80 0.54 0.69 0.04 2.41 2.22 1.96 2.11  NA 0.95 2.25 0.19 NA NA 3.71 5.01  | Repair of esophagus  | Repair of esophagus                |              | 15.94     |             | ž ž              | ď á                          | 10.38           | 11.84                    | 1.87 | ₹ \$              | ≨ \$              | 28.19             | 29.65             | 8 8          |
| NA 12.92 12.25 NA NA 23.17 20.17 NA 14.09 12.2 NA NA 23.37 22.47 NA 10.46 9.76 12.2 NA NA 23.37 22.47 NA 10.46 9.76 12.2 NA NA 23.37 22.47 NA 15.74 21.32 3.28 NA NA 23.25 23.12 NA 17.78 25.01 3.73 NA NA 54.16 61.39 NA 11.89 10.78 1.51 NA NA 28.77 32.51 NA 10.67 14.31 2.07 NA NA 28.77 32.51 NA 11.09 13.15 1.97 NA 20.93 21.62 NA 11.09 13.15 1.97 NA 20.93 21.62 NA 10.58 10.74 1.34 NA 20.93 21.62 NA NA 20.93 21.63 NA 10.58 10.74 1.34 NA 24.1 2.22 1.96 2.11 NA 0.58 1.38 0.09 NA NA 21.8 2.98 NA NA 3.71 5.01  | A Europeanhouse & intestine 15.81  | Repail of esopriagus               | tectine      | 15.81     |             | Ç                | ( o                          | 11.35           | 17.42<br>17.96           | 1 07 | 2 2               | ∑                 | 20.24             | 30.74             | 8 8          |
| NA         9.75         8.85         0.90         NA         NA         23.37         22.47           NA         10.46         9.76         1.20         NA         NA         26.45         25.75           NA         15.74         21.32         3.28         NA         NA         47.80         53.38           NA         17.78         25.01         3.73         NA         NA         47.80         53.38           NA         17.78         25.01         3.73         NA         NA         54.16         61.39           NA         10.64         11.47         1.28         NA         NA         29.01         29.84           NA         11.89         10.78         1.51         NA         NA         29.01         29.84           NA         11.89         10.78         1.51         NA         NA         28.77         32.51           NA         8.87         9.46         1.20         NA         NA         20.93         21.52           NA         11.09         13.15         1.97         NA         NA         21.39         19.27           NA         9.21         7.09         0.61         NA   |  | Fuse esophagus & intestine         |              | 16.81     |             | ≨≨               | ₹                            | 12.92           | 11.29                    | 1.22 | ≨                 | ≨≨                | 30.95             | 29.32             | 060          |
| NA         10.46         9.76         1.20         NA         NA         26.45         25.75           NA         15.74         21.32         3.28         NA         NA         47.80         53.38           NA         15.74         21.32         3.28         NA         NA         47.80         53.38           NA         17.78         25.01         3.73         NA         NA         54.16         61.39           NA         11.89         10.78         1.51         NA         NA         29.01         29.84           NA         11.89         10.78         1.51         NA         NA         23.21         30.10           NA         10.57         14.31         2.07         NA         NA         28.77         32.51           NA         11.09         13.15         1.97         NA         NA         20.93         21.52           NA         9.21         7.09         0.61         NA         NA         28.77         29.03           0.80         0.54         0.69         0.04         2.41         2.22         1.96         2.11           NA         0.58         1.38         0.09         NA   | Surgical opening, esophagus  | Surgical opening, esophagus        |              | 12.72     |             | ¥                | Ą                            | 9.75            | 8.85                     | 0.90 | ¥                 | ¥                 | 23.37             | 22.47             | 060          |
| NA         9.80         9.67         1.15         NA         NA         23.25         23.12           NA         15.74         21.32         3.28         NA         NA         47.80         53.38           NA         17.78         25.01         3.73         NA         NA         54.16         61.39           NA         10.64         11.47         1.28         NA         NA         29.01         29.84           NA         11.89         10.78         1.51         NA         NA         23.21         30.10           NA         10.57         14.31         2.07         NA         NA         28.77         32.51           NA         11.09         13.15         1.97         NA         NA         20.93         21.52           NA         9.21         7.09         0.61         NA         NA         28.77         32.18           NA         9.21         7.09         0.61         NA         NA         21.39         19.27           NA         10.58         10.74         1.34         NA         2.41         2.22         1.96         2.11           NA         0.58         1.38         0.09  |  |                                    |              | 14.79     |             | ¥                | ¥<br>Y                       | 10.46           | 9.76                     | 1.20 | ¥                 | ₹                 | 26.45             | 25.75             | 060          |
| NA         15.74         21.32         3.28         NA         NA         47.80         53.38           NA         17.78         25.01         3.73         NA         NA         54.16         61.39           NA         10.64         11.47         1.28         NA         NA         29.01         29.84           NA         11.89         10.78         1.51         NA         NA         23.71         30.10           NA         10.57         14.31         2.07         NA         NA         28.77         32.51           NA         11.09         13.15         1.97         NA         NA         20.93         21.52           NA         9.21         7.09         0.61         NA         NA         28.77         32.18           NA         9.21         7.09         0.61         NA         NA         21.39         19.27           NA         10.58         10.74         1.34         NA         2.41         2.22         1.96         2.11           NA         0.58         1.38         0.09         NA         2.41         2.78         2.98           NA         0.95         2.25         0.19  |  | Surgical opening, esophagus        |              | 12.30     |             | ₹                | A<br>A                       | 9.80            | 9.67                     | 1.15 | ¥                 | ¥                 | 23.25             | 23.12             | 060          |
| NA         17.78         25.01         3.73         NA         NA         54.16         61.39           NA         10.64         11.47         1.28         NA         NA         29.01         29.84           NA         11.89         10.78         1.51         NA         31.21         30.10           NA         10.57         14.31         2.07         NA         NA         28.77         32.51           NA         8.87         9.46         1.20         NA         NA         20.93         21.52           NA         11.09         13.15         1.97         NA         NA         20.93         21.52           NA         9.21         7.09         0.61         NA         NA         21.39         19.27           NA         10.58         10.74         1.34         NA         24.1         2.22         1.96         2.11           NA         0.58         0.58         0.04         2.41         2.22         1.96         2.11           NA         0.95         2.25         0.19         NA         3.71         5.01  |  | Gastrointestinal repair 28.78      | 28.78        |           |             | ¥                | Ϋ́                           | 15.74           | 21.32                    | 3.28 | ¥                 | ¥                 | 47.80             | 53.38             | 060          |
| NA 10.64 11.47 1.28 NA NA 29.01 29.84  NA 11.89 10.78 1.51 NA NA 31.21 30.10  NA 10.57 14.31 2.07 NA NA 28.77 32.51  NA 11.09 13.15 1.97 NA NA 20.93 21.52  NA 10.58 10.74 1.34 NA NA 21.39 19.27  NA 10.58 10.74 1.34 NA NA 28.87 29.03  0.80 0.54 0.69 0.04 2.41 2.22 1.96 2.11  NA 0.58 1.38 0.09 NA NA 3.71 5.01  |  | Gastrointestinal repair 32.65      | 32.65        |           |             | ≨                | Ϋ́                           | 17.78           | 25.01                    | 3.73 | ¥                 | Ϋ́                | 54.16             | 61.39             | 060          |
| NA 11.89 10.78 1.51 NA NA 31.21 30.10  NA 10.57 14.31 2.07 NA NA 28.77 32.51  NA 11.09 13.15 1.97 NA NA 20.93 21.52  NA 10.58 10.74 1.34 NA NA 21.39 19.27  NA 10.58 10.74 1.34 NA NA 28.87 29.03  O.80 0.54 0.69 0.04 2.41 2.22 1.96 2.11  NA 0.58 1.38 0.09 NA NA 2.18 2.98  NA 0.95 2.25 0.19 NA NA 3.71 5.01  |  | Ligate esophagus veins 17.09       | 17.09        |           | _           | ≰                | Y<br>Y                       | 10.64           | 11.47                    | 1.28 | ¥                 | Ϋ́                | 29.01             | 29.84             | 060          |
| NA         10.57         14.31         2.07         NA         NA         28.77         32.51           NA         8.87         9.46         1.20         NA         NA         20.93         21.52           NA         11.09         13.15         1.97         NA         NA         30.12         32.18           NA         9.21         7.09         0.61         NA         NA         21.39         19.27           NA         10.58         10.74         1.34         NA         NA         28.87         29.03           0.80         0.54         0.69         0.04         2.41         2.22         1.96         2.11           NA         0.58         1.38         0.09         NA         NA         2.18         2.98           NA         0.95         2.25         0.19         NA         3.71         5.01  |  | 17.81                              | 17.81        |           | _           | ≰                | Ϋ́                           | 11.89           | 10.78                    | 1.51 | ¥                 | Ą                 | 31.21             | 30.10             | 060          |
| NA         8.87         9.46         1.20         NA         NA         20.93         21.52           NA         11.09         13.15         1.97         NA         NA         30.12         32.18           NA         9.21         7.09         0.61         NA         NA         21.39         19.27           NA         10.58         10.74         1.34         NA         NA         28.87         29.03           0.80         0.54         0.69         0.04         2.41         2.22         1.96         2.11           NA         0.58         1.38         0.09         NA         NA         2.18         2.98           NA         0.95         2.25         0.19         NA         3.71         5.01  |  | Ligate/staple esophagus 16.13      | 16.13        |           | z           | ∡                | A<br>A                       | 10.57           | 14.31                    | 2.07 | ¥                 | ¥                 | 28.77             | 32.51             | 060          |
| NA         11.09         13.15         1.97         NA         NA         30.12         32.18           NA         9.21         7.09         0.61         NA         NA         21.39         19.27           NA         10.58         10.74         1.34         NA         NA         28.87         29.03           0.80         0.54         0.69         0.04         2.41         2.22         1.96         2.11           NA         0.58         1.38         0.09         NA         NA         2.18         2.98           NA         0.95         2.25         0.19         NA         NA         3.71         5.01   |  | Repair esophagus wound 10.86       | 10.86        |           | z           | 4                | Ϋ́                           | 8.87            | 9.46                     | 1.20 | ¥                 | ₹                 | 20.93             | 21.52             | 060          |
| NA 9.21 7.09 0.61 NA NA 21.39 19.27  NA 10.58 10.74 1.34 NA NA 28.87 29.03  0.80 0.54 0.69 0.04 2.41 2.22 1.96 2.11  NA 0.58 1.38 0.09 NA NA 2.18 2.98  NA 0.95 2.25 0.19 NA NA 3.71 5.01   |  | Repair esophagus wound 17.06       | 17.06        |           | _           | ≰                | Ϋ́                           | 11.09           | 13.15                    | 1.97 | ¥                 | ₹                 | 30.12             | 32.18             | 060          |
| NA 10.58 10.74 1.34 NA NA 28.87 29.03<br>0.80 0.54 0.69 0.04 2.41 2.22 1.96 2.11<br>NA 0.58 1.38 0.09 NA NA 2.18 2.98<br>NA 0.95 2.25 0.19 NA NA 3.71 5.01  |  | Repair esophagus opening 11.57     | 11.57        |           |             | ₹                | Ϋ́                           | 9.21            | 7.09                     | 0.61 | ¥                 | ¥                 | 21.39             | 19.27             | 060          |
| 0.80 0.54 0.69 0.04 2.41 2.22 1.96 2.11<br>NA 0.58 1.38 0.09 NA NA 2.18 2.98<br>NA 0.95 2.25 0.19 NA NA 3.71 5.01   | Repair esophagus opening   | Repair esophagus opening           |              | 16.95     |             | ¥                | Ą                            | 10.58           | 10.74                    | 1.34 | ¥                 | ¥                 | 28.87             | 29.03             | 060          |
| NA 0.58 1.38 0.09 NA NA 2.18 2.98<br>NA 0.95 2.25 0.19 NA NA 3.71 5.01  | Dilate esophagus   | Dilate esophagus                   |              | 1.38      |             | 66.0             | 0.80                         | 0.54            | 69.0                     | 0.04 | 2.41              | 2.22              | 1.96              | 2.11              | 000          |
| NA 0.95 2.25 0.19 NA NA 3.71 5.01   | Dilate esophagus   | Dilate esophagus                   |              | 1.51      |             | ¥                | A<br>V                       | 0.58            | 1.38                     | 0.09 | ¥                 | ¥                 | 2.18              | 2.98              | 00           |
|   | Dilate esophagus   | Dilate esophagus                   |              | 2.57      |             | ¥                | Ϋ́                           | 0.95            | 2.25                     | 0.19 | Ϋ́                | ¥                 | 3.71              | 5.01              | 00           |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                              |                          | Global             | 000                   | 8                            | 060                          | ₹                           | 060                         | 060                        | 060                        | 060                         | 060                        | 000               | 060               | 060                        | 060                        | 060                | 060                | 060                | 060                         | 060                      | 060                      | 060                      | 222                        | 060                        | 060                      | 060                       | 060<br>0                  | 010                    | 00                      | 00                          | 060                       | 060                         | 060                         | 060                         | 060                    | 060                    | 060                    | 060                      | 060                      | 060                      | 060                        | 060                        |
|------------------------------|--------------------------|--------------------|-----------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|-------------------|-------------------|----------------------------|----------------------------|--------------------|--------------------|--------------------|-----------------------------|--------------------------|--------------------------|--------------------------|----------------------------|----------------------------|--------------------------|---------------------------|---------------------------|------------------------|-------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|------------------------|------------------------|--------------------------|--------------------------|--------------------------|----------------------------|----------------------------|
|                              | Transitioned<br>Facility | Total              | 4.79                  | 5.73                         | 0.00                         | 0.00                        | 15.51                       | 25.62                      | 28.20                      | 19.03                       | 13.13                      | 2.56              | 16.17             | 20.66                      | 23.38                      | 40.40              | 40.96              | 42.46              | 34.25                       | 34.26                    | 34.79                    | 45.12                    | 3.36                       | 36.88                      | 37.46                    | 26.80                     | 27.03                     | 9.07                   | 1.87                    | 3.23                        | 18.61                     | 20.14                       | 21.41                       | 27.35                       | 14.34                  | 13.34                  | 21.08                  | 21.12                    | 30.38                    | 30.44                    | 36.50                      | 39.34                      |
|                              | Facility                 | Total              | 4.39                  | 5.73                         | 0.00                         | 0.00                        | 13.93                       | 24.34                      | 27.58                      | 16.91                       | 13.02                      | 2.76              | 14.96             | 18.57                      | 22.00                      | 36.40              | 37.10              | 39.05              | 31.34                       | 31.38                    | 32.19                    | 36.33                    | 3.14                       | 34.30                      | 35.13                    | 23.98                     | 24.22                     | 7.34                   | 1.71                    | 2.85                        | 17.30                     | 18.51                       | 19.32                       | 23.90                       | 12.57                  | 12.27                  | 19.49                  | 19.39                    | 25.86                    | 25.67                    | 32.61                      | 37.11                      |
| 7.                           | Non-<br>Mon-<br>facility | Total              | N<br>A                | ¥                            | 0.00                         | 0.00                        | ¥                           | Ϋ́                         | ¥                          | ¥                           | ¥                          | ¥                 | ¥                 | ¥                          | Ϋ́                         | Ϋ́                 | Ϋ́                 | Ϋ́                 | ž                           | Ϋ́                       | ¥                        | ¥                        | ¥                          | ₹                          | ¥                        | ¥                         | Š                         | ¥                      | 1.98                    | Ϋ́                          | ₹                         | ₹                           | ₹                           | ¥                           | ¥                      | ₹                      | ¥                      | Š                        | ¥                        | ¥                        | ¥                          | Ϋ́                         |
|                              | Non-<br>facility         | Total              | AA                    | ¥                            | 0.00                         | 0.00                        | ¥                           | ¥                          | ¥                          | ¥                           | ž                          | ¥                 | ¥                 | ¥                          | ¥                          | ž                  | ¥                  | ¥                  | ¥                           | ¥                        | ¥                        | ¥                        | ¥                          | ¥                          | ¥                        | ¥                         | ¥                         | ¥                      | 2.14                    | ¥                           | ¥                         | ¥                           | ¥                           | ¥                           | ¥                      | ¥                      | ¥                      | ¥                        | ¥                        | ¥                        | ¥                          | ¥                          |
|                              | Mal-<br>practice         | RUVs               | 0.21                  | 0.12                         | 0.00                         | 0.00                        | 0.94                        | 1.43                       | 1.43                       | 0.74                        | 99.0                       | 0.04              | 1.0               | <del>2</del> .             | 1.34                       | 2.50               | 2.50               | 2.50               | 2.08                        | 2.08                     | 2.08                     | 3.58                     | 0.20                       | 2.14                       | 2.14                     | 1.71                      | 1.71                      | 0.44                   | 0.07                    | 0.20                        | 1.15                      | 1.20                        | 1.37                        | 1.80                        | 0.93                   | 0.73                   | 1.06                   | 1.30                     | 2.29                     | 2.29                     | 2.58                       | 2.58                       |
| Transitioned<br>Facility     | practice                 | RVUs               | 1.52                  | 1.81                         | 0.00                         | 0.00                        | 6.13                        | 8.88                       | 9.10                       | 8.30                        | 4.82                       | 0.61              | 6.01              | 8.17                       | 8.41                       | 15.36              | 15.40              | 15.55              | 12.51                       | 12.52                    | 12.61                    | 19.68                    | 1.10                       | 12.98                      | 13.07                    | 10.28                     | 10.29                     | 4.14                   | 0.70                    | 1.02                        | 2.00                      | 7.75                        | 8.30                        | 10.87                       | 6.13                   | 5.28                   | 8.10                   | 7.93                     | 13.38                    | 13.30                    | 14.77                      | 15.32                      |
| Facility                     | practice<br>expense      | RVUs               | 1.12                  | 1.81                         | 00.00                        | 00:00                       | 4.55                        | 7.60                       | 8.48                       | 6.18                        | 4.71                       | 0.81              | 4.80              | 80.9                       | 7.03                       | 11.36              | 11.54              | 12.14              | 9.60                        | 9.64                     | 10.01                    | 10.89                    | 0.88                       | 10.40                      | 10.74                    | 7.46                      | 7.48                      | 2.41                   | 0.54                    | 0.64                        | 5.69                      | 6.12                        | 6.21                        | 7.42                        | 4.36                   | 4.21                   | 6.51                   | 6.20                     | 8.86                     | 8.53                     | 10.88                      | 13.09                      |
| Transitioned<br>Mon facility | practice<br>expense      | RVUs               | ¥                     | Ϋ́                           | 0.00                         | 0.00                        | ₹                           | Ϋ́                         | ¥                          | ¥                           | ¥                          | ₹                 | ₹<br>Z            | ₹                          | ¥                          | ₹                  | ¥                  | ₹                  | ¥                           | ¥                        | ₹                        | ¥                        | ₹                          | ¥                          | ¥                        | ₹                         | <b>∀</b>                  | Ϋ́                     | 0.81                    | ₹                           | ₹                         | ₹                           | ₹                           | ¥                           | ¥                      | ¥                      | ¥                      | ¥                        | ¥                        | Ϋ́                       | ¥                          | Ϋ́<br>V                    |
| Non-<br>facility             | practice<br>expense      | RVUs               | ¥                     | ¥                            | 0.00                         | 0.00                        | ¥                           | ¥                          | ¥                          | ¥                           | ¥                          | ¥                 | ¥                 | ¥                          | ¥                          | ¥                  | ¥                  | ¥                  | ¥                           | ¥                        | ¥                        | ¥                        | ¥                          | ¥                          | ¥                        | ¥                         | ¥                         | ¥                      | 0.97                    | ¥                           | ¥                         | ¥                           | ¥                           | ¥                           | ¥                      | ¥                      | ¥                      | ¥                        | ¥                        | ¥                        | ¥                          | ¥                          |
|                              | Physician<br>work        | RVUs 3             | 3.06                  | 3.80                         | 0.00                         | 0.00                        | 8.44                        | 15.31                      | 17.67                      | 66.6                        | 7.63                       | 1.91              | 9.15              | 11.15                      | 13.63                      | 22.54              | 23.06              | 24.41              | 19.66                       | 19.66                    | 20.10                    | 21.86                    | 2.06                       | 21.76                      | 22.25                    | 14.81                     | 15.03                     | 4.49                   | 1.10                    | 2.01                        | 10.46                     | 11.19                       | 11.74                       | 14.68                       | 7.28                   | 7.33                   | 11.92                  | 11.89                    | 14.71                    | 14.85                    | 19.15                      | 21.44                      |
| !                            |                          | Description        | Dilation of esophagus | Pressure treatment esophagus | Free jejunum flap, microvasc | Esophagus surgery procedure | Surgical opening of stomach | Surgical repair of stomach | Surgical repair of stomach | Surgical opening of stomach | Incision of pyloric muscle | Biopsy of stomach | Biopsy of stomach | Excision of stomach lesion | Excision of stomach lesion | Removal of stomach | Removal of stomach | Removal of stomach | Removal of stomach, partial | Removal stomach, partial | Removal stomach, partial | Removal stomach, partial | Partial removal of stomach | Partial removal of stomach | Removal stomach, partial | Vagotomy & pylorus repair | Vagotomy & pylorus repair | Place gastrostomy tube | Change gastrostomy tube | Reposition gastrostomy tube | Reconstruction of pylorus | Fusion of stomach and bowel | Fusion of stomach and bowel | Fusion of stomach and bowel | Place gastrostomy tube | Place gastrostomy tube | Place gastrostomy tube | Repair of stomach lesion | Gastroplasty for obesity | Gastroplasty for obesity | Gastric bypass for obesity | Gastric bypass for obesity |
|                              |                          | Status             | ∢                     | ∢                            | ပ                            | ပ                           | ∢                           | ∢                          | ∢                          | ∢                           | ∢                          | ∢                 | ∢                 | ∢                          | ∢                          | ∢                  | ∢                  | ∢                  | ∢                           | ∢                        | ∢                        | ∢                        | ∢                          | ∢                          | ∢                        | ∢                         | ∢                         | ∢                      | ∢                       | ∢                           | ∢                         | ∢                           | ∢                           | ∢                           | ∢                      | ∢                      | ∢                      | ∢                        | ∢                        | ∢                        | ∢                          | ∢                          |
|                              |                          | Мод                |                       |                              |                              |                             |                             |                            |                            |                             |                            |                   |                   |                            |                            |                    |                    |                    |                             |                          |                          |                          |                            |                            |                          |                           |                           |                        |                         |                             |                           |                             |                             |                             |                        |                        |                        |                          |                          |                          |                            |                            |
|                              | /, Id)                   | HCPCS <sup>2</sup> | 43458                 | 43460                        | 43496                        | 43499                       | 43500                       | 43501                      | 43502                      | 43510                       | 43520                      | 43600             | 43605             | 43610                      | 43611                      | 43620              | 43621              | 43622              | 43631                       | 43632                    | 43633                    | 43634                    | 43635                      | 43638                      | 43639                    | 43640                     | 43641                     | 43750                  | 43760                   | 43761                       | 43800                     | 43810                       | 43820                       | 43825                       | 43830                  | 43831                  | 43832                  | 43840                    | 43842                    | 43843                    | 43846                      | 43847                      |

Page 75 of 271
2 Copyright 1994 American Copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        |                              |              | Non-<br>facility | Transitioned            | Facility        | Transitioned    |                  |                   | T                 |                   |                   |        |
|------------------------------|-----|--------|------------------------------|--------------|------------------|-------------------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| •                            |     |        |                              | Physician    | practice         | non-ruciniy<br>practice | practice        | practice        | Mal-             | Non-              | nansmonea<br>Non- |                   | Transitioned      |        |
| OPT '/<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs         | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| l                            |     | ∢      | Revision gastroplasty        | 23.41        | ¥                | ¥                       | 13.37           | 15.39           | 2.58             | ¥                 | ¥                 | 39.36             | 41.38             | 060    |
| 43850                        |     | ∢      | Revise stomach-bowel fusion  | 19.69        | ¥                | Š                       | 9.33            | 11.81           | 1.76             | ¥                 | Ą                 | 30.78             | 33.26             | 060    |
| 43855                        |     | ∢      | Revise stomach-bowel fusion  | 20.83        | ¥                | ¥                       | 10.46           | 11.11           | 1.78             | ¥                 | ¥                 | 33.07             | 33.72             | 060    |
| 43860                        |     | ∢      | Revise stomach-bowel fusion  | 19.91        | ¥                | ¥                       | 9.60            | 11.73           | 1.96             | ¥                 | ¥                 | 31.47             | 33.60             | 060    |
| 43865                        |     | ∢      | Revise stomach-bowel fusion  | 21.12        | ¥                | ¥                       | 10.15           | 13.44           | 2.33             | ¥                 | ¥                 | 33.60             | 36.89             | 060    |
| 43870                        |     | ∢      | Repair stomach opening       | 7.40         | ≨                | ¥                       | 4.35            | 5.78            | 0.89             | ¥                 | ¥                 | 12.64             | 14.07             | 060    |
| 43880                        |     | ∢      | Repair stomach-bowel fistula | 19.63        | ¥                | ¥                       | 10.10           | 9.24            | 1.38             | ¥                 | ¥                 | 31.11             | 30.25             | 060    |
| 43999                        |     | ပ      | Stomach surgery procedure    | 0.00         | 0.00             | 0.00                    | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ٨      |
| 44005                        |     | ∢      | Freeing of bowel adhesion    | 13.84        | ¥                | ¥                       | 7.01            | 8.50            | 1.37             | ¥                 | ¥                 | 22.22             | 23.71             | 060    |
| 44010                        |     | ∢      | Incision of small bowel      | 10.68        | ¥                | ¥                       | 6.17            | 7.17            | 1.1              | ¥                 | ¥                 | 17.96             | 18.96             | 060    |
| 44015                        |     | ∢      | Insert needle catheter,bowel | 2.62         | ¥                | ¥                       | 1.06            | 2.61            | 0.35             | ¥                 | ¥                 | 4.03              | 5.58              | 777    |
| 44020                        |     | ∢      | Exploration of small bowel   | 11.93        | ₹                | ¥                       | 6.24            | 7.92            | 1.29             | ¥                 | Ą                 | 19.46             | 21.14             | 060    |
| 44021                        |     | ∢      | Decompress small bowel       | 12.01        | ¥                | Ϋ́                      | 6.59            | 7.35            | 1.16             | ¥                 | ¥                 | 19.76             | 20.52             | 060    |
| 44025                        |     | ∢      | Incision of large bowel      | 12.18        | ¥                | Ϋ́                      | 6.19            | 7.85            | 1.26             | ¥                 | ¥                 | 19.63             | 21.29             | 060    |
| 44050                        |     | ∢      | Reduce bowel obstruction     | 11.40        | ¥                | ₹                       | 6.01            | 7.83            | 1.28             | ¥                 | ¥                 | 18.69             | 20.51             | 060    |
| 44055                        |     | ∢      | Correct malrotation of bowel | 13.14        | ¥                | ¥                       | 92.9            | 7.92            | 1.25             | ¥                 | ¥                 | 21.15             | 22.31             | 060    |
| 44100                        |     | ∢      | Biopsy of bowel              | 2.01         | ¥                | Ϋ́                      | 0.88            | 1.35            | 0.10             | ¥                 | Š                 | 2.99              | 3.46              | 00     |
| 44110                        |     | ∢      | Excision of bowel lesion(s)  | 10.07        | ¥                | Ϋ́                      | 5.64            | 7.65            | 1.24             | ¥                 | ¥                 | 16.95             | 18.96             | 060    |
| 44111                        |     | ∢      | Excision of bowel lesion(s)  | 12.19        | ¥                | Ϋ́                      | 7.00            | 9.62            | 1.67             | ¥                 | ¥                 | 20.86             | 23.48             | 060    |
| 44120                        |     | ∢      | Removal of small intestine   | 14.50        | ¥                | ¥                       | 7.31            | 9.53            | 1.58             | ¥                 | ¥                 | 23.39             | 25.61             | 060    |
| 44121                        |     | ∢      | Removal of small intestine   | 4.45         | ₹                | ₹                       | 1.96            | 2.38            | 0.42             | ¥                 | ¥                 | 6.83              | 7.25              | 777    |
| 44125                        |     | ∢      | Removal of small intestine   | 14.96        | ≨                | <b>∀</b>                | 7.52            | 10.63           | 1.78             | ž                 | ¥                 | 24.26             | 27.37             | 060    |
| 44130                        |     | ∢      | Bowel to bowel fusion        | 12.36        | ¥                | ¥                       | 6.50            | 8.68            | 1.46             | ž                 | ≨                 | 20.32             | 22.50             | 060    |
| 44139                        |     | ∢      | Mobilization of colon        | 2.23         | ¥                | ₹                       | 0.97            | 1.20            | 0.21             | ¥                 | ¥                 | 3.41              | 3.64              | 777    |
| 44140                        |     | ∢      | Partial removal of colon     | 18.35        | ¥                | ₹                       | 9.05            | 11.52           | 1.88             | ¥                 | ¥                 | 29.28             | 31.75             | 060    |
| 44141                        |     | ∢      | Partial removal of colon     | 19.51        | ¥                | <b>∀</b>                | 12.26           | 12.72           | 1.99             | ¥                 | ≨                 | 33.76             | 34.22             | 060    |
| 44143                        |     | ∢      | Partial removal of colon     | 20.17        | ₹                | ₹                       | 12.64           | 13.14           | 2.05             | ¥                 | Š                 | 34.86             | 35.36             | 060    |
| 44144                        |     | ∢      | Partial removal of colon     | 18.89        | ¥                | <b>∀</b>                | 11.38           | 12.66           | 1.98             | ¥                 | ¥                 | 32.25             | 33.53             | 060    |
| 44145                        |     | ∢      | Partial removal of colon     | 23.18        | ₹                | ₹                       | 11.60           | 13.69           | 2.17             | ¥                 | ¥                 | 36.95             | 39.04             | 060    |
| 44146                        |     | ∢      | Partial removal of colon     | 24.16        | ¥                | ₹                       | 14.25           | 15.76           | 2.46             | ¥                 | ₹                 | 40.87             | 42.38             | 060    |
| 44147                        |     | ∢      | Partial removal of colon     | 18.17        | ¥                | ¥                       | 9.82            | 14.94           | 2.58             | ¥                 | Š                 | 30.57             | 35.69             | 060    |
| 44150                        |     | ∢      | Removal of colon             | 21.01        | ≨                | Ϋ́                      | 12.97           | 15.33           | 2.48             | ¥                 | ₹                 | 36.46             | 38.82             | 060    |
| 44151                        |     | ∢      | Removal of colon/ileostomy   | 20.04        | ¥                | ¥                       | 13.40           | 11.66           | 1.74             | ¥                 | Š                 | 35.18             | 33.44             | 060    |
| 44152                        |     | ∢      | Removal of colon/ileostomy   | 24.41        | ¥                | ¥                       | 16.00           | 16.57           | 2.63             | ¥                 | ¥                 | 43.04             | 43.61             | 060    |
| 44153                        |     | ∢      | Removal of colon/ileostomy   | 26.83        | ¥                | Ϋ́                      | 15.96           | 19.74           | 2.84             | ¥                 | ¥                 | 45.63             | 49.41             | 060    |
| 44155                        |     | ∢      | Removal of colon             | 24.44        | ¥                | Ϋ́                      | 14.25           | 17.12           | 2.74             | ¥                 | ₹                 | 41.43             | 44.30             | 060    |
| 44156                        |     | ∢      | Removal of colon/ileostomy   | 23.01        | ¥                | ¥                       | 14.57           | 12.92           | 1.97             | ¥                 | ¥                 | 39.55             | 37.90             | 060    |
| 44160                        |     | ∢      | Removal of colon             | 15.88        | ¥                | ٧                       | 8.08            | 12.15           | 2.10             | ¥                 | ¥                 | 26.06             | 30.13             | 060    |
| 44300                        |     | ∢      | Open bowel to skin           | 8.88         | ¥                | ¥                       | 5.71            | 6.33            | 1.01             | ¥                 | ¥                 | 15.60             | 16.22             | 060    |
| 44310                        |     | ∢      | lleostomy/jejunostomy        | 11.70        | A<br>A           | <b>∀</b>                | 8.35            | 8.50            | 1.30             | ₹                 | ¥                 | 21.35             | 21.50             | 060    |
|                              |     |        |                              |              |                  |                         |                 |                 |                  |                   |                   |                   |                   |        |

Page 76 of 271
2 Copyright 1994 American Devinght 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                     |     |        |                              |           | , work   | Transferred  |          | Transitioned |                  |       |              |                  |                  |        |
|---------------------|-----|--------|------------------------------|-----------|----------|--------------|----------|--------------|------------------|-------|--------------|------------------|------------------|--------|
|                     |     |        |                              |           | facility | Non-facility | Facility | Facility     |                  |       | Transitioned |                  |                  |        |
| / <sub>1</sub> L(d) |     |        |                              | Physician | practice | practice     | practice | practice     | Mal-<br>practice | Non-  | Non-         | 4                | Transitioned     |        |
| HCPCS <sup>2</sup>  | рон | Status | Description                  | RVUs 3    | RVUs     | RVUs         | RVUs     | RVUs         | RUYS             | Total | Total        | radiiiy<br>Total | radiiry<br>Total | Global |
| 44312               |     | ⋖      | Revision of ileostomy        | 5.88      | NA       | NA           | 4.39     | 3.60         | 0.35             | Ą     | Ą            | 10.62            | 9.83             | 060    |
| 44314               |     | ∢      | Revision of ileostomy        | 11.04     | ¥        | ¥            | 8.68     | 7.61         | 0.95             | ¥     | ¥            | 20.67            | 19.60            | 060    |
| 44316               |     | ∢      | Devise bowel pouch           | 15.47     | ¥        | ¥            | 12.02    | 10.85        | 1.12             | ¥     | ₹            | 28.61            | 27.44            | 060    |
| 44320               |     | ∢      | Colostomy                    | 12.94     | ¥        | Ϋ́           | 9.79     | 8.52         | 1.23             | ¥     | Ϋ́           | 23.96            | 22.69            | 060    |
| 44322               |     | ∢      | Colostomy with biopsies      | 11.98     | ¥        | Ϋ́           | 9.82     | 9.84         | 1.47             | ¥     | Ϋ́           | 23.27            | 23.29            | 060    |
| 44340               |     | ⋖      | Revision of colostomy        | 5.66      | ¥        | ¥            | 4.07     | 2.38         | 0.27             | ¥     | Ϋ́           | 10.00            | 8.31             | 060    |
| 44345               |     | ∢      | Revision of colostomy        | 11.32     | ¥        | ¥            | 7.28     | 5.76         | 0.81             | ¥     | Ą            | 19.41            | 17.89            | 060    |
| 44346               |     | ∢      | Revision of colostomy        | 12.46     | ¥        | Ϋ́           | 7.79     | 7.36         | 1.08             | ¥     | ¥            | 21.33            | 20.90            | 060    |
| 44360               |     | ∢      | Small bowel endoscopy        | 2.92      | ¥        | Ą            | 1.20     | 2.91         | 0.25             | ¥     | Ą            | 4.37             | 90.9             | 000    |
| 44361               |     | ∢      | Small bowel endoscopy,biopsy | 3.23      | ¥        | Ϋ́           | 1.29     | 3.21         | 0.27             | ¥     | Ϋ́           | 4.79             | 6.71             | 000    |
| 44363               |     | ∢      | Small bowel endoscopy        | 3.94      | ¥        | Š            | 1.52     | 2.81         | 0.28             | ¥     | ¥            | 5.74             | 7.03             | 00     |
| 44364               |     | ∢      | Small bowel endoscopy        | 4.22      | ¥        | Ϋ́           | 1.66     | 4.20         | 0.56             | ¥     | ¥            | 6.44             | 8.98             | 000    |
| 44365               |     | ∢      | Small bowel endoscopy        | 3.73      | ¥        | Š            | 1.50     | 3.71         | 0.56             | ¥     | ¥            | 5.79             | 8.00             | 00     |
| 44366               |     | ∢      | Small bowel endoscopy        | 4.97      | ¥        | ¥            | 1.89     | 4.93         | 0.35             | ¥     | Ą            | 7.21             | 10.25            | 000    |
| 44369               |     | ∢      | Small bowel endoscopy        | 5.09      | ¥        | Š            | 1.94     | 5.05         | 0.39             | ¥     | ¥            | 7.42             | 10.53            | 00     |
| 44372               |     | ∢      | Small bowel endoscopy        | 4.97      | ¥        | Ϋ́           | 1.93     | 4.94         | 0.52             | ¥     | Ą            | 7.42             | 10.43            | 00     |
| 44373               |     | ∢      | Small bowel endoscopy        | 3.94      | ¥        | Š            | 1.55     | 3.91         | 0.39             | ¥     | Ϋ́           | 5.88             | 8.24             | 00     |
| 44376               |     | ∢      | Small bowel endoscopy        | 5.69      | ¥        | Ϋ́           | 2.15     | 3.84         | 0.20             | ¥     | ¥            | 8.04             | 9.73             | 000    |
| 44377               |     | ∢      | Small bowel endoscopy        | 5.98      | ¥        | Š            | 2.24     | 4.03         | 0.22             | ¥     | Ϋ́           | 8.44             | 10.23            | 00     |
| 44378               |     | ∢      | Small bowel endoscopy        | 7.71      | ¥        | ¥            | 2.85     | 5.00         | 0.27             | ¥     | ¥            | 10.83            | 12.98            | 8      |
| 44380               |     | ∢      | Small bowel endoscopy        | 1.51      | ¥        | <b>₹</b>     | 0.71     | 1.53         | 0.17             | ¥     | ¥            | 2.39             | 3.21             | 00     |
| 44382               |     | ∢      | Small bowel endoscopy        | 1.82      | ¥        | ¥            | 0.83     | 1.84         | 0.23             | ₹     | Ϋ́           | 2.88             | 3.89             | 00     |
| 44385               |     | ∢      | Endoscopy of bowel pouch     | 1.82      | 3.13     | 2.68         | 0.92     | 1.86         | 0.27             | 5.22  | 4.77         | 3.01             | 3.95             | 8      |
| 44386               |     | ∢      | Endoscopy,bowel pouch,biopsy | 2.12      | 4.46     | 2.37         | 1.03     | 1.51         | 0.12             | 6.70  | 4.61         | 3.27             | 3.75             | 00     |
| 44388               |     | ∢      | Colon endoscopy              | 2.82      | 4.16     | 3.98         | 1.33     | 2.85         | 0.39             | 7:37  | 7.19         | 4.54             | 90.9             | 00     |
| 44389               |     | ∢      | Colonoscopy with biopsy      | 3.13      | 4.59     | 4.40         | 1.45     | 3.16         | 0.35             | 8.07  | 7.88         | 4.93             | 6.64             | 00     |
| 44390               |     | ∢      | Colonoscopy for foreign body | 3.83      | 3.62     | 3.04         | 1.69     | 2.56         | 0.22             | 7.67  | 7.09         | 5.74             | 6.61             | 00     |
| 44391               |     | ∢      | Colonoscopy for bleeding     | 4.32      | 3.01     | 5.04         | 1.83     | 4.32         | 0.41             | 7.74  | 9.77         | 6.56             | 9.05             | 00     |
| 44392               |     | ∢      | Colonoscopy & polypectomy    | 3.82      | 4.83     | 5.41         | 1.69     | 3.84         | 0.55             | 9.20  | 9.78         | 90.9             | 8.21             | 8      |
| 44393               |     | ∢      | Colonoscopy, lesion removal  | 4.84      | 4.73     | 5.59         | 2.04     | 4.84         | 0.55             | 10.12 | 10.98        | 7.43             | 10.23            | 8      |
| 44394               |     | ∢      | Colonoscopy w/snare          | 4.43      | 4.97     | 5.44         | 1.92     | 4.45         | 0.55             | 9.95  | 10.42        | 6.90             | 9.43             | 00     |
| 44500               |     | ∢      | Intro, gastrointestinal tube | 0.49      | ¥        | Ϋ́           | 0.25     | 0.36         | 0.02             | ¥     | ž            | 92.0             | 0.87             | 00     |
| 44602               |     | ∢      | Suture, small intestine      | 10.61     | ¥        | Ą            | 5.88     | 7.70         | 1.27             | ¥     | Ϋ́           | 17.76            | 19.58            | 060    |
| 44603               |     | ∢      | Suture, small intestine      | 14.00     | Š        | ¥            | 7.44     | 9.26         | 1.53             | ₹     | ¥            | 22.97            | 24.79            | 060    |
| 44604               |     | ∢      | Suture, large intestine      | 14.28     | ¥        | ¥            | 7.56     | 8.30         | 1.31             | ₹     | ¥            | 23.15            | 23.89            | 060    |
| 44605               |     | ∢      | Repair of bowel lesion       | 15.37     | ¥        | ¥            | 8.19     | 9.68         | 1.58             | ¥     | ¥            | 25.14            | 26.63            | 060    |
| 44615               |     | ∢      | Intestinal stricturoplasty   | 14.19     | ¥        | ¥            | 7.54     | 7.37         | 1.23             | ¥     | A<br>A       | 22.96            | 22.79            | 060    |
| 44620               |     | ∢      | Repair bowel opening         | 10.87     | ¥        | ¥            | 5.85     | 6.32         | 0.99             | ¥     | A<br>A       | 17.71            | 18.18            | 060    |
| 44625               |     | ∢      | Repair bowel opening         | 13.41     | ¥        | ¥            | 6.89     | 9.52         | 1.59             | ¥     | ¥            | 21.89            | 24.52            | 060    |
| 44626               |     | ∢      | Repair bowel opening         | 22.59     | Ϋ́       | Š            | 10.31    | 11.83        | 1.88             | Š     | A<br>A       | 34.78            | 36.30            | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                 |           |                              |              | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |            |
|-----------------|-----------|------------------------------|--------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
|                 |           |                              | Physician    | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              | ;                 | Transitioned      |            |
| Mod Status Desc | Desc      | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | tacility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
| A Repair bo     | Repair bo | Repair bowel-skin fistula    | 14.83        | ₹                | ¥                            | 8.14            | 7.36                     | 1.06             | ¥                 | ≨                 | 24.03             | 23.25             | 060<br>0   |
| A Repair bo     | Repair bo | Repair bowel fistula         | 15.25        | ¥                | Š                            | 8.36            | 8.05                     | 1.14             | Ϋ́                | ¥                 | 24.75             | 24.44             | 060        |
| A Repair bo     | Repair bo | Repair bowel-bladder fistula | 14.63        | ¥                | ¥                            | 7.99            | 8.79                     | 0.95             | ¥                 | ¥                 | 23.57             | 24.37             | 060        |
| A Repair b      | Repair be | Repair bowel-bladder fistula | 16.99        | ¥                | ¥                            | 8.86            | 13.56                    | 1.97             | ¥                 | Ą                 | 27.82             | 32.52             | 66         |
| A Surgical      | Surgical  | Surgical revision, intestine | 13.72        | ¥                | ¥                            | 2.68            | 9.83                     | 1.67             | ¥                 | Ϋ́                | 23.07             | 25.22             | 8          |
| A Suspend       | Suspend   | Suspend bowel w/prosthesis   | 14.35        | ¥                | ¥                            | 7.99            | 11.25                    | 1.88             | ¥                 | Ϋ́                | 24.22             | 27.48             | 060        |
| C Intestine     | Intestine | Intestine surgery procedure  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹          |
| A Excision      | Excision  | Excision of bowel pouch      | 11.23        | ¥                | ¥                            | 5.86            | 5.73                     | 0.84             | ¥                 | ¥                 | 17.93             | 17.80             | 66         |
| A Excision      | Excision  | Excision of mesentery lesion | 10.31        | ¥                | ¥                            | 5.57            | 6.11                     | 0.95             | ¥                 | ¥                 | 16.83             | 17.37             | 060        |
|                 | Repair (  | Repair of mesentery          | 9.57         | ¥                | ¥                            | 5.45            | 5.92                     | 0.92             | ¥                 | Ϋ́                | 15.94             | 16.41             | 66         |
| C Bowels        | Bowel s   | Bowel surgery procedure      | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹          |
| A Drain, a      | Drain, a  | Drain, app abscess, open     | 8.82         | ¥                | Ϋ́                           | 5.44            | 4.84                     | 69.0             | ¥                 | ¥                 | 14.95             | 14.35             | 8          |
| A Drain, a      | Drain,    | Drain, app abscess, perc     | 3.38         | ¥                | ¥                            | 3.46            | 2.95                     | 0.23             | ¥                 | ¥                 | 7.07              | 6.56              | 000        |
| A Append        | Append    | Appendectomy                 | 8.70         | ¥                | ¥                            | 4.61            | 5.14                     | 0.79             | ¥                 | ¥                 | 14.10             | 14.63             | 66         |
| A Append        | Append    | Appendectomy add-on          | 1.53         | ¥                | ¥                            | 0.67            | 1.53                     | 0.47             | ¥                 | ¥                 | 2.67              | 3.53              | 222        |
| A Append        | Append    | Appendectomy                 | 10.74        | ¥                | ¥                            | 5.95            | 6.28                     | 0.97             | ¥                 | Ϋ́                | 17.66             | 17.99             | 060        |
| A Draina        | Draina    | Drainage of pelvic abscess   | 4.52         | ¥                | ¥                            | 3.52            | 2.18                     | 0.19             | ¥                 | ¥                 | 8.23              | 6.89              | 060        |
| A Draina        | Draina    | Drainage of rectal abscess   | 1.99         | 3.51             | 1.93                         | 1.36            | 1.39                     | 0.16             | 5.66              | 4.08              | 3.51              | 3.54              | 010        |
| A Draina        | Draina    | Drainage of rectal abscess   | 4.72         | ¥                | Š                            | 3.37            | 2.97                     | 0.40             | ¥                 | Ϋ́                | 8.49              | 8.09              | <b>6</b> 6 |
| A Biops         | Biops     | Biopsy of rectum             | 3.68         | 3.95             | 2.52                         | 1.95            | 2.02                     | 0.27             | 7.90              | 6.47              | 5.90              | 5.97              | 060        |
| A Remo          | Remo      | Removal of anorectal lesion  | 4.76         | 5.06             | 3.43                         | 2.65            | 2.83                     | 0.41             | 10.23             | 8.60              | 7.82              | 8.00              | 060        |
| A Remo          | Remo      | Removal of rectum            | 23.80        | ¥                | ¥                            | 11.99           | 16.28                    | 2.68             | ¥<br>Z            | Ϋ́                | 38.47             | 42.76             | 060        |
| A Partia        | Partia    | Partial removal of rectum    | 16.48        | ≨                | <b>∀</b>                     | 9.18            | 11.87                    | 1.95             | ¥                 | Ϋ́                | 27.61             | 30.30             | 060        |
| A Remo          | Remo      | Removal of rectum            | 25.96        | ¥                | Š                            | 12.74           | 16.26                    | 2.63             | ¥                 | Ϋ́                | 41.33             | 44.85             | 060        |
| A Partia        | Partia    | Partial proctectomy          | 25.99        | ¥                | Š                            | 12.23           | 16.13                    | 2.63             | ¥                 | Ϋ́                | 40.85             | 44.75             | <u>6</u> 6 |
| A Partic        | Partis    | Partial removal of rectum    | 23.22        | ¥                | ¥                            | 11.81           | 15.48                    | 2.53             | ¥                 | ¥                 | 37.56             | 41.23             | 8          |
| A Partis        | Partie    | Partial removal of rectum    | 20.89        | ¥                | ¥                            | 10.32           | 11.35                    | 1.83             | ¥                 | ₹                 | 33.04             | 34.07             | 8          |
| A Remo          | Remo      | Remove, rectum w/reservoir   | 26.21        | ¥                | ₹                            | 12.83           | 16.28                    | 2.63             | ¥                 | ₹                 | 41.67             | 45.12             | 8          |
| A Remo          | Remo      | Removal of rectum            | 24.60        | ₹                | Ϋ́                           | 12.33           | 16.43                    | 2.77             | ¥                 | ₹                 | 39.70             | 43.80             | 8          |
| A Remo          | Remo      | Removal of rectum and colon  | 27.04        | ¥                | ¥                            | 13.46           | 12.15                    | 1.57             | ¥                 | ₹                 | 42.07             | 40.76             | 8          |
| A Partia        | Partia    | Partial proctectomy          | 14.20        | ¥                | Å.                           | 7.75            | 11.52                    | 1.95             | ¥                 | ₹                 | 23.90             | 27.67             | 060        |
| A Pelvic        | Pelvic    | Pelvic exenteration          | 38.39        | 13.90            | 13.90                        | 13.63           | 13.63                    | 4.81             | 57.10             | 57.10             | 56.83             | 56.83             | 060        |
| A Excisi        | Excisi    | Excision of rectal prolapse  | 13.97        | ¥                | ¥                            | 7.09            | 9.03                     | 1.40             | ¥                 | ¥                 | 22.46             | 24.40             | 060        |
| A Excisi        | Excisi    | Excision of rectal prolapse  | 16.39        | ¥                | ¥                            | 8.42            | 15.09                    | 2.74             | ¥                 | ¥                 | 27.55             | 34.22             | 060        |
| A Excisi        | Excisi    | Excision of rectal stricture | 5.67         | 4.49             | 3.88                         | 2.88            | 3.47                     | 0.49             | 10.65             | 10.04             | 9.04              | 9.63              | 060        |
| A Excisi        | Excisi    | Excision of rectal lesion    | 13.02        | ¥                | ¥                            | 6.77            | 7.77                     | 1.22             | ¥                 | ¥                 | 21.01             | 22.01             | 060        |
| A Excisi        | Excisi    | Excision of rectal lesion    | 9.77         | ¥                | ¥                            | 4.95            | 5.00                     | 0.75             | ž                 | ₹                 | 15.47             | 15.52             | 060        |
| A Destri        | Destri    | Destruction, rectal tumor    | 8.28         | ¥                | ¥                            | 4.33            | 5.22                     | 0.83             | ¥                 | ¥                 | 13.44             | 14.33             | 060        |
| A Procto        | Proct     | Proctosigmoidoscopy          | 0.70         | 3.32             | 1.28                         | 0.30            | 0.30                     | 0.05             | 4.07              | 2.03              | 1.05              | 1.05              | 8          |
| A Procto        | Procto    | Proctosigmoidoscopy          | 08.0         | 4.30             | 1.59                         | 0.34            | 0.35                     | 0.09             | 5.19              | 2.48              | 1.23              | 1.24              | 00         |
|                 |           |                              |              |                  |                              |                 |                          |                  |                   |                   |                   |                   |            |

Page 78 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |     |        |                               |                | Man Wall        | Transitional    | and form        | Transitioned           |                  |                   |                   |                   |                   |        |
|-----------------------------|-----|--------|-------------------------------|----------------|-----------------|-----------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |     |        |                               |                | facility        | Non-facility    | Facility        | n unsmoneu<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| l.                          |     |        |                               | Physician      | practice        | practice        | practice        | practice               | Wo!              | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Mod | Status | Description                   | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 45305                       |     | ∢      | Proctosigmoidoscopy; biopsy   | 1.01           | 3.21            | 1.49            | 0.41            | 0.45                   | 0.11             | 4.33              | 2.61              | 1.53              | 1.57              | 000    |
| 45307                       |     | ∢      | Proctosigmoidoscopy           | 1.71           | 5.02            | 2.29            | 0.65            | 1.20                   | 0.14             | 6.87              | 4.14              | 2.50              | 3.05              | 000    |
| 45308                       |     | ∢      | Proctosigmoidoscopy           | 1.51           | 2.51            | 1.55            | 09.0            | 0.62                   | 0.16             | 4.18              | 3.22              | 2.27              | 2.29              | 000    |
| 45309                       |     | ∢      | Proctosigmoidoscopy           | 2.01           | 3.63            | 1.83            | 0.77            | 99.0                   | 0.16             | 5.80              | 4.00              | 2.94              | 2.83              | 00     |
| 45315                       |     | ∢      | Proctosigmoidoscopy           | 2.54           | 4.34            | 2.05            | 0.97            | 1.21                   | 0.14             | 7.02              | 4.73              | 3.65              | 3.89              | 000    |
| 45317                       |     | ∢      | Proctosigmoidoscopy           | 2.73           | 2.99            | 1.78            | 1.03            | 1.29                   | 0.15             | 5.87              | 4.66              | 3.91              | 4.17              | 00     |
| 45320                       |     | ∢      | Proctosigmoidoscopy           | 2.88           | 3.23            | 2.33            | 1.08            | 1.79                   | 0.27             | 6.38              | 5.48              | 4.23              | 4.94              | 000    |
| 45321                       |     | ∢      | Proctosigmoidoscopy           | 2.12           | ¥               | Ϋ́              | 0.82            | 1.41                   | 0.21             | ¥                 | ¥                 | 3.15              | 3.74              | 000    |
| 45330                       |     | ∢      | Sigmoidoscopy, diagnostic     | 96.0           | 4.27            | 2.07            | 0.38            | 0.53                   | 60.0             | 5.32              | 3.12              | 1.43              | 1.58              | 00     |
| 45331                       |     | ∢      | Sigmoidoscopy and biopsy      | 1.26           | 4.28            | 2.38            | 0.49            | 1.26                   | 0.12             | 5.66              | 3.76              | 1.87              | 2.64              | 000    |
| 45332                       |     | ∢      | Sigmoidoscopy                 | 1.96           | 5.54            | 2.82            | 0.73            | 1.62                   | 0.13             | 7.63              | 4.91              | 2.82              | 3.71              | 00     |
| 45333                       |     | ∢      | Sigmoidoscopy & polypectomy   | 1.96           | 4.51            | 2.95            | 0.73            | 1.94                   | 0.20             | 6.67              | 5.11              | 2.89              | 4.10              | 00     |
| 45334                       |     | ∢      | Sigmoidoscopy for bleeding    | 2.99           | ¥               | Ą               | 1.08            | 2.48                   | 0.18             | ¥                 | ¥                 | 4.25              | 5.65              | 00     |
| 45337                       |     | ∢      | Sigmoidoscopy, decompression  | 2.36           | ¥               | Ą               | 0.88            | 2.34                   | 0.30             | ¥                 | ¥                 | 3.54              | 2.00              | 00     |
| 45338                       |     | ∢      | Sigmoidoscopy                 | 2.57           | 2.07            | 3.09            | 0.95            | 2.06                   | 0.20             | 7.84              | 5.86              | 3.72              | 4.83              | 00     |
| 45339                       |     | ∢      | Sigmoidoscopy                 | 3.14           | 4.17            | 3.68            | 1.14            | 2.93                   | 0.24             | 7.55              | 2.06              | 4.52              | 6.31              | 00     |
| 45355                       |     | ∢      | Surgical colonoscopy          | 3.52           | ¥               | Ϋ́              | 1.73            | 1.39                   | 0.08             | ¥                 | ¥                 | 5.33              | 4.99              | 000    |
| 45378                       |     | ∢      | Diagnostic colonoscopy        | 3.70           | 4.99            | 4.61            | 1.69            | 3.74                   | 0.31             | 9.00              | 8.62              | 5.70              | 7.75              | 00     |
|                             | 53  | ∢      | Diagnostic colonoscopy        | 96.0           | 0.79            | 1.20            | 0.62            | 1.02                   | 0.09             | 1.84              | 2.25              | 1.67              | 2.07              | 00     |
| 45379                       |     | ∢      | Colonoscopy                   | 4.72           | 5.37            | 5.68            | 2.08            | 4.74                   | 0.35             | 10.44             | 10.75             | 7.15              | 9.81              | 000    |
| 45380                       |     | ∢      | Colonoscopy and biopsy        | 4.01           | 4.96            | 5.14            | 1.76            | 4.03                   | 0.31             | 9.28              | 9.46              | 6.08              | 8.35              | 000    |
| 45382                       |     | ∢      | Colonoscopy, control bleeding | 5.73           | 5.78            | 6.22            | 2.33            | 5.36                   | 0.32             | 11.83             | 12.27             | 8.38              | 11.41             | 000    |
| 45383                       |     | ∢      | Colonoscopy, lesion removal   | 5.87           | 5.86            | 6.28            | 2.43            | 5.42                   | 0.39             | 12.12             | 12.54             | 8.69              | 11.68             | 000    |
| 45384                       |     | ∢      | Colonoscopy                   | 4.70           | 5.31            | 5.54            | 2.04            | 4.72                   | 0.45             | 10.46             | 10.69             | 7.19              | 9.87              | 000    |
| 45385                       |     | ∢      | Colonoscopy, lesion removal   | 5.31           | 5.52            | 6.80            | 2.23            | 5.31                   | 0.45             | 11.28             | 12.56             | 7.99              | 11.07             | 00     |
| 45500                       |     | ∢      | Repair of rectum              | 7.29           | ₹               | Š               | 4.11            | 5.87                   | 0.95             | ¥                 | Š                 | 12.35             | 14.11             | 060    |
| 45505                       |     | ∢      | Repair of rectum              | 6.02           | ¥               | Ϋ́              | 3.11            | 5.90                   | 96.0             | ¥                 | Š                 | 10.09             | 12.88             | 060    |
| 45520                       |     | ∢      | Treatment of rectal prolapse  | 0.55           | 0.52            | 0.63            | 0.19            | 0:30                   | 0.08             | 1.15              | 1.26              | 0.82              | 0.93              | 00     |
| 45540                       |     | ∢      | Correct rectal prolapse       | 12.92          | ¥               | ¥               | 6.93            | 9.78                   | 1.64             | ¥                 | Š                 | 21.49             | 24.34             | 060    |
| 45541                       |     | ∢      | Correct rectal prolapse       | 10.64          | ¥               | Ϋ́              | 5.75            | 9.72                   | 1.60             | ¥                 | <b>₹</b>          | 17.99             | 21.96             | 060    |
| 45550                       |     | ∢      | Repair rectum; remove sigmoid | 18.26          | ¥               | Ϋ́              | 9.07            | 11.62                  | 1.86             | ¥                 | <b>∀</b>          | 29.19             | 31.74             | 060    |
| 45560                       |     | ∢      | Repair of rectocele           | 8.40           | ¥               | Ϋ́              | 4.90            | 5.13                   | 0.77             | ¥                 | ¥                 | 14.07             | 14.30             | 060    |
| 45562                       |     | ∢      | Exploration/repair of rectum  | 12.21          | ¥               | ž               | 6.17            | 8.13                   | 1.24             | ¥                 | Š                 | 19.62             | 21.58             | 060    |
| 45563                       |     | ∢      | Exploration/repair of rectum  | 18.63          | ¥               | Ϋ́              | 9.49            | 12.77                  | 1.95             | ¥                 | ¥                 | 30.07             | 33.35             | 060    |
| 45800                       |     | ∢      | Repair rectumbladder fistula  | 14.11          | ≨               | ¥               | 7.12            | 9.78                   | 1.13             | ¥                 | ž                 | 22.36             | 25.02             | 060    |
| 45805                       |     | ∢      | Repair fistula; colostomy     | 16.50          | ¥               | ¥               | 8.71            | 12.21                  | 1.87             | ¥                 | Š                 | 27.08             | 30.58             | 060    |
| 45820                       |     | ∢      | Repair rectourethral fistula  | 14.67          | ¥               | ¥               | 6.93            | 9.05                   | 96.0             | ¥                 | Š                 | 22.56             | 24.68             | 060    |
| 45825                       |     | ∢      | Repair fistula; colostomy     | 16.87          | ¥               | ¥               | 9.42            | 10.39                  | 1.30             | ¥                 | ₹                 | 27.59             | 28.56             | 060    |
| 45900                       |     | ∢      | Reduction of rectal prolapse  | 1.83           | ¥               | ¥               | 1.04            | 0.73                   | 0.09             | ¥                 | <b>₹</b>          | 2.96              | 2.65              | 010    |
| 45905                       |     | ∢      | Dilation of anal sphincter    | 1.61           | 2.18            | 1.12            | 0.79            | 0.78                   | 60.0             | 3.88              | 2.82              | 2.49              | 2.48              | 010    |
|                             |     |        |                               |                |                 |                 |                 |                        |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |     |        |                              |           | Non-            | Transitioned    |          | Iransitioned    |      | _                |                     |                  |                   |        |
|--------------------|-----|--------|------------------------------|-----------|-----------------|-----------------|----------|-----------------|------|------------------|---------------------|------------------|-------------------|--------|
|                    |     |        |                              |           | facility        | Non-facility    | Facility | Facility        | :    |                  | <b>Transitioned</b> |                  |                   |        |
| / <sub>1</sub> 10. |     |        |                              | Physician | practice        | practice        | practice | practice        | Mal- | Non-             | Mon-<br>÷           | 4                | Transitioned      |        |
| HCPCS 2            | Mod | Status | Description                  | RVUs 3    | expense<br>RVUs | expense<br>RVUs | RVUs     | expense<br>RVUs | RUVs | raciiny<br>Total | raciiny<br>Total    | raciiny<br>Total | racılıry<br>Total | Global |
| 45910              |     | ∢      | Dilation of rectal narrowing | 1.96      | 2.74            | 1.39            | 0.94     | 0.94            | 0.10 | 4.80             | 3.45                | 3.00             | 3.00              | 010    |
| 45915              |     | ∢      | Remove rectal obstruction    | 2.20      | 3.22            | 1.44            | 1.09     | 0.91            | 0.07 | 5.49             | 3.71                | 3.36             | 3.18              | 010    |
| 45999              |     | O      | Rectum surgery procedure     | 0.00      | 0.00            | 0.00            | 0.00     | 0.00            | 0.00 | 0.00             | 0.00                | 0.00             | 0.00              | ₹      |
| 46030              |     | ∢      | Removal of rectal marker     | 1.23      | 1.85            | 0.79            | 1.06     | 0.59            | 0.05 | 3.13             | 2.07                | 2.34             | 1.87              | 010    |
| 46040              |     | ∢      | Incision of rectal abscess   | 4.96      | 4.11            | 2.40            | 2.74     | 2.06            | 0.27 | 9.34             | 7.63                | 7.97             | 7.29              | 060    |
| 46045              |     | ∢      | Incision of rectal abscess   | 4.32      | ¥               | Ą               | 2.47     | 2.13            | 0.30 | ¥                | Ϋ́                  | 7.09             | 6.75              | 060    |
| 46050              |     | ∢      | Incision of anal abscess     | 1.19      | 2.53            | 1.12            | 1.06     | 0.51            | 0.09 | 3.81             | 2.40                | 2.34             | 1.79              | 010    |
| 46060              |     | ∢      | Incision of rectal abscess   | 5.69      | ¥               | ¥               | 3.24     | 5.17            | 0.88 | ¥                | Ϋ́                  | 9.81             | 11.74             | 060    |
| 46070              |     | ∢      | Incision of anal septum      | 2.71      | ₹               | ¥               | 2.41     | 1.72            | 0.26 | ₹                | ¥                   | 5.38             | 4.69              | 060    |
| 46080              |     | ∢      | Incision of anal sphincter   | 2.49      | 2.40            | 2.33            | 1.52     | 2.11            | 0.34 | 5.23             | 5.16                | 4.35             | 4.94              | 010    |
| 46083              |     | ∢      | Incise external hemorrhoid   | 1.40      | 3.59            | 1.41            | 1.13     | 0.54            | 90.0 | 5.05             | 2.87                | 2.59             | 2.00              | 010    |
| 46200              |     | ∢      | Removal of anal fissure      | 3.42      | 2.77            | 3.37            | 5.09     | 3.20            | 0.52 | 6.71             | 7.31                | 6.03             | 7.14              | 060    |
| 46210              |     | ∢      | Removal of anal crypt        | 2.67      | 3.88            | 1.60            | 1.89     | 1.10            | 0.11 | 99.9             | 4.38                | 4.67             | 3.88              | 060    |
| 46211              |     | ∢      | Removal of anal crypts       | 4.25      | 4.42            | 2.65            | 2.85     | 2.26            | 0.30 | 8.97             | 7.20                | 7.40             | 6.81              | 060    |
| 46220              |     | ∢      | Removal of anal tab          | 1.56      | 1.09            | 0.78            | 0.58     | 99.0            | 0.09 | 2.74             | 2.43                | 2.23             | 2.31              | 010    |
| 46221              |     | ∢      | Ligation of hemorrhoid(s)    | 1.43      | 2.10            | 1.07            | 0.53     | 0.40            | 0.11 | 3.64             | 2.61                | 2.07             | 1.94              | 010    |
| 46230              |     | ∢      | Removal of anal tabs         | 2.57      | 3.33            | 1.51            | 1.57     | 0.73            | 0.09 | 5.99             | 4.17                | 4.23             | 3.39              | 010    |
| 46250              |     | ∢      | Hemorrhoidectomy             | 4.53      | 4.25            | 3.37            | 2.59     | 2.96            | 0.41 | 9.19             | 8.31                | 7.53             | 7.90              | 060    |
| 46255              |     | ∢      | Hemorrhoidectomy             | 5.36      | 4.51            | 4.97            | 2.93     | 4.57            | 99.0 | 10.53            | 10.99               | 8.95             | 10.59             | 060    |
| 46257              |     | ∢      | Remove hemorrhoids & fissure | 6.28      | ¥               | ₹               | 3.24     | 5.07            | 0.84 | ¥                | Ϋ́                  | 10.36            | 12.19             | 060    |
| 46258              |     | ∢      | Remove hemorrhoids & fistula | 6.67      | Š               | ¥               | 3.45     | 5.64            | 0.95 | ¥                | ¥                   | 11.07            | 13.26             | 060    |
| 46260              |     | ∢      | Hemorrhoidectomy             | 7.42      | Š               | ₹               | 3.89     | 5.92            | 0.98 | ¥                | Ϋ́                  | 12.29            | 14.32             | 060    |
| 46261              |     | ∢      | Remove hemorrhoids & fissure | 8.24      | Ϋ́              | Ϋ́              | 4.13     | 6.42            | 1.05 | ¥                | ¥                   | 13.42            | 15.71             | 060    |
| 46262              |     | ∢      | Remove hemorrhoids & fistula | 8.73      | ¥               | Ϋ́              | 4.44     | 6.58            | 1.09 | ¥                | Ϋ́                  | 14.26            | 16.40             | 060    |
| 46270              |     | ∢      | Removal of anal fistula      | 3.72      | 3.75            | 2.46            | 2.25     | 2.09            | 0.29 | 7.76             | 6.47                | 6.26             | 6.10              | 060    |
| 46275              |     | ∢      | Removal of anal fistula      | 4.56      | 3.66            | 5.00            | 2.53     | 4.72            | 0.88 | 9.10             | 10.44               | 7.97             | 10.16             | 060    |
| 46280              |     | ∢      | Removal of anal fistula      | 5.98      | ₹               | Α               | 3.35     | 5.79            | 0.97 | ¥                | Ϋ́                  | 10.30            | 12.74             | 060    |
| 46285              |     | ∢      | Removal of anal fistula      | 4.09      | 3.16            | 2.64            | 2.32     | 2.43            | 0.34 | 7.59             | 7.07                | 6.75             | 98.9              | 060    |
| 46288              |     | ∢      | Repair anal fistula          | 7.13      | Š               | Ϋ́              | 3.87     | 3.87            | 0.65 | ₹                | Y<br>Y              | 11.65            | 11.65             | 060    |
| 46320              |     | ∢      | Removal of hemorrhoid clot   | 1.61      | 2.87            | 1.29            | 1.19     | 0.58            | 0.09 | 4.57             | 2.99                | 2.89             | 2.28              | 010    |
| 46500              |     | ∢      | Injection into hemorrhoids   | 1.61      | 1.81            | 0.72            | 0.58     | 0.28            | 0.05 | 3.47             | 2.38                | 2.24             | 1.94              | 010    |
| 46600              |     | ∢      | Diagnostic anoscopy          | 0:20      | 99.0            | 0.39            | 0.14     | 0.15            | 0.02 | 1.18             | 0.91                | 99.0             | 0.67              | 000    |
| 46604              |     | ∢      | Anoscopy and dilation        | 1.31      | 0.82            | 0.51            | 0.48     | 0.28            | 0.05 | 2.18             | 1.87                | 1.84             | 1.64              | 000    |
| 46606              |     | ∢      | Anoscopy and biopsy          | 0.81      | 0.73            | 0.48            | 0.30     | 0.23            | 0.05 | 1.59             | 1.34                | 1.16             | 1.09              | 000    |
| 46608              |     | ∢      | Anoscopy;remove foreign body | 1.51      | 1.56            | 1.26            | 0.46     | 66.0            | 0.09 | 3.16             | 2.86                | 5.06             | 2.59              | 000    |
| 46610              |     | ∢      | Anoscopy; remove lesion      | 1.32      | 1.27            | 1.01            | 0.49     | 0.81            | 0.12 | 2.71             | 2.45                | 1.93             | 2.25              | 000    |
| 46611              |     | ∢      | Anoscopy                     | 1.81      | 1.63            | 1.10            | 99.0     | 0.51            | 0.12 | 3.56             | 3.03                | 2.59             | 2.44              | 00     |
| 46612              |     | ∢      | Anoscopy; remove lesions     | 2.34      | 1.78            | 1.58            | 0.85     | 1.35            | 0.16 | 4.28             | 4.08                | 3.35             | 3.85              | 00     |
| 46614              |     | ∢      | Anoscopy; control bleeding   | 2.01      | 1.38            | 1.61            | 0.70     | 0.81            | 0.20 | 3.59             | 3.82                | 2.91             | 3.02              | 000    |
| 46615              |     | ∢      | Anoscopy                     | 2.68      | 1.67            | 1.68            | 66.0     | 0.88            | 0.20 | 4.55             | 4.56                | 3.87             | 3.76              | 00     |
|                    |     |        |                              |           |                 |                 |          |                 |      |                  |                     |                  |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |            |                               |              |                 | , ; , , ,                   | 200 / CO        | T                      |                  | _                 |                   |                   |                   |        |
|--------------------|------------|-------------------------------|--------------|-----------------|-----------------------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                    |            |                               |              | facility        | Iransinonea<br>Non-facility | Facility        | rransmonea<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| 7                  |            |                               | Physician    | practice        | practice                    | practice        | practice               | Mal              | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS 2 M | Mod Status | s                             | work<br>RVUs | expense<br>RVUs | expense<br>RVUs             | expense<br>RVUs | expense<br>RVUs        | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 46700              | <b> </b>   | Repair of anal stricture      | 7.25         | ¥               | Ą                           | 3.78            | 5.94                   | 0.97             | ΑN                | Ą                 | 12.00             | 14.16             | 060    |
| 46705              | ∢          | Repair of anal stricture      | 7.17         | ¥               | ₹                           | 4.80            | 4.13                   | 09.0             | ¥                 | ¥                 | 12.57             | 11.90             | 060    |
| 46715              | ∢          | Repair of anovaginal fistula  | 7.46         | ¥               | ¥                           | 4.42            | 3.96                   | 0.64             | ¥                 | ¥                 | 12.52             | 12.06             | 060    |
| 46716              | ∢          | Repair of anovaginal fistula  | 12.15        | ¥               | ₹                           | 6.61            | 6.58                   | 1.10             | ¥                 | ¥                 | 19.86             | 19.83             | 060    |
| 46730              | ∢          | Construction of absent anus   | 21.57        | Ϋ́              | ¥                           | 11.22           | 11.55                  | 1.96             | ¥                 | ¥                 | 34.75             | 35.08             | 060    |
| 46735              | ∢          | Construction of absent anus   | 25.94        | ¥               | ¥                           | 14.58           | 14.26                  | 2.38             | ž                 | ¥                 | 42.90             | 42.58             | 060    |
| 46740              | ∢          | Construction of absent anus   | 23.11        | ¥               | ¥                           | 11.06           | 12.16                  | 2.10             | ž                 | ¥                 | 36.27             | 37.37             | 060    |
| 46742              | ∢          | Repair, imperforated anus     | 29.67        | ¥               | Ą                           | 16.14           | 20.11                  | 1.51             | ¥                 | ¥                 | 47.32             | 51.29             | 060    |
| 46744              | ∢          | Repair, cloacal anomaly       | 33.21        | ¥               | ¥                           | 17.84           | 22.51                  | 1.70             | ¥                 | Ą                 | 52.75             | 57.42             | 060    |
| 46746              | ∢          | Repair, cloacal anomaly       | 36.74        | ¥               | ¥                           | 18.80           | 24.45                  | 1.85             | ¥                 | ¥                 | 57.39             | 63.04             | 060    |
| 46748              | ∢          | Repair, cloacal anomaly       | 40.52        | ¥               | ¥                           | 19.20           | 26.80                  | 2.07             | ¥                 | Ą                 | 61.79             | 69.39             | 060    |
| 46750              | ∢          | Repair of anal sphincter      | 8.14         | ¥               | ¥                           | 4.71            | 90.9                   | 0.95             | ¥,                | ¥                 | 13.80             | 15.15             | 060    |
| 46751              | ∢          | Repair of anal sphincter      | 8.56         | ¥               | ¥                           | 5.51            | 4.69                   | 0.74             | ¥                 | Ą                 | 14.81             | 13.99             | 060    |
| 46753              | ⋖          | Reconstruction of anus        | 6.58         | ¥               | ¥                           | 3.32            | 4.81                   | 0.80             | ¥                 | ¥                 | 10.70             | 12.19             | 060    |
| 46754              | ∢          | Removal of suture from anus   | 1.54         | 3.77            | 2.15                        | 1.03            | 1.47                   | 0.23             | 5.54              | 3.92              | 2.80              | 3.24              | 010    |
| 46760              | ⋖          | Repair of anal sphincter      | 11.46        | ¥               | ¥                           | 6.57            | 7.18                   | 1.10             | ¥                 | ¥                 | 19.13             | 19.74             | 060    |
| 46761              | ∢          | Repair of anal sphincter      | 10.99        | ¥               | Ϋ́                          | 5.64            | 6.97                   | 1.06             | ¥                 | ¥                 | 17.69             | 19.02             | 060    |
| 46762              | ⋖          | Implant artificial sphincter  | 10.09        | ¥               | Ϋ́                          | 5.02            | 5.91                   | 0.95             | ₹                 | ¥                 | 16.06             | 16.95             | 060    |
| 46900              | ∢          | Destruction, anal lesion(s)   | 1.91         | 2.55            | 0.95                        | 0.77            | 0.35                   | 0.05             | 4.51              | 2.91              | 2.73              | 2.31              | 010    |
| 46910              | ⋖          | Destruction, anal lesion(s)   | 1.86         | 2.61            | 1.17                        | 1.36            | 0.60                   | 90.0             | 4.53              | 3.09              | 3.28              | 2.52              | 010    |
| 46916              | ∢          | Cryosurgery, anal lesion(s)   | 1.86         | 2.48            | 1.17                        | 1.48            | 0.65                   | 0.05             | 4.39              | 3.08              | 3.39              | 2.56              | 010    |
| 46917              | ∢          | Laser surgery, anal fesion(s) | 1.86         | 3.32            | 2.41                        | 1.40            | 1.15                   | 0.24             | 5.42              | 4.51              | 3.50              | 3.25              | 010    |
| 46922              | ∢          | Excision of anal lesion(s)    | 1.86         | 2.88            | 1.76                        | 1.38            | 1.39                   | 0.18             | 4.92              | 3.80              | 3.42              | 3.43              | 010    |
| 46924              | ∢          |                               | 2.76         | 3.78            | 3.03                        | 1.76            | 2.53                   | 0.36             | 90.90             | 6.15              | 4.88              | 5.65              | 010    |
| 46934              | ⋖          | Destruction of hemorrhoids    | 4.08         | 4.14            | 2.00                        | 2.81            | 1.19                   | 0.13             | 8.35              | 6.21              | 7.02              | 5.40              | 060    |
| 46935              | ∢          | Destruction of hemorrhoids    | 2.43         | 2.99            | 2.07                        | 0.88            | 0.88                   | 0.17             | 5.59              | 4.67              | 3.48              | 3.48              | 010    |
| 46936              | ∢          | Destruction of hemorrhoids    | 4.30         | 3.77            | 2.81                        | 2.81            | 1.64                   | 0.19             | 8.26              | 7.30              | 7.30              | 6.13              | 060    |
| 46937              | ∢          | Cryotherapy of rectal lesion  | 2.69         | 3.14            | 2.70                        | 1.56            | 2.30                   | 0.35             | 6.18              | 5.74              | 4.60              | 5.34              | 010    |
| 46938              | ⋖          | Cryotherapy of rectal lesion  | 4.66         | 3.24            | 2.84                        | 2.92            | 2.76                   | 0.41             | 8.31              | 7.91              | 7.99              | 7.83              | 060    |
| 46940              | ⋖          | Treatment of anal fissure     | 2.32         | 2.23            | 0.97                        | 0.84            | 0.42                   | 0.07             | 4.62              | 3.36              | 3.23              | 2.81              | 010    |
| 46942              | ∢          | Treatment of anal fissure     | 2.04         | 1.82            | 0.83                        | 0.71            | 0.37                   | 90.0             | 3.92              | 2.93              | 2.81              | 2.47              | 010    |
| 46945              | ∢          | Ligation of hemorrhoids       | 2.14         | 2.91            | 1.24                        | 1.70            | 99.0                   | 0.09             | 5.14              | 3.47              | 3.93              | 2.91              | 060    |
| 46946              | ⋖          | Ligation of hemorrhoids       | 3.00         | 3.46            | 1.63                        | 2.06            | 06.0                   | 0.13             | 6.59              | 4.76              | 5.19              | 4.03              | 060    |
| 46999              | O          | Anus surgery procedure        | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 00.0              | 0.00              | Х      |
| 47000              | ∢          | Needle biopsy of liver        | 1.90         | 7.16            | 2.93                        | 1.15            | 1.43                   | 0.10             | 9.16              | 4.93              | 3.15              | 3.43              | 00     |
| 47001              | ⋖          | Needle biopsy, liver add-on   | 1.90         | ₹               | Y<br>Y                      | 0.82            | 1.35                   | 0.10             | ¥                 | ¥                 | 2.82              | 3.35              | 777    |
| 47010              | ∢          | Open drainage, liver lesion   | 10.28        | ¥               | Ϋ́                          | 7.89            | 7.47                   | 0.88             | ₹                 | ¥                 | 19.05             | 18.63             | 060    |
| 47011              | ∢          | Percut drain, liver lesion    | 3.70         | ¥               | Ą                           | 5.97            | 3.77                   | 0.26             | ¥                 | ¥                 | 9.93              | 7.73              | 000    |
| 47015              | ∢          | Inject/aspirate liver cyst    | 9.70         | ¥               | A<br>A                      | 6.35            | 7.09                   | 0.88             | ¥                 | ¥                 | 16.93             | 17.67             | 060    |
| 47100              | ∢          | Wedge biopsy of liver         | 7.49         | Ϋ́              | ¥                           | 4.89            | 3.90                   | 0.52             | Ϋ́                | ₹                 | 12.90             | 11.91             | 060    |

Page 81 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                             |     |        |                              |              | Mon-            | Transitioned    | and (con        | Transitioned    |                  |                   |                   |                   |                   |          |
|-----------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|----------|
|                             |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |          |
| 7                           |     |        |                              | Physician    | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |          |
| CPT /<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global   |
| 47120                       |     | ∢      | Partial removal of liver     | 22.79        | Ą               | ¥               | 12.75           | 12.95           | 1.94             | Ą                 | ₹                 | 37.48             | 37.68             | 66<br>66 |
| 47122                       |     | ∢      | Extensive removal of liver   | 35.39        | ¥               | ¥               | 18.93           | 19.04           | 2.81             | ¥                 | ₹                 | 57.13             | 57.24             | 060      |
| 47125                       |     | ∢      | Partial removal of liver     | 31.58        | ¥               | ¥               | 16.71           | 18.37           | 2.82             | ¥                 | ¥                 | 51.11             | 52.77             | 060      |
| 47130                       |     | ∢      | Partial removal of liver     | 34.25        | ¥               | ¥               | 17.67           | 20.04           | 3.04             | ¥                 | ¥                 | 54.96             | 57.33             | 060      |
| 47133                       |     | ×      | Removal of donor liver       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 47134                       |     | œ      | Partial removal, donor liver | 39.15        | ¥               | ¥               | 17.41           | 21.03           | 3.73             | ¥                 | ¥                 | 60.29             | 63.91             | ×        |
| 47135                       |     | œ      | Transplantation of liver     | 81.52        | ¥               | ¥               | 43.66           | 55.26           | 6.64             | ¥                 | ¥                 | 131.82            | 143.42            | 060      |
| 47136                       |     | œ      | Transplantation of liver     | 68.60        | ¥               | ¥               | 46.15           | 38.81           | 6.09             | ¥                 | ¥                 | 120.84            | 113.50            | 060      |
| 47300                       |     | ∢      | Surgery for liver lesion     | 89.6         | ¥               | ¥               | 6.27            | 7.81            | 1.24             | ¥                 | ¥                 | 17.19             | 18.73             | 060      |
| 47350                       |     | ∢      | Repair liver wound           | 12.56        | ¥               | ¥               | 7.03            | 7.83            | 1.17             | ₹                 | ¥                 | 20.76             | 21.56             | 060      |
| 47360                       |     | ∢      | Repair liver wound           | 17.28        | ¥               | ¥               | 10.08           | 11.42           | 1.71             | ¥                 | ¥                 | 29.07             | 30.41             | 060      |
| 47361                       |     | ∢      | Repair liver wound           | 30.25        | ¥               | ¥               | 14.91           | 15.65           | 2.67             | ¥                 | ¥                 | 47.83             | 48.57             | 060      |
| 47362                       |     | ∢      | Repair liver wound           | 11.88        | ¥               | ¥               | 7.82            | 6.22            | 0.95             | ¥                 | ¥                 | 20.65             | 19.05             | 060      |
| 47399                       |     | ပ      | Liver surgery procedure      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | Ж        |
| 47400                       |     | ∢      | Incision of liver duct       | 20.86        | ₹               | ₹               | 11.63           | 9.85            | 1.06             | ¥                 | <b>∀</b>          | 33.55             | 31.77             | 060      |
| 47420                       |     | ∢      | Incision of bile duct        | 16.72        | ¥               | ₹               | 8.89            | 9.94            | 1.56             | ¥                 | ¥                 | 27.17             | 28.22             | 060      |
| 47425                       |     | ∢      | Incision of bile duct        | 16.68        | ¥               | <b>∀</b>        | 9.38            | 11.88           | 1.92             | ¥                 | Š                 | 27.98             | 30.48             | 060      |
| 47460                       |     | ∢      | Incise bile duct sphincter   | 15.17        | ¥               | Š               | 8.50            | 14.77           | 1.42             | ¥                 | <b>₹</b>          | 25.09             | 31.36             | 060      |
| 47480                       |     | ∢      | Incision of gallbladder      | 9.10         | ¥               | ¥<br>Z          | 6.30            | 7.76            | 1.24             | ₹                 | <b>∀</b>          | 16.64             | 18.10             | 060      |
| 47490                       |     | ∢      | Incision of gallbladder      | 7.23         | ₹               | ₹               | 7.09            | 4.68            | 0.30             | ¥                 | ¥                 | 14.62             | 12.21             | 060      |
| 47500                       |     | ∢      | Injection for liver x-rays   | 1.96         | ₹               | Š               | 0.53            | 1.36            | 0.11             | ¥                 | ₹                 | 2.60              | 3.43              | 00       |
| 47505                       |     | ∢      | Injection for liver x-rays   | 0.76         | 13.85           | 4.26            | 0.21            | 0.74            | 0.11             | 14.72             | 5.13              | 1.08              | 1.61              | 000      |
| 47510                       |     | ∢      | Insert catheter, bile duct   | 7.83         | ¥               | ₹               | 27.01           | 60.6            | 0.20             | ¥                 | ₹                 | 35.04             | 17.12             | 060      |
| 47511                       |     | ∢      | Insert bile duct drain       | 10.50        | ¥               | <b>₹</b>        | 28.03           | 9.34            | 0.20             | ¥                 | ₹                 | 38.73             | 20.04             | 060      |
| 47525                       |     | ∢      | Change bile duct catheter    | 5.55         | ¥               | <b>₹</b>        | 3.10            | 2.07            | 0.13             | ₹                 | ₹                 | 8.78              | 7.75              | 010      |
| 47530                       |     | ∢      | Revise, reinsert bile tube   | 5.85         | ₹               | Ϋ́              | 4.78            | 2.43            | 0.15             | ¥                 | ¥                 | 10.78             | 8.43              | 060      |
| 47550                       |     | ∢      | Bile duct endoscopy add-on   | 3.02         | ₹               | Ϋ́              | 1.23            | 1.58            | 0.27             | Ϋ́                | ¥                 | 4.52              | 4.87              | 777      |
| 47552                       |     | ⋖      | Biliary endoscopy, thru skin | 6.04         | ≨ :             | ¥               | 2.22            | 1.67            | 0.16             | ¥                 | ¥                 | 8.42              | 7.87              | 000      |
| 47553                       |     | ∢      | Biliary endoscopy, thru skin | 6.35         | ₹               | ¥.              | 2.00            | 3.59            | 0.49             | ¥                 | ₹                 | 8.84              | 10.43             | 00       |
| 47554                       |     | ∢      | Biliary endoscopy, thru skin | 90.6         | ≨               | ¥               | 3.27            | 4.02            | 0.52             | ≨                 | ₹                 | 12.85             | 13.60             | 00       |
| 47555                       |     | ∢      | Biliary endoscopy, thru skin | 7.56         | ≨ :             | ₹ :             | 2.30            | 2.71            | 0.23             | ₹                 | ₹                 | 10.09             | 10.50             | 00       |
| 47556                       |     | ⋖      | Biliary endoscopy, thru skin | 8.56         | <b>∀</b>        | ₹:              | 2.57            | 2.78            | 0.23             | ₹                 | <b>∀</b>          | 11.36             | 11.57             | 00       |
| 47600                       |     | ∢      | Removal of gallbladder       | 11.42        | ¥               | ¥               | 6.25            | 7.69            | 1.24             | ¥                 | ₹                 | 18.91             | 20.35             | 060      |
| 47605                       |     | ∢      | Removal of gallbladder       | 12.36        | ₹               | ¥               | 6.65            | 8.29            | 1.37             | ¥                 | <b>∀</b><br>Z     | 20.38             | 22.02             | 060      |
| 47610                       |     | ∢      | Removal of galibladder       | 15.83        | ¥               | Ϋ́              | 8.36            | 9.72            | 1.56             | Ž                 | ž                 | 25.75             | 27.11             | 060      |
| 47612                       |     | ∢      | Removal of galibladder       | 15.80        | ₹               | Š               | 8.46            | 13.70           | 2.39             | ž                 | ₹                 | 26.65             | 31.89             | 060      |
| 47620                       |     | ∢      | Removal of galibladder       | 17.36        | ¥               | Ϋ́              | 9.21            | 11.45           | 1.85             | ¥                 | Ϋ́                | 28.42             | 30.66             | 060      |
| 47630                       |     | ∢      | Remove bile duct stone       | 9.11         | ₹               | ¥               | 2.88            | 3.77            | 0.31             | ¥                 | ¥                 | 12.30             | 13.19             | 060      |
| 47700                       |     | ∢      | Exploration of bile ducts    | 14.93        | ₹               | Ϋ́              | 8.53            | 8.34            | 1.24             | ž                 | ≨                 | 24.70             | 24.51             | 060      |
| 47701                       |     | ∢      | Bile duct revision           | 27.81        | ₹               | Ϋ́              | 16.73           | 10.87           | 1.49             | ¥                 | ¥<br>Z            | 46.03             | 40.17             | 060      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |     |        |                              |           | Non-     | Iransitioned |          | Transitioned |                  |                  |                   |                  |                 |        |
|--------------------|-----|--------|------------------------------|-----------|----------|--------------|----------|--------------|------------------|------------------|-------------------|------------------|-----------------|--------|
|                    |     |        |                              |           | facility | Non-facility | Facility | Facility     | :                |                  | Transitioned      |                  |                 |        |
| / <sub>1</sub> 1d) |     |        |                              | Physician | practice | practice     | practice | practice     | Mal-<br>practice | Non-<br>facility | Non-              | Lasilita         | Transitioned    |        |
| HCPCS 2            | Mod | Status | Description                  | RVUs 3    | RVUs     | RVUs         | RVUs     | RVUs         | RUYs             | Total            | raciiriy<br>Total | radiliy<br>Total | raanny<br>Total | Global |
| 47711              |     | ⋖      | Excision of bile duct tumor  | 19.37     | ΑA       | AN           | 10.47    | 12.44        | 1.92             | Ą                | ¥                 | 31.76            | 33.73           | 060    |
| 47712              |     | ∢      | Excision of bile duct tumor  | 25.44     | ¥        | ¥            | 13.53    | 13.20        | 1.92             | ¥                | ¥                 | 40.89            | 40.56           | 060    |
| 47715              |     | ∢      | Excision of bile duct cyst   | 15.81     | ¥        | A            | 8.89     | 8.91         | 1.34             | ¥                | ¥                 | 26.04            | 26.06           | 8      |
| 47716              |     | <      | Fusion of bile duct cyst     | 13.83     | ¥        | ¥            | 8.10     | 7.37         | 1.20             | ¥                | ¥                 | 23.13            | 22.40           | 8      |
| 47720              |     | ∢      | Fuse gallbladder & bowel     | 13.38     | Ą        | ¥            | 7.69     | 9.38         | 1.51             | ¥                | ¥                 | 22.58            | 24.27           | 060    |
| 47721              |     | ∢      | Fuse upper gi structures     | 16.08     | ¥        | ¥            | 8.88     | 11.51        | 1.93             | ¥                | ¥                 | 26.89            | 29.52           | 8      |
| 47740              |     | ∢      | Fuse gallbladder & bowel     | 15.54     | ¥        | Ą            | 8.67     | 10.48        | 1.67             | ¥                | ¥                 | 25.88            | 27.69           | 8      |
| 47741              |     | ⋖      | Fuse gallbladder & bowel     | 17.95     | ¥        | Υ<br>Y       | 9.83     | 14.14        | 2.36             | ¥                | ¥                 | 30.14            | 34.45           | 8      |
| 47760              |     | ∢      | Fuse bile ducts and bowel    | 21.74     | ¥        | ¥            | 11.04    | 12.21        | 1.98             | ¥                | ¥                 | 34.76            | 35.93           | 66     |
| 47765              |     | ∢      | Fuse liver ducts & bowel     | 20.93     | ¥        | Ϋ́           | 11.94    | 14.88        | 2.32             | ¥                | ¥                 | 35.19            | 38.13           | 8      |
| 47780              |     | ∢      | Fuse bile ducts and bowel    | 22.29     | ¥        | ¥            | 11.57    | 13.53        | 2.14             | ¥                | ¥                 | 36.00            | 37.96           | 8      |
| 47785              |     | ∢      | Fuse bile ducts and bowel    | 26.23     | ¥        | ¥            | 14.21    | 14.19        | 2.14             | ¥                | ¥                 | 42.58            | 42.56           | 8      |
| 47800              |     | ∢      | Reconstruction of bile ducts | 19.60     | ¥        | Š            | 10.44    | 13.37        | 1.90             | ¥                | ¥                 | 31.94            | 34.87           | 8      |
| 47801              |     | ∢      | Placement, bile duct support | 12.76     | ¥        | ¥            | 8.19     | 6.51         | 0.63             | ¥                | ¥                 | 21.58            | 19.90           | 8      |
| 47802              |     | ∢      | Fuse liver duct & intestine  | 18.13     | ¥        | ¥            | 10.75    | 11.05        | 1.37             | ¥                | ¥                 | 30.25            | 30.55           | 8      |
| 47900              |     | ∢      | Suture bile duct injury      | 16.74     | ¥        | ¥            | 9.00     | 13.01        | 1.90             | ¥                | ¥                 | 27.64            | 31.65           | 8      |
| 47999              |     | ပ      | Bile tract surgery procedure | 0.00      | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00              | 0.00             | 0.00            | ₹      |
| 48000              |     | ∢      | Drainage of abdomen          | 14.91     | ¥        | Š            | 9.56     | 8.13         | 1.10             | ¥                | ≨                 | 25.57            | 24.14           | 8      |
| 48001              |     | ∢      | Placement of drain, pancreas | 18.83     | ¥        | Š            | 10.89    | 9.34         | 1.48             | ¥                | ₹                 | 31.20            | 29.62           | 8      |
| 48005              |     | ∢      | Resect/debride pancreas      | 22.40     | ≨        | ž            | 11.80    | 10.43        | 1.67             | ¥                | ¥                 | 35.87            | 34.50           | 8      |
| 48020              |     | ∢      | Removal of pancreatic stone  | 14.22     | ₹        | ¥            | 8.12     | 7.55         | 1.23             | ¥                | ≨                 | 23.57            | 23.00           | 8      |
| 48100              |     | ∢      | Biopsy of pancreas           | 11.08     | ₹        | ž            | 6.33     | 5.01         | 0.62             | ¥                | ¥                 | 18.03            | 16.71           | 8      |
| 48102              |     | ∢      | Needle biopsy, pancreas      | 4.68      | 6.69     | 3.64         | 2.68     | 2.64         | 0.20             | 11.57            | 8.52              | 7.56             | 7.52            | 010    |
| 48120              |     | ∢      | Removal of pancreas lesion   | 14.36     | ¥        | Š            | 7.63     | 9.82         | 1.62             | ¥                | ₹                 | 23.61            | 25.80           | 8      |
| 48140              |     | ∢      | Partial removal of pancreas  | 20.78     | ž        | ¥            | 10.53    | 13.45        | 2.21             | ¥                | ₹                 | 33.52            | 36.44           | 060    |
| 48145              |     | ∢      | Partial removal of pancreas  | 21.76     | ¥        | Š            | 11.17    | 15.58        | 2.47             | ¥                | ₹                 | 35.40            | 39.81           | 80     |
| 48146              |     | ∢      | Pancreatectomy               | 23.91     | ₹        | ž            | 13.50    | 16.80        | 1.50             | ¥                | ¥                 | 38.91            | 42.21           | 8      |
| 48148              |     | ∢      | Removal of pancreatic duct   | 15.71     | ¥        | ¥            | 8.65     | 8.86         | 1.31             | ₹                | ¥                 | 25.67            | 25.88           | 8      |
| 48150              |     | ∢      | Partial removal of pancreas  | 43.48     | ₹        | Ϋ́           | 22.33    | 23.93        | 3.72             | ¥                | ¥                 | 69.53            | 71.13           | 80     |
| 48152              |     | ∢      | Pancreatectomy               | 39.63     | ¥        | Ϋ́           | 22.14    | 23.88        | 3.72             | ≨                | Ϋ́                | 65.49            | 67.23           | 060    |
| 48153              |     | ∢      | Pancreatectomy               | 43.38     | ¥        | Ϋ́           | 22.20    | 23.90        | 3.72             | ¥                | ¥                 | 69.30            | 71.00           | 060    |
| 48154              |     | ∢      | Pancreatectomy               | 39.95     | ¥        | Š            | 20.87    | 23.56        | 3.72             | ¥                | Ϋ́                | 64.54            | 67.23           | 060    |
| 48155              |     | ∢      | Removal of pancreas          | 22.32     | ¥        | Ϋ́           | 14.07    | 20.12        | 3.33             | ¥                | ₹                 | 39.72            | 45.77           | 8      |
| 48160              |     | z      | Pancreas removal, transplant | 0.00      | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00              | 0.00             | 0.00            | ×      |
| 48180              |     | ∢      | Fuse pancreas and bowel      | 22.39     | ¥        | ¥            | 11.53    | 13.14        | 5.06             | ¥                | ₹                 | 35.98            | 37.59           | 80     |
| 48400              |     | ∢      | Injection, intraop add-on    | 1.95      | ž        | ¥            | 0.70     | 1.02         | 0.19             | ¥                | Ϋ́                | 2.84             | 3.16            | 777    |
| 48500              |     | ∢      | Surgery of pancreas cyst     | 13.84     | ¥        | Ϋ́           | 99.7     | 8.86         | 1.30             | ¥                | ¥                 | 22.80            | 24.00           | 060    |
| 48510              |     | ∢      | Drain pancreatic pseudocyst  | 12.96     | ¥        | Ϋ́           | 7.56     | 8.03         | 1.13             | ¥                | ¥                 | 21.65            | 22.12           | 80     |
| 48511              |     | ∢      | Drain pancreatic pseudocyst  | 4.00      | ¥        | Ϋ́           | 4.68     | 3.64         | 0.27             | ₹                | ₹                 | 8.95             | 7.91            | 8      |
| 48520              |     | ∢      | Fuse pancreas cyst and bowel | 14.12     | Ϋ́       | ¥            | 7.54     | 11.08        | 1.90             | Υ<br>Y           | ₹                 | 23.56            | 27.10           | 060    |

Page 83 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|       |     |        |                              |                | Non-            | Transitioned    |          | Transitioned    |      |                   |                   |                   |                  |        |
|-------|-----|--------|------------------------------|----------------|-----------------|-----------------|----------|-----------------|------|-------------------|-------------------|-------------------|------------------|--------|
|       |     |        |                              |                | facility        | Non-facility    | Facility | Facility        |      |                   | Transitioned      |                   |                  |        |
| , l   |     |        |                              | Physician      | practice        | practice        | practice | practice        | Mal- | Non-              | Non-              | 4                 | Transitioned     |        |
| HOG 2 | Mod | Status | Description                  | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | RVUs     | expense<br>RVUs | RUVs | facility<br>Total | racility<br>Total | racitity<br>Total | raciity<br>Total | Global |
| 49500 |     | ∢      | Repair inguinal hernia       | 4.68           | ¥               | N<br>A          | 2.81     | 4.75            | 0.74 | ¥                 | ΑN                | 8.23              | 10.17            | 060    |
| 49501 |     | ⋖      | Repair inguinal hernia, init | 7.58           | ¥               | ¥               | 3.93     | 5.09            | 0.84 | ¥                 | ¥                 | 12.35             | 13.51            | 060    |
| 49505 |     | ⋖      | Repair inguinal hernia       | 6.49           | 3.43            | 4.53            | 3.46     | 4.53            | 0.74 | 10.66             | 11.76             | 10.69             | 11.76            | 060    |
| 49507 |     | ⋖      | Repair, inguinal hernia      | 8.17           | ¥               | ¥               | 5.09     | 5.38            | 0.84 | ž                 | ¥                 | 14.10             | 14.39            | 060    |
| 49520 |     | ⋖      | Rerepair inguinal hernia     | 8.22           | ¥               | ¥               | 4.59     | 5.40            | 0.87 | ¥                 | ¥                 | 13.68             | 14.49            | 060    |
| 49521 |     | ⋖      | Repair inguinal hernia, rec  | 10.22          | ¥               | ¥               | 5.26     | 5.42            | 0.84 | ¥                 | ¥                 | 16.32             | 16.48            | 060    |
| 49525 |     | ⋖      | Repair inguinal hernia       | 7.32           | ¥               | ¥               | 4.10     | 5.54            | 0.91 | ¥                 | ¥                 | 12.33             | 13.77            | 060    |
| 49540 |     | ⋖      | Repair lumbar hernia         | 8.87           | ¥               | ¥               | 4.80     | 5.43            | 0.88 | ¥                 | ¥                 | 14.55             | 15.18            | 060    |
| 49550 |     | ∢      | Repair femoral hernia        | 7.37           | ¥               | ¥               | 3.81     | 4.70            | 0.76 | ¥                 | ¥                 | 11.94             | 12.83            | 060    |
| 49553 |     | ∢      | Repair femoral hernia, init  | 8.06           | ¥               | ď               | 4.47     | 4.87            | 0.76 | ¥                 | ¥                 | 13.29             | 13.69            | 060    |
| 49555 |     | ⋖      | Repair femoral hernia        | 7.71           | ¥               | Š               | 4.44     | 6.05            | 0.99 | ¥                 | ¥                 | 13.14             | 14.75            | 060    |
| 49557 |     | ⋖      | Repair femoral hernia, recur | 9.52           | ¥               | ¥               | 4.99     | 6.19            | 0.99 | ¥                 | ¥                 | 15.50             | 16.70            | 060    |
| 49560 |     | ∢      | Repair abdominal hernia      | 9.88           | ¥               | Š               | 5.22     | 5.90            | 0.93 | ¥                 | ₹                 | 16.03             | 16.71            | 060    |
| 49561 |     | ∢      | Repair incisional hernia     | 12.17          | ¥               | ¥               | 6.07     | 6.12            | 0.93 | ₹                 | ž                 | 19.17             | 19.22            | 060    |
| 49565 |     | ∢      | Rerepair abdominal hernia    | 9.88           | ¥               | ž               | 5.53     | 6.60            | 1.06 | ₹                 | ₹                 | 16.47             | 17.54            | 060    |
| 49566 |     | ∢      | Repair incisional hernia     | 12.30          | ¥               | ¥               | 6.17     | 92.9            | 1.06 | ₹                 | <b>∀</b>          | 19.53             | 20.12            | 060    |
| 49568 |     | ∢      | Hernia repair w/mesh         | 4.89           | ₹               | Š               | 2.04     | 2.60            | 0.46 | ¥                 | ₹                 | 7.39              | 7.95             | 777    |
| 49570 |     | ∢      | Repair epigastric hernia     | 4.86           | ¥               | ¥               | 2.91     | 4.29            | 0.71 | ¥                 | ¥                 | 8.48              | 9.86             | 060    |
| 49572 |     | ∢      | Repair, epigastric hernia    | 5.75           | ¥               | ž               | 3.65     | 5.47            | 0.92 | ₹                 | ₹                 | 10.32             | 12.14            | 060    |
| 49580 |     | ∢      | Repair umbilical hernia      | 3.51           | ¥               | <b>∀</b>        | 2.44     | 3.75            | 0.74 | ₹                 | Ϋ́                | 69.9              | 8.00             | 060    |
| 49582 |     | ∢      | Repair umbilical hernia      | 5.68           | ₹               | ₹               | 3.85     | 4.71            | 0.74 | <b>ĕ</b> ∶        | ≨∶                | 10.27             | 11.13            | 060    |
| 49585 |     | ∢      | Repair umbilical hernia      | 5.32           | ¥               | ¥               | 3.33     | 4.43            | 0.71 | ¥                 | ¥                 | 9.36              | 10.46            | 060    |
| 49587 |     | ∢      | Repair umbilical hernia      | 6.46           | ¥               | ¥<br>V          | 3.82     | 4.55            | 0.71 | ₹                 | <b>∀</b><br>Z     | 10.99             | 11.72            | 060    |
| 49590 |     | ∢      | Repair abdominal hernia      | 7.29           | ¥               | Ϋ́              | 4.05     | 5.60            | 0.95 | ž                 | ž                 | 12.29             | 13.84            | 060    |
| 49600 |     | ∢      | Repair umbilical lesion      | 10.35          | Ϋ́              | ¥<br>Z          | 5.43     | 5.64            | 0.60 | ₹                 | ¥<br>Z            | 16.38             | 16.59            | 060    |
| 49605 |     | ∢      | Repair umbilical lesion      | 22.66          | ¥               | ¥               | 11.51    | 9.85            | 1.38 | ¥                 | ¥                 | 35.55             | 33.89            | 060    |
| 49606 |     | ∢      | Repair umbilical lesion      | 18.60          | ¥               | ¥               | 10.33    | 9.35            | 0.75 | ¥                 | ¥                 | 29.68             | 28.70            | 060    |
| 49610 |     | ∢      | Repair umbilical lesion      | 10.50          | ¥               | Υ<br>Υ          | 7.86     | 6.43            | 0.39 | ¥                 | ¥                 | 19.35             | 17.92            | 060    |
| 49611 |     | ∢      | Repair umbilical lesion      | 8.92           | ₹ :             | ¥ :             | 7.99     | 9.33            | 0.45 | ≨ :               | ₹                 | 17.36             | 18.70            | 060    |
| 49900 |     | ∢      | Repair of abdominal wall     | 12.28          | ₹ :             | ¥:              | 6.82     | 4.68            | 0.59 | ≨ :               | ₹ :               | 19.69             | 17.55            | 060    |
| 49905 |     | ∢      | Omental flap                 | 6.55           | ₹               | ¥ ;             | 3.03     | 3.54            | 0.63 | ₹ ;               | ¥ ;               | 10.21             | 10.72            |        |
| 49906 |     | ပ      | Free omental flap, microvasc | 0.00           | 0.00            | 0.00            | 0.00     | 0.00            | 0.00 | 0.00              | 0.00              | 0.00              | 0.00             | 060    |
| 49999 |     | ပ      | Abdomen surgery procedure    | 0.00           | 0.00            | 0.00            | 0.00     | 0.00            | 0.00 | 0.00              | 0.00              | 0.00              | 0.0              | ₹      |
| 50010 |     | ∢      | Exploration of kidney        | 10.98          | <b>∀</b>        | Š               | 6.17     | 9.31            | 0.88 | ≨                 | Ϋ́                | 18.03             | 21.17            | 060    |
| 50020 |     | ∢      | Open drain renal abscess     | 14.66          | ₹               | ž               | 10.41    | 8.14            | 99.0 | ¥                 | Ϋ́                | 25.73             | 23.46            | 060    |
| 50021 |     | ∢      | Percut drain renal abscess   | 3.38           | ¥               | ¥               | 7.22     | 3.89            | 0.23 | ¥                 | ₹                 | 10.83             | 7.50             | 00     |
| 50040 |     | ∢      | Drainage of kidney           | 14.94          | ¥               | Š               | 29.6     | 8.26            | 0.49 | ¥                 | Š                 | 25.10             | 23.69            | 060    |
| 50045 |     | ∢      | Exploration of kidney        | 15.46          | ¥               | Ϋ́              | 99'.     | 9.90            | 0.70 | ¥                 | ¥                 | 23.82             | 26.06            | 060    |
| 20060 |     | ∢      | Removal of kidney stone      | 19.30          | ¥               | ¥               | 8.94     | 12.20           | 0.95 | ¥                 | Ϋ́                | 29.19             | 32.45            | 060    |
| 50065 |     | ∢      | Incision of kidney           | 20.79          | Š<br>Š          | ₹               | 06.6     | 13.82           | 1.06 | ž                 | Ą                 | 31.75             | 35.67            | 060    |

Page 85 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Undicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                   |     |        |                              |               | Mon-                 | Transitioned             | 4               | Transitioned         |                  |                   | ;                    |                   |                   |        |
|-------------------|-----|--------|------------------------------|---------------|----------------------|--------------------------|-----------------|----------------------|------------------|-------------------|----------------------|-------------------|-------------------|--------|
| •                 |     |        |                              | Physician     | racility<br>practice | Non-tacility<br>practice | racility        | radility<br>practice | Mal-             | Non-              | Iransitioned<br>Non- |                   | Transitioned      |        |
| CPT '/<br>HCPCS 2 | Mod | Status | Description                  | work<br>RVIIs | expense<br>RVUs      | expense                  | expense<br>RVUs | expense<br>RVUs      | practice<br>RUYs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Glohal |
|                   | 1   | ∢      | Incision of kidney           | 20.32         | ≨                    | ¥                        | 9.42            | 12.83                | 1.06             | ¥                 | ₹                    |                   | 34.21             | 060    |
| 50075             |     | ∢      | Removal of kidney stone      | 25.34         | ¥                    | ¥                        | 11.33           | 16.57                | 1.27             | ¥                 | ¥                    |                   | 43.18             | 060    |
| 50080             |     | ∢      | Removal of kidney stone      | 14.71         | ¥                    | Ą                        | 9.38            | 12.28                | 0.90             | ¥                 | ¥                    |                   | 27.89             | 060    |
| 50081             |     | ∢      | Removal of kidney stone      | 21.80         | ¥                    | Ą                        | 11.72           | 15.11                | 1.13             | ¥                 | ¥                    |                   | 38.04             | 060    |
| 50100             |     | ∢      | Revise kidney blood vessels  | 16.09         | ¥                    | A                        | 9.14            | 10.70                | 1.06             | ¥                 | ¥                    |                   | 27.85             | 060    |
| 50120             |     | ∢      | Exploration of kidney        | 15.91         | ¥                    | Ϋ́                       | 7.89            | 10.85                | 0.97             | ¥                 | ¥                    |                   | 27.73             | 060    |
| 50125             |     | ∢      | Explore and drain kidney     | 16.52         | ₹                    | Ą                        | 8.05            | 10.92                | 0.83             | ¥                 | ¥                    |                   | 28.27             | 060    |
| 50130             |     | ∢      | Removal of kidney stone      | 17.29         | Š                    | Ą                        | 8.31            | 12.50                | 6.0              | ¥                 | ¥                    |                   | 30.78             | 060    |
| 50135             |     | ∢      | Exploration of kidney        | 19.18         | ¥                    | Ą                        | 9.07            | 16.14                | 1.28             | ¥                 | ¥                    |                   | 36.60             | 060    |
| 50200             |     | ∢      | Biopsy of kidney             | 2.63          | ¥                    | Ą                        | 1.24            | 2.43                 | 0.17             | ¥                 | ¥                    |                   | 5.23              | 000    |
| 50205             |     | ∢      | Biopsy of kidney             | 11.31         | ¥                    | Ą                        | 5.98            | 60.9                 | 0.54             | ¥                 | ¥                    |                   | 17.94             | 060    |
| 50220             |     | ∢      | Removal of kidney            | 17.15         | ¥                    | Ą                        | 8.34            | 12.92                | 1.12             | ¥                 | ¥                    |                   | 31.19             | 060    |
| 50225             |     | ∢      | Removal of kidney            | 20.23         | ¥                    | Ϋ́                       | 9.35            | 15.79                | 1.33             | ¥                 | ¥                    |                   | 37.35             | 060    |
| 50230             |     | ∢      | Removal of kidney            | 22.07         | ¥                    | Ϋ́                       | 9.36            | 17.47                | 1.4              | ¥                 | ¥                    |                   | 40.98             | 060    |
| 50234             |     | ∢      | Removal of kidney & ureter   | 22.40         | ₹                    | Ϋ́                       | 10.09           | 16.08                | 1.29             | ¥                 | ¥                    |                   | 39.77             | 060    |
| 50236             |     | ∢      | Removal of kidney & ureter   | 24.86         | ₹                    | Ϋ́                       | 12.73           | 17.62                | 1.36             | ¥                 | ¥                    |                   | 43.84             | 060    |
| 50240             |     | ∢      | Partial removal of kidney    | 22.00         | ₹                    | ¥                        | 11.77           | 15.96                | 1.33             | ¥                 | Ϋ́                   |                   | 39.29             | 060    |
| 50280             |     | ∢      | Removal of kidney lesion     | 15.67         | ₹                    | ¥                        | 7.82            | 10.80                | 0.91             | ¥                 | ¥                    |                   | 27.38             | 060    |
| 50290             |     | ∢      | Removal of kidney lesion     | 14.73         | ₹                    | ¥                        | 7.35            | 90.6                 | 0.93             | ¥                 | ž                    |                   | 24.72             | 060    |
| 50300             |     | ×      | Removal of donor kidney      | 0.00          | 0.00                 | 0.00                     | 0.00            | 0.00                 | 0.00             | 0.00              | 0.00                 |                   | 0.00              | ×      |
| 50320             |     | ∢      | Removal of donor kidney      | 22.21         | ¥                    | ¥                        | 9.48            | 15.80                | 1.88             | ¥                 | ¥                    |                   | 39.89             | 060    |
| 50340             |     | ∢      | Removal of kidney            | 12.15         | ₹                    | ¥                        | 8.31            | 12.24                | 1.75             | ¥                 | ¥                    |                   | 26.14             | 060    |
| 50360             |     | ∢      | Transplantation of kidney    | 31.53         | ¥                    | Ą                        | 17.38           | 24.24                | 3.32             | ¥                 | ¥                    |                   | 60.69             | 060    |
| 50365             |     | ∢      | Transplantation of kidney    | 36.81         | ₹                    | ¥                        | 21.04           | 30.26                | 3.04             | ¥                 | ¥                    |                   | 70.11             | 060    |
| 50370             |     | ∢      | Remove transplanted kidney   | 13.72         | ₹                    | Ϋ́                       | 8.35            | 11.10                | 1.50             | ¥                 | ₹                    |                   | 26.32             | 060    |
| 50380             |     | <      | Reimplantation of kidney     | 20.76         | ₹                    | Ϋ́                       | 12.20           | 11.29                | 1.34             | ¥                 | ¥                    |                   | 33.39             | 060    |
| 50390             |     | ∢      | Drainage of kidney lesion    | 1.96          | ¥                    | ¥                        | 1.15            | 1.66                 | 0.12             | ¥                 | ¥                    |                   | 3.74              | 00     |
| 50392             |     | ∢      | Insert kidney drain          | 3.38          | ₹                    | Ϋ́                       | 1.53            | 2.30                 | 0.16             | ¥                 | ž                    |                   | 5.84              | 00     |
| 50393             |     | ∢      | Insert ureteral tube         | 4.16          | ¥                    | ¥                        | 1.73            | 2.89                 | 0.20             | ¥                 | ¥                    |                   | 7.25              | 00     |
| 50394             |     | ∢      | Injection for kidney x-ray   | 92.0          | 14.48                | 4.07                     | 0.21            | 0.50                 | 0.04             | 15.28             | 4.87                 |                   | 1.30              | 00     |
| 50395             |     | ∢      | Create passage to kidney     | 3.38          | ¥                    | ¥                        | 1.52            | 3.09                 | 0.23             | ¥                 | ¥                    |                   | 6.70              | 00     |
| 50396             |     | ∢      | Measure kidney pressure      | 2.09          | ₹                    | Ϋ́                       | 0.67            | 0.57                 | 0.04             | ¥                 | ¥                    |                   | 2.70              | 00     |
| 50398             |     | ∢      | Change kidney tube           | 1.46          | 0.80                 | 0.64                     | 1.06            | 0.70                 | 0.04             | 2.30              | 2.14                 |                   | 2.20              | 000    |
| 50400             |     | ∢      | Revision of kidney/ureter    | 19.50         | ¥                    | Ϋ́                       | 9.02            | 13.38                | 1.06             | ¥                 | ¥                    |                   | 33.94             | 060    |
| 50405             |     | ∢      | Revision of kidney/ureter    | 23.93         | ₹                    | Ϋ́                       | 12.03           | 17.08                | 1.36             | ¥                 | ¥                    |                   | 42.37             | 060    |
| 50500             |     | ∢      | Repair of kidney wound       | 19.57         | ₹                    | Ϋ́                       | 10.21           | 12.69                | 1.28             | ¥                 | ¥                    |                   | 33.54             | 060    |
| 50520             |     | ∢      | Close kidney-skin fistula    | 17.23         | ₹                    | Ϋ́                       | 9.60            | 10.82                | 1.17             | ¥                 | ¥                    |                   | 29.22             | 060    |
| 50525             |     | ∢      | Repair renal-abdomen fistula | 22.27         | ¥                    | Υ<br>Y                   | 11.38           | 13.11                | 1.56             | ¥                 | ¥                    |                   | 36.94             | 060    |
| 50526             |     | ∢      | Repair renal-abdomen fistula | 24.02         | ₹                    | ¥                        | 12.20           | 9.07                 | 1.82             | ₹                 | ¥                    |                   | 34.91             | 060    |
| 50540             |     | ∢      | Revision of horseshoe kidney | 19.93         | ₹                    | ₹                        | 9.24            | 13.22                | 1.20             | ₹                 | ¥                    |                   | 34.35             | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|         |            |                              | HOULINGOIN W.                   | Net-Mon-           | Transitioned        | and /com      | Transitioned |                   | <u>.</u>         |               |                |                      |     |
|---------|------------|------------------------------|---------------------------------|--------------------|---------------------|---------------|--------------|-------------------|------------------|---------------|----------------|----------------------|-----|
|         |            |                              | Ohmining                        | facility           | Non-facility        | Facility      | Facility     | Mal               | No.              | Transitioned  |                | T                    |     |
| (PT 1/2 |            |                              | rnysician<br>work               | expense<br>evpense | practice<br>expense | expense       | expense      | practice<br>RIIVs | facility<br>Tate | racility      | Facility       | Facility<br>Facility | 1   |
|         | Mod Status | Video and economic           | 5,60                            | A 19               | 2 83                | 2 14          | 232          | 0 16              | 9 95             | 10101<br>8 59 | 7 90           | 808                  | 000 |
| 50551   | ( ∢        |                              | 200<br>200<br>200<br>200<br>200 | 16.08              | 5.37                | 2.28          | 1.92         | 0.13              | 22.20            | 11.49         | 8.40           | 8.04                 | 000 |
| 50555   | < <        |                              | 6.53                            | 67.72              | 20.76               | 2.44          | 4.4          | 0.35              | 74.60            | 27.64         | 9.32           | 11.32                | 000 |
| 50557   | <          |                              | 6.62                            | 10.19              | 6.38                | 2.46          | 4.45         | 0.38              | 17.19            | 13.38         | 9.46           | 11.45                | 000 |
| 50559   | ⋖          |                              | 6.78                            | Ϋ́                 | Ą                   | 2.55          | 1.73         | 0.11              | ¥                | Ą             | 9.44           | 8.62                 | 00  |
| 50561   | ⋖          |                              | 7.59                            | 13.85              | 7.63                | 2.77          | 4.86         | 0.38              | 21.82            | 15.60         | 10.74          | 12.83                | 000 |
| 50570   | ∢          | Kidney endoscopy             | 9.54                            | Ą                  | A<br>A              | 3.44          | 2.04         | 0.11              | ¥                | ¥             | 13.09          | 11.69                | 00  |
| 50572   | ∢          | Kidney endoscopy             | 10.35                           | ¥                  | Ϋ́                  | 3.65          | 6.82         | 0.59              | ¥                | ¥             | 14.59          | 17.76                | 000 |
| 50574   | ∢          | Kidney endoscopy & biopsy    | 11.02                           | ¥                  | Š                   | 3.94          | 6.75         | 0.50              | ¥                | Š             | 15.46          | 18.27                | 00  |
| 50575   | ∢          | Kidney endoscopy             | 13.98                           | ¥                  | Ϋ́                  | 4.92          | 9.32         | 92.0              | ¥                | Š             | 19.66          | 24.06                | 000 |
| 50576   | ∢          | Kidney endoscopy & treatment | 10.99                           | Ϋ́                 | Ϋ́                  | 3.97          | 8.07         | 0.60              | ¥                | ¥             | 15.56          | 19.66                | 00  |
| 50578   | ∢          |                              | 11.35                           | ¥                  | Ϋ́                  | 4.11          | 4.11         | 0.93              | ¥                | Ϋ́            | 16.39          | 16.39                | 000 |
| 50580   | ⋖          |                              | 11.86                           | ₹                  | ž                   | 4.19          | 3.97         | 0.27              | ¥                | ¥             | 16.32          | 16.10                | 00  |
| 20590   | ∢          | Fragmenting of kidney stone  | 60.6                            | 5.08               | 9.41                | 4.67          | 9.31         | 9/.0              | 14.93            | 19.26         | 14.52          | 19.16                | 060 |
| 20600   | ∢          | Exploration of ureter        | 15.84                           | ¥                  | ¥                   | 7.83          | 9.85         | 0.79              | ≨                | Š             | 24.46          | 26.48                | 060 |
| 50905   | ⋖          | Insert ureteral support      | 15.46                           | ₹                  | Ą                   | 7.72          | 6.90         | 0.47              | ¥                | ¥             | 23.65          | 22.83                | 060 |
| 50610   | ∢          | Removal of ureter stone      | 15.92                           | ₹                  | ž                   | 8.02          | 11.58        | 0.92              | ¥                | Ϋ́            | 24.86          | 28.42                | 060 |
| 50620   | ∢          |                              | 15.16                           | <b>∀</b>           | Ϋ́                  | 7.53          | 11.24        | 0.91              | ¥                | Š             | 23.60          | 27.31                | 060 |
| 50630   | ∢          | Removal of ureter stone      | 14.94                           | <b>∀</b>           | ₹<br>Z              | 7.50          | 12.22        | 96.0              | ¥                | Ϋ́            | 23.42          | 28.14                | 060 |
| 50650   | ∢          | Removal of ureter            | 17.41                           | ₹                  | Š                   | 8.58          | 11.97        | 0.95              | ¥                | Š             | 26.94          | 30.33                | 060 |
| 20660   | ∢          | _                            | 19.55                           | <b>∀</b>           | Ϋ́                  | 9.32          | 12.49        | 1.20              | ¥                | Ϋ́            | 30.07          | 33.24                | 060 |
| 50684   | ⋖          | Injection for ureter x-ray   | 0.76                            | 14.98              | 4.14                | 0.24          | 0.46         | 0.0               | 15.78            | 4.94          | <b>1</b> .04   | 1.26                 | 000 |
| 50686   | ∢          |                              | 1.51                            | 4.20               | 1.35                | 0.53          | 0.43         | 0.03              | 5.74             | 2.89          | 2.07           | 1.97                 | 000 |
| 50688   | ∢          | _                            | 1.17                            | <b>∀</b>           | Y !                 | 1.74          | 0.75         | 0.03              | ₹ ;              | ¥ ;           | 2.94           | 1.95                 | 010 |
| 20690   | ∢ ·        | Injection for ureter x-ray   | 1.16                            | 15.63              | 4.17                | 0.33          | 0.35         | 0.02              | 16.81            | 5.35          | 1.51           | 1.53                 | 000 |
| 50700   | ∢ •        |                              | 15.21                           | ≨ \$               | ¥ £                 | c, ',         | 12.17        | - 1               | <b>₹</b> \$      | ¥ ž           | 23.97          | 28.39                | 9   |
| 50715   | ∢ <        | Release of ureter            | 16.90                           | <u> </u>           | Υ                   | 10.30<br>8.76 | 10.74        |                   | ₹ ₹              | Υ <u>Υ</u>    | 30.43<br>26.65 | 28.48                | 080 |
| 50725   | ( ⊲        |                              | 18.49                           | ₹ ¥                | Z Z                 | 27.6          | 12.24        | 1.37              | ₹ ¥              | ζ ₹<br>Z      | 29.58          | 32.10                | 060 |
| 50727   | . ∢        |                              | 8.18                            | ₹                  | Ϋ́                  | 5.59          | 5.77         | 0.40              | ¥                | Ϋ́Z           | 14.17          | 14.35                | 060 |
| 50728   | < <        | Revise ureter                | 12.02                           | ¥                  | Ϋ́                  | 6.95          | 8.17         | 09.0              | ¥                | Ą             | 19.57          | 20.79                | 060 |
| 50740   | ∢          | Fusion of ureter & kidney    | 18.42                           | Ϋ́                 | Υ<br>V              | 8.66          | 12.77        | 1.47              | ¥                | ¥             | 28.55          | 32.66                | 060 |
| 50750   | ∢          | Fusion of ureter & kidney    | 19.51                           | Ϋ́                 | Š                   | 9.97          | 13.92        | 0.99              | ¥                | ¥             | 30.47          | 34.42                | 060 |
| 50760   | ∢          | Fusion of ureters            | 18.42                           | ¥                  | Š                   | 8.93          | 13.20        | 1.16              | ž                | ¥             | 28.51          | 32.78                | 060 |
| 50770   | ∢          | Splicing of ureters          | 19.51                           | ₹                  | Š                   | 9.43          | 14.76        | 1.20              | ¥                | ¥             | 30.14          | 35.47                | 060 |
| 50780   | ∢          |                              | 18.36                           | Ϋ́                 | Š                   | 8.89          | 13.44        | 1.14              | ¥                | Ϋ́            | 28.39          | 32.94                | 060 |
| 50782   | ∢          |                              | 19.54                           | ₹                  | Š                   | 9.75          | 13.65        | 1.14              | ¥                | Ϋ́            | 30.43          | 34.33                | 060 |
| 50783   | ∢          | _                            | 20.55                           | ₹                  | Š                   | 9.83          | 13.67        | 1.14              | ¥                | ¥             | 31.52          | 35.36                | 060 |
| 50785   | ∢          | Reimplant ureter in bladder  | 20.52                           | Ϋ́                 | Ϋ́                  | 89.6          | 14.97        | 1.41              | ¥                | ¥             | 31.61          | 36.90                | 060 |
| 20800   | ∢          | Implant ureter in bowel      | 14.52                           | ¥                  | ¥                   | 8.40          | 14.04        | 1.18              | <b>₹</b>         | ¥.            | 24.10          | 29.74                | 060 |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                               |         |        |                              |              | Mon             | Transitioned    | •               | Transitioned    |                  |                   |                   |                   |                   |        |
|-------------------------------|---------|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                               |         |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| , l                           |         |        |                              | Physician    | practice        | practice        | practice        | practice        | Mal              | Non-              | Non-              | ÷                 | Transitioned      |        |
| CPI /<br>HCPCS <sup>2</sup> M | Mod Sta | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | tacility<br>Total | tacility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 50810                         |         | ∢      | Fusion of ureter & bowel     | 20.05        | Ą               | Ą               | 10.84           | 12.94           | 1.37             | ¥                 | A                 | 32.26             | 34.36             | 060    |
| 50815                         |         | ∢      | Urine shunt to bowel         | 19.93        | ¥               | Ϋ́              | 10.35           | 18.67           | 2.15             | ¥                 | ¥                 | 32.43             | 40.75             | 060    |
| 50820                         |         | ∢      | Construct bowel bladder      | 21.89        | ¥               | Ą               | 10.89           | 18.17           | 1.96             | ¥                 | ¥                 | 34.74             | 42.02             | 060    |
| 50825                         |         | ∢      | Construct bowel bladder      | 28.18        | ¥               | ¥               | 13.42           | 28.21           | 2.61             | ¥                 | ¥                 | 44.21             | 29.00             | 060    |
| 50830                         |         | ⋖      | Revise urine flow            | 31.28        | ¥               | ¥<br>V          | 14.44           | 20.64           | 1.78             | ¥                 | ¥                 | 47.50             | 53.70             | 060    |
| 50840                         |         | ⋖      | Replace ureter by bowel      | 20.00        | ¥               | ¥               | 10.28           | 13.42           | 1.06             | ¥                 | ¥                 | 31.34             | 34.48             | 060    |
| 50845                         |         | ⋖      | Appendico-vesicostomy        | 20.89        | ¥               | ¥               | 10.57           | 13.93           | 1.06             | ¥                 | ¥                 | 32.52             | 35.88             | 060    |
| 50860                         |         | ⋖      | Transplant ureter to skin    | 15.36        | ¥               | ₹               | 7.83            | 10.85           | 0.91             | ¥                 | ¥                 | 24.10             | 27.12             | 060    |
| 20900                         |         | ⋖      | Repair of ureter             | 13.62        | ¥               | A<br>A          | 7.07            | 9.89            | 0.00             | ¥                 | ₹                 | 21.59             | 24.41             | 8      |
| 50920                         |         | ⋖      | Closure ureter/skin fistula  | 14.33        | ¥               | ¥               | 7.29            | 9.57            | 0.77             | ¥                 | ¥                 | 22.39             | 24.67             | 060    |
| 50930                         |         | ∢      | Closure ureter/bowel fistula | 18.72        | ¥               | A<br>A          | 8.83            | 12.39           | 0.95             | ¥                 | ¥                 | 28.50             | 32.06             | 8      |
| 50940                         |         | ∢      | Release of ureter            | 14.51        | ¥               | Ϋ́              | 7.38            | 9.90            | 0.74             | ¥                 | ¥                 | 22.63             | 25.15             | 8      |
| 50951                         |         | ∢      | Endoscopy of ureter          | 5.84         | 4.47            | 2.48            | 2.21            | 1.91            | 0.13             | 10.44             | 8.45              | 8.18              | 7.88              | 8      |
| 50953                         |         | ∢      | Endoscopy of ureter          | 6.24         | 15.75           | 5.29            | 2.36            | 1.94            | 0.13             | 22.12             | 11.66             | 8.73              | 8.31              | 8      |
| 50955                         |         | ∢      | Ureter endoscopy & biopsy    | 6.75         | 13.99           | 5.58            | 2.51            | 2.71            | 0.20             | 20.94             | 12.53             | 9.46              | 9.66              | 8      |
| 50957                         |         | ⋖      | Ureter endoscopy & treatment | 6.79         | 8.12            | 4.06            | 2.52            | 5.66            | 0.20             | 15.11             | 11.05             | 9.51              | 9.65              | 8      |
| 50959                         |         | ∢      | Ureter endoscopy & tracer    | 4.40         | ₹               | ¥               | 1.78            | 3.20            | 0.23             | ¥                 | ₹                 | 6.41              | 7.83              | 8      |
| 50961                         |         | ∢      | Ureter endoscopy & treatment | 6.05         | 21.03           | 7.39            | 2.28            | 2.70            | 0.20             | 27.28             | 13.64             | 8.53              | 8.95              | 8      |
| 50970                         |         | ⋖      | Ureter endoscopy             | 7.14         | ¥               | Ϋ́              | 2.63            | 4.87            | 0.41             | ¥                 | ₹                 | 10.18             | 12.42             | 8      |
| 50972                         |         | ∢      | Ureter endoscopy & catheter  | 6.89         | ¥               | ¥               | 2.58            | 1.90            | 0.13             | ¥                 | ₹                 | 9.60              | 8.92              | 8      |
| 50974                         |         | ∢      | Ureter endoscopy & biopsy    | 9.17         | ¥               | ¥               | 3.31            | 6.54            | 0.51             | ¥                 | ₹                 | 12.99             | 16.22             | 8      |
| 50976                         |         | ⋖      | Ureter endoscopy & treatment | 9.04         | ¥               | Ϋ́              | 3.27            | 6.04            | 0.49             | ¥                 | ¥                 | 12.80             | 15.57             | 8      |
| 50978                         |         | ∢      | Ureter endoscopy & tracer    | 5.10         | ¥               | ¥               | 2.26            | 3.87            | 0.38             | ₹                 | <b>∀</b>          | 7.74              | 9.35              | 8      |
| 50980                         |         | ∢      | Ureter endoscopy & treatment | 6.85         | ¥               | Ϋ́              | 2.55            | 3.19            | 0.23             | ¥                 | ₹                 | 9.63              | 10.27             | 8      |
| 51000                         |         | ⋖      | Drainage of bladder          | 0.78         | 1.51            | 0.77            | 0.59            | 0.54            | 0.0              | 2.33              | 1.59              | 1.41              | 1.36              | 8      |
| 51005                         |         | ∢      | Drainage of bladder          | 1.02         | 2.50            | 1.00            | 99.0            | 0.54            | 0.03             | 3.55              | 2.05              | 1.71              | 1.59              | 8      |
| 51010                         |         | ∢      | Drainage of bladder          | 3.53         | 6.04            | 2.30            | 1.98            | 1.28            | 0.09             | 9.66              | 5.92              | 5.60              | 4.90              | 9      |
| 51020                         |         | ⋖      | Incise & treat bladder       | 6.71         | ¥               | Ϋ́              | 4.80            | 6.77            | 0.56             | ₹                 | Ϋ́                | 12.07             | 14.04             | 8      |
| 51030                         |         | ⋖      | Incise & treat bladder       | 6.77         | ₹               | Ϋ́              | 4.75            | 4.88            | 0.34             | ¥                 | ¥                 | 11.86             | 11.99             | 60     |
| 51040                         |         | ∢      | Incise & drain bladder       | 4.40         | ¥               | ¥               | 3.67            | 4.86            | 0.59             | ¥,                | Ϋ́                | 8.66              | 9.85              | 060    |
| 51045                         |         | ⋖      | Incise bladder, drain ureter | 6.77         | ¥               | ¥               | 4.82            | 5.24            | 0.39             | ¥                 | Ϋ́                | 11.98             | 12.40             | 8      |
| 51050                         |         | ⋖      | Removal of bladder stone     | 6.92         | Ϋ́              | ¥               | 4.49            | 6.92            | 0.55             | ¥                 | Ϋ́                | 11.96             | 14.39             | 060    |
| 51060                         |         | ∢      | Removal of ureter stone      | 8.85         | ¥               | ¥               | 5.42            | 9.28            | 0.93             | ¥                 | ₹                 | 15.20             | 19.06             | 8      |
| 51065                         |         | ∢      | Removal of ureter stone      | 8.85         | ¥               | ¥               | 5.42            | 7.12            | 0.56             | ¥                 | ¥                 | 14.83             | 16.53             | 060    |
| 51080                         |         | ⋖      | Drainage of bladder abscess  | 5.96         | ₹               | Ϋ́              | 4.41            | 5.32            | 0.45             | ¥                 | ₹                 | 10.82             | 11.73             | 060    |
| 51500                         |         | ⋖      | Removal of bladder cyst      | 10.14        | Ϋ́              | ¥               | 5.59            | 6.98            | 0.95             | ¥                 | ¥                 | 16.68             | 18.07             | 060    |
| 51520                         |         | ⋖      | Removal of bladder lesion    | 9.29         | ¥               | ¥               | 5.68            | 8.37            | 0.68             | ¥                 | ₹                 | 15.65             | 18.34             | 060    |
| 51525                         |         | ∢      | Removal of bladder lesion    | 13.97        | ¥               | Ϋ́              | 7.15            | 10.47           | 0.83             | ¥                 | ₹                 | 21.95             | 25.27             | 66     |
| 51530                         |         | ⋖      | Removal of bladder lesion    | 12.38        | ¥               | Ϋ́              | 6.65            | 9.19            | 0.80             | ¥                 | ₹                 | 19.83             | 22.37             | 060    |
| 51535                         |         | ∢      | Repair of ureter lesion      | 12.57        | Υ<br>V          | ¥               | 7.12            | 8.03            | 0.89             | Š                 | ₹                 | 20.58             | 21.49             | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|         |            |        |                              | ADDLINDOM D       | 4                   | ₹.                           | י שווא /כסיו        | Ξ.                       |                  | •                |                  |          |                          |        |
|---------|------------|--------|------------------------------|-------------------|---------------------|------------------------------|---------------------|--------------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|         |            |        |                              |                   | Non-<br>facility    | Iransitioned<br>Non-facility | Facility            | Iransitioned<br>Facility |                  |                  | Transitioned     |          |                          |        |
| (ALL)   |            |        |                              | Physician<br>work | practice<br>expense | practice<br>expense          | practice<br>expense | practice<br>expense      | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| HCPCS 2 | Mod        | Status | Оеѕстіртіоп                  | RVUs 3            | RVUs                | RVUs                         | RVUs                | RVUs                     | RUYs             | Total            | Total            | Total    | Total                    | Global |
| 51550   |            | 4      | Partial removal of bladder   | 15.66             | ¥                   | Ϋ́Z                          | 7.72                | 10.65                    | 0.92             | ¥                | ¥                | 24.30    | 27.23                    | 060    |
| 51555   |            | ∢      | Partial removal of bladder   | 21.23             | ¥                   | Š                            | 9.84                | 12.44                    | 1.02             | ¥                | ¥                | 32.09    | 34.69                    | 060    |
| 51565   |            | ∢      | Revise bladder & ureter(s)   | 21.62             | ¥                   | ¥                            | 10.30               | 15.47                    | 1.31             | ¥                | ¥                | 33.23    | 38.40                    | 060    |
| 51570   |            | ∢      | Removal of bladder           | 24.24             | ¥                   | ¥                            | 11.37               | 15.59                    | 1.27             | ¥                | ¥                | 36.88    | 41.10                    | 060    |
| 51575   |            | ∢      | Removal of bladder & nodes   | 30.45             | ¥                   | ¥                            | 13.86               | 22.08                    | 1.76             | ¥                | ¥                | 46.07    | 54.29                    | 060    |
| 51580   |            | ∢      | Remove bladder; revise tract | 31.08             | ¥                   | ¥                            | 14.34               | 19.82                    | 1.60             | ¥                | ¥                | 47.02    | 52.50                    | 060    |
| 51585   |            | ∢      | Removal of bladder & nodes   | 35.23             | ¥                   | ¥<br>X                       | 15.93               | 24.43                    | 1.89             | ¥                | ¥                | 53.05    | 61.55                    | 060    |
| 51590   |            | ∢      | Remove bladder; revise tract | 32.66             | ¥                   | ¥                            | 14.57               | 23.60                    | 2.00             | ¥                | ¥                | 49.23    | 58.26                    | 060    |
| 51595   |            | ∢      | Remove bladder; revise tract | 37.14             | ¥                   | ¥.                           | 16.03               | 31.52                    | 2.61             | ¥                | ¥                | 55.78    | 71.27                    | 060    |
| 51596   |            | ∢      | Remove bladder, create pouch | 39.52             | ¥                   | ¥                            | 17.18               | 32.69                    | 2.70             | ¥                | ¥                | 59.40    | 74.91                    | 060    |
| 51597   |            | ∢      | Removal of pelvic structures | 38.35             | ¥                   | Ą                            | 16.88               | 29.15                    | 3.37             | ¥                | ¥                | 58.60    | 70.87                    | 060    |
| 51600   |            | ∢      | Injection for bladder x-ray  | 0.88              | 15.72               | 4.16                         | 0.25                | 0.29                     | 0.02             | 16.62            | 90.9             | 1.15     | 1.19                     | 8      |
| 51605   |            | ∢      | Preparation for bladder xray | 0.64              | 15.52               | 4.13                         | 0.20                | 0.30                     | 0.02             | 16.18            | 4.79             | 98.0     | 96.0                     | 00     |
| 51610   |            | ∢      | Injection for bladder x-ray  | 1.05              | 29.00               | 7.47                         | 0.31                | 0.30                     | 0.02             | 30.07            | 8.54             | 1.38     | 1.37                     | 00     |
| 51700   |            | ∢      | Irrigation of bladder        | 0.88              | 3.35                | 1.02                         | 0.31                | 0.17                     | 0.02             | 4.25             | 1.92             | 1.21     | 1.07                     | 00     |
| 51705   |            | ∢      | Change of bladder tube       | 1.02              | 2.18                | 0.85                         | 1.33                | 0.49                     | 0.03             | 3.23             | 1.90             | 2.38     | 1.54                     | 010    |
| 51710   |            | ∢      | Change of bladder tube       | 1.49              | 4.19                | 1.51                         | 1.55                | 0.62                     | 0.05             | 5.73             | 3.05             | 3.09     | 2.16                     | 010    |
| 51715   |            | ∢      | Endoscopic injection/implant | 3.74              | 3.61                | 3.06                         | 1.52                | 2.54                     | 0.21             | 7.56             | 7.01             | 5.47     | 6.49                     | 00     |
| 51720   |            | ∢      | Treatment of bladder lesion  | 1.96              | 3.48                | 1.24                         | 96.0                | 0.43                     | 0.04             | 5.48             | 3.24             | 2.98     | 2.43                     | 00     |
| 51725   |            | ∢      | Simple cystometrogram        | 1.51              | 0.93                | 1.05                         | 0.93                | 1.05                     | 0.08             | 2.52             | 2.64             | 2.52     | 2.64                     | 000    |
|         | 26         | ∢      | Simple cystometrogram        | 1.51              | 0.52                | 0.64                         | 0.52                | 0.64                     | 0.05             | 2.08             | 2.20             | 2.08     | 2.20                     | 000    |
|         | ဥ          | ∢      | Simple cystometrogram        | 0.00              | 0.41                | 0.41                         | 0.41                | 0.41                     | 0.03             | 0.44             | 0.44             | 0.44     | 0.44                     | 000    |
| 51726   |            | ∢      | Complex cystometrogram       | 1.71              | 1.10                | 1.33                         | 1.10                | 1.33                     | 0.10             | 2.91             | 3.14             | 2.91     | 3.14                     | 000    |
|         | 26         | ∢      | Complex cystometrogram       | 1.71              | 0.58                | 0.81                         | 0.58                | 0.81                     | 90.0             | 2.35             | 2.58             | 2.35     | 2.58                     | 000    |
|         | 2          | ∢      | Complex cystometrogram       | 0.00              | 0.52                | 0.52                         | 0.52                | 0.52                     | 0.04             | 0.56             | 0.56             | 0.56     | 0.56                     | 8      |
|         |            | ∢      | Urine flow measurement       | 0.61              | 0.36                | 0.42                         | 0.36                | 0.42                     | 0.03             | 1.0              | 1.06             | 1.00     | 1.06                     | 00     |
|         | <b>5</b> 8 | ∢      | Urine flow measurement       | 0.61              | 0.21                | 0.26                         | 0.21                | 0.26                     | 0.02             | 0.84             | 0.89             | 0.84     | 0.89                     | 8      |
|         | ပ္         | ∢      | Urine flow measurement       | 0.00              | 0.15                | 0.16                         | 0.15                | 0.16                     | 0.0              | 0.16             | 0.17             | 0.16     | 0.17                     | 00     |
|         |            | ∢      | Electro-uroflowmetry, first  | 4.                | 0.61                | 0.61                         | 0.61                | 0.61                     | 0.05             | 1.80             | 1.80             | 1.80     | 1.80                     | 8      |
|         | <b>5</b> 6 | ∢      | Electro-uroflowmetry, first  | 1.14              | 0.38                | 0.38                         | 0.38                | 0.38                     | 0.03             | 1.55             | 1.55             | 1.55     | 1.55                     | 8      |
|         | ပ္         | ∢      | Electro-uroflowmetry, first  | 0.00              | 0.23                | 0.23                         | 0.23                | 0.23                     | 0.02             | 0.25             | 0.25             | 0.25     | 0.25                     | 8      |
| 51772   |            | ∢      | Urethra pressure profile     | 1.61              | 1.01                | 1.02                         | 1.01                | 1.02                     | 0.09             | 2.71             | 2.72             | 2.71     | 2.72                     | 8      |
| 51772   | 26         | ∢      | Urethra pressure profile     | 1.61              | 0.56                | 0.56                         | 0.56                | 0.56                     | 0.05             | 2.22             | 2.22             | 2.22     | 2.22                     | 000    |
| 51772   | ဥ          | ∢      | Urethra pressure profile     | 0.00              | 0.45                | 0.46                         | 0.45                | 0.46                     | 0.04             | 0.49             | 0.50             | 0.49     | 0.50                     | 00     |
| 51784   |            | ∢      | Anal/urinary muscle study    | 1.53              | 0.95                | 1.08                         | 0.95                | 1.08                     | 0.08             | 2.56             | 2.69             | 2.56     | 2.69                     | 000    |
| 51784   | 26         | ∢      | Anal/urinary muscle study    | 1.53              | 0.52                | 99.0                         | 0.52                | 99.0                     | 0.05             | 2.10             | 2.24             | 2.10     | 2.24                     | 000    |
| 51784   | 5          | ∢      | Anal/urinary muscle study    | 0.00              | 0.43                | 0.42                         | 0.43                | 0.42                     | 0.03             | 0.46             | 0.45             | 0.46     | 0.45                     | 000    |
| 51785   |            | ∢      | Anai/urinary muscle study    | 1.53              | 0.95                | 1.08                         | 0.95                | 1.08                     | 0.08             | 2.56             | 2.69             | 2.56     | 2.69                     | 000    |
| 51785   | 56         | ∢      | Anal/urinary muscle study    | 1.53              | 0.52                | 99.0                         | 0.52                | 99.0                     | 0.05             | 2.10             | 2.24             | 2.10     | 2.24                     | 000    |
| 51785   | 2          | ∢      | Anal/urinary muscle study    | 0.00              | 0.43                | 0.42                         | 0.43                | 0.42                     | 0.03             | 0.46             | 0.45             | 0.46     | 0.45                     | 00     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|   |                                      |                   | HON                 | francitional        |                     | irencitional.          |                  |                  |                  |          |                          |        |
|---|--------------------------------------|-------------------|---------------------|---------------------|---------------------|------------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|   |                                      |                   | facility            | Non-facility        | Facility            | Hansinoneu<br>Facility |                  |                  | Transitioned     |          |                          |        |
|   | :                                    | Physician<br>work | practice<br>expense | practice<br>expense | practice<br>expense | practice<br>expense    | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility | ;      |
|   | Description<br>Tringery reflex study | 1 10              | 1 87                | KVUS<br>2 03        | 4 87                | 8 60 C                 | 0 16             | 3 13             | 3 29             | 3 13     | 3 20                     | Global |
| _ | Jrinary reflex study                 | 1.10              | 0.41                | 0.58                | 0.41                | 0.58                   | 0.05             | 1.56             | 1.73             | 1.56     | 1.73                     | 8      |
|   | Urinary reflex study                 | 0.00              | 1.46                | 1.45                | 1.46                | 1.45                   | 0.11             | 1.57             | 1.56             | 1.57     | 1.56                     | 8      |
| _ | Urine voiding pressure study         | 1.53              | 1.47                | 1.54                | 1.47                | 1.54                   | 0.13             | 3.13             | 3.20             | 3.13     | 3.20                     | 00     |
| _ | Jrine voiding pressure study         | 1.53              | 0.52                | 0.60                | 0.52                | 09:0                   | 0.05             | 2.10             | 2.18             | 2.10     | 2.18                     | 000    |
| _ | Urine voiding pressure study         | 0.00              | 0.95                | 0.94                | 0.95                | 0.94                   | 0.08             | 1.03             | 1.02             | 1.03     | 1.02                     | 000    |
| _ | ntraabdominal pressure test          | 1.60              | <b>1</b> .04        | 1.04                | 1.04                | 1.04                   | 0.08             | 2.72             | 2.72             | 2.72     | 2.72                     | 8      |
| _ | ntraabdominal pressure test          | 1.60              | 0.55                | 0.55                | 0.55                | 0.55                   | 0.04             | 2.19             | 2.19             | 2.19     | 2.19                     | 00     |
| _ | ntraabdominal pressure test          | 0.00              | 0.49                | 0.49                | 0.49                | 0.49                   | 0.0              | 0.53             | 0.53             | 0.53     | 0.53                     | 000    |
| _ | Revision of bladder/urethra          | 17.42             | ¥                   | ₹                   | 8.47                | 11.90                  | 1.15             | ¥                | Ϋ́               | 27.04    | 30.47                    | 060    |
| _ | Revision of urinary tract            | 17.89             | ₹                   | ¥                   | 99.6                | 8.43                   | 1.03             | ¥                | ¥                | 28.58    | 27.35                    | 060    |
| _ | Attach bladder/urethra               | 10.71             | ¥                   | ¥                   | 6.04                | 9.02                   | 0.99             | ¥                | Ϋ́               | 17.74    | 20.72                    | 060    |
| _ | Attach bladder/urethra               | 13.03             | ¥                   | ¥                   | 7.32                | 10.79                  | 1.16             | ¥                | ¥                | 21.51    | 24.98                    | 060    |
| _ | Repair bladder neck                  | 9.73              | ¥                   | ₹                   | 5.84                | 10.17                  | 0.85             | ž                | ¥                | 16.42    | 20.75                    | 060    |
| _ | Repair of bladder wound              | 12.02             | ¥                   | ¥                   | 6.71                | 7.88                   | 0.71             | ž                | ¥                | 19.44    | 20.61                    | 060    |
| _ | Repair of bladder wound              | 15.04             | ¥                   | ¥                   | 7.85                | 10.88                  | 0.99             | ¥                | Ą<br>Z           | 23.88    | 26.91                    | 060    |
| _ | Repair of bladder opening            | 99'2              | ¥                   | ¥                   | 4.84                | 5.25                   | 0.41             | ₹                | ₹                | 12.91    | 13.32                    | 060    |
| _ | Repair bladder/vagina lesion         | 12.97             | ¥                   | ¥                   | 7.37                | 11.32                  | 1.10             | ¥                | ¥                | 21.44    | 25.39                    | 060    |
| _ | Close bladder-uterus fistula         | 11.81             | ¥                   | ¥                   | 6.29                | 7.69                   | 0.57             | ₹                | ₹                | 18.67    | 20.07                    | 060    |
| _ | Hysterectomy/bladder repair          | 15.58             | ¥                   | <b>₹</b>            | 8.71                | 10.38                  | 1.82             | ¥                | Ϋ́               | 26.11    | 27.78                    | 060    |
| _ | Correction of bladder defect         | 26.81             | ¥                   | ¥                   | 14.16               | 18.97                  | 1.74             | ¥                | <b>∀</b><br>Z    | 42.71    | 47.52                    | 060    |
| _ | Revision of bladder & bowel          | 23.01             | ¥                   | ¥                   | 11.62               | 20.32                  | 1.78             | ¥                | ₹                | 36.41    | 45.11                    | 000    |
| _ | Construct bladder opening            | 11.36             | ¥                   | ₹                   | 6.38                | 79.7                   | 0.59             | ¥                | ₹                | 18.33    | 19.62                    | 060    |
| _ | Cystoscopy                           | 2.01              | 2.78                | 1.78                | 0.93                | 0.77                   | 0.11             | 4.90             | 3.90             | 3.05     | 2.89                     | 000    |
| _ | Cystoscopy & ureter catheter         | 2.37              | 4.39                | 2.89                | 1.04                | 2.05                   | 0.17             | 6.93             | 5.43             | 3.58     | 4.59                     | 00     |
| _ | Cystoscopy and biopsy                | 3.02              | ¥                   | ¥                   | 1.26                | 2.61                   | 0.22             | Ϋ́               | ¥                | 4.50     | 5.85                     | 000    |
| _ | Cystoscopy & duct catheter           | 3.02              | 4.67                | 2.71                | 1.29                | 1.10                   | 0.16             | 7.85             | 5.89             | 4.47     | 4.28                     | 8      |
| _ | Cystoscopy                           | 2.37              | 5.09                | 3.21                | 1.04                | 2.20                   | 0.19             | 7.65             | 5.77             | 3.60     | 4.76                     | 000    |
| _ | Cystoscopy and treatment             | 3.71              | 5.46                | 3.65                | 1.49                | 2.65                   | 0.22             | 9.39             | 7.58             | 5.42     | 6.58                     | 8      |
| _ | Cystoscopy and treatment             | 3.14              | 5.33                | 3.70                | 1.30                | 2.69                   | 0.23             | 8.70             | 7.07             | 4.67     | 90.9                     | 8      |
| _ | Cystoscopy and treatment             | 4.63              | 6.16                | 5.37                | 1.80                | 4.28                   | 0.35             | 11.14            | 10.35            | 6.78     | 9.26                     | 8      |
| _ | Cystoscopy and treatment             | 5.45              | 6.43                | 6.49                | 2.07                | 5.40                   | 0.63             | 12.51            | 12.57            | 8.15     | 11.48                    | 000    |
| _ | Cystoscopy and treatment             | 9.72              | 7.85                | 10.63               | 3.49                | 9.54                   | 0.81             | 18.38            | 21.16            | 14.02    | 20.02                    | 000    |
| _ | Cystoscopy & radiotracer             | 4.50              | ¥                   | ¥                   | 1.76                | 2.77                   | 0.23             | ¥                | ¥                | 6.49     | 7.50                     | 000    |
| _ | Cystoscopy & treatment               | 3.92              | ¥                   | ¥                   | 1.64                | 2.13                   | 0.17             | ž                | Ϋ́               | 5.73     | 6.22                     | 8      |
| _ | Cystoscopy & treatment               | 2.94              | 3.15                | 1.89                | 1.24                | 0.87                   | 0.11             | 6.20             | 4.94             | 4.29     | 3.92                     | 8      |
| Ŭ | Cystoscopy & revise urethra          | 3.37              | 5.66                | 4.24                | 1.42                | 3.18                   | 0.27             | 9.30             | 7.88             | 5.06     | 6.82                     | 8      |
| Ŭ | Cystoscopy & revise urethra          | 4.70              | 6.26                | 4.35                | 1.86                | 3.25                   | 0.27             | 11.23            | 9.32             | 6.83     | 8.22                     | 8      |
| _ | Cystoscopy and treatment             | 5.00              | 6.37                | 5.32                | 1.96                | 4.22                   | 0.35             | 11.72            | 10.67            | 7.31     | 9.57                     | 000    |
| _ | Cystoscopy and treatment             | 6.17              | Ϋ́                  | Ϋ́                  | 2.33                | 4.51                   | 0.37             | ¥                | N<br>A           | 8.87     | 11.05                    | 8      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|            |            | •  | AUVENUUM B | KELAIIVE         | - KELAIIYE YALUE UNIIS(KYUS) AND KELAIED INFUKMAIIUN | CVUSJ AND I | CELAIEU INFO             | KMAIIS           | _                |                  |          |                        |       |
|------------|------------|--|------------|------------------|--|-------------|--------------------------|------------------|------------------|------------------|----------|------------------------|-------|
|            |            |  |            | Non-<br>facility | Transitioned<br>Non-facility                         | Facility    | Transitioned<br>Facility |                  |                  | Transitioned     |          |                        |       |
| /, 14)     |            |  | Physician  | practice         | practice   | practice    | practice                 | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Carifity | Transitioned Continued |       |
| HCPCS 2 Mo | Mod Status | us Description                                     | RVUs 3     | RVUs             | RVUs   | RYUS        | RVUs                     | RUYs             | Total            | Total            | Total    | rodniny<br>Total       | Globa |
| 52281      | ⋖          | A Cystoscopy and treatment                         | 2.80       | 3.14             | 2.67   | 1.19        | 1.24                     | 0.18             | 6.12             | 5.65             | 4.17     | 4.22                   | 000   |
| 52282      | ⋖          |  | 6.40       | 6.62             | 5.38   | 2.39        | 4.33                     | 0.35             | 13.37            | 12.13            | 9.14     | 11.08                  | 8     |
| 52283      | ⋖          | A Cystoscopy and treatment                         | 3.74       | 5.70             | 2.66   | 1.51        | 1.61                     | 0.12             | 9.56             | 6.52             | 5.37     | 5.47                   | 8     |
| 52285      | ∢          | _  | 3.61       | 5.89             | 3.87   | 1.46        | 1.57                     | 0.23             | 9.73             | 7.71             | 5.30     | 5.41                   | 8     |
| 52290      | ∢          | <ul> <li>Cystoscopy and treatment</li> </ul>       | 4.59       | ¥                | ¥  | 1.79        | 2.35                     | 0.19             | ¥                | Š                | 6.57     | 7.13                   | 8     |
| 52300      | ∢          | <ul> <li>Cystoscopy and treatment</li> </ul>       | 5.31       | ¥                | ¥  | 2.02        | 3.33                     | 0.28             | ¥                | Š                | 7.61     | 8.92                   | 8     |
| 52301      | ∢          |  | 5.51       | ¥                | Ą  | 2.15        | 3.37                     | 0.28             | ¥                | ¥                | 7.94     | 9.16                   | 8     |
| 52305      | ∢          |  | 5.31       | ₹                | Ą  | 2.02        | 3.36                     | 0.27             | ¥                | Ą                | 7.60     | 8.94                   | 8     |
| 52310      | ∢          | <ul> <li>Cystoscopy and treatment</li> </ul>       | 2.81       | 13.05            | 5.69   | 1.19        | 2.73                     | 0.23             | 16.09            | 8.73             | 4.23     | 5.77                   | 8     |
| 52315      | ∢          | A Cystoscopy and treatment                         | 5.21       | 14.01            | 6.82   | 1.99        | 3.81                     | 0.31             | 19.53            | 12.34            | 7.51     | 9.33                   | 8     |
| 52317      | ∢          | A Remove bladder stone                             | 6.72       | 20.54            | 10.18  | 2.50        | 5.67                     | 0.46             | 27.72            | 17.36            | 9.68     | 12.85                  | 8     |
| 52318      | ∢          | A Remove bladder stone                             | 9.19       | ¥                | ¥  | 3.32        | 7.24                     | 09.0             | ¥                | Ϋ́               | 13.11    | 17.03                  | 8     |
| 52320      | ∢          | <ul> <li>Cystoscopy and treatment</li> </ul>       | 4.70       | ¥                | ¥  | 1.80        | 4.40                     | 0.37             | ¥                | ¥                | 6.87     | 9.47                   | 8     |
| 52325      | ∢          | <ul> <li>A Cystoscopy, stone removal</li> </ul>    | 6.16       | ₹                | Š  | 2.30        | 6.10                     | 0.53             | ¥                | ¥                | 8.99     | 12.79                  | 8     |
| 52327      | ∢          | <ul> <li>Cystoscopy, inject material</li> </ul>    | 5.19       | ₹                | Š  | 1.98        | 3.50                     | 0.28             | ¥                | Ą                | 7.45     | 8.97                   | 8     |
| 52330      | ∢          | <ul> <li>Cystoscopy and treatment</li> </ul>       | 5.04       | 17.57            | 7.22   | 1.93        | 3.31                     | 0.27             | 22.88            | 12.53            | 7.24     | 8.62                   | 8     |
| 52332      | ∢          | <ul> <li>Cystoscopy and treatment</li> </ul>       | 2.83       | 25.55            | 9.00   | 1.20        | 2.84                     | 0.25             | 28.63            | 12.08            | 4.28     | 5.92                   | 8     |
| 52334      | ∢          | <ul> <li>Create passage to kidney</li> </ul>       | 4.83       | ₹                | ¥  | 1.87        | 3.18                     | 0.27             | ¥                | ¥                | 6.97     | 8.28                   | 8     |
| 52335      | ∢          | _  | 5.86       | ¥                | ¥  | 2.21        | 4.37                     | 0.35             | ¥                | ¥                | 8.42     | 10.58                  | 8     |
| 52336      | ∢          | <ul> <li>A Cystoscopy, stone removal</li> </ul>    | 6.88       | ¥                | ¥  | 2.55        | 6.80                     | 0.77             | ¥                | ¥                | 10.20    | 14.45                  | 8     |
| 52337      | ⋖          | <ul> <li>Cystoscopy, stone removal</li> </ul>      | 76.7       | ¥                | ¥  | 2.91        | 78.7                     | 0.84             | ¥                | ¥                | 11.72    | 16.68                  | 8     |
| 52338      | ∢          | <ul> <li>Cystoscopy and treatment</li> </ul>       | 7.34       | ₹                | ¥  | 2.70        | 5.49                     | 0.45             | ¥                | ¥                | 10.49    | 13.28                  | 8     |
| 52339      | ∢          | A Cystoscopy and treatment                         | 8.82       | ₹                | ¥  | 3.17        | 5.61                     | 0.45             | ¥                | Ϋ́               | 12.44    | 14.88                  | 8     |
| 52340      | ∢          | A Cystoscopy and treatment                         | 9.68       | ¥                | ¥  | 5.03        | 5.45                     | 0.39             | ¥                | Ą                | 15.10    | 15.52                  | 060   |
| 52450      | ∢          | A Incision of prostate                             | 7.64       | ¥                | ¥  | 5.64        | 5.48                     | 0.38             | ¥                | Ϋ́               | 13.66    | 13.50                  | 060   |
| 52500      | ∢          | A Revision of bladder neck                         | 8.47       | ¥                | ¥  | 5.92        | 7.53                     | 95.0             | ¥                | Ą                | 14.95    | 16.56                  | 060   |
| 52510      | ∢          | <ul> <li>A Dilation prostatic urethra</li> </ul>   | 6.72       | ¥                | Š  | 5.03        | 7.27                     | 0.58             | ¥                | Ϋ́               | 12.33    | 14.57                  | 060   |
| 52601      | ∢          | <ul> <li>Prostatectomy (TURP)</li> </ul>           | 12.37      | ₹                | ¥  | 7.21        | 11.46                    | 0.91             | Ą                | ¥                | 20.49    | 24.74                  | 060   |
| 52606      | ∢          | A Control postop bleeding                          | 8.13       | ¥                | ž  | 5.17        | 3.99                     | 0.26             | ¥                | Ą                | 13.56    | 12.38                  | 060   |
| 52612      | ∢          | <ul> <li>Prostatectomy, first stage</li> </ul>     | 7.98       | ₹                | Š  | 5.53        | 8.53                     | 0.77             | ¥                | ¥                | 14.28    | 17.28                  | 8     |
| 52614      | ∢          | <ul> <li>Prostatectomy, second stage</li> </ul>    | 6.84       | ¥                | Š  | 5.38        | 7.11                     | 0.53             | ¥                | ¥                | 12.75    | 14.48                  | 8     |
| 52620      | ∢          | A Remove residual prostate                         | 6.61       | Ϋ́               | Š  | 5.30        | 5.66                     | 0.40             | ¥                | Ą                | 12.31    | 12.67                  | 060   |
| 52630      | ⋖          | A Remove prostate regrowth                         | 7.26       | ¥                | ¥  | 5.52        | 7.88                     | 0.88             | ¥                | Ϋ́               | 13.66    | 16.02                  | 66    |
| 52640      | ⋖          | A Relieve bladder contracture                      | 6.62       | ¥                | Š  | 4.99        | 6.48                     | 0.49             | ¥                | Ϋ́               | 12.10    | 13.59                  | 060   |
| 52647      | ⋖          | <ul> <li>Laser surgery of prostate</li> </ul>      | 10.36      | ¥                | ¥  | 95.9        | 10.92                    | 0.91             | ¥                | Α<br>A           | 17.83    | 22.19                  | 060   |
| 52648      | ∢          | <ul> <li>Laser surgery of prostate</li> </ul>      | 11.21      | ₹                | ¥  | 6.82        | 11.37                    | 0.91             | ¥                | Ϋ́               | 18.94    | 23.49                  | 8     |
| 52700      | ∢          | <ul> <li>A Drainage of prostate abscess</li> </ul> | 6.80       | ₹                | ¥  | 5.36        | 4.03                     | 0.27             | ¥                | Ϋ́               | 12.43    | 11.10                  | 8     |
| 53000      | ∢          | A Incision of urethra                              | 2.28       | 5.71             | 2.86   | 2.22        | 1.99                     | 0.13             | 8.12             | 5.27             | 4.63     | 4.40                   | 010   |
| 53010      | ∢          | A Incision of urethra                              | 3.64       | ¥                | ¥  | 3.53        | 3.75                     | 0.29             | ¥                | Ϋ́               | 7.46     | 7.68                   | 060   |
| 53020      | ∢          | A Incision of urethra                              | 1.77       | 3.59             | 1.57   | 0.63        | 0.83                     | 0.07             | 5.43             | 3.41             | 2.47     | 2.67                   | 000   |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                     |            | 2                             | TOURING D. |                      |                          | י שוני /כסוי        |                      |                  | <u>.</u>          |                      |                   |                   |          |
|---------------------|------------|-------------------------------|------------|----------------------|--------------------------|---------------------|----------------------|------------------|-------------------|----------------------|-------------------|-------------------|----------|
|                     |            |                               |            | Non-                 | Transitioned             | į                   | Transitioned         |                  |                   |                      |                   |                   |          |
| ,                   |            |                               | Physician  | racility<br>practice | Non-tacility<br>practice | raciiny<br>practice | Facility<br>practice | Mal-             | Non-              | Transitioned<br>Non- |                   | Transitioned      |          |
| CPT //<br>HCPCS 2 M | Mod Centuc | Decerintian                   | work 3     | expense<br>RVIIs     | expense<br>PVIIs         | expense<br>RVUs     | expense              | practice<br>RUYs | facility<br>Total | facility             | Facility<br>Total | Facility<br>Total | Clobal   |
|                     | ı          | Incision                      | 1.13       | 2.67                 | 1.32                     | 0.41                | 0.76                 | 90:0             | 3.86              | 2.51                 | 1.60              | 1.95              | 000      |
| 53040               | ∢          | Drainage of urethra abscess   | 6.40       | 7.88                 | 3.48                     | 9.73                | 3.94                 | 0.15             | 14.43             | 10.03                | 16.28             | 10.49             | 060      |
| 53060               | 4          | Drainage of urethra abscess   | 2.63       | 5.39                 | 1.76                     | 2.21                | 0.97                 | 0.05             | 8.07              | 4.44                 | 4.89              | 3.65              | 010      |
| 53080               | ∢          | Drainage of urinary leakage   | 6.29       | ¥                    | ¥                        | 7.30                | 5.07                 | 0.35             | ¥                 | ¥                    | 13.94             | 11.71             | 060      |
| 53085               | ∢          | Drainage of urinary leakage   | 10.27      | ¥                    | ¥                        | 8.50                | 7.62                 | 0.55             | ¥                 | ¥                    | 19.32             | 18.44             | 060      |
| 53200               | ∢          | Biopsy of urethra             | 2.59       | 4.53                 | 2.03                     | 0.91                | 1.12                 | 0.09             | 7.21              | 4.71                 | 3.59              | 3.80              | 8        |
| 53210               | ∢          |                               | 12.57      | ¥                    | ¥                        | 7.09                | 7.18                 | 0.52             | ¥                 | ¥                    | 20.18             | 20.27             | 060      |
| 53215               | ∢          | Removal of urethra            | 15.58      | ¥                    | ž                        | 7.81                | 10.09                | 0.75             | ¥                 | ¥                    | 24.14             | 26.42             | 060      |
| 53220               | ∢          | Treatment of urethra lesion   | 7.00       | ¥                    | ¥                        | 4.70                | 5.06                 | 0.38             | ₹                 | ¥                    | 12.08             | 12.44             | 060      |
| 53230               | ⋖          | Removal of urethra lesion     | 9.58       | ¥                    | ¥                        | 5.57                | 7.85                 | 0.62             | ₹                 | <b>∀</b><br>Z        | 15.77             | 18.05             | 060      |
| 53235               | ∢          | Removal of urethra lesion     | 10.14      | Š                    | ¥                        | 5.77                | 5.53                 | 0.38             | ¥                 | ¥                    | 16.29             | 16.05             | 060      |
| 53240               | ⋖          | Surgery for urethra pouch     | 6.45       | ¥                    | ž                        | 4.52                | 4.66                 | 0.35             | ¥                 | Ą<br>V               | 11.32             | 11.46             | 060      |
| 53250               | ∢          | Removal of urethra gland      | 5.89       | ¥                    | ¥                        | 3.87                | 4.27                 | 0.31             | ¥                 | ¥                    | 10.07             | 10.47             | 060      |
| 53260               | ∢          | Treatment of urethra lesion   | 2.98       | 5.01                 | 2.17                     | 2.00                | 1.42                 | 0.13             | 8.12              | 5.28                 | 5.11              | 4.53              | 010      |
| 53265               | ⋖          | •                             | 3.12       | 5.43                 | 2.89                     | 1.99                | 2.03                 | 0.17             | 8.72              | 6.18                 | 5.28              | 5.32              | 010      |
| 53270               | ∢          | Removal of urethra gland      | 3.09       | 5.15                 | 1.97                     | 2.12                | 0.88                 | 0.14             | 8.38              | 5.20                 | 5.35              | 4.1               | 010      |
| 53275               | ∢          |                               | 4.53       | ₹<br>Z               | ₹                        | 3.12                | 2.71                 | 0.20             | ₹                 | ¥                    | 7.85              | 7.44              | 010      |
| 53400               | ∢          | Revise urethra, 1st stage     | 12.77      | ¥                    | ¥                        | 98.9                | 7.80                 | 0.59             | ₹                 | ¥                    | 20.22             | 21.16             | 060      |
| 53405               | ⋖          | Revise urethra, 2nd stage     | 14.48      | ¥                    | ¥                        | 7.27                | 10.26                | 0.95             | ¥                 | ¥                    | 22.70             | 25.69             | 060      |
| 53410               | ∢          | Reconstruction of urethra     | 16.44      | ¥                    | Š                        | 8.13                | 00.6                 | 99.0             | ₹                 | ₹<br>Z               | 25.23             | 26.10             | 060      |
| 53415               | ⋖          | Reconstruction of urethra     | 19.41      | <b>∀</b>             | Ϋ́                       | 6.89                | 11.38                | 0.90             | ¥                 | ¥                    | 27.20             | 31.69             | 060      |
| 53420               | ⋖          | Reconstruct urethra, stage 1  | 14.08      | ₹                    | Ϋ́                       | 7.47                | 10.73                | 0.82             | ¥                 | Ϋ́                   | 22.37             | 25.63             | 060      |
| 53425               | ⋖          | Reconstruct urethra, stage 2  | 15.98      | ¥                    | Ϋ́                       | 8.06                | 9.55                 | 0.69             | ¥                 | ¥                    | 24.73             | 26.22             | 060      |
| 53430               | ⋖          | _                             | 16.34      | ₹                    | ¥                        | 8.21                | 7.88                 | 0.59             | ¥                 | ₹<br>Z               | 25.14             | 24.81             | 060      |
| 53440               | ∢ ·        | Correct bladder function      | 12.34      | ≨ :                  | ₹<br>Z                   | 6.91                | 12.42                | 1.09             | ¥                 | ¥                    | 20.34             | 25.85             | <u>6</u> |
| 53442               | ⋖          | Remove perineal prosthesis    | 8.27       | ₹<br>Z               | ₹<br>Z                   | 5.09                | 6.03                 | 0.52             | ₹                 | Υ<br>Σ               | 13.88             | 14.82             | 060      |
| 53443               | ∢ ·        | Reconstruction of urethra     | 19.89      | ≨ :                  | ₹<br>Z                   | 9.05                | 10.42                | 0.84             | <b>≨</b> ∶        | ¥:                   | 29.75             | 31.15             | 60       |
| 53445               | ∢ •        | Correct urine flow control    | 14.06      | Ž :                  | ď :                      | 7.53                | 14.48                | 1.59             | ₹ :               | ď :                  | 23.18             | 30.13             | 060      |
| 53447               | ∢ •        | Remove artificial sphincter   | 13.17      | ₹ :                  | ¥ :                      | 6.99                | 9.20                 | 0.70             | ≨ :               | ≨ :                  | 20.86             | 23.07             | 8        |
| 53449               | ∢ •        | Correct artificial spiningter | 9.70       | <u> </u>             | ¥ :                      | 5.72                | 8.28                 | 0.0<br>4 6       | ₹ :               | ¥ :                  | 16.06             | 18.62             | 200      |
| 53450               | ∢ ∙        | Revision of urethra           | 4.0        | ≨ :                  | ¥ :                      | 4.27                | 3.30                 | 0.21             | <b>₹</b> :        | ¥ :                  | 10.62             | 9.65              | 060      |
| 53460               | ⋖          |                               | 7.12       | Ž:                   | ¥ :                      | 4.68                | 3.16                 | 0.20             | ¥                 | Υ<br>Z               | 12.00             | 10.48             | 060      |
| 53502               | ⋖          |                               | 7.63       | ¥<br>Z               | A<br>A                   | 5.02                | 5.30                 | 4.0              | ¥                 | ₹                    | 13.09             | 13.37             | 060      |
| 53505               | ⋖          |                               | 7.63       | ¥                    | Ϋ́                       | 4.82                | 5.42                 | 0.40             | ¥                 | Š                    | 12.85             | 13.45             | 060      |
| 53510               | ⋖          |                               | 10.11      | ¥                    | Š                        | 00.9                | 7.19                 | 0.52             | ₹                 | A<br>A               | 16.63             | 17.82             | 060      |
| 53515               | ⋖          | _                             | 13.31      | ¥<br>X               | ¥                        | 6.79                | 9.05                 | 69.0             | ¥                 | ¥                    | 20.79             | 23.05             | 060      |
| 53520               | ∢          | Repair of urethra defect      | 8.68       | ¥<br>Y               | ¥                        | 5.20                | 60.9                 | 0.44             | ¥                 | ¥                    | 14.32             | 15.21             | 060      |
| 53600               | ⋖          | Dilate urethra stricture      | 1.21       | 3.52                 | 1.15                     | 0.46                | 0.25                 | 0.02             | 4.75              | 2.38                 | 1.69              | 1.48              | 000      |
| 53601               | ⋖          | _                             | 0.98       | 3.45                 | 1.10                     | 0.39                | 0.22                 | 0.02             | 4.45              | 2.10                 | 1.39              | 1.22              | 000      |
| 53605               | ∢          | Dilate urethra stricture      | 1.28       | Υ<br>Υ               | ₹                        | 0.68                | 0.55                 | 0.04             | ¥                 | ¥                    | 2.00              | 1.87              | 00       |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                     |        |        |                              |                | Mon             | Transitional    |                 | Transitioned    |                  | <u>.</u>          |                   |                   |                   |        |
|---------------------|--------|--------|------------------------------|----------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                     |        |        |                              |                | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
|                     |        |        |                              | Physician      | practice        | practice        | practice        | practice        | Wał-             | Non-              | Non-              |                   | Transitioned      |        |
| OPT //<br>HCPCS 2 M | Mod Si | Status | Description                  | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 53620               |        | ∢      | Dilate urethra stricture     | 1.62           | 5.24            | 1.69            | 08.0            | 0.40            | 0.04             | 06.9              | 3.35              | 2.46              | 2.06              | 000    |
| 53621               |        | ∢      | Dilate urethra stricture     | 1.35           | 5.22            | 1.61            | 0.70            | 0.33            | 0.03             | 6.60              | 5.99              | 2.08              | 1.71              | 000    |
| 53660               |        | ⋖      | Dilation of urethra          | 0.71           | 3.27            | 1.04            | 0.30            | 0.19            | 0.02             | 4.00              | 1.77              | 1.03              | 0.92              | 000    |
| 53661               |        | ⋖      | Dilation of urethra          | 0.72           | 3.35            | 1.04            | 0.24            | 0.17            | 0.02             | 4.09              | 1.78              | 96.0              | 0.91              | 000    |
| 53665               |        | ∢      | Dilation of urethra          | 0.76           | ¥               | ¥               | 0.58            | 0.44            | 0.03             | ¥                 | Ϋ́                | 1.37              | 1.23              | 000    |
| 53670               |        | ∢      | Insert urinary catheter      | 0.50           | 3.17            | 0.97            | 0.17            | 0.13            | 0.02             | 3.69              | 1.49              | 69.0              | 0.65              | 000    |
| 53675               |        | ∢      | Insert urinary catheter      | 1.47           | 4.22            | 1.44            | 0.74            | 0.57            | 0.04             | 5.73              | 2.95              | 2.25              | 2.08              | 000    |
| 53850               |        | ∢      | Prostatic microwave thermotx | 9.45           | ¥               | ¥               | 6.24            | 7.02            | 0.52             | ¥                 | ¥                 | 16.21             | 16.99             | 060    |
| 53852               |        | ∢      | Prostatic rf thermotx        | 88.6           | ¥               | ¥               | 6.38            | 7.30            | 0.54             | ¥                 | ₹                 | 16.80             | 17.72             | 060    |
| 53899               |        | ပ      | Urology surgery procedure    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | Х      |
| 54000               |        | ∢      | Slitting of prepuce          | 1.54           | 4.81            | 1.71            | 1.30            | 0.84            | 0.05             | 6.40              | 3.30              | 2.89              | 2.43              | 010    |
| 54001               |        | ∢      | Slitting of prepuce          | 2.19           | 5.19            | 1.98            | 1.79            | 1.13            | 0.07             | 7.45              | 4.24              | 4.05              | 3.39              | 010    |
| 54015               |        | ⋖      | Drain penis fesion           | 5.32           | 6.07            | 2.19            | 2.88            | 1.40            | 0.07             | 11.46             | 7.58              | 8.27              | 6.79              | 010    |
| 54050               |        | ⋖      | Destruction, penis lesion(s) | 1.24           | 1.90            | 0.78            | 0.52            | 0.29            | 0.02             | 3.16              | 2.04              | 1.78              | 1.55              | 010    |
| 54055               |        | ∢      | Destruction, penis lesion(s) | 1.22           | 2.08            | 1.77            | 1.22            | 0.55            | 0.05             | 6.35              | 3.04              | 2.49              | 1.82              | 010    |
| 54056               |        | ∢      | Cryosurgery, penis lesion(s) | 1.24           | 2.17            | 96.0            | 0.54            | 0.35            | 0.03             | 3.44              | 2.25              | 1.81              | 1.62              | 010    |
| 54057               |        | ∢      | Laser surg, penis lesion(s)  | 1.24           | 2.01            | 1.74            | 1.21            | 1.41            | 0.16             | 3.41              | 3.14              | 2.61              | 2.81              | 010    |
| 54060               |        | ∢      | Excision of penis lesion(s)  | 1.93           | 4.30            | 2.03            | 1.44            | 1.31            | 0.09             | 6.32              | 4.05              | 3.46              | 3.33              | 010    |
| 54065               |        | ∢      | Destruction, penis lesion(s) | 2.42           | 4.28            | 3.08            | 1.85            | 1.47            | 0.20             | 6.90              | 5.70              | 4.47              | 4.09              | 010    |
| 54100               |        | ⋖      | Biopsy of penis              | 1.90           | 2.91            | 1.26            | 0.70            | 0.71            | 0.05             | 4.86              | 3.21              | 2.65              | 2.66              | 00     |
| 54105               |        | ∢      | Biopsy of penis              | 3.50           | 5.42            | 2.18            | 1.97            | 1.32            | 0.09             | 9.01              | 5.77              | 5.56              | 4.91              | 010    |
| 54110               |        | ⋖ .    | Treatment of penis lesion    | 10.13          | ≨ :             | ¥:              | 7.21            | 6.71            | 0.48             | <b>≨</b> :        | ¥:                | 17.82             | 17.32             | 060    |
| 54111               |        | ∢      | Treat penis lesion, graft    | 13.57          | ₹               | ₹<br>Z          | 8.40            | 9.57            | 0.76             | ¥                 | Ą                 | 22.73             | 23.90             | 80     |
| 54112               |        | ∢      | Treat penis lesion, graft    | 15.86          | ¥ ¦             | <b>Y</b>        | 9.47            | 11.19           | 0.89             | ₹                 | <b>ĕ</b>          | 26.22             | 27.94             | 060    |
| 54115               |        | ∢      | Treatment of penis lesion    | 6.15           | 9.67            | 5.82            | 5.96            | 4.90            | 0.34             | 16.16             | 12.31             | 12.45             | 11.39             | 060    |
| 54120               |        | ∢      | Partial removal of penis     | 9.97           | ₹               | <b>Y</b>        | 7.27            | 7.08            | 0.49             | ₹                 | ¥                 | 17.73             | 17.54             | 060    |
| 54125               |        | ⋖ ·    | Removal of penis             | 13.53          | ₹ :             | <b>≨</b> :      | 8.39            | 11.51           | 0.92             | ≨ :               | Ž:                | 22.84             | 25.96             | 060    |
| 54130               |        | ∢      | Remove penis & nodes         | 20.14          | ď :             | ¥ :             | 10.86           | 14.65           | 1.03             | ≨ :               | ¥<br>Z            | 32.03             | 35.82             | 060    |
| 54135               |        | ∢ ⋅    | Remove penis & nodes         | 26.36          | ≨ 5             | ₹ Ş             | 12.95           | 17.68           | 1.36             | <b>₹</b> !        | ≨ ;               | 40.67             | 45.40             | 060    |
| 54150               |        | ∢ •    | Circumcision                 | 0.9            | 4.02            | 00:1            | 79.7            | 0.60            | 40.0             | 0.47              | 5.45              | 3.47              | 2.70              | 25     |
| 54152               |        | ∢ ⋅    | Circumcision                 | 2.31           | ≨ ;             | ¥ ;             | 1.55            | 7.87            | 0.16             | ₹ ;               | ≨ ;               | 4.02              | 4.34              | 010    |
| 54160               |        | ⋖      | Circumcision                 | 2.48           | 4.45            | 2.46            | 1.62            | 1./6            | 0.16             | 60.7              | 5.10              | 4.26              | 4.40              | 010    |
| 54161               |        | ∢      | Circumcision                 | 3.27           | ₹               | ¥               | 1.88            | 2.24            | 0.18             | ¥                 | Ϋ́                | 5.33              | 5.69              | 010    |
| 54200               |        | ∢      | Treatment of penis lesion    | 1.06           | 2.09            | 0.79            | 0.37            | 0.23            | 0.02             | 3.17              | 1.87              | 1.45              | 1.31              | 010    |
| 54205               |        | ⋖      | Treatment of penis lesion    | 7.93           | ¥               | Ϋ́              | 6.08            | 5.68            | 0.39             | ₹                 | ¥                 | 14.40             | 14.00             | 060    |
| 54220               |        | ∢      | Treatment of penis lesion    | 2.42           | 1.81            | 1.74            | 0.93            | 1.52            | 0.13             | 4.36              | 4.29              | 3.48              | 4.07              | 00     |
| 54230               |        | ∢      | Prepare penis study          | 1.34           | ¥               | Š               | 0.44            | 99.0            | 0.10             | ¥                 | ¥                 | 1.88              | 2.10              | 00     |
| 54231               |        | ∢      | Dynamic cavernosometry       | 2.04           | 1.68            | 1.59            | 0.75            | 1.36            | 0.11             | 3.83              | 3.74              | 2.90              | 3.51              | 00     |
| 54235               |        | ∢      | Penile injection             | 1.19           | 0.91            | 0.58            | 0.39            | 0.28            | 0.03             | 2.13              | 1.80              | 1.61              | 1.50              | 00     |
| 54240               |        | ∢      | Penis study                  | 1.31           | 96.0            | 1.04            | 96.0            | 1.04            | 0.10             | 2.37              | 2.45              | 2.37              | 2.45              | 000    |
|                     |        |        |                              |                |                 |                 |                 |                 |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                 |             |            |                              |              | Non-<br>facility | Transitioned<br>Non-facility | Facility   | Transitioned<br>Facility |                   |            | Transitional |              |              |        |
|-----------------|-------------|------------|------------------------------|--------------|------------------|------------------------------|------------|--------------------------|-------------------|------------|--------------|--------------|--------------|--------|
| •               |             |            |                              | Physician    | practice         | practice                     | practice   | practice                 | Mal-              | Non-       | Non-         |              | Transitioned |        |
| CPT /<br>HCPC 2 | 7           | 1          |                              | work         | expense          | expense                      | expense    | expense                  | practice<br>PIIVe | facility   | facility     | Facility     | Facility     | ē      |
|                 | - 1         | saios<br>• | nescription                  | 2, 2         | 3,0              | 3 3                          | 3          | A703                     | Sign of           | 10101      | 10101        | 10101        | 10101        | pagoia |
| 54240           | 9 6         | ∢ •        | Penis study                  | اد. ر<br>وور | 2. d             | 0.52                         | 0.44       | 0.52                     |                   | S !        | 8. 6         | 08.F<br>1.80 | E 6          | 3 8    |
| 54240           | <u>၁</u>    | ∢ <        | Penis study                  | 0.00         | 20.0             | 0.52                         | 0.52       | 0.52                     | S S               | )<br>(C.O. | 75.0         | 0.57         | ) (C) (C     | 3 8    |
| 54250           | ;           | ∢ •        | Penis study                  | 77.7         | 9 1              | 0.92                         | <u>8</u> ; | 0.92                     | 0.0               | 4.54       | 3.20         | 3.34         | 3.20         | 90     |
| 54250           | 7<br>7<br>8 | ∢ ⋅        | Penis study                  | 2.22         | 0.73             | 0.59                         | 0.73       | 0.59                     | 0.0               | 2.99       | 2.85         | 2.99         | 2.85         | 8      |
| 54250           | ပ           | ∢          | Penis study                  | 0.00         | 0.33             | 0.33                         | 0.33       | 0.33                     | 0.02              | 0.35       | 0.35         | 0.35         | 0.35         | 8      |
| 54300           |             | ∢          | Revision of penis            | 10.41        | ¥                | Ϋ́                           | 7.73       | 7.54                     | 0.68              | ₹          | Ϋ́           | 18.82        | 18.63        | 060    |
| 54304           |             | ∢          | Revision of penis            | 12.49        | ¥                | ₹                            | 8.90       | 9.28                     | 0.70              | ¥          | ¥            | 22.09        | 22.47        | 060    |
| 54308           |             | ∢          | Reconstruction of urethra    | 11.83        | ¥                | ¥                            | 10.63      | 7.41                     | 0.58              | ¥          | ¥            | 23.04        | 19.82        | 060    |
| 54312           |             | ∢          | Reconstruction of urethra    | 13.57        | ¥                | Ϋ́                           | 10.63      | 10.29                    | 0.71              | ¥          | ¥            | 24.91        | 24.57        | 060    |
| 54316           |             | ∢          | Reconstruction of urethra    | 16.82        | ¥                | ¥<br>¥                       | 10.51      | 11.86                    | 0.88              | ¥          | ¥            | 28.21        | 29.56        | 060    |
| 54318           |             | ∢          | Reconstruction of urethra    | 11.25        | ¥                | ₹                            | 8.40       | 8.23                     | 0.87              | ¥          | ¥            | 20.52        | 20.35        | 060    |
| 54322           |             | ∢          | Reconstruction of urethra    | 13.01        | ¥                | ¥                            | 8.21       | 8.25                     | 0.58              | ¥          | ₹            | 21.80        | 21.84        | 060    |
| 54324           |             | ∢          | Reconstruction of urethra    | 16.31        | ¥                | ₹                            | 10.50      | 11.57                    | 0.84              | ¥          | ¥            | 27.65        | 28.72        | 060    |
| 54326           |             | ∢          | Reconstruction of urethra    | 15.72        | ¥                | ¥                            | 10.51      | 11.19                    | 0.81              | ¥          | ¥            | 27.04        | 27.72        | 060    |
| 54328           |             | ∢          | Revise penis, urethra        | 15.65        | ¥                | ₹                            | 9.82       | 11.18                    | 0.97              | ¥          | ž            | 26.44        | 27.80        | 060    |
| 54332           |             | ∢          | Revise penis, urethra        | 17.08        | ¥                | ¥                            | 10.14      | 12.73                    | 0.88              | ¥          | ¥            | 28.10        | 30.69        | 060    |
| 54336           |             | ∢          | Revise penis, urethra        | 20.04        | ¥                | ₹                            | 13.09      | 18.57                    | 1.10              | ¥          | ¥            | 34.23        | 39.71        | 060    |
| 54340           |             | ∢          | Secondary urethral surgery   | 8.91         | ¥                | ₹<br>Z                       | 69.9       | 6.62                     | 0.46              | ¥          | Ϋ́           | 16.06        | 15.99        | 060    |
| 54344           |             | ∢          | Secondary urethral surgery   | 15.94        | ¥                | ¥                            | 10.28      | 16.09                    | 98.0              | ¥          | Ϋ́           | 27.08        | 32.89        | 060    |
| 54348           |             | ∢          | Secondary urethral surgery   | 17.15        | ¥                | ¥                            | 11.15      | 12.25                    | 0.89              | ¥          | Ą            | 29.19        | 30.29        | 060    |
| 54352           |             | ∢          | Reconstruct urethra, penis   | 24.74        | ¥                | ₹                            | 13.38      | 16.52                    | 1.17              | ¥          | ¥            | 39.29        | 42.43        | 060    |
| 54360           |             | ∢          | Penis plastic surgery        | 11.93        | Ą                | Ϋ́                           | 7.99       | 7.71                     | 0.57              | ¥          | ₹            | 20.49        | 20.21        | 060    |
| 54380           |             | ∢          | Repair penis                 | 13.18        | ¥                | ₹                            | 8.17       | 9.71                     | 0.59              | ₹          | Ϋ́           | 21.94        | 23.48        | 060    |
| 54385           |             | ∢          | Repair penis                 | 15.39        | ¥                | ¥<br>Z                       | 80.6       | 10.78                    | 0.70              | ¥          | ₹            | 25.17        | 26.87        | 060    |
| 54390           |             | ∢          | Repair penis and bladder     | 21.61        | Š                | ¥                            | 12.31      | 14.13                    | 1.24              | ¥          | ¥            | 35.16        | 36.98        | 060    |
| 54400           |             | ∢          | Insert semi-rigid prosthesis | 8.99         | ¥                | <b>₹</b>                     | 5.66       | 9.46                     | 0.99              | ¥          | ₹            | 15.64        | 19.44        | 060    |
| 54401           |             | ∢          | Insert self-contd prosthesis | 10.28        | ¥                | Ϋ́                           | 6.30       | 10.78                    | 1.35              | ¥          | ₹            | 17.93        | 22.41        | 060    |
| 54402           |             | ∢          | Remove penis prosthesis      | 9.21         | ¥                | Ϋ́                           | 5.61       | 6.29                     | 0.45              | ₹          | ¥            | 15.27        | 15.95        | 060    |
| 54405           |             | ∢          | Insert multi-comp prosthesis | 13.43        | ¥                | Ϋ́                           | 7.29       | 13.85                    | <b>1</b> .6       | ₹          | Š            | 22.36        | 28.92        | 060    |
| 54407           |             | ⋖          | Remove multi-comp prosthesis | 13.34        | ₹                | Ϋ́                           | 7.01       | 10.89                    | 0.86              | ¥          | Š            | 21.21        | 25.09        | 060    |
| 54409           |             | ∢          | Revise penis prosthesis      | 12.20        | ¥                | Ϋ́                           | 6.59       | 8.95                     | 99.0              | ₹          | Š            | 19.47        | 21.83        | 060    |
| 54420           |             | ∢          | Revision of penis            | 11.42        | ¥                | ¥                            | 7.68       | 8.22                     | 0.68              | ₹          | Ϋ́           | 19.78        | 20.32        | 060    |
| 54430           |             | ∢          | Revision of penis            | 10.15        | ¥                | ¥                            | 7.22       | 7.50                     | 0.54              | ¥          | ¥            | 17.91        | 18.19        | 060    |
| 54435           |             | ∢          | Revision of penis            | 6.12         | ¥                | ₹                            | 5.59       | 4.77                     | 0.31              | ¥          | Š            | 12.02        | 11.20        | 060    |
| 54440           |             | ပ          | Repair of penis              | 0.00         | 0.00             | 0.00                         | 0.00       | 0.00                     | 0.00              | 0.00       | 0.00         | 0.00         | 0.00         | 060    |
| 54450           |             | ∢          | Preputial stretching         | 1.12         | 0.91             | 0.78                         | 0.43       | 99.0                     | 0.05              | 2.08       | 1.95         | 1.60         | 1.83         | 8      |
| 54500           |             | ∢          | Biopsy of testis             | 1.31         | 5.40             | 1.71                         | 0.73       | 0.54                     | 0.04              | 6.75       | 3.06         | 2.08         | 1.89         | 000    |
| 54505           |             | ∢          | Biopsy of testis             | 3.46         | ¥                | ¥                            | 2.44       | 2.13                     | 0.17              | Ϋ́         | Ϋ́           | 6.07         | 5.76         | 010    |
| 54510           |             | ∢          | Removal of testis lesion     | 5.45         | ¥                | ¥                            | 3.24       | 3.28                     | 0.30              | ΑĀ         | Š            | 8.99         | 9.03         | 060    |
| 54520           |             | ∢          | Removal of testis            | 5.23         | Ϋ́               | ¥<br>¥                       | 3.33       | 5.15                     | 0.41              | ¥          | ¥            | 8.97         | 10.79        | 060    |
|                 |             |            |                              |              |                  |                              |            |                          |                   |            |              |              |              | _      |

Page 94 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                     |         |        | l d d v                       | rupom v.       | יייייייייייייייייייייייייייייייייייייי | יייייייייייייייייייייייייייייייייייייי | and leav        | : : : ·                  |                  |                   |                   |                   |                   |        |
|---------------------|---------|--------|-------------------------------|----------------|--|--|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                     |         |        |                               |                | Non-<br>facility                       | Iransifioned<br>Non-facility           |                 | iransitioned<br>Facility |                  |                   | Trancitioned      |                   |                   |        |
|                     |         |        |                               | Physician      | practice                               | practice                               | _               | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPG 2 MA | Mod Sto | Status | Description                   | work 3<br>RVUs | expense<br>RVUs                        | expense<br>RVUs                        | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
|                     | •       | 4      | Removal of testis             | 8.58           | ₹                                      | ž                                      | l               | 7.17                     | 09:0             | ¥                 | ₹                 | 14.04             | 16.35             | 060    |
| 54535               |         | < <    | Extensive testis surgery      | 12.16          | ¥                                      | ¥                                      |                 | 8.56                     | 0.80             | ¥                 | ¥                 | 19.39             | 21.52             | 060    |
| 54550               |         | <      | Exploration for testis        | 7.78           | ¥                                      | Ϋ́                                     |                 | 5.39                     | 0.48             | ¥                 | ¥                 | 12.71             | 13.65             | 060    |
| 54560               |         |        | Exploration for testis        | 11.13          | ¥                                      | <b>∀</b><br>Z                          |                 | 7.40                     | 0.63             | ¥                 | ¥                 | 17.80             | 19.16             | 060    |
| 54600               |         | ⋖      | Reduce testis torsion         | 7.01           | ¥                                      | ¥                                      |                 | 4.75                     | 0.38             | ¥                 | ¥                 | 11.37             | 12.14             | 060    |
| 54620               |         | ⋖      | Suspension of testis          | 4.90           | ¥                                      | ₹                                      |                 | 3.43                     | 0.26             | ¥                 | ¥                 | 8.09              | 8.59              | 010    |
| 54640               |         | ∢      | Suspension of testis          | 6.90           | ¥                                      | ¥                                      |                 | 7.18                     | 0.71             | ¥                 | ¥                 | 11.59             | 14.79             | 060    |
| 54650               |         | ⋖      | Orchiopexy (Fowler-Stephens)  | 11.45          | ¥                                      | ¥                                      |                 | 7.95                     | 0.71             | ¥                 | ¥                 | 18.47             | 20.11             | 060    |
| 54660               |         | ⋖      | Revision of testis            | 5.11           | ¥                                      | ¥                                      |                 | 3.56                     | 0.27             | ¥                 | ¥                 | 8.54              | 8.94              | 060    |
| 54670               |         | ⋖      | Repair testis injury          | 6.41           | ¥                                      | ¥                                      |                 | 4.50                     | 0.34             | ¥                 | ¥                 | 10.73             | 11.25             | 060    |
| 54680               |         | ⋖      | Relocation of testis(es)      | 12.65          | ¥                                      | ¥                                      |                 | 8.29                     | 0.63             | ¥                 | ¥                 | 19.75             | 21.57             | 060    |
| 54700               |         | ⋖      | Drainage of scrotum           | 3.43           | 2.68                                   | 2.66                                   |                 | 1.51                     | 0.09             | 11.20             | 6.18              | 09.9              | 5.03              | 010    |
| 54800               |         | ⋖      | Biopsy of epididymis          | 2.33           | 4.45                                   | 2.72                                   |                 | 1.86                     | 0.15             | 6.93              | 5.20              | 3.51              | 4.34              | 00     |
| 54820               |         | ⋖      | Exploration of epididymis     | 5.14           | ¥                                      | ¥                                      |                 | 2.96                     | 0.23             | ¥                 | ₹                 | 8.67              | 8.33              | 060    |
| 54830               |         | ∢      | Remove epididymis lesion      | 5.38           | ¥                                      | ₹                                      |                 | 3.71                     | 0.31             | ¥                 | ₹                 | 60.6              | 9.40              | 060    |
| 54840               |         | ∢      | Remove epididymis lesion      | 5.20           | ¥                                      | ₹                                      |                 | 4.79                     | 0.38             | ¥                 | ¥                 | 8.97              | 10.37             | 060    |
| 54860               |         | ⋖      | Removal of epididymis         | 6.32           | ¥                                      | ğ                                      |                 | 5.18                     | 0.39             | ¥                 | ₹                 | 10.61             | 11.89             | 060    |
| 54861               |         | ∢      | Removal of epididymis         | 8.90           | ¥                                      | Š                                      |                 | 7.15                     | 0.56             | ¥                 | ₹                 | 14.29             | 16.61             | 060    |
| 54900               |         | ⋖      | Fusion of spermatic ducts     | 13.20          | ¥                                      | ₹                                      |                 | 8.92                     | 0.68             | ¥                 | ¥                 | 20.43             | 22.80             | 060    |
| 54901               |         | ⋖      | Fusion of spermatic ducts     | 17.94          | ¥                                      | ₹                                      |                 | 12.19                    | 0.94             | ¥                 | ¥                 | 27.61             | 31.07             | 060    |
| 55000               |         | ∢      | Drainage of hydrocele         | 1.43           | 1.52                                   | 0.70                                   |                 | 0.36                     | 0.03             | 2.98              | 2.16              | 2.22              | 1.82              | 00     |
| 55040               |         | ∢      | Removal of hydrocele          | 5.36           | ¥                                      | ₹                                      |                 | 4.78                     | 0.43             | ¥                 | ¥                 | 9.01              | 10.57             | 060    |
| 55041               |         | ∢      | Removal of hydroceles         | 7.74           | ¥                                      | Š                                      |                 | 7.15                     | 0.63             | ₹                 | Ϋ́                | 12.64             | 15.52             | 060    |
| 55060               |         | ∢      | Repair of hydrocele           | 5.52           | ¥                                      | ₹                                      |                 | 4.18                     | 0.39             | ¥                 | ₹                 | 9.19              | 10.09             | 060    |
| 55100               |         | ∢      | Drainage of scrotum abscess   | 2.13           | 8.96                                   | 2.75                                   |                 | 1.30                     | 0.05             | 11.14             | 4.93              | 5.34              | 3.48              | 010    |
| 55110               |         | ∢      | Explore scrotum               | 5.70           | ₹                                      | ₹                                      |                 | 3.68                     | 0.29             | ₹                 | ₹                 | 9.36              | 9.67              | 060    |
| 55120               |         | ∢      | Removal of scrotum lesion     | 5.09           | ₹                                      | ¥<br>Z                                 |                 | 2.25                     | 0.16             | ₹ :               | ¥∶                | 8.45              | 7.50              | 060    |
| 55150               |         | ∢      | Removal of scrotum            | 7.22           | ¥                                      | <b>₹</b>                               |                 | 5.50                     | 0.45             | ¥ :               | ¥∶                | 11.95             | 13.17             | 060    |
| 55175               |         | ⋖      | Revision of scrotum           | 5.24           | ≨ :                                    | ₹ :                                    |                 | 4.50                     | 0.38             | <b>₹</b> :        | ≨ :               | 9.05              | 10.12             | 060    |
| 55180               |         | ∢      | Revision of scrotum           | 10.72          | <b>Y</b>                               | ¥                                      |                 | 7.08                     | 0.64             | ¥                 | ¥<br>Z            | 17.45             | 18.44             | 060    |
| 55200               |         | ∢      | Incision of sperm duct        | 4.24           | ¥                                      | ¥                                      |                 | 2.32                     | 0.16             | ₹                 | ₹<br>Z            | 7.27              | 6.72              | 060    |
| 55250               |         | ∢      | Removal of sperm duct(s)      | 3.29           | 8.19                                   | 4.19                                   |                 | 1.77                     | 0.22             | 11.70             | 7.70              | 6.29              | 5.28              | 060    |
| 55300               |         | ∢      | Preparation, sperm duct x-ray | 3.51           | ¥                                      | Ϋ́                                     |                 | 2.59                     | 0.21             | ¥                 | Ϋ́                | 5.26              | 6.31              | 00     |
| 55400               |         | ∢      | Repair of sperm duct          | 8.49           | ₹                                      | Ž                                      |                 | 6.70                     | 0.49             | ¥                 | ∢<br>Z            | 14.43             | 15.68             | 060    |
| 55450               |         | ∢      | Ligation of sperm duct        | 4.12           | 3.97                                   | 3.12                                   |                 | 2.70                     | 0.25             | 8.34              | 7.49              | 99.9              | 7.07              | 010    |
| 55500               |         | ∢      | Removal of hydrocele          | 5.59           | ¥                                      | ¥                                      |                 | 4.36                     | 0.39             | ¥                 | ₹                 | 9.36              | 10.34             | 060    |
| 55520               |         | ∢      | Removal of sperm cord lesion  | 6.03           | ¥                                      | ₹                                      |                 | 3.39                     | 0.40             | ₹                 | ₹                 | 9.81              | 9.82              | 060    |
| 55530               |         | ∢      | Revise spermatic cord veins   | 5.66           | ¥                                      | ¥                                      |                 | 5.10                     | 0.47             | ₹                 | <b>∀</b>          | 9.62              | 11.23             | 060    |
| 55535               |         | ∢      | Revise spermatic cord veins   | 6.56           | ¥                                      | Ϋ́                                     |                 | 4.59                     | 0.35             | ₹                 | ¥                 | 10.91             | 11.50             | 060    |
| 55540               |         | ∢      | Revise hernia & sperm veins   | 79.7           | ¥                                      | ¥<br>Z                                 |                 | 4.70                     | 0.71             | ₹<br>Z            | <b>∀</b>          | 12.39             | 13.08             | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|       |     |         |                              |           | Non-<br>facility | Transitioned | Facility        | Transitioned Facility |                  |                   | 7                 |                   |                   |        |
|-------|-----|---------|------------------------------|-----------|------------------|--------------|-----------------|-----------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| ,     |     |         |                              | Physician | practice         | practice     | practice        | practice              | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT / | r.n | 1       | Dagginton                    | work a    | expense          | expense      | expense<br>RVIk | expense               | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Clokal |
| 25600 | 1   | Sign of | Description                  | 6.38      | S &              | S Y          | 4.03            | 4.52                  | 0.43             | S &               | Ψ.V               | 10.84             | 11.33             | 060    |
| 55605 |     | < ∢     | Incise sperm duct pouch      | 7.96      | ¥                | ¥            | 4.80            | 5.76                  | 0.46             | ¥                 | ¥                 | 13.22             | 14.18             | 060    |
| 55650 |     | ∢       | Remove sperm duct pouch      | 11.80     | ¥                | ¥            | 5.99            | 7.38                  | 0.59             | ¥                 | ¥                 | 18.38             | 19.77             | 060    |
| 55680 |     | ∢       | Remove sperm pouch lesion    | 5.19      | ¥                | ¥            | 3.43            | 4.47                  | 0.30             | ₹                 | ¥                 | 8.92              | 96.6              | 060    |
| 22200 |     | ∢       | Biopsy of prostate           | 1.57      | 3.15             | 2.01         | 0.81            | 0.82                  | 0.12             | 4.84              | 3.70              | 2.50              | 2.51              | 000    |
| 55705 |     | ∢       | Biopsy of prostate           | 4.57      | ¥                | Ž            | 3.34            | 3.58                  | 0.27             | ¥                 | ¥                 | 8.18              | 8.42              | 010    |
| 55720 |     | ∢       | Drainage of prostate abscess | 7.64      | ¥                | ¥            | 5.06            | 4.12                  | 0.29             | ¥                 | ¥                 | 12.99             | 12.05             | 060    |
| 55725 |     | ∢       | Drainage of prostate abscess | 8.68      | ¥                | Š            | 5.47            | 5.94                  | 0.42             | ¥                 | ¥                 | 14.57             | 15.04             | 060    |
| 55801 |     | ∢       | Removal of prostate          | 17.80     | ¥                | Š            | 8.59            | 12.54                 | 1.13             | ¥                 | ¥                 | 27.52             | 31.47             | 060    |
| 55810 |     | ∢       | Extensive prostate surgery   | 22.58     | ¥                | Š            | 10.56           | 17.19                 | 1.38             | ¥                 | ¥                 | 34.52             | 41.15             | 060    |
| 55812 |     | ∢       | Extensive prostate surgery   | 27.51     | ¥                | Š            | 12.44           | 17.50                 | 1.52             | ¥                 | ¥                 | 41.47             | 46.53             | 060    |
| 55815 |     | ∢       | Extensive prostate surgery   | 30.46     | ¥                | Š            | 13.50           | 23.89                 | 1.89             | ¥                 | ¥                 | 45.85             | 56.24             | 060    |
| 55821 |     | ∢       | Removal of prostate          | 14.25     | ¥                | Ϋ́           | 7.25            | 12.88                 | 1.06             | ¥                 | ¥                 | 22.56             | 28.19             | 060    |
| 55831 |     | ∢       | Removal of prostate          | 15.62     | ¥                | Ϋ́           | 7.72            | 13.78                 | 1.13             | ¥                 | ¥                 | 24.47             | 30.53             | 060    |
| 55840 |     | ∢       | Extensive prostate surgery   | 22.69     | ¥                | ¥            | 11.05           | 16.28                 | 1.26             | ¥                 | ¥                 | 35.00             | 40.23             | 060    |
| 55842 |     | ∢       | Extensive prostate surgery   | 24.38     | ¥                | Ϋ́           | 11.67           | 18.51                 | 1.47             | ¥                 | ¥                 | 37.52             | 44.36             | 060    |
| 55845 |     | ∢       | Extensive prostate surgery   | 28.55     | ¥                | Ϋ́           | 12.88           | 23.65                 | 1.91             | ¥                 | ¥                 | 43.34             | 54.11             | 060    |
| 55859 |     | ∢       | Percut/needle insert, pros   | 12.52     | ¥                | Ϋ́           | 7.39            | 6.64                  | 0.45             | ¥                 | ¥                 | 20.36             | 19.61             | 060    |
| 55860 |     | ∢       | Surgical exposure, prostate  | 14.45     | ¥                | Ϋ́           | 7.54            | 69.2                  | 0.55             | ¥                 | ¥                 | 22.54             | 22.69             | 060    |
| 55862 |     | ∢       | Extensive prostate surgery   | 18.39     | ₹                | ¥            | 8.71            | 11.70                 | 0.94             | ¥                 | ΑĀ                | 28.04             | 31.03             | 060    |
| 55865 |     | ∢       | Extensive prostate surgery   | 22.87     | ¥                | ¥            | 10.34           | 22.54                 | 1.87             | ₹                 | ž                 | 35.08             | 47.28             | 060    |
| 55870 |     | ∢       | Electroejaculation           | 2.58      | 1.61             | 1.90         | 0.93            | 1.73                  | 0.14             | 4.33              | 4.62              | 3.65              | 4.45              | 00     |
| 55899 |     | ပ       | Genital surgery procedure    | 0.00      | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | Х      |
| 55970 |     | z       | Sex transformation, M to F   | 0.00      | 0.00             | 00:00        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 55980 |     | z       | Sex transformation, F to M   | 0.00      | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 56300 |     | ∢       | Laparoscopy; diagnostic      | 5.10      | ¥                | ¥            | 2.93            | 4.36                  | 0.73             | ¥                 | ¥                 | 8.76              | 10.19             | 010    |
| 56301 |     | ∢       | Laparoscopy; tubal cautery   | 5.60      | ¥                | ¥            | 3.53            | 4.72                  | 1.00             | ¥                 | ¥                 | 10.13             | 11.32             | 010    |
| 56302 |     | ∢       | Laparoscopy; tubal block     | 5.60      | ¥                | Ϋ́           | 3.54            | 5.17                  | 1.03             | ¥                 | Š                 | 10.17             | 11.80             | 010    |
| 56303 |     | ∢       | Laparoscopy; excise lesions  | 11.79     | ¥                | Ą            | 5.45            | 5.86                  | 0.91             | ¥                 | ₹                 | 18.15             | 18.56             | 060    |
| 56304 |     | ∢       | Laparoscopy; lysis           | 11.29     | Ϋ́               | ¥            | 5.24            | 5.87                  | 0.94             | ₹                 | ¥<br>Z            | 17.47             | 18.10             | 060    |
| 56305 |     | ∢       | Laparoscopy; biopsy          | 5.40      | ¥                | ¥            | 2.93            | 4.72                  | 0.62             | ¥                 | ¥                 | 8.95              | 10.74             | 010    |
| 56306 |     | ∢       | Laparoscopy; aspiration      | 5.70      | Ϋ́               | ¥            | 3.34            | 4.80                  | 0.92             | ¥                 | ¥                 | 96.6              | 11.42             | 010    |
| 56307 |     | ∢       | Laparoscopy; remove adnexa   | 11.05     | ¥                | Ϋ́           | 4.91            | 90'2                  | 1.25             | ₹                 | ¥                 | 17.21             | 19.36             | 010    |
| 56308 |     | ∢       | Laparoscopy; hysterectomy    | 14.19     | Ϋ́               | Ϋ́           | 6.31            | 9.22                  | 1.62             | ¥                 | Ϋ́                | 22.12             | 25.03             | 010    |
| 56309 |     | ∢       | Laparoscopy; remove myoma    | 14.21     | ¥                | Ϋ́           | 6.30            | 5.45                  | 0.81             | ¥                 | Ϋ́                | 21.32             | 20.47             | 010    |
| 56310 |     | ⋖       | Laparoscopic enterolysis     | 14.44     | Α̈́              | ¥            | 7.24            | 8.55                  | 1.37             | ¥                 | ¥                 | 23.05             | 24.36             | 060    |
| 56311 |     | ∢       | Laparoscopic lymph node biop | 9.25      | Ϋ́               | Š            | 4.65            | 6.35                  | 1.15             | ¥                 | ¥                 | 15.05             | 16.75             | 010    |
| 56312 |     | ∢       | Laparoscopic lymphadenectomy | 12.38     | Ϋ́               | ¥            | 5.73            | 8.40                  | 99.0             | ¥                 | Ϋ́                | 18.77             | 21.44             | 010    |
| 56313 |     | ∢       | Laparoscopic lymphadenectomy | 14.32     | ¥                | ¥            | 6.97            | 9.89                  | 1.81             | ¥                 | Ϋ́                | 23.10             | 26.02             | 010    |
| 56314 |     | ∢       | Lapar; drain lymphocele      | 9.48      | Ϋ́               | ₹            | 4.76            | 29.9                  | 0.52             | ₹                 | Υ<br>Y            | 14.76             | 16.67             | 060    |

Page 96 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        |                              |              |                  |                              |                 | -<br>}                  |                  |                   |                   |                   |                   |        |
|------------------------------|-----|--------|------------------------------|--------------|------------------|------------------------------|-----------------|-------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |     |        |                              |              | non-<br>facility | Iransitioned<br>Non-facility | Facility        | ıransınonea<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| į                            |     |        |                              | Physician    | practice         | practice                     | practice        | practice                | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs         | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 56315                        |     | ٨      | Laparoscopic appendectomy    | 8.70         | Ą                | Ą                            | 4.36            | 5.07                    | 0.79             | Ā                 | ¥                 | 13.85             | 14.56             |        |
| 56316                        |     | ∢      | Laparoscopic hernia repair   | 6.27         | ¥                | <b>∀</b><br>Z                | 3.35            | 4.51                    | 0.74             | ¥                 | ¥                 | 10.36             | 11.52             | 060    |
| 56317                        |     | ∢      | Laparoscopic hernia repair   | 8.24         | Ą                | Ϋ́                           | 4.37            | 5.35                    | 0.87             | ¥                 | ¥                 | 13.48             | 14.46             | 060    |
| 56318                        |     | ⋖      | Laparoscopic orchiectomy     | 10.96        | ¥                | <b>∀</b> Z                   | 6.38            | 7.48                    | 0.63             | ¥                 | ¥                 | 17.97             | 19.07             | 060    |
| 56320                        |     | ∢      | Laparoscopy, spermatic veins | 6.57         | ¥                | ¥                            | 3.37            | 4.43                    | 0.35             | ¥                 | ¥                 | 10.29             | 11.35             | 060    |
| 56321                        |     | ပ      | Laparoscopy; adrenalectomy   | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                    | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹      |
| 56322                        |     | ⋖      | Laparoscopy, vagus nerves    | 10.15        | ¥                | Ϋ́                           | 4.97            | 5.37                    | 0.92             | ¥                 | ¥                 | 16.04             | 16.44             | 060    |
| 56323                        |     | ∢      | Laparoscopy, vagus nerves    | 12.15        | ¥                | ¥                            | 6.57            | 09.9                    | 1.10             | ¥                 | ¥                 | 19.82             | 19.85             | 060    |
| 56324                        |     | ∢      | Laparoscopy, cholecystoenter | 12.58        | ¥                | ¥                            | 6.40            | 90.6                    | 1.51             | ¥                 | Š                 | 20.49             | 23.15             | 060    |
| 56340                        |     | ∢      | Laparoscopic cholecystectomy | 11.09        | ¥                | ¥                            | 5.33            | 7.84                    | 1.36             | ¥                 | <b>∀</b>          | 17.78             | 20.29             | 060    |
| 56341                        |     | ∢      | Laparoscopic cholecystectomy | 11.94        | Ϋ́               | ¥                            | 5.78            | 8.31                    | 1.<br>4          | ¥                 | Ϋ́                | 19.16             | 21.69             | 060    |
| 56342                        |     | ∢      | Laparoscopic cholecystectomy | 14.23        | ¥                | ¥                            | 7.21            | 9.43                    | 1.56             | ¥                 | Š                 | 23.00             | 25.22             | 060    |
| 56343                        |     | ∢      | Laparoscopic salpingostomy   | 13.74        | ₹                | ₹                            | 6.53            | 5.93                    | 0.87             | ¥                 | Š                 | 21.14             | 20.54             | 060    |
| 56344                        |     | ⋖      | Laparoscopic fimbrioplasty   | 12.88        | ¥                | ž                            | 6.16            | 5.70                    | 0.93             | ¥                 | <b>₹</b>          | 19.97             | 19.51             | 060    |
| 56345                        |     | ပ      | Laparoscopic splenectomy     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                    | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 56346                        |     | ∢      | Laparoscopic gastrostomy     | 7.73         | ¥                | <b>∀</b>                     | 4.52            | 6.17                    | 0.93             | ¥                 | ₹                 | 13.18             | 14.83             | 060    |
| 56347                        |     | ပ      | Laparoscopic jejunostomy     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                    | 0.00             | 0.00              | 0.00              | 0.0               | 0.0               | ×      |
| 56348                        |     | ∢      | Laparo; resect intestine     | 22.04        | ₹                | ¥                            | 10.41           | 13.39                   | 2.17             | ₹                 | Š                 | 34.62             | 37.60             | 060    |
| 56349                        |     | ⋖      | Laparoscopy; fundoplasty     | 17.25        | ¥                | Ϋ́                           | 96.6            | 12.16                   | 1.98             | ¥                 | Š                 | 29.19             | 31.39             | 060    |
| 56350                        |     | ∢      | Hysteroscopy; diagnostic     | 3.33         | 2.76             | 2.31                         | 1.34            | 1.96                    | 0.34             | 6.43              | 5.98              | 5.01              | 5.63              | 00     |
| 56351                        |     | ⋖      | Hysteroscopy; biopsy         | 4.75         | 3.30             | 2.45                         | 1.88            | 2.09                    | 0.34             | 8.39              | 7.54              | 6.97              | 7.18              | 00     |
| 56352                        |     | ∢      | Hysteroscopy; lysis          | 6.17         | ž                | ₹                            | 2.41            | 3.67                    | 99.0             | ¥                 | <b>∀</b>          | 9.24              | 10.50             | 00     |
| 56353                        |     | ∢      | Hysteroscopy; resect septum  | 7.00         | Ϋ́               | ž                            | 2.74            | 3.75                    | 99.0             | ¥                 | ¥                 | 10.40             | 11.41             | 00     |
| 56354                        |     | ∢      | Hysteroscopy; remove myoma   | 10.00        | ¥                | ¥                            | 3.88            | 4.98                    | 1.02             | ¥                 | ¥                 | 14.90             | 16.00             | 00     |
| 56355                        |     | ∢      | Hysteroscopy; remove impact  | 5.21         | ₹                | ¥                            | 2.01            | 2.12                    | 0.34             | ¥                 | ₹                 | 7.56              | 7.67              | 8      |
| 56356                        |     | V      | Hysteroscopy; ablation       | 6.17         | ₹                | <b>₹</b>                     | 2.43            | 4.18                    | 1.17             | ¥                 | ¥                 | 9.77              | 11.52             | 00     |
| 56362                        |     | ∢      | Laparoscopy w/cholangio      | 4.89         | ¥                | ₹                            | 2.32            | 2.84                    | 0.15             | <b>∀</b>          | Š                 | 7.36              | 7.88              | 000    |
| 56363                        |     | ⋖      | Laparoscopy w/biopsy         | 5.18         | ¥                | ₹                            | 2.65            | 3.87                    | 0.35             | <b>∀</b>          | Š                 | 8.18              | 9.40              | 000    |
| 56399                        |     | ပ      | Laparoscopy procedure        | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                    | 0.0              | 0.00              | 0.00              | 0.00              | 0.0               | ₹      |
| 56405                        |     | ∢      | 1 & D of vulva/perineum      | 1.44         | 2.14             | 1.15                         | 1.14            | 0.59                    | 0.12             | 3.70              | 2.71              | 2.70              | 2.15              | 010    |
| 56420                        |     | ∢      | Drainage of gland abscess    | 1.39         | 2.12             | 1.18                         | 1.05            | 0.59                    | 0.10             | 3.61              | 2.67              | 2.54              | 2.08              | 010    |
| 56440                        |     | ∢      | Surgery for vulva lesion     | 2.84         | 3.22             | 2.94                         | 2.15            | 2.68                    | 0.41             | 6.47              | 6.19              | 5.40              | 5.93              | 010    |
| 56441                        |     | ∢      | Lysis of labial lesion(s)    | 1.97         | 2.40             | 1.94                         | 1.96            | 1.83                    | 0.23             | 4.60              | 4.14              | 4.16              | 4.03              | 010    |
| 56501                        |     | ∢      | Destruction, vulva lesion(s) | 1.53         | 2.10             | 0.97                         | 1.28            | 0.55                    | 0.09             | 3.72              | 2.59              | 2.90              | 2.17              | 010    |
| 56515                        |     | ∢      | Destruction, vulva lesion(s) | 1.88         | 2.44             | 2.53                         | 1.76            | 2.13                    | 0.52             | 4.84              | 4.93              | 4.16              | 4.53              | 010    |
| 56605                        |     | ∢      | Biopsy of vulva/perineum     | 1.10         | 1.63             | 96.0                         | 0.44            | 0.39                    | 0.12             | 2.85              | 2.18              | 1.66              | 1.61              | 8      |
| 90999                        |     | ⋖      | Biopsy of vulva/perineum     | 0.55         | 1.43             | 0.64                         | 0.24            | 0.20                    | 90.0             | 2.04              | 1.25              | 0.85              | 0.81              | 777    |
| 56620                        |     | ∢      | Partial removal of vulva     | 7.47         | ¥                | Ϋ́                           | 4.51            | 6.39                    | 1.10             | ₹                 | ₹                 | 13.08             | 14.96             | 060    |
| 56625                        |     | ∢      | Complete removal of vulva    | 8.40         | Ϋ́               | ¥                            | 5.37            | 8.87                    | 1.67             | ¥                 | ¥                 | 15.44             | 18.94             | 060    |
| 56630                        |     | ∢      | Extensive vulva surgery      | 12.36        | Š                | ¥                            | 7.15            | 12.75                   | 2.57             | Ϋ́                | ₹                 | 22.08             | 27.68             | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                      |            |                              | 7.00.0    |                  | ALOL OMISQUE               |                 |                        |                  | -                 |                   |                   |                   |        |
|----------------------|------------|------------------------------|-----------|------------------|----------------------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                      |            |                              |           | non-<br>facility | Iransmoned<br>Non-facility | Facility        | rransmonea<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| •                    |            |                              | Physician | practice         | practice                   | practice        | practice               | Mal-             | Non-              | Mon-              |                   | Transitioned      |        |
| CPT //<br>HCPCS 2 Mg | Mod Status | Description                  | work 3    | expense<br>RVUs  | expense<br>RVUs            | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
|                      | 1          | Extens                       | 16.20     | Ą                | ¥                          | 9.56            | 16.90                  | 3.53             | ¥                 | ¥                 | 29.29             | 36.63             | 060    |
| 56632                | < <        | Extensive vulva surgery      | 20.29     | ¥                | <b>₹</b>                   | 11.12           | 20.14                  | 3.53             | Ϋ́                | ¥                 | 34.94             | 43.96             | 060    |
| 56633                | ∢          | Extensive vulva surgery      | 16.47     | ¥                | Ϋ́                         | 8.73            | 15.18                  | 2.57             | ¥                 | ¥                 | 27.77             | 34.22             | 060    |
| 56634                | ∢          | Extensive vulva surgery      | 17.88     | ¥                | ¥                          | 10.26           | 18.58                  | 3.53             | ¥                 | ¥                 | 31.67             | 39.99             | 060    |
| 56637                | ∢          | Extensive vulva surgery      | 21.97     | ¥                | ¥                          | 11.69           | 20.36                  | 3.53             | ¥                 | ¥                 | 37.19             | 45.86             | 060    |
| 56640                | ∢          | Extensive vulva surgery      | 22.17     | ž                | ¥                          | 11.28           | 19.06                  | 3.41             | ¥                 | ¥                 | 36.86             | 44.64             | 060    |
| 26700                | ∢          | Partial removal of hymen     | 2.52      | 2.73             | 2.17                       | 1.98            | 1.98                   | 0.27             | 5.52              | 4.96              | 4.77              | 4.77              | 010    |
| 56720                | ∢          | Incision of hymen            | 0.68      | 1.49             | 0.76                       | 0.67            | 0.56                   | 0.09             | 2.26              | 1.53              | <u>4</u> .        | 1.33              | 00     |
| 56740                | ∢          | Remove vagina gland lesion   | 3.76      | 3.05             | 3.10                       | 2.45            | 2.95                   | 0.43             | 7.24              | 7.29              | 6.64              | 7.14              | 010    |
| 26800                | ∢          | Repair of vagina             | 3.89      | ¥                | ¥                          | 2.68            | 3.05                   | 0.45             | ¥                 | ¥                 | 7.02              | 7.39              | 010    |
| 56805                | ∢          | Repair clitoris              | 18.86     | ¥                | ¥                          | 8.24            | 11.62                  | 1.07             | ¥                 | ¥                 | 28.17             | 31.55             | 060    |
| 56810                | ∢          | Repair of perineum           | 4.13      | ¥                | Ϋ́                         | 2.62            | 2.79                   | 0.40             | ¥                 | ¥                 | 7.15              | 7.32              | 010    |
| 57000                | ∢          | Exploration of vagina        | 2.97      | ¥                | ¥                          | 2.26            | 2.22                   | 0.27             | ¥                 | ₹                 | 5.50              | 5.46              | 010    |
| 57010                | ∢          | Drainage of pelvic abscess   | 6.03      | ¥                | ¥                          | 3.59            | 3.06                   | 0.40             | ¥                 | ¥                 | 10.02             | 9.49              | 060    |
| 57020                | ∢          | Drainage of pelvic fluid     | 1.50      | 1.42             | 0.89                       | 0.57            | 89.0                   | 0.11             | 3.03              | 2.50              | 2.18              | 2.29              | 00     |
| 57061                | ∢          | Destruction vagina lesion(s) | 1.25      | 2.04             | 1.18                       | 1.18            | 0.63                   | 0.13             | 3.42              | 2.56              | 2.56              | 2.01              | 010    |
| 57065                | ∢          | Destruction vagina lesion(s) | 2.61      | 2.64             | 2.99                       | 2.16            | 2.87                   | 0.58             | 5.83              | 6.18              | 5.35              | 90.9              | 010    |
| 57100                | ∢          | Biopsy of vagina             | 0.97      | 1.31             | 0.83                       | 0.38            | 0.35                   | 0.10             | 2.38              | 1.90              | 1.45              | 1.42              | 000    |
| 57105                | ∢          | Biopsy of vagina             | 1.69      | 2.27             | 1.84                       | 1.78            | 1.72                   | 0.26             | 4.22              | 3.79              | 3.73              | 3.67              | 010    |
| 57106                | ⋖          | Remove vagina wall, partial  | 6.36      | 2.45             | 2.45                       | 2.37            | 2.37                   | 98.0             | 9.67              | 9.67              | 9.59              | 9.59              | 060    |
| 57107                | ∢          | Remove vagina tissue/partial | 23.00     | 8.71             | 8.71                       | 8.53            | 8.53                   | 0.86             | 32.57             | 32.57             | 32.39             | 32.39             | 060    |
| 57108                | ۵          | Partial removal of vagina    | 0.00      | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | 060    |
| 57109                | ∢          | Vaginectomy partial w/nodes  | 27.00     | 9.80             | 9.80                       | 9.36            | 9.36                   | 3.03             | 39.83             | 39.83             | 39.39             | 39.39             | 060    |
| 57110                | ∢          | Remove vagina wall, complete | 14.29     | Š                | ₹                          | 6.81            | 8.12                   | 1.38             | ž                 | ¥                 | 22.48             | 23.79             | 060    |
| 57111                | ∢          | Remove vagina tissue/compl   | 27.00     | 9.43             | 9.43                       | 10.12           | 10.12                  | 3.03             | 39.46             | 39.46             | 40.15             | 40.15             | 060    |
| 57112                | ∢          | Vaginectomy complete w/nodes | 29.00     | 10.00            | 10.00                      | 96.6            | 96.6                   | 3.03             | 42.03             | 42.03             | 41.99             | 41.99             | 060    |
| 57120                | ∢          | Closure of vagina            | 7.41      | ¥                | ¥                          | 4.42            | 6.80                   | 1.18             | ¥                 | ¥                 | 13.01             | 15.39             | 060    |
| 57130                | ∢          | Remove vagina lesion         | 2.43      | ₹                | ¥                          | 2.00            | 2.63                   | 0.43             | ¥                 | ¥                 | 4.86              | 5.49              | 010    |
| 57135                | ⋖          | Remove vagina lesion         | 2.67      | 2.62             | 2.22                       | 2.10            | 2.09                   | 0.30             | 5.59              | 5.19              | 5.07              | 2.06              | 010    |
| 57150                | ∢          | Treat vagina infection       | 0.55      | 0.92             | 0.39                       | 0.21            | 0.14                   | 0.03             | 1.50              | 0.97              | 0.79              | 0.72              | 00     |
| 57160                | ∢          | Insertion of pessary/device  | 0.89      | 1.20             | 0.50                       | 0.33            | 0.19                   | 0.04             | 2.13              | 1.43              | 1.26              | 1.12              | 00     |
| 57170                | ∢          | Fitting of diaphragm/cap     | 0.91      | 1.21             | 0.57                       | 0.32            | 0.22                   | 0.05             | 2.17              | 1.53              | 1.28              | 1.18              | 00     |
| 57180                | ⋖          | Treat vaginal bleeding       | 1.58      | 2.04             | 96.0                       | 1.32            | 0.56                   | 0.0              | 3.71              | 2.63              | 2.99              | 2.23              | 010    |
| 57200                | ∢          | Repair of vagina             | 3.94      | ¥                | ¥                          | 2.82            | 2.91                   | 0.47             | ₹                 | ₹                 | 7.23              | 7.32              | 060    |
| 57210                | ∢          | Repair vagina/perineum       | 5.17      | ¥                | Š                          | 3.28            | 3.48                   | 0.51             | ₹                 | ¥                 | 8.96              | 9.16              | 060    |
| 57220                | ∢          | Revision of urethra          | 4.31      | ₹                | ¥                          | 3.25            | 4.43                   | 0.63             | ₹                 | ₹                 | 8.19              | 9.37              | 060    |
| 57230                | ⋖          | Repair of urethral lesion    | 5.64      | ¥                | ₹                          | 3.83            | 4.09                   | 0.50             | ¥                 | ¥                 | 9.97              | 10.23             | 060    |
| 57240                | ⋖          | Repair bladder & vagina      | 6.07      | ₹                | Ϋ́                         | 4.08            | 6.46                   | 1.25             | ₹                 | Ϋ́                | 11.40             | 13.78             | 060    |
| 57250                | ∢          | Repair rectum & vagina       | 5.53      | ¥                | Š                          | 3.66            | 5.87                   | 1.32             | ¥                 | ₹                 | 10.51             | 12.72             | 060    |
| 57260                | ∢          | Repair of vagina             | 8.27      | ₹                | ¥                          | 4.69            | 8.22                   | 1.47             | ž                 | Ϋ́                | 14.43             | 17.96             | 060    |

Page 98 of 271 CCPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |            |  | AUDENDUM D        | NELWINE.         | ארחב חוווזלו                 | AND / AIRD          | יי יי יי                 |                  |                  |                  |          |                       |             |
|--------------------|------------|--|-------------------|------------------|------------------------------|---------------------|--------------------------|------------------|------------------|------------------|----------|-----------------------|-------------|
|                    |            |  |                   | Non-<br>facility | Iransitioned<br>Non-facility | Facility            | Iransitioned<br>Facility |                  |                  | Transitioned     |          |                       |             |
| / <sub>1</sub> 160 |            |  | Physician<br>work | practice         | practice                     | practice<br>expense | practice<br>expense      | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned Facility |             |
| HCPCS 2            | Mod Status | tus Description                                      | RVUs 3            | RVUs             | RVUs                         | RVUs                | RVUs                     | RUVs             | Total            | Total            | Total    | Total                 | Global      |
| 57265              |            | A Extensive repair of vagina                         | 11.34             | AN               | N<br>A                       | 6.32                | 9.25                     | 1.65             | ¥                | A<br>A           | 19.31    | 22.24                 | 060         |
| 57268              | *          | A Repair of bowel bulge                              | 97.9              | ¥                | Ā                            | 4.10                | 6.74                     | 1.17             | ¥                | Ϋ́               | 12.03    | 14.67                 | 8           |
| 57270              | *          | A Repair of bowel pouch                              | 12.11             | ¥                | ¥                            | 5.99                | 2.06                     | 1.13             | ¥                | ¥                | 19.23    | 20.30                 | 060         |
| 57280              | 1          | A Suspension of vagina                               | 15.04             | ¥                | Ϋ́                           | 7.10                | 8.72                     | 1.45             | ¥                | ¥                | 23.59    | 25.21                 | 060         |
| 57282              | 1          | A Repair of vaginal prolapse                         | 8.86              | ¥                | Ϋ́                           | 4.94                | 8.33                     | 1.48             | ¥                | ¥                | 15.28    | 18.67                 | 8           |
| 57284              | 1          | A Repair paravaginal defect                          | 12.70             | ¥                | Ϋ́                           | 6.62                | 8.65                     | 99.0             | ¥                | Ϋ́               | 19.98    | 22.01                 | <u>6</u>    |
| 57288              | 1          | A Repair bladder defect                              | 13.02             | ¥                | Ϋ́                           | 6.58                | 10.37                    | 1.06             | ¥                | ¥                | 20.66    | 24.45                 | 060         |
| 57289              | *          | A Repair bladder & vagina                            | 11.58             | ¥                | ₹                            | 6.23                | 8.23                     | 0.88             | ¥                | ¥                | 18.69    | 20.69                 | 060         |
| 57291              | •          | A Construction of vagina                             | 7.95              | ¥                | Ϋ́                           | 4.88                | 5.58                     | 0.93             | ¥                | Ϋ́               | 13.76    | 14.46                 | 8           |
| 57292              | *          | <ul> <li>A Construct vagina with graft</li> </ul>    | 13.09             | ¥                | Ϋ́                           | 96.9                | 7.07                     | 1.08             | ¥                | Š                | 21.13    | 21.24                 | 060         |
| 57300              | •          | <ul> <li>A Repair rectum-vagina fistula</li> </ul>   | 7.61              | ¥                | ¥                            | 4.46                | 7.55                     | 1.30             | ¥                | Š                | 13.37    | 16.46                 | 060         |
| 57305              | •          | <ul> <li>A Repair rectum-vagina fistula</li> </ul>   | 13.77             | ¥                | ¥                            | 7.23                | 7.95                     | 1.22             | ¥                | Š                | 22.22    | 22.94                 | 060         |
| 57307              | •          | <ul> <li>A Fistula repair &amp; colostomy</li> </ul> | 15.93             | ¥                | Ϋ́                           | 8.27                | 7.04                     | 1.8              | ¥                | Š                | 25.20    | 23.97                 | 060         |
| 57308              | *          | A Fistula repair, transperine                        | 9.94              | ¥                | Ϋ́                           | 4.56                | 7.03                     | 1.10             | ₹                | ¥                | 15.60    | 18.07                 | 060         |
| 57310              | •          | A Repair urethrovaginal lesion                       | 6.78              | ¥                | Ϋ́                           | 4.38                | 4.61                     | 0.38             | ¥                | ¥                | 11.54    | 11.77                 | 8           |
| 57311              | `          | A Repair urethrovaginal fesion                       | 7.98              | ¥                | ¥                            | 4.64                | 5.71                     | 0.32             | ¥                | <b>₹</b>         | 12.94    | 14.01                 | 060         |
| 57320              | `          | <ul> <li>A Repair bladder-vagina lesion</li> </ul>   | 8.01              | ¥                | ž                            | 4.88                | 8.39                     | 1.06             | ≨                | <b>₹</b>         | 13.95    | 17.46                 | 060         |
| 57330              | `          | <ul> <li>A Repair bladder-vagina lesion</li> </ul>   | 12.35             | ¥                | Š                            | 6.52                | 8.38                     | 0.63             | ₹                | <b>₹</b>         | 19.50    | 21.36                 | 060         |
| 57335              | `          | A Repair vagina                                      | 18.73             | ¥                | ž                            | 8.75                | 7.81                     | 0.63             | ₹                | <b>∀</b>         | 28.11    | 27.17                 | 060         |
| 57400              | •          | A Dilation of vagina                                 | 2.27              | ¥                | Ϋ́                           | 1.44                | 0.63                     | 0.05             | ¥                | Š                | 3.76     | 2.95                  | 000         |
| 57410              | •          | A Pelvic examination                                 | 1.75              | 2.40             | 0.89                         | 1.13                | 0.58                     | 0.0              | 4.19             | 2.68             | 2.92     | 2.37                  | 00          |
| 57415              | •          | <ul> <li>A Removal vaginal foreign body</li> </ul>   | 2.17              | 3.13             | 1.08                         | 1.95                | 0.78                     | 0.04             | 5.34             | 3.29             | 4.16     | 2.99                  | 010         |
| 57452              | •          | <ul> <li>A Examination of vagina</li> </ul>          | 0.99              | 1.51             | 0.91                         | 0.35                | 0.36                     | 0.11             | 2.61             | 2.01             | 1.45     | 1.46                  | 000         |
| 57454              | •          | A Vagina examination & biopsy                        | 1.27              | 1.59             | 1.38                         | 0.46                | 0.61                     | 0.20             | 3.06             | 2.85             | 1.93     | 2.08                  | 8           |
| 57460              | •          | A Cervix excision                                    | 2.83              | 1.88             | 2.11                         | 1.06                | 1.09                     | 0.36             | 2.07             | 5.30             | 4.25     | 4.28                  | 00          |
| 57500              | `          | A Biopsy of cervix                                   | 0.97              | 1.31             | 0.79                         | 0.39                | 0.33                     | 0.09             | 2.37             | 1.85             | 1.45     | 1.39                  | 8           |
| 57505              | `          | A Endocervical curettage                             | 1.14              | 1.76             | 0.95                         | 1.19                | 0.55                     | 0.10             | 3.00             | 2.19             | 2.43     | 1.79                  | 010         |
| 57510              | `          | A Cauterization of cervix                            | 1.90              | 2.78             | 1.12                         | 1.48                | 0.58                     | 0.07             | 4.75             | 3.09             | 3.45     | 2.55                  | 010         |
| 57511              | •          | <ul> <li>A Cryocautery of cervix</li> </ul>          | 1.90              | 2.19             | 1.24                         | 0.70                | 0.52                     | 0.13             | 4.22             | 3.27             | 2.73     | 2.55                  | 010         |
| 57513              | •          | A Laser surgery of cervix                            | 1.90              | 2.32             | 2.28                         | 1.43                | 2.06                     | 0.52             | 4.74             | 4.70             | 3.85     | 4.48                  | 010         |
| 57520              | •          | A Conization of cervix                               | 4.04              | 3.80             | 3.76                         | 2.65                | 3.47                     | 0.57             | 8.41             | 8.37             | 7.26     | 8.08                  | 060         |
| 57522              | `          | A Conization of cervix                               | 3.36              | 3.45             | 3.67                         | 2.40                | 3.41                     | 0.57             | 7.38             | 7.60             | 6.33     | 7.34                  | 060         |
| 57530              | `          | A Removal of cervix                                  | 4.79              | ¥                | <b>∀</b>                     | 3.38                | 3.79                     | 0.61             | ¥                | Š                | 8.78     | 9.19                  | 8           |
| 57531              | •          | <ul> <li>A Removal of cervix, radical</li> </ul>     | 28.00             | ≨                | ¥                            | 12.15               | 17.51                    | 3.03             | ₹                | <b>∀</b>         | 43.18    | 48.54                 | 060         |
| 57540              | •          | <ul> <li>A Removal of residual cervix</li> </ul>     | 12.22             | ¥                | ¥                            | 5.88                | 6.95                     | 1.18             | ¥                | Š                | 19.28    | 20.35                 | 060         |
| 57545              | •          | <ul> <li>A Remove cervix, repair pelvis</li> </ul>   | 13.03             | ≨                | Ϋ́                           | 6.31                | 5.31                     | 0.81             | ¥                | Š                | 20.15    | 19.15                 | 060         |
| 57550              | `          | A Removal of residual cervix                         | 5.53              | ¥                | ¥                            | 3.65                | 5.86                     | 1.20             | ₹                | <b>₹</b>         | 10.38    | 12.59                 | <b>6</b> 60 |
| 57555              | •          | A Remove cervix, repair vagina                       | 8.95              | ¥                | ¥                            | 5.15                | 9.31                     | 1.70             | ¥                | Š                | 15.80    | 19.96                 | 060         |
| 57556              | •          | A Remove cervix, repair bowel                        | 8.37              | ¥                | ¥                            | 4.70                | 89.8                     | 1.50             | ¥                | ¥                | 14.57    | 18.55                 | 060         |
| 27700              | `          | A Revision of cervix                                 | 3.55              | Ą                | ¥                            | 2.44                | 2.55                     | 0.27             | ₹                | ¥<br>X           | 6.26     | 6.37                  | 060         |
|                    |            |  |                   |                  |                              |                     |                          |                  |                  |                  |          |                       |             |

Page 99 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 chidicates RVUs are not used for Medicare payment.
3 thindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|              | fioned                   | Facility<br>Total Global                 |                    |                            |                        |                         |                              |                          |                          |                    |                    | 060 99               |                        |                        |                            |                      |                      |                      |                              |                              |                             |                             |                        |                            |                            |                         |                         |               |                            |                       |                       |                      |                      |                           |                    |                            |                            |                          |                           |                            |                            |
|--------------|--------------------------|--|--------------------|----------------------------|------------------------|-------------------------|------------------------------|--------------------------|--------------------------|--------------------|--------------------|----------------------|------------------------|------------------------|----------------------------|----------------------|----------------------|----------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------|----------------------------|----------------------------|-------------------------|-------------------------|---------------|----------------------------|-----------------------|-----------------------|----------------------|----------------------|---------------------------|--------------------|----------------------------|----------------------------|--------------------------|---------------------------|----------------------------|----------------------------|
|              | Transi                   | •  |                    |                            |                        |                         |                              |                          |                          |                    |                    | 5 26.66              |                        |                        |                            |                      |                      |                      |                              |                              |                             |                             |                        |                            |                            |                         |                         |               |                            |                       |                       |                      |                      |                           |                    |                            |                            |                          |                           |                            |                            |
|              | pau                      | y Facility<br>Total                      | \                  |                            |                        |                         |                              |                          |                          |                    |                    | 24.06                |                        |                        |                            |                      |                      |                      |                              |                              |                             |                             |                        |                            |                            |                         |                         |               |                            |                       |                       |                      |                      |                           |                    |                            |                            |                          |                           |                            |                            |
|              |                          | y facility<br>I Total                    |                    |                            |                        |                         |                              |                          |                          |                    |                    | ¥                    |                        |                        |                            |                      |                      |                      |                              |                              |                             |                             |                        |                            |                            |                         |                         |               |                            |                       |                       |                      |                      |                           |                    |                            |                            |                          |                           |                            |                            |
| •            | Non                      | facility<br>Total                        | ₹                  | 1.96                       | 4.24                   | 1.86                    | 7.12                         | ž                        | ž                        | ž                  | ž                  | ž                    | ₹                      | Ž                      | ₹<br>Z                     | Ž                    | ₹                    | ž                    | ž                            | Ž                            | Ž                           | Ž                           | ž                      | 2.20                       | 2.67                       | 1.93                    | 2.19                    | 0.69          | 14.54                      | ž                     | 2.93                  | ž                    | ž                    | Ž                         | Ž                  | Ž                          | Ϋ́                         | Ž                        | Ϋ́                        | AN                         |                            |
| <i>f</i>     |                          | practice<br>RUVs                         |                    | 0.08                       | 0.36                   | 0.11                    | 0.44                         | 1.34                     | 1.20                     | 1.63               | 2.03               | 1.65                 | 2.19                   | 3.03                   | 4.<br>8.                   | 1.62                 | 1.62                 | 1.74                 | 1.92                         | 1.74                         | 1.82                        | 1.80                        | 2.11                   | 0.10                       | 90.0                       | 0.12                    | 0.12                    | 0.03          | 90.0                       | 0.32                  | 0.13                  | 0.91                 | 99.0                 | 0.77                      | 1.1                | 1.08                       | 0.79                       | 0.08                     | 0.27                      | 102                        | -                          |
| Transitione  | Facility<br>practice     | expense                                  | 3.04               | 0.27                       | 2.22                   | 0.34                    | 2.78                         | 8.46                     | 78.7                     | 9.58               | 11.54              | 9.72                 | 13.22                  | 17.81                  | 27.79                      | 90.6                 | 9.23                 | 10.11                | 11.06                        | 9.94                         | 10.63                       | 10.26                       | 11.81                  | 0.73                       | 0.30                       | 0.67                    | 0.68                    | 0.15          | 0.53                       | 3.22                  | 0.83                  | 5.54                 | 5.96                 | 4.90                      | 6.75               | 4.07                       | 3.58                       | 0.49                     | 3.00                      | 6.03                       | 9                          |
|              | Facility<br>practice     | expense<br>RVUs                          | 3.15               | 0.31                       | 2.11                   | 0.27                    | 2.31                         | 6.70                     | 4.66                     | 7.16               | 7.13               | 7.12                 | 10.61                  | 13.35                  | 17.62                      | 5.66                 | 6.35                 | 6.84                 | 6.72                         | 6.15                         | 6.64                        | 6.82                        | 9.45                   | 0.38                       | 0.46                       | 0.35                    | 0.41                    | 0.09          | 0.27                       | 1.49                  | 1.06                  | 3.80                 | 5.83                 | 5.80                      | 7.03               | 2.52                       | 2.38                       | 0.41                     | 2.50                      | 3.50                       |                            |
| Transitioned | Non-facility<br>practice | expense                                  | ¥                  | 0.67                       | 2.25                   | 0.80                    | 3.05                         | Ą                        | Ϋ́                       | A<br>A             | Š                  | ¥                    | ¥                      | Ϋ́                     | ¥                          | ₹                    | ¥                    | ¥                    | ¥                            | ¥                            | ¥                           | Ϋ́                          | ¥                      | 06:0                       | 0.70                       | 0.80                    | 0.82                    | 0.24          | 3.87                       | Ą                     | 1.01                  | ¥                    | ¥                    | ¥                         | ¥                  | ž                          | ¥                          | ¥                        | ¥                         | ΔN                         |                            |
| Non-         | facility<br>practice     | expense<br>RVUs                          | ¥                  | 1.1                        | 2.21                   | 1.04                    | 3.41                         | ¥                        | ¥                        | ¥                  | ¥                  | ¥                    | ¥                      | <b>∀</b>               | ¥                          | ž                    | ¥                    | ¥                    | ¥                            | ¥                            | ¥                           | ¥                           | ¥                      | 1.09                       | 1.34                       | 0.89                    | 0.97                    | 0.43          | 13.60                      | ¥                     | 1.79                  | ¥                    | Š                    | ¥                         | ¥                  | Ϋ́                         | ¥                          | ¥                        | Ą                         | ΔN                         |                            |
|              | Physician                | work<br>RVUs                             | 4.13               | 0.77                       | 1.67                   | 0.71                    | 3.27                         | 14.60                    | 8.04                     | 15.24              | 15.09              | 15.29                | 21.59                  | 28.85                  | 38.39                      | 12.20                | 13.99                | 15.28                | 15.00                        | 13.48                        | 14.98                       | 15.41                       | 18.57                  | +1.01                      | 1.27                       | 0.92                    | 1.10                    | 0.23          | 0.88                       | 4.66                  | 1.01                  | 6.36                 | 12.73                | 11.92                     | 14.64              | 3.84                       | 3.34                       | 0.63                     | 3.90                      | 6.49                       | •                          |
|              |                          | Description                              | Revision of cervix | Dilation of cervical canal | D&c of residual cervix | Biopsy of uterus lining | Dilation and curettage (D&C) | Removal of uterus lesion | Removal of uterus lesion | Total hysterectomy | Total hysterectomy | Partial hysterectomy | Extensive hysterectomy | Extensive hysterectomy | Removal of pelvis contents | Vaginal hysterectomy | Vaginal hysterectomy | Vaginal hysterectomy | Hysterectomy & vagina repair | Hysterectomy & vagina repair | Hysterectomy, revise vagina | Hysterectomy, revise vagina | Extensive hysterectomy | Insert intrauterine device | Remove intrauterine device | Artificial insemination | Artificial insemination | Sperm washing | Catheter for hysterography | Reopen fallopian tube | Reopen fallopian tube | Suspension of uterus | Suspension of uterus | Repair of ruptured uterus | Revision of uterus | Division of fallopian tube | Division of fallopian tube | Ligate oviduct(s) add-on | Occlude fallopian tube(s) | Demoyal of fallonian tribe | Cellioval of Iamoplan tabo |
|              |                          | Status                                   | 1                  | <                          | ∢                      | ∢                       | ∢                            | ∢                        | ∢                        | ∢                  | ∢                  | ∢                    | ∢                      | ∢                      | ∢                          | ∢                    | ∢                    | ∢                    | ∢                            | ∢                            | ∢                           | ∢                           | ∢                      | z                          | ∢                          | ∢                       | ∢                       | ∢             | ∢                          | ∢                     | ∢                     | ∢                    | ∢                    | ∢                         | ∢                  | ∢                          | ∢                          | ∢                        | ⋖                         | ٥                          | (                          |
|              |                          | , Mod                                    | 1                  |                            |                        |                         |                              |                          |                          |                    |                    |                      |                        |                        |                            |                      |                      |                      |                              |                              |                             |                             |                        |                            |                            |                         |                         |               |                            |                       |                       |                      |                      |                           |                    |                            |                            |                          |                           |                            |                            |
|              |                          | CPT <sup>1</sup> /<br>HCPCS <sup>2</sup> | 57720              | 57800                      | 57820                  | 58100                   | 58120                        | 58140                    | 58145                    | 58150              | 58152              | 58180                | 58200                  | 58210                  | 58240                      | 58260                | 58262                | 58263                | 58267                        | 58270                        | 58275                       | 58280                       | 58285                  | 58300                      | 58301                      | 58321                   | 58322                   | 58323         | 58340                      | 58345                 | 58350                 | 58400                | 58410                | 58520                     | 58540              | 58600                      | 58605                      | 58611                    | 58615                     | 58700                      |                            |

Page 100 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                       |                              |             | •            |                      | Transitioned             |                      | Transitioned         |                  | _                 |                      |                   |                   |      |
|---------------------------------------|------------------------------|-------------|--------------|----------------------|--------------------------|----------------------|----------------------|------------------|-------------------|----------------------|-------------------|-------------------|------|
| Physician                             | Physician                    | Physician   | Physician    | facility<br>practice | Non-facility<br>practice | Facility<br>practice | Facility<br>practice | Mal-             | Non-              | Transitioned<br>Non- |                   | Transitioned      |      |
| work work Wod Status Description RVUs | Status Description           |             | work<br>RVUs | expense<br>RVUs      | expense<br>RVUs          | expense<br>RVUs      | expense<br>RVUs      | practice<br>RUVs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Iotal | Glob |
| A Repair oviduct                      | -                            | -           | 14.84        | ¥                    | Ą                        | 7.27                 | 96.9                 | 1.14             | ¥                 | N<br>A               | 23.25             | 22.94             | 960  |
| A Revise ovarian tube(s) 14.84        | Revise ovarian tube(s)       |             | 14.84        | ¥                    | ¥                        | 7.02                 | 7.24                 | 0.73             | ¥                 | ¥                    | 22.59             | 22.81             | 8    |
| A Remove tubal obstruction 13.13      |                              |             | 13.13        | ¥                    | ¥                        | 6.43                 | 5.77                 | 0.93             | ¥                 | ž                    | 20.49             | 19.83             | 060  |
| A Create new tubal opening 13.97      |                              |             | 13.97        | ¥                    | ¥                        | 6.61                 | 5.95                 | 0.87             | ¥                 | Ϋ́                   | 21.45             | 20.79             | 8    |
| A Drainage of ovarian cyst(s) 4.14    | Drainage of ovarian cyst(s)  |             | 4.14         | 3.81                 | 3.14                     | 3.58                 | 3.08                 | 0.41             | 8.36              | 4.69                 | 8.13              | 7.63              | 80   |
| A Drainage of ovarian cyst(s) 5.88    | Drainage of ovarian cyst(s)  |             | 5.88         | ¥                    | ¥                        | 3.26                 | 6.01                 | 1.06             | ¥                 | ž                    | 10.20             | 12.95             | 8    |
| A Open drain ovary abscess 4.22       | Open drain ovary abscess     |             | 4.22         | ¥                    | ¥                        | 2.95                 | 2.99                 | 0.38             | ¥                 | ₹                    | 7.55              | 7.59              | 8    |
| A Percut drain ovary abscess 10.13    | Percut drain ovary abscess   |             | 10.13        | ₹                    | ¥                        | 4.60                 | 4.04                 | 0.63             | ¥                 | ¥                    | 15.36             | 14.80             | g .  |
| A Percut drain pelvic abscess 3.38    | Percut drain pelvic abscess  |             | 3.38         | ¥                    | Š                        | 2.52                 | 2.72                 | 0.23             | ¥                 | ¥                    | 6.13              | 6.33              | 8    |
| ıry(s)                                | ıry(s)                       | ıry(s)      | 6.13         | ₹                    | Š                        | 3.62                 | 4.18                 | 0.73             | ₹                 | ¥                    | 10.48             | 11.04             | 8    |
| A Biopsy of ovary(s) 5.99             | Biopsy of ovary(s)           |             | 5.99         | ¥                    | Š                        | 3.39                 | 5.07                 | 0.84             | ₹                 | ₹                    | 10.22             | 11.90             | 8    |
| A Partial removal of ovary(s) 6.78    | Partial removal of ovary(s)  |             | 6.78         | ¥                    | ¥                        | 3.85                 | 6.48                 | 1.10             | ¥                 | Ϋ́                   | 11.73             | 14.36             | 8    |
| A Removal of ovarian cyst(s) 11.36    | Removal of ovarian cyst(s)   |             | 11.36        | ¥                    | ¥                        | 5.42                 | 6.70                 | 1.08             | ¥                 | ₹                    | 17.86             | 19.14             | 66   |
| A Removal of ovary(s) 7.29            | Removal of ovary(s)          |             | 7.29         | ¥                    | Ϋ́                       | 3.83                 | 6.24                 | 1.04             | ¥                 | ¥                    | 12.16             | 14.57             | 060  |
| A Removal of ovary(s) 18.43           |                              |             | 18.43        | ¥                    | ¥                        | 9.13                 | 12.14                | 5.06             | ¥                 | ₹                    | 29.62             | 32.63             | 90   |
| A Resect ovarian malignancy 15.27     | Resect ovarian malignancy    |             | 15.27        | ¥                    | ¥                        | 8.05                 | 11.16                | 1.86             | ¥                 | ₹                    | 25.18             | 28.29             | 060  |
| A Resect ovarian malignancy 21.81     | Resect ovarian malignancy    |             | 21.81        | ¥                    | Υ<br>Υ                   | 10.60                | 17.58                | 3.07             | ž                 | ¥                    | 35.48             | 42.46             | 8    |
| A Resect ovarian malignancy 25.01     |                              |             | 25.01        | ¥                    | Ϋ́                       | 11.84                | 17.70                | 3.07             | ž                 | ∢<br>Z               | 39.92             | 45.78             | 8    |
| men                                   |                              |             | 14.65        | ₹                    | Ϋ́                       | 7.80                 | 12.52                | 2.31             | ž                 | <b>∀</b>             | 24.76             | 29.48             | 60   |
|                                       |                              |             | 3.53         | 6.95                 | 3.79                     | 1.30                 | 2.37                 | 0.45             | 10.93             | 7.77                 | 5.28              | 6.35              | Š    |
|                                       |                              |             | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.0              | 0.0               | 0.00                 | 0.0               | 0.00              | 8    |
|                                       |                              |             | 3.83         | 2.02                 | 2.73                     | 1.86                 | 2.69                 | 0.49             | 6.34              | 7.05                 | 6.18              | 7.01              | 8    |
| C Genital surgery procedure 0.00      | / procedure                  | / procedure | 0.00         | 0.00                 | 0.00<br>7 7              | 9.0                  | 0.00                 | 3 5              | 0.00<br>9.00      | 0.00                 | 9.00              | 0.00              | - 6  |
| A Fetal cord nuncture prenatal 3.45   |                              |             | 3.45         | <u> </u>             | Ž                        | 1.50                 | 2.51                 | 0.24             | ₹<br><b>X</b>     | Ş X                  | 5.19              | 6.20              | 88   |
|                                       |                              |             | 2.20         | 1.24                 | 1.29                     | 0.84                 | 1.19                 | 0.08             | 3.52              | 3.57                 | 3.12              | 3.47              | 8    |
| tress test                            | tress test                   | tress test  | 0.66         | 0.80                 | 1.20                     | 0.80                 | 1.20                 | 0.23             | 1.69              | 5.09                 | 1.69              | 5.09              | 8    |
| A Fetal contract stress test          |                              |             | 99.0         | ¥                    | Ϋ́                       | 0.25                 | 99.0                 | 0.15             | ¥                 | ¥                    | 1.06              | 1.47              | 8    |
| test                                  |                              |             | 0.00         | 0.55                 | 0.54                     | 0.55                 | 0.54                 | 90.0             | 0.63              | 0.62                 | 0.63              | 0.62              | 8    |
| A Fetal non-stress test 0.53          | Fetal non-stress test        |             | 0.53         | 0.44                 | 0.61                     | 0.44                 | 0.61                 | 0.09             | 1.06              | 1.23                 | 1.06              | 1.23              | 8.   |
| A Fetal non-stress test               |                              |             | 0.53         | ¥                    | Ϋ́                       | 0.20                 | 0.37                 | 90:0             | ¥                 | <b>∀</b>             | 0.79              | 96.0              | 8    |
| TC A Fetal non-stress test 0.00       |                              |             | 0.00         | 0.24                 | 0.24                     | 0.24                 | 0.24                 | 0.03             | 0.27              | 0.27                 | 0.27              | 0.27              | 8    |
| A Fetal scalp blood sample 1.99       | Fetal scalp blood sample     |             | 1.99         | ¥                    | ¥                        | 0.93                 | 1.52                 | 0.16             | ¥                 | Ϋ́                   | 3.08              | 3.67              | 8    |
| A Fetal monitor w/report 0.89         | Fetal monitor w/report       |             | 0.89         | ¥                    | Ϋ́                       | 0.33                 | 0.74                 | 0.12             | ¥                 | Ϋ́                   | 1.34              | 1.75              | ž    |
| A Fetal monitor/interpret only 0.74   | Fetal monitor/interpret only |             | 0.74         | ₹                    | ΑN                       | 0.28                 | 0.73                 | 0.12             | ₹                 | Α̈́                  | 1.14              | 1.59              | ž    |
| A Remove uterus lesion 12.35          | Remove uterus lesion         |             | 12.35        | ¥                    | Ϋ́                       | 5.87                 | 4.84                 | 0.75             | ¥                 | Ϋ́                   | 18.97             | 17.94             | 060  |
| A Treat ectopic pregnancy 11.49       |                              |             | 11.49        | ¥                    | ¥                        | 5.70                 | 7.82                 | 1.17             | ¥                 | Ā                    | 18.36             | 20.48             | 060  |
|                                       | Treat ectopic pregnancy      |             | 11.67        | ¥                    | ¥                        | 5.88                 | 5.85                 | 0.84             | ¥                 | ¥                    | 18.39             | 18.36             | 060  |
| A Treat ectopic pregnancy 14.22       | Treat ectopic pregnancy      |             | 14.22        | ¥                    | Ϋ́                       | 5.01                 | 6.11                 | 0.55             | ¥                 | ¥                    | 19.78             | 20.88             | 060  |
| Treat ectopic pregnancy               | Treat ectopic pregnancy      |             | 13.88        | ₹                    | ¥                        | 6.45                 | 9.63                 | 06.0             | ¥                 | <b>∀</b>             | 21.23             | 24.41             | 060  |
|                                       |                              |             |              |                      |                          |                      |                      |                  |                   |                      |                   |                   |      |

Page 101 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                             |     |        |                              |              | Mon.            | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|-----------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
|                             |     |        |                              | Physician    | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Pow | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 59136                       | 1   | ∢      | Treat ectopic pregnancy      | 13.18        | ₹               | ¥               | 6.18            | 6.61            | 1.13             | ₹                 | ž                 |                   | 20.92             | 060    |
| 59140                       |     | ⋖      | Treat ectopic pregnancy      | 5.46         | ¥               | ¥               | 3.23            | 4.60            | 0.23             | ¥                 | Ϋ́                |                   | 10.29             |        |
| 59150                       |     | ∢      | Treat ectopic pregnancy      | 68.9         | ¥               | ž               | 4.48            | 4.81            | 0.82             | ¥                 | ¥                 |                   | 12.52             |        |
| 59151                       |     | ∢      | Treat ectopic pregnancy      | 7.86         | ¥               | ¥               | 4.02            | 8.01            | 0.50             | ¥                 | ¥                 |                   | 16.37             |        |
| 59160                       |     | ∢      | D&C after delivery           | 2.71         | 3.09            | 3.16            | 2.11            | 2.91            | 0.41             | 6.21              | 6.28              |                   | 6.03              |        |
| 59200                       |     | ⋖      | Insert cervical dilator      | 0.79         | 1.17            | 0.74            | 0.28            | 0.30            | 0.09             | 2.05              | 1.62              |                   | 1.18              |        |
| 59300                       |     | ⋖      | Episiotomy or vaginal repair | 2.41         | 1.66            | 1.22            | 0.00            | 0.63            | 0.08             | 4.15              | 3.71              |                   | 3.12              |        |
| 59320                       |     | ∢      | Revision of cervix           | 2.48         | ¥               | ¥               | 1.35            | 1.79            | 0.32             | ¥                 | ¥                 |                   | 4.59              |        |
| 59325                       |     | ∢      | Revision of cervix           | 4.07         | ¥               | ¥<br>Y          | 2.31            | 2.93            | 0.23             | Ϋ́                | ΑĀ                |                   | 7.23              |        |
| 59350                       |     | ∢      | Repair of uterus             | 4.95         | ¥               | ¥               | 1.83            | 3.34            | 0.64             | ¥                 | ¥                 |                   | 8.93              |        |
| 59400                       |     | ∢      | Obstetrical care             | 23.06        | ¥               | ¥               | 13.04           | 15.46           | 2.71             | ¥                 | Ϋ́                |                   | 41.23             |        |
| 59409                       |     | ∢      | Obstetrical care             | 13.50        | ¥               | ¥               | 5.09            | 8.99            | 1.72             | ¥                 | ¥                 |                   | 24.21             |        |
| 59410                       |     | ∢      | Obstetrical care             | 14.78        | ¥               | ¥               | 6.28            | 96.6            | 1.87             | ¥                 | Ϋ́                |                   | 26.61             |        |
| 59412                       |     | ∢      | Antepartum manipulation      | 1.71         | 1.32            | 1.32            | 99.0            | 1.16            | 0.23             | 3.26              | 3.26              |                   | 3.10              |        |
| 59414                       |     | ∢      | Deliver placenta             | 1.61         | ₹               | ¥               | 1.09            | 1.21            | 0.21             | ¥                 | Š                 |                   | 3.03              |        |
| 59425                       |     | ∢      | Antepartum care only         | 4.81         | 4.36            | 3.44            | 4.33            | 2.26            | 0.52             | 69.6              | 8.77              |                   | 7.59              |        |
| 59426                       |     | ∢      | Antepartum care only         | 8.28         | 7.43            | 5.88            | 7.49            | 3.88            | 0.89             | 16.60             | 15.05             |                   | 13.05             |        |
| 59430                       |     | ∢      | Care after delivery          | 2.13         | 1.09            | 0.58            | 1.12            | 0.44            | 0.05             | 3.27              | 2.76              |                   | 2.62              |        |
| 59510                       |     | ∢      | Cesarean delivery            | 26.22        | ¥               | Š               | 15.01           | 17.51           | 3.07             | ¥                 | Ϋ́                |                   | 46.80             |        |
| 59514                       |     | ∢      | Cesarean delivery only       | 15.97        | ₹               | Š               | 5.98            | 10.44           | 1.99             | ¥                 | Ϋ́                |                   | 28.40             |        |
| 59515                       |     | ∢      | Cesarean delivery            | 17.37        | ¥               | Š               | 7.58            | 11.52           | 2.14             | ¥                 | ₹                 |                   | 31.03             |        |
| 59525                       |     | ∢      | Remove uterus after cesarean | 8.54         | ¥               | Š               | 3.38            | 3.94            | 0.69             | ¥                 | ¥                 |                   | 13.17             |        |
| 59610                       |     | ∢      | Vbac delivery                | 24.62        | ₹               | <b>₹</b>        | 9.16            | 14.49           | 2.71             | ₹                 | Ϋ́                |                   | 41.82             |        |
| 59612                       |     | ∢      | Vbac delivery only           | 15.06        | ₹               | ¥               | 5.68            | 9.14            | 1.72             | ¥                 | Ϋ́                |                   | 25.92             |        |
| 59614                       |     | ∢      | Vbac care after delivery     | 16.34        | ¥               | ¥               | 6.13            | 9.93            | 1.87             | ¥                 | ¥                 |                   | 28.14             |        |
| 59618                       |     | ∢      | Attempted vbac delivery      | 27.78        | ₹               | Š               | 10.57           | 16.40           | 3.07             | ¥                 | ¥                 |                   | 47.25             |        |
| 59620                       |     | ∢      | Attempted vbac delivery only | 17.53        | ¥               | Š               | 6.57            | 10.59           | 1.99             | ₹                 | Ϋ́                |                   | 30.11             |        |
| 59622                       |     | ∢      | Attempted vbac after care    | 18.93        | ¥               | ¥               | 7.23            | 11.43           | 2.14             | ¥                 | ₹                 |                   | 32.50             |        |
| 59812                       |     | ∢      | Treatment of miscarriage     | 3.25         | 4.12            | 3.97            | 2.28            | 3.49            | 0.60             | 7.97              | 7.82              |                   | 7.34              |        |
| 59820                       |     | ∢      | Care of miscarriage          | 4.01         | 4.41            | 4.16            | 2.54            | 3.69            | 0.60             | 9.05              | 8.77              |                   | 8.30              |        |
| 59821                       |     | ∢      | Treatment of miscarriage     | 4.47         | 4.59            | 3.36            | 2.72            | 2.89            | 0.49             | 9.55              | 8.32              |                   | 7.85              |        |
| 59830                       |     | ∢      | Treat uterus infection       | 6.11         | ¥               | ¥<br>Z          | 3.67            | 4.61            | 0.41             | ¥                 | ¥                 |                   | 11.13             |        |
| 59840                       |     | ∢      | Abortion                     | 3.01         | 4.50            | 3.74            | 2.16            | 3.16            | 0.54             | 8.05              | 7.29              |                   | 6.71              |        |
| 59841                       |     | ∢      | Abortion                     | 5.24         | 5.89            | 4.53            | 3.37            | 3.90            | 0.59             | 11.72             | 10.36             |                   | 9.73              |        |
| 59850                       |     | ∢      | Abortion                     | 5.91         | ¥               | Š               | 2.65            | 3.92            | 99.0             | ¥                 | ¥                 |                   | 10.49             |        |
| 59851                       |     | ∢      | Abortion                     | 5.93         | ¥               | Š               | 3.02            | 4.24            | 69.0             | ¥                 | ¥                 |                   | 10.86             |        |
| 59852                       |     | ∢      | Abortion                     | 8.24         | ¥               | ¥               | 4.25            | 5.55            | 0.99             | ¥                 | ¥                 |                   | 14.78             |        |
| 59855                       |     | ∢      | Abortion                     | 6.12         | ¥               | Š               | 3.01            | 4.12            | 0.75             | ¥                 | Ā                 |                   | 10.99             |        |
| 59856                       |     | ∢      | Abortion                     | 7.48         | ¥               | ¥               | 3.64            | 5.07            | 0.93             | ¥                 | Ϋ́                |                   | 13.48             |        |
| 29857                       |     | ⋖      | Abortion                     | 9.29         | ₹               | Ϋ́              | 4.16            | 6.10            | 1.13             | ¥                 | ¥                 |                   | 16.52             |        |
|                             |     |        |                              |              |                 |                 |                 |                 |                  |                   |                   |                   |                   |        |

Page 102 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        | •                            |              | Non-            | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|------------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        | :                |                   | Iransitioned      |                   |                   |        |
| 1                            |     |        |                              | Physician    | practice        | practice        | practice        | practice        | -lal-            | Non               | Non-              | ,                 | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 59866                        |     | ⋖      | Abortion                     | 4.00         | ¥               | ≨               | 1.85            | 2.79            | 0.52             | ₹                 | ž                 | 6.37              | 7.31              | 000    |
| 59870                        |     | ∢      | Evacuate mole of uterus      | 4.28         | ¥               | ¥               | 3.04            | 3.13            | 0.52             | ¥                 | ¥                 | 7.84              | 7.93              | 060    |
| 59871                        |     | ∢      | Remove cerclage suture       | 2.13         | 1.66            | 1.86            | 0.83            | 1.66            | 0.32             | 4.11              | 4.31              | 3.28              | 4.11              | 000    |
| 59899                        |     | ပ      | Maternity care procedure     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ХХ     |
| 00009                        |     | ∢      | Drain thyroid/tongue cyst    | 1.76         | 1.95            | 0.98            | 1.94            | 0.73            | 0.07             | 3.78              | 2.81              | 3.77              | 2.56              | 010    |
| 60001                        |     | ∢      | Aspirate/inject thyriod cyst | 0.97         | 1.84            | 1.32            | 0.32            | 0.94            | 0.09             | 2.90              | 2.38              | 1.38              | 2.00              | 000    |
| 60100                        |     | ∢      | Biopsy of thyroid            | 0.97         | 2.29            | 1.43            | 0.75            | 0.62            | 0.09             | 3.35              | 2.49              | 1.81              | 1.68              | 000    |
| 60200                        |     | ∢      | Remove thyroid lesion        | 9.55         | ₹               | Ϋ́              | 6.58            | 6.54            | 0.81             | ¥                 | ¥                 | 16.94             | 16.90             | 060    |
| 60210                        |     | ∢      | Partial excision thyroid     | 10.88        | ¥               | ¥               | 6.62            | 8.72            | 1.29             | Ϋ́                | ¥                 | 18.79             | 20.89             | 060    |
| 60212                        |     | ∢      | Parital thyroid excision     | 16.03        | ¥               | ¥               | 8.41            | 9.46            | 1.36             | ¥                 | ¥                 | 25.80             | 26.85             | 060    |
| 60220                        |     | ∢      | Partial removal of thyroid   | 10.53        | ¥               | ¥               | 99.9            | 8.62            | 1.26             | Ϋ́                | <b>₹</b>          | 18.45             | 20.41             | 060    |
| 60225                        |     | ∢      | Partial removal of thyroid   | 14.19        | ¥               | ¥               | 8.36            | 10.63           | 1.50             | ¥                 | Š                 | 24.05             | 26.32             | 060    |
| 60240                        |     | ∢      | Removal of thyroid           | 16.06        | ¥               | ¥               | 9.51            | 10.99           | 1.53             | ¥                 | Š                 | 27.10             | 28.58             | 060    |
| 60252                        |     | ∢      | Removal of thyroid           | 18.20        | ¥               | ¥               | 11.10           | 13.88           | 1.99             | ¥                 | Š                 | 31.29             | 34.07             | 060    |
| 60254                        |     | ∢      | Extensive thyroid surgery    | 23.88        | ¥               | ¥               | 15.46           | 19.50           | 2.41             | ¥                 | Š                 | 41.75             | 45.79             | 060    |
| 60260                        |     | ∢      | Repeat thyroid surgery       | 15.46        | ¥               | ¥               | 9.87            | 5.03            | 0.27             | Ϋ́                | Ą<br>V            | 25.60             | 20.76             | 060    |
| 60270                        |     | ∢      | Removal of thyroid           | 17.94        | Ϋ́              | ¥               | 11.23           | 14.18           | 1.99             | ¥                 | Š                 | 31.16             | 34.11             | 060    |
| 60271                        |     | ∢      | Removal of thyroid           | 14.89        | ₹               | ¥               | 9.35            | 12.22           | 1.76             | ¥                 | Ϋ́                | 26.00             | 28.87             | 060    |
| 60280                        |     | ∢      | Remove thyroid duct lesion   | 6.08         | ₹               | ¥               | 5.57            | 6.84            | 0.87             | ¥                 | <b>∀</b>          | 12.52             | 13.79             | 060    |
| 60281                        |     | ∢      | Remove thyroid duct lesion   | 8.53         | ₹               | Š               | 5.86            | 5.57            | 0.74             | ¥                 | Υ<br>Σ            | 15.13             | 14.84             | 060    |
| 60500                        |     | ∢      | Explore parathyroid glands   | 16.23        | ¥               | ¥               | 8.35            | 11.34           | 1.81             | Ϋ́                | Ϋ́                | 26.39             | 29.38             | 060    |
| 60502                        |     | ∢      | Re-explore parathyroids      | 20.35        | ₹               | ¥               | 10.28           | 11.84           | 1.82             | Š                 | <b>∀</b>          | 32.45             | 34.01             | 060    |
| 60505                        |     | ∢      | Explore parathyroid glands   | 21.49        | ¥               | Š               | 12.45           | 13.81           | 2.00             | Ϋ́                | Š                 | 35.94             | 37.30             | 060    |
| 60512                        |     | ∢      | Autotransplant, parathyroid  | 4.45         | ₹               | ¥               | 1.94            | 2.38            | 0.42             | ¥                 | ₹                 | 6.81              | 7.25              | ZZZ    |
| 60520                        |     | ∢      | Removal of thymus gland      | 16.81        | ¥               | Š               | 9.53            | 13.40           | 1.92             | ¥                 | Š                 | 28.26             | 32.13             | 060    |
| 60521                        |     | ∢      | Removal thymus gland         | 18.87        | ₹               | Ϋ́              | 11.83           | 13.98           | 1.92             | Ϋ́                | Ϋ́                | 32.62             | 34.77             | 060    |
| 60522                        |     | ∢      | Removal of thymus gland      | 23.09        | <b>∢</b>        | Ϋ́              | 13.42           | 14.37           | 1.92             | ¥                 | Ϋ́                | 38.43             | 39.38             | 000    |
| 60540                        |     | ∢      | Explore adrenal gland        | 17.03        | ₹               | ¥               | 8.46            | 11.93           | 1.63             | Ϋ́                | Ϋ́                | 27.12             | 30.59             | 060    |
| 60545                        |     | ∢      | Explore adrenal gland        | 19.88        | <b>∀</b>        | ¥               | 9.98            | 14.11           | 1.83             | ¥                 | <b>∀</b>          | 31.69             | 35.82             | 060    |
| 00909                        |     | ∢      | Remove carotid body lesion   | 17.93        | ¥               | ď<br>Z          | 13.08           | 12.60           | 1.47             | Ϋ́                | <b>∀</b>          | 32.48             | 32.00             | 060    |
| 60605                        |     | ∢      | Remove carotid body lesion   | 20.24        | <b>₹</b>        | ¥               | 18.35           | 13.30           | 1.73             | ≨                 | Ϋ́                | 40.32             | 35.27             | 060    |
| 66909                        |     | ပ      | Endocrine surgery procedure  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ХХ     |
| 61000                        |     | ∢      | Remove cranial cavity fluid  | 1.58         | 1.38            | 1.22            | 1.34            | 1.21            | 0.13             | 3.09              | 2.93              | 3.05              | 2.92              | 000    |
| 61001                        |     | ∢      | Remove cranial cavity fluid  | 1.49         | 1.32            | 1.05            | 1.23            | 29.0            | 0.13             | 2.94              | 2.67              | 2.85              | 2.29              | 000    |
| 61020                        |     | ∢      | Remove brain cavity fluid    | 1.51         | 1.70            | 1.45            | 1.33            | 1.36            | 0.16             | 3.37              | 3.12              | 3.00              | 3.03              | 000    |
| 61026                        |     | ∢      | Injection into brain canal   | 1.69         | 1.85            | 1.98            | 1.42            | 1.87            | 0.17             | 3.71              | 3.84              | 3.28              | 3.73              | 000    |
| 61050                        |     | ∢      | Remove brain canal fluid     | 1.51         | ¥               | Ϋ́              | 1.37            | 1.34            | 0.12             | Ϋ́                | Υ<br>V            | 3.00              | 2.97              | 000    |
| 61055                        |     | ∢      | Injection into brain canal   | 2.10         | ¥               | ¥               | 1.51            | 1.91            | 0.15             | ¥                 | ¥<br>X            | 3.76              | 4.16              | 000    |
| 61070                        |     | ∢      | Brain canal shunt procedure  | 0.89         | 6.41            | 2.00            | 0.94            | 0.44            | 0.02             | 7.32              | 2.91              | 1.85              | 1.35              | 000    |
| 61105                        |     | ∢      | Twist drill hole             | 5.14         | ¥               | Ϋ́              | 3.65            | 5.51            | 0.97             | ¥                 | ¥                 | 9.76              | 11.62             | 060    |
|                              |     |        |                              |              |                 |                 |                 |                 |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                             |     |          |                               |              | Non-            | Irancitioned    |                                     | Transitioned    |  |                   |                   |                  |                   |        |
|-----------------------------|-----|----------|-------------------------------|--------------|-----------------|-----------------|-------------------------------------|-----------------|--|-------------------|-------------------|------------------|-------------------|--------|
|                             |     |          |                               |              | facility        | Non-facility    | Facility                            | Facility        |  |                   | Transitioned      |                  |                   |        |
| ,l ,m,                      |     |          |                               | Physician    | practice        | practice        | practice                            | practice        | Mal-                                     | Non-              | Non-              | 4                | Transitioned      |        |
| CPI /<br>HCPCS <sup>2</sup> | Mod | Status   | Description                   | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs                     | expense<br>RVUs | RUVS                                     | tacility<br>Total | tacility<br>Total | raciity<br>Total | racility<br>Total | Global |
| 61106                       |     | ۵        | Drill skull for exam/surgery  | 00:00        | 0.00            | 0.00            | 00:0                                | 0.00            | 00.0                                     | 00.00             | 0.00              | 00.0             | 0.00              | 222    |
| 61107                       |     | ∢        | Drill skull for implantation  | 5.00         | ¥               | Ϋ́              | 3.17                                | 5.27            | 0.99                                     | ¥                 | ¥                 | 9.16             | 11.26             | 000    |
| 61108                       |     | ∢        | Drill skull for drainage      | 10.19        | ¥               | ¥               | 6.98                                | 10.87           | 1.74                                     | ¥                 | ¥                 | 18.91            | 22.80             | 060    |
| 61120                       |     | ∢        | Burr hole for puncture        | 8.76         | ¥               | ¥               | 5.85                                | 6.31            | 0.84                                     | ¥                 | Ϋ́                | 15.45            | 15.91             | 060    |
| 61130                       |     | ۵        | Pierce skull, exam/surgery    | 0.00         | 0.00            | 0.00            | 0.00                                | 0.00            | 0.00                                     | 0.00              | 0.00              | 00.00            | 0.00              | 777    |
| 61140                       |     | ∢        | Pierce skull for biopsy       | 15.90        | ¥               | ¥               | 10.30                               | 14.07           | 2.00                                     | ¥                 | ¥                 | 28.20            | 31.97             | 060    |
| 61150                       |     | ∢        | Pierce skull for drainage     | 17.57        | ¥               | Š               | 11.03                               | 14.68           | 5.06                                     | ¥                 | ¥                 | 30.66            | 34.31             | 060    |
| 61151                       |     | ∢        | Pierce skull for drainage     | 12.42        | ¥               | Ą               | 8.14                                | 3.77            | 0.29                                     | ¥                 | Ą                 | 20.85            | 16.48             | 060    |
| 61154                       |     | ∢        | Pierce skull, remove clot     | 14.99        | ¥               | ¥               | 69.6                                | 15.85           | 2.56                                     | ¥                 | ¥                 | 27.24            | 33.40             | 060    |
| 61156                       |     | ∢        | Pierce skuli for drainage     | 16.32        | ¥               | Ą               | 10.43                               | 15.79           | 2.39                                     | ¥                 | ¥                 | 29.14            | 34.50             | 060    |
| 61210                       |     | ∢        | Pierce skull; implant device  | 5.84         | ¥               | ¥               | 3.72                                | 5.84            | 1.20                                     | ¥                 | ¥                 | 10.76            | 12.88             | 00     |
| 61215                       |     | ∢        | Insert brain-fluid device     | 4.89         | ¥               | Ϋ́              | 4.19                                | 5.43            | 1.28                                     | ¥                 | ¥                 | 10.36            | 11.60             | 060    |
| 61250                       |     | ∢        | Pierce skull & explore        | 10.42        | ¥               | ¥               | 9.80                                | 8.23            | 1.13                                     | ¥                 | Ϋ́                | 18.35            | 19.78             | 060    |
| 61253                       |     | ∢        | Pierce skull & explore        | 12.36        | ¥               | ¥<br>X          | 8.37                                | 9.92            | 1.32                                     | ¥                 | Ą                 | 22.05            | 23.60             | 060    |
| 61304                       |     | ∢        | Open skull for exploration    | 21.96        | ¥               | Ϋ́              | 13.54                               | 23.05           | 3.74                                     | ¥                 | Š                 | 39.24            | 48.75             | 060    |
| 61305                       |     | ∢        | Open skull for exploration    | 26.61        | ¥               | ¥               | 15.84                               | 27.65           | 3.95                                     | ¥                 | Š                 | 46.40            | 58.21             | 060    |
| 61312                       |     | ∢        | Open skull for drainage       | 24.57        | ¥               | ¥               | 14.94                               | 23.38           | 3.49                                     | ¥                 | ¥                 | 43.00            | 51.44             | 060    |
| 61313                       |     | ∢        | Open skull for drainage       | 24.93        | ₹               | ¥               | 15.59                               | 23.47           | 3.43                                     | ₹                 | ₹<br>Ž            | 43.95            | 51.83             | 060    |
| 61314                       |     | ∢        | Open skull for drainage       | 24.23        | ¥               | ¥               | 15.10                               | 24.63           | 3.66                                     | ₹                 | Š                 | 42.99            | 52.52             | 060    |
| 61315                       |     | ∢        | Open skull for drainage       | 27.68        | ¥               | ¥               | 17.24                               | 24.18           | 3.50                                     | ¥                 | ¥                 | 48.42            | 55.36             | 060    |
| 61320                       |     | ∢        | Open skull for drainage       | 25.62        | ¥               | ¥               | 16.02                               | 19.22           | 2.67                                     | ¥                 | ¥<br>Y            | 44.31            | 47.51             | 060    |
| 61321                       |     | ∢        | Open skull for drainage       | 28.50        | ¥               | ¥               | 16.94                               | 20.38           | 2.77                                     | ¥                 | ¥                 | 48.21            | 51.65             | 060    |
| 61330                       |     | ∢        | Decompress eye socket         | 23.32        | ₹               | Š               | 19.60                               | 15.46           | 0.95                                     | ₹                 | Ϋ́                | 43.87            | 39.73             | 060    |
| 61332                       |     | ∢        | Explore/biopsy eye socket     | 27.28        | ¥               | Š               | 20.38                               | 21.96           | 2.16                                     | ¥                 | ¥                 | 49.82            | 51.40             | 060    |
| 61333                       |     | ∢        | Explore orbit; remove lesion  | 27.95        | ₹               | Š               | 19.33                               | 21.48           | 2.55                                     | ¥                 | Ϋ́                | 49.83            | 51.98             | 060    |
| 61334                       |     | ∢        | Explore orbit; remove object  | 18.27        | ¥               | Š               | 12.02                               | 14.93           | 1.42                                     | ₹                 | ¥                 | 31.71            | 34.62             | 060    |
| 61340                       |     | ∢        | Relieve cranial pressure      | 18.66        | ¥               | <b>∀</b>        | 11.82                               | 15.00           | 1.99                                     | ¥                 | Ϋ́                | 32.47            | 35.65             | 060    |
| 61343                       |     | ∢        | Incise skull, pressure relief | 29.77        | ≨ :             | <b>∀</b>        | 19.06                               | 29.22           | 4.13                                     | ¥:                | ¥:                | 52.96            | 63.12             | 060    |
| 61345                       |     | ∢        | Relieve cranial pressure      | 27.20        | ₹               | ¥ :             | 17.13                               | 19.90           | 2.70                                     | ₹ :               | ₹<br>Z            | 47.03            | 49.80             | 060    |
| 61440                       |     | ∢        | Incise skull for surgery      | 26.63        | ¥               | <b>∀</b>        | 15.09                               | 20.66           | 2.35                                     | ₹                 | Ϋ́                | 44.07            | 49.64             | 060    |
| 61450                       |     | ∢        | Incise skull for surgery      | 25.95        | ¥               | ¥               | 16.19                               | 20.68           | 2.68                                     | ¥                 | Ϋ́                | 44.82            | 49.31             | 060    |
| 61458                       |     | ∢        | Incise skull for brain wound  | 27.29        | ¥               | <b>∀</b>        | 17.00                               | 26.46           | 3.81                                     | ¥                 | ¥                 | 48.10            | 57.56             | 060    |
| 61460                       |     | ∢        | Incise skull for surgery      | 28.39        | ¥               | ¥               | 18.40                               | 24.99           | 3.11                                     | ¥                 | ž                 | 49.90            | 56.49             | 060    |
| 61470                       |     | ∢        | Incise skull for surgery      | 26.06        | ¥               | ¥               | 15.21                               | 15.08           | 1.98                                     | ¥                 | ¥                 | 43.25            | 43.12             | 060    |
| 61480                       |     | ∢        | Incise skull for surgery      | 26.49        | ¥               | ¥               | 12.67                               | 15.43           | 1.39                                     | ₹                 | ¥                 | 40.55            | 43.31             | 060    |
| 61490                       |     | ∢        | Incise skull for surgery      | 25.66        | ¥               | ¥<br>Z          | 15.32                               | 13.37           | 1.69                                     | ¥                 | ¥                 | 42.67            | 40.72             | 060    |
| 61500                       |     | ∢        | Removal of skull lesion       | 17.92        | ¥               | ¥               | 11.84                               | 19.00           | 2.80                                     | ¥                 | Š                 | 32.56            | 39.72             | 060    |
| 61501                       |     | ∢        | Remove infected skull bone    | 14.84        | ¥               | ¥               | 10.15                               | 15.82           | 2.61                                     | ¥                 | ¥                 | 27.60            | 33.27             | 060    |
| 61510                       |     | ∢        | Removal of brain lesion       | 28.45        | ₹               | ¥               | 17.77                               | 26.46           | 3.83                                     | ₹                 | Š                 | 50.05            | 58.74             | 060    |
| 61512                       |     | ∢        | Remove brain lining lesion    | 35.09        | ¥               | Ϋ́              | 21.50                               | 28.99           | 4.13                                     | ₹                 | ¥                 | 60.72            | 68.21             | 060    |
|                             |     | 00.00000 |                               |              |                 |                 | CONTRACTOR OF SECURE OF SECURE ACT. | 4               | 2 14 00000000000000000000000000000000000 |                   |                   |                  | 100               |        |

Page 104 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                             |     |        |                              |                | Mon             | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|-----------------------------|-----|--------|------------------------------|----------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |     |        |                              |                | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| , l                         |     |        |                              | Physician      | practice        | practice        | practice        | practice        | Mol-             | Non-              | Mon-              | į                 | Transitioned      |        |
| CPI /<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | tacility<br>Total | tacility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 61514                       |     | ∢      | Removal of brain abscess     | 25.26          | ¥               | ¥               | 15.51           | 24.65           | 3.71             | ΑN                | Ą                 | 44.48             | 53.62             | 060    |
| 61516                       |     | ∢      | Removal of brain lesion      | 24.61          | ¥               | ¥               | 15.50           | 25.43           | 3.58             | ¥                 | ¥                 | 43.69             | 53.62             | 060    |
| 61518                       |     | ∢      | Removal of brain lesion      | 37.32          | ¥               | ¥               | 23.55           | 30.32           | 4.27             | ¥                 | ¥                 | 65.14             | 71.91             | 060    |
| 61519                       |     | ∢      | Remove brain lining lesion   | 41.39          | ¥               | ¥               | 25.69           | 31.83           | 4.51             | ¥                 | ¥                 | 71.59             | 77.73             | 060    |
| 61520                       |     | ∢      | Removal of brain lesion      | 54.84          | ¥               | Ϋ́              | 33.91           | 36.03           | 4.61             | ¥                 | ¥                 | 93.36             | 95.48             | 060    |
| 61521                       |     | ∢      | Removal of brain lesion      | 44.48          | ₹               | Ϋ́              | 27.36           | 33.68           | 4.58             | ¥                 | ¥                 | 76.42             | 82.74             | 060    |
| 61522                       |     | ∢      | Removal of brain abscess     | 29.45          | ¥               | Ϋ́              | 18.45           | 20.86           | 2.97             | ¥                 | ¥                 | 50.87             | 53.28             | 060    |
| 61524                       |     | ∢      | Removal of brain lesion      | 27.86          | ¥               | Ą               | 17.42           | 26.70           | 4.03             | ¥                 | ¥                 | 49.31             | 58.59             | 060    |
| 61526                       |     | ∢      | Removal of brain lesion      | 52.17          | ¥               | Ā               | 33.53           | 36.07           | 3.75             | ¥                 | ¥                 | 89.45             | 91.99             | 060    |
| 61530                       |     | ∢      | Removal of brain fesion      | 43.86          | ¥               | Ā               | 29.79           | 35.13           | 3.75             | ¥                 | ¥                 | 77.40             | 82.74             | 060    |
| 61531                       |     | ∢      | Implant brain electrodes     | 14.63          | ¥               | Ϋ́              | 9.79            | 14.64           | 1.37             | ¥                 | ¥                 | 25.79             | 30.64             | 060    |
| 61533                       |     | ∢      | Implant brain electrodes     | 19.71          | ¥               | Ϋ́              | 12.89           | 17.08           | 2.61             | ¥                 | ¥                 | 35.21             | 39.40             | 060    |
| 61534                       |     | ∢      | Removal of brain lesion      | 20.97          | ¥               | Ϋ́              | 13.36           | 8.53            | 1.57             | ¥                 | ¥                 | 35.90             | 31.07             | 060    |
| 61535                       |     | ∢      | Remove brain electrodes      | 11.63          | ¥               | ₹               | 8.35            | 8.32            | 0.98             | ¥                 | ¥                 | 20.96             | 20.93             | 060    |
| 61536                       |     | ∢      | Removal of brain lesion      | 35.52          | ¥               | Ϋ́              | 22.56           | 23.51           | 3.12             | ¥                 | ¥                 | 61.20             | 62.15             | 060    |
| 61538                       |     | ∢      | Removal of brain tissue      | 26.81          | ¥               | ¥               | 17.53           | 28.05           | 3.89             | ¥                 | ¥                 | 48.23             | 58.75             | 060    |
| 61539                       |     | ∢      | Removal of brain tissue      | 32.08          | ¥               | Ϋ́              | 19.96           | 23.68           | 3.18             | ¥                 | ¥                 | 55.22             | 58.94             | 060    |
| 61541                       |     | ∢      | Incision of brain tissue     | 28.85          | ¥               | Ϋ́              | 17.84           | 20.58           | 2.96             | ¥                 | ¥                 | 49.65             | 52.39             | 060    |
| 61542                       |     | ∢      | Removal of brain tissue      | 31.02          | ¥               | Ϋ́              | 17.79           | 20.66           | 3.05             | ¥                 | ¥                 | 51.86             | 54.73             | 060    |
| 61543                       |     | ∢      | Removal of brain tissue      | 29.22          | ₹               | ¥               | 18.12           | 18.56           | 1.95             | ¥                 | ¥                 | 49.29             | 49.73             | 060    |
| 61544                       |     | ∢      | Remove & treat brain lesion  | 25.50          | ¥               | ¥               | 13.55           | 26.22           | 1.65             | ¥                 | ₹                 | 40.70             | 53.37             | 060    |
| 61545                       |     | ∢      | Excision of brain tumor      | 43.80          | ¥               | Ϋ́              | 26.42           | 27.49           | 3.76             | ¥                 | ¥                 | 73.98             | 75.05             | 060    |
| 61546                       |     | ∢      | Removal of pituitary gland   | 31.30          | ¥               | ¥               | 19.80           | 26.93           | 3.74             | ¥                 | ≨                 | 54.84             | 61.97             | 060    |
| 61548                       |     | ∢      | Removal of pituitary gland   | 21.53          | ¥               | ¥               | 14.66           | 22.94           | 3.15             | ¥                 | ¥                 | 39.34             | 47.62             | 060    |
| 61550                       |     | ¥      | Release of skull seams       | 14.65          | ¥               | ¥<br>Z          | 7.24            | 11.43           | 0.87             | ¥                 | ¥                 | 22.76             | 26.95             | 060    |
| 61552                       |     | ∢      | Release of skull seams       | 19.56          | ¥               | Ϋ́              | 9.57            | 13.65           | 2.11             | ¥                 | ¥                 | 31.24             | 35.32             | 060    |
| 61556                       |     | ∢      | Incise skull/sutures         | 22.26          | ¥               | Ϋ́              | 12.74           | 15.82           | 2.38             | ¥                 | ¥                 | 37.38             | 40.46             | 060    |
| 61557                       |     | ∢      | Incise skull/sutures         | 22.38          | ¥               | Ϋ́              | 14.68           | 16.38           | 2.39             | ¥                 | ₹                 | 39.45             | 41.15             | 060    |
| 61558                       |     | ∢      | Excision of skull/sutures    | 25.58          | ¥               | ¥               | 15.20           | 18.24           | 2.71             | ¥                 | Ϋ́                | 43.49             | 46.53             | 060    |
| 61559                       |     | ∢      | Excision of skull/sutures    | 32.79          | ¥               | ¥               | 18.50           | 23.35           | 3.52             | ¥                 | ¥                 | 54.81             | 29.66             | 060    |
| 61563                       |     | ¥      | Excision of skull tumor      | 26.83          | ¥               | ¥               | 17.01           | 19.56           | 2.88             | ¥                 | ¥                 | 46.72             | 49.27             | 060    |
| 61564                       |     | ∢      | Excision of skull tumor      | 33.83          | ₹               | ¥               | 21.48           | 24.68           | 3.63             | ¥                 | <b>∀</b>          | 58.94             | 62.14             | 060    |
| 61570                       |     | ∢      | Remove brain foreign body    | 24.60          | ¥               | ₹               | 14.80           | 17.13           | 2.39             | ¥                 | ¥                 | 41.79             | 44.12             | 060    |
| 61571                       |     | ∢      | Incise skull for brain wound | 26.39          | ¥               | ¥               | 16.14           | 18.95           | 2.51             | ¥                 | ¥                 | 45.04             | 47.85             | 060    |
| 61575                       |     | ∢      | Skull base/brainstem surgery | 34.36          | ¥               | Ϋ́              | 23.10           | 32.63           | 3.95             | ¥                 | Ϋ́                | 61.41             | 70.94             | 060    |
| 61576                       |     | ∢      | Skull base/brainstem surgery | 52.43          | ₹               | Ϋ́              | 33.10           | 31.26           | 3.06             | ¥                 | ¥                 | 88.59             | 86.75             | 060    |
| 61580                       |     | ∢      | Craniofacial approach, skull | 30.35          | ¥               | Ϋ́              | 19.75           | 22.04           | 3.21             | ¥                 | Ϋ́                | 53.31             | 55.60             | 060    |
| 61581                       |     | ∢      | Craniofacial approach, skull | 34.60          | ¥               | ₹               | 11.52           | 22.28           | 3.65             | ¥                 | ¥                 | 49.77             | 60.53             | 060    |
| 61582                       |     | ∢      | Craniofacial approach, skull | 31.66          | ¥               | ¥               | 19.85           | 22.59           | 3.30             | ¥                 | ¥                 | 54.81             | 57.55             | 060    |
| 61583                       |     | ∢      | Craniofacial approach, skull | 36.21          | Ϋ́              | <b>∀</b>        | 22.91           | 25.84           | 3.78             | ¥                 | ¥                 | 62.90             | 65.83             | 060    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |  |   |  | Non-<br>facility | Transitioned            | Earility   | Transitioned Facility |                  |                   | 7                  |                   |                   |        |
|------------------------------|-----|--|---|--|------------------|-------------------------|--|-----------------------|------------------|-------------------|--------------------|-------------------|-------------------|--------|
| •                            |     |  |   | Physician  | practice         | non-laciniy<br>practice | practice   | practice              | Mal-             | Non-              | n ansmoned<br>Non- |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod | Status   | Description                               | work 3   | expense<br>RVUs  | expense                 | expense<br>RVUs  | expense<br>RVUs       | practice<br>RUVs | facility<br>Total | facility<br>Total  | Facility<br>Total | Facility<br>Total | Global |
| 61584                        |     | ⋖  | Orbitocranial approach/skull              | 34.65  | Ą                | ¥                       | 21.33  | 24.80                 | 3.66             | ¥                 | ¥                  | 59.64             | 63.11             | 060    |
| 61585                        |     | ∢  | Orbitocranial approach/skull              | 38.61  | ž                | Ą                       | 23.04  | 27.53                 | 4.09             | ¥                 | ¥                  | 65.74             | 70.23             | 060    |
| 61586                        |     | ∢  | Resect nasopharynx, skull                 | 25.10  | ¥                | Ą                       | 17.75  | 21.84                 | 1.82             | ¥                 | ¥                  | 44.67             | 48.76             | 060    |
| 61590                        |     | ∢  | Infratemporal approach/skull              | 41.78  | ¥                | Ϋ́                      | 27.88  | 30.66                 | 4.44             | ¥                 | ¥                  | 74.10             | 76.88             | 060    |
| 61591                        |     | ∢  | Infratemporal approach/skull              | 43.68  | ¥                | Ą                       | 27.07  | 31.61                 | 4.66             | ¥                 | Ā                  | 75.41             | 26.62             | 060    |
| 61592                        |     | ∢  | Orbitocranial approach/skull              | 39.64  | ¥                | Ϋ́                      | 24.95  | 28.77                 | 4.23             | ž                 | ¥                  | 68.82             | 72.64             | 060    |
| 61595                        |     | ∢  | Transtemporal approach/skull              | 29.57  | ¥                | Ϋ́                      | 21.09  | 21.91                 | 3.13             | Ϋ́                | ¥                  | 53.79             | 54.61             | 060    |
| 61596                        |     | ∢  | Transcochlear approach/skull              | 35.63  | ¥                | Ϋ́                      | 24.64  | 26.38                 | 3.80             | ¥                 | ¥                  | 64.07             | 65.81             | 060    |
| 61597                        |     | ∢  | Transcondylar approach/skull              | 37.96  | ¥                | Ϋ́                      | 19.09  | 26.15                 | 4.01             | ¥                 | ¥                  | 61.06             | 68.12             | 060    |
| 61598                        |     | ∢  | Transpetrosal approach/skull              | 33.41  | ¥                | Ą                       | 22.29  | 24.40                 | 3.54             | ¥                 | Ϋ́                 | 59.24             | 61.35             | 060    |
| 61600                        |     | ∢  | Resect/excise cranial lesion              | 25.85  | ¥                | Ϋ́                      | 17.12  | 18.72                 | 2.71             | ¥                 | ¥                  | 45.68             | 47.28             | 060    |
| 61601                        |     | ∢  | Resect/excise cranial lesion              | 27.89  | ¥                | Y<br>Y                  | 17.75  | 19.93                 | 2.91             | ¥                 | Ϋ́                 | 48.55             | 50.73             | 060    |
| 61605                        |     | ∢  | Resect/excise cranial lesion              | 29.33  | ¥                | Ą                       | 19.46  | 21.22                 | 3.07             | ¥                 | ¥                  | 51.86             | 53.62             | 060    |
| 61606                        |     | ∢  | Resect/excise cranial lesion              | 38.83  | ¥                | Ϋ́                      | 23.73  | 27.83                 | 4.11             | ¥                 | Ϋ́                 | 29.99             | 70.77             | 060    |
| 61607                        |     | ∢  | Resect/excise cranial lesion              | 36.27  | ¥                | A<br>A                  | 23.09  | 26.23                 | 3.84             | ¥                 | ΑĀ                 | 63.20             | 66.34             | 060    |
| 61608                        |     | ∢  | Resect/excise cranial lesion              | 42.10  | ¥                | Ϋ́                      | 25.46  | 30.16                 | 4.47             | ¥                 | Š                  | 72.03             | 76.73             | 060    |
| 61609                        |     | ∢  | Transect, artery, sinus                   | 68.6   | ¥                | Ϋ́                      | 5.55   | 7.24                  | 1.10             | ¥                 | ¥                  | 16.54             | 18.23             | 777    |
| 61610                        |     | ∢  | Transect, artery, sinus                   | 29.67  | ¥                | Ϋ́                      | 12.97  | 20.80                 | 3.29             | ¥                 | Ϋ́                 | 45.93             | 53.76             | ZZZ    |
| 61611                        |     | ∢  | Transect, artery, sinus                   | 7.42   | ¥                | Ϋ́                      | 3.47   | 5.26                  | 0.83             | ¥                 | ¥                  | 11.72             | 13.51             | 777    |
| 61612                        |     | ∢  | Transect, artery, sinus                   | 27.88  | ¥                | Ϋ́                      | 13.09  | 19.77                 | 3.10             | ¥                 | Ϋ́                 | 44.07             | 50.75             | 777    |
| 61613                        |     | ∢  | Remove aneurysm, sinus                    | 40.86  | ¥                | ¥                       | 24.94  | 29.57                 | 4.39             | ¥                 | Ϋ́                 | 70.19             | 74.82             | 060    |
| 61615                        |     | ∢  | Resect/excise lesion, skull               | 32.07  | ¥                | ¥                       | 22.03  | 23.47                 | 3.37             | ¥                 | ž                  | 57.47             | 58.91             | 060    |
| 61616                        |     | ∢  | Resect/excise lesion, skull               | 43.33  | ¥                | ¥                       | 27.31  | 31.27                 | 4.58             | ¥                 | ¥                  | 75.22             | 79.18             | 060    |
| 61618                        |     | ∢  | Repair dura                               | 16.99  | ¥                | ΑΝ                      | 11.89  | 12.21                 | 1.74             | ¥                 | ¥                  | 30.62             | 30.94             | 060    |
| 61619                        |     | ∢  | Repair dura                               | 20.71  | ¥                | Ϋ́                      | 13.91  | 15.03                 | 2.17             | ¥                 | ¥                  | 36.79             | 37.91             | 060    |
| 61624                        |     | ∢  | Occlusion/embolization cath               | 20.15  | ¥                | Ϋ́                      | 12.02  | 15.44                 | 1.40             | ¥                 | ¥                  | 33.57             | 36.99             | 000    |
| 61626                        |     | ∢  | Occlusion/embolization cath               | 16.62  | ¥                | Ϋ́                      | 9.21   | 12.56                 | 1.15             | ¥                 | ¥                  | 26.98             | 30.33             | 000    |
| 61680                        |     | ∢  | Intracranial vessel surgery               | 30.71  | ¥                | Ϋ́                      | 19.04  | 30.04                 | 4.53             | ž                 | ¥                  | 54.28             | 65.28             | 060    |
| 61682                        |     | ∢  | Intracranial vessel surgery               | 61.57  | ¥                | Ϋ́                      | 35.60  | 37.64                 | 4.98             | ¥                 | ₹                  | 102.15            | 104.19            | 060    |
| 61684                        |     | ∢  | Intracranial vessel surgery               | 39.81  | ¥                | Ϋ́                      | 24.60  | 30.38                 | 2.71             | ¥                 | ¥                  | 67.12             | 72.90             | 060    |
| 61686                        |     | ∢  | Intracranial vessel surgery               | 64.49  | ¥                | ¥                       | 37.57  | 38.68                 | 3.29             | ΑĀ                | ¥                  | 105.35            | 106.46            | 060    |
| 61690                        |     | ∢  | Intracranial vessel surgery               | 29.31  | ¥                | Ϋ́                      | 18.30  | 26.93                 | 3.20             | ¥                 | ¥                  | 50.81             | 59.44             | 060    |
| 61692                        |     | ∢  | Intracranial vessel surgery               | 51.87  | ¥                | Ϋ́                      | 28.56  | 30.57                 | 2.63             | ¥                 | ¥                  | 83.06             | 85.07             | 060    |
| 61700                        |     | ∢  | Inner skull vessel surgery                | 50.52  | ¥                | Ϋ́                      | 29.26  | 33.11                 | 4.44             | ¥                 | ¥                  | 84.22             | 88.07             | 060    |
| 61702                        |     | ∢  | Inner skull vessel surgery                | 48.41  | ¥                | Υ<br>Y                  | 28.28  | 36.63                 | 5.17             | ¥                 | ¥                  | 81.86             | 90.21             | 060    |
| 61703                        |     | ∢  | Clamp neck artery                         | 17.47  | ¥                | Ϋ́                      | 11.21  | 12.74                 | 1.75             | ¥                 | Ϋ́                 | 30.43             | 31.96             | 060    |
| 61705                        |     | ∢  | Revise circulation to head                | 36.20  | ¥                | Ϋ́                      | 20.37  | 29.84                 | 4.11             | ¥                 | ΑĀ                 | 89.09             | 70.15             | 060    |
| 61708                        |     | ∢  | Revise circulation to head                | 35.30  | ¥                | Ϋ́                      | 15.31  | 24.34                 | 1.82             | ¥                 | ¥                  | 52.43             | 61.46             | 060    |
| 61710                        |     | ∢  | Revise circulation to head                | 29.67  | ¥                | Ϋ́                      | 15.02  | 17.29                 | 1.37             | Ϋ́                | ž                  | 46.06             | 48.33             | 060    |
| 61711                        |     | ∢  | Fusion of skull arteries                  | 36.33  | ¥                | ₹<br>Z                  | 21.93  | 32.38                 | 4.85             | ¥                 | Ϋ́                 | 63.11             | 73.56             | 060    |
|                              |     | 40 to 1. 10 to 10 to 100 to 10 | 100 000 0 0 0 0 000 0 000 0 000 0 0 000 0 | THE TOTAL STORY OF THE PROPERTY OF THE PROPERT |                  |                         | CONTROL OF THE PARTY OF THE PAR |                       |                  |                   |                    |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                     |            | Š                            |              | Non.            | Transitioned    |                 | Irancitioned    |                  |                   |                   |                   |                   |        |
|---------------------|------------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                     |            |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| . 1.                |            |                              | Physician    | practice        | practice        | practice        | practice        | -Wal             | Non-              | Non-              | ,                 | Iransitioned      |        |
| CPT //<br>HCPCS 2 M | Mod Status | S                            | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 61712               | ٥          | Skull or spine microsurgery  | 0.00         | 0.00            | 00'0            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | 777    |
| 61720               | ⋖          | Incise skull/brain surgery   | 16.77        | ¥               | Ą               | 10.93           | 17.75           | 3.17             | ¥                 | Ϋ́                | 30.87             | 37.69             | 060    |
| 61735               | ⋖          | Incise skull/brain surgery   | 20.43        | Ą               | Ą               | 13.16           | 13.84           | 1.18             | ¥                 | Ϋ́                | 34.77             | 35.45             | 060    |
| 61750               | ∢          | Incise skull; brain biopsy   | 18.20        | ¥               | ¥               | 11.59           | 13.92           | 3.37             | ¥                 | ¥                 | 33.16             | 35.49             | 060    |
| 61751               | ∢          | Brain biopsy with cat scan   | 17.62        | ¥               | ¥               | 10.98           | 18.52           | 3.47             | Ϋ́                | ş                 | 32.07             | 39.61             | 060    |
| 61760               | ∢          | Implant brain electrodes     | 22.27        | ¥               | A<br>A          | 13.48           | 15.57           | 1.37             | ¥                 | ¥                 | 37.12             | 39.21             | 060    |
| 61770               | ∢          | Incise skull for treatment   | 21.44        | ¥               | ¥.              | 13.24           | 19.08           | 2.68             | ¥                 | Ϋ́                | 37.36             | 43.20             | 060    |
| 61790               | ∢          | Treat trigeminal nerve       | 10.86        | ¥               | Ā               | 5.81            | 11.18           | 2.37             | ¥                 | ¥                 | 19.04             | 24.41             | 060    |
| 61791               | ∢          | Treat trigeminal tract       | 14.61        | ¥               | A<br>A          | 9.61            | 10.35           | 2.47             | ¥                 | Å                 | 26.69             | 27.43             | 66     |
| 61793               | ∢          | Focus radiation beam         | 17.24        | ¥               | Ϋ́              | 11.70           | 18.36           | 1.53             | ¥                 | Ą                 | 30.47             | 37.13             | 060    |
| 61795               | ∢          | Brain surgery using computer | 4.04         | ¥               | Ϋ́              | 2.71            | 4.29            | 1.21             | ¥                 | Ϋ́                | 7.96              | 9.54              | 777    |
| 61850               | ∢          | Implant neuroelectrodes      | 12.39        | Ϋ́              | Y<br>Y          | 8.28            | 11.54           | 1.77             | ¥                 | Ϋ́                | 22.44             | 25.70             | 060    |
| 61855               | ∢          | Implant neuroelectrodes      | 13.39        | ¥               | Ϋ́              | 9.32            | 10.79           | 1.15             | ¥                 | Ϋ́                | 23.86             | 25.33             | 060    |
| 61860               | ∢          | Implant neuroelectrodes      | 20.87        | Ą<br>V          | A<br>A          | 12.89           | 9.85            | 1.24             | ¥                 | Ϋ́                | 35.00             | 31.96             | 060    |
| 61865               | ∢          | Implant neuroelectrodes      | 22.97        | ¥.              | Ϋ́              | 14.16           | 16.39           | 2.42             | ₹                 | ¥                 | 39.55             | 41.78             | 90     |
| 61870               | ∢          | Implant neuroelectrodes      | 14.94        | Ϋ́              | Š               | 9.37            | 5.76            | 0.64             | ¥                 | <b>∀</b>          | 24.95             | 21.34             | 060    |
| 61875               | ∢          | Implant neuroelectrodes      | 15.06        | Š               | ¥<br>¥          | 8.34            | 7.53            | 1.02             | ¥                 | Ϋ́                | 24.42             | 23.61             | 060    |
| 61880               | ∢          | Revise/remove neuroelectrode | 6.29         | Υ<br>Υ          | Š               | 5.14            | 5.19            | 0.52             | ¥                 | ∢<br>Z            | 11.95             | 12.00             | 8      |
| 61885               | ∢          | Implant neuroreceiver        | 5.85         | Š               | Š               | 4.74            | 2.78            | 0.23             | ¥                 | Ϋ́                | 10.82             | 8.86              | 060    |
| 61888               | ∢          | Revise/remove neuroreceiver  | 5.07         | Š               | Y<br>Y          | 3.83            | 2.79            | 0.34             | ¥                 | <b>∀</b>          | 9.24              | 8.20              | 010    |
| 62000               | ∢          | Repair of skull fracture     | 12.53        | X<br>A          | ž               | 5.81            | 6.12            | 0.74             | ¥                 | ۷                 | 19.08             | 19.39             | 060    |
| 62005               | ∢          | Repair of skull fracture     | 16.17        | ¥               | Y<br>Y          | 9.77            | 11.46           | 1.54             | ¥                 | ¥                 | 27.48             | 29.17             | 060    |
| 62010               | ∢          | Treatment of head injury     | 19.81        | ¥<br>Y          | ¥               | 12.53           | 18.76           | 2.65             | ¥                 | ۷<br>۷            | 34.99             | 41.22             | 060    |
| 62100               | ∢          | Repair brain fluid leakage   | 22.03        | ¥               | Y<br>Y          | 14.59           | 21.24           | 2.91             | ž                 | Ϋ́                | 39.53             | 46.18             | 060    |
| 62115               | ∢          | Reduction of skull defect    | 21.66        | Š<br>Š          | Š               | 13.47           | 15.99           | 1.42             | ¥                 | Ϋ́                | 36.55             | 39.07             | 060    |
| 62116               | ∢          | Reduction of skull defect    | 23.59        | ¥<br>¥          | Š               | 14.69           | 17.50           | 1.56             | ¥                 | Ϋ́                | 39.84             | 42.65             | 060    |
| 62117               | ⋖          | Reduction of skull defect    | 26.60        | ž               | <b>∀</b>        | 15.94           | 19.62           | 1.76             | ¥.                | ¥                 | 44.30             | 47.98             | 060    |
| 62120               | ⋖          | Repair skull cavity lesion   | 23.35        | Ϋ́              | ¥               | 15.51           | 17.63           | 1.55             | ¥                 | Ϋ́                | 40.41             | 42.53             | 060    |
| 62121               | ⋖          | Incise skull repair          | 21.58        | ¥               | Ϋ́              | 14.70           | 17.93           | 2.67             | ¥                 | Ϋ́                | 38.95             | 42.18             | 060    |
| 62140               | ⋖          | Repair of skull defect       | 13.51        | ξ               | ¥               | 9.26            | 13.25           | 1.87             | ₹                 | Ϋ́                | 24.64             | 28.63             | 060    |
| 62141               | ⋖          | Repair of skull defect       | 14.91        | ¥               | ¥               | 10.19           | 15.90           | 2.57             | ¥                 | Ϋ́                | 27.67             | 33.38             | 060    |
| 62142               | ⋖          | Remove skull plate/flap      | 10.79        | Š               | ¥<br>¥          | 7.51            | 11.54           | 2.07             | ₹                 | ۷<br>Z            | 20.37             | 24.40             | 060    |
| 62143               | ∢          | Replace skull plate/flap     | 13.05        | Š               | Ϋ́              | 8.85            | 89.68           | 1.29             | Ϋ́                | <b>∀</b>          | 23.19             | 24.02             | 060    |
| 62145               | ∢          | Repair of skull & brain      | 18.82        | Ϋ́              | ¥               | 12.57           | 13.85           | 1.79             | ¥                 | Ϋ́                | 33.18             | 34.46             | 060    |
| 62146               | ∢          | Repair of skull with graft   | 16.12        | ¥               | ¥               | 10.68           | 11.62           | 1.68             | Ϋ́                | ΑĀ                | 28.48             | 29.42             | 060    |
| 62147               | ∢          | Repair of skull with graft   | 19.34        | Ϋ́              | ¥               | 12.77           | 13.91           | 2.01             | Ϋ́                | ۷<br>۷            | 34.12             | 35.26             | 060    |
| 62180               | ⋖          | Establish brain cavity shunt | 21.06        | Ϋ́              | Ā               | 13.61           | 14.97           | 2.11             | Ϋ́                | ۷<br>Ž            | 36.78             | 38.14             | 060    |
| 62190               | ∢          | Establish brain cavity shunt | 11.07        | Š               | ¥               | 8.13            | 11.95           | 2.51             | ¥                 | Ϋ́                | 21.71             | 25.53             | 060    |
| 62192               | ∢          | Establish brain cavity shunt | 12.25        | Ϋ́              | ¥               | 8.53            | 13.11           | 2.14             | ΑĀ                | Ą                 | 22.92             | 27.50             | 060    |
| 62194               | ∢          | Replace/irrigate catheter    | 5.03         | Ϋ́              | ¥               | 2.53            | 2.16            | 0.23             | ¥                 | Ϋ́                | 7.79              | 7.42              | 010    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| practice         practice         Mult         Non- Non- Non- Non- Non- Superses         Rytis         practice practice         And Nully Indility         Futility         Futility </th <th></th> <th></th> <th></th> <th></th> <th>Non-<br/>facility</th> <th>Transitioned<br/>Non-facility</th> <th>Facility</th> <th>Transitioned<br/>Facility</th> <th></th> <th></th> <th>Transitioned</th> <th></th> <th></th> <th></th>  |    |   |  |                   | Non-<br>facility    | Transitioned<br>Non-facility | Facility            | Transitioned<br>Facility |                  |                  | Transitioned     |          |                          |        |
|--|----|---|--|-------------------|---------------------|------------------------------|---------------------|--------------------------|------------------|------------------|------------------|----------|--------------------------|--------|
| A. Establish brain cavity shurt         RINS.         FINS.         RINS.  |    |   |  | Physician<br>work | practice<br>expense | practice<br>expense          | practice<br>expense | practice<br>expense      | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| A Establish brain cavity shurt 1835 NA NA 1221 1855 242 NA NA 2256 3759 5759 5759 5759 5759 5759 5759 5759   | ı  |   |  | RVUs .            | RVUs                | RVUs                         | KVÜS                | RV0s                     | KUYS             | Total            | Total            | Total    | Total                    | Global |
| A Establish brain cavity shurt 15.86 NA NA 10.05 13.76 13.76 NA NA 22.95 25.87 NA Establish brain cavity shurt 15.07 NA NA 10.05 13.76 2.4 NA NA 22.95 29.22 NA NA NA 22.95 13.76 14.2 NA NA 22.95 13.76 14.2 NA NA 22.95 14.0 NA 22.0 NA NA 22.95 14.0 NA NA 14.95 14.0 NA NA 19.0 NA NA 19.  |    | • | A Establish brain cavity shunt                     | 18.32             | ¥                   | Ϋ́                           | 12.21               | 16.85                    | 2.42             | ¥                | Z<br>V           | 32.95    | 37.59                    | 060    |
| A Establish brain cavity shunt 1287 NA NA 855 1359 2.34 NA NA 2386 2.82 A Replace/irrigate caritheter 154 NA NA 612 9.62 1369 2.35 NA NA 2386 2.82 A Replace/irrigate caritheter 1654 NA NA 612 9.62 NA NA 1899 2.172 NA Replace/irrigate caritheter 1654 NA NA 619 9.35 140 NA NA 2386 2.172 NA Replace/irrigate caritheter 1654 NA NA 236 9.35 NA NA 1899 2.172 NA Replace/irrigate caritheter 2 1054 NA NA 236 9.35 NA NA 1899 2.172 NA Needle brain cavity shunt 1656 NA NA 236 9.35 NA NA 1899 1.172 NA Needle brain cavity shunt 1656 NA NA 236 9.35 NA NA 1899 1.172 NA Needle brain cavity shunt 1656 NA NA 236 9.35 NA NA 1899 1.174 1.175 NA Needle brain cavity shunt 1656 NA NA 236 9.35 NA NA NA 236 9.35 NA NA NA 1899 1.174 1.175 NA NA 1899 1.175 NA NA 1899 1.174 1.175 NA NA 1899 1.174 1.174 1.175 NA NA 1899 1.175 NA NA 1899 1.174 1.174 1.175 NA NA 1899 1.175 NA NA 1890 1.175 NA NA NA 1890 1.175 NA NA NA 1890 1.175 NA NA NA NA 1890 1.175 NA N |    | • |  | 14.86             | ¥                   | Ϋ́                           | 10.05               | 99.6                     | 1.35             | ¥                | Š                | 26.26    | 25.87                    | 060    |
| A Regiscering-the carbierrary shurt (1287 NA NA 815 13189 2.35 NA NA 2288 10.89 2.47 NA Regiscering-the carbierrary shurt (1654 NA NA 712 494 0.45 NA NA 918 10.89 2.172 A Regiscering-the carbierrary shurt (1654 NA NA 712 494 0.45 NA NA 1271 1.09 NA NA 1271 1.01 NA NA 1272 1.01 NA NA 1272 1.01 NA NA 1272 1.01 NA NA 1271 1.01 NA NA 1272 1.01 NA NA 100 NA NA NA 100 NA NA NA 100 NA NA NA 100 NA  |    | • |  | 13.00             | ¥                   | Ϋ́                           | 8.55                | 13.78                    | 2.44             | ¥                | ¥                | 23.99    | 29.22                    | 060    |
| A Replacefurgate cathreter 54 NA NA 412 494 0.45 NA NA 998 10.00 NA Replacefurgate cathreter 55.4 NA NA 412 494 0.45 NA NA 18.99 11.00 NA Replacefurgate cathreter 56.4 NA NA 519 649 0.82 NA NA 18.99 11.00 NA Replace bain cavity shunt 66.6 NA NA 519 649 0.82 NA NA 78.2 11.27 14.01 NA Replace bain cavity shunt 66.6 NA NA 2.80 31.2 NA NA 78.2 11.27 14.01 NA NA 18.00 NA NA NA 18.00 NA NA NA 18.00 NA   |    | ` |  | 12.87             | ¥                   | Ϋ́                           | 8.63                | 13.69                    | 2.36             | ž                | ¥                | 23.86    | 28.92                    | 060    |
| A Registerer behalf shurt         10.54         NA         NA         519         6.49         NA         NA         17.0         3.75         1.0         NA         NA         17.0         17.0         17.0         NA         NA         17.0         17.0         NA         NA         17.0         NA         17.0         17.0         NA         17.0         17.0         NA         17.0         17.0         NA         17.0 <td></td> <td>`</td> <td></td> <td>5.41</td> <td>¥</td> <td>Ϋ́</td> <td>4.12</td> <td>4.94</td> <td>0.45</td> <td>¥</td> <td>¥</td> <td>9.98</td> <td>10.80</td> <td>060</td>   |    | ` |  | 5.41              | ¥                   | Ϋ́                           | 4.12                | 4.94                     | 0.45             | ¥                | ¥                | 9.98     | 10.80                    | 060    |
| A Reginedo brain cavity shurt 660 NA NA 519 649 092 NA NA 2569 30.00  A Portion spiral cond cycle  A Reginedo brain cavity shurt 660 NA NA 280 1437 199 NA NA 2569 30.00  A Reginedo brain cavity shurt 160 NA NA 280 312 028 NA NA 256 31.00  A Reginedo brain cavity shurt 1474 NA NA 280 312 028 NA NA 256 31.00  A Reginedo brain cavity shurt 1474 NA NA 280 312 020 125 NA NA 722 100  A Reginedo brain cavity shurt 1474 NA NA 280 086 005 185 193 157 186  A Inject spiral anesthetic 173 273 123 089 114 020 325 324 2.04  A Inject spiral anesthetic 217 226 126 128 133 013 013 464 319 324 2.05  A Inject spiral anesthetic 217 226 126 128 133 013 013 464 319 324 2.05  A Inject spiral anesthetic 217 226 269 114 122 018 018 487 388 3.78 3.05  A Inject spiral anesthetic 215 174 122 138 114 020 367 291 300 2.05  A Inject spiral anesthetic 215 174 128 138 146 107 020 367 291 300 2.05  A Inject spiral anesthetic 215 174 128 138 146 107 020 367 291 300 2.05  A Inject spiral anesthetic 215 174 128 138 148 168 138 3.76 3.06 3.06  A Inject spiral anesthetic 215 174 128 138 148 168 138 3.76 3.06 3.07  A Inject spiral anesthetic 215 174 128 138 148 168 138 3.78 3.06 3.07  A Inject spiral anesthetic 215 174 128 138 148 168 108 011 6.02 3.07 3.07 3.00  A Inject spiral anesthetic 215 174 128 138 148 168 108 3.07 3.07 3.00  A Inject spiral anesthetic 32 3 4.09 2.40 114 122 0.08 0.01 6.00 3.07 3.00  A Inject spiral anesthetic 300 3.79 2.40 114 128 1.07 0.02 3.07 3.00  A Inject spiral anesthetic 300 3.79 2.40 114 1.07 0.02 3.07 3.00  A Inject spiral anesthetic 300 3.79 2.40 114 1.07 0.02 3.07 3.00  A Inject spiral anesthetic 300 3.79 2.40 114 1.07 0.02 3.07 3.00  A Inject spiral anesthetic 300 3.79 2.40 114 1.07 0.02 3.07 3.00  A Inject spiral anesthetic 400 3.77 3.00 3.00  A Inject spiral anesthetic 500 3.00 3.70 3.00 3.00  A Inject spiral anesthetic 500 3.00 3.00 0.00 0.00  A Inject spiral anesthetic 500 3.00 3.00 0.00 0.00 0.00  A Analyze spiral fullison device 5.42 NA NA 3.11 2.00 0.00 0.00 0.00 0.00 0.00  A Analyze spiral fullison pump 0. |    | ` |  | 10.54             | ¥                   | Ą                            | 7.03                | 9.76                     | 1.42             | ¥                | Ϋ́               | 18.99    | 21.72                    | 060    |
| A         Repictor brain cardy shurt         14 54         NA         9.35         1437         1.99         NA         7 85 89         3.09           A         Despited brain cardy shurt         14.54         NA         NA         2.80         3.12         1.89         NA         7.82         8.14           A         Needle bloopsy spiral cord cyst         5.02         NA         NA         2.80         1.85         1.81         1.87         1.86         1.89         1.87         1.88         3.09         8.14         NA         7.82         2.47         2.81         1.89         1.87         1.88         3.09         2.41         2.80         1.85         1.89         1.87         1.89         1.87         1.89         1.87         1.89 <t< td=""><td></td><td>•</td><td></td><td>09.9</td><td>¥</td><td>Ϋ́</td><td>5.19</td><td>6.49</td><td>0.92</td><td>Ϋ́</td><td>Š</td><td>12.71</td><td>14.01</td><td>060</td></t<>   |    | • |  | 09.9              | ¥                   | Ϋ́                           | 5.19                | 6.49                     | 0.92             | Ϋ́               | Š                | 12.71    | 14.01                    | 060    |
| A Deals spinal cond cyst         474         NA         280         312         0.38         NA         782         8.14           A Spinal fluid spinal cond cyst         113         0.67         0.78         0.89         0.97         0.08         1.87         1.93         1.87         1.89         1.87         1.89         1.87         1.89         1.81         1.89         1.87         1.89 <td></td> <td>`</td> <td></td> <td>14.54</td> <td>¥</td> <td>Ϋ́</td> <td>9.35</td> <td>14.37</td> <td>1.99</td> <td>Ϋ́</td> <td>Ϋ́</td> <td>25.88</td> <td>30.90</td> <td>060</td>   |    | ` |  | 14.54             | ¥                   | Ϋ́                           | 9.35                | 14.37                    | 1.99             | Ϋ́               | Ϋ́               | 25.88    | 30.90                    | 060    |
| A Needle blogys spinal cord         502         NA         7.28         2.00         0.22         NA         7.52         7.24           A Spinal fluid tap, diagnosatic         1.13         0.67         0.75         0  |    | ` |  | 4.74              | ¥                   | Š                            | 2.80                | 3.12                     | 0.28             | ¥                | Ϋ́               | 7.82     | 8.14                     | 00     |
| A Spiral fluid sp, diagnostic         113         0.67         0.75         0.39         0.68         1.65         1.57         1.85           A Drain spiral fluid         A Treat lumbar spine lacid         1.35         0.81         1.03         0.65         0.65         1.65         2.25         2.47         2.07         2.84           A Treat lumbar spinel acid mesthetic         1.78         2.73         1.28         1.33         0.93         0.13         4.64         3.19         3.24         3.49           A Inject spinal anesthetic         1.78         2.73         1.28         1.33         0.93         0.13         4.64         3.19         3.24         3.49           A Inject spinal anesthetic         1.56         1.66         1.56         1.33         0.93         0.11         4.67         3.89         3.75         3.69         3.75         3.69         3.75         3.69         3.75         3.69         3.75         3.69         3.75         3.69         3.75         3.69         3.75         3.69         3.75         3.69         3.75         3.69         3.75         3.69         3.75         3.69         3.75         3.69         3.75         3.75         3.75         3.75         3.75<  |    | ` |  | 5.02              | ¥                   | Ą                            | 2.28                | 2.00                     | 0.22             | Ϋ́               | Ϋ́               | 7.52     | 7.24                     | 000    |
| A Treat tumbar spinel fluid  A Inject spinal anesthetic  A |    | ` |  | 1.13              | 0.67                | 0.75                         | 0.39                | 0.68                     | 0.05             | 1.85             | 1.93             | 1.57     | 1.86                     | 000    |
| A Treat tumbar spine besion         215         124         123         0.89         114         0.20         3.59         3.58         3.54         3.49           A Inject spinal anesthetic         1.78         2.47         1.29         1.33         0.89         0.13         4.56         3.09         3.24         3.49         3.24         3.49           A Inject spinal anesthetic         1.79         2.47         1.69         1.39         0.18         0.13         3.69         3.79         3.78         3.78         3.75           A Inject spinal anesthetic         2.04         2.65         1.66         1.56         1.09         0.11         6.53         3.79         3.78         3.75         2.75           A Inject spinal anesthetic         2.65         2.69         1.64         0.20         3.46         2.94         3.07         2.75         3.67         2.94         3.07         3.75           A Inject spinal anesthetic         2.55         3.62         1.48         1.62         0.09         0.11         6.20         3.67         2.94         3.77         3.75         3.75         3.67         2.94         3.77         3.75         3.75         3.75         3.75         3.75   |    | ` |  | 1.35              | 0.81                | 1.03                         | 0.56                | 0.97                     | 0.09             | 2.25             | 2.47             | 2.00     | 2.41                     | 000    |
| A inject spinal anesthetic         1.78         2.73         1.28         1.33         0.93         0.13         4.64         3.19         3.24         2.84           A inject spinal anesthetic         1.79         2.62         1.69         1.33         0.81         0.15         4.96         3.09         3.19         3.24         2.84           A inject spinal anesthetic         2.04         2.65         1.69         1.33         1.02         0.18         4.87         3.88         3.78         3.66         3.35           A inject spinal anesthetic         1.51         1.74         1.23         1.02         0.18         4.87         3.06         3.75         3.66         3.35           A inject spinal anesthetic         1.56         1.79         0.12         1.07         0.12         3.67         2.94         3.07         2.75           A Treat spinal cord lesion         2.66         2.99         1.14         0.20         3.67         2.91         3.07         3.75         3.64         4.40         3.07         3.75         4.25         4.29         3.07         3.75         3.64         4.40         3.75         3.64         3.75         3.64         3.75         3.64         4.40  |    | ` | •  | 2.15              | 1.24                | 1.23                         | 0.89                | 1.14                     | 0.20             | 3.59             | 3.58             | 3.24     | 3.49                     | 00     |
| A hiject spinal anesthetic 1.79 2.42 1.09 1.33 0.81 0.15 4.36 3.03 3.72 2.75 A hiject spinal anesthetic 2.15 1.24 1.25 1.36 1.39 0.18 4.37 3.86 3.78 3.61 3.81 1.24 1.23 1.32 0.36 1.34 4.87 3.88 3.78 3.51 3.51 1.24 1.23 1.32 0.36 0.19 3.67 2.94 3.07 2.85 1.39 1.30 0.18 5.33 3.78 3.78 3.35 1.30 0.18 5.33 3.78 3.78 3.35 1.30 0.18 5.33 3.78 3.78 3.35 1.30 0.19 0.19 0.19 0.19 0.19 0.19 0.19 0.1   |    | • |  | 1.78              | 2.73                | 1.28                         | 1.33                | 0.93                     | 0.13             | 4.64             | 3.19             | 3.24     | 2.84                     | 000    |
| A Inject spinal anesthetic         2.04         2.65         1.66         1.56         1.39         0.18         4.87         3.88         3.78         3.61           A Inject spinal anesthetic         2.15         1.74         1.23         1.38         0.18         5.33         3.76         3.66         3.35           A Inject spinal anesthetic         1.51         1.74         1.23         1.36         1.14         0.20         3.45         2.94         3.07         2.85           A Inject spinal anesthetic         1.58         1.90         1.14         1.23         0.98         0.19         3.67         2.91         3.00         2.75           A Injection for mylegization         2.66         2.69         1.24         1.75         0.21         6.73         6.04         4.16         4.00           A Injection for mylegization         1.74         2.87         2.40         1.55         1.75         0.27         5.23         4.28         4.33         3.95           A Injection for mylegization         1.74         2.87         1.47         1.75         1.75         1.70         0.23         4.28         4.33         3.95           A Injection into spinal care and sike chard         1.74         <  |    | • |  | 1.79              | 2.42                | 1.09                         | 1.33                | 0.81                     | 0.15             | 4.36             | 3.03             | 3.27     | 2.75                     | 000    |
| A inject spinal anesthetic         215         3.00         1.43         1.33         1.02         0.18         5.33         3.76         3.66         3.35           A inject spinal anesthetic         1.51         1.74         1.23         1.36         0.19         5.37         3.76         3.66         3.35           A inject spinal anesthetic         1.51         1.74         1.23         0.36         0.11         6.36         4.29         3.07         2.88           A Treat spinal cord lesion         2.63         3.62         1.48         1.65         0.99         0.11         6.36         4.26         4.39         3.73           A Treat spinal cord lesion         2.63         3.62         1.48         1.65         0.99         0.11         6.36         4.26         4.39         3.73           A Treat spinal cord lesion         2.63         2.47         0.72         1.65         0.27         4.26         4.30         3.73         3.73         3.74         4.83         6.87         0.27         4.28         4.39         3.73         3.82         4.41         4.70         4.72         4.74         4.80         3.75         4.28         4.22         4.30         3.75         4.80   |    | ` |  | 2.04              | 2.65                | 1.66                         | 1.56                | 1.39                     | 0.18             | 4.87             | 3.88             | 3.78     | 3.61                     | 000    |
| A Inject spinal anesthetic         1.51         1.74         1.23         1.36         1.14         0.20         3.45         2.94         3.07         2.85           A Inject spinal anesthetic         1.58         1.29         1.14         1.23         0.99         0.11         3.67         2.91         3.00         2.75           A Treat spinal cord lesion         2.66         2.69         1.38         1.45         1.07         0.22         5.57         4.26         4.39         3.73           A Treat spinal cord lesion         2.66         2.69         1.38         1.45         1.07         0.22         5.57         4.26         4.39         3.73           A Treat spinal cord lesion         2.66         2.69         1.36         1.45         1.07         0.22         5.57         4.26         4.39         3.73         3.96           A Treat spinal cord lesion         1.54         3.24         1.47         1.28         1.77         0.72         5.53         4.28         4.39         3.73         3.96           A Injection for spinal canal         1.74         2.87         1.63         1.74         1.28         0.19         3.76         4.89         3.76         3.76         3.76  |    | • | A Inject spinal anesthetic                         | 2.15              | 3.00                | 1.43                         | 1.33                | 1.02                     | 0.18             | 5.33             | 3.76             | 3.66     | 3.35                     | 8      |
| A inject spinal anesthetic         1.58         1.90         1.14         1.23         0.98         0.19         3.67         2.91         3.00         2.75           A Treat spinal cord lesion         2.63         3.62         1.48         1.65         0.99         0.11         6.36         4.26         4.33         3.95           A Treat spinal cord lesion         2.63         3.62         1.48         1.65         0.99         0.11         6.36         4.26         4.33         3.95           A Treat spinal cord lesion         2.63         4.09         2.40         1.55         0.27         5.23         4.26         4.40           A Injection for myelogram         1.54         3.42         2.47         1.63         1.76         0.31         6.73         6.04         4.16         4.40           A Injection into spinal canal  |    | • | _  | 1.51              | 1.74                | 1.23                         | 1.36                | 1.14                     | 0.20             | 3.45             | 2.94             | 3.07     | 2.85                     | 00     |
| A Treat spinal cord lesion         2.63         3.62         1.48         1.65         0.99         0.11         6.36         4.29         4.39         3.73           A Treat spinal cord lesion         2.66         2.69         1.38         1.45         1.07         0.22         5.57         4.26         4.39         3.73           A Injection for myelogram         1.54         3.42         2.47         0.72         1.55         0.27         5.23         4.28         2.53         3.36           A Injection for myelogram         1.54         3.42         2.47         0.72         1.55         0.27         5.23         4.28         2.53         3.36           A Injection for myelogram canal         1.74         2.87         1.68         1.47         1.87         0.07         0.27         5.23         4.28         3.36           A Injection into spinal canal         1.64         2.87         1.42         1.87         0.19         6.98         5.65         4.61         5.06         4.41         5.06         4.41         5.06         4.40         3.75         3.36         4.89         6.87         2.07         NA         NA         1.70         1.70         1.70         1.70         1.70  |    | • | <ul> <li>A Inject spinal anesthetic</li> </ul>     | 1.58              | 1.90                | 1.14                         | 1.23                | 0.98                     | 0.19             | 3.67             | 2.91             | 3.00     | 2.75                     | 00     |
| A         Treat spinal cord lesion         2.66         2.69         1.38         1.45         1.07         0.22         5.57         4.26         4.33         3.95           A         Treat spinal canal lesion         2.34         4.09         2.40         1.55         1.75         0.31         6.73         4.26         4.33         3.95           A         Injection into spinal canal         1.54         3.40         2.40         1.55         0.75         0.77         5.23         4.28         2.53         3.96           A         Injection into spinal canal         1.74         2.87         1.63         1.47         1.28         0.19         4.80         3.56         3.40         3.21           A         Inject for spinal canal         1.64         2.87         1.67         1.87         0.19         4.80         3.56         3.40         3.21           A         Inject for spinal canal         1.64         2.82         2.40         1.19         1.75         0.31         7.04         5.62         4.41         4.97           A         Inject for spinal carder         2.91         3.82         2.40         1.19         1.75         0.31         7.04         5.62         4.4   |    | • | <ul> <li>A Treat spinal cord lesion</li> </ul>     | 2.63              | 3.62                | 1.48                         | 1.65                | 66.0                     | 0.11             | 6.36             | 4.22             | 4.39     | 3.73                     | 010    |
| A Treat spinal canal lesion         2.33         4.09         2.40         1.52         1.76         0.31         6.73         5.04         4.16         4.40           A Injection for myelogram         1.54         3.42         2.47         0.72         1.55         0.27         5.23         4.28         2.47         0.72         3.70         NA         4.98         1.70         3.21         3.70         3.40         3.71         3.70         3.40         3.71         3.70         3.40         3.71         3.70  |    | • | A Treat spinal cord lesion                         | 5.66              | 5.69                | 1.38                         | 1.45                | 1.07                     | 0.22             | 5.57             | 4.26             | 4.33     | 3.95                     | 010    |
| A Injection for myelogram         1.54         3.42         2.47         0.72         1.55         4.28         4.28         1.55         3.50           A Percutaneous diskectomy         8.08         NA         NA         1.47         1.28         0.19         4.80         3.56         3.40         1.70           A Injection into spinal canal         1.74         2.87         1.68         1.29         1.99         0.20         3.56         3.40         3.56         3.40         3.70         3.79         2.46         1.42         1.87         0.19         6.98         5.65         4.61         5.06         3.70         3.06         3.79         2.46         1.42         1.87         0.19         6.98         5.65         4.61         5.06         3.6         3.46         3.06         3.77         3.69         3.66         3.60         3.77         3.69         3.66         3.60         3.76         3.66         4.41         4.97         3.06         3.77         3.69         3.66         4.41         4.97         3.66         3.46         3.66         3.46         3.66         3.46         3.66         3.67         3.61         3.60         3.62         4.41         4.97         3.62  |    | • |  | 2.33              | 4.09                | 2.40                         | 1.52                | 1.76                     | 0.31             | 6.73             | 5.04             | 4.16     | 4.40                     | 010    |
| A Percutaneous diskectomy         8.08         NA         4.83         6.87         2.07         NA         14.98         17.02           A Injection into spinal canal         1.74         2.87         1.63         1.47         1.28         0.19         4.80         3.56         3.40         3.21           A Injection into spinal canal         1.64         2.82         1.63         1.47         1.83         4.69         3.46         3.46         3.0         3.79         3.68         3.65         4.61         5.06         3.40         3.21         3.66         3.40         3.21         3.66         3.40         3.21         3.68         3.66         3.46         3.66         3.46         3.66         3.46         3.66         3.47         3.68         3.66         3.46         3.66         3.60         3.66         3.46         3.66         3.46         3.66         3.66         3.46         3.66         3.66         3.46         3.66         3.66         3.46         3.66         3.67         3.68         3.66         3.61         3.66         3.61         3.66         3.61         3.66         3.61         3.66         3.61         3.66         3.61         3.66         3.61         3.6   |    | • |  | 1.54              | 3.42                | 2.47                         | 0.72                | 1.55                     | 0.27             | 5.23             | 4.28             | 2.53     | 3.36                     | 200    |
| A Injection into spinal canal         1.74         2.87         1.63         1.47         1.28         0.19         4.80         3.56         3.40         3.21           A Injection into spinal canal         1.64         2.82         1.58         1.29         1.19         0.23         4.69         3.45         3.40         3.21           A Inject for spinal canal cisk x-ray         2.91         3.82         2.40         1.42         1.87         0.19         6.98         5.65         4.61         5.06           A Inject or spinal cisk x-ray         2.91         3.82         2.40         1.19         1.75         0.31         7.04         5.62         4.41         4.97           A Injection into spinal cisk x-ray         2.91         1.47         1.33         1.18         0.10         4.80         3.77         3.63         3.48           A Injection into spinal catheter         6.87         NA         NA         6.90         6.30         0.53         NA         NA         1.48         1.75         NA         1.48         1.75         1.48         1.75         1.48         1.75         1.48         1.75         1.48         1.71         NA         1.48         1.71         NA         1.71  |    | • | A Percutaneous diskectomy                          | 8.08              | ₹                   | ¥<br>Z                       | 4.83                | 6.87                     | 2.07             | ¥                | ¥ į              | 14.98    | 17.02                    | 060    |
| A Injection into spinal canal         1.64         2.82         1.58         1.29         1.19         0.23         4.69         3.45         3.16         3.06           A Injection into spinal canal artey         2.91         3.79         2.46         1.42         1.87         0.19         6.98         5.65         4.61         5.06           A Injection into spinal artey         7.86         NA         NA         4.69         6.30         0.53         NA         NA         1.75         1.67         NA         NA         1.75         1.67         NA         NA         1.75         1.67         NA         NA         1.75         0.31         7.04         5.62         4.41         4.97         1.75         0.31         7.04         5.65         4.41         4.97         1.75         NA         NA         1.70         NA         NA         1.70         NA         NA         1.70         NA   |    | • | <ul> <li>A Injection into spinal canal</li> </ul>  | 1.74              | 2.87                | 1.63                         | 1.47                | 1.28                     | 0.19             | 4.80             | 3.56             | 3.40     | 3.21                     | 000    |
| A Inject for spine disk x-ray         3.00         3.79         2.46         1.42         1.87         0.19         6.98         5.65         4.61         5.06           A Inject for spine disk x-ray         2.91         3.82         2.40         1.19         1.75         0.31         7.04         5.62         4.41         4.97           A Injection into disk lession         7.86         NA         NA         4.69         8.22         1.67         NA         NA         14.75         17.75           A Injection into disk lession         11.83         NA         NA         6.90         6.30         0.53         NA         NA         18.55         18.66           A Injection into spinal arthery         11.83         NA         NA         6.90         6.30         0.53         NA         NA         18.55         18.66           A Inplant spinal catheter         6.87         NA         NA         6.90         5.93         1.17         NA         NA         11.41           A Implant spinal catheter         5.45         NA         NA         2.33         3.43         0.65         NA         NA         17.11           A Implant spinal catheter         5.45         NA         NA   |    |   | A Injection into spinal canal                      | 1.64              | 2.82                | 1.58                         | 1.29                | 1.19                     | 0.23             | 4.69             | 3.45             | 3.16     | 3.06                     | 000    |
| A Inject for spine disk x-ray         2.91         3.82         2.40         1.19         1.75         0.31         7.04         5.62         4.41         4.97           A Injection into disk lesion         7.86         NA         NA         4.69         8.22         1.67         NA         NA         14.22         17.75           A Injection into spinal artery         11.83         NA         NA         6.39         0.53         NA         NA         14.22         17.75           A Injection into spinal artery         11.83         NA         NA         6.39         0.53         NA         NA         18.55         18.66           A Injection into spinal carteter         6.87         NA         NA         1.47         1.33         1.18         0.10         4.80         3.77         3.63         3.48           A Implant spinal carteter         6.87         NA         NA         2.33         3.43         0.55         NA         NA         4.17         1.41         4.41         4.17         4.41         4.17         4.41         4.17         4.41         4.17         4.41         4.41         4.41         4.41         4.41         4.41         4.41         4.41         4.41         4.   |    | • | A Inject for spine disk x-ray                      | 3.00              | 3.79                | 2.46                         | 1.42                | 1.87                     | 0.19             | 6.98             | 5.65             | 4.61     | 5.06                     | 000    |
| A Injection into disk lesion         7.86         NA         NA         4.69         8.22         1.67         NA         NA         14.29         17.75           A Injection into spinal artery         11.83         NA         NA         6.19         6.30         0.53         NA         NA         18.56         18.66           A Injection into spinal artery         11.83         NA         NA         6.19         6.30         0.53         NA         NA         18.55         18.66           A Injection into spinal cartheter         6.87         NA         NA         3.58         3.74         0.80         NA         NA         11.41           A Implant spinal cartheter         5.45         NA         NA         6.90         5.93         1.17         NA         NA         17.10           A Implant spinal cartheter         5.45         NA         NA         2.27         1.48         0.26         NA         NA         8.31         9.41           A Implant spine infusion pump         5.42         NA         NA         3.11         2.96         0.61         NA         NA         8.99           A Remove spine infusion pump         7.04         NA         NA         3.03         3.59  |    | • | _  | 2.91              | 3.82                | 2.40                         | 1.19                | 1.75                     | 0.31             | 7.04             | 5.62             | 4.41     | 4.97                     | 00     |
| A Injection into spinal artery         11.83         NA         NA         6.19         6.30         0.53         NA         NA         18.56         18.66           A Injection into spinal carble ter point of spinal catheter         2.20         2.50         1.47         1.33         1.18         0.10         4.80         3.77         3.63         3.48           A Implant spinal catheter         6.87         NA         NA         8.36         5.34         0.80         NA         NA         11.41           A Implant spinal catheter         5.45         NA         NA         6.90         5.93         1.17         NA         NA         17.10           A Implant spinal catheter         2.62         NA         NA         2.33         3.43         0.53         NA         NA         18.07         17.10           A Implant spinal catheter         2.62         NA         NA         2.27         1.48         0.26         NA         NA         8.31         9.41           A Implant spine infusion pump         7.04         NA         NA         4.17         3.90         0.80         NA         NA         17.74           A Remove spine infusion pump         0.00         0.00         0.00  |    | • | A Injection into disk lesion                       | 2.86              | ¥                   | Ϋ́                           | 4.69                | 8.22                     | 1.67             | ¥<br>Z           | ¥                | 14.22    | 17.75                    | 060    |
| A Injection into spinal canal         2.20         2.50         1.47         1.33         1.18         0.10         4.80         3.77         3.63         3.48           A Implant spinal catheter         6.87         NA         NA         3.58         3.74         0.80         NA         11.25         11.41           A Implant spinal catheter         5.45         NA         NA         6.90         5.93         1.17         NA         NA         18.07         17.10           A Implant spine infusion device         2.62         NA         NA         2.27         1.48         0.26         NA         NA         5.15         4.36           A Implant spine infusion pump         5.42         NA         NA         2.27         1.48         0.26         NA         NA         5.15         4.36           A Implant spine infusion pump         7.04         NA         NA         4.17         3.90         0.80         NA         NA         17.74           A Remove spine infusion pump         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00  |    | • | _  | 11.83             | Š                   | Ϋ́                           | 6.19                | 6.30                     | 0.53             | ¥                | ¥                | 18.55    | 18.66                    | 060    |
| A Implant spinal catheter         6.87         NA         NA         3.58         3.74         0.80         NA         11.25         11.41           A Implant spinal catheter         10.00         NA         NA         6.90         5.93         1.17         NA         NA         17.10           A Implant spine infusion pump         2.62         NA         NA         2.27         1.48         0.26         NA         NA         5.15         4.36           A Implant spine infusion pump         5.42         NA         NA         2.27         1.48         0.26         NA         NA         5.15         4.36           A Implant spine infusion pump         7.04         NA         NA         4.17         3.90         0.80         NA         NA         17.74           A Remove spine infusion pump         5.42         NA         NA         3.03         3.59         0.53         NA         NA         8.98         9.54           C Analyze spine infusion pump         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.   |    | • | _  | 2.20              | 2.50                | 1.47                         | 1.33                | 1.18                     | 0.10             | 4.80             | 3.77             | 3.63     | 3.48                     | 000    |
| A Implant spinal catheter         10.00         NA         NA         6.90         5.93         1.17         NA         NA         18.07         17.10           A Remove spinal catheter         5.45         NA         NA         2.33         3.43         0.53         NA         NA         8.31         9.41           A Insert spine infusion pump         5.42         NA         NA         2.27         1.48         0.26         NA         NA         5.15         4.36           A Implant spine infusion pump         7.04         NA         NA         4.17         3.90         0.80         NA         NA         17.74           A Remove spine infusion pump         5.42         NA         NA         3.03         3.59         0.53         NA         NA         8.98         9.54           C Analyze spine infusion pump         0.00 <td< td=""><td></td><td>•</td><td><ul> <li>A Implant spinal catheter</li> </ul></td><td>6.87</td><td>Š</td><td>Ą</td><td>3.58</td><td>3.74</td><td>0.80</td><td>¥</td><td>₹<br/>Z</td><td>11.25</td><td>11.41</td><td>060</td></td<>   |    | • | <ul> <li>A Implant spinal catheter</li> </ul>      | 6.87              | Š                   | Ą                            | 3.58                | 3.74                     | 0.80             | ¥                | ₹<br>Z           | 11.25    | 11.41                    | 060    |
| A Insert spine infusion device         2.62         NA         NA         2.37         1.48         0.53         NA         NA         8.31         9.41           A Implant spine infusion pump         5.42         NA         NA         2.27         1.48         0.26         NA         NA         5.15         4.36           A Implant spine infusion pump         7.04         NA         NA         4.17         3.90         0.80         NA         NA         17.74           A Remove spine infusion pump         5.42         NA         NA         4.17         3.90         0.80         NA         NA         17.74           A Remove spine infusion pump         0.00<  |    | • | _  |                   | Š                   | ¥                            | 6.90                | 5.93                     | 1.17             | ¥                | <b>∀</b>         | 18.07    | 17.10                    | 060    |
| A Implant spine infusion device         2.62         NA         NA         2.27         1.48         0.26         NA         NA         5.15         4.36           A Implant spine infusion pump         7.04         NA         NA         4.17         3.96         0.61         NA         NA         9.14         8.99           A Implant spine infusion pump         7.04         NA         NA         4.17         3.90         0.80         NA         NA         11.74           A Remove spine infusion pump         5.42         NA         NA         3.03         3.59         0.53         NA         NA         8.98         9.54           C Analyze spine infusion pump         0.00  |    | • | <ul> <li>A Remove spinal canal catheter</li> </ul> |                   | ¥                   | ΑN                           | 2.33                | 3.43                     | 0.53             | ¥                | ¥                | 8.31     | 9.41                     | 060    |
| A Implant spine infusion pump 5.42 NA NA 3.11 2.96 0.61 NA NA 9.14 8.99 A Implant spine infusion pump 7.04 NA NA 4.17 3.90 0.80 NA NA 12.01 11.74 A Remove spine infusion device 5.42 NA NA 3.03 3.59 0.53 NA NA 8.98 9.54 C Analyze spine infusion pump 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.   |    | • | _  | 2.62              | ¥                   | Ϋ́                           | 2.27                | 1.48                     | 0.26             | ¥                | Ϋ́               | 5.15     | 4.36                     | 060    |
| A Implant spine infusion pump         7.04         NA         NA         4.17         3.90         0.80         NA         NA         17.74           A Remove spine infusion device         5.42         NA         NA         3.03         3.59         0.53         NA         NA         8.98         9.54           C Analyze spine infusion pump         0.00   |    |   | _  | 5.42              | Š                   | Ϋ́                           | 3.11                | 2.96                     | 0.61             | ¥                | Š                | 9.14     | 8.99                     | 060    |
| A Remove spine infusion device         5.42         NA         NA         3.63         3.59         0.53         NA         NA         8.98         9.54           C Analyze spine infusion pump         0.00         0.0  |    | ` | A Implant spine infusion pump                      | 7.04              | ¥                   | Ϋ́                           | 4.17                | 3.90                     | 0.80             | Ϋ́               | Š                | 12.01    | 11.74                    | 060    |
| C Analyze spine infusion pump 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.  |    | ` |  | 5.42              | ¥                   | Ϋ́                           | 3.03                | 3.59                     | 0.53             | ¥                | Š                | 8.98     | 9.54                     | 060    |
| A Analyze spine infusion pump 0.48 0.12 0.32 0.12 0.32 0.05 0.65 0.85 0.65 0.85  |    | _ | -  | 00.00             | 0.00                | 0.00                         | 0.00                | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
|  | 26 | ` | A Analyze spine infusion pump                      | 0.48              | 0.12                | 0.32                         | 0.12                | 0.32                     | 0.05             | 0.65             | 0.85             | 0.65     | 0.85                     | ××     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| Physican profess   |        |    | ł                            |                | Non-<br>facility | Transitioned<br>Non-facility | Facility | Transitioned<br>Facility |                  |                  | Transitioned     |          |                       |            |
|--|--------|----|------------------------------|----------------|------------------|------------------------------|----------|--------------------------|------------------|------------------|------------------|----------|-----------------------|------------|
| Marie   Mari   |        |    |                              | Physician      | practice         | practice                     | practice | practice                 | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned Facility |            |
| 0.00         0.00 <th< th=""><th>Status</th><th></th><th>Description</th><th>WORK 3<br/>RVUs</th><th>RVUs</th><th>expense<br/>RVUs</th><th>RVUs</th><th>RVUs</th><th>RUVs</th><th>Total</th><th>Total</th><th>Total</th><th>Total</th><th>Global</th></th<>  | Status |    | Description                  | WORK 3<br>RVUs | RVUs             | expense<br>RVUs              | RVUs     | RVUs                     | RUVs             | Total            | Total            | Total    | Total                 | Global     |
| 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | S      | ₹  | nalyze spine infusion pump   | 00:00          | 0.00             | 00.00                        | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×          |
| 0.75         0.17         0.49         0.17         0.49         0.09         1.00         1.00         1.00         1.00         1.00         1.00         1.00         1.00         1.00         1.00         1.00         1.00         1.00         0.00 <th< td=""><td>₹<br/>ن</td><td>₹</td><td>nalyze spine infusion pump</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>×</td></th<>   | ₹<br>ن | ₹  | nalyze spine infusion pump   | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×          |
| 16.00   0.00     | Ā      | ₹  | nalyze spine infusion pump   | 0.75           | 0.17             | 0.49                         | 0.17     | 0.49                     | 0.09             | 1.0              | 1.33             | 1.01     | 1.33                  | ×          |
| 15.62   NA   | ح<br>د | ⋖  | nalyze spine infusion pump   | 0.00           | 0.00             | 00.0                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×          |
| 15.65   NA   | Υ      | œ  | emoval of spinal lamina      | 15.82          | ¥                | A<br>A                       | 10.65    | 16.82                    | 2.68             | ¥                | ¥                | 29.15    | 35.32                 | 60         |
| 1492 NA NA 10.90 16.08 2.45 NA NA 2225 33.43   | ∢      | щ  | Removal of spinal lamina     | 15.95          | Ϋ́               | Ϋ́                           | 11.35    | 17.13                    | 2.53             | ¥                | Ϋ́               | 29.83    | 35.61                 | 60         |
| 1452   NA  | _      | ш. | Removal of spinal lamina     | 14.92          | ¥                | Ϋ́                           | 10.90    | 16.08                    | 2.43             | ¥                | ¥                | 28.25    | 33.43                 | 60         |
| 15.40 NA NA 10.76 16.48 2.46 NA NA 286 24.34 19.25 NA NA 13.10 20.96 2.46 NA NA 286 24.34 19.20 NA NA 13.10 20.96 3.27 NA NA 35.68 42.90 19.20 NA NA 13.10 20.96 3.27 NA NA 35.89 42.90 19.20 NA NA 13.10 17.11 3.13 NA NA 35.89 42.90 19.20 NA NA 12.64 17.05 NA NA 23.69 17.11 18.11 NA NA 12.84 18.73 3.45 NA NA 33.24 37.11 18.20 NA NA 12.84 18.75 3.46 NA NA 33.24 33.90 19.20 NA NA 12.89 17.67 3.49 NA NA 33.24 37.90 19.41 NA NA 12.26 3.49 0.81 NA NA 45.79 19.41 NA NA 13.21 17.61 2.51 NA NA 33.27 19.41 NA NA 13.21 17.61 2.51 NA NA 33.61 39.63 19.40 NA NA 13.21 17.61 2.51 NA NA 33.71 2.51 19.41 NA NA 12.89 2.59 0.35 NA NA 33.51 19.41 NA NA 12.80 2.59 0.35 NA NA 33.51 19.41 NA NA 12.80 2.59 0.35 NA NA 33.51 19.41 NA NA 12.81 2.50 0.35 NA NA 33.51 19.41 NA NA 12.81 2.51 NA NA 33.71 19.41 NA NA 12.81 2.83 3.67 NA NA 33.81 19.41 NA NA 12.81 2.83 3.67 NA NA 33.89 19.80 19.80 19.81 NA NA 18.18 2.83 3.86 NA NA 35.89 19.80 1 |        | u. | Removal of spinal lamina     | 14.52          | ¥                | Ϋ́                           | 7.74     | 10.01                    | 1.46             | ₹                | <b>∀</b>         | 23.72    | 26.05                 | 8          |
| 1935 NA NA 1310 2056 327 NA NA 35.72 43.18 1920 NA NA 11.37 17.11 3.13 NA NA 35.72 43.18 1920 NA NA 11.37 17.11 3.13 NA NA 35.72 43.18 1920 NA NA 11.36 20.48 3.22 NA NA 35.72 43.18 1920 NA NA 11.56 20.05 3.36 NA NA 26.18 27.11 1921 NA NA 12.84 20.05 3.36 NA NA 26.19 27.11 1921 NA NA 11.284 20.05 3.36 NA NA 35.01 42.22 1920 NA NA 11.284 18.73 3.43 NA NA 35.01 42.22 1920 NA NA 11.59 16.96 3.58 NA NA 30.63 36.34 1921 NA NA 11.59 16.96 3.58 NA NA 30.63 36.34 1921 NA NA 14.88 23.03 3.77 NA 0.34 45.7  1921 NA NA 14.88 23.03 3.77 NA 0.34 45.7  1921 NA NA 12.84 2.89 2.89 0.35 NA NA 48.29  4.05 NA NA 14.75 2.89 2.89 0.35 NA NA 48.39  4.06 NA NA 14.73 2.89 2.89 0.35 NA NA 48.30  4.06 NA NA 14.73 2.80 2.89 NA NA 48.30 57.32  4.06 NA NA 14.73 2.80 2.80 NA NA 48.30 57.32  4.06 NA NA 14.73 2.80 2.80 NA NA 48.30 57.32  4.06 NA NA 14.78 NA NA 14.78 2.89 2.89 NA NA 48.30  4.06 NA NA 14.73 2.80 2.80 NA NA 48.30 57.32  4.06 NA NA 14.73 2.80 2.80 NA NA 48.30 57.32  4.07 NA NA 14.73 2.80 2.80 NA NA 48.30 57.32  4.08 NA NA 14.73 2.80 2.80 NA NA 48.30 57.32  4.09 NA NA 14.73 2.80 2.80 NA NA 48.30 57.32  4.00 NA NA 14.73 2.80 2.80 NA NA 48.30 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 48.30 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 48.30 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 48.30 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 48.30 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 58.80 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 58.80 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 58.30 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 58.30 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 58.90 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 58.90 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 58.90 57.32  4.00 NA NA 14.80 2.80 2.80 NA NA 58.90 57.32  4.00 NA NA 14.78 2.80 2.80 NA NA 58.90 57.32  4.00 NA NA 14.78 2.80 2.80 2.80 NA NA 58.90 57.32  4.00 NA NA 14.80 2.80 2.80 2.80 NA NA 58.90 57.32  4.00 NA NA 14.80 2.80 2.80 2.80 NA NA 58.90 57.32  4.00 NA NA 14.80 2.80 2.80 2.80 NA NA 58.90 57.32  4.00 NA NA 14.80 2.80 2.80 2.80 NA NA 58.90 57.32  4.00 NA NA 14.80 2.80 2.80 2.80 2.80 2.80 2.80 2. | ⋖      | щ  | Removal of spinal lamina     | 15.40          | ¥                | ¥                            | 10.76    | 16.48                    | 2.46             | ₹                | ¥                | 28.62    | 34.34                 | 66         |
| 19.20   NA   | ∢      | ш. | Removal of spinal lamina     | 19.35          | ¥                | Ϋ́                           | 13.10    | 20.56                    | 3.27             | ¥                | ∢<br>Z           | 35.72    | 43.18                 | 8          |
| 1594 NA NA 1137 1711 313 NA NA 3044 36:18  14.81 NA NA 1137 1711 313 NA NA 28:18  12.00 NA NA 2.16 3.37 2.54 NA NA 28:18  18.81 NA NA 12.84 20.05 3.36 NA NA 31.62  16.50 NA NA 11.59 17.67 3.43 NA NA 31.62  15.80 NA NA 11.59 17.67 3.43 NA NA 31.62  16.50 NA NA 11.59 17.67 3.43 NA NA 31.62  16.50 NA NA 11.59 17.67 3.43 NA NA 31.62 37.60  14.61 NA NA 11.59 17.67 3.43 NA NA 2.26 37.60  14.61 NA NA 11.59 17.67 3.43 NA NA 2.26 36.34  14.61 NA NA 12.84 23.03 3.27 NA NA 49.27 44.57  16.00 3.26 NA NA 18.8 23.03 3.27 NA NA 49.27 44.57  19.41 NA NA 12.8 2.59 0.36 NA NA 49.27 51.32  19.41 NA NA 12.8 2.59 0.35 NA NA 5.89 6.20  19.41 NA NA 12.8 18.8 2.48 NA NA 5.89 6.20  19.41 NA NA 12.7 18.8 2.48 NA NA 5.89 6.30  19.41 NA NA 12.7 18.8 2.48 NA NA 5.89 6.30  19.41 NA NA 12.7 18.8 2.48 NA NA 5.89 6.30  19.41 NA NA 12.7 18.8 2.48 NA NA 48.3 5.73  19.41 NA NA 12.8 18.8 2.48 NA NA 48.3 5.73  19.41 NA NA 12.8 18.8 2.48 NA NA 6.83 5.73  19.41 NA NA 12.8 18.8 2.48 NA NA 6.83 5.73  19.41 NA NA 12.8 18.8 2.48 NA NA 6.83 5.73  19.41 NA NA 12.8 18.8 2.48 NA NA 6.83 6.73  19.41 NA NA 12.8 18.8 18.8 18.9 18.9 18.9 18.9 18.9 18   | ∢      | _  | Removal of spinal lamina     | 19.20          | ¥                | ž                            | 13.16    | 20.48                    | 3.22             | ¥                | Ϋ́               | 35.58    | 42.90                 | 8          |
| 1481 NA NA 1067 15.73 2.64 NA NA 28.12 33.18 12.00 NA NA 216 3.37 0.59 NA NA 28.12 33.18 12.00 NA NA 12.84 20.05 3.36 NA NA 35.01 42.22 18.81 NA NA 12.84 20.05 3.36 NA NA 35.01 42.22 16.50 NA NA 12.84 20.05 3.36 NA NA 35.24 39.63 14.61 NA NA 11.25 16.96 3.49 NA NA 35.24 39.63 14.61 NA NA 11.25 16.96 3.49 NA NA 22.6 3.49 NA NA 22.93 33.90 14.60 S.26 NA NA 18.7 2.24 NA NA 44.27 51.32 16.00 NA NA 13.7 21.27 2.94 NA NA 44.27 51.32 16.00 NA NA 13.27 2.24 NA NA 44.27 51.32 16.00 NA NA 13.27 2.24 NA NA 44.27 51.32 16.00 NA NA 13.21 17.61 2.51 NA NA 44.27 51.32 16.00 NA NA 13.21 17.61 2.51 NA NA 44.27 51.32 16.00 NA NA 13.21 17.61 2.51 NA NA 43.27 44.57 16.00 NA NA 13.21 17.61 2.51 NA NA 13.61 9.98 17.60 NA NA 13.21 17.61 2.51 NA NA 13.61 9.98 17.60 NA NA 13.21 17.61 2.51 NA NA 13.85 51.32 17.60 NA NA 13.21 17.61 2.51 NA NA 13.85 51.32 17.60 NA NA 13.21 17.61 2.51 NA NA 13.87 51.32 17.60 NA NA 13.21 17.61 2.51 NA NA 13.85 51.32 17.60 NA NA 13.21 17.61 2.51 NA NA 13.85 51.32 17.60 NA NA 13.21 17.61 2.51 NA NA 13.85 51.32 17.60 NA NA 13.21 17.61 2.51 NA NA 13.85 51.32 17.60 NA NA 13.21 17.61 2.51 NA NA 13.85 51.33 17.60 NA NA 13.21 17.61 2.51 NA NA 13.33 5.52 17.60 NA NA 13.21 17.61 2.51 NA NA 13.33 5.52 17.60 NA NA 13.73 2.673 3.67 NA NA 13.33 5.52 17.60 NA NA 13.85 NA NA 13.85 NA NA 13.85 NA NA 13.85 17.60 NA NA 13.85 NA NA 13.85 NA NA 13.85 17.60 NA NA 13.85 NA NA 13.85 NA NA 13.89 17.60 NA NA 13.85 NA NA 13.85 17.60 NA NA 13.85 NA NA 13.85 17.60 NA 13.85 17.60 NA NA 13.85 17.60 NA NA 13.85 17.60 NA 13.85 17.60 NA NA 13.85 17.60 NA NA 13.85 17.60 NA NA 13.85 17.60 NA 13.85 17.60 NA NA 13.85 17.60 NA NA 13.85 17.60 NA NA 13.85 17.60 NA 13.85 17.60 NA NA 13.85 17.60 NA 13.86 17.60 NA 13. | _      | _  | Removal of spinal lamina     | 15.94          | ¥                | Š                            | 11.37    | 17.11                    | 3.13             | ¥                | Υ<br>Y           | 30.44    | 36.18                 | 060        |
| 12.00 NA NA 9.18 13.04 2.20 NA NA 5.38 27.24   3.15 NA NA 12.84 3.37 0.59 NA NA 5.01 4.22   17.47 NA NA 12.34 18.73 3.43 NA NA 3.024 39.63   17.47 NA NA 12.34 18.73 3.43 NA NA 3.024 39.63   16.50 NA NA 11.59 17.67 3.43 NA NA 3.15 3.90   21.99 NA NA 10.82 3.49 0.81 NA NA 6.33 7.56   12.99 NA NA 14.88 23.03 3.27 NA NA 6.33 7.56   12.04 NA NA 12.84 2.80 0.81 NA NA 6.33 7.56   12.04 NA NA 12.84 2.80 0.81 NA NA 6.33 7.56   12.04 NA NA 12.87 2.51 NA NA 12.94 0.81 NA NA 5.89 3.80   12.05 NA NA 12.87 2.51 NA NA 12.87 2.51 NA NA 5.89 6.20   12.04 NA NA 12.87 2.51 NA NA 12.87 2.51 NA NA 5.89 6.20   12.04 NA NA 12.87 2.51 NA NA 12.87 2.51 NA NA 12.87 2.51 NA NA 12.80 0.80   12.05 NA NA 14.75 18.68 2.48 NA NA 5.89 6.20   12.04 NA NA 12.26 2.50 0.35 NA NA 12.31 9.98   12.05 NA NA 12.80 4.66 0.95 NA NA 13.33 5.23   12.05 NA NA 12.81 2.83 3.79 NA NA 13.31 6.73 4   12.05 NA NA 12.91 4.61 0.92 NA NA 13.31 6.73 4   12.05 NA NA 12.81 2.83 3.79 NA NA 12.90 0.34   12.05 NA NA 12.91 4.61 0.92 NA NA 12.90 0.34   12.05 NA NA 12.91 4.61 0.92 NA NA 12.90 0.34   12.05 NA NA 12.91 4.61 0.92 NA NA 13.80 0.39   12.05 NA NA 13.58 NA NA 13.58 NA NA 13.59 18.70 NA NA 13.50 18.70 | <      | _  | Neck spine disk surgery      | 14.81          | ž                | Ϋ́                           | 10.67    | 15.73                    | 2.64             | ¥                | Ϋ́               | 28.12    | 33.18                 | 8          |
| 3.15 NA NA 2.16 3.37 0.59 NA NA 5.90 7.11 14.81 NA NA 1.284 2.05 3.36 NA NA 8.50 7.11 14.81 NA NA 11.59 17.67 3.43 NA NA 31.52 37.60 NA NA 11.59 17.67 3.43 NA NA 31.52 37.60 NA NA 11.59 17.67 3.43 NA NA 31.52 37.60 NA NA 11.59 17.67 3.43 NA NA 31.52 37.60 NA NA 11.59 17.67 3.43 NA NA 31.52 37.60 NA NA 11.59 17.67 3.43 NA NA 31.52 37.60 NA NA 11.59 17.67 3.43 NA NA 31.52 37.60 NA NA 11.59 17.67 3.43 NA NA 11.59 17.67 3.43 NA NA 11.59 17.67 3.43 NA NA 31.52 37.60 NA NA 11.59 17.67 3.43 NA NA 11.59 17.67 3.43 NA NA 11.50 17.61 2.51 NA NA 44.57 44.57 17.61 2.51 NA NA 11.51 17.51 17.61 2.51 NA NA 11.51 17.61 2.51 NA NA 11.51 17.51  | ⋖      |    | Low back disk surgery        | 12.00          | ¥                | Ϋ́                           | 9.18     | 13.04                    | 2.20             | ¥                | Ϋ́               | 23.38    | 27.24                 | 060        |
| 18.81         NA         NA         12.84         20.05         3.36         NA         NA         35.01         42.22           17.47         NA         NA         12.34         18.73         3.43         NA         NA         33.24         36.23           16.50         NA         NA         11.25         16.96         3.58         NA         NA         31.24         37.23           15.00         NA         NA         11.25         16.96         3.59         NA         NA         31.24         37.23           -0         3.26         NA         NA         NA         10.82         15.79         3.50         NA         NA         31.50         33.90           -0         3.26         NA         NA         14.88         23.03         3.27         NA         NA         40.14         48.29           d-on         5.26         NA         NA         14.88         23.03         3.27         NA         NA         40.14         48.29           d-on         5.26         NA         NA         13.27         2.94         NA         NA         44.27         51.32           d-on         3.26         NA  | ∢      |    | Spinal disk surgery add-on   | 3.15           | Ϋ́               | Ϋ́                           | 2.16     | 3.37                     | 0.59             | ¥                | ¥                | 5.90     | 7.11                  | 222        |
| 17.47         NA         12.34         18.73         3.43         NA         NA         33.24         396.3           16.50         NA         NA         11.59         17.67         3.43         NA         NA         33.24         396.3           16.50         NA         NA         11.25         16.59         3.50         NA         NA         31.52         37.60           4.61         NA         NA         10.82         15.79         3.50         NA         NA         28.93         33.90           d-on         3.26         NA         NA         NA         10.81         NA         NA         10.81         7.56         3.50         NA         NA         48.39         3.50         NA         NA         48.39         3.50         NA         NA         48.29         3.50         NA  | ∢      |    | Neck spine disk surgery      | 18.81          | Ϋ́               | ¥                            | 12.84    | 20.05                    | 3.36             | ¥                | ¥                | 35.01    | 42.22                 | 060        |
| 16.50   NA   | ∢      |    | Low back disk surgery        | 17.47          | ¥                | Ϋ́                           | 12.34    | 18.73                    | 3.43             | ¥                | ¥<br>Z           | 33.24    | 39.63                 | 8          |
| 15.80 NA NA 11.25 16.96 3.58 NA NA 30.63 36.34  14.61 NA NA 10.82 15.79 3.50 NA NA 28.93 33.90  d-on 3.26 NA NA 13.97 21.27 2.94 NA NA 40.14 48.29  20.36 NA NA 13.97 21.27 2.94 NA NA 40.14 48.29  20.36 NA NA 16.46 23.51 3.20 NA NA 42.77 44.57  dd-on 3.26 NA NA 14.75 18.68 2.48 NA NA 43.13 35.22  40.5 NA NA 14.75 18.68 2.48 NA NA 48.37 42.60  21.44 NA NA 12.70 2.59 NA NA 15.37 42.60  22.14 NA NA 14.75 18.68 2.48 NA NA 48.37 52.52  32.8 NA NA 14.75 18.68 2.48 NA NA 48.37 52.52  32.8 NA NA 17.73 26.73 36.7 NA NA 62.4 7.44  32.9 NA NA 17.73 26.73 36.7 NA NA 62.4 7.44  32.9 NA NA 19.95 27.98 3.79 NA NA 59.31 67.34  dd-on 3.57 NA NA 19.95 27.98 3.79 NA NA 59.31 67.34  dd-on 3.57 NA NA 19.95 27.98 NA NA 59.91  17.66 NA NA 12.70 18.99 3.33 NA NA 18.18  28.9 NA NA 18.18  29.9 NA NA 19.95 27.98 NA NA 59.91  17.66 NA NA 33.69 39.98   | ∢      |    | Removal of spinal lamina     | 16.50          | ¥                | Ϋ́                           | 11.59    | 17.67                    | 3.43             | ¥                | ď<br>Z           | 31.52    | .37.60                | 8          |
| 14,61         NA         NA         10,82         15,79         3.50         NA         NA         28,93         33.90           3.26         NA         NA         NA         10,82         15,79         3.50         NA         NA         28,93         33.90           3.26         NA         NA         NA         13,87         21,27         23,4         NA         NA         40,14         48.29           20,36         NA         NA         NA         13,87         21,27         3.94         NA         NA         48.29         7.56           20,36         NA         NA         NA         NA         NA         48.29         3.50         NA         NA         48.29         48.29           10,24         NA         NA         NA         10,41         NA         14.77         48.29         14.47         14.77         14   | ∢      |    | Removal of spinal lamina     | 15.80          | ¥                | Ą                            | 11.25    | 16.96                    | 3.58             | ¥                | Ϋ́               | 30.63    | 36.34                 | 060        |
| 3.26         NA         NA         2.26         3.49         0.81         NA         6.33         7.56           21.99         NA         NA         14.88         23.03         3.27         NA         NA         48.29           21.99         NA         NA         14.88         23.03         3.27         NA         NA         44.57           20.36         NA         NA         NA         22.8         2.59         0.66         NA         A         9.19         9.87           3.26         NA         NA         NA         17.61         2.51         NA         NA         48.29         6.32           4.05         NA         NA         NA         17.61         2.51         NA         NA         48.29         6.13           4.05         NA         NA         NA         17.61         2.51         NA         NA         48.29         6.13           4.05         NA         NA         14.75         18.68         2.48         NA         NA         42.60           21.44         NA         NA         NA         NA         38.67         42.60           23.73         NA         NA <td< td=""><td>∢</td><td></td><td>Removal of spinal lamina</td><td>14.61</td><td>¥</td><td>¥<br/>X</td><td>10.82</td><td>15.79</td><td>3.50</td><td>¥</td><td>₹</td><td>28.93</td><td>33.90</td><td>060<br/>060</td></td<>   | ∢      |    | Removal of spinal lamina     | 14.61          | ¥                | ¥<br>X                       | 10.82    | 15.79                    | 3.50             | ¥                | ₹                | 28.93    | 33.90                 | 060<br>060 |
| 21.99       NA       NA       14.88       23.03       3.27       NA       NA       40.14       48.29         20.36       NA       NA       13.97       21.27       2.94       NA       NA       44.57         20.36       NA       NA       13.97       21.27       2.94       NA       NA       44.57         24.61       NA       NA       16.46       2.59       NA       NA       47.27       51.32         4.05       NA       NA       16.46       2.59       NA       NA       44.27       51.32         4.05       NA       NA       NA       17.61       2.59       NA       NA       5.89       6.20         21.44       NA       NA       14.75       18.68       2.48       NA       NA       7.61       9.14         21.44       NA       NA       14.75       18.68       2.48       NA       NA       5.86       6.32         23.73       NA       NA       16.08       2.57       3.52       NA       NA       43.33       52.52         24.57       NA       NA       17.73       26.73       3.67       NA       NA       48.32  | ∢      |    | Remove spinal lamina add-on  | 3.26           | ¥                | <b>∀</b>                     | 2.26     | 3.49                     | 0.81             | ¥                | Ϋ́               | 6.33     | 7.56                  | 777        |
| 20.36         NA         NA         13.97         21.27         2.94         NA         NA         37.27         44.57           1         5.26         NA         NA         NA         13.97         21.27         2.94         NA         NA         37.27         44.57           1         5.26         NA         NA         16.46         23.51         3.20         NA         44.27         51.32           1         1.41         NA         NA         17.61         2.51         NA         NA         44.27         51.32           4.05         NA         NA         NA         NA         NA         44.27         51.32           4.05         NA         NA         NA         NA         44.27         51.32           2.144         NA         NA         17.61         2.51         NA         NA         42.60           2.144         NA         NA         16.08         2.52         2.69         0.35         NA         NA         43.60           2.373         NA         NA         17.73         26.73         3.67         NA         NA         43.33         52.52           2.875         NA  | ∢      |    | Decompress spinal cord       | 21.99          | ¥                | ¥                            | 14.88    | 23.03                    | 3.27             | ¥                | ₹<br>Z           | 40.14    | 48.29                 | 66         |
| 5.26       NA       NA       3.27       3.95       0.66       NA       NA       9.87         24.61       NA       NA       16.46       23.51       3.20       NA       NA       49.77       51.32         19.41       NA       NA       16.46       23.51       3.20       NA       A4.27       51.32         4.05       NA       NA       17.61       2.51       NA       NA       44.27       51.32         21.44       NA       NA       13.21       17.61       2.51       NA       NA       45.60         21.44       NA       NA       14.75       18.68       2.48       NA       NA       42.60         21.44       NA       NA       14.75       18.68       2.48       NA       NA       42.60         23.73       NA       NA       16.08       25.27       3.52       NA       NA       43.33       52.52         24.37       NA       NA       17.73       26.73       3.67       NA       NA       43.33       52.52         3.57       NA       NA       18.46       0.92       NA       NA       62.31       67.34         4.33<   | ∢      |    | Decompress spinal cord       | 20.36          | ₹                | ¥<br>X                       | 13.97    | 21.27                    | 2.94             | ₹<br>Z           | ₹ ;              | 37.27    | 44.57                 | S          |
| 2461       NA       NA       16.46       23.51       3.20       NA       NA       44.27       51.32         3.26       NA       NA       2.89       2.59       0.35       NA       NA       5.89       6.20         4.05       NA       NA       17.61       2.51       NA       NA       5.89       6.20         4.05       NA       NA       18.68       2.48       NA       NA       7.61       9.14         21.44       NA       NA       14.75       18.68       2.48       NA       NA       7.61       9.14         21.44       NA       NA       NA       18.68       2.48       NA       NA       7.61       9.14         21.44       NA       NA       16.08       25.27       3.55       NA       NA       43.33       52.52         23.73       NA       NA       17.73       26.73       3.67       NA       NA       62.4       7.44         3.57       NA       NA       19.95       27.98       3.79       NA       NA       62.31       67.34         4.33       NA       NA       18.18       28.33       3.85       NA <td< td=""><td>∢</td><td></td><td>Decompress spine cord add-on</td><td>5.26</td><td>₹</td><td>Ϋ́</td><td>3.27</td><td>3.95</td><td>99.0</td><td>¥∶</td><td>¥</td><td>9.19</td><td>9.87</td><td></td></td<>   | ∢      |    | Decompress spine cord add-on | 5.26           | ₹                | Ϋ́                           | 3.27     | 3.95                     | 99.0             | ¥∶               | ¥                | 9.19     | 9.87                  |            |
| 3.26       NA       NA       2.59       0.35       NA       NA       5.89       6.20         4.05       NA       NA       17.61       2.51       NA       NA       5.89       6.20         4.05       NA       NA       13.21       17.61       2.51       NA       NA       5.89       6.20         21.44       NA       NA       14.75       18.68       2.48       NA       7.61       9.14         21.44       NA       NA       14.75       18.68       2.48       NA       NA       42.60         23.73       NA       NA       NA       NA       NA       18.68       2.48       NA       NA       42.60         23.73       NA       NA       NA       16.08       2.527       3.52       NA       NA       43.33       52.52         26.92       NA       NA       17.73       26.73       3.67       NA       NA       62.4       7.44         3.57       NA       NA       19.95       27.98       3.79       NA       NA       62.4       7.44         3.63       NA       NA       18.18       28.33       3.85       NA       NA<  | ∢      |    | Decompress spinal cord       | 24.61          | ₹                | ₹<br>Z                       | 16.46    | 23.51                    | 3.20             | ₹<br>Z           | ₹<br>Z           | 44.27    | 51.32                 | 060        |
| 19.41       NA       NA       13.21       17.61       2.51       NA       NA       35.13       39.53         4.05       NA       NA       A.33       0.76       NA       NA       7.61       9.14         21.44       NA       NA       14.75       18.68       2.48       NA       7.61       9.14         3.28       NA       NA       14.75       18.68       2.48       NA       7.61       9.14         23.73       NA       NA       16.08       25.27       3.52       NA       NA       43.33       52.52         26.92       NA       NA       NA       17.73       26.73       3.67       NA       NA       8.31       9.98         26.92       NA       NA       NA       17.73       26.73       3.67       NA       NA       62.4       7.44         3.19       NA       NA       19.95       27.98       3.79       NA       NA       62.4       7.44         3.5       NA       NA       18.18       28.33       3.85       NA       NA       60.34         4.61       NA       NA       18.76       2.74       0.36       NA   | ⋖      |    | Decompress spine cord add-on | 3.26           | Š                | ¥                            | 2.28     | 2.59                     | 0.35             | ¥                | ¥<br>Z           | 5.89     | 6.20                  | 777        |
| 4.05       NA       NA       2.80       4.33       0.76       NA       NA       7.61       9.14         21.44       NA       NA       14.75       18.68       2.48       NA       NA       7.61       9.14         3.28       NA       NA       18.68       2.48       NA       NA       42.60         23.73       NA       NA       16.08       25.27       3.52       NA       NA       58.33       52.52         26.92       NA       NA       17.73       26.73       3.67       NA       NA       48.32       57.32         3.19       NA       NA       19.95       27.98       3.79       NA       NA       62.4       7.44         35.57       NA       NA       19.95       27.98       3.79       NA       NA       60.34         4.33       NA       NA       18.18       28.33       3.85       NA       NA       59.31       67.34         3.03       NA       NA       18.76       2.74       0.36       NA       8.16       60.34         4.66       NA       NA       5.45       0.36       NA       NA       5.45       61.34   | ∢      |    | Neck spine disk surgery      | 19.41          | ₹                | <b>∀</b>                     | 13.21    | 17.61                    | 2.51             | ¥                | ₹<br>Z           | 35.13    | 39.53                 | 60 i       |
| 21.44       NA       NA       14.75       18.68       2.48       NA       NA       38.67       42.60         3.28       NA       NA       NA       2.25       2.69       0.35       NA       NA       5.88       6.32         23.73       NA       NA       16.08       25.27       3.52       NA       NA       43.33       52.52         4.37       NA       NA       16.08       25.27       3.57       NA       NA       43.33       52.52         26.92       NA       NA       NA       17.73       26.73       3.67       NA       NA       48.32       57.32         3.19       NA       NA       NA       18.41       0.84       NA       NA       48.32       57.32         3.57       NA       NA       NA       19.95       27.98       3.79       NA       NA       59.31       67.34         4.33       NA       NA       18.18       28.33       3.85       NA       NA       8.16       9.98         28.16       NA       NA       18.18       28.33       3.85       NA       NA       5.45       6.13         19.83       NA   | ∢      |    | Neck spine disk surgery      | 4.05           | Ϋ́               | ¥                            | 2.80     | 4.33                     | 0.76             | ž                | ¥<br>Z           | 7.61     | 9.14                  | 777        |
| 3.28 NA NA 2.25 2.69 0.35 NA NA 5.88 6.32 2.373 NA NA 16.08 25.27 3.52 NA NA 43.33 52.52 4.37 NA NA 16.08 25.27 3.52 NA NA 43.33 52.52 4.37 NA NA 17.73 26.73 3.67 NA NA 48.32 57.32 3.19 NA NA 2.21 3.41 0.84 NA NA 6.24 7.44 3.557 NA NA 19.95 27.98 3.79 NA NA 59.31 67.34 4.33 NA NA 18.18 28.33 3.85 NA NA 50.19 60.34 6.13 3.03 NA NA 13.58 18.76 NA NA 5.45 6.13 19.83 NA NA 13.58 18.76 NA NA 35.98 41.16 17.66 NA NA 12.70 18.99 3.33 NA NA 33.69 33.98   | ∢      |    | Spine disk surgery, thorax   | 21.44          | ¥                | ₹                            | 14.75    | 18.68                    | 2.48             | ¥                | <b>∀</b>         | 38.67    | 45.60                 | 8          |
| 23.73         NA         NA         16.08         25.27         3.52         NA         NA         43.33         52.52           4.37         NA         NA         NA         4.66         0.95         NA         NA         48.32         52.52           26.92         NA         NA         17.73         26.73         3.67         NA         NA         48.32         57.32           3.19         NA         NA         17.73         26.73         3.67         NA         NA         48.32         57.32           3.57         NA         NA         NA         19.95         27.98         3.79         NA         NA         62.4         7.44           4.33         NA         NA         19.95         27.98         3.79         NA         NA         8.16         9.86           4.33         NA         NA         18.18         28.33         3.85         NA         NA         50.19         60.34           28.16         NA         NA         13.68         18.76         2.57         NA         NA         5.45         6.13           19.83         NA         NA         12.70         18.99         3.33 <td< td=""><td>∢</td><td></td><td>Spine disk surgery, thorax</td><td>3.28</td><td>¥</td><td><b>∀</b></td><td>2.25</td><td>5.69</td><td>0.35</td><td>¥</td><td><b>∀</b></td><td>5.88</td><td>6.32</td><td>777</td></td<>   | ∢      |    | Spine disk surgery, thorax   | 3.28           | ¥                | <b>∀</b>                     | 2.25     | 5.69                     | 0.35             | ¥                | <b>∀</b>         | 5.88     | 6.32                  | 777        |
| 4.37         NA         NA         2.99         4.66         0.95         NA         NA         8.31         9.98           26.92         NA         NA         NA         17.73         26.73         3.67         NA         NA         48.32         57.32           3.19         NA         NA         17.73         26.73         3.41         0.84         NA         NA         48.32         57.32           36.57         NA         NA         19.95         27.98         3.79         NA         NA         62.4         7.44           4.33         NA         NA         18.18         28.33         3.85         NA         NA         8.16         9.86           28.16         NA         NA         NA         18.18         28.33         3.85         NA         NA         50.19         60.34           3.03         NA         NA         13.68         18.76         2.57         NA         NA         35.98         41.16           17.66         NA         NA         12.70         18.99         3.33         NA         NA         33.69         39.98   | ∢      |    | Removal of vertebral body    | 23.73          | ¥                | <b>∀</b>                     | 16.08    | 25.27                    | 3.52             | ¥                | <b>∀</b>         | 43.33    | 52.52                 | 8          |
| 26.92         NA         NA         17.73         26.73         3.67         NA         NA         48.32         57.32           3.19         NA         NA         12.21         3.41         0.84         NA         NA         6.24         7.44           36.57         NA         NA         19.95         27.98         3.79         NA         NA         67.34           4.33         NA         NA         NA         2.91         4.61         0.92         NA         NA         8.16         9.86           28.16         NA         NA         18.18         28.33         3.85         NA         NA         50.19         60.34           3.03         NA         NA         13.68         NA         NA         5.45         6.13           19.83         NA         NA         13.69         18.76         2.57         NA         NA         35.98         41.16           17.66         NA         NA         12.70         18.99         3.33         NA         NA         33.69         39.98  | ∢      |    | Remove vertebral body add-on | 4.37           | ¥                | Ϋ́                           | 2.99     | 4.66                     | 0.95             | ¥                | <b>∀</b>         | 8.31     | 96.6                  | 777        |
| 3.19 NA NA 2.21 3.41 0.84 NA NA 6.24 7.44 7.44 35.57 NA NA 19.95 27.98 3.79 NA NA 59.31 67.34 4.33 NA NA 2.91 4.61 0.92 NA NA 59.31 67.34 67.34 28.16 NA NA 18.18 28.33 3.85 NA NA 50.19 60.34 3.03 NA NA 13.58 18.76 0.36 NA NA 5.45 6.13 19.83 NA NA 13.58 18.76 2.57 NA NA 35.98 41.16 17.66 NA NA 12.70 18.99 3.33 NA NA 33.69 39.98   | ∢      |    | Removal of vertebral body    | 26.92          | ¥                | <b>∀</b>                     | 17.73    | 26.73                    | 3.67             | Ϋ́               | Ϋ́               | 48.32    | 57.32                 | 060        |
| 35.57 NA NA 19.95 27.98 3.79 NA NA 59.31 67.34 67.34 4.33 NA NA 2.91 4.61 0.92 NA NA 8.16 9.86 9.86 28.16 NA NA 18.18 28.33 3.85 NA NA 50.19 60.34 60.34 9.30 NA NA 13.58 18.76 0.36 NA NA 5.06 2.74 0.36 NA NA 5.45 6.13 19.83 NA NA 13.58 18.76 2.57 NA NA 35.98 41.16 17.66 NA NA 12.70 18.99 3.33 NA NA 33.69 39.98  | ∢      |    | Remove vertebral body add-on | 3.19           | ¥                | ¥                            | 2.21     | 3.41                     | 0.84             | Ϋ́               | Ϋ́               | 6.24     | 7.44                  | 777        |
| 1 4.33 NA NA 2.91 4.61 0.92 NA NA 8.16 9.86<br>28.16 NA NA 18.18 28.33 3.85 NA NA 50.19 60.34<br>1 3.03 NA NA 2.06 2.74 0.36 NA NA 5.45 6.13<br>19.83 NA NA 13.58 18.76 2.57 NA NA 35.98 41.16<br>17.66 NA NA 12.70 18.99 3.33 NA NA 33.69 39.98   | ∢      |    | Removal of vertebral body    | 35.57          | ₹                | <b>∀</b>                     | 19.95    | 27.98                    | 3.79             | Ą                | Ϋ́               | 59.31    | 67.34                 | 060        |
| 28.16 NA NA 18.18 28.33 3.85 NA NA 50.19 60.34 60.34 3.03 NA NA 2.06 2.74 0.36 NA NA 5.45 6.13 6.13 19.83 NA NA 13.58 18.76 2.57 NA NA 35.98 41.16 17.66 NA NA 12.70 18.99 3.33 NA NA 33.69 39.98  | ⋖      |    | Remove vertebral body add-on | 4.33           | ¥                | ¥                            | 2.91     | 4.61                     | 0.92             | ¥                | Ϋ́               | 8.16     | 9.86                  | 777        |
| 19.83 NA NA 2.06 2.74 0.36 NA NA 5.45 6.13<br>19.83 NA NA 13.58 18.76 2.57 NA NA 35.98 41.16<br>17.66 NA NA 12.70 18.99 3.33 NA NA 33.69 39.98   | ∢      |    | Removal of vertebral body    | 28.16          | ¥                | A<br>V                       | 18.18    | 28.33                    | 3.85             | Ϋ́               | Ϋ́               | 50.19    | 60.34                 | 060        |
| (s) 19.83 NA NA 13.58 18.76 2.57 NA NA 35.98 41.16<br>17.66 NA NA 12.70 18.99 3.33 NA NA 33.69 39.98   | ∢      |    | Remove vertebral body add-on | 3.03           | ¥                | Ą<br>Z                       | 2.06     | 2.74                     | 0.36             | Ϋ́               | Ϋ́               | 5.45     | 6.13                  | 777        |
| 17.66 NA NA 12.70 18.99 3.33 NA NA 33.69 39.98   | ∢      |    | Incise spinal cord tract(s)  | 19.83          | ¥                | ₹                            | 13.58    | 18.76                    | 2.57             | Ϋ́               | Ϋ́               | 35.98    | 41.16                 | 8          |
|  | ∢      |    | Drainage of spinal cyst      | 17.66          | ¥                | Ą<br>V                       | 12.70    | 18.99                    | 3.33             | ¥                | Ν<br>A           | 33.69    | 39.98                 | 060        |

Page 109 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Denial Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                  |          |                              |              | Non-            | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|----------------------------------|----------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                                  |          |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| , L                              |          |                              | Physician    | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT '/<br>HCPCS <sup>2</sup> Mod | d Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
|                                  | 1        | Drainage of spinal cyst      | 21.99        | ¥               | ¥               | 14.94           | 16.33           | 1.42             | ¥                 | Ą                 | 38.35             | 39.74             | 060    |
| 63180                            | ∢        | Revise spinal cord ligaments | 18.27        | ¥               | ¥               | 11.01           | 12.20           | 1.60             | Ą                 | Ą                 | 30.88             | 32.07             | 060    |
| 63182                            | ∢        | Revise spinal cord ligaments | 20.50        | ¥               | Š               | 12.30           | 16.46           | 1.73             | Ϋ́                | ¥                 | 34.53             | 38.69             | 060    |
| 63185                            | ∢        | Incise spinal column/nerves  | 15.04        | ¥               | ¥               | 9.85            | 15.12           | 2.29             | Y<br>Z            | ¥                 | 27.18             | 32.45             | 060    |
| 63190                            | ∢        | Incise spinal column/nerves  | 17.45        | ¥               | Š               | 11.81           | 18.58           | 3.06             | Š                 | Š                 | 32.32             | 39.09             | 060    |
| 63191                            | ∢        | Incise spinal column/nerves  | 17.54        | Ϋ́              | ¥               | 11.52           | 13.49           | 1.73             | Ϋ́                | Ϋ́                | 30.79             | 32.76             | 060    |
| 63194                            | ∢        | Incise spinal column & cord  | 19.19        | ¥               | ¥               | 11.95           | 13.59           | 1.82             | ¥                 | ¥                 | 32.96             | 34.60             | 060    |
| 63195                            | ∢        | Incise spinal column & cord  | 18.84        | ¥               | ¥<br>Z          | 12.29           | 14.35           | 1.65             | Š                 | Α̈́               | 32.78             | 34.84             | 060    |
| 63196                            | ∢        | Incise spinal column & cord  | 22.30        | ¥               | ¥<br>Z          | 11.57           | 15.58           | 1.43             | Ϋ́                | ¥                 | 35.30             | 39.31             | 060    |
| 63197                            | ∢        | Incise spinal column & cord  | 21.11        | ¥               | ¥               | 13.83           | 15.14           | 2.05             | Ϋ́                | ¥                 | 36.99             | 38.30             | 060    |
| 63198                            | ∢        | Incise spinal column & cord  | 25.38        | Ą               | ₹               | 13.15           | 16.57           | 2.50             | Ϋ́                | ¥                 | 41.03             | 44.45             | 060    |
| 63199                            | ∢        | Incise spinal column & cord  | 26.89        | ¥               | ¥               | 15.39           | 21.26           | 2.04             | Ϋ́                | ¥                 | 44.32             | 50.19             | 060    |
| 63200                            | ∢        | Release of spinal cord       | 19.18        | ¥               | ¥<br>¥          | 12.25           | 13.23           | 1.43             | Ϋ́                | ¥                 | 32.86             | 33.84             | 060    |
| 63250                            | ∢        | Revise spinal cord vessels   | 40.76        | Ą               | Ϋ́              | 18.89           | 27.51           | 4.08             | ¥                 | ¥                 | 63.73             | 72.35             | 060    |
| 63251                            | ∢        | Revise spinal cord vessels   | 41.20        | Ϋ́              | ₹               | 24.40           | 24.61           | 3.38             | ž                 | ¥                 | 86.89             | 69.19             | 060    |
| 63252                            | ∢        | Revise spinal cord vessels   | 41.19        | Ϋ́              | Ϋ́              | 24.70           | 29.17           | 4.32             | Ϋ́                | ¥                 | 70.21             | 74.68             | 060    |
| 63265                            | ∢        | Excise intraspinal lesion    | 21.56        | Ϋ́              | ¥               | 14.22           | 21.47           | 3.05             | ¥                 | ¥                 | 38.83             | 46.08             | 060    |
| 63266                            | ∢        | Excise intraspinal lesion    | 22.30        | Š               | Ϋ́              | 14.63           | 23.62           | 3.47             | ¥                 | Ϋ́                | 40.40             | 49.39             | 060    |
| 63267                            | ∢        | Excise intraspinal lesion    | 17.95        | Ϋ́Z             | Ϋ́              | 12.22           | 19.13           | 3.29             | ¥                 | ¥                 | 33.46             | 40.37             | 060    |
| 63268                            | ∢        | Excise intraspinal lesion    | 18.52        | ¥               | ¥<br>¥          | 11.98           | 13.22           | 1.92             | ¥                 | ¥                 | 32.42             | 33.66             | 060    |
| 63270                            | ∢        | Excise intraspinal lesion    | 26.80        | Ϋ́              | Ϋ́              | 17.16           | 19.06           | 2.68             | Ϋ́                | Ϋ́                | 46.64             | 48.54             | 060    |
| 63271                            | ∢        | Excise intraspinal lesion    | 26.92        | ¥               | Š               | 17.35           | 25.99           | 3.75             | Ϋ́                | Ϋ́                | 48.02             | 56.66             | 060    |
| 63272                            | ∢        | Excise intraspinal lesion    | 25.32        | Ϋ́              | Ϋ́              | 16.20           | 22.89           | 3.33             | ¥                 | ¥                 | 44.85             | 51.54             | 060    |
| 63273                            | ∢        | Excise intraspinal lesion    | 24.29        | Ϋ́              | ¥               | 15.38           | 18.14           | 2.44             | Ϋ́                | Α̈́               | 42.11             | 44.87             | 060    |
| 63275                            | ⋖        | Biopsy/excise spinal tumor   | 23.68        | Ϋ́              | Š               | 15.10           | 24.98           | 3.98             | Ϋ́                | Ϋ́                | 42.76             | 52.64             | 060    |
| 63276                            | ∢        | Biopsy/excise spinal tumor   | 23.45        | ¥               | Š               | 14.95           | 24.34           | 3.61             | ¥                 | Ϋ́                | 42.01             | 51.40             | 060    |
| 63277                            | ∢        | Biopsy/excise spinal tumor   | 20.83        | ž               | Š               | 13.65           | 22.06           | 3.32             | ¥                 | Ϋ́                | 37.80             | 46.21             | 060    |
| 63278                            | ⋖        | Biopsy/excise spinal tumor   | 20.56        | <b>∀</b>        | ¥               | 13.48           | 21.78           | 3.38             | ž                 | Ϋ́                | 37.42             | 45.72             | 060    |
| 63280                            | ∢        | Biopsy/excise spinal tumor   | 28.35        | ¥               | ¥               | 18.06           | 27.37           | 3.90             | ¥                 | ¥                 | 50.31             | 59.62             | 060    |
| 63281                            | ∢        | Biopsy/excise spinal tumor   | 28.05        | Ϋ́              | ¥               | 17.98           | 27.02           | 3.88             | ¥                 | ∢<br>Z            | 49.91             | 58.95             | 060    |
| 63282                            | ∢        | Biopsy/excise spinal tumor   | 26.39        | Š               | Š               | 16.77           | 23.82           | 3.47             | ¥                 | Ϋ́                | 46.63             | 53.68             | 060    |
| 63283                            | ⋖        | Biopsy/excise spinal tumor   | 25.00        | ¥               | ₹               | 16.39           | 19.38           | 5.69             | ¥                 | Ϋ́                | 44.08             | 47.07             | 060    |
| 63285                            | ∢        | Biopsy/excise spinal tumor   | 36.00        | Ϋ́              | ¥               | 22.00           | 25.44           | 3.51             | ¥                 | Ą                 | 61.51             | 64.95             | 060    |
| 63286                            | ∢        | Biopsy/excise spinal tumor   | 35.63        | Ϋ́              | ¥<br>¥          | 22.34           | 28.99           | 3.85             | ¥                 | Ϋ́                | 61.82             | 68.47             | 060    |
| 63287                            | ∢        | Biopsy/excise spinal tumor   | 36.70        | ¥               | ¥               | 22.57           | 26.58           | 3.54             | ¥                 | ¥                 | 62.81             | 66.82             | 060    |
| 63290                            | ∢        | Biopsy/excise spinal tumor   | 37.38        | Š               | ¥               | 22.00           | 27.61           | 3.64             | Š                 | ¥                 | 63.02             | 68.63             | 060    |
| 63300                            | ∢        | Removal of vertebral body    | 24.43        | Ϋ́              | ¥               | 15.69           | 17.98           | 1.58             | ¥                 | Ϋ́                | 41.70             | 43.99             | 060    |
| 63301                            | ∢        | Removal of vertebral body    | 27.60        | Ą               | Ϋ́              | 17.35           | 19.35           | 2.80             | ¥                 | ¥                 | 47.75             | 49.75             | 060    |
| 63302                            | ∢        | Removal of vertebral body    | 27.81        | ¥               | ¥               | 17.15           | 21.67           | 2.36             | ¥                 | Ϋ́                | 47.32             | 51.84             | 060    |
| 63303                            | ∢        | Removal of vertebral body    | 30.50        | Ą               | ¥<br>V          | 18.59           | 19.71           | 2.65             | Y<br>Y            | Ą                 | 51.74             | 52.86.            | 060    |

Page 110 of 271
CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                              |     |        |                              |           | Non-<br>facility | Transitioned    | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
|------------------------------|-----|--------|------------------------------|-----------|------------------|-----------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| -                            |     |        |                              | Physician | practice         | practice        | practice        | practice                 | Hal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Wod | Status | Description                  | work 3    | expense<br>RVUs  | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 1                            |     | ∢      | Removal of vertebral body    | 30.33     | ¥                | Αχ              | 18.74           | 22.03                    | 1.95             | ¥                 | ¥                 | 51.02             | 54.31             | 060    |
| 63305                        |     | ∢      | Removal of vertebral body    | 32.03     | ¥                | ¥               | 19.52           | 23.19                    | 2.93             | ¥                 | ¥                 | 54.48             | 58.15             | 060    |
| 63306                        |     | ∢      | Removal of vertebral body    | 32.22     | Ϋ́               | ¥               | 19.04           | 23.29                    | 2.07             | ¥                 | ¥                 | 53.33             | 57.58             | 060    |
| 63307                        |     | ∢      | Removal of vertebral body    | 31.63     | ¥                | Ϋ́              | 17.92           | 24.36                    | 2.33             | ¥                 | ¥                 | 51.88             | 58.32             | 060    |
| 63308                        |     | ∢      | Remove vertebral body add-on | 5.25      | Ϋ́               | ΑN              | 3.08            | 4.07                     | 0.57             | ¥                 | ¥                 | 8.90              | 9.89              | 777    |
| 63600                        |     | ∢      | Remove spinal cord lesion    | 14.02     | ¥                | ¥               | 6.05            | 10.22                    | 2.06             | ¥                 | ¥                 | 22.13             | 26.30             | 060    |
| 63610                        |     | ∢      | Stimulation of spinal cord   | 8.73      | ¥                | ¥               | 3.13            | 6.26                     | 1.61             | ¥                 | ¥                 | 13.47             | 16.60             | 8      |
| 63615                        |     | ∢      | Remove lesion of spinal cord | 16.28     | Ϋ́               | Ϋ́              | 10.91           | 12.13                    | 1.59             | ¥                 | ¥                 | 28.78             | 30.00             | 060    |
| 63650                        |     | ∢      | Implant neuroelectrodes      | 6.74      | ¥                | ¥               | 2.56            | 29'9                     | 1.67             | ¥                 | ¥                 | 10.97             | 15.08             | 060    |
| 63655                        |     | ∢      | Implant neuroelectrodes      | 10.29     | ¥                | Ϋ́              | 7.62            | 11.12                    | 2.85             | ¥                 | ¥                 | 20.76             | 24.26             | 060    |
| 63660                        |     | ∢      | Revise/remove neuroelectrode | 6.16      | Ϋ́               | ¥               | 3.36            | 6.36                     | 1.22             | Ϋ́                | ¥                 | 10.74             | 13.74             | 060    |
| 63685                        |     | ∢      | Implant neuroreceiver        | 7.04      | Ϋ́               | ¥               | 3.98            | 7.02                     | 1.14             | Š                 | ¥                 | 12.16             | 15.20             | 060    |
| 63688                        |     | ∢      | Revise/remove neuroreceiver  | 5.39      | ΑĀ               | ¥               | 3.39            | 5.68                     | 0.99             | Ϋ́                | ¥                 | 9.77              | 12.06             | 060    |
| 63690                        |     | ۵      | Analysis of neuroreceiver    | 0.00      | 0.00             | 0.00            | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 63691                        |     | ۵      | Analysis of neuroreceiver    | 00:0      | 0.00             | 0.00            | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 63700                        |     | ∢      | Repair of spinal herniation  | 16.53     | ¥                | Ϋ́              | 10.97           | 11.98                    | 1.74             | ¥                 | ¥                 | 29.24             | 30.25             | 060    |
| 63702                        |     | ∢      | Repair of spinal herniation  | 18.48     | ¥<br>Z           | Ϋ́              | 12.49           | 13.53                    | 1.95             | ¥                 | ¥                 | 32.92             | 33.96             | 060    |
| 63704                        |     | ∢      | Repair of spinal herniation  | 21.18     | ¥                | Ϋ́              | 13.69           | 14.97                    | 2.17             | ¥                 | ¥                 | 37.04             | 38.32             | 060    |
| 93706                        |     | ∢      | Repair of spinal herniation  | 24.11     | ¥                | Ϋ́              | 11.41           | 16.14                    | 2.49             | Ϋ́                | ¥                 | 38.01             | 42.74             | 060    |
| 63707                        |     | ∢      | Repair spinal fluid leakage  | 11.26     | ¥                | Ϋ́              | 8.18            | 12.13                    | 2.00             | Ϋ́                | ¥                 | 21.44             | 25.39             | 060    |
| 63709                        |     | ∢      | Repair spinal fluid leakage  | 14.32     | ₹                | Ϋ́              | 10.32           | 15.40                    | 2.58             | ž                 | ¥                 | 27.22             | 32.30             | 060    |
| 63710                        |     | ∢      | Graft repair of spine defect | 14.07     | ¥                | Ϋ́              | 6.97            | 10.43                    | 1.24             | ¥                 | ¥                 | 25.28             | 25.74             | 060    |
| 63740                        |     | ∢      | Install spinal shunt         | 11.36     | ¥                | Ϋ́              | 8.36            | 12.27                    | 2.34             | ₹                 | ¥                 | 22.06             | 25.97             | 060    |
| 63741                        |     | ∢      | Install spinal shunt         | 8.25      | ¥                | ¥               | 5.50            | 8.76                     | 1.87             | Ϋ́                | ¥                 | 15.62             | 18.88             | 060    |
| 63744                        |     | ∢      | Revision of spinal shunt     | 8.10      | ¥                | Ϋ́              | 5.36            | 7.97                     | 1.31             | ¥                 | ¥                 | 14.77             | 17.38             | 060    |
| 63746                        |     | ∢      | Removal of spinal shunt      | 6.43      | ¥                | Š               | 3.21            | 5.30                     | 0.84             | ¥                 | ¥                 | 10.48             | 12.57             | 060    |
| 64400                        |     | ∢      | Injection for nerve block    | 1.1       | 1.63             | 0.80            | 1.16            | 0.49                     | 0.04             | 2.78              | 1.95              | 2.31              | 1.64              | 8      |
| 64402                        |     | ∢      | Injection for nerve block    | 1.25      | 3.53             | 1.39            | 1.36            | 0.84                     | 0.07             | 4.85              | 2.71              | 2.68              | 2.16              | 00     |
| 64405                        |     | ∢      | Injection for nerve block    | 1.32      | 1.7              | 0.95            | 1.06            | 0.53                     | 0.05             | 3.08              | 2.32              | 2.43              | 1.90              | 00     |
| 64408                        |     | ∢      | Injection for nerve block    | 1.41      | 2.12             | 1.38            | 1.54            | 0.81                     | 0.09             | 3.62              | 2.88              | 3.04              | 2.31              | 000    |
| 64410                        |     | ∢      | Injection for nerve block    | 1.43      | 1.91             | 1.06            | 1.28            | 06.0                     | 0.12             | 3.46              | 2.61              | 2.83              | 2.45              | 000    |
| 64412                        |     | ∢      | Injection for nerve block    | 1.18      | 1.90             | 96.0            | 1.1             | 0.53                     | 90.0             | 3.14              | 2.22              | 2.35              | 1.77              | 000    |
| 64413                        |     | ∢      | Injection for nerve block    | 1.40      | 2.01             | 1.10            | 1.31            | 0.63                     | 90.0             | 3.47              | 2.56              | 2.77              | 5.09              | 000    |
| 64415                        |     | ∢      | Injection for nerve block    | 1.48      | 1.88             | 0.68            | 1.24            | 0.52                     | 0.05             | 3.41              | 2.21              | 2.77              | 2.05              | 000    |
| 64417                        |     | <      | Injection for nerve block    | 1.44      | 1.97             | 1.00            | 1.13            | 62.0                     | 0.12             | 3.53              | 2.56              | 2.69              | 2.35              | 000    |
| 64418                        |     | ∢      | Injection for nerve block    | 1.32      | 1.64             | 1.10            | 1.06            | 0.61                     | 0.08             | 3.04              | 2.50              | 2.46              | 2.01              | 000    |
| 64420                        |     | ∢      | Injection for nerve block    | 1.18      | 1.64             | 0.93            | 1.05            | 0.78                     | 0.05             | 2.87              | 2.16              | 2.28              | 2.01              | 000    |
| 64421                        |     | ∢      | Injection for nerve block    | 1.68      | 1.82             | 1.13            | 1.25            | 66.0                     | 0.13             | 3.63              | 2.94              | 3.06              | 2.80              | 000    |
| 64425                        |     | ∢      | Injection for nerve block    | 1.75      | 1.56             | 98.0            | 1.15            | 0.75                     | 80.0             | 3.39              | 5.69              | 2.98              | 2.58              | 000    |
| 64430                        |     | ∢      | Injection for nerve block    | 1.46      | 2.29             | 1.14            | 1.21            | 0.87                     | 60.0             | 3.84              | 2.69              | 2.76              | 2.42              | 000    |

Page 111 of 271 2 Copyright 1994 American Dental Association. All rights reserved. Applicable FARS/DFARS Apply. 3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                  |     |        |                              | Lucom v.       | Mon-            | Transitioned    |          | Transitioned |                  |                  |                  |          |                          |        |
|------------------|-----|--------|------------------------------|----------------|-----------------|-----------------|----------|--------------|------------------|------------------|------------------|----------|--------------------------|--------|
|                  |     |        |                              |                | facility        | Non-facility    | Facility | Facility     | ,                |                  | Transitioned     |          |                          |        |
| / <sub>1</sub> w |     |        |                              | Physician      | practice        | practice        | practice | practice     | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| HCPCS 2          | Mod | Status | Description                  | Work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | RVUs     | RVUs         | RUVs             | Total            | Total            | Total    | Total                    | Global |
| 64435            | l   | ۸      | Injection for nerve block    | 1.45           | 2.62            | 1.04            | 1.73     | 0.63         | 0.07             | 4.14             | 2.56             | 3.25     | 2.15                     | 000    |
| 64440            |     | < <    | Injection for nerve block    | 1.34           | 2.51            | 1.27            | 1.34     | 99.0         | 0.07             | 3.92             | 2.68             | 2.75     | 2.07                     | 000    |
| 64441            |     | <      | Injection for nerve block    | 1.79           | 2.77            | 1.52            | 1.38     | 0.76         | 60.0             | 4.65             | 3.40             | 3.26     | 2.64                     | 000    |
| 64442            |     | < <    | Injection for nerve block    | 1.41           | 2.76            | 1.66            | 1.43     | 1.33         | 0.13             | 4.30             | 3.20             | 2.97     | 2.87                     | 000    |
| 64443            |     | ⋖      | Inject, nerve block add-on   | 96.0           | 2.50            | 1.14            | 1.48     | 0.88         | 60:0             | 3.57             | 2.21             | 2.55     | 1.95                     | 222    |
| 64445            |     | <      | Injection for nerve block    | 1.48           | 2.34            | 0.98            | 1.33     | 0.54         | 0.05             | 3.87             | 2.51             | 2.86     | 2.07                     | 000    |
| 64450            |     | <      | Injection for nerve block    | 1.27           | 1.31            | 0.76            | 1.16     | 0.51         | 0.04             | 2.62             | 2.07             | 2.47     | 1.82                     | 00     |
| 64505            |     | ∢      | Injection for nerve block    | 1.36           | 1.82            | 96.0            | 1.28     | 0.58         | 0.05             | 3.23             | 2.37             | 5.69     | 1.99                     | 000    |
| 64508            |     | ∢      | Injection for nerve block    | 1.12           | 1.47            | 1.22            | 1.46     | 0.79         | 90.0             | 2.65             | 2.40             | 2.64     | 1.97                     | 00     |
| 64510            |     | ∢      | Injection for nerve block    | 1.22           | 1.59            | 96.0            | 1.16     | 0.87         | 0.14             | 2.95             | 2.34             | 2.52     | 2.23                     | 000    |
| 64520            |     | ∢      | Injection for nerve block    | 1.35           | 2.78            | 1.28            | 1.21     | 0.89         | 0.13             | 4.26             | 2.76             | 2.69     | 2.37                     | 00     |
| 64530            |     | ∢      | Injection for nerve block    | 1.58           | 2.40            | 1.55            | 1.42     | 1.31         | 0.22             | 4.20             | 3.35             | 3.22     | 3.11                     | 00     |
| 64550            |     | ∢      | Apply neurostimulator        | 0.18           | 0.32            | 0.44            | 0.05     | 0.19         | 0.03             | 0.53             | 0.65             | 0.26     | 0.40                     | 00     |
| 64553            |     | ∢      | Implant neuroelectrodes      | 2.31           | 1.34            | 1.17            | 1.36     | 92.0         | 0.08             | 3.73             | 3.56             | 3.75     | 3.15                     | 010    |
| 64555            |     | ∢      | Implant neuroelectrodes      | 2.27           | 1.86            | 0.81            | 0.45     | 0.29         | 0.08             | 4.21             | 3.16             | 2.80     | 2.64                     | 010    |
| 64560            |     | ∢      | Implant neuroelectrodes      | 2.36           | 1.87            | 1.65            | 0.48     | 0.71         | 0.19             | 4.42             | 4.20             | 3.03     | 3.26                     | 010    |
| 64565            |     | ∢      | Implant neuroelectrodes      | 1.76           | 2.09            | 1.14            | 0.71     | 0.49         | 90.0             | 3.91             | 2.96             | 2.53     | 2.31                     | 010    |
| 64573            |     | ∢      | Implant neuroelectrodes      | 4.43           | ¥               | ¥               | 3.65     | 3.49         | 0.48             | ¥                | Υ<br>Σ           | 8.56     | 8.40                     | 060    |
| 64575            |     | ∢      | Implant neuroelectrodes      | 4.35           | ¥               | ¥               | 3.56     | 3.39         | 0.31             | ¥                | ď<br>Z           | 8.22     | 8.05                     | 060    |
| 64577            |     | ∢      | Implant neuroelectrodes      | 4.62           | ¥               | ¥               | 3.31     | 3.08         | 0.35             | ¥                | Ϋ́               | 8.28     | 8.05                     | 060    |
| 64580            |     | ∢      | Implant neuroelectrodes      | 4.12           | ¥               | Ϋ́              | 2.76     | 3.06         | 0.16             | ¥                | <b>∀</b>         | 7.04     | 7.34                     | 060    |
| 64585            |     | ∢      | Revise/remove neuroelectrode | 2.06           | 1.36            | 1.13            | 1.77     | 1.23         | 0.07             | 3.49             | 3.26             | 3.90     | 3.36                     | 010    |
| 64590            |     | ∢      | Implant neuroreceiver        | 2.40           | ¥               | Ϋ́              | 2.33     | 2.08         | 0.27             | ¥                | Š                | 2.00     | 4.75                     | 010    |
| 64595            |     | ∢      | Revise/remove neuroreceiver  | 1.73           | ¥               | Ϋ́              | 1.36     | 1.26         | 0.16             | ¥                | Š                | 3.25     | 3.15                     | 010    |
| 64600            |     | ∢      | Injection treatment of nerve | 3.45           | 2.29            | 1.95            | 1.80     | 1.82         | 0.13             | 2.87             | 5.53             | 5.38     | 5.40                     | 010    |
| 64605            |     | ⋖      | Injection treatment of nerve | 5.61           | 2.45            | 1.88            | 2.10     | 1.79         | 0.26             | 8.32             | 7.75             | 7.97     | 99.7                     | 010    |
| 64610            |     | ∢      | Injection treatment of nerve | 7.16           | ¥               | Š               | 4.50     | 7.04         | 1.06             | ¥                | ¥<br>Z           | 12.72    | 15.26                    | 010    |
| 64612            |     | ∢      | Destroy nerve, face muscle   | 1.96           | 2.51            | 1.81            | 2.14     | 1.13         | 0.13             | 4.60             | 3.90             | 4.23     | 3.22                     | 010    |
| 64613            |     | ∢      | Destroy nerve, spine muscle  | 1.96           | 1.28            | 1.50            | 1.29     | 0.92         | 0.13             | 3.37             | 3.59             | 3.38     | 3.01                     | 010    |
| 64620            |     | ∢      | Injection treatment of nerve | 2.84           | 2.02            | 1.32            | 1.57     | 1.21         | 0.15             | 5.01             | 4.31             | 4.56     | 4.20                     | 010    |
| 64622            |     | ∢      | Injection treatment of nerve | 3.00           | 2.91            | 2.21            | 1.65     | 1.90         | 0.27             | 6.18             | 5.48             | 4.92     | 5.17                     | 010    |
| 64623            |     | ∢      | Inject, tx of nerve add-on   | 0.99           | 2.02            | 1.20            | 1.27     | 1.01         | 0.13             | 3.14             | 2.32             | 2.39     | 2.13                     | 777    |
| 64630            |     | ∢      | Injection treatment of nerve | 3.00           | 2.73            | 2.10            | 1.61     | 1.82         | 0.30             | 6.03             | 5.40             | 4.91     | 5.12                     | 010    |
| 64640            |     | ∢      | Injection treatment of nerve | 2.76           | 3.08            | 1.52            | 2.27     | 1.32         | 0.07             | 5.91             | 4.35             | 5.10     | 4.15                     | 010    |
| 64680            |     | ∢      | Injection treatment of nerve | 2.62           | 2.00            | 1.76            | 1.79     | 1.71         | 0.32             | 4.94             | 4.70             | 4.73     | 4.65                     | 010    |
| 64702            |     | ∢      | Revise finger/toe nerve      | 4.23           | Ą               | ¥               | 3.66     | 4.35         | 0.55             | ¥                | Š                | 8.44     | 9.13                     | 060    |
| 64704            |     | ⋖      | Revise hand/foot nerve       | 4.57           | Ą               | Ϋ́              | 3.03     | 4.85         | 0.58             | Ϋ́               | Š                | 8.18     | 10.00                    | 060    |
| 64708            |     | ∢      | Revise arm/leg nerve         | 6.12           | ¥               | Ϋ́              | 4.87     | 69.9         | 0.99             | Ą                | Ϋ́               | 11.98    | 13.80                    | 060    |
| 64712            |     | ∢      | Revision of sciatic nerve    | 7.75           | ¥               | Ϋ́              | 4.52     | 8.08         | 1.31             | ¥                | Ā                | 13.58    | 17.14                    | 060    |
| 64713            |     | ∢      | Revision of arm nerve(s)     | 11.00          | ž               | Ϋ́              | 5.72     | 9.08         | 1.35             | N<br>A           | ₹                | 18.07    | 21.43                    | 060    |
|                  |     |        |                              |                |                 |                 |          |              |                  |                  |                  |          |                          |        |

Page 112 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Denial Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                   |      |        | ŧ.                           |                 | Non-     | Transitioned             | 1               | Transitioned       |                  |                   | ;<br>F              |                   |                   |            |
|-------------------|------|--------|------------------------------|-----------------|----------|--------------------------|-----------------|--------------------|------------------|-------------------|---------------------|-------------------|-------------------|------------|
| ,                 |      |        |                              | Physician       | racility | Non-tacility<br>practice | ractice         | radiny<br>practice | Mal-             | Non-              | iransinonea<br>Non- |                   | Transitioned      |            |
| CPT //<br>HCPCS 2 | Poff | Centuc | Daccrintion                  | work<br>RVIIc 3 | expense  | expense<br>RVIIc         | expense<br>RVUs | expense<br>RVUs    | practice<br>RUVs | facility<br>Total | facility<br>Total   | Facility<br>Total | Facility<br>Total | Global     |
| 64714             |      | A A    | Revise low back nerve(s)     | 10.33           | ž        | ž                        | 4.03            | 6.00               | 1.10             | ¥                 | Ą                   | 15.46             | 17.43             | 060        |
| 64716             |      | < ∢    | Revision of cranial nerve    | 6.31            | ¥        | Ϋ́                       | 5.10            | 5.21               | 0.52             | ¥                 | ¥                   | 11.93             | 12.04             | 060        |
| 64718             |      | < <    | Revise ulnar nerve at elbow  | 5.99            | ¥        | Ϋ́                       | 5.01            | 6.62               | 0.88             | ¥                 | ¥                   | 11.88             | 13.49             | 060        |
| 64719             |      | <      | Revise ulnar nerve at wrist  | 4.85            | ¥        | Ą<br>V                   | 4.33            | 5.11               | 99.0             | ¥                 | ¥                   | 9.84              | 10.62             | 060        |
| 64721             |      | ∢      | Carpai tunnel surgery        | 4.29            | 5.14     | 5.13                     | 5.12            | 5.12               | 0.65             | 10.08             | 10.01               | 10.06             | 10.06             | 060        |
| 64722             |      | ∢      | Relieve pressure on nerve(s) | 4.70            | ¥        | Ϋ́                       | 2.83            | 4.92               | 0.87             | ¥                 | Š                   | 8.40              | 10.49             | 060        |
| 64726             |      | ∢      | Release foot/toe nerve       | 4.18            | ¥        | Ϋ́                       | 2.44            | 1.20               | 0.05             | ¥                 | Ą<br>Y              | 29.9              | 5.43              | 060        |
| 64727             |      | ∢      | Internal nerve revision      | 3.10            | ¥        | ¥<br>Z                   | 1.83            | 3.10               | 0.43             | ž                 | ¥                   | 5.36              | 6.63              | <b>ZZZ</b> |
| 64732             |      | ∢      | Incision of brow nerve       | 4.41            | ¥        | Ϋ́                       | 3.19            | 4.31               | 0.56             | ₹                 | ¥                   | 8.16              | 9.28              | 080        |
| 64734             |      | ∢      | Incision of cheek nerve      | 4.92            | ¥        | Ϋ́                       | 3.44            | 4.61               | 0.52             | ¥                 | ¥                   | 8.88              | 10.05             | 060        |
| 64736             |      | ∢      | Incision of chin nerve       | 4.60            | ž        | Ϋ́                       | 2.71            | 4.31               | 0.33             | ¥                 | <b>∀</b>            | 7.64              | 9.24              | 8          |
| 64738             |      | ∢      | Incision of jaw nerve        | 5.73            | ¥        | Ϋ́                       | 3.48            | 5.00               | 0.48             | ¥                 | Ϋ́                  | 69.6              | 11.21             | 8          |
| 64740             |      | ∢      | Incision of tongue nerve     | 5.59            | ¥        | ¥                        | 3.39            | 5.06               | 0.49             | ¥                 | Ϋ́                  | 9.47              | 11.14             | 060        |
| 64742             |      | ∢      | Incision of facial nerve     | 6.22            | ž        | ¥                        | 4.77            | 5.27               | 0.34             | ¥                 | Ϋ́                  | 11.33             | 11.83             | 060        |
| 64744             |      | ∢      | Incise nerve, back of head   | 5.24            | ¥        | ¥                        | 3.70            | 5.61               | 98.0             | ¥                 | <b>∀</b>            | 9.80              | 11.71             | 060        |
| 64746             |      | ∢      | Incise diaphragm nerve       | 5.93            | ¥        | ¥                        | 3.81            | 4.02               | 09.0             | ¥                 | ¥<br>Z              | 10.34             | 10.55             | 90         |
| 64752             |      | ∢      | Incision of vagus nerve      | 90'2            | ¥        | ¥                        | 4.39            | 4.30               | 99.0             | ¥                 | <b>∀</b>            | 12.11             | 12.02             | 060        |
| 64755             |      | ∢      | Incision of stomach nerves   | 13.52           | ¥        | Ϋ́                       | 6.64            | 10.18              | 1.78             | ¥                 | Ą<br>Z              | 21.94             | 25.48             | 060        |
| 64760             |      | ∢      | Incision of vagus nerve      | 96.9            | ¥        | ¥                        | 4.00            | 6.42               | 1.17             | ¥                 | ¥<br>X              | 12.13             | 14.55             | 060        |
| 64761             |      | ∢      | Incision of pelvis nerve     | 6.41            | ¥        | ¥                        | 3.57            | 4.69               | 0.39             | ¥                 | ¥<br>Y              | 10.37             | 11.49             | 060        |
| 64763             |      | ∢      | Incise hip/thigh nerve       | 6.93            | ž        | ₹                        | 6.31            | 5.49               | 0.72             | ¥                 | Ϋ́                  | 13.96             | 13.14             | 060        |
| 64766             |      | ∢      | Incise hip/thigh nerve       | 8.67            | ¥        | ď                        | 6.22            | 6.99               | 0.94             | ₹                 | ¥<br>X              | 15.83             | 16.60             | 060        |
| 64771             |      | ∢      | Sever cranial nerve          | 7.35            | ¥        | ₹<br>X                   | 5.71            | 99.9               | 0.57             | ¥                 | ¥                   | 13.63             | 14.58             | 060        |
| 64772             |      | ∢      | Incision of spinal nerve     | 7.21            | ¥        | Ϋ́                       | 4.61            | 6.67               | 1.02             | ¥                 | ¥                   | 12.84             | 14.90             | 060        |
| 64774             |      | ∢      | Remove skin nerve lesion     | 5.17            | ₹        | ₹                        | 3.38            | 3.07               | 0.35             | ž                 | ¥<br>Z              | 8.90              | 8.59              | 060        |
| 64776             |      | ∢      | Remove digit nerve lesion    | 5.12            | ¥        | ΑĀ                       | 3.21            | 3.07               | 0.32             | ¥                 | Ą<br>Ż              | 8.65              | 8.51              | 060        |
| 64778             |      | ∢      | Digit nerve surgery add-on   | 3.11            | ¥        | ₹                        | 1.77            | 2.66               | 0.34             | ž                 | ¥                   | 5.22              | 6.11              | 777        |
| 64782             |      | ∢      | Remove limb nerve lesion     | 6.23            | ¥        | ₹                        | 3.55            | 4.71               | 0.36             | ž                 | Ϋ́                  | 10.14             | 11.30             | 8          |
| 64783             |      | ∢      | Limb nerve surgery add-on    | 3.72            | ₹        | ¥                        | 2.23            | 3.21               | 0.37             | ¥                 | Ϋ́                  | 6.32              | 7.30              | 222        |
| 64784             |      | ∢      | Remove nerve lesion          | 9.82            | ¥        | ₹                        | 6.43            | 6.20               | 0.75             | ž                 | Υ<br>Υ              | 17.00             | 16.77             | 060        |
| 64786             |      | ∢      | Remove sciatic nerve lesion  | 15.46           | ¥        | ¥                        | 10.07           | 12.82              | 1.67             | ž                 | ¥<br>¥              | 27.20             | 29.95             | 060        |
| 64787             |      | ∢      | Implant nerve end            | 4.30            | ¥        | ¥                        | 2.24            | 3.39               | 0.47             | ¥                 | ¥<br>X              | 7.01              | 8.16              | 777        |
| 64788             |      | ∢      | Remove skin nerve lesion     | 4.61            | ¥        | ₹                        | 3.41            | 3.81               | 0.39             | ₹                 | Ϋ́                  | 8.41              | 8.81              | 060        |
| 64790             |      | ∢      | Removal of nerve lesion      | 11.31           | ¥        | ¥                        | 7.60            | 69.7               | 0.95             | ¥                 | ¥                   | 19.86             | 19.95             | 060        |
| 64792             |      | ∢      | Removal of nerve lesion      | 14.92           | ¥        | ¥                        | 9.40            | 29.6               | 1.30             | ¥                 | ¥<br>¥              | 25.62             | 25.89             | 060        |
| 64795             |      | ∢      | Biopsy of nerve              | 3.01            | ¥        | ¥                        | 1.74            | 2.37               | 0.31             | ¥                 | ¥                   | 5.06              | 5.69              | 000        |
| 64802             |      | ∢      | Remove sympathetic nerves    | 9.15            | Ϋ́       | ¥                        | 4.90            | 5.62               | 98.0             | ¥                 | ž                   | 14.91             | 15.63             | 060        |
| 64804             |      | ∢      | Remove sympathetic nerves    | 14.64           | ₹        | ¥                        | 7.44            | 12.26              | 1.91             | ¥                 | ¥                   | 23.99             | 28.81             | 060        |
| 64809             |      | ∢      | Remove sympathetic nerves    | 13.67           | ¥        | Ϋ́                       | 6.63            | 10.25              | 1.60             | ¥                 | Ą<br>Ż              | 21.90             | 25.52             | 060        |
| 64818             |      | ∢      | Remove sympathetic nerves    | 10.30           | ž        | Ϋ́                       | 5.68            | 8.40               | 1.35             | ¥                 | ₹                   | 17.33             | 20.05             | 060        |
|                   |      |        |                              |                 |          |                          |                 |                    |                  | 1000              |                     |                   |                   |            |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        |                              |              | Mon.            | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|------------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| -                            |     |        |                              | Physician    | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| ı                            | 1   | ٨      | Remove sympathetic nerves    | 10.37        | Ą               | ₹               | 7.65            | 7.83            | 1.11             | Ą                 | ¥                 | 19.13             | 19.31             | 060    |
| 64830                        |     | ۵      | Microrepair of nerve         | 0.00         | 0.00            | 00.0            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | 777    |
| 64831                        |     | ∢      | Repair of digit nerve        | 9.44         | ¥               | A<br>A          | 6.84            | 4.46            | 0.44             | ¥                 | ¥                 | 16.72             | 14.34             | 060    |
| 64832                        |     | ∢      | Repair nerve add-on          | 5.66         | ¥               | Š               | 3.38            | 1.99            | 0.19             | ¥                 | ¥                 | 9.23              | 7.84              | 777    |
| 64834                        |     | ⋖      | Repair of hand or foot nerve | 10.19        | Ϋ́              | ¥               | 98.9            | 4.57            | 0.44             | ¥                 | Ϋ́                | 17.49             | 15.20             | 060    |
| 64835                        |     | <      | Repair of hand or foot nerve | 10.94        | ¥               | ¥               | 7.49            | 6.73            | 0.81             | ¥                 | ¥                 | 19.24             | 18.48             | 060    |
| 64836                        |     | ⋖      | Repair of hand or foot nerve | 10.94        | ¥               | ¥               | 7.70            | 7.38            | 0.95             | ¥                 | ¥                 | 19.59             | 19.27             | 060    |
| 64837                        |     | ∢      | Repair nerve add-on          | 6.26         | ¥               | Ϋ́              | 3.69            | 4.55            | 99.0             | ¥                 | ¥                 | 10.61             | 11.47             | 777    |
| 64840                        |     | ⋖      | Repair of leg nerve          | 13.02        | ¥               | Ϋ́              | 8.57            | 10.57           | 0.41             | ¥                 | ¥                 | 22.00             | 24.00             | 060    |
| 64856                        |     | ∢      | Repair/transpose nerve       | 13.80        | ¥               | Ϋ́              | 9.61            | 60.6            | 1.14             | ¥                 | ¥                 | 24.55             | 24.03             | 060    |
| 64857                        |     | ∢      | Repair arm/leg nerve         | 14.49        | ¥               | Ϋ́              | 10.11           | 10.28           | 1.20             | ¥                 | ¥                 | 25.80             | 25.97             | 060    |
| 64858                        |     | ∢      | Repair sciatic nerve         | 16.49        | ¥               | Υ<br>V          | 10.79           | 11.64           | 1.65             | ¥                 | ¥                 | 28.93             | 29.78             | 060    |
| 64859                        |     | ∢      | Nerve surgery                | 4.26         | ¥               | Υ<br>Υ          | 2.60            | 3.50            | 0.45             | ¥                 | Ϋ́                | 7.31              | 8.21              | 777    |
| 64861                        |     | ∢      | Repair of arm nerves         | 19.24        | ¥               | ₹<br>Ž          | 12.54           | 14.06           | 1.08             | ž                 | ¥                 | 32.86             | 34.38             | 060    |
| 64862                        |     | ∢      | Repair of low back nerves    | 19.44        | Š               | ¥               | 12.38           | 20.65           | 1.26             | ¥                 | <b>∀</b>          | 33.08             | 41.35             | 060    |
| 64864                        |     | ∢      | Repair of facial nerve       | 12.55        | ΑĀ              | <b>₹</b>        | 8.86            | 8.61            | 0.91             | ¥                 | ¥                 | 22.32             | 22.07             | 060    |
| 64865                        |     | ∢      | Repair of facial nerve       | 15.24        | Š               | ¥               | 10.37           | 12.64           | 1.17             | ¥                 | Ϋ́                | 26.78             | 29.05             | 060    |
| 64866                        |     | ⋖      | Fusion of facial/other nerve | 15.74        | ¥               | Ϋ́              | 10.67           | 11.77           | 1.44             | ž                 | ¥                 | 27.85             | 28.95             | 060    |
| 64868                        |     | ⋖      | Fusion of facial/other nerve | 14.04        | Š               | Ϋ́              | 9.40            | 11.46           | 1.15             | ¥                 | Ϋ́                | 24.59             | 26.65             | 060    |
| 64870                        |     | ∢      | Fusion of facial/other nerve | 15.99        | ₹<br>Z          | Ϋ́              | 9.61            | 13.73           | 1.33             | ¥                 | Ϋ́                | 26.93             | 31.05             | 060    |
| 64872                        |     | ∢      | Subsequent repair of nerve   | 1.99         | ₹<br>Z          | A<br>A          | 1.22            | 1.48            | 0.23             | ž                 | ¥<br>V            | 3.44              | 3.70              | 222    |
| 64874                        |     | ∢      | Repair & revise nerve add-on | 2.98         | Š               | Ϋ́              | 1.73            | 2.20            | 0.34             | <b>∀</b>          | ¥:                | 5.05              | 5.52              | 777    |
| 64876                        |     | ∢      | Repair nerve; shorten bone   | 3.38         | Ϋ́              | Ϋ́              | 1.56            | 2.39            | 0.38             | ₹                 | <b>∀</b>          | 5.32              | 6.15              | 777    |
| 64885                        |     | ∢      | Nerve graft, head or neck    | 17.53        | Ϋ́              | ¥               | 11.98           | 13.32           | 1.16             | Ϋ́                | ¥                 | 30.67             | 32.01             | 060    |
| 64886                        |     | ∢      | Nerve graft, head or neck    | 20.75        | ₹<br>Z          | Ϋ́              | 13.99           | 15.81           | 1.38             | ₹                 | <b>∀</b>          | 36.12             | 37.94             | 060    |
| 64890                        |     | ∢      | Nerve graft, hand or foot    | 15.15        | Š               | Ϋ́              | 10.72           | 12.66           | 1.66             | Ϋ́                | ¥                 | 27.53             | 29.47             | 060    |
| 64891                        |     | ∢      | Nerve graft, hand or foot    | 16.14        | <b>∀</b>        | <b>∀</b>        | 96.7            | 10.47           | 1.35             | ₹                 | <b>∀</b>          | 25.45             | 27.96             | 060    |
| 64892                        |     | ∢      | Nerve graft, arm or leg      | 14.65        | Š               | Ϋ́              | 9.53            | 11.37           | 1.32             | ¥                 | ¥                 | 25.50             | 27.34             | 060    |
| 64893                        |     | ∢      | Nerve graft, arm or leg      | 15.60        | Ϋ́              | Ϋ́              | 8.85            | 13.55           | 1.78             | ¥                 | Ϋ́                | 26.23             | 30.93             | 060    |
| 64895                        |     | ∢      | Nerve graft, hand or foot    | 19.25        | <b>∀</b><br>Z   | Ϋ́              | 11.23           | 13.52           | 1.99             | ¥<br>Z            | Υ<br>V            | 32.47             | 34.76             | 060    |
| 64896                        |     | ∢      | Nerve graft, hand or foot    | 20.49        | Ϋ́              | Ϋ́              | 13.14           | 17.55           | 1.49             | <b>∀</b>          | <b>∀</b>          | 35.12             | 39.53             | 060    |
| 64897                        |     | ∢      | Nerve graft, arm or leg      | 18.24        | <b>∀</b>        | Ϋ́              | 11.58           | 13.18           | 1.93             | Ϋ́                | Υ<br>Y            | 31.75             | 33.35             | 060    |
| 64898                        |     | ∢      | Nerve graft, arm or leg      | 19.50        | Ϋ́              | Ϋ́              | 13.38           | 15.07           | 1.84             | ¥                 | <b>₹</b>          | 34.72             | 36.41             | 060    |
| 64901                        |     | ∢      | Nerve graft add-on           | 10.22        | Ϋ́              | Ϋ́              | 6.12            | 9.80            | 0.68             | ¥                 | Ϋ́                | 17.02             | 20.70             | 222    |
| 64902                        |     | ⋖      | Nerve graft add-on           | 11.83        | ¥               | Ϋ́              | 7.54            | 11.59           | 0.77             | ¥                 | ¥                 | 20.14             | 24.19             | 777    |
| 64905                        |     | ∢      | Nerve pedicle transfer       | 14.02        | ¥<br>Z          | Ϋ́              | 7.99            | 9.65            | 0.55             | ¥                 | Ϋ́                | 22.56             | 24.22             | 060    |
| 64907                        |     | ∢      | Nerve pedicle transfer       | 18.83        | ¥               | Ą               | 11.95           | 13.59           | 1.99             | ¥                 | ¥                 | 32.77             | 34.41             | 060    |
| 64999                        |     | ပ      | Nervous system surgery       | 0.00         | 0.00            | 00.0            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | λλ     |
| 65091                        |     | ∢      | Revise eye                   | 6.46         | ₹               | Ϋ́              | 8.81            | 7.99            | 0.35             | ¥                 | Υ<br>Σ            | 15.62             | 14.80             | 060    |
| 65093                        |     | ∢      | Revise eye with implant      | 6.87         | <b>₹</b>        | Š               | 9.70            | 8.58            | 0.41             | <b>∀</b>          | ž                 | 16.98             | 15.86             | 060    |
|                              |     |        |                              |              |                 |                 |                 |                 |                  |                   |                   |                   |                   |        |

Page 114 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| (PT <sup>1</sup> /<br>HCPCS Mod<br>65101<br>65103<br>65105<br>65110<br>65112 |        |                              |           | facility | Non-facility | Facility            | Facility |                  |                  | <b>Iransitioned</b> |            |                          |        |
|--|--------|------------------------------|-----------|----------|--------------|---------------------|----------|------------------|------------------|---------------------|------------|--------------------------|--------|
| 2  |        |                              |           |          | , mari       |                     | ·        | :                |                  |                     |            | •                        |        |
| 2  |        |                              | Physician | practice | practice     | practice<br>expense | practice | Mal-<br>practice | Non-<br>facility | Non-<br>facility    | Facility   | Transitioned<br>Facility |        |
|  | Status | Description                  | RVUs 3    | RVUs     | RVUs         | RVUs                | RVUs     | RUVs             | Total            | Total               | Total      | Total                    | Global |
| 65103<br>65105<br>65110<br>65112<br>65114                                    | ٨      | Removal of eve               | 7.03      | AN<br>A  | ΑN           | 9.81                | 8.75     | 0.37             | AA               | Ϋ́                  | 17.21      | 16.15                    | 060    |
| 65105<br>65110<br>65112<br>65114   | < ∢    | Remove eve/insert implant    | 7.57      | Ą        | ¥            | 10.02               | 9.29     | 0.39             | ¥                | ۷<br>Z              | 17.98      | 17.25                    | 060    |
| 65110<br>65112<br>65114  | < ∢    | Remove eve/attach implant    | 8.49      | ¥        | ¥            | 10.77               | 10.30    | 0.43             | ¥                | Ϋ́                  | 19.69      | 19.22                    | 80     |
| 65112  | < <    | Removal of eve               | 13.95     | ¥        | ¥            | 14.00               | 16.00    | 0.89             | ¥                | Š                   | 28.84      | 30.84                    | 8      |
| 65114  | <      | Remove eye, revise socket    | 16.38     | ¥        | <b>∀</b>     | 16.60               | 14.05    | 0.85             | ¥                | Ź                   | 33.83      | 31.28                    | 060    |
|  | < <    | Remove eye, revise socket    | 17.53     | ¥        | ¥            | 16.53               | 14.77    | 1.29             | Ϋ́               | Ϋ́                  | 35.35      | 33.59                    | 8      |
| 65125  | <      | Revise ocular implant        | 3.12      | 4.11     | 3.04         | 1.57                | 2.40     | 0.10             | 7.33             | 6.26                | 4.79       | 5.62                     | 060    |
| 65130  | <      | Insert ocular implant        | 7.15      | ¥        | ¥            | 9.45                | 8.76     | 0.39             | ¥                | <b>∀</b>            | 16.96      | 16.30                    | 8      |
| 65135  | ∢      | Insert ocular implant        | 7.33      | ¥        | ¥            | 9.64                | 6.82     | 0.27             | Š                | Š                   | 17.24      | 14.42                    | 60     |
| 65140  | ∢      | Attach ocular implant        | 8.02      | ¥        | ¥            | 9.87                | 7.53     | 0.26             | Ϋ́               | ¥                   | 18.15      | 15.81                    | 66     |
| 65150  | ∢      | Revise ocular implant        | 6.26      | ¥        | ¥            | 8.87                | 7.83     | 0.44             | ¥<br>Z           | ¥                   | 15.57      | 14.53                    | 60     |
| 65155  | ∢      | Reinsert ocular implant      | 8.66      | ¥        | Ā            | 10.55               | 10.39    | 0.70             | Ϋ́               | <b>₹</b>            | 19.91      | 19.75                    | 060    |
| 65175  | ∢      | Removal of ocular implant    | 6.28      | Š        | ¥<br>X       | 8.72                | 7.81     | 0.31             | ¥                | <b>₹</b>            | 15.31      | 14.40                    | 060    |
| 65205  | ∢      | Remove foreign body from eye | 0.71      | 3.70     | 1.23         | 0.29                | 0.22     | 0.02             | 4.43             | 1.96                | 1.02       | 0.95                     | 000    |
| 65210  | ∢      | Remove foreign body from eye | 0.84      | 3.65     | 1.29         | 0.29                | 0.26     | 0.02             | 4.51             | 2.15                | 1.15       | 1.12                     | 8      |
| 65220  | ∢      | Remove foreign body from eye | 0.71      | 5.70     | 1.85         | 0.27                | 0.28     | 0.03             | 6.44             | 2.59                | 1.01       | 1.02                     | 00     |
| 65222  | ∢      | Remove foreign body from eye | 0.93      | 3.64     | 1.38         | 0.28                | 0.30     | 0.02             | 4.59             | 2.33                | 1.23       | 1.25                     | 000    |
| 65235  | ∢      | Remove foreign body from eye | 7.57      | <b>∀</b> | ¥            | 7.11                | 6.35     | 0.23             | ₹                | <b>∀</b><br>Z       | 14.91      | 14.15                    | 060    |
| 65260  | ∢      | Remove foreign body from eye | 10.96     | ¥        | ₹            | 11.67               | 9.95     | 0.35             | ₹                | <b>∀</b>            | 22.98      | 21.26                    | 8      |
| 65265  | ∢      | Remove foreign body from eye | 12.59     | Š        | ¥            | 13.22               | 11.48    | 0.40             | ¥                | ₹<br>Z              | 26.21      | 24.47                    | 060    |
| 65270  | ∢      | Repair of eye wound          | 1.90      | 3.06     | 1.72         | 2.38                | 1.55     | 0.05             | 5.01             | 3.67                | 4.33       | 3.50                     | 910    |
| 65272  | ∢      | Repair of eye wound          | 3.82      | 4.34     | 2.42         | 4.17                | 2.38     | 0.08             | 8.24             | 6.32                | 8.07       | 6.28                     | 060    |
| 65273  | ∢      | Repair of eye wound          | 4.36      | ¥        | ₹            | 4.39                | 3.72     | 0.16             | ¥                | Ϋ́                  | 89.<br>19. | 8.24                     | 66     |
| 65275  | ∢      | Repair of eye wound          | 5.34      | 4.51     | 1.67         | 4.69                | 1.71     | 0.03             | 9.88             | 7.04                | 10.06      | 7.08                     | 060    |
| 65280  | ∢      | Repair of eye wound          | 99.7      | <b>∀</b> | Ϋ́           | 8.22                | 8.92     | 0.38             | ₹                | ¥<br>Z              | 16.26      | 16.96                    | 060    |
| 65285  | ∢      | Repair of eye wound          | 12.90     | Ϋ́       | Ϋ́           | 14.26               | 13.55    | 0.50             | ₹                | ₹                   | 27.66      | 26.95                    | 060    |
| 65286  | ∢      | Repair of eye wound          | 5.51      | 6.82     | 5.61         | 6.46                | 3.57     | 0.20             | 12.53            | 11.32               | 12.17      | 9.28                     | 8      |
| 65290  | ∢      | Repair of eye socket wound   | 5.41      | ¥        | ¥<br>Z       | 6.82                | 6.55     | 0.29             | ₹ :              | Υ S                 | 12.52      | 12.25                    | 9 8    |
| 65400  | ∢      | Removal of eye lesion        | 90.9      | 7.66     | 7.17         | 7.19                | 7.06     | 0.27             | 13.99            | 13.50               | 13.52      | 13.39                    | 080    |
| 65410  | ∢      | Biopsy of cornea             | 1.47      | 45       | 1.68         | 1.18                | 1.59     | 0.09             | 3.10             | 3.24                | 2.74       | 3.15<br>5.73             | 3 8    |
| 65420  | ∢      | Removal of eye lesion        | 4.17      | 6.04     | 4.99         | 5.77                | 4.92     | 0.18             | 10.39            | 9.34<br>4.04        | 21.01      | 9.27                     | 200    |
| 65426  | ∢      | Removal of eye lesion        | 5.25      | 7.12     | 6.48         | 6.77                | 6.40     | 0.30             | 12.67            | 12.03               | 12.32      | 11.95                    | 060    |
| 65430  | ∢      | Corneal smear                | 1.47      | 4.09     | 1.47         | 96.0                | 0.47     | 0.02             | 5.58             | 2.96                | 2.45       | 1.96                     | 000    |
| 65435  | ∢      | Curette/treat cornea         | 0.92      | 1.19     | 0.93         | 0.43                | 0.42     | 0.03             | 2.14             | 1.88                | 1.38       | 1.37                     | 000    |
| 65436  | ∢      | Curette/treat cornea         | 4.19      | 4.60     | 2.40         | 4.29                | 1.70     | 90.0             | 8.85             | 6.65                | 8.54       | 5.95                     | 060    |
| 65450  | ∢      | Treatment of corneal lesion  | 3.27      | 5.68     | 4.09         | 5.33                | 4.00     | 0.13             | 9.08             | 7.49                | 8.73       | 7.40                     | 060    |
| 65600  | ∢      | Revision of cornea           | 3.40      | 4.17     | 3.17         | 1.42                | 1.42     | 0.11             | 7.68             | 6.68                | 4.93       | 4.93                     | 8      |
| 65710  | ∢      | Corneal transplant           | 12.35     | ¥        | ¥            | 13.68               | 13.55    | 0.88             | ₹                | Ϋ́                  | 26.91      | 26.78                    | 060    |
| 65730  | ∢      | Corneal transplant           | 14.25     | ¥        | ₹            | 14.34               | 15.91    | 1.01             | ¥                | <b>∀</b><br>Z       | 29.60      | 31.17                    | 060    |
| 65750  | ∢      | Corneal transplant           | 15.00     | ¥        | <b>₹</b>     | 14.91               | 16.83    | <u>4</u>         | ₹<br>Ž           | ∢<br>Z              | 30.95      | 32.87                    | 060    |

Page 115 of 271
2 Cápyright 1994 American Denies and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                                  |          |                            |              | Mon-            | Transitioned    | •               | Transitioned    |                  |                   |                   |                   |                   |        |
|----------------------------------|----------|----------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                                  |          |                            |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| ~                                |          |                            | Physician    | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              | į                 | Transitioned      |        |
| CPT '/<br>HCPCS <sup>2</sup> Mod | d Status | Description                | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | tacility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 1                                | 1        | Corne                      | 14.89        | Ą               | ¥               | 14.68           | 16.77           | 1.09             | A<br>A            | AN                | 30.66             | 32.75             | 060    |
| 65760                            | z        | Revision of cornea         | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 65765                            | z        | Revision of cornea         | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 65767                            | z        | Corneal tissue transplant  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 65770                            | ∢        | Revise cornea with implant | 17.56        | ¥               | ¥               | 16.57           | 15.39           | 0.56             | ¥                 | Ϋ́                | 34.69             | 33.51             | 060    |
| 65771                            | z        | Radial keratotomy          | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 65772                            | ∢        | Correction of astigmatism  | 4.29         | 5.45            | 5.20            | 5.11            | 3.20            | 0.24             | 9.95              | 9.73              | 9.64              | 7.73              | 060    |
| 65775                            | ∢        | Correction of astigmatism  | 5.79         | ¥               | ¥               | 8.14            | 7.22            | 0.39             | Ϋ́                | Ϋ́                | 14.32             | 13.40             | 060    |
| 65800                            | ∢        | Drainage of eye            | 1.91         | 1.99            | 1.90            | 1.69            | 1.83            | 0.08             | 3.98              | 3.89              | 3.68              | 3.82              | 000    |
| 65805                            | ∢        | Drainage of eye            | 1.91         | 2.00            | 1.97            | 1.69            | 1.16            | 0.08             | 3.99              | 3.96              | 3.68              | 3.15              | 000    |
| 65810                            | ∢        | Drainage of eye            | 4.87         | ¥               | Ϋ́              | 6.89            | 60.9            | 0.23             | ¥                 | Ϋ́                | 11.99             | 11.19             | 060    |
| 65815                            | ∢        | Drainage of eye            | 5.05         | 96.9            | 5.39            | 6.58            | 5.30            | 0.19             | 12.20             | 10.63             | 11.82             | 10.54             | 060    |
| 65820                            | ∢        | Relieve inner eye pressure | 8.13         | ¥               | Ϋ́              | 90.6            | 10.03           | 0.40             | ¥                 | <b>∀</b><br>Z     | 17.59             | 18.56             | 060    |
| 65850                            | 4        | Incision of eye            | 10.52        | ¥               | Ϋ́              | 10.14           | 11.96           | 0.54             | ¥                 | Ϋ́                | 21.20             | 23.02             | 060    |
| 65855                            | ∢        | Laser surgery of eye       | 4.30         | 4.67            | 90'9            | 3.82            | 3.40            | 0.41             | 9.38              | 10.77             | 8.53              | 8.11              | 060    |
| 65860                            | ∢        | Incise inner eye adhesions | 3.55         | 3.56            | 4.07            | 2.82            | 2.30            | 0.29             | 7.40              | 7.91              | 99.9              | 6.14              | 060    |
| 65865                            | ∢        | Incise inner eye adhesions | 5.60         | ¥               | ¥               | 6.84            | 6.73            | 0.32             | ¥                 | Ϋ́                | 12.76             | 12.65             | 060    |
| 65870                            | ∢        | Incise inner eye adhesions | 6.27         | ¥               | Ą               | 7.17            | 6.56            | 0.24             | ¥                 | Ϋ́                | 13.68             | 13.07             | 060    |
| 65875                            | ∢        | Incise inner eye adhesions | 6.54         | ¥               | Ϋ́              | 7.30            | 6.94            | 0.27             | ¥                 | <b>∀</b>          | 14.11             | 13.75             | 060    |
| 65880                            | ∢        | Incise inner eye adhesions | 7.09         | ¥               | ¥               | 7.64            | 7.48            | 0.29             | ž                 | Ϋ́                | 15.02             | 14.86             | 060    |
| 65900                            | ∢        | Remove eye lesion          | 10.93        | ¥               | ₹               | 12.69           | 9.61            | 0.72             | ¥<br>Z            | Ϋ́                | 24.34             | 21.26             | 060    |
| 65920                            | ∢        | Remove implant from eye    | 8.40         | ₹               | Ϋ́              | 8.41            | 8.91            | 0.34             | Š                 | Ϋ́                | 17.15             | 17.65             | 060    |
| 65930                            | ∢        | Remove blood clot from eye | 7.44         | <b>₹</b>        | Ϋ́              | 8.59            | 8.40            | 0.32             | ¥                 | Υ<br>Z            | 16.35             | 16.16             | 060    |
| 66020                            | ∢        | Injection treatment of eye | 1.59         | 2.04            | 1.94            | 1.74            | 1.86            | 0.11             | 3.74              | 3.64              | 3.44              | 3.56              | 010    |
| 96030                            | ∢        | Injection treatment of eye | 1.25         | 1.85            | 0.91            | 1.54            | 0.61            | 0.02             | 3.12              | 2.18              | 2.81              | 1.88              | 010    |
| 66130                            | ∢        | Remove eye lesion          | 69.7         | 6.34            | 5.88            | 6.01            | 5.80            | 0.22             | 14.25             | 13.79             | 13.92             | 13.71             | 060    |
| 66150                            | ∢        | Glaucoma surgery           | 8.30         | ¥               | Ϋ́              | 9.18            | 9.73            | 0.46             | <b>∀</b><br>Z     | Y<br>Z            | 17.94             | 18.49             | 060    |
| 66155                            | ∢        | Glaucoma surgery           | 8.29         | ¥               | Ϋ́              | 90.6            | 69.6            | 0.39             | ¥                 | ď<br>Z            | 17.74             | 18.37             | 060    |
| 66160                            | ∢        | Glaucoma surgery           | 10.17        | ¥               | Ϋ́              | 10.01           | 11.27           | 0.43             | <b>Y</b>          | ₹<br>Z            | 20.61             | 21.87             | 060    |
| 66165                            | ∢        | Glaucoma surgery           | 8.01         | Ϋ́              | ¥               | 9.01            | 9.42            | 0.45             | ₹                 | Υ<br>Z            | 17.47             | 17.88             | 060    |
| 66170                            | ∢        | Glaucoma surgery           | 12.16        | 10.71           | 12.57           | 11.10           | 12.67           | 0.49             | 23.36             | 25.22             | 23.75             | 25.32             | 060    |
| 66172                            | ∢        | Incision of eye            | 15.04        | ۲               | <b>∀</b>        | 12.62           | 13.05           | 0.49             | ¥                 | Υ<br>Σ            | 28.15             | 28.58             | 060    |
| 66180                            | ∢        | Implant eye shunt          | 14.55        | ¥               | Ϋ́              | 12.79           | 16.23           | 0.81             | ₹                 | ž                 | 28.15             | 31.59             | 060    |
| 66185                            | ∢        | Revise eye shunt           | 8.14         | ۷<br>V          | Ϋ́              | 9.15            | 9.57            | 0.45             | ¥                 | Ϋ́                | 17.74             | 18.16             | 060    |
| 66220                            | ∢        | Repair eye lesion          | 77.7         | ¥               | A<br>A          | 9.49            | 7.22            | 0.27             | Ϋ́                | Ϋ́                | 17.53             | 15.26             | 060    |
| 66225                            | ∢        | Repair/graft eye lesion    | 11.05        | Ϋ́              | Ϋ́              | 10.37           | 12.49           | 0.67             | ¥                 | Ϋ́                | 22.09             | 24.21             | 060    |
| 66250                            | ∢        | Follow-up surgery of eye   | 5.98         | 7.64            | 7.27            | 7.14            | 7.14            | 0.30             | 13.92             | 13.55             | 13.42             | 13.42             | 060    |
| 66500                            | ∢        | Incision of iris           | 3.71         | Ϋ́              | Ϋ́Z             | 4.08            | 4.34            | 0.21             | Ϋ́                | Ϋ́                | 8.00              | 8.26              | 060    |
| 66505                            | ∢        | Incision of iris           | 4.08         | Ϋ́              | ¥               | 4.16            | 3.70            | 0.13             | Ϋ́                | Ϋ́                | 8.37              | 7.91              | 060    |
| 00999                            | ∢        | Remove iris and lesion     | 8.68         | A<br>A          | <b>∀</b><br>Z   | 8.78            | 9.82            | 0.40             | Ϋ́                | Ϋ́                | 17.86             | 18.90             | 060    |

Page 116 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| Physitian         practite         practite         practite           work process         expense         expense         expense           work process         expense         expense         expense           112.79         NA         NA         13.64           6.16         NA         NA         13.64           6.15         NA         NA         7.20           6.16         NA         NA         7.20           6.16         NA         NA         7.20           6.16         NA         NA         7.20           6.17         NA         NA         7.20           6.18         NA         NA         8.21           6.18         A.78         6.24         6.24         6.24  |  |                             |        |                   | Non-<br>facility    | Transitioned<br>Non-facility | Facility            | Transitioned<br>Facility |                  |                  | Transitioned     |          |                          |        |
|--|--|-----------------------------|--------|-------------------|---------------------|------------------------------|---------------------|--------------------------|------------------|------------------|------------------|----------|--------------------------|--------|
| RING         FINIS   |  |                             |        | Physician<br>work | practice<br>expense | practice<br>expense          | practice<br>expense | practice                 | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| 12.79         NA         NA         1364         1307         0.52         NA         NA         26.95         6.93         CAS         NA         NA         A         A         NA         A         A         NA         NA         CAS         6.93         CAS         0.38         NA         NA         14.05         1.13         1.11  | Status Description                           | Description                 |        | RVUs 3            | RVUs                | RVUs                         | RYUs                | RVUs                     | RUVs             | Total            | Total            | Total    | Total                    | Global |
| 513         695         633         662         655         0.38         1246         1184         1213         1176           616         NA         NA         NA         1740         1741         NA         NA         1405         1176           624         NA         NA         NA         720         740         0.35         NA         NA         1406         1932           644         NA         NA         759         629         629         1174         1102         1114         1086           4.78         6.54         6.94         6.99         6.81         6.27         1143         1096         1114         1086           4.78         6.54         6.94         6.93         144         1004         1116         1118         1096           4.78         6.54         6.94         6.93         144         1006         1117         1102         1118         1096           4.78         6.54         6.94         6.93         144         144         1108         1408         1408         1408           4.78         6.74         6.94         6.93         6.93         144         1408 <th< td=""><td>A Removal of iris</td><td>Removal of iris</td><td></td><td>12.79</td><td>Ą</td><td>ĄZ</td><td>13.64</td><td>13.07</td><td>0.52</td><td>AN</td><td>AN</td><td>26.95</td><td>26.38</td><td>060</td></th<>  | A Removal of iris                            | Removal of iris             |        | 12.79             | Ą                   | ĄZ                           | 13.64               | 13.07                    | 0.52             | AN               | AN               | 26.95    | 26.38                    | 060    |
| 616         NA         NA         754         741         0.35         NA         NA         1405         1383         1405  | A Removal of iris                            | Removal of iris             |        | 5.13              | 6.95                | 6.33                         | 6.62                | 6.25                     | 0.38             | 12.46            | 11.84            | 12.13    | 11.76                    | 060    |
| 625         NA         NA         720         740         0.38         NA         NA         173         1403   | A Removal of iris                            | Removal of iris             |        | 6.16              | ¥                   | Š                            | 7.54                | 7.41                     | 0.35             | Ϋ́               | Ϋ́               | 14.05    | 13.92                    | 000    |
| 544         NA         687         659         027         NA         NA         159         746         020         NA         NA         113         113         113         1236         1230           4.78         6.54         6.94         6.94         6.94         6.94         6.94         11.14         11.04         11.14         10.86           4.78         6.64         5.94         6.03         5.80         0.32         11.74         11.04         11.14         10.86           4.78         6.64         5.94         6.03         5.94         0.30         11.43         10.96         11.14         10.86           4.78         6.64         5.94         0.30         11.43         10.96         11.14         10.86           4.78         6.64         5.94         0.31         NA         NA         11.04         11.11         10.86           4.78         4.60         3.07         2.89         0.37         1.84         9.02         10.14         10.96         10.90           5.18         4.29         5.72         3.87         3.22         0.37         11.24         11.04         11.10         11.10         11.10   | A Removal of iris                            | Removal of iris             |        | 6.25              | ¥                   | ¥                            | 7.20                | 7.40                     | 0.38             | ¥                | Ϋ́               | 13.83    | 14.03                    | 060    |
| 6.21         NA         NA         7.59         7.46         0.30         NA         14.10         13.97           4.78         6.64         5.94         6.68         5.81         0.27         11.74         11.02         11.14         10.86           4.78         6.64         5.94         6.68         5.80         0.32         11.74         11.02         11.14         10.86           4.78         6.64         5.94         6.08         5.80         0.32         11.74         11.02         11.14         10.86           4.78         6.63         5.87         6.03         0.37         2.89         0.37         0.84         0.31         NA         11.70         11.10         11.11         10.86           5.18         4.05         5.12         3.30         2.89         0.37         0.43         0.43         0.43         0.43         0.25         0.43         0.44         0.74         NA         10.50         0.74         NA         NA         10.50         0.74         NA         10.50         0.74         NA         10.50         0.74         0.74         10.70         10.70         10.70         10.70         10.70         10.70         10.7  | A Repair iris & ciliary body                 | Repair iris & ciliary body  |        | 5.44              | ¥                   | Š                            | 6.87                | 6.59                     | 0.27             | Ϋ́               | Š                | 12.58    | 12.30                    | 66     |
| 4.78         6.76         5.97         6.09         5.81         0.27         11.81         11.02         11.14         10.86           4.78         6.35         5.94         6.08         5.80         0.32         11.74         11.02         11.11         10.86           4.78         6.35         5.94         6.08         5.80         0.37         8.42         9.04         11.71         10.87           4.78         A.76         5.12         3.30         2.89         0.37         8.64         9.04         11.11         10.87           4.88         4.05         5.12         3.20         2.89         0.37         11.25         9.04         11.13         10.87           5.18         4.29         5.12         3.20         2.89         0.37         11.25         9.04         10.10         10.87           2.35         2.81         2.82         0.23         5.12         5.41         10.87         11.14         10.87         10.89           2.35         2.82         2.82         0.33         11.24         11.25         9.10         8.73         10.80         11.72         11.25         9.10         8.73         10.80         10.30  | A Repair iris and ciliary body               | Repair iris and ciliary boo | ÷      | 6.21              | ¥                   | ¥                            | 7.59                | 7.46                     | 0.30             | Š                | Ϋ́               | 14.10    | 13.97                    | 60     |
| 478         664         594         6.08         580         0.32         1174         1104         11.18         10.90           478         6.64         5.87         6.03         1143         10.96         11.11         10.90           4.78         N.A         N.A         66.1         5.94         0.31         NA         11.10         11.03           4.07         3.80         4.66         3.07         2.59         0.37         8.24         9.04         7.51         1.09           4.18         4.06         5.12         3.30         2.89         0.32         11.24         10.96         11.10         11.10         11.10         11.10         11.10         11.10         11.10         11.10         11.10         11.20         0.31         12.83         0.36         0.31         12.96         10.10         0.30         0.23         0.04         0.05         0.10         0.05 <t< td=""><td>A Destruction, ciliary body</td><td>Destruction, ciliary body</td><td></td><td>4.78</td><td>9.76</td><td>5.97</td><td>60.9</td><td>5.81</td><td>0.27</td><td>11.81</td><td>11.02</td><td>11.14</td><td>10.86</td><td>060</td></t<>  | A Destruction, ciliary body                  | Destruction, ciliary body   |        | 4.78              | 9.76                | 5.97                         | 60.9                | 5.81                     | 0.27             | 11.81            | 11.02            | 11.14    | 10.86                    | 060    |
| 478         6.35         5.87         6.03         5.79         0.30         11.43         10.95         11.11         10.87           4.78         NA         NA         NA         661         5.54         0.31         NA         NA         11.00         11.00           4.78         3.00         4.60         5.12         3.30         2.89         0.43         9.04         10.13         8.31         7.03           4.50         4.05         5.12         3.30         2.89         0.23         NA         NA         10.50         10.50         9.04         10.13         8.31         7.03           2.36         2.87         2.89         0.29         0.23         NA         NA         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         9.00         10.50         10.  | A Destruction, ciliary body                  | Destruction, ciliary body   |        | 4.78              | 6.64                | 5.94                         | 90.9                | 5.80                     | 0.32             | 11.74            | 11.04            | 11.18    | 10.90                    | 060    |
| 478         NA         661         594         031         NA         1103         1103           478         380         460         337         259         037         824         906         175         789           458         406         512         330         288         043         906         1125         910         875         789           518         426         572         357         322         035         982         1125         910         875         540           238         287         288         268         278         289         810         982         1125         910         874         910         874           823         287         285         276         029         581         170   | A Destruction, ciliary body                  | Destruction, ciliary body   |        | 4.78              | 6.35                | 5.87                         | 6.03                | 5.79                     | 0.30             | 11.43            | 10.95            | 11.11    | 10.87                    | 060    |
| 4,07         3,80         4,60         3,07         2,59         0,37         8,24         9,04         7,51         7,03           4,58         4,05         5,12         3,30         2,88         0,43         9,06         10,13         8,71         7,03           5,18         4,28         5,12         3,30         2,88         0,03         0,43         9,06         10,125         9,10         8,75         9,10         8,73         7,03           3,89         NA         NA         NA         10,28         9,27         0,29         5,51         5,47         5,29         9,20         11,25         9,10         9,20         9,20         10,50         9,20         10,50         9,20         10,50         9,20         10,50         9,20         10,50         9,20         10,50         9,20         10,50         9,20         10,50         9,20         10,50         9,20         10,70         10,70         10,70         10,70         0,47         NA         10,70         10,70         0,47         NA         10,70         10,70         10,70         10,70         NA         10,70         10,70         10,70         10,70         10,70         10,70         10,70  | A Destruction, ciliary body                  | Destruction, ciliary body   |        | 4.78              | ¥                   | ¥                            | 6.61                | 5.94                     | 0.31             | ¥                | Ϋ́               | 11.70    | 11.03                    | 060    |
| 4.58         4.05         5.12         3.30         2.88         0.43         9.06         10.13         8.31         7.89           3.89         NA         NA         NA         6.38         6.36         9.06         10.13         8.31         7.89           3.89         NA         NA         NA         6.38         6.08         0.23         NA         NA         10.50         9.20           2.35         2.87         2.83         2.59         2.76         0.29         6.51         6.47         5.23         6.40           8.23         NA         NA         NA         NA         10.50         9.20           8.23         NA         NA         NA         10.50         9.20         10.80         10.40         10.60         9.20         10.80         17.42         17.42         17.42         17.42         17.42         17.42         17.42         17.42         17.42         17.42         17.42         17.44         17.42         17.42         17.44         17.42         17.44         17.44         17.42         17.44         17.44         17.44         17.44         17.44         17.44         17.44         17.44         17.44         17.44 </td <td>A Revision of iris</td> <td>Revision of iris</td> <td></td> <td>4.07</td> <td>3.80</td> <td>4.60</td> <td>3.07</td> <td>2.59</td> <td>0.37</td> <td>8.24</td> <td>9.04</td> <td>7.51</td> <td>7.03</td> <td>060</td>  | A Revision of iris                           | Revision of iris            |        | 4.07              | 3.80                | 4.60                         | 3.07                | 2.59                     | 0.37             | 8.24             | 9.04             | 7.51     | 7.03                     | 060    |
| 518         429         572         357         322         0.35         982         11.5         910         875           3.89         NA         NA         NA         NA         NA         10.2         NA         NA         10.5         910         875           3.89         NA         NA         NA         NA         NA         10.2         90.2         10.2         NA         NA         10.5         90.2         90.2         NA         NA         17.09         16.63         90.2         10.2         NA         NA         17.09         16.63         17.01         10.4         NA         17.09         16.63         17.01         10.00         10.00         1  | A Revision of iris                           | Revision of iris            |        | 4.58              | 4.05                | 5.12                         | 3.30                | 2.88                     | 0.43             | 90.6             | 10.13            | 8.31     | 7.89                     | 060    |
| 4         388         NA         NA         6.38         5.08         0.23         NA         NA         1050         9.20           2.35         2.87         2.89         2.76         0.29         5.51         5.47         5.23         5.40           8.20         8.77         8.43         9.02         8.50         0.31         17.28         16.94         17.53         17.01           8.20         8.77         8.43         9.02         8.50         0.31         17.28         16.94         17.53         17.01           7.91         NA         NA         NA         NA         NA         NA         17.42         17.42         17.42         17.42         17.42         17.42         17.42         17.42         17.42         17.44         17.42         17.42         17.44         17.42         17.44         17.42         17.42         17.44         17.42         17.42         17.44         17.42         17.42         17.44         17.42         17.42         17.44         17.42         17.44         17.42         17.44         17.42         17.42         17.42         17.42         17.42         17.42         17.42         17.42         17.42         17.42 <td>A Removal of inner eye lesion</td> <td>Removal of inner eye lesi</td> <td>Io</td> <td>5.18</td> <td>4.29</td> <td>5.72</td> <td>3.57</td> <td>3.22</td> <td>0.35</td> <td>9.82</td> <td>11.25</td> <td>9.10</td> <td>8.75</td> <td>060</td>   | A Removal of inner eye lesion                | Removal of inner eye lesi   | Io     | 5.18              | 4.29                | 5.72                         | 3.57                | 3.22                     | 0.35             | 9.82             | 11.25            | 9.10     | 8.75                     | 060    |
| 235         287         283         259         276         0.29         551         547         523         540           823         NA         NA         8.56         810         0.30         NA         NA         17.09         16.36         17.09         16.36         17.42         18.43         17.01         18.3         17.01         17.02         17.42         17.42         17.42         19.37         17.01  | A Incision, secondary cataract               | Incision, secondary catara  | ಕ್ಷ    | 3.89              | ¥                   | Ϋ́                           | 6.38                | 5.08                     | 0.23             | ¥                | Ϋ́               | 10.50    | 9.20                     | 060    |
| 8.23         NA         NA         8.56         8.10         0.30         NA         17.09         16.63           8.20         8.77         8.43         9.02         8.50         0.31         17.28         16.94         17.53         17.01           7.91         NA         NA         8.51         10.28         0.55         NA         NA         18.17         19.94           9.97         NA         NA         10.28         0.55         NA         NA         18.17         19.94           9.97         NA         NA         10.20         NA         NA         18.17         19.37           10.18         NA         NA         10.04         0.47         NA         NA         19.17         19.37           10.18         NA         NA         10.04         0.47         NA         NA         19.17         19.37           10.18         NA         NA         8.94         10.04         0.45         NA         NA         19.37         11.43           10.28         NA         NA         10.24         NA         NA         19.40         19.37         11.43         11.43         12.43         12.43         12.43<  | A After cataract laser surgery               | After cataract laser surger | ~      | 2.35              | 2.87                | 2.83                         | 2.59                | 2.76                     | 0.29             | 5.51             | 5.47             | 5.23     | 5.40                     | 060    |
| 8.20         8.77         8.43         9.02         8.50         0.31         17.28         16.94         17.53         17.01           7.91         NA         NA         8.03         9.09         0.42         NA         NA         18.74         19.94           9.71         NA         NA         8.03         10.28         0.55         NA         NA         18.17         19.94           9.77         NA         NA         NA         10.28         0.45         NA         NA         18.17         19.94           10.18         NA         NA         NA         NA         NA         NA         19.69         17.42         18.94         17.74         19.94           10.18         NA         NA         NA         NA         NA         NA         19.61         17.74         19.37           10.18         NA         NA         NA         NA         NA         NA         17.85         11.43         11.43           8.39         NA         NA         NA         NA         NA         NA         15.24         19.37           10.00         0.00         0.00         0.00         0.00         0.00         0.   | A Reposition intraocular lens                | Reposition intraocular len  | v.     | 8.23              | ¥                   | Ϋ́                           | 8.56                | 8.10                     | 0.30             | ₹                | Ϋ́               | 17.09    | 16.63                    | 060    |
| 7.91         NA         NA         8.03         9.09         0.42         NA         NA         16.36         17.42           9.11         NA         NA         8.51         10.28         0.55         NA         NA         18.17         19.94           9.97         NA         NA         NA         11.20         0.70         NA         NA         18.17         19.94           10.18         NA         NA         NA         10.10         0.45         NA         NA         18.74         19.94           10.18         NA         NA         NA         NA         NA         NA         17.81         19.69         21.87           8.93         NA         NA         NA         NA         NA         NA         17.84         19.69         21.43           8.93         NA         NA         NA         NA         NA         17.84         19.52         14.3           10.28         NA         NA         NA         NA         NA         19.69         21.43           8.39         NA         NA         NA         NA         19.49         19.69         21.43           10.28         NA   | <ul> <li>A Removal of lens lesion</li> </ul> | Removal of lens lesion      |        | 8.20              | 8.77                | 8.43                         | 9.02                | 8.50                     | 0.31             | 17.28            | 16.94            | 17.53    | 17.01                    | 060    |
| 9.11         NA         NA         8.51         10.28         0.55         NA         NA         18.17         19.94           9.97         NA         NA         NA         11.20         0.70         NA         19.74         21.87           8.86         NA         NA         NA         10.04         0.47         NA         19.74         21.87           8.86         NA         NA         NA         10.04         0.45         NA         NA         19.74         21.87           8.93         NA         NA         10.10         0.49         NA         NA         19.69         21.23           8.99         NA         NA         10.10         0.49         NA         NA         19.69         21.23           10.28         NA         NA         10.10         0.74         NA         19.11         22.25           8.39         NA         NA         10.16         11.23         0.74         NA         19.11         22.25           8.39         NA         NA         10.16         12.47         0.49         NA         19.11         22.25           8.70         NA         NA         10.10         0   | A Removal of lens material                   | Removal of lens material    |        | 7.91              | ¥                   | Š                            | 8.03                | 60.6                     | 0.42             | Ϋ́               | Ą<br>Z           | 16.36    | 17.42                    | 060    |
| 9.97         NA         NA         9.07         11.20         0.70         NA         NA         19.74         21.87           8.86         NA         NA         8.41         10.04         0.45         NA         NA         19.74         21.87           10.18         NA         NA         8.41         10.04         0.45         NA         NA         19.37           10.18         NA         NA         NA         10.10         0.45         NA         17.44         19.37           10.28         NA         NA         10.10         0.49         NA         NA         19.69         19.20           10.28         NA         NA         NA         10.49         NA         NA         19.60         19.20           10.28         NA         NA         10.10         0.49         NA         NA         19.60         19.20           10.28         NA         NA         10.10         0.49         NA         NA         19.60         19.60         10.49         NA         19.60         10.60         10.60         10.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00         0.00  | A Removal of lens material                   | Removal of lens material    |        | 9.11              | ¥                   | Š                            | 8.51                | 10.28                    | 0.55             | ¥                | Š                | 18.17    | 19.94                    | 060    |
| 8.86         NA         NA         8.41         10.04         0.47         NA         NA         19.37           10.18         NA         NA         NA         10.04         0.45         NA         NA         19.37           10.18         NA         NA         9.06         10.80         0.45         NA         NA         19.69         21.43           8.93         NA         NA         10.10         0.49         NA         NA         19.69         21.43           10.28         NA         NA         10.14         0.74         NA         NA         19.20           10.28         NA         NA         NA         10.40         0.74         NA         NA         19.20           10.28         NA         NA         NA         10.16         12.47         0.49         NA         16.91         12.25           10.00            | A Removal of lens material                   | Removal of lens material    |        | 6.97              | ¥                   | ¥                            | 9.07                | 11.20                    | 0.70             | ₹                | Ϋ́               | 19.74    | 21.87                    | 060    |
| 10.18         NA         NA         9.06         10.80         0.45         NA         NA         19.69         21.43           8.93         NA         NA         NA         NA         NA         NA         17.85         19.52           8.99         NA         NA         NA         10.10         0.49         NA         NA         17.85         19.52           8.99         NA         NA         NA         NA         NA         19.11         22.25         19.20 <td>A Extraction of lens</td> <td>Extraction of lens</td> <td></td> <td>8.86</td> <td>¥</td> <td>Ϋ́</td> <td>8.41</td> <td>10.04</td> <td>0.47</td> <td>Ϋ́</td> <td>Υ<br/>Υ</td> <td>17.74</td> <td>19.37</td> <td>060</td>  | A Extraction of lens                         | Extraction of lens          |        | 8.86              | ¥                   | Ϋ́                           | 8.41                | 10.04                    | 0.47             | Ϋ́               | Υ<br>Υ           | 17.74    | 19.37                    | 060    |
| 8.93         NA         NA         8.43         10.10         0.49         NA         17.85         19.52           8.99         NA         NA         6.74         NA         NA         17.85         19.52           8.99         NA         NA         6.74         NA         NA         17.03         17.04         NA         19.20           10.28         NA         NA         NA         17.23         0.74         NA         NA         19.20           12.28         NA         NA         10.16         12.47         0.49         NA         15.91         18.15           12.28         NA         NA         10.16         0.00   | A Extraction of lens                         | Extraction of lens          |        | 10.18             | ¥                   | <b>∀</b>                     | 90.6                | 10.80                    | 0.45             | ¥                | ₹<br>Z           | 19.69    | 21.43                    | 060    |
| 8.99         NA         NA         5.67         9.47         0.74         NA         NA         15.40         19.20           10.28         NA         NA         NA         NA         NA         NA         19.20           10.28         NA         NA         NA         11.23         0.74         NA         NA         19.11         22.25           12.28         NA         NA         10.16         12.47         0.49         NA         NA         19.11         22.25           0.00   | A Extraction of lens                         | Extraction of lens          |        | 8.93              | ¥                   | ¥                            | 8.43                | 10.10                    | 0.49             | ¥                | Š                | 17.85    | 19.52                    | 8      |
| 10.28         NA         NA         8.09         11.23         0.74         NA         NA         19.11         22.25           8.39         NA         NA         NA         NA         NA         NA         19.11         22.25           12.28         NA         NA         NA         10.16         12.47         0.49         NA         NA         18.15           12.28         NA         NA         10.16         12.47         0.49         NA         NA         18.15         18.15           5.70         NA         NA         3.05         5.86         0.88         NA         NA         17.62         12.44           6.87         NA         NA         NA         17.62         14.82         14.82         14.82           6.84         11.53         8.38         7.02         7.25         0.28         18.65         14.14         14.35           6.84         11.53         8.38         7.02         7.25         0.28         18.65         17.62         14.35           10.85         12.98         10.60         6.40         8.96         0.37         24.20         21.82         17.62         20.18 <t< td=""><td>A Remove cataract, insert lens</td><td>Remove cataract, insert</td><td>lens</td><td>8.99</td><td>¥</td><td>¥</td><td>2.67</td><td>9.47</td><td>0.74</td><td>Ϋ́</td><td>Ą<br/>V</td><td>15.40</td><td>19.20</td><td>060</td></t<>  | A Remove cataract, insert lens               | Remove cataract, insert     | lens   | 8.99              | ¥                   | ¥                            | 2.67                | 9.47                     | 0.74             | Ϋ́               | Ą<br>V           | 15.40    | 19.20                    | 060    |
| 8.39         NA         NO         7.03         9.27         0.49         NA         NA         15.91         18.15           12.28         NA         NA         NA         10.16         12.47         0.49         NA         NA         15.91         18.15           12.28         NA         NA         10.16         12.47         0.49         NA         NA         22.93         25.24           0.00  | A Remove cataract, insert lens               | Remove cataract, inser      | t lens | 10.28             | Ϋ́                  | Š                            | 8.09                | 11.23                    | 0.74             | ¥                | Š                | 19.11    | 22.25                    | 060    |
| 12.28         NA         NO.16         12.47         0.49         NA         NA         25.24           0.00  | A Insert lens prosthesis                     | Insert lens prosthesis      |        | 8.39              | ≨                   | <b>₹</b>                     | 7.03                | 9.27                     | 0.49             | ₹                | ¥                | 15.91    | 18.15                    | 060    |
| 0.00         0.00 <th< td=""><td>A Exchange lens prosthesis</td><td>Exchange lens prosthes</td><td>Sis</td><td>12.28</td><td>¥</td><td>Š</td><td>10.16</td><td>12.47</td><td>0.49</td><td>¥</td><td>¥</td><td>22.93</td><td>25.24</td><td>060</td></th<>   | A Exchange lens prosthesis                   | Exchange lens prosthes      | Sis    | 12.28             | ¥                   | Š                            | 10.16               | 12.47                    | 0.49             | ¥                | ¥                | 22.93    | 25.24                    | 060    |
| 5.70         NA         NA         3.05         5.86         0.88         NA         NA         9.63         12.44           6.87         NA         NA         NA         1.48         7.14         0.81         NA         NA         14.82           6.92         NA         NA         7.63         7.16         0.27         NA         NA         14.82         14.35           6.84         11.53         8.38         7.02         7.25         0.28         18.65         15.50         14.14         14.37           10.85         12.98         10.60         6.40         8.96         0.37         24.20         21.82         17.62         20.18           2.52         5.78         4.06         1.56         2.65         0.14         8.44         6.72         4.22         5.31           4.84         NA         NA         6.18         5.87         0.39         NA         NA         11.41         11.10           3.67         3.63         4.19         2.87         2.36         0.59         7.89         8.45         7.13         662           11.89         NA         NA         16.94         23.25         1.41         <  | C Eye surgery procedure                      | Eye surgery procedure       |        | 0.00              | 0.00                | 0.00                         | 0.00                | 0.00                     | 0.0              | 0.00             | 0.00             | 0.00     | 0.00                     | ₹      |
| 6.92 NA NA 7.63 7.14 0.81 NA NA 11.62 14.82 6.92 NA NA 7.63 7.16 0.27 NA NA 14.82 14.35 6.84 11.53 8.38 7.02 7.25 0.28 18.65 15.50 14.14 14.37 10.85 12.98 10.60 6.40 8.96 0.37 24.20 21.82 17.62 20.18 2.52 5.78 4.06 1.56 2.65 0.14 8.44 6.72 4.22 5.31 4.84 NA NA 6.18 5.87 0.39 NA NA 11.41 11.10 6.2 11.89 NA NA 16.94 23.25 1.41 NA NA 22.63 26.10 21.24 NA NA 16.94 23.25 1.41 NA NA 28.06 31.89 14.52 NA NA 12.23 16.06 1.31 NA NA 28.06 31.89 17.23 NA NA 12.23 16.06 1.37 NA NA 32.76 37.57  | A Partial removal of eye fluid               | Partial removal of eye f    | luid   | 5.70              | ₹                   | ď<br>Z                       | 3.05                | 5.86                     | 0.88             | ₹                | ₹                | 9.63     | 12.44                    | 060    |
| 6.92 NA NA 7.63 7.16 0.27 NA NA 14.82 14.35 14.35 6.84 11.53 8.38 7.02 7.25 0.28 18.65 15.50 14.14 14.37 10.85 12.98 10.60 6.40 8.96 0.37 24.20 21.82 17.62 20.18 2.52 5.78 4.06 1.56 2.65 0.14 8.44 6.72 4.22 5.31 4.84 NA NA 6.18 5.87 0.39 NA NA 11.41 11.10 11 | A Partial removal of eye fluid               | Partial removal of eye f    | luid   | 6.87              | ¥                   | Š                            | 3.94                | 7.14                     | 0.81             | ¥                | ž                | 11.62    | 14.82                    | 060    |
| 6.84 11.53 8.38 7.02 7.25 0.28 18.65 15.50 14.14 14.37 14.87 10.85 12.98 10.60 6.40 8.96 0.37 24.20 21.82 17.62 20.18 2.52 5.78 4.06 1.56 2.65 0.14 8.44 6.72 4.22 5.31 4.84 NA NA 6.18 5.87 0.39 NA NA 11.41 11.10 11.1 | A Release of eye fluid                       | Release of eye fluid        |        | 6.92              | Ϋ́                  | ¥                            | 7.63                | 7.16                     | 0.27             | ¥                | Ϋ́               | 14.82    | 14.35                    | 060    |
| 10.85 12.98 10.60 6.40 8.96 0.37 24.20 21.82 17.62 20.18 2.52 5.78 4.06 1.56 2.65 0.14 8.44 6.72 4.22 5.31 4.84 NA NA 6.18 5.87 0.39 NA NA 11.41 11.10 11.10 11.89 NA NA 9.57 13.04 1.17 NA NA 22.63 26.10 21.24 NA NA 12.23 16.06 1.31 NA NA 39.59 45.90 14.52 NA NA 12.23 16.06 1.31 NA NA 28.06 31.89 17.23 NA NA 14.16 18.97 1.37 NA NA 32.76 37.57  | <ul> <li>A Replace eye fluid</li> </ul>      | Replace eye fluid           |        | 6.84              | 11.53               | 8.38                         | 7.02                | 7.25                     | 0.28             | 18.65            | 15.50            | 14.14    | 14.37                    | 060    |
| 2.52 5.78 4.06 1.56 2.65 0.14 8.44 6.72 4.22 5.31 4.84 NA NA 6.18 5.87 0.39 NA NA 11.41 11.10 s 1.149 NA NA 9.57 13.04 1.17 NA NA 22.63 26.10 11.89 NA NA 16.94 23.25 1.41 NA NA 39.59 45.90 14.52 NA NA 12.23 16.06 1.31 NA NA 28.06 31.89 17.23 NA NA 14.16 18.97 1.37 NA NA 32.76 37.57   | A Implant eye drug system                    | Implant eye drug systen     | _      | 10.85             | 12.98               | 10.60                        | 6.40                | 8.96                     | 0.37             | 24.20            | 21.82            | 17.62    | 20.18                    | 060    |
| 4.84       NA       NA       6.18       5.87       0.39       NA       NA       11.41       11.10         3.67       3.63       4.19       2.87       2.36       0.59       7.89       8.45       7.13       6.62         11.89       NA       NA       NA       13.7       NA       NA       22.63       26.10         21.24       NA       NA       16.94       23.25       1.41       NA       NA       39.59       45.90         14.52       NA       NA       12.23       16.06       1.31       NA       NA       28.06       31.89         17.23       NA       NA       32.76       37.57  | A Injection eye drug                         | Injection eye drug          |        | 2.52              | 5.78                | 4.06                         | 1.56                | 2.65                     | 0.14             | 8.44             | 6.72             | 4.22     | 5.31                     | 8      |
| \$ 3.67 3.63 4.19 2.87 2.36 0.59 7.89 8.45 7.13 6.62 11.89 NA NA 9.57 13.04 1.17 NA NA 22.63 26.10 21.24 NA NA 16.94 23.25 1.41 NA NA 39.59 45.90 14.52 NA NA 12.23 16.06 1.31 NA NA 28.06 31.89 17.23 NA NA 14.16 18.97 1.37 NA NA 32.76 37.57  | A Incise inner eye strands                   | Incise inner eye strand     | s      | 4.84              | ¥                   | ž                            | 6.18                | 5.87                     | 0.39             | ¥                | ¥                | 11.41    | 11.10                    | 060    |
| 11.89 NA NA 9.57 13.04 1.17 NA NA 22.63 26.10 21.24 NA NA 16.94 23.25 1.41 NA NA 39.59 45.90 14.52 NA NA 12.23 16.06 1.31 NA NA 28.06 31.89 17.23 NA NA 14.16 18.97 1.37 NA NA 32.76 37.57   | A Laser surgery, eye strands                 | Laser surgery, eye str      | ands   | 3.67              | 3.63                | 4.19                         | 2.87                | 2.36                     | 0.59             | 7.89             | 8.45             | 7.13     | 6.62                     | 060    |
| 21.24 NA NA 16.94 23.25 1.41 NA NA 39.59 45.90 a 14.52 NA NA 12.23 16.06 1.31 NA NA 28.06 31.89 a 17.23 NA NA 14.16 18.97 1.37 NA NA 32.76 37.57   | A Removal of inner eye fluid                 | Removal of inner eye        | fluid  | 11.89             | ¥                   | ¥<br>Z                       | 9.57                | 13.04                    | 1.17             | ΑN               | Š                | 22.63    | 26.10                    | 060    |
| 14.52 NA NA 12.23 16.06 1.31 NA NA 28.06 31.89<br>17.23 NA NA 14.16 18.97 1.37 NA NA 32.76 37.57   | A Strip retinal membrane                     | Strip retinal membran       | 0      | 21.24             | ¥                   | ¥                            | 16.94               | 23.25                    | 1.41             | ¥                | Š                | 39.59    | 45.90                    | 060    |
| 17.23 NA NA 14.16 18.97 1.37 NA NA 32.76 37.57   | A Laser treatment of retina                  | Laser treatment of reti     | na     | 14.52             | ¥                   | ď<br>Z                       | 12.23               | 16.06                    | 1.31             | ¥                | ₹                | 28.06    | 31.89                    | 060    |
|  | A Laser treatment of retina                  | Laser treatment of reti     | na     | 17.23             | Š                   | Ϋ́                           | 14.16               | 18.97                    | 1.37             | Ϋ́               | Š                | 32.76    | 37.57                    | 060    |

Page 117 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|  |        |        |                              |              | Non-            | Transitioned             |                      | Transitioned         |                  |                   |                      |                   |                   |           |
|--|--------|--------|------------------------------|--------------|-----------------|--------------------------|----------------------|----------------------|------------------|-------------------|----------------------|-------------------|-------------------|-----------|
|  |        |        |                              | Physician    | facility        | Non-facility<br>practice | Facility<br>practice | Facility<br>practice | -Wal-            | Mon-              | Transitioned<br>Non- |                   | Transitioned      |           |
| CPT <sup>1</sup> /<br>HCPCS <sup>2</sup> | S Poff | Status | Decription                   | work<br>RVUs | expense<br>RVUs | expense                  | expense<br>RVUs      | expense<br>RVUs      | practice<br>RUVs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Global    |
| 67101                                    | 1      | <      | Repair, detached retina      | 7.53         | 9.44            | 9.10                     | 8.89                 | 5.60                 | 0.52             | 17.49             | 17.15                | 16.94             | 13.65             | 060       |
| 67105                                    |        | < <    | Repair, detached retina      | 7.41         | 7.12            | 9.22                     | 5.37                 | 5.06                 | 0.63             | 15.16             | 17.26                | 13.41             | 13.10             | 060       |
| 67107                                    |        | ⋖      | Repair detached retina       | 14.84        | ¥               | Ą                        | 13.42                | 16.64                | 98.0             | ¥                 | Ϋ́                   | 29.12             | 32.34             | 060       |
| 67108                                    |        | ⋖      | Repair detached retina       | 20.82        | ¥               | Ą                        | 18.21                | 23.19                | 1.38             | ¥                 | ¥                    | 40.41             | 45.39             | 060       |
| 67110                                    |        | ∢      | Repair detached retina       | 8.81         | 14.64           | 11.55                    | 10.14                | 10.43                | 92.0             | 24.21             | 21.12                | 19.71             | 20.00             | 060       |
| 67112                                    |        | ∢      | Re-repair detached retina    | 16.86        | Ϋ́              | Υ<br>V                   | 15.58                | 17.34                | 0.67             | Ϋ́                | Y<br>Y               | 33.11             | 34.87             | 060       |
| 67115                                    |        | ∢      | Release, encircling material | 4.99         | ¥               | Š                        | 6.15                 | 6.01                 | 0.34             | ¥                 | Ϋ́                   | 11.48             | 11.34             | 060       |
| 67120                                    |        | ∢      | Remove eye implant material  | 5.98         | 11.00           | 8.11                     | 6.62                 | 7.01                 | 0.30             | 17.28             | 14.39                | 12.90             | 13.29             | 060       |
| 67121                                    |        | ∢      | Remove eye implant material  | 10.67        | Ϋ́              | Ϋ́                       | 11.62                | 10.57                | 0.38             | ¥                 | Ą<br>Z               | 22.67             | 21.62             | 060       |
| 67141                                    |        | ∢      | Treatment of retina          | 5.20         | 6.68            | 6.33                     | 6.34                 | 3.92                 | 0.38             | 12.26             | 11.91                | 11.92             | 9.50              | 060       |
| 67145                                    |        | ∢      | Treatment of retina          | 5.37         | 4.95            | 6.53                     | 4.00                 | 3.65                 | 0.38             | 10.70             | 12.28                | 9.75              | 9.40              | 060       |
| 67208                                    |        | ∢      | Treatment of retinal lesion  | 6.70         | 7.17            | 7.79                     | 6.81                 | 4.70                 | 0.41             | 14.28             | 14.90                | 13.92             | 11.81             | 060       |
| 67210                                    |        | ∢      | Treatment of retinal lesion  | 8.82         | 7.03            | 9.10                     | 5.69                 | 5.10                 | 0.37             | 16.22             | 18.29                | 14.88             | 14.29             | 060       |
| 67218                                    |        | ∢      | Treatment of retinal lesion  | 13.52        | ¥               | Ϋ́                       | 13.49                | 14.20                | 0.55             | ž                 | Ϋ́                   | 27.56             | 28.27             | 060       |
| 67220                                    |        | ∢      | Treat choroid lesion         | 13.13        | 6.61            | 6.61                     | 6.54                 | 6.54                 | 0.37             | 20.11             | 20.11                | 20.04             | 20.04             | 060       |
| 67227                                    |        | ∢      | Treatment of retinal lesion  | 6.58         | 7.44            | 7.76                     | 7.01                 | 7.65                 | 0.40             | 14.42             | 14.74                | 13.99             | 14.63             | 060       |
| 67228                                    |        | ∢      | Treatment of retinal lesion  | 12.74        | 9.58            | 10.04                    | 7.39                 | 2.67                 | 0.38             | 22.70             | 23.16                | 20.51             | 18.79             | 060       |
| 67250                                    |        | ∢      | Reinforce eye wall           | 8.66         | ¥               | Š                        | 10.20                | 8.24                 | 0.31             | ž                 | Ϋ́                   | 19.17             | 17.21             | 060       |
| 67255                                    |        | ∢      | Reinforce/graft eye wall     | 8.90         | ¥               | ¥                        | 10.20                | 10.52                | 99.0             | Š                 | Ϋ́                   | 19.78             | 20.10             | 060       |
| 67299                                    |        | ပ      | Eye surgery procedure        | 00.0         | 0.00            | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 00.00             | 0.00              | <b>XX</b> |
| 67311                                    |        | ∢      | Revise eye muscle            | 6.65         | ¥               | ₹<br>Ž                   | 7.05                 | 7.72                 | 0.37             | ¥                 | A<br>A               | 14.07             | 14.74             | 060       |
| 67312                                    |        | ∢      | Revise two eye muscles       | 8.54         | ¥               | <b>₹</b>                 | 8.22                 | 9.70                 | 0.41             | ¥                 | Y<br>Y               | 17.17             | 18.65             | 060       |
| 67314                                    |        | ∢      | Revise eye muscle            | 7.52         | ¥               | Ϋ́                       | 7.48                 | 8.61                 | 0.45             | ž                 | Ϋ́                   | 15.45             | 16.58             | 060       |
| 67316                                    |        | ∢      | Revise two eye muscles       | 9.66         | ¥               | ¥                        | 8.69                 | 10.54                | 0.52             | ž                 | Ϋ́                   | 18.87             | 20.72             | 060       |
| 67318                                    |        | ∢      | Revise eye muscle(s)         | 7.85         | ¥               | ₹                        | 7.97                 | 7.05                 | 0.26             | ¥                 | Ϋ́                   | 16.08             | 15.16             | 060       |
| 67320                                    |        | ∢      | Revise eye muscle(s) add-on  | 4.33         | ¥               | <b>₹</b>                 | 7.49                 | 9.63                 | 0.28             | ₹                 | Υ<br>V               | 12.10             | 14.24             | 222       |
| 67331                                    |        | ∢      | Eye surgery follow-up add-on | 4.06         | ¥               | Ϋ́                       | 2.90                 | 8.74                 | 0.22             | ž                 | ₹<br>Z               | 10.18             | 13.02             | 777       |
| 67332                                    |        | ∢      | Rerevise eye muscles add-on  | 4.49         | ¥               | <b>∀</b>                 | 6.95                 | 9.79                 | 0.24             | ₹                 | Ϋ́                   | 11.68             | 14.52             | 777       |
| 67334                                    |        | ∢      | Revise eye muscle w/suture   | 3.98         | ¥               | Ϋ́                       | 6.07                 | 6.65                 | 0.13             | ¥                 | Ϋ́                   | 10.18             | 10.76             | 777       |
| 67335                                    |        | ∢      | Eye suture during surgery    | 2.49         | ¥               | Ϋ́                       | 3.39                 | 3.08                 | 0.34             | ž                 | Ϋ́                   | 6.22              | 5.91              | 777       |
| 67340                                    |        | ∢      | Revise eye muscle add-on     | 4.93         | ¥               | ¥                        | 7.64                 | 8.32                 | 0.16             | <b>∀</b>          | Ϋ́                   | 12.73             | 13.41             | 777       |
| 67343                                    |        | ∢      | Release eye tissue           | 7.35         | ¥               | ¥                        | 7.84                 | 6.71                 | 0.24             | ¥                 | Ϋ́                   | 15.43             | 14.30             | 060       |
| 67345                                    |        | ∢      | Destroy nerve of eye muscle  | 2.96         | 3.36            | 2.65                     | 1.44                 | 1.27                 | 0.20             | 6.52              | 5.81                 | 4.60              | 4.43              | 010       |
| 67350                                    |        | ∢      | Biopsy eye muscle            | 2.87         | ¥               | Ϋ́                       | 3.31                 | 2.77                 | 0.10             | Ϋ́                | Ą<br>Ż               | 6.28              | 5.74              | 000       |
| 67399                                    |        | ပ      | Eye muscle surgery procedure | 0.00         | 0.00            | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | <b>XX</b> |
| 67400                                    |        | ∢      | Explore/biopsy eye socket    | 9.76         | ¥               | ¥                        | 11.16                | 11.54                | 0.49             | ¥                 | <b>∀</b>             | 21.41             | 21.79             | 060       |
| 67405                                    |        | ∢      | Explore/drain eye socket     | 7.93         | ¥               | ¥                        | 10.58                | 9.74                 | 0.52             | ¥                 | Y<br>Y               | 19.03             | 18.19             | 060       |
| 67412                                    |        | ∢      | Explore/treat eye socket     | 9.50         | ¥               | Ϋ́                       | 13.22                | 11.81                | 0.52             | Ϋ́                | ₹<br>Ž               | 23.24             | 21.83             | 060       |
| 67413                                    |        | ∢      | Explore/treat eye socket     | 10.00        | ¥               | ¥                        | 11.78                | 9.53                 | 0.45             | ¥                 | Ϋ́                   | 22.23             | 19.98             | 060       |
| 67414                                    |        | ∢      | Explore/decompress eye socke | 11.13        | ₹               | ΑĀ                       | 14.33                | 10.42                | 0.34             | Ϋ́                | ¥                    | 25.80             | 21.89             | 060       |
|  |        |        |                              |              |                 |                          |                      |                      |                  |                   |                      |                   |                   |           |

Page 118 of 271 Codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Denial Association. All rights reserved.
3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|        |                              |              | Non-<br>facility | Transitioned            | Facility        | Transitioned<br>Facility |                  |                   | Transitional      |                   |                   |        |
|--------|------------------------------|--------------|------------------|-------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|        |                              | Physician    | practice         | non-laciniy<br>practice | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs         | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| ⋖      | Aspiration orbital contents  | 1.76         | ¥                | ¥                       | 1.48            | 1.95                     | 60.0             | ž                 | Ą                 | 3.33              | 3.80              | 000    |
| ∢      | Explore/treat eye socket     | 20.06        | ¥                | Ϋ́                      | 19.32           | 18.49                    | 0.87             | Ϋ́                | Ϋ́                | 40.25             | 39.42             | 060    |
| ∢      | Explore/treat eye socket     | 13.39        | ¥                | Ą<br>Z                  | 14.75           | 12.36                    | 0.42             | Ϋ́                | ₹                 | 28.56             | 26.17             | 060    |
| ∢      | Explore/drain eye socket     | 13.09        | ¥                | ¥                       | 14.78           | 15.42                    | 92.0             | Ϋ́                | Ϋ́                | 28.63             | 29.27             | 060    |
| ∢      | Explore/decompress eye socke | 14.42        | ¥                | ¥                       | 15.95           | 13.05                    | 0.45             | ¥                 | Ϋ́                | 30.82             | 27.92             | 060    |
| ∢      | Explore/biopsy eye socket    | 13.51        | ¥                | ¥                       | 15.43           | 15.96                    | 99.0             | Ϋ́                | ₹                 | 29.62             | 30.15             | 60     |
| ∢      | Inject/treat eye socket      | 0.79         | 13.67            | 4.01                    | 96.0            | 0.83                     | 0.05             | 14.51             | 4.85              | 1.80              | 1.67              | 8      |
| ∢      | Inject/treat eye socket      | 0.82         | 3.70             | 1.77                    | 0.35            | 0.46                     | 0.05             | 4.57              | 2.64              | 1.22              | 1.33              | 00     |
| ∢      | Inject/treat eye socket      | 0.61         | 3.54             | 1.34                    | 0.55            | 0.37                     | 0.02             | 4.17              | 1.97              | 1.18              | 1.00              | 8      |
| ∢      | Insert eye socket implant    | 10.19        | ¥                | Š                       | 11.15           | 10.62                    | 0.55             | ¥                 | ¥                 | 21.89             | 21.36             | 060    |
| ∢      | Revise eye socket implant    | 10.60        | ¥                | ¥<br>Z                  | 10.98           | 9.50                     | 0.38             | ¥                 | ¥                 | 21.96             | 20.48             | 060    |
| ∢      | Decompress optic nerve       | 13.58        | ¥                | Š                       | 15.30           | 9.98                     | 0.31             | ¥                 | ¥                 | 29.19             | 23.87             | 060    |
| ပ      | Orbit surgery procedure      | 0.00         | 0.00             | 0.00                    | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹      |
| ∢      | Drainage of eyelid abscess   | 1.35         | 9.00             | 1.65                    | 09.0            | 0.35                     | 0.02             | 6.37              | 3.02              | 1.97              | 1.72              | 010    |
| ∢      | Incision of eyelid           | 1.02         | 5.03             | 2.08                    | 1.70            | 0.84                     | 0.05             | 6.10              | 3.15              | 2.77              | 1.91              | 010    |
| ∢      | Incision of eyelid fold      | 1.22         | ¥                | Š                       | 1.85            | 1.55                     | 0.07             | ¥                 | Ϋ́                | 3.14              | 2.84              | 010    |
| ∢      | Remove eyelid lesion         | 1.38         | 5.12             | 2.05                    | 69.0            | 0.56                     | 0.04             | 6.54              | 3.47              | 2.11              | 1.98              | 910    |
| ∢      | Remove eyelid lesions        | 1.88         | 3.15             | 1.92                    | 2.38            | 1.17                     | 90:0             | 5.09              | 3.86              | 4.32              | 3.11              | 010    |
| 4      | Remove eyelid lesions        | 2.22         | 7.03             | 2.88                    | 2.69            | 1.24                     | 90.0             | 9.31              | 5.16              | 4.97              | 3.52              | 010    |
| ∢      | Remove eyelid lesion(s)      | 3.80         | ¥                | ¥<br>X                  | 4.21            | 2.79                     | 0.10             | ¥                 | ₹                 | 8.11              | 69.9              | 8      |
| 4      | Biopsy of eyelid             | 1.48         | 4.57             | 1.80                    | 0.73            | 0.51                     | 0.04             | 60.9              | 3.32              | 2.25              | 2.03              | 00     |
| ∢      | Revise eyelashes             | 0.89         | 3.73             | 1.24                    | 0.40            | 0.26                     | 0.02             | 4.64              | 2.15              | 1.31              | 1.17              | 00     |
| ∢      | Revise eyelashes             | 1.38         | 4.98             | 1.98                    | 1.85            | 0.83                     | 0.04             | 6.40              | 3.40              | 3.27              | 2.25              | 010    |
| 4      | Revise eyelashes             | 1.70         | 5.96             | 3.22                    | 2.24            | 2.08                     | 0.13             | 7.79              | 5.05              | 4.07              | 3.91              | 010    |
| ∢      | Revise eyelashes             | 5.56         | ¥                | ¥<br>Z                  | 90.9            | 6.25                     | 0.35             | ¥                 | Ϋ́                | 10.97             | 12.16             | 060    |
| ∢      | Remove eyelid lesion         | 2.04         | 99.9             | 2.66                    | 2.99            | 1.24                     | 0.05             | 8.75              | 4.75              | 5.08              | 3.33              | 010    |
| ∢      | Treat eyelid lesion          | 1.69         | 5.43             | 2.03                    | 2.20            | 0.89                     | 0.04             | 7.16              | 3.76              | 3.93              | 2.62              | 010    |
| ∢      | Closure of eyelid by suture  | 1.35         | 6.52             | 3.03                    | 2.76            | 1.91                     | 0.10             | 76.7              | 4.48              | 4.21              | 3.36              | 000    |
| ∢      | Revision of eyelid           | 3.80         | 7.72             | 5.14                    | 3.89            | 4.18                     | 0.18             | 11.70             | 9.12              | 7.87              | 8.16              | 060    |
| ∢      | Revision of eyelid           | 5.07         | 9.38             | 68.9                    | 4.82            | 5.75                     | 0.29             | 14.74             | 12.25             | 10.18             | 11.11             | 060    |
| ∢      | Repair brow defect           | 6.14         | 8.75             | 5.26                    | 6.98            | 4.82                     | 0.16             | 15.05             | 11.56             | 13.28             | 11.12             | 060    |
| ∢      | Repair eyelid defect         | 6.97         | ¥                | Š                       | 7.24            | 8.05                     | 0.50             | ¥                 | ¥                 | 14.71             | 15.52             | 060    |
| ∢      | Repair eyelid defect         | 7.03         | Ϋ́               | Ϋ́                      | 7.49            | 8.17                     | 0.56             | ¥                 | Ϋ́                | 15.08             | 15.76             | 060    |
| ∢      | Repair eyelid defect         | 6.37         | 10.25            | 8.27                    | 7.15            | 7.50                     | 0.57             | 17.19             | 15.21             | 14.09             | 14.44             | 060    |
| ∢      | Repair eyelid defect         | 6.26         | 11.03            | 8.37                    | 8.11            | 7.64                     | 0.56             | 17.85             | 15.19             | 14.93             | 14.46             | 060    |
| ∢      | Repair eyelid defect         | 6.79         | 8.22             | 6.50                    | 6.99            | 6.20                     | 0.28             | 15.29             | 13.57             | 14.06             | 13.27             | 060    |
| ∢      | Repair eyelid defect         | 5.13         | 7.74             | 6.53                    | 6.47            | 6.21                     | 0.42             | 13.29             | 12.08             | 12.02             | 11.76             | 060    |
| ∢      | Revise eyelid defect         | 5.40         | 7.99             | 6.84                    | 69.9            | 6.51                     | 0.38             | 13.77             | 12.62             | 12.47             | 12.29             | 060    |
| ∢      | Revise eyelid defect         | 5.27         | Ϋ́               | Ϋ́                      | 97.9            | 6.41                     | 0.62             | ¥                 | Ϋ́                | 12.65             | 12.30             | 060    |
| ⋖      | Repair eyelid defect         | 3.68         | 8.07             | 5.32                    | 4.18            | 4.35                     | 0.31             | 12.06             | 9.31              | 8.17              | 8.34              | 060    |
|        |                              |              |                  |                         |                 |                          |                  |                   |                   |                   |                   |        |

Page 119 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|               |     |                             |                   | Non-                | Transitioned        | •                   | Transitioned        |                  |                  |                  |          |                          |        |
|---------------|-----|-----------------------------|-------------------|---------------------|---------------------|---------------------|---------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|               |     |                             | ;                 | facility            | Non-facility        | Facility            | Facility            |                  | ;                | Transitioned     |          | ٠                        |        |
|               |     |                             | Physician<br>work | practice<br>expense | practice<br>expense | practice<br>expense | practice<br>expense | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| Status        |     | Description                 | RVUs <sup>3</sup> | RVUs                | RVUs                | RVUs                | RVUs                | RUYs             | Total            | Total            | Total    | Total                    | Global |
| A Reps        | Rep | Repair eyelid defect        | 3.18              | 6.31                | 2.60                | 1.60                | 0.91                | 0.05             | 9.54             | 5.83             | 4.83     | 4.14                     | 060    |
| A Rep         | Rep | Repair eyelid defect        | 5.31              | 9.94                | 7.24                | 5.32                | 60.9                | 0.30             | 15.55            | 12.85            | 10.93    | 11.70                    | 060    |
| A Rep         | Rep | Repair eyelid defect        | 6.02              | 8.50                | 7.51                | 7.12                | 7.17                | 0.37             | 14.89            | 13.90            | 13.51    | 13.56                    | 060    |
| A Rep         | Ret | Repair eyelid defect        | 3.40              | 7.77                | 4.99                | 3.97                | 4.04                | 0.16             | 11.33            | 8.55             | 7.53     | 7.60                     | 060    |
| A Re          | å   | Repair eyelid defect        | 3.06              | 6.29                | 2.54                | 3.09                | 1.26                | 0.05             | 9.40             | 5.65             | 6.20     | 4.37                     | 060    |
| A             | 8   | Repair eyelid defect        | 5.88              | 10.06               | 7.78                | 5.59                | 99.9                | 0.30             | 16.24            | 13.96            | 11.77    | 12.84                    | 060    |
| A<br>Re       | æ   | Repair eyelid defect        | 5.79              | 8.06                | 7.20                | 6.63                | 6.84                | 0.34             | 14.19            | 13.33            | 12.76    | 12.97                    | 060    |
| A<br>Re       | æ   | Repair eyelid wound         | 3.61              | 90.8                | 3.05                | 3.78                | 1.46                | 90:0             | 11.73            | 6.72             | 7.45     | 5.13                     | 010    |
| A<br>Re       | æ   | Repair eyelid wound         | 6.22              | 10.08               | 9.60                | 5.47                | 4.45                | 0.19             | 16.49            | 12.01            | 11.88    | 10.86                    | 060    |
| A             | ď   | Remove eyelid foreign body  | 1.33              | 4.86                | 1.64                | 0.52                | 0.34                | 0.02             | 6.21             | 2.99             | 1.87     | 1.69                     | 010    |
| ¥<br>K        | ď   | Revision of eyelid          | 5.82              | 6.77                | 6.91                | 7.13                | 7.00                | 0.35             | 12.94            | 13.08            | 13.30    | 13.17                    | 060    |
| ď             | œ   | Revision of eyelid          | 5.69              | 6.62                | 6.75                | 6.49                | 6.72                | 0.39             | 12.70            | 12.83            | 12.57    | 12.80                    | 060    |
| ¥             | ď   | Revision of eyelid          | 6.57              | 90.7                | 7.65                | 6.53                | 7.52                | 0.52             | 14.15            | 14.74            | 13.62    | 14.61                    | 060    |
| A<br>R        | œ   | Reconstruction of eyelid    | 9.79              | ¥                   | ¥                   | 8.79                | 10.89               | 0.50             | Š                | ۲                | 19.08    | 21.18                    | 060    |
| A             | œ   | Reconstruction of eyelid    | 12.87             | ¥                   | ¥                   | 10.52               | 13.65               | 0.71             | ¥                | Ϋ́Z              | 24.10    | 27.23                    | 060    |
| Α             | œ   | Reconstruction of eyelid    | 12.84             | ¥                   | ¥                   | 10.27               | 14.02               | 0.68             | ¥                | Ϋ́Z              | 23.79    | 27.54                    | 060    |
| α<br>Υ        | œ   | Reconstruction of eyelid    | 9.13              | ¥                   | ¥                   | 8.22                | 5.43                | 0.19             | ¥                | Ϋ́               | 17.54    | 14.75                    | 060    |
| œ<br>ن        | œ   | Revision of eyelid          | 0.00              | 0.00                | 0.00                | 0.00                | 0.00                | 0.00             | 0.00             | 00.0             | 00.00    | 0.00                     | ₹      |
| <u>-</u><br>∢ | =   | Incise/drain eyelid lining  | 1.37              | 5.01                | 1.67                | 29.0                | 0.38                | 0.02             | 6.40             | 3.06             | 5.06     | 1.77                     | 010    |
| Υ             | _   | Freatment of eyelid lesions | 0.85              | 4.02                | 1.37                | 0.40                | 0.29                | 0.02             | 4.89             | 2.24             | 1.27     | 1.16                     | 000    |
| ∢             |     | Biopsy of eyelid lining     | 1.35              | 4.69                | 1.98                | 1.05                | 0.67                | 0.05             | 60.9             | 3.38             | 2.45     | 2.07                     | 000    |
| ∢             | ш.  | Remove eyelid lining lesion | 1.77              | 5.33                | 2.35                | 2.06                | 1.03                | 0.05             | 7.15             | 4.17             | 3.88     | 2.85                     | 010    |
| ∢             | ш.  | Remove eyelid lining lesion | 2.36              | 6.30                | 3.14                | 2.56                | 2.21                | 60.0             | 8.75             | 5.59             | 5.01     | 4.66                     | 010    |
| ∢             | ш.  | Remove eyelid lining lesion | 4.93              | ¥                   | Ϋ́                  | 5.90                | 4.81                | 0.17             | ¥                | Ϋ́               | 11.00    | 9.91                     | 060    |
| ∢             | ш   | Remove eyelid lining lesion | 1.84              | 5.32                | 1.93                | 2.09                | 0.82                | 0.03             | 7.19             | 3.80             | 3.96     | 2.69                     | 010    |
| Y             | _   | Freat eyelid by injection   | 0.49              | 3.49                | 1.29                | 0.49                | 0.33                | 0.02             | 4.00             | 1.80             | 1.00     | 0.84                     | 00     |
| ∢             | ш   | Revise/graft eyelid lining  | 5.37              | 4.82                | 6.01                | 5.90                | 6.28                | 0.33             | 10.52            | 11.71            | 11.60    | 11.98                    | 060    |
| ∢             | ш   | Revise/graft eyelid lining  | 7.36              | ₹                   | ¥                   | 6.89                | 8.32                | 0.49             | ¥                | Ϋ́               | 14.74    | 16.17                    | 060    |
| ∢             | ш.  | Revise/graft eyelid lining  | 7.15              | ¥                   | Š                   | 6.85                | 8.12                | 0.38             | ₹                | Ϋ́               | 14.38    | 15.65                    | 060    |
| Κ             | ш   | Revise/graft eyelid lining  | 8.18              | ۲                   | ¥                   | 7.32                | 9.16                | 0.64             | ¥                | Ϋ́               | 16.14    | 17.98                    | 060    |
| ∢             | щ   | Revise eyelid lining        | 4.83              | 6.36                | 5.91                | 5.89                | 5.79                | 0.27             | 11.46            | 11.01            | 10.99    | 10.89                    | 060    |
| Υ<br>Υ        | œ   | Revise/graft eyelid lining  | 7.19              | Ϋ́                  | ¥                   | 5.44                | 7.80                | 0.53             | ¥                | Ϋ́               | 13.16    | 15.52                    | 060    |
| S<br>S        | S   | Separate eyelid adhesions   | 4.17              | 8.81                | 4.76                | 4.36                | 3.65                | 0.13             | 13.11            | 90.6             | 8.66     | 7.95                     | 060    |
| α             | œ   | Revise eyelid lining        | 4.37              | 6.04                | 5.43                | 5.57                | 5.31                | 0.26             | 10.67            | 10.06            | 10.20    | 9.94                     | 060    |
| ¥<br>W        | œ   | Revise eyelid lining        | 7.34              | ¥                   | ¥                   | 7.89                | 8.49                | 0.33             | ¥                | A<br>A           | 15.56    | 16.16                    | 060    |
| Ω<br>Ū        | Ú.  | Eyelid lining surgery       | 0.00              | 0.00                | 0.00                | 0.00                | 0.00                | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ХХ     |
| <u>-</u>      | 드   | ncise/drain tear gland      | 1.69              | 6.71                | 2.50                | 2.75                | 1.10                | 0.05             | 8.45             | 4.24             | 4.49     | 2.84                     | 010    |
| <b>∀</b>      | 드   | ncise/drain tear sac        | 2.30              | 7.07                | 2.60                | 3.14                | 1.21                | 0.05             | 9.42             | 4.95             | 5.49     | 3.56                     | 010    |
| ₹             | -   | ncise tear duct opening     | 0.94              | 4.95                | 1.85                | 1.64                | 0.72                | 0.03             | 5.92             | 2.82             | 2.61     | 1.69                     | 010    |
| A<br>R        | ď   | Removal of tear gland       | 11.02             | Ϋ́                  | Ą                   | 9.74                | 8.63                | 0.59             | Ϋ́               | Ϋ́               | 21.35    | 20.24                    | 060    |
|               |     |                             |                   |                     |                     |                     |                     |                  |                  |                  |          |                          |        |

Page 120 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Undicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |       |        |                                |               | No.              | Transferred     | /               | Transitioned    |                  | _                 |                   |                   |                   |        |
|-----------------------------|-------|--------|--------------------------------|---------------|------------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |       |        |                                |               | ron-<br>facility | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| ,1,                         |       |        |                                | Physician     | practice         | practice        | practice        | practice        | Mal              | Non-              | Non               | •                 | Transitioned      |        |
| CPI /<br>HCPCS <sup>2</sup> | S POW | Status | Description                    | work<br>RVUs  | expense<br>RVUs  | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 68505                       |       | ∢      | Partial removal tear gland     | 10.94         | ΑN               | NA              | 10.66           | 9.74            | 0.38             | Ϋ́                | Ą                 | 21.98             | 21.06             | 060    |
| 68510                       |       | ⋖      | Biopsy of tear gland           | 4.61          | 7.45             | 4.86            | 3.12            | 3.78            | 0.22             | 12.28             | 69.6              | 7.95              | 8.61              | 000    |
| 68520                       |       | ⋖      | Removal of tear sac            | 7.51          | ¥                | Ϋ́              | 7.45            | 8.58            | 0.40             | ¥                 | ž                 | 15.36             | 16.49             | 060    |
| 68525                       |       | ∢      | Biopsy of tear sac             | 4.43          | ¥                | Ϋ́              | 3.05            | 3.76            | 0.18             | ¥                 | ¥                 | 99'.              | 8.37              | 000    |
| 68530                       |       | ∢      | Clearance of tear duct         | 3.66          | 8.10             | 4.34            | 3.40            | 2.01            | 0.13             | 11.89             | 8.13              | 7.19              | 5.80              | 010    |
| 68540                       |       | ⋖      | Remove tear gland lesion       | 10.60         | ¥                | Š               | 9.54            | 9.15            | 0.39             | ¥                 | Ą                 | 20.53             | 20.14             | 060    |
| 68550                       |       | ⋖      | Remove tear gland lesion       | 13.26         | ¥                | ¥               | 10.83           | 11.94           | 0.58             | ¥                 | ¥                 | 24.67             | 25.78             | 060    |
| 68700                       |       | ⋖      | Repair tear ducts              | 09.9          | Ą                | Ϋ́              | 6.87            | 3.91            | 0.12             | Ϋ́                | ΑĀ                | 13.59             | 10.63             | 060    |
| 68705                       |       | ∢      | Revise tear duct opening       | 2.06          | 5.55             | 2.22            | 2.21            | 26.0            | 0.04             | 7.65              | 4.32              | 4.31              | 3.07              | 010    |
| 68720                       |       | ∢      | Create tear sac drain          | 8.96          | ¥                | ¥<br>Z          | 8.40            | 10.11           | 0.58             | ¥                 | ¥                 | 17.94             | 19.65             | 060    |
| 68745                       |       | 4      | Create tear duct drain         | 8.63          | ¥                | Š               | 8.00            | 7.34            | 0.35             | ¥                 | ٧                 | 16.98             | 16.32             | 060    |
| 68750                       |       | ⋖      | Create tear duct drain         | 8.66          | ¥                | ¥<br>Z          | 8.49            | 9.88            | 0.65             | ¥                 | Ϋ́                | 17.80             | 19.19             | 060    |
| 68760                       |       | ⋖      | Close tear duct opening        | 1.73          | 5.22             | 2.06            | 0.87            | 0.59            | 0.03             | 96.9              | 3.82              | 2.63              | 2.35              | 010    |
| 68761                       |       | ⋖      | Close tear duct opening        | 1.36          | 3.74             | 1.69            | 0.61            | 0.53            | 0.03             | 5.13              | 3.08              | 2.00              | 1.92              | 010    |
| 68770                       |       | ∢      | Close tear system fistula      | 7.02          | 10.67            | 6.12            | 6.07            | 3.24            | 0.18             | 17.87             | 13.32             | 13.27             | 10.44             | 060    |
| 68801                       |       | ∢      | Dilate tear duct opening       | 0.94          | 4.56             | 1.49            | 0.45            | 0.29            | 0.02             | 5.52              | 2.45              | 1.41              | 1.25              | 010    |
| 68810                       |       | ∢      | Probe nasolacrimal duct        | 1.90          | 6.03             | 1.96            | 2.27            | 0.79            | 0.02             | 7.95              | 3.88              | 4.19              | 2.71              | 010    |
| 68811                       |       | ∢      | Probe nasolacrimal duct        | 2.35          | ¥                | ž               | 2.56            | 1.86            | 0.07             | Ϋ́                | Ϋ́                | 4.98              | 4.28              | 010    |
| 68815                       |       | ⋖      | Probe nasolacrimal duct        | 3.20          | 6.30             | 3.14            | 3.19            | 1.59            | 0.08             | 9.58              | 6.42              | 6.47              | 4.87              | 010    |
| 68840                       |       | ⋖      | Explore/irrigate tear ducts    | 1.25          | 5.03             | 1.66            | 0.61            | 0.36            | 0.02             | 6.30              | 2.93              | 1.88              | 1.63              | 010    |
| 68850                       |       | ⋖      | Injection for tear sac x-ray   | 0.80          | 11.05            | 3.18            | 0.28            | 0.48            | 0.03             | 11.88             | 4.01              | <del>1</del> .    | 1.31              | 000    |
| 68833                       |       | ပ      | Tear duct system surgery       | 0.00          | 0.00             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | $\chi$ |
| 00069                       |       | ⋖      | Drain external ear lesion      | 1.45          | 1.59             | 0.68            | 0.55            | 0.28            | 0.02             | 3.06              | 2.15              | 2.02              | 1.75              | 010    |
| 69005                       |       | ⋖      | Drain external ear lesion      | 2.11          | 2.05             | 1.46            | 1.40            | 0.82            | 0.10             | 4.26              | 3.67              | 3.61              | 3.03              | 010    |
| 69020                       |       | ⋖      | Drain outer ear canal lesion   | 1.48          | 1.71             | 0.80            | 0.70            | 0.36            | 0.03             | 3.22              | 2.31              | 2.21              | 1.87              | 010    |
| 06069                       |       | z      | Pierce earlobes                | 0.00          | 0.00             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 69100                       |       | ⋖ .    | Biopsy of external ear         | 0.81          | 1.21             | 0.84            | 0.40            | 0.37            | 0.05             | 2.07              | 1.70              | 1.26              | 1.23              | 000    |
| 69105                       |       | ∢ .    | Biopsy of external ear canal   | 0.85          | 1.15             | 0.9 <b>4</b>    | 0.80            | 0.53            | 0.07             | 2.07              | 1.86              | 1.72              | 1.45              | 000    |
| 69110                       |       | ∢ •    | Partial removal external ear   | 3.44          | 2.83             | 2.85            | 2.36            | 2.73            | 0.29             | 6.56              | 6.58              | 6.09              | 6.46              | 060    |
| 09120                       |       | ۲ ،    | Refiloval of external ear      | 4, 1,<br>0, 1 | <u> </u>         | <u> </u>        | 0.20            | 06.9<br>00.0    | 0.0              | <u> </u>          | Ž                 | 9.50              | 0.00              | 080    |
| 69140                       |       | < <    | Remove ear canal lesion(s)     | 76.7          | Z 2              | Z ?             | 0. c            | 8.00            | 0.09             | ¥ 0               | Z 7               | 97.71             | 17.32             | 9 6    |
| 09140                       |       | ٠ ،    | Telliove call callal lesion(s) | 2.02          | 2.73             | 2.73<br>Ma      | 7.71            | 4.37            | 770              | 90.0              | 70.0              | C 19.             | 14.0              | 080    |
| 69150                       |       | ∢ ⋅    | Extensive ear canal surgery    | 13.43         | ₹ :              | ď :             | 11.86           | 11.48           | 0.98             | ₹ :               | ¥ :               | 26.27             | 25.89             | 060    |
| 69155                       |       | ∢      | Extensive ear/neck surgery     | 20.80         | <b>₹</b>         | ₹<br>Z          | 15.46           | 16.83           | 1.26             | ₹                 | Ϋ́                | 37.52             | 38.89             | 060    |
| 69200                       |       | ∢      | Clear outer ear canal          | 0.77          | 1.08             | 0.62            | 0.43            | 0.28            | 0.03             | 1.88              | 1.42              | 1.23              | 1.08              | 000    |
| 69205                       |       | ∢      | Clear outer ear canal          | 1.20          | <b>∀</b>         | Ϋ́              | 1.17            | 1.16            | 0.09             | ¥                 | Š                 | 2.46              | 2.45              | 010    |
| 69210                       |       | ∢      | Remove impacted ear wax        | 0.61          | 96.0             | 0.43            | 0.24            | 0.16            | 0.02             | 1.59              | 1.06              | 0.87              | 0.79              | 000    |
| 69220                       |       | ∢      | Clean out mastoid cavity       | 0.83          | 1.16             | 0.70            | 0.48            | 0.32            | 0.04             | 2.03              | 1.57              | 1.35              | 1.19              | 000    |
| 69222                       |       | ∢      | Clean out mastoid cavity       | 1.40          | 1.73             | 1.03            | 1.33            | 0.63            | 90.0             | 3.19              | 2.49              | 2.79              | 5.09              | 010    |
| 69300                       |       | œ      | Revise external ear            | 6.36          | Υ<br>Y           | Y<br>Y          | 5.95            | 5.80            | 0.22             | <b>₹</b>          | Ϋ́                | 12.53             | 12.38             | λλ     |

Page 121 of 271 277 Codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 \*Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |              | Global                      | 060                     | 060                     | ₹                           | 00                       | 000                      | 010                          | 00                      | 010                 | 010                 | 000                     | 010                    | 010                    | 060                       | 060              | 060           | 060           | 060                       | 060                       | 060                       | 060                          | 010               | 060               | 060               | 060               | 060                      | 060                      | 060                      | 060                      | 060                      | 010               | 060               | 060                       | 060                        | 060                        | 060                       | 060                        | 060                        | 060                         | 060                         | 060                         |
|------------------------------|--------------|-----------------------------|-------------------------|-------------------------|-----------------------------|--------------------------|--------------------------|------------------------------|-------------------------|---------------------|---------------------|-------------------------|------------------------|------------------------|---------------------------|------------------|---------------|---------------|---------------------------|---------------------------|---------------------------|------------------------------|-------------------|-------------------|-------------------|-------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------|-------------------|---------------------------|----------------------------|----------------------------|---------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|
|                              | Transitioned | raciiry<br>Total            | 22.26                   | 33.80                   | 0.00                        | 1.13                     | 0.85                     | 3.24                         | 0.67                    | 1.86                | 3.14                | 1.32                    | 2.40                   | 4.29                   | 17.14                     | 13.21            | 20.36         | 27.23         | 28.95                     | 30.06                     | 37.89                     | 65.18                        | 2.13              | 24.98             | 38.16             | 59.30             | 28.96                    | 30.17                    | 31.10                    | 31.78                    | 35.82                    | 5.66              | 12.93             | 22.37                     | 28.54                      | 27.25                      | 29.75                     | 33.87                      | 33.75                      | 28.47                       | 37.24                       | 34.38                       |
|                              | 4            | raciiny<br>Total            | 22.10                   | 32.73                   | 0.00                        | 1.15                     | 1.02                     | 4.21                         | 0.56                    | 2.11                | 3.36                | 1.57                    | 2.51                   | 3.81                   | 16.54                     | 13.49            | 18.97         | 24.90         | 26.11                     | 26.95                     | 35.55                     | 63.34                        | 2.50              | 22.92             | 35.41             | 57.09             | 26.83                    | 27.21                    | 27.75                    | 28.54                    | 34.77                    | 7.58              | 10.23             | 20.78                     | 26.17                      | 25.19                      | 26.82                     | 30.36                      | 30.31                      | 25.84                       | 32.95                       | 30.80                       |
| Transitioned                 | Non-         | racılıry<br>Total           | A                       | Ϋ́                      | 0.00                        | 1.53                     | 1.12                     | 3.68                         | 1.10                    | 2.39                | 3.25                | 1.70                    | 3.17                   | Y<br>Z                 | ₹<br>Z                    | ₹<br>Z           | ₹<br>Z        | ¥<br>Z        | Ϋ́                        | <b>₹</b>                  | Š                         | <b>∀</b>                     | 2.76              | Ϋ́                | ₹<br>Z            | ₹<br>Z            | ¥<br>Z                   | Ϋ́Z                      | Υ<br>Υ                   | Ϋ́                       | Š                        | 6.17              | 13.48             | Š                         | Š                          | Ϋ́                         | Ϋ́                        | Ϋ́                         | Ϋ́                         | Ϋ́                          | Ϋ́                          | Ϋ́                          |
|                              | Non-         | Total                       | Ą                       | ¥                       | 0.00                        | 2.03                     | 1.70                     | 5.17                         | 1.31                    | 3.14                | 3.79                | 2.14                    | 3.44                   | ž                      | ₹                         | ¥                | ¥             | ¥             | ≨                         | ž                         | ž                         | ¥                            | 2.97              | ¥                 | ¥                 | <b>∀</b>          | ¥                        | Š                        | ¥                        | ¥                        | ¥                        | 8.13              | 12.43             | Ϋ́                        | ¥                          | Ϋ́                         | Ϋ́                        | Ϋ́                         | Ϋ́                         | Ϋ́                          | ¥                           | Υ<br>Y                      |
|                              | Mal-         | RUVs                        | 0.84                    | 1.30                    | 0.00                        | 0.04                     | 0.02                     | 0.03                         | 0.05                    | 90.0                | 0.10                | 0.05                    | 0.12                   | 0.18                   | 0.73                      | 0.90             | 0.92          | 1.13          | 1.40                      | 1.44                      | 1.35                      | 2.23                         | 0.11              | 1.56              | 1.46              | 5.06              | 1.21                     | 1.37                     | 1.47                     | 2.11                     | 1.46                     | 0.08              | 0.91              | 1.26                      | 1.35                       | 1.39                       | 1.49                      | 1.65                       | 1.74                       | 1.46                        | 1.73                        | 1.96                        |
| Transitioned<br>Facility     | practice     | expense<br>RVUs             | 10.63                   | 15.54                   | 0.00                        | 0.26                     | 0.20                     | 0.58                         | 0.29                    | 0.47                | 1.31                | 0.42                    | 0.76                   | 2.15                   | 8.84                      | 6.74             | 10.37         | 13.72         | 14.56                     | 15.10                     | 17.35                     | 26.81                        | 0.82              | 12.43             | 17.24             | 24.08             | 14.51                    | 15.22                    | 15.61                    | 15.65                    | 15.87                    | 1.15              | 6.13              | 11.25                     | 14.44                      | 13.76                      | 14.93                     | 17.00                      | 16.90                      | 14.30                       | 18.67                       | 17.10                       |
| Facility                     | practice     | expense<br>RVUs             | 10.47                   | 14.47                   | 00.00                       | 0.28                     | 0.37                     | 1.55                         | 0.18                    | 0.72                | 1.53                | 0.67                    | 0.87                   | 1.67                   | 8.24                      | 7.02             | 8.98          | 11.39         | 11.72                     | 11.99                     | 15.01                     | 24.97                        | 1.19              | 10.37             | 14.49             | 21.87             | 12.38                    | 12.26                    | 12.26                    | 12.41                    | 14.82                    | 3.07              | 3.43              | 99.6                      | 12.07                      | 11.70                      | 12.00                     | 13.49                      | 13.46                      | 11.67                       | 14.38                       | 13.52                       |
| Transitioned<br>Non-facility | practice     | expense<br>RVUs             | ¥                       | Ϋ́                      | 0.00                        | 99.0                     | 0.47                     | 1.02                         | 0.72                    | 1.00                | 1.42                | 0.80                    | 1.53                   | ž                      | ₹                         | Š                | ₹             | ¥             | ¥                         | Š                         | ¥                         | ¥<br>Z                       | 1.45              | ¥<br>Z            | ¥<br>X            | Š                 | ¥                        | ¥                        | ¥                        | Š                        | ₹                        | 1.66              | 6.68              | Š                         | ₹                          | Š                          | Š                         | Š                          | ¥                          | Š                           | ¥                           | Ϋ́<br>V                     |
| Non-<br>facility             | practice     | expense<br>RVUs             | ΑN                      | ¥                       | 0.00                        | 1.16                     | 1.05                     | 2.51                         | 0.93                    | 1.75                | 1.96                | 1.24                    | 1.80                   | ¥                      | Ϋ́                        | ¥                | Ϋ́            | ₹             | ۲                         | ¥                         | Ϋ́                        | ¥                            | 1.66              | ¥                 | ¥                 | ¥                 | ¥                        | ¥                        | ¥                        | ¥                        | Ϋ́                       | 3.62              | 5.63              | ¥                         | ¥                          | ¥                          | ₹                         | ¥                          | ¥                          | ¥                           | Ϋ́                          | Υ<br>V                      |
|                              | Physician    | work<br>RVUs                | 10.79                   | 16.96                   | 0.00                        | 0.83                     | 0.63                     | 2.63                         | 0.33                    | 1.33                | 1.73                | 0.85                    | 1.52                   | 1.96                   | 7.57                      | 5.57             | 6.07          | 12.38         | 12.99                     | 13.52                     | 19.19                     | 36.14                        | 1.20              | 10.99             | 19.46             | 33.16             | 13.24                    | 13.58                    | 14.02                    | 14.02                    | 18.49                    | 4.43              | 5.89              | 98.6                      | 12.75                      | 12.10                      | 13.33                     | 15.22                      | 15.11                      | 12.71                       | 16.84                       | 15.32                       |
|                              |              | Description                 | Rebuild outer ear canal | Rebuild outer ear canal | Outer ear surgery procedure | Inflate middle ear canal | Inflate middle ear canal | Catheterize middle ear canal | Inset middle ear baffle | Incision of eardrum | Incision of eardrum | Remove ventilating tube | Create eardrum opening | Create eardrum opening | Exploration of middle ear | Eardrum revision | Mastoidectomy | Mastoidectomy | Remove mastoid structures | Extensive mastoid surgery | Extensive mastoid surgery | Remove part of temporal bone | Remove ear lesion | Remove ear lesion | Remove ear lesion | Remove ear lesion | Mastoid surgery revision | Repair of eardrum | Repair of eardrum | Repair eardrum structures | Rebuild eardrum structures | Rebuild eardrum structures | Repair eardrum structures | Rebuild eardrum structures | Rebuild eardrum structures | Revise middle ear & mastoid | Revise middle ear & mastoid | Revise middle ear & mastoid |
|                              |              | Status                      | ∢                       | ∢                       | ပ                           | ∢                        | ∢                        | ∢                            | ∢                       | ∢                   | ∢                   | ∢                       | ∢                      | ∢                      | ∢                         | ∢                | ∢             | ∢             | ∢                         | ∢                         | ∢                         | ∢                            | ∢                 | ∢                 | ∢                 | ∢                 | ∢                        | ∢                        | ∢                        | ∢                        | ∢                        | ∢                 | ⋖                 | ∢                         | ∢                          | ∢                          | ∢                         | ∢                          | ∢                          | ∢                           | ∢                           | ∢                           |
|                              |              | Mod                         |                         |                         |                             |                          |                          |                              |                         |                     |                     |                         |                        |                        |                           |                  |               |               |                           |                           |                           |                              |                   |                   |                   |                   |                          |                          |                          |                          |                          |                   |                   |                           |                            |                            |                           |                            |                            |                             |                             |                             |
|                              | 7            | CPI /<br>HCPCS <sup>2</sup> | 69310                   | 69320                   | 66269                       | 69400                    | 69401                    | 69405                        | 69410                   | 69420               | 69421               | 69424                   | 69433                  | 69436                  | 69440                     | 69450            | 69501         | 69502         | 69505                     | 69511                     | 69530                     | 69535                        | 69540             | 69550             | 69552             | 69554             | 69601                    | 69602                    | 69603                    | 69604                    | 69605                    | 69610             | 69620             | 69631                     | 69632                      | 69633                      | 69635                     | 69636                      | 69637                      | 69641                       | 69642                       | 69643                       |

Page 122 of 271 CCPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|           |            |                              |                       | Non-                 | Iransitioned             | +                    | Transitioned         |                  |                   | ,                    |                   |                   |                   |
|-----------|------------|------------------------------|-----------------------|----------------------|--------------------------|----------------------|----------------------|------------------|-------------------|----------------------|-------------------|-------------------|-------------------|
|           |            |                              | Physician             | facility<br>practice | Non-facility<br>practice | Facility<br>practice | Facility<br>practice | Mal-             | Non-              | Transitioned<br>Non- |                   | Transitioned      |                   |
| Status    | 90         | Description                  | work<br>Work<br>RVIIs | expense<br>RVUs      | expense<br>RVUs          | expense<br>RVUs      | expense<br>RVUs      | practice<br>RUVs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Global            |
| 1         | Revise     | Revise middle ear & mastoid  | 16.97                 | ¥                    | ĄN                       | 14.55                | 18.83                | 2.11             | Ą                 | Ą                    | 33.63             | 37.91             | 66<br>6           |
| A Revise  | Revise     | Revise middle ear & mastoid  | 16.38                 | ¥                    | Ϋ́                       | 14.17                | 18.21                | 1.96             | ¥                 | Ą                    | 32.51             | 36.55             | 060               |
| A Revise  | Revise     | Revise middle ear & mastoid  | 17.99                 | ¥                    | ¥                        | 15.05                | 19.87                | 1.88             | ¥                 | N<br>A               | 34.92             | 39.74             | 060               |
| A Releas  | Releas     | Release middle ear bone      | 99.6                  | ¥                    | ¥                        | 9.47                 | 11.02                | 1.04             | ¥                 | ¥                    | 20.17             | 21.72             | 060               |
| A Revise  | Revise     | Revise middle ear bone       | 11.90                 | ¥                    | ¥                        | 10.64                | 13.32                | 1.42             | ₹                 | Æ<br>Z               | 23.96             | 26.64             | 060               |
| A Revise  | Revise     | Revise middle ear bone       | 15.74                 | ¥                    | ¥                        | 13.21                | 17.40                | 1.51             | ¥                 | ¥                    | 30.46             | 34.65             | 060               |
| A Revise  | Revise     | Revise middle ear bone       | 15.44                 | ¥                    | Ϋ́                       | 13.14                | 17.11                | 1.52             | ¥                 | Ϋ́                   | 30.10             | 34.07             | 060               |
| A Repai   | Repai      | Repair middle ear structures | 9.75                  | ¥                    | Y<br>Y                   | 9.54                 | 11.12                | 1.38             | ¥                 | ¥                    | 20.67             | 22.25             | 060               |
| A Repai   | Repai      | Repair middle ear structures | 9.76                  | ¥                    | ¥                        | 9.52                 | 11.13                | 1.30             | ¥                 | Ϋ́                   | 20.58             | 22.19             | 060               |
| A Remo    | Remo       | Remove mastoid air cells     | 11.51                 | ¥                    | ¥                        | 10.98                | 11.03                | 0.84             | ¥                 | Ϋ́                   | 23.33             | 23.38             | 060               |
| A Rem     | Rem        | Remove middle ear nerve      | 9.52                  | ¥                    | ¥                        | 9.70                 | 9.37                 | 0.67             | ¥                 | Ą<br>Z               | 19.89             | 19.56             | 060               |
| A Clos    | Clos       | Close mastoid fistula        | 8.23                  | ¥                    | Š                        | 5.21                 | 7.70                 | 99.0             | ¥                 | Ϋ́                   | 14.10             | 16.59             | 060               |
| N Impl    | <u>Imp</u> | Implant/replace hearing aid  | 00.0                  | 0.00                 | 0.00                     | 00.0                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×                 |
| A Rem     | Rem        | Remove/repair hearing aid    | 10.44                 | ¥                    | Š                        | 10.35                | 9.46                 | 0.34             | ¥                 | Ϋ́                   | 21.13             | 20.24             | 060               |
| A Rele    | Rele       | Release facial nerve         | 14.38                 | ¥                    | Š                        | 12.79                | 16.08                | 1.78             | ¥                 | Ϋ́                   | 28.95             | 32.24             | 060               |
| A Rele    | Refe       | Release facial nerve         | 25.38                 | ¥                    | ¥                        | 16.91                | 16.15                | 1.18             | ¥                 | Ϋ́                   | 43.47             | 42.71             | 060               |
| A Rep     | Rep        | Repair facial nerve          | 15.96                 | ¥                    | ¥                        | 12.38                | 12.73                | 1.32             | ¥                 | Ϋ́Z                  | 29.66             | 30.01             | 060               |
| A Rep     | Rep        | Repair facial nerve          | 16.69                 | ¥                    | Š                        | 12.78                | 16.18                | 1.20             | ¥                 | Ϋ́                   | 30.67             | 34.07             | 060               |
| C Mid     | Σ          | Middle ear surgery procedure | 00.0                  | 0.00                 | 0.00                     | 00.0                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | $\chi$            |
| A Inc     | 2          | ncise inner ear              | 8.56                  | ¥                    | ¥                        | 8.76                 | 9.86                 | 1.44             | ¥                 | ¥<br>Z               | 18.76             | 19.86             | 060               |
| A Inc     | 낕          | ncise inner ear              | 13.10                 | ¥                    | Ϋ́                       | 11.69                | 12.07                | 0.95             | ¥                 | Ϋ́                   | 25.74             | 26.12             | 060               |
| A         | Ж          | Explore inner ear            | 13.82                 | ¥                    | Ϋ́                       | 11.91                | 13.67                | 1.56             | ¥                 | Ϋ́                   | 27.29             | 29.05             | 060               |
| A Exp     | Ä          | Explore inner ear            | 12.35                 | ž                    | ¥                        | 11.48                | 13.93                | 1.99             | ¥                 | ¥                    | 25.82             | 28.27             | 96<br>96          |
| A Est     | Est        | Establish inner ear window   | 10.34                 | Ϋ́                   | ¥                        | 11.20                | 10.00                | 0.78             | ¥                 | ¥                    | 22.32             | 21.12             | 060               |
| A<br>Re   | æ          | Revise inner ear window      | 10.26                 | ¥                    | ¥                        | 12.19                | 96.6                 | 0.40             | ¥                 | Ϋ́                   | 22.85             | 20.62             | 060               |
| A Re      | Re         | Remove inner ear             | 11.10                 | ¥                    | ž                        | 10.41                | 12.54                | 1.62             | ¥                 | Ϋ́                   | 23.13             | 25.26             | 060               |
| A Re      | æ          | Remove inner ear & mastoid   | 13.63                 | ¥                    | ¥<br>X                   | 12.03                | 15.21                | 1.83             | ¥                 | Ϋ́                   | 27.49             | 30.67             | 060               |
| A Inc     | 2          | ncise inner ear nerve        | 21.23                 | Š                    | ¥                        | 16.60                | 18.57                | 1.58             | ¥                 | Z<br>Z               | 39.41             | 41.38             | 060               |
| A Im      | Ξ          | mplant cochlear device       | 16.81                 | ¥                    | ¥                        | 13.53                | 18.44                | 2.61             | ¥                 | Ϋ́                   | 32.95             | 37.86             | 060               |
| S<br>S    | =          | nner ear surgery procedure   | 0.00                  | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ₹                 |
| A Inc     | <u>2</u>   | ncise inner ear nerve        | 25.64                 | Ϋ́                   | Ϋ́                       | 17.98                | 19.14                | 1.81             | ¥                 | Ϋ́                   | 45.43             | 46.59             | 060               |
| A Re      | Re         | Release facial nerve         | 27.04                 | ¥                    | ¥                        | 18.88                | 21.23                | 1.76             | ¥                 | Ϋ́                   | 47.68             | 50.03             | 060               |
| A Rel     | æ          | Release inner ear canal      | 27.04                 | ¥                    | ¥                        | 18.93                | 19.26                | 1.51             | ¥                 | Ϋ́                   | 47.48             | 47.81             | 060               |
| A Rer     | Re         | Remove inner ear lesion      | 30.04                 | ¥                    | Å                        | 21.07                | 21.30                | 1.77             | ¥                 | Ϋ́                   | 52.88             | 53.11             | 060               |
| C Ter     | Ē          | Femporal bone surgery        | 0.00                  | 0.00                 | 00:00                    | 00:00                | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | $\forall \forall$ |
| R<br>Micr | Σ          | Microsurgery add-on          | 3.46                  | 1.83                 | 1.83                     | 1.83                 | 1.83                 | 0.73             | 6.02              | 6.02                 | 6.02              | 6.02              | <b>ZZZ</b>        |
| A Con     | ပ္ပ        | Contrast x-ray of brain      | 1.19                  | 4.83                 | 4.99                     | 4.83                 | 4.99                 | 0.26             | 6.28              | 6.44                 | 6.28              | 6.44              | ×                 |
| A Cor     | Ŝ          | Contrast x-ray of brain      | 1.19                  | 0.34                 | 0.51                     | 0.34                 | 0.51                 | 90:0             | 1.59              | 1.76                 | 1.59              | 1.76              | ×                 |
| A<br>Co   | ပိ         | Contrast x-ray of brain      | 0.00                  | 4.49                 | 4.48                     | 4.49                 | 4.48                 | 0.20             | 4.69              | 4.68                 | 4.69              | 4.68              | ×                 |
| A Con     | Coo        | Contrast x-ray of brain      | 1.19                  | 1.73                 | 1.90                     | 1.73                 | 1.90                 | 0.13             | 3.05              | 3.22                 | 3.05              | 3.22              | ×                 |
|           |            |                              |                       |                      |                          |                      |                      |                  |                   |                      |                   |                   |                   |

Page 123 of 271
2 Copyright 1994 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|         |            |        | Ē                          |                   | Net-Non- | Iransitioned |                     | Transitioned |                  |                  |                  |          |                 |        |
|---------|------------|--------|----------------------------|-------------------|----------|--------------|---------------------|--------------|------------------|------------------|------------------|----------|-----------------|--------|
|         |            |        |                            |                   | facility | Non-facility | Facility            | Facility     | 3                | ;                | Transitioned     |          | •               |        |
| / Id)   |            |        |                            | Physician<br>work | practice | practice     | practice<br>expense | practice     | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | <i>Facility</i> |        |
| HCPCS 2 | Mod        | Status | Description                | RVUs 3            | RVUs     | RYUS         | RVUs                | RVUs         | RUVs             | Total            | Total            | Total    | Total           | Global |
| 70015   | 26         | ۷      | Contrast x-ray of brain    | 1.19              | 0.33     | 0.50         | 0.33                | 0.50         | 90.0             | 1.58             | 1.75             | 1.58     | 1.75            | ××     |
| 70015   | 2 1        | < <    | Contrast x-ray of brain    | 0.00              | 1.40     | 1.40         | 1.40                | 1.40         | 0.07             | 1.47             | 1.47             | 1.47     | 1.47            | ××     |
| 70030   | )          | <      | X-ray eye for foreign body | 0.17              | 0.48     | 0.51         | 0.48                | 0.51         | 0.03             | 0.68             | 0.71             | 89.0     | 0.71            | ××     |
| 70030   | 56         | <      | X-ray eye for foreign body | 0.17              | 0.04     | 0.08         | 0.04                | 0.08         | 0.01             | 0.22             | 0.26             | 0.22     | 0.26            | ×      |
| 70030   | <u>ရ</u> ဥ | <      | X-ray eye for foreign body | 0.00              | 0.44     | 0.43         | 0.44                | 0.43         | 0.02             | 0.46             | 0.45             | 0.46     | 0.45            | ××     |
| 70100   | )          | <      | X-ray exam of jaw          | 0.18              | 09.0     | 0.63         | 09.0                | 0.63         | 0.03             | 0.81             | 0.84             | 0.81     | 0.84            | ××     |
| 70100   | 56         | < <    | X-ray exam of jaw          | 0.18              | 0.05     | 60.0         | 0.05                | 60.0         | 0.01             | 0.24             | 0.28             | 0.24     | 0.28            | ××     |
| 70100   | 2          | ∢      | X-ray exam of jaw          | 0.00              | 0.55     | 0.54         | 0.55                | 0.54         | 0.02             | 0.57             | 95.0             | 0.57     | 0.56            | ××     |
| 70110   |            | ∢      | X-ray exam of jaw          | 0.25              | 0.70     | 0.75         | 0.70                | 0.75         | 0.05             | 1.00             | 1.05             | 1.00     | 1.05            | ×      |
| 70110   | 56         | ∢      | X-ray exam of jaw          | 0.25              | 90:0     | 0.11         | 90.0                | 0.11         | 0.02             | 0.33             | 0.38             | 0.33     | 0.38            | ××     |
| 70110   | 2          | ∢      | X-ray exam of jaw          | 00:00             | 0.64     | 0.64         | 0.64                | 0.64         | 0.03             | 0.67             | 29.0             | 0.67     | 0.67            | ×      |
| 70120   |            | ∢      | X-ray exam of mastoids     | 0.18              | 69.0     | 0.73         | 69.0                | 0.73         | 0.04             | 0.91             | 0.95             | 0.91     | 0.95            | ×      |
| 70120   | 56         | ∢      | X-ray exam of mastoids     | 0.18              | 0.05     | 60.0         | 0.05                | 60.0         | 0.01             | 0.24             | 0.28             | 0.24     | 0.28            | ×      |
| 70120   | 5          | ∢      | X-ray exam of mastoids     | 0.00              | 0.64     | 0.64         | 0.64                | 0.64         | 0.03             | 0.67             | 29.0             | 0.67     | 0.67            | ×      |
| 70130   |            | ∢      | X-ray exam of mastoids     | 0.34              | 0.91     | 96.0         | 0.91                | 96.0         | 90.0             | 1.31             | 1.36             | 1.31     | 1.36            | ×      |
| 70130   | 56         | ∢      | X-ray exam of mastoids     | 0.34              | 0.09     | 0.15         | 60.0                | 0.15         | 0.02             | 0.45             | 0.51             | 0.45     | 0.51            | ×      |
| 70130   | 5          | ∢      | X-ray exam of mastoids     | 0.00              | 0.82     | 0.81         | 0.82                | 0.81         | 0.04             | 98.0             | 0.85             | 98.0     | 0.85            | ××     |
| 70134   |            | ∢      | X-ray exam of middle ear   | 0.34              | 0.84     | 0.91         | 0.84                | 0.91         | 90.0             | 1.24             | 1.31             | 1.24     | 1.31            | ×      |
| 70134   | 56         | ∢      | X-ray exam of middle ear   | 0.34              | 60.0     | 0.15         | 60.0                | 0.15         | 0.02             | 0.45             | 0.51             | 0.45     | 0.51            | ×      |
| 70134   | 5          | 4      | X-ray exam of middle ear   | 0.00              | 0.75     | 0.76         | 0.75                | 92.0         | 0.04             | 0.79             | 0.80             | 0.79     | 0.80            | ×      |
| 70140   |            | ∢      | X-ray exam of facial bones | 0.19              | 69.0     | 0.73         | 69.0                | 0.73         | 0.04             | 0.92             | 96.0             | 0.92     | 96.0            | ×      |
| 70140   | 56         | ∢      | X-ray exam of facial bones | 0.19              | 0.05     | 60.0         | 0.05                | 0.09         | 0.01             | 0.25             | 0.29             | 0.25     | 0.29            | ×      |
| 70140   | 2          | ∢      | X-ray exam of facial bones | 0.00              | 0.64     | 0.64         | 0.64                | 0.64         | 0.03             | 0.67             | 0.67             | 0.67     | 0.67            | ×      |
| 70150   |            | ∢      | X-ray exam of facial bones | 0.26              | 0.89     | 0.93         | 0.89                | 0.93         | 90.0             | 1.21             | 1.25             | 1.21     | 1.25            | ×      |
| 70150   | 56         | ∢      | X-ray exam of facial bones | 0.26              | 0.07     | 0.12         | 0.07                | 0.12         | 0.02             | 0.35             | 0.40             | 0.35     | 0.40            | ×      |
| 70150   | 10         | ∢      | X-ray exam of facial bones | 0.00              | 0.82     | 0.81         | 0.82                | 0.81         | 0.04             | 98.0             | 0.85             | 98.0     | 0.85            | ×      |
| 70160   |            | ∢      | X-ray exam of nasal bones  | 0.17              | 0.59     | 0.62         | 0.59                | 0.62         | 0.03             | 0.79             | 0.82             | 0.79     | 0.82            | ×      |
| 70160   | 56         | ∢      | X-ray exam of nasal bones  | 0.17              | 0.04     | 0.08         | 0.04                | 0.08         | 0.01             | 0.22             | 0.26             | 0.22     | 0.26            | ×      |
| 70160   | ပ္         | ∢      | X-ray exam of nasal bones  | 0.00              | 0.55     | 0.54         | 0.55                | 0.54         | 0.05             | 0.57             | 0.56             | 0.57     | 0.56            | ×      |
| 70170   |            | ∢      | X-ray exam of tear duct    | 0:30              | 1.06     | 1.1          | 1.06                | 1.11         | 0.07             | 1.43             | 1.48             | 1.43     | 1.48            | ×      |
| 70170   | 56         | ∢      | X-ray exam of tear duct    | 0.30              | 0.08     | 0.13         | 0.08                | 0.13         | 0.02             | 0.40             | 0.45             | 0.40     | 0.45            | ×      |
| 70170   | ဥ          | ∢      | X-ray exam of tear duct    | 0.00              | 0.98     | 0.98         | 0.98                | 86.0         | 0.05             | 1.03             | 1.03             | 1.03     | 1.03            | ×      |
| 70190   |            | ∢      | X-ray exam of eye sockets  | 0.21              | 69.0     | 0.74         | 0.69                | 0.74         | 0.04             | 0.94             | 0.93             | 0.94     | 0.99            | ×      |
| 70190   | 56         | ∢      | X-ray exam of eye sockets  | 0.21              | 0.05     | 0.10         | 0.05                | 0.10         | 0.01             | 0.27             | 0.32             | 0.27     | 0.32            | ×      |
| 70190   | 2          | ∢      | X-ray exam of eye sockets  | 0.00              | 0.64     | 0.64         | 0.64                | 0.64         | 0.03             | 0.67             | 29.0             | 0.67     | 0.67            | ×      |
| 70200   |            | ∢      | X-ray exam of eye sockets  | 0.28              | 0.89     | 0.93         | 0.89                | 0.93         | 90.0             | 1.23             | 1.27             | 1.23     | 1.27            | ×      |
| 70200   | 56         | ∢      | X-ray exam of eye sockets  | 0.28              | 0.07     | 0.12         | 0.07                | 0.12         | 0.02             | 0.37             | 0.42             | 0.37     | 0.42            | ×      |
| 70200   | 2          | ∢      | X-ray exam of eye sockets  | 0.00              | 0.82     | 0.81         | 0.82                | 0.81         | 0.04             | 98.0             | 0.85             | 98.0     | 0.85            | ×      |
| 70210   |            | ∢      | X-ray exam of sinuses      | 0.17              | 0.68     | 0.72         | 0.68                | 0.72         | 0.04             | 0.89             | 0.93             | 0.89     | 0.93            | ××     |
| 70210   | 56         | ∢      | X-ray exam of sinuses      | 0.17              | 0.04     | 0.08         | 0.0                 | 90.0         | 0.01             | 0.22             | 0.26             | 0.22     | 0.26            | ××     |
|         |            |        |                            |                   |          |              |                     |              |                  |                  |                  |          | **              | ***    |

Page 124 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |           |        | Ž.                          | ביים שיים שיים שיים | ערראווגד ג       | Townson I                  | יייייייייייייייייייייייייייייייייייייי | Transitioned          |                  |                   |                   |                   |                   |            |
|------------------------------|-----------|--------|-----------------------------|---------------------|------------------|----------------------------|--|-----------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
|                              |           |        |                             |                     | ron-<br>facility | Iransmonea<br>Non-facility | Facility                               | ransmonea<br>Facility |                  |                   | Transitioned      |                   |                   |            |
| •                            |           |        |                             | Physician           | practice         | practice                   | practice                               | practice              | -Wal             | Non-              | Non-              |                   | Transitioned      |            |
| CPT //<br>HCPCS <sup>2</sup> | PoW       | Status | Description                 | work<br>RVUs        | expense<br>RVUs  | expense<br>RVUs            | expense<br>RVUs                        | expense<br>RVUs       | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
| 70210                        | F         | ⋖      | X-ray exam of sinuses       | 0.00                | 0.64             | 0.64                       | 0.64                                   | 0.64                  | 0.03             | 0.67              | 29.0              | 0.67              | 29.0              | XX         |
| 70220                        |           | ∢      | X-ray exam of sinuses       | 0.25                | 0.88             | 0.92                       | 0.88                                   | 0.92                  | 90.0             | 1.19              | 1.23              | 1.19              | 1.23              | ×          |
| 70220                        | 56        | ∢      | X-ray exam of sinuses       | 0.25                | 90.0             | 0.11                       | 90.0                                   | 0.11                  | 0.02             | 0.33              | 0.38              | 0.33              | 0.38              | ××         |
| 70220                        | 5         | ∢      | X-ray exam of sinuses       | 0.00                | 0.82             | 0.81                       | 0.82                                   | 0.81                  | 0.04             | 98.0              | 0.85              | 98.0              | 0.85              | ×          |
| 70240                        |           | ∢      | X-ray exam pituitary saddle | 0.19                | 0.49             | 0.52                       | 0.49                                   | 0.52                  | 0.03             | 0.71              | 0.74              | 0.71              | 0.74              | ×          |
| 70240                        | 56        | ∢      | X-ray exam pituitary saddle | 0.19                | 0.05             | 60:0                       | 0.05                                   | 60.0                  | 0.01             | 0.25              | 0.29              | 0.25              | 0.29              | ×          |
| 70240                        | 2         | ∢      | X-ray exam pituitary saddle | 0.00                | 0.44             | 0.43                       | 0.44                                   | 0.43                  | 0.02             | 0.46              | 0.45              | 0.46              | 0.45              | ×          |
| 70250                        |           | ∢      | X-ray exam of skull         | 0.24                | 0.70             | 0.75                       | 0.70                                   | 0.75                  | 0.05             | 0.99              | 1.04              | 0.99              | 1.04              | ×          |
| 70250                        | 56        | ∢      | X-ray exam of skull         | 0.24                | 90.0             | 0.11                       | 90.0                                   | 0.11                  | 0.02             | 0.32              | 0.37              | 0.32              | 0.37              | ×          |
| 70250                        | ဥ         | ∢      | X-ray exam of skull         | 0.00                | 0.64             | 0.64                       | 0.64                                   | 0.64                  | 0.03             | 0.67              | 0.67              | 0.67              | 0.67              | ×          |
| 70260                        |           | ∢      | X-ray exam of skull         | 0.34                | 1.02             | 1.07                       | 1.02                                   | 1.07                  | 0.07             | 1.43              | 1.48              | 1.43              | 1.48              | ×          |
| 70260                        | 56        | ∢      | X-ray exam of skull         | 0.34                | 0.09             | 0.15                       | 60.0                                   | 0.15                  | 0.02             | 0.45              | 0.51              | 0.45              | 0.51              | ×          |
| 70260                        | ည         | ∢      | X-ray exam of skull         | 0.00                | 0.93             | 0.92                       | 0.93                                   | 0.92                  | 0.05             | 0.98              | 0.97              | 0.98              | 0.97              | ×          |
| 70300                        |           | ∢      | X-ray exam of teeth         | 0.10                | 0.30             | 0.32                       | 0.30                                   | 0.32                  | 0.03             | 0.43              | 0.45              | 0.43              | 0.45              | ×          |
| 70300                        | 56        | ∢      | X-ray exam of teeth         | 0.10                | 0.03             | 0.05                       | 0.03                                   | 0.05                  | 0.01             | 0.14              | 0.16              | 0.14              | 0.16              | ×          |
| 70300                        | ပ         | ∢      | X-ray exam of teeth         | 0.00                | 0.27             | 0.27                       | 0.27                                   | 0.27                  | 0.02             | 0.29              | 0.29              | 0.29              | 0.29              | ×          |
| 70310                        |           | ∢      | X-ray exam of teeth         | 0.16                | 0.49             | 0.50                       | 0.49                                   | 0.50                  | 0.03             | 0.68              | 69.0              | 0.68              | 0.69              | ×          |
| 70310                        | 56        | ∢      | X-ray exam of teeth         | 0.16                | 0.05             | 0.07                       | 0.05                                   | 0.07                  | 0.01             | 0.22              | 0.24              | 0.22              | 0.24              | ž          |
| 70310                        | ٦ <u></u> | ∢      | X-ray exam of teeth         | 0.00                | 0.44             | 0.43                       | 0.44                                   | 0.43                  | 0.05             | 0.46              | 0.45              | 0.46              | 0.45              | ×          |
| 70320                        |           | ∢      | Full mouth x-ray of teeth   | 0.22                | 0.88             | 0.91                       | 0.88                                   | 0.91                  | 90.0             | 1.16              | 1.19              | 1.16              | 1.19              | ×          |
| 70320                        | 56        | ∢ •    | Full mouth x-ray of teeth   | 0.22                | 90.0             | 0.10                       | 90.0                                   | 0.10                  | 0.02             | 0.30              | 0.34              | 0.30              | 0.34              | ×;         |
| 70320                        | ပ         | < -    | Full mouth x-ray of teeth   | 0.00                | 0.82             | 18.0                       | 0.82                                   | 0.81                  | 0.0              | 9 6               | 0.85              | 0.80              | 0.83              | <b>{</b> } |
| 70328                        | ;         | ∢ •    | X-ray exam of jaw joint     | 0.18                | 0.56             | 0.60                       | 0.56                                   | 09:0                  | 0.03             | 0.77              |                   | 0.77              | 0.8               | <b>X</b>   |
| 70328                        | 9 7       | ∢ •    | X-ray exam of jaw joint     | 0.18                | 0.05             | 0.08                       | 0.00                                   | 0.09                  | 0.0              | 0.24              | 0.20              | 4 6 6             | 0.20              | <b>{ }</b> |
| 70328                        | <u>ာ</u>  | ∢ •    | X-ray exam of jaw joint     | 0.00                | 0.51             | 0.50                       | 0.0                                    | 10.0                  | 0.02             | 0.0               | 6.55<br>2.55      | 6.00              | 5.5               | <b>{ }</b> |
| 70330                        | ć         | ∢ •    | X-ray exam or jaw joints    | 0.24                | 5.63             | 0.98                       | 0.93                                   | 0.98                  | 0.00             | 57.1              | 0.27              | 3.5               | 0.27              | { }        |
| 70330                        | 0 Y       | < <    | A-ray exam of law joints    | 0.24                | 0.00             | 0.5                        | 0.00                                   | 0.87                  | 200              | 0.02              | 9.0               | 0.92              | 9.0               | X<br>X     |
| 70332                        | 2         | < ∢    | X-rav exam of iaw joint     | 0.54                | 2.33             | 2.41                       | 2.33                                   | 2.41                  | 0.13             | 3.00              | 3.08              | 3.00              | 3.08              | ×          |
| 70332                        | 56        | < <    | X-ray exam of jaw joint     | 0.54                | 0.15             | 0.24                       | 0.15                                   | 0.24                  | 0.03             | 0.72              | 0.81              | 0.72              | 0.81              | ×          |
| 70332                        | 5         | ∢      | X-ray exam of jaw joint     | 00.0                | 2.18             | 2.17                       | 2.18                                   | 2.17                  | 0.10             | 2.28              | 2.27              | 2.28              | 2.27              | XX         |
| 70336                        |           | ∢      | Magnetic image jaw joint    | 1.48                | 12.02            | 12.05                      | 12.02                                  | 12.05                 | 0.57             | 14.07             | 14.10             | 14.07             | 14.10             | ×          |
| 70336                        | 56        | ∢      | Magnetic image jaw joint    | 1.48                | 0.39             | 0.45                       | 0.39                                   | 0.45                  | 0.05             | 1.92              | 1.98              | 1.92              | 1.98              | ×          |
| 70336                        | 2         | ∢      | Magnetic image jaw joint    | 00:00               | 11.63            | 11.60                      | 11.63                                  | 11.60                 | 0.52             | 12.15             | 12.12             | 12.15             | 12.12             | ××         |
| 70350                        |           | ∢      | X-ray head for orthodontia  | 0.17                | 0.44             | 0.47                       | 0.44                                   | 0.47                  | 0.03             | 0.64              | 29.0              | 0.64              | 0.67              | ×          |
| 70350                        | 56        | ∢      | X-ray head for orthodontia  | 0.17                | 0.05             | 90.0                       | 0.05                                   | 0.08                  | 0.01             | 0.23              | 0.26              | 0.23              | 0.26              | ×          |
| 70350                        | ည         | ∢      | X-ray head for orthodontia  | 00.0                | 0.39             | 0.39                       | 0.39                                   | 0.39                  | 0.02             | 0.41              | 0.41              | 0.41              | 0.41              | ×          |
| 70355                        |           | ∢      | Panoramic x-ray of jaws     | 0.20                | 0.65             | 0.68                       | 0.65                                   | 0.68                  | 0.04             | 0.89              | 0.92              | 0.89              | 0.92              | ××         |
| 70355                        | 56        | ∢      | Panoramic x-ray of jaws     | 0.20                | 90.0             | 60'0                       | 90.0                                   | 60:0                  | 0.01             | 0.27              | 0:30              | 0.27              | 0.30              | ×          |
| 70355                        | 5         | ∢      | Panoramic x-ray of jaws     | 0.00                | 0.59             | 0.59                       | 0.59                                   | 0.59                  | 0.03             | 0.62              | 0.62              | 0.62              | 0.62              | ×          |
|                              |           |        |                             |                     |                  |                            |  |                       |                  |                   |                   |                   |                   |            |

Page 125 of 271 COT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|        |     |                |                              |           | Non-                 | Transitioned             | 4        | Transitioned        |                  |                   | :                    |          |              |       |
|--------|-----|----------------|------------------------------|-----------|----------------------|--------------------------|----------|---------------------|------------------|-------------------|----------------------|----------|--------------|-------|
| -      |     |                |                              | Physician | racility<br>practice | Non-tacility<br>practice | racility | raciiny<br>practice | Mal-             | Non-              | Iransitioned<br>Non- |          | Transitioned |       |
| (PT // | Ho. | Contuc         | Doceringion                  | work      | expense              | expense                  | expense  | expense             | practice<br>PIIK | facility<br>Total | facility             | Facility | Facility     | 7-1-2 |
| 70360  | 1   | COLON<br>COLON | X-ray evam of neck           | 0.17      | 0.48                 | 0.54                     | 0.48     | 0.51                | 0 03             | 89 0              | 0.71                 | 10101    | 0.71         | Daggi |
| 70360  | 26  | < ∢            | X-ray exam of neck           | 0.17      | 0.04                 | 0.08                     | 0.0      | 0.08                | 0.0              | 0.22              | 0.26                 | 0.22     | 0.26         | X X   |
| 70360  | 12  | < <            | X-ray exam of neck           | 0.00      | 0.44                 | 0.43                     | 0.44     | 0.43                | 0.02             | 0.46              | 0.45                 | 0.46     | 0.45         | ×     |
| 70370  |     | ∢              | Throat x-ray & fluoroscopy   | 0.32      | 1.42                 | 1.49                     | 1.42     | 1.49                | 0.08             | 1.82              | 1.89                 | 1.82     | 1.89         | ×     |
| 70370  | 56  | ∢              | Throat x-ray & fluoroscopy   | 0.32      | 80.0                 | 0.14                     | 0.08     | 0.14                | 0.02             | 0.42              | 0.48                 | 0.42     | 0.48         | ××    |
| 70370  | 2   | ∢              | Throat x-ray & fluoroscopy   | 0.00      | 1.34                 | 1.35                     | 1.34     | 1.35                | 90.0             | 1.40              | 1.41                 | 1.40     | 1.41         | ×     |
| 70371  |     | ∢              | Speech evaluation, complex   | 0.84      | 2.41                 | 2.54                     | 2.41     | 2.54                | 0.15             | 3.40              | 3.53                 | 3.40     | 3.53         | ××    |
| 70371  | 56  | ∢              | Speech evaluation, complex   | 0.84      | 0.23                 | 0.37                     | 0.23     | 0.37                | 0.05             | 1.12              | 1.26                 | 1.12     | 1.26         | ××    |
| 70371  | 2   | ∢              | Speech evaluation, complex   | 0.00      | 2.18                 | 2.17                     | 2.18     | 2.17                | 0.10             | 2.28              | 2.27                 | 2.28     | 2.27         | ××    |
| 70373  |     | ∢              | Contrast x-ray of larynx     | 0.44      | 1.96                 | 2.03                     | 1.96     | 2.03                | 0.11             | 2.51              | 2.58                 | 2.51     | 2.58         | ×     |
| 70373  | 56  | ∢              | Contrast x-ray of larynx     | 0.44      | 0.11                 | 0.19                     | 0.11     | 0.19                | 0.02             | 0.57              | 0.65                 | 0.57     | 0.65         | ×     |
| 70373  | 2   | ∢              | Contrast x-ray of larynx     | 0.00      | 1.85                 | 1.84                     | 1.85     | 1.84                | 0.09             | 1.94              | 1.93                 | 1.94     | 1.93         | ××    |
| 70380  |     | ∢              | X-ray exam of salivary gland | 0.17      | 0.74                 | 0.77                     | 0.74     | 0.77                | 0.04             | 0.95              | 86.0                 | 0.95     | 0.98         | ×     |
| 70380  | 56  | ∢              | X-ray exam of salivary gland | 0.17      | 0.04                 | 0.08                     | 0.04     | 80.0                | 0.01             | 0.22              | 0.26                 | 0.22     | 0.26         | ××    |
| 70380  | ဍ   | ∢              | X-ray exam of salivary gland | 0.00      | 0.70                 | 69.0                     | 0.70     | 69.0                | 0.03             | 0.73              | 0.72                 | 0.73     | 0.72         | ××    |
| 70390  |     | ∢              | X-ray exam of salivary duct  | 0.38      | 1.95                 | 2.00                     | 1.95     | 2.00                | 0.11             | 2.44              | 2.49                 | 2.44     | 2.49         | ××    |
| 70390  | 56  | ∢              | X-ray exam of salivary duct  | 0.38      | 0.10                 | 0.16                     | 0.10     | 0.16                | 0.02             | 0.50              | 0.56                 | 0.50     | 0.56         | ××    |
| 70390  | 2   | ∢              | X-ray exam of salivary duct  | 0.00      | 1.85                 | 1.84                     | 1.85     | 1.84                | 0.09             | 1.94              | 1.93                 | 1.94     | 1.93         | XX    |
| 70450  |     | ∢              | CAT scan of head or brain    | 0.85      | 5.13                 | 5.26                     | 5.13     | 5.26                | 0.28             | 6.26              | 6.39                 | 6.26     | 6.39         | ×××   |
| 70450  | 56  | ∢              | CAT scan of head or brain    | 0.85      | 0.23                 | 0.37                     | 0.23     | 0.37                | 0.05             | 1.13              | 1.27                 | 1.13     | 1.27         | ××    |
| 70450  | ဥ   | ∢              | CAT scan of head or brain    | 0.00      | 4.90                 | 4.89                     | 4.90     | 4.89                | 0.23             | 5.13              | 5.12                 | 5.13     | 5.12         | ××    |
| 70460  |     | ∢              | Contrast CAT scan of head    | 1.13      | 6.18                 | 6.34                     | 6.18     | 6.34                | 0.33             | 7.64              | 7.80                 | 7.64     | 7.80         | ×     |
|        | 56  | ∢              | Contrast CAT scan of head    | 1.13      | 0.31                 | 0.48                     | 0.31     | 0.48                | 90:0             | 1.50              | 1.67                 | 1.50     | 1.67         | ××    |
|        | ဥ   | ∢              | Contrast CAT scan of head    | 0.00      | 2.87                 | 5.86                     | 2.87     | 5.86                | 0.27             | 6.14              | 6.13                 | 6.14     | 6.13         | ××    |
| 70470  |     | ∢              | Contrast CAT scans of head   | 1.27      | 79.7                 | 7.86                     | 79.7     | 7.86                | 0.41             | 9.35              | 9.54                 | 9.35     | 9.54         | ××    |
| 70470  | 56  | ∢              | Contrast CAT scans of head   | 1.27      | 0.34                 | 0.54                     | 0.34     | 0.54                | 0.07             | 1.68              | 1.88                 | 1.68     | 1.88         | ××    |
| 70470  | ည   | ∢              | Contrast CAT scans of head   | 0.00      | 7.33                 | 7.32                     | 7.33     | 7.32                | 0.34             | 79.7              | 99'.                 | 7.67     | 7.66         | ××    |
| 70480  |     | ∢              | CAT scan of skull            | 1.28      | 5.24                 | 5.44                     | 5.24     | 5.44                | 0.30             | 6.82              | 7.02                 | 6.82     | 7.02         | ×     |
|        | 56  | ∢              | CAT scan of skull            | 1.28      | 0.34                 | 0.55                     | 0.34     | 0.55                | 0.07             | 1.69              | 1.90                 | 1.69     | 1.90         | ×     |
|        | ည   | ∢              | CAT scan of skull            | 0.00      | 4.90                 | 4.89                     | 4.90     | 4.89                | 0.23             | 5.13              | 5.12                 | 5.13     | 5.12         | ××    |
| 70481  |     | ∢              | Contrast CAT scan of skull   | 1.38      | 6.24                 | 6.45                     | 6.24     | 6.45                | 0.34             | 96.7              | 8.17                 | 96'2     | 8.17         | ××    |
| 70481  | 56  | ∢              | Contrast CAT scan of skull   | 1.38      | 0.37                 | 0.59                     | 0.37     | 0.59                | 0.07             | 1.82              | 2.04                 | 1.82     | 2.04         | ××    |
| 70481  | 2   | ∢              | Contrast CAT scan of skull   | 0.00      | 5.87                 | 5.86                     | 5.87     | 5.86                | 0.27             | 6.14              | 6.13                 | 6.14     | 6.13         | ××    |
| 70482  |     | ∢              | Contrast CAT scans of skull  | 1.45      | 7.72                 | 7.94                     | 7.72     | 7.94                | 0.42             | 9.59              | 9.81                 | 9.59     | 9.81         | ×     |
| 70482  | 56  | ∢              | Contrast CAT scans of skull  | 1.45      | 0.39                 | 0.62                     | 0.39     | 0.62                | 0.08             | 1.92              | 2.15                 | 1.92     | 2.15         | ××    |
| 70482  | 2   | ⋖              | Contrast CAT scans of skull  | 0.00      | 7.33                 | 7.32                     | 7.33     | 7.32                | 0.34             | 79.7              | 7.66                 | 7.67     | 99.7         | ××    |
| 70486  |     | ∢              | CAT scan of face, jaw        | 1.14      | 5.20                 | 5.37                     | 5.20     | 5.37                | 0.29             | 6.63              | 6.80                 | 6.63     | 6.80         | ××    |
| 70486  | 56  | ∢              | CAT scan of face, jaw        | 1.14      | 0.30                 | 0.48                     | 0.30     | 0.48                | 90.0             | 1.50              | 1.68                 | 1.50     | 1.68         | ××    |
| 70486  | 7   | ∢              | CAT scan of face, jaw        | 0.00      | 4.90                 | 4.89                     | 4.90     | 4.89                | 0.23             | 5.13              | 5.12                 | 5.13     | 5.12         | ×     |
| 70487  |     | ∢              | Contrast CAT scan, face/jaw  | 1.30      | 6.22                 | 6.41                     | 6.22     | 6.41                | 0.34             | 7.86              | 8.05                 | 7.86     | 8.05         | ××    |
|        |     |                |                              |           |                      |                          |          |                     |                  |                   |                      |          |              |       |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              | P            | Global                      | XX                          | ×                           | ×                           | ×                           | ×                           | ×                       | ×                       | ×                       | ××                          | ×                           | ××                          | ×                           | ×                           | ×                           | ×                          | ×                          | ××                         | X                          | ××                         | ×                          | ××                          | ×                           | ××                          | ××                          | ×                           | ×                           | ××                    | ××                    | ×                     | ××          | ×           | ×           | ×                   | ×                   | ×                   | ×           | ×           | ×           | ×××         |     |
|------------------------------|--------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------|-------------------------|-------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------|-----------------------|-----------------------|-------------|-------------|-------------|---------------------|---------------------|---------------------|-------------|-------------|-------------|-------------|-----|
|                              | Transitioned | Facility<br>Total           | 1.92                        | 6.13                        | 9.77                        | 2.11                        | 7.66                        | 7.02                    | 1.90                    | 5.12                    | 8.17                        | 2.04                        | 6.13                        | 9.80                        | 2.14                        | 7.66                        | 14.32                      | 2.20                       | 12.12                      | 14.67                      | 2.55                       | 12.12                      | 14.32                       | 2.20                        | 12.12                       | 17.19                       | 2.65                        | 14.54                       | 30.45                 | 3.52                  | 26.93                 | 0.78        | 0.27        | 0.51        | 0.88                | 0.32                | 0.56                | 1.00        | 0.33        | 0.67        | 121         |     |
|                              | į            | Facility<br>Total           | 1.72                        | 6.14                        | 9.55                        | 1.88                        | 7.67                        | 6.82                    | 1.69                    | 5.13                    | 2.96                        | 1.82                        | 6.14                        | 9.58                        | 1.91                        | 7.67                        | 14.10                      | 1.95                       | 12.15                      | 14.53                      | 2.38                       | 12.15                      | 14.11                       | 1.96                        | 12.15                       | 16.95                       | 2.37                        | 14.58                       | 30.12                 | 3.12                  | 27.00                 | 0.75        | 0.24        | 0.51        | 0.85                | 0.28                | 0.57                | 96.0        | 0.29        | 29.0        | 1.15        | ! ! |
| Transitioned                 | Non-         | tacility<br>Total           | 1.92                        | 6.13                        | 9.77                        | 2.11                        | 99'.                        | 7.02                    | 1.90                    | 5.12                    | 8.17                        | 2.04                        | 6.13                        | 9.80                        | 2.14                        | 99'2                        | 14.32                      | 2.20                       | 12.12                      | 14.67                      | 2.55                       | 12.12                      | 14.32                       | 2.20                        | 12.12                       | 17.19                       | 2.65                        | 14.54                       | 30.45                 | 3.52                  | 26.93                 | 0.78        | 0.27        | 0.51        | 0.88                | 0.32                | 0.56                | 1.00        | 0.33        | 29.0        | 121         | !   |
|                              | Non-         | tacility<br>Total           | 1.72                        | 6.14                        | 9.55                        | 1.88                        | 79.7                        | 6.82                    | 1.69                    | 5.13                    | 96.7                        | 1.82                        | 6.14                        | 9.58                        | 1.91                        | 79.7                        | 14.10                      | 1.95                       | 12.15                      | 14.53                      | 2.38                       | 12.15                      | 14.11                       | 1.96                        | 12.15                       | 16.95                       | 2.37                        | 14.58                       | 30.12                 | 3.12                  | 27.00                 | 0.75        | 0.24        | 0.51        | 0.85                | 0.28                | 0.57                | 96.0        | 0.29        | 0.67        | 1.15        | :   |
|                              | Mal-         | RUVs                        | 0.07                        | 0.27                        | 0.42                        | 0.08                        | 0.34                        | 0.30                    | 0.07                    | 0.23                    | 0.34                        | 0.07                        | 0.27                        | 0.42                        | 0.08                        | 0.34                        | 09.0                       | 0.08                       | 0.52                       | 09.0                       | 0.08                       | 0.52                       | 09.0                        | 0.08                        | 0.52                        | 0.72                        | 0.09                        | 0.63                        | 1.30                  | 0.13                  | 1.17                  | 0.03        | 0.01        | 0.02        | 0.03                | 0.01                | 0.02                | 0.04        | 0.01        | 0.03        | 90.0        |     |
| Transitioned<br>Facility     | practice     | expense<br>RVUs             | 0.55                        | 5.86                        | 7.93                        | 0.61                        | 7.32                        | 5.44                    | 0.55                    | 4.89                    | 6.45                        | 0.59                        | 5.86                        | 7.93                        | 0.61                        | 7.32                        | 12.24                      | 0.64                       | 11.60                      | 12.26                      | 99.0                       | 11.60                      | 12.24                       | 0.64                        | 11.60                       | 14.69                       | 0.78                        | 13.91                       | 26.79                 | 1.03                  | 25.76                 | 0.57        | 80.0        | 0.49        | 0.64                | 0.10                | 0.54                | 0.74        | 0.10        | 0.64        | 0.88        | ,   |
| Facility                     | practice     | expense<br>RVUs             | 0.35                        | 2.87                        | 7.71                        | 0.38                        | 7.33                        | 5.24                    | 0.34                    | 4.90                    | 6.24                        | 0.37                        | 5.87                        | 7.71                        | 0.38                        | 7.33                        | 12.02                      | 0.39                       | 11.63                      | 12.12                      | 0.49                       | 11.63                      | 12.03                       | 0.40                        | 11.63                       | 14.45                       | 0.50                        | 13.95                       | 26.46                 | 0.63                  | 25.83                 | 0.54        | 0.05        | 0.49        | 0.61                | 90.0                | 0.55                | 0.70        | 90.0        | 0.64        | 0.82        |     |
| Transitioned<br>Non-facility | practice     | expense<br>RVUs             | 0.55                        | 5.86                        | 7.93                        | 0.61                        | 7.32                        | 5.44                    | 0.55                    | 4.89                    | 6.45                        | 0.59                        | 5.86                        | 7.93                        | 0.61                        | 7.32                        | 12.24                      | 0.64                       | 11.60                      | 12.26                      | 99.0                       | 11.60                      | 12.24                       | 0.64                        | 11.60                       | 14.69                       | 0.78                        | 13.91                       | 26.79                 | 1.03                  | 25.76                 | 0.57        | 90.0        | 0.49        | 0.64                | 0.10                | 0.54                | 0.74        | 0.10        | 0.64        | 0.88        |     |
| Non-<br>facility             | practice     | expense<br>RVUs             | 0.35                        | 5.87                        | 7.71                        | 0.38                        | 7.33                        | 5.24                    | 0.34                    | 4.90                    | 6.24                        | 0.37                        | 5.87                        | 7.71                        | 0.38                        | 7.33                        | 12.02                      | 0.39                       | 11.63                      | 12.12                      | 0.49                       | 11.63                      | 12.03                       | 0.40                        | 11.63                       | 14.45                       | 0.50                        | 13.95                       | 26.46                 | 0.63                  | 25.83                 | 0.54        | 0.05        | 0.49        | 0.61                | 90.0                | 0.55                | 0.70        | 90:0        | 0.64        | 0.82        |     |
|                              | Physician    | work 3<br>RVUs              | 1.30                        | 0.00                        | 1.42                        | 1.42                        | 0.00                        | 1.28                    | 1.28                    | 0.00                    | 1.38                        | 1.38                        | 0.00                        | 1.45                        | 1.45                        | 0.00                        | 1.48                       | 1.48                       | 0.00                       | 1.81                       | 1.81                       | 0.00                       | 1.48                        | 1.48                        | 0.00                        | 1.78                        | 1.78                        | 0.00                        | 2.36                  | 2.36                  | 0.00                  | 0.18        | 0.18        | 00.00       | 0.21                | 0.21                | 00.00               | 0.22        | 0.22        | 00.00       | 0.27        | 1   |
|                              |              | Description                 | Contrast CAT scan, face/jaw | Contrast CAT scan, face/jaw | Contrast CAT scans face/jaw | Contrast CAT scans face/jaw | Contrast CAT scans face/jaw | CAT scan of neck tissue | CAT scan of neck tissue | CAT scan of neck tissue | Contrast CAT of neck tissue | Magnetic image, face, neck | Magnetic image, face, neck | Magnetic image, face, neck | Magnetic image, head (MRA) | Magnetic image, head (MRA) | Magnetic image, head (MRA) | Magnetic image, brain (MRI) | Magnetic image, brain | Magnetic image, brain | Magnetic image, brain | Chest x-ray | Chest x-ray | Chest x-ray | X-ray exam of chest | X-ray exam of chest | X-ray exam of chest | Chest x-ray | Chest x-ray | Chest x-ray | Chest x-ray | (   |
|                              |              | Status                      | ∢                           | 4                           | ∢                           | ∢                           | ∢                           | ∢                       | ∢                       | ∢                       | ∢                           | ∢                           | ∢                           | ∢                           | ∢                           | ∢                           | ∢                          | ∢                          | ∢                          | œ                          | œ                          | œ                          | ∢                           | ∢                           | ∢                           | ∢                           | ∢                           | ∢                           | ∢                     | ∢                     | ∢                     | ∢           | ∢           | ∢           | ∢                   | ∢                   | ∢                   | ∢           | ∢           | ∢           | <           |     |
|                              |              | Mod                         |                             | 5                           |                             | 56                          | <b>5</b>                    |                         | 56                      | 5                       |                             | 56                          | ဥ                           |                             | 56                          | 5                           |                            | 56                         | 2                          |                            | 56                         | 2                          |                             | 56                          | 5                           |                             | 56                          | ည                           |                       | 56                    | ည                     |             | 56          | ဥ           |                     | 56                  | <b>1</b> 2          |             | 56          | 2           |             |     |
|                              | /L tas       | UTI /<br>HCPCS <sup>2</sup> | 70487                       | 70487                       | 70488                       | 70488                       | 70488                       | 70490                   | 70490                   | 70490                   | 70491                       | 70491                       | 70491                       | 70492                       | 70492                       | 70492                       | 70540                      | 70540                      | 70540                      | 70541                      | 70541                      | 70541                      | 70551                       | 70551                       | 70551                       | 70552                       | 70552                       | 70552                       | 70553                 | 70553                 | 70553                 | 71010       | 71010       | 71010       | 71015               | 71015               | 71015               | 71020       | 71020       | 71020       | 71021       |     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARSDFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |          |        |                             |                | Non-<br>facility | Iransitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
|-----------------------------|----------|--------|-----------------------------|----------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| , l                         |          |        |                             | Physician      | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CFI /<br>HCPCS <sup>2</sup> | Mod      | Status | Description                 | work 3<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Tatal | Facility<br>Total | Facility<br>Total | Global |
| 71021                       | 5        | ∢      | Chest x-ray                 | 0.00           | 0.75             | 0.76                         | 0.75            | 0.76                     | 0.04             | 0.79              | 0.80              | 0.79              | 0.80              | ×      |
| 71022                       |          | ∢      | Chest x-ray                 | 0.31           | 0.83             | 0.89                         | 0.83            | 0.89                     | 90.0             | 1.20              | 1.26              | 1.20              | 1.26              | ×      |
| 71022                       | 56       | ∢      | Chest x-ray                 | 0.31           | 90.0             | 0.13                         | 0.08            | 0.13                     | 0.02             | 0.41              | 0.46              | 0.41              | 0.46              | ×      |
| 71022                       | ֆ        | ∢      | Chest x-ray                 | 0.00           | 0.75             | 9.76                         | 0.75            | 0.76                     | 0.04             | 0.79              | 0.80              | 0.79              | 08.0              | ×      |
| 71023                       |          | ∢      | Chest x-ray and fluoroscopy | 0.38           | 0.94             | 0.98                         | 0.94            | 0.98                     | 90.0             | 1.38              | 1.42              | 1.38              | 1.42              | ×      |
| 71023                       | 56       | ∢      | Chest x-ray and fluoroscopy | 0.38           | 0.12             | 0.17                         | 0.12            | 0.17                     | 0.02             | 0.52              | 0.57              | 0.52              | 0.57              | ××     |
| 71023                       | ည        | ∢      | Chest x-ray and fluoroscopy | 0.00           | 0.82             | 0.81                         | 0.82            | 0.81                     | 0.04             | 98.0              | 0.85              | 98.0              | 0.85              | XX     |
| 71030                       |          | ∢      | Chest x-ray                 | 0.31           | 0.00             | 0.94                         | 0.90            | 0.94                     | 90.0             | 1.27              | 1.31              | 1.27              | 1.31              | ××     |
| 71030                       | 56       | ∢      | Chest x-ray                 | 0.31           | 0.08             | 0.13                         | 0.08            | 0.13                     | 0.02             | 0.41              | 0.46              | 0.41              | 0.46              | ××     |
| 71030                       | ဥ        | ∢      | Chest x-ray                 | 0.00           | 0.82             | 0.81                         | 0.82            | 0.81                     | 0.04             | 98.0              | 0.85              | 98.0              | 0.85              | ××     |
| 71034                       |          | ∢      | Chest x-ray & fluoroscopy   | 0.46           | 1.63             | 1.70                         | 1.63            | 1.70                     | 0.09             | 2.18              | 2.25              | 2.18              | 2.25              | ××     |
| 71034                       | 56       | ∢      | Chest x-ray & fluoroscopy   | 0.46           | 0.14             | 0.21                         | 0.14            | 0.21                     | 0.02             | 0.62              | 69.0              | 0.62              | 69.0              | ××     |
| 71034                       | ဍ        | ∢      | Chest x-ray & fluoroscopy   | 0.00           | 1.49             | 1.49                         | 1.49            | 1.49                     | 0.07             | 1.56              | 1.56              | 1.56              | 1.56              | ××     |
| 71035                       |          | ∢      | Chest x-ray                 | 0.18           | 09.0             | 0.62                         | 09.0            | 0.62                     | 0.03             | 0.81              | 0.83              | 0.81              | 0.83              | XX     |
| 71035                       | 56       | ∢      | Chest x-ray                 | 0.18           | 0.05             | 80.0                         | 0.05            | 0.08                     | 0.01             | 0.24              | 0.27              | 0.24              | 0.27              | ×      |
| 71035                       | 2        | ∢      | Chest x-ray                 | 0.00           | 0.55             | 0.54                         | 0.55            | 0.54                     | 0.02             | 0.57              | 0.56              | 0.57              | 0.56              | XX     |
| 71036                       |          | ⋖      | X-ray guidance for biopsy   | 0.54           | 1.77             | 1.87                         | 1.77            | 1.87                     | 0.11             | 2.42              | 2.52              | 2.42              | 2.52              | ×      |
| 71036                       | 56       | ∢      | X-ray guidance for biopsy   | 0.54           | 0.14             | 0.24                         | 0.14            | 0.24                     | 0.03             | 0.71              | 0.81              | 0.71              | 0.81              | XX     |
| 71036                       | ည        | ∢      | X-ray guidance for biopsy   | 0.00           | 1.63             | 1.63                         | 1.63            | 1.63                     | 0.08             | 1.71              | 1.71              | 1.71              | 1.71              | X      |
| 71038                       |          | ۵      | X-ray guidance for biopsy   | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 71038                       | 56       | ۵      | X-ray guidance for biopsy   | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 71038                       | ဥ        | ۵      | X-ray guidance for biopsy   | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 71040                       |          | ∢      | Contrast x-ray of bronchi   | 0.58           | 1.67             | 1.77                         | 1.67            | 1.77                     | 0.10             | 2.35              | 2.45              | 2.35              | 2.45              | ××     |
| 71040                       | 56       | ∢      | Contrast x-ray of bronchi   | 0.58           | 0.15             | 0.26                         | 0.15            | 0.26                     | 0.03             | 92.0              | 0.87              | 92.0              | 0.87              | ××     |
| 71040                       | ည        | ∢      | Contrast x-ray of bronchi   | 0.00           | 1.52             | 1.51                         | 1.52            | 1.51                     | 0.07             | 1.59              | 1.58              | 1.59              | 1.58              | XX     |
| 71060                       |          | ∢      | Contrast x-ray of bronchi   | 0.74           | 2.48             | 2.61                         | 2.48            | 2.61                     | 0.15             | 3.37              | 3.50              | 3.37              | 3.50              | ××     |
| 71060                       | 56       | ∢      | Contrast x-ray of bronchi   | 0.74           | 0.20             | 0.33                         | 0.20            | 0.33                     | 0.04             | 0.98              | 1.11              | 0.98              | 1.1               | ×      |
| 71060                       | ည        | ∢      | Contrast x-ray of bronchi   | 0.00           | 2.28             | 2.28                         | 2.28            | 2.28                     | 0.11             | 2.39              | 2.39              | 2.39              | 2.39              | ×      |
| 71090                       |          | ∢ :    | X-ray & pacemaker insertion | 0.54           | 1.96             | 2.00                         | 1.96            | 2.00                     | 0.12             | 2.62              | 2.66              | 2.62              | 2.66              | ××     |
| 71090                       | 56       | ∢      | X-ray & pacemaker insertion | 0.54           | 0.22             | 0.26                         | 0.22            | 0.26                     | 0.03             | 0.79              | 0.83              | 0.79              | 0.83              | ×      |
| 71090                       | ည        | ∢      | X-ray & pacemaker insertion | 0.00           | 1.74             | 1.74                         | 1.74            | 1.74                     | 0.09             | 1.83              | 1.83              | 1.83              | 1.83              | ×      |
| 71100                       |          | ∢      | X-ray exam of ribs          | 0.22           | 0.65             | 69.0                         | 0.65            | 69.0                     | 0.05             | 0.92              | 96.0              | 0.92              | 96.0              | ×      |
| 71100                       | 56       | ∢      | X-ray exam of ribs          | 0.22           | 90:0             | 0.10                         | 90.0            | 0.10                     | 0.02             | 0.30              | 0.34              | 0.30              | 0.34              | ××     |
| 71100                       | ပ္       | ∢      | X-ray exam of ribs          | 0.00           | 0.59             | 0.59                         | 0.59            | 0.59                     | 0.03             | 0.62              | 0.62              | 0.62              | 0.62              | ××     |
| 71101                       |          | ∢      | X-ray exam of ribs, chest   | 0.27           | 0.77             | 0.81                         | 0.77            | 0.81                     | 0.05             | 1.09              | 1.13              | 1.09              | 1.13              | ××     |
| 71101                       | 26       | ⋖      | X-ray exam of ribs, chest   | 0.27           | 0.07             | 0.12                         | 0.07            | 0.12                     | 0.02             | 0.36              | 0.41              | 0.36              | 0.41              | ××     |
| 71101                       | <u>1</u> | ∢      | X-ray exam of ribs, chest   | 0.00           | 0.70             | 69.0                         | 0.70            | 69.0                     | 0.03             | 0.73              | 0.72              | 0.73              | 0.72              | ××     |
| 71110                       |          | ∢      | X-ray exam of ribs          | 0.27           | 0.89             | 0.93                         | 0.89            | 0.93                     | 90.0             | 1.22              | 1.26              | 1.22              | 1.26              | XX     |
| 71110                       | 56       | ∢      | X-ray exam of ribs          | 0.27           | 0.07             | 0.12                         | 0.02            | 0.12                     | 0.02             | 0.36              | 0.41              | 0.36              | 0.41              | ××     |
| 71110                       | <u>၁</u> | ∢      | X-ray exam of ribs          | 0.00           | 0.82             | 0.81                         | 0.82            | 0.81                     | 0.04             | 98.0              | 0.85              | 0.86              | 0.85              | XX     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|         |     |        |                              |                   | Non-                | Transitioned        |          | Transitioned        |                  | _                |                  |          |                          |        |
|---------|-----|--------|------------------------------|-------------------|---------------------|---------------------|----------|---------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|         |     |        |                              | :                 | facility            | Non-facility        | Facility | Facility            | 171              | 3                | Iransitioned     |          | 3                        |        |
| (M)     |     |        |                              | rnysician<br>work | practice<br>expense | practice<br>expense | expense  | practice<br>expense | mur-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Iransitioned<br>Facility |        |
| HCPCS 2 | Wod | Status | Description                  | RVUs <sup>3</sup> | RVUs                | RVUs                | RVUs     | RVUS                | RUVs             | Total            | Total            | Total    | Total                    | Global |
| 71111   |     | ∢      | X-ray exam of ribs, chest    | 0.32              | 1.01                | 1.06                | 1.01     | 1.06                | 0.07             | 1.40             | 1.45             | 1.40     | 1.45                     | ×      |
| 71111   | 56  | ∢      | X-ray exam of ribs, chest    | 0.32              | 0.08                | 0.14                | 80.0     | 0.14                | 0.02             | 0.42             | 0.48             | 0.42     | 0.48                     | ×      |
| 71111   | ည   | ∢      | X-ray exam of ribs, chest    | 0.00              | 0.93                | 0.92                | 0.93     | 0.92                | 0.05             | 0.98             | 0.97             | 0.98     | 0.97                     | ×      |
| 71120   |     | ∢      | X-ray exam of breastbone     | 0.20              | 0.73                | 0.76                | 0.73     | 9.76                | 0.04             | 0.97             | 1.00             | 0.97     | 1.00                     | ×      |
| 71120   | 56  | ∢      | X-ray exam of breastbone     | 0.20              | 0.05                | 60.0                | 90.0     | 60.0                | 0.01             | 0.26             | 0.30             | 0.26     | 0.30                     | ×      |
| 71120   | 5   | ∢      | X-ray exam of breastbone     | 0.00              | 99.0                | 0.67                | 0.68     | 0.67                | 0.03             | 0.71             | 0.70             | 0.71     | 0.70                     | ×      |
| 71130   |     | ∢      | X-ray exam of breastbone     | 0.22              | 0.79                | 0.83                | 0.79     | 0.83                | 0.04             | 1.05             | 1.09             | 1.05     | 1.09                     | ×      |
| 71130   | 56  | ∢      | X-ray exam of breastbone     | 0.22              | 90:0                | 0.10                | 90.0     | 0.10                | 0.01             | 0.29             | 0.33             | 0.29     | 0.33                     | ×      |
| 71130   | ည   | ∢      | X-ray exam of breastbone     | 0.00              | 0.73                | 0.73                | 0.73     | 0.73                | 0.03             | 92.0             | 97.0             | 0.76     | 92.0                     | ××     |
| 71250   |     | ∢      | Cat scan of chest            | 1.16              | 6.44                | 6.61                | 6.44     | 6.61                | 0.34             | 7.94             | 8.11             | 7.94     | 8.11                     | ×      |
| 71250   | 56  | ∢      | Cat scan of chest            | 1.16              | 0.31                | 0.49                | 0.31     | 0.49                | 90:0             | 1.53             | 1.71             | 1.53     | 1.71                     | ×      |
| 71250   | ည   | ∢      | Cat scan of chest            | 0.00              | 6.13                | 6.12                | 6.13     | 6.12                | 0.28             | 6.41             | 6.40             | 6.41     | 6.40                     | ×      |
| 71260   |     | ∢      | Contrast CAT scan of chest   | 1.24              | 99'2                | 7.85                | 99'2     | 7.85                | 0.40             | 9.30             | 9.49             | 9.30     | 9.49                     | ×      |
| 71260   | 56  | ∢      | Contrast CAT scan of chest   | 1.24              | 0.33                | 0.53                | 0.33     | 0.53                | 90.0             | 1.63             | 1.83             | 1.63     | 1.83                     | ×      |
| 71260   | ပ   | ∢      | Contrast CAT scan of chest   | 0.00              | 7.33                | 7.32                | 7.33     | 7.32                | 0.34             | 7.67             | 99.7             | 7.67     | 99.7                     | ×      |
| 71270   |     | ∢      | Contrast CAT scans of chest  | 1.38              | 9.54                | 9.75                | 9.54     | 9.75                | 0.48             | 11.40            | 11.61            | 11.40    | 11.61                    | ××     |
| 71270   | 56  | ∢      | Contrast CAT scans of chest  | 1.38              | 0.37                | 0.59                | 0.37     | 0.59                | 0.07             | 1.82             | 2.04             | 1.82     | 2.04                     | ××     |
| 71270   | ပ္  | ∢      | Contrast CAT scans of chest  | 0.00              | 9.17                | 9.16                | 9.17     | 9.16                | 0.41             | 9.58             | 9.57             | 9.58     | 9.57                     | ××     |
| 71550   |     | ∢      | Magnetic image, chest        | 1.60              | 12.06               | 12.29               | 12.06    | 12.29               | 0.61             | 14.27            | 14.50            | 14.27    | 14.50                    | ××     |
| 71550   | 56  | ∢      | Magnetic image, chest        | 1.60              | 0.43                | 69.0                | 0.43     | 69.0                | 0.09             | 2.12             | 2.38             | 2.12     | 2.38                     | ×      |
| 71550   | ည   | ∢      | Magnetic image, chest        | 0.00              | 11.63               | 11.60               | 11.63    | 11.60               | 0.52             | 12.15            | 12.12            | 12.15    | 12.12                    | ×      |
| 71555   |     | œ      | Magnetic imaging/chest (MRA) | 1.81              | 12.31               | 12.36               | 12.31    | 12.36               | 0.61             | 14.73            | 14.78            | 14.73    | 14.78                    | ×      |
| 71555   | 56  | œ      | Magnetic imaging/chest (MRA) | 1.81              | 0.68                | 0.76                | 0.68     | 0.76                | 0.09             | 2.58             | 2.66             | 2.58     | 5.66                     | ×      |
| 71555   | ပ   | œ      | Magnetic imaging/chest (MRA) | 0.00              | 11.63               | 11.60               | 11.63    | 11.60               | 0.52             | 12.15            | 12.12            | 12.15    | 12.12                    | ×      |
| 72010   |     | ∢      | X-ray exam of spine          | 0.45              | 1.18                | 1.26                | 1.18     | 1.26                | 0.07             | 1.70             | 1.78             | 1.70     | 1.78                     | ×      |
| 72010   | 56  | ∢      | X-ray exam of spine          | 0.45              | 0.12                | 0.20                | 0.12     | 0.20                | 0.02             | 0.59             | 0.67             | 0.59     | 0.67                     | ×      |
| 72010   | ပ   | ∢      | X-ray exam of spine          | 0.00              | 1.06                | 1.06                | 1.06     | 1.06                | 0.05             | 1.1              | 1.11             | 1.11     | 1.1                      | ×      |
| 72020   |     | ∢      | X-ray exam of spine          | 0.15              | 0.48                | 0.50                | 0.48     | 0:50                | 0.03             | 99.0             | 0.68             | 99.0     | 0.68                     | ××     |
| 72020   | 56  | ∢      | X-ray exam of spine          | 0.15              | 0.04                | 0.07                | 0.04     | 0.07                | 0.01             | 0.20             | 0.23             | 0.20     | 0.23                     | ×      |
| 72020   | ည   | ∢      | X-ray exam of spine          | 0.00              | 0.44                | 0.43                | 0.44     | 0.43                | 0.02             | 0.46             | 0.45             | 0.46     | 0.45                     | ××     |
| 72040   |     | ∢      | X-ray exam of neck spine     | 0.22              | 0.68                | 0.72                | 89.0     | 0.72                | 0.04             | 0.94             | 0.98             | 0.94     | 0.98                     | ×      |
| 72040   | 56  | ∢      | X-ray exam of neck spine     | 0.22              | 90:0                | 0.10                | 90.0     | 0.10                | 0.01             | 0.29             | 0.33             | 0.29     | 0.33                     | ×      |
| 72040   | ည   | ∢      | X-ray exam of neck spine     | 0.00              | 0.62                | 0.62                | 0.62     | 0.62                | 0.03             | 0.65             | 0.65             | 0.65     | 0.65                     | ×      |
| 72050   |     | ∢      | X-ray exam of neck spine     | 0.31              | 1.01                | 1.05                | 1.01     | 1.05                | 0.07             | 1.39             | 1.43             | 1.39     | 1.43                     | ××     |
| 72050   | 56  | ∢      | X-ray exam of neck spine     | 0.31              | 0.08                | 0.13                | 90.0     | 0.13                | 0.02             | 0.41             | 0.46             | 0.41     | 0.46                     | ××     |
| 72050   | 5   | ∢      | X-ray exam of neck spine     | 0.00              | 0.93                | 0.92                | 0.93     | 0.92                | 0.05             | 0.98             | 26.0             | 0.98     | 0.97                     | ××     |
| 72052   |     | ∢      | X-ray exam of neck spine     | 0.36              | 1.27                | 1.33                | 1.27     | 1.33                | 0.07             | 1.70             | 1.76             | 1.70     | 1.76                     | ××     |
| 72052   | 56  | ∢      | X-ray exam of neck spine     | 0.36              | 0.09                | 0.16                | 60.0     | 0.16                | 0.02             | 0.47             | 0.54             | 0.47     | 0.54                     | ××     |
| 72052   | ဥ   | ∢      | X-ray exam of neck spine     | 0.00              | 1.18                | 1.17                | 1.18     | 1.17                | 0.05             | 1.23             | 1.22             | 1.23     | 1.22                     | ×      |
| 72069   |     | ∢      | X-ray exam of trunk spine    | 0.22              | 0.57                | 0.61                | 0.57     | 0.61                | 0.03             | 0.82             | 98.0             | 0.82     | 98.0                     | ×      |
|         |     |        |                              |                   |                     |                     |          |                     |                  |                  |                  |          |                          |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|         |     |        |                              |                | Mon.            | Transitioned    | •        | Transitioned |                  |                   |                   |                  |                  |        |
|---------|-----|--------|------------------------------|----------------|-----------------|-----------------|----------|--------------|------------------|-------------------|-------------------|------------------|------------------|--------|
|         |     |        |                              |                | facility        | Non-facility    | Facility | Facility     |                  |                   | Transitioned      |                  |                  |        |
| / tax   |     |        |                              | Physician      | practice        | practice        | practice | practice     | Mal-<br>practice | Non-              | Non-              | 4                | Transitioned     |        |
| HCPCS 2 | Mod | Status | Description                  | WORK 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | RVUs     | RVUs         | RUVs             | racılıry<br>Total | raciliry<br>Total | raciiny<br>Total | raciiny<br>Total | Global |
| 72069   | 56  | ∢      | X-ray exam of trunk spine    | 0.22           | 90:0            | 0.10            | 90:0     | 0.10         | 0.01             | 0.29              | 0.33              | 0.29             | 0.33             | ××     |
| 72069   | 5   | ∢      | X-ray exam of trunk spine    | 0.00           | 0.51            | 0.51            | 0.51     | 0.51         | 0.02             | 0.53              | 0.53              | 0.53             | 0.53             | ×      |
| 72070   |     | ∢      | X-ray exam of thorax spine   | 0.22           | 0.74            | 0.77            | 0.74     | 0.77         | 0.04             | 1.00              | 1.03              | 1.00             | 1.03             | ××     |
| 72070   | 56  | ∢      | X-ray exam of thorax spine   | 0.22           | 90:0            | 0.10            | 90:0     | 0.10         | 0.01             | 0.29              | 0.33              | 0.29             | 0.33             | ××     |
| 72070   | 5   | ∢      | X-ray exam of thorax spine   | 0.00           | 0.68            | 0.67            | 0.68     | 0.67         | 0.03             | 0.71              | 0.70              | 0.71             | 0.70             | ××     |
| 72072   |     | ∢      | X-ray exam of thoracic spine | 0.22           | 0.81            | 98.0            | 0.81     | 98.0         | 0.05             | 1.08              | 1.13              | 1.08             | 1.13             | ×      |
| 72072   | 56  | ∢      | X-ray exam of thoracic spine | 0.22           | 90:0            | 0.10            | 90.0     | 0.10         | 0.01             | 0.29              | 0.33              | 0.29             | 0.33             | ××     |
| 72072   | ဥ   | ∢      | X-ray exam of thoracic spine | 0.00           | 0.75            | 92'0            | 0.75     | 0.76         | 0.04             | 0.79              | 0.80              | 0.79             | 0.80             | ××     |
| 72074   |     | ∢      | X-ray exam of thoracic spine | 0.22           | 1.01            | 1.04            | 1.01     | 1.04         | 90.0             | 1.29              | 1.32              | 1.29             | 1.32             | ×      |
| 72074   | 56  | ∢      | X-ray exam of thoracic spine | 0.22           | 90.0            | 0.10            | 90:0     | 0.10         | 0.01             | 0.29              | 0.33              | 0.29             | 0.33             | ×      |
| 72074   | ဥ   | ∢      | X-ray exam of thoracic spine | 0.00           | 0.95            | 0.94            | 0.95     | 0.94         | 0.05             | 1.00              | 66.0              | 1.00             | 66.0             | ×      |
| 72080   |     | ∢      | X-ray exam of trunk spine    | 0.22           | 0.76            | 0.79            | 92.0     | 0.79         | 0.04             | 1.02              | 1.05              | 1.02             | 1.05             | ××     |
| 72080   | 56  | ∢      | X-ray exam of trunk spine    | 0.22           | 90:0            | 0.10            | 90.0     | 0.10         | 0.01             | 0.29              | 0.33              | 0.29             | 0.33             | ××     |
| 72080   | 2   | ∢      | X-ray exam of trunk spine    | 0.00           | 0.70            | 69.0            | 0.70     | 69.0         | 0.03             | 0.73              | 0.72              | 0.73             | 0.72             | ××     |
| 72090   |     | ∢      | X-ray exam of trunk spine    | 0.28           | 0.78            | 0.82            | 0.78     | 0.82         | 0.05             | 1.1               | 1.15              | 1.1              | 1.15             | ××     |
| 72090   | 56  | ∢      | X-ray exam of trunk spine    | 0.28           | 90.0            | 0.13            | 0.08     | 0.13         | 0.02             | 0.38              | 0.43              | 0.38             | 0.43             | ××     |
| 72090   | բ   | ∢      | X-ray exam of trunk spine    | 0.00           | 0.70            | 69.0            | 0.70     | 69.0         | 0.03             | 0.73              | 0.72              | 0.73             | 0.72             | ××     |
| 72100   |     | ∢      | X-ray exam of lower spine    | 0.22           | 0.76            | 0.79            | 0.76     | 0.79         | 0.04             | 1.02              | 1.05              | 1.02             | 1.05             | ××     |
| 72100   | 56  | ∢      | X-ray exam of lower spine    | 0.22           | 90.0            | 0.10            | 90.0     | 0.10         | 0.01             | 0.29              | 0.33              | 0.29             | 0.33             | ×      |
| 72100   | ပ   | ∢      | X-ray exam of lower spine    | 0.00           | 0.70            | 69.0            | 0.70     | 0.69         | 0.03             | 0.73              | 0.72              | 0.73             | 0.72             | ×      |
| 72110   |     | ∢      | X-ray exam of lower spine    | 0.31           | 1.03            | 1.07            | 1.03     | 1.07         | 0.07             | 1.41              | 1.45              | 1.41             | 1.45             | ××     |
| 72110   | 56  | ∢      | X-ray exam of lower spine    | 0.31           | 0.08            | 0.13            | 0.08     | 0.13         | 0.02             | 0.41              | 0.46              | 0.41             | 0.46             | ××     |
| 72110   | ပ   | ∢      | X-ray exam of lower spine    | 0.00           | 0.95            | 0.94            | 0.95     | 0.94         | 0.05             | 1.00              | 66.0              | 1.00             | 0.99             | ×      |
| 72114   |     | ∢      | X-ray exam of lower spine    | 0.36           | 1.32            | 1.39            | 1.32     | 1.39         | 0.07             | 1.75              | 1.82              | 1.75             | 1.82             | ××     |
| 72114   | 56  | ∢      | X-ray exam of lower spine    | 0.36           | 60.0            | 0.16            | 60.0     | 0.16         | 0.02             | 0.47              | 0.54              | 0.47             | 0.54             | ×      |
| 72114   | ည   | ∢      | X-ray exam of lower spine    | 0.00           | 1.23            | 1.23            | 1.23     | 1.23         | 0.05             | 1.28              | 1.28              | 1.28             | 1.28             | ××     |
| 72120   |     | ∢      | X-ray exam of lower spine    | 0.22           | 0.99            | 1.02            | 66.0     | 1.02         | 90.0             | 1.27              | 1.30              | 1.27             | 1.30             | ×      |
| 72120   | 56  | ∢      | X-ray exam of lower spine    | 0.22           | 90.0            | 0.10            | 90.0     | 0.10         | 0.01             | 0.29              | 0.33              | 0.29             | 0.33             | ×      |
| 72120   | ပ   | ∢      | X-ray exam of lower spine    | 0.00           | 0.93            | 0.92            | 0.93     | 0.92         | 0.05             | 0.98              | 0.97              | 0.98             | 0.97             | ××     |
| 72125   |     | ∢      | CAT scan of neck spine       | 1.16           | 6.44            | 6.61            | 6.44     | 6.61         | 0.34             | 7.94              | 8.11              | 7.94             | 8.11             | ××     |
| 72125   | 56  | ∢      | CAT scan of neck spine       | 1.16           | 0.31            | 0.49            | 0.31     | 0.49         | 90.0             | 1.53              | 1.71              | 1.53             | 1.71             | ××     |
| 72125   | ဥ   | ∢      | CAT scan of neck spine       | 0.00           | 6.13            | 6.12            | 6.13     | 6.12         | 0.28             | 6.41              | 6.40              | 6.41             | 6.40             | ××     |
| 72126   |     | ∢      | Contrast CAT scan of neck    | 1.22           | 7.65            | 7.84            | 7.65     | 7.84         | 0.40             | 9.27              | 9.46              | 9.27             | 9.46             | ××     |
| 72126   | 56  | ∢      | Contrast CAT scan of neck    | 1.22           | 0.32            | 0.52            | 0.32     | 0.52         | 90.0             | 1.60              | 1.80              | 1.60             | 1.80             | ×      |
| 72126   | ည   | ∢      | Contrast CAT scan of neck    | 0.00           | 7.33            | 7.32            | 7.33     | 7.32         | 0.34             | 79.7              | 7.66              | 79.7             | 99.7             | ××     |
| 72127   |     | ∢      | Contrast CAT scans of neck   | 1.27           | 9.51            | 9.70            | 9.51     | 9.70         | 0.48             | 11.26             | 11.45             | 11.26            | 11,45            | ×      |
| 72127   | 56  | ∢      | Contrast CAT scans of neck   | 1.27           | 0.34            | 0.54            | 0.34     | 0.54         | 0.07             | 1.68              | 1.88              | 1.68             | 1.88             | ××     |
| 72127   | ည   | ∢      | Contrast CAT scans of neck   | 0.00           | 9.17            | 9.16            | 9.17     | 9.16         | 0.41             | 9.58              | 9.57              | 9.58             | 9.57             | ××     |
| 72128   |     | ∢      | CAT scan of thorax spine     | 1.16           | 6.44            | 6.61            | 6.44     | 6.61         | 0.34             | 7.94              | 8.11              | 7.94             | 8.11             | ×      |
| 72128   | 56  | ∢      | CAT scan of thorax spine     | 1.16           | 0.31            | 0.49            | 0.31     | 0.49         | 90.0             | 1.53              | 1.71              | 1.53             | 1.71             | ××     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Denial Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|        |     |        |                               |       | Non-     | Transitioned |          | Transitioned |          |          |              |          |              |         |
|--------|-----|--------|-------------------------------|-------|----------|--------------|----------|--------------|----------|----------|--------------|----------|--------------|---------|
|        |     |        |                               | 10    | facility | Non-facility | Facility | Facility     | Mol      | Non      | Transitioned |          | Transitioned |         |
| (14)   | ,   |        |                               | work  | expense  | expense      | expense  | expense      | practice | facility | facility     | Facility | Facility     | -       |
| HCPCS. | Wod | Status | Description                   | RYUS  | RVOS     | RYUs         | KVUS     | KYUS         | KUNS     | lotal    | lotal        | lotal    | lotal        | clopal  |
| 72128  | 2   | ∢      | CAT scan of thorax spine      | 0.00  | 6.13     | 6.12         | 6.13     | 6.12         | 0.28     | 6.41     | 6.40         | 6.41     | 6.40         | ×       |
| 72129  |     | ∢      | Contrast CAT scan of thorax   | 1.22  | 7.65     | 7.84         | 7.65     | 7.84         | 0.40     | 9.27     | 9.46         | 9.27     | 9.46         | ×       |
| 72129  | 56  | ∢      | Contrast CAT scan of thorax   | 1.22  | 0.32     | 0.52         | 0.32     | 0.52         | 90.0     | 1.60     | 1.80         | 1.60     | 1.80         | ×       |
| 72129  | 5   | ∢      | Contrast CAT scan of thorax   | 0.00  | 7.33     | 7.32         | 7.33     | 7.32         | 0.34     | 7.67     | 99.7         | 29.7     | 99'.         | ×       |
| 72130  |     | ∢      | Contrast CAT scans of thorax  | 1.27  | 9.51     | 9.70         | 9.51     | 9.70         | 0.48     | 11.26    | 11.45        | 11.26    | 11.45        | ××      |
| 72130  | 56  | ⋖      | Contrast CAT scans of thorax  | 1.27  | 0.34     | 0.54         | 0.34     | 0.54         | 0.07     | 1.68     | 1.88         | 1.68     | 1.88         | ×       |
| 72130  | ဥ   | ۷      | Contrast CAT scans of thorax  | 0.00  | 9.17     | 9.16         | 9.17     | 9.16         | 0.41     | 9.58     | 9.57         | 9.58     | 9.57         | ×       |
| 72131  | )   | ∢      | CAT scan of lower spine       | 1.16  | 6.44     | 6.61         | 6.44     | 6.61         | 0.34     | 7.94     | 8.11         | 7.94     | 8.11         | ××      |
| 72131  | 56  | ∢      | CAT scan of lower spine       | 1.16  | 0.31     | 0.49         | 0.31     | 0.49         | 90.0     | 1.53     | 1.71         | 1.53     | 1.71         | ×       |
| 72131  | 5   | ∢      | CAT scan of lower spine       | 0.00  | 6.13     | 6.12         | 6.13     | 6.12         | 0.28     | 6.41     | 6.40         | 6.41     | 6.40         | ××      |
| 72132  |     | ∢      | Contrast CAT of lower spine   | 1.22  | 2.66     | 7.84         | 99.7     | 7.84         | 0.40     | 9.28     | 9.46         | 9.28     | 9.46         | ××      |
| 72132  | 56  | ∢      | Contrast CAT of lower spine   | 1.22  | 0.33     | 0.52         | 0.33     | 0.52         | 90:0     | 1.61     | 1.80         | 1.61     | 1.80         | ×       |
| 72132  | 5   | ∢      | Contrast CAT of lower spine   | 0.00  | 7.33     | 7.32         | 7.33     | 7.32         | 0.34     | 7.67     | 99.7         | 79.7     | 99'.         | ×       |
| 72133  |     | ∢      | Contrast CAT scans, low spine | 1.27  | 9.51     | 9.70         | 9.51     | 9.70         | 0.48     | 11.26    | 11.45        | 11.26    | 11.45        | ××      |
| 72133  | 56  | ∢      | Contrast CAT scans, low spine | 1.27  | 0.34     | 0.54         | 0.34     | 0.54         | 0.07     | 1.68     | 1.88         | 1.68     | 1.88         | ×       |
| 72133  | 5   | ∢      | Contrast CAT scans, low spine | 0.00  | 9.17     | 9.16         | 9.17     | 9.16         | 0.41     | 9.58     | 9.57         | 9.58     | 9.57         | ×       |
| 72141  |     | ∢      | Magnetic image, neck spine    | 1.60  | 12.06    | 12.29        | 12.06    | 12.29        | 0.61     | 14.27    | 14.50        | 14.27    | 14.50        | ×       |
| 72141  | 26  | ∢      | Magnetic image, neck spine    | 1.60  | 0.43     | 69.0         | 0.43     | 69.0         | 0.09     | 2.12     | 2.38         | 2.12     | 2.38         | X.<br>X |
| 72141  | 5   | ∢      | Magnetic image, neck spine    | 00.00 | 11.63    | 11.60        | 11.63    | 11.60        | 0.52     | 12.15    | 12.12        | 12.15    | 12.12        | ×       |
| 72142  |     | ∢      | Magnetic image, neck spine    | 1.92  | 14.49    | 14.74        | 14.49    | 14.74        | 0.73     | 17.14    | 17.39        | 17.14    | 17.39        | ×       |
| 72142  | 56  | ∢      | Magnetic image, neck spine    | 1.92  | 0.54     | 0.83         | 0.54     | 0.83         | 0.10     | 2.56     | 2.85         | 2.56     | 2.85         | ×       |
| 72142  | 5   | ∢      | Magnetic image, neck spine    | 00.00 | 13.95    | 13.91        | 13.95    | 13.91        | 0.63     | 14.58    | 14.54        | 14.58    | 14.54        | ×       |
| 72146  |     | ∢      | Magnetic image, chest spine   | 1.60  | 13.33    | 13.57        | 13.33    | 13.57        | 0.67     | 15.60    | 15.84        | 15.60    | 15.84        | ×       |
| 72146  | 56  | ∢      | Magnetic image, chest spine   | 1.60  | 0.43     | 69.0         | 0.43     | 69.0         | 0.09     | 2.12     | 2.38         | 2.12     | 2.38         | ×       |
| 72146  | ည   | ∢      | Magnetic image, chest spine   | 00.00 | 12.90    | 12.88        | 12.90    | 12.88        | 0.58     | 13.48    | 13.46        | 13.48    | 13.46        | ×       |
| 72147  |     | ∢      | Magnetic image, chest spine   | 1.92  | 14.48    | 14.74        | 14.48    | 14.74        | 0.73     | 17.13    | 17.39        | 17.13    | 17.39        | ×       |
| 72147  | 56  | ∢      | Magnetic image, chest spine   | 1.92  | 0.53     | 0.83         | 0.53     | 0.83         | 0.10     | 2.55     | 2.85         | 2.55     | 2.85         | ×       |
| 72147  | ည   | <      | Magnetic image, chest spine   | 0.00  | 13.95    | 13.91        | 13.95    | 13.91        | 0.63     | 14.58    | 14.54        | 14.58    | 14.54        | ×       |
| 72148  |     | ∢      | Magnetic image, lumbar spine  | 1.48  | 13.30    | 13.52        | 13.30    | 13.52        | 99.0     | 15.44    | 15.66        | 15.44    | 15.66        | ×       |
| 72148  | 56  | ∢      | Magnetic image, lumbar spine  | 1.48  | 0.40     | 0.64         | 0.40     | 0.64         | 0.08     | 1.96     | 2.20         | 1.96     | 2.20         | ×       |
| 72148  | ည   | ∢      | Magnetic image, lumbar spine  | 0.00  | 12.90    | 12.88        | 12.90    | 12.88        | 0.58     | 13.48    | 13.46        | 13.48    | 13.46        | ×       |
| 72149  |     | ∢      | Magnetic image, lumbar spine  | 1.78  | 14.44    | 14.69        | 14.44    | 14.69        | 0.72     | 16.94    | 17.19        | 16.94    | 17.19        | ×       |
| 72149  | 56  | ∢      | Magnetic image, lumbar spine  | 1.78  | 0.49     | 0.78         | 0.49     | 0.78         | 0.0      | 2.36     | 2.65         | 2.36     | 2.65         | ×       |
| 72149  | ည   | ∢      | Magnetic image, lumbar spine  | 00:00 | 13.95    | 13.91        | 13.95    | 13.91        | 0.63     | 14.58    | 14.54        | 14.58    | 14.54        | ×       |
| 72156  |     | ∢      | Magnetic image, neck spine    | 2.57  | 26.52    | 26.87        | 26.52    | 26.87        | 1.30     | 30.39    | 30.74        | 30.39    | 30.74        | ××      |
| 72156  | 56  | ∢      | Magnetic image, neck spine    | 2.57  | 69.0     | 1.11         | 69.0     | 1.1          | 0.13     | 3.39     | 3.81         | 3.39     | 3.81         | ×       |
| 72156  | 2   | ∢      | Magnetic image, neck spine    | 0.00  | 25.83    | 25.76        | 25.83    | 25.76        | 1.17     | 27.00    | 26.93        | 27.00    | 26.93        | ×       |
| 72157  |     | ∢      | Magnetic image, chest spine   | 2.57  | 26.52    | 26.87        | 26.52    | 26.87        | 1.30     | 30.39    | 30.74        | 30.39    | 30.74        | ××      |
| 72157  | 56  | ∢      | Magnetic image, chest spine   | 2.57  | 69.0     | 1.11         | 69.0     | 1.1          | 0.13     | 3.39     | 3.81         | 3.39     | 3.81         | ××      |
| 72157  | 2   | ∢      | Magnetic image, chest spine   | 0.00  | 25.83    | 25.76        | 25.83    | 25.76        | 1.17     | 27.00    | 26.93        | 27.00    | 26.93        | ××      |
|        |     |        |                               |       |          |              |          |              |          |          |              |          |              |         |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                  |        |        |                              |           | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
|------------------|--------|--------|------------------------------|-----------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| -                |        |        |                              | Physician | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS 2 | Mod    | Status | Description                  | work 3    | expense<br>RVUs  | expense                      | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 72158            | 1      | ∢      | Magne                        | 2.36      | 26.46            | 26.79                        | 26.46           | 26.79                    | 1.30             | 30.12             | 30.45             | 30.12             | 30.45             | ××     |
| 72158            | 56     | ∢      | Magnetic image, lumbar spine | 2.36      | 0.63             | 1.03                         | 0.63            | 1.03                     | 0.13             | 3.12              | 3.52              | 3.12              | 3.52              | ××     |
| 72158            | ဥ      | ∢      | Magnetic image, lumbar spine | 00.00     | 25.83            | 25.76                        | 25.83           | 25.76                    | 1.17             | 27.00             | 26.93             | 27.00             | 26.93             | ××     |
| 72159            |        | z      | Magnetic imaging/spine (MRA) | +1.80     | 13.58            | 13.59                        | 13.58           | 13.59                    | 99.0             | 16.04             | 16.05             | 16.04             | 16.05             | ×      |
| 72159            | 56     | z      | Magnetic imaging/spine (MRA) | +1.80     | 99.0             | 0.71                         | 0.68            | 0.71                     | 0.08             | 2.56              | 2.59              | 2.56              | 2.59              | ×      |
| 72159            | ဥ      | z      | Magnetic imaging/spine (MRA) | +0.00     | 12.90            | 12.88                        | 12.90           | 12.88                    | 0.58             | 13.48             | 13.46             | 13.48             | 13.46             | ×      |
| 72170            |        | ∢      | X-ray exam of pelvis         | 0.17      | 0.59             | 0.61                         | 0.59            | 0.61                     | 0.03             | 0.79              | 0.81              | 0.79              | 0.81              | ×      |
| 72170            | 56     | ∢      | X-ray exam of pelvis         | 0.17      | 0.04             | 0.07                         | 0.04            | 0.07                     | 0.01             | 0.22              | 0.25              | 0.22              | 0.25              | ×      |
| 72170            | ဥ      | ∢      | X-ray exam of pelvis         | 00.0      | 0.55             | 0.54                         | 0.55            | 0.54                     | 0.02             | 0.57              | 0.56              | 0.57              | 0.56              | ×      |
| 72190            |        | ∢      | X-ray exam of pelvis         | 0.21      | 92.0             | 0.79                         | 92.0            | 0.79                     | 0.04             | 1.01              | 1.04              | 1.01              | 1.04              | ××     |
| 72190            | 56     | ∢      | X-ray exam of pelvis         | 0.21      | 90:0             | 0.10                         | 90.0            | 0.10                     | 0.01             | 0.28              | 0.32              | 0.28              | 0.32              | ×      |
| 72190            | ٦<br>ح | ∢      | X-ray exam of pelvis         | 0.00      | 0.70             | 69.0                         | 0.70            | 69.0                     | 0.03             | 0.73              | 0.72              | 0.73              | 0.72              | ×      |
| 72192            |        | ∢      | CAT scan of pelvis           | 1.09      | 6.42             | 6.58                         | 6.42            | 6.58                     | 0.33             | 7.84              | 8.00              | 7.84              | 8.00              | ×      |
| 72192            | 56     | ∢      | CAT scan of pelvis           | 1.09      | 0.29             | 0.46                         | 0.29            | 0.46                     | 0.05             | 1.43              | 1.60              | 1.43              | 1.60              | ×      |
| 72192            | 2      | ∢      | CAT scan of pelvis           | 0.00      | 6.13             | 6.12                         | 6.13            | 6.12                     | 0.28             | 6.41              | 6.40              | 6.41              | 6.40              | ×      |
| 72193            |        | ∢      | Contrast CAT scan of pelvis  | 1.16      | 7.41             | 7.58                         | 7.41            | 7.58                     | 0.38             | 8.95              | 9.12              | 8.95              | 9.12              | ×      |
| 72193            | 56     | ∢      | Contrast CAT scan of pelvis  | 1.16      | 0.31             | 0.49                         | 0.31            | 0.49                     | 90.0             | 1.53              | 1.71              | 1.53              | 1.71              | ×      |
| 72193            | 2      | ∢      | Contrast CAT scan of pelvis  | 00.00     | 7.10             | 7.09                         | 7.10            | 7.09                     | 0.32             | 7.42              | 7.41              | 7.42              | 7.41              | ×      |
| 72194            |        | ∢      | Contrast CAT scans of pelvis | 1.22      | 9.12             | 9.31                         | 9.12            | 9.31                     | 0.45             | 10.79             | 10.98             | 10.79             | 10.98             | ×      |
| 72194            | 56     | ∢      | Contrast CAT scans of pelvis | 1.22      | 0.32             | 0.52                         | 0.32            | 0.52                     | 90.0             | 1.60              | 1.80              | 1.60              | 1.80              | ×      |
| 72194            | 2      | ∢      | Contrast CAT scans of pelvis | 0.00      | 8.80             | 8.79                         | 8.80            | 8.79                     | 0.39             | 9.19              | 9.18              | 9.19              | 9.18              | ×      |
| 72196            |        | ⋖      | Magnetic image, pelvis       | 1.60      | 12.05            | 12.29                        | 12.05           | 12.29                    | 0.61             | 14.26             | 14.50             | 14.26             | 14.50             | ×      |
| 72196            | 56     | ∢      | Magnetic image, pelvis       | 1.60      | 0.42             | 69.0                         | 0.42            | 69.0                     | 0.09             | 2.11              | 2.38              | 2.11              | 2.38              | ×      |
| 72196            | 2      | ∢      | Magnetic image, pelvis       | 0.00      | 11.63            | 11.60                        | 11.63           | 11.60                    | 0.52             | 12.15             | 12.12             | 12.15             | 12.12             | ××     |
| 72198            |        | z      | Magnetic imaging/pelvis(MRA) | +1.80     | 12.31            | 12.36                        | 12.31           | 12.36                    | 0.61             | 14.72             | 14.77             | 14.72             | 14.77             | ×      |
| 72198            | 56     | z      | Magnetic imaging/pelvis(MRA) | +1.80     | 0.68             | 92.0                         | 0.68            | 92.0                     | 0.09             | 2.57              | 2.65              | 2.57              | 2.65              | ×      |
| 72198            | 2      | Z      | Magnetic imaging/pelvis(MRA) | +0.00     | 11.63            | 11.60                        | 11.63           | 11.60                    | 0.52             | 12.15             | 12.12             | 12.15             | 12.12             | ××     |
| 72200            |        | ∢      | X-ray exam sacroiliac joints | 0.17      | 0.59             | 0.62                         | 0.59            | 0.62                     | 0.03             | 0.79              | 0.82              | 0.79              | 0.82              | ×      |
| 72200            | 56     | ∢      | X-ray exam sacroiliac joints | 0.17      | 0.04             | 0.08                         | 0.04            | 90:0                     | 0.01             | 0.22              | 0.26              | 0.22              | 0.26              | ×      |
| 72200            | ဥ      | ∢      | X-ray exam sacroiliac joints | 0.00      | 0.55             | 0.54                         | 0.55            | 0.54                     | 0.02             | 0.57              | 0.56              | 0.57              | 0.56              | ×      |
| 72202            |        | ∢      | X-ray exam sacroiliac joints | 0.19      | 69.0             | 0.73                         | 69.0            | 0.73                     | 0.04             | 0.92              | 96.0              | 0.92              | 96.0              | ××     |
| 72202            | 56     | ∢      | X-ray exam sacroiliac joints | 0.19      | 0.05             | 60.0                         | 0.05            | 60.0                     | 0.01             | 0.25              | 0.29              | 0.25              | 0.29              | ×      |
| 72202            | 2      | ∢      | X-ray exam sacroiliac joints | 00.00     | 0.64             | 0.64                         | 0.64            | 0.64                     | 0.03             | 0.67              | 0.67              | 0.67              | 0.67              | ××     |
| 72220            |        | ∢      | X-ray exam of tailbone       | 0.17      | 0.63             | 0.67                         | 0.63            | 0.67                     | 0.04             | 0.84              | 0.88              | 0.84              | 0.88              | ××     |
| 72220            | 56     | ∢      | X-ray exam of tailbone       | 0.17      | 0.04             | 80.0                         | 0.04            | 90.0                     | 0.01             | 0.22              | 0.26              | 0.22              | 0.26              | ××     |
| 72220            | ე<br>ქ | ∢      | X-ray exam of tailbone       | 0.00      | 0.59             | 0.59                         | 0.59            | 0.59                     | 0.03             | 0.62              | 0.62              | 0.62              | 0.62              | ××     |
| 72240            |        | ∢      | Contrast x-ray of neck spine | 0.91      | 5.16             | 5.30                         | 5.16            | 5.30                     | 0.28             | 6.35              | 6.49              | 6.35              | 6.49              | ××     |
| 72240            | 56     | ∢      | Contrast x-ray of neck spine | 0.91      | 0.24             | 0.39                         | 0.24            | 0.39                     | 0.05             | 1.20              | 1.35              | 1.20              | 1.35              | ××     |
| 72240            | 2      | ∢      | Contrast x-ray of neck spine | 0.00      | 4.92             | 4.91                         | 4.92            | 4.91                     | 0.23             | 5.15              | 5.14              | 5.15              | 5.14              | ××     |
| 72255            |        | ∢      | Contrast x-ray thorax spine  | 0.91      | 4.72             | 4.87                         | 4.72            | 4.87                     | 0.25             | 5.88              | 6.03              | 5.88              | 6.03              | ××     |

Page 132 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|  |                              |             | Ĉ    |                |                      | Transitioned             | and took             | Transitioned         | יאוואט           | <u>.</u>          |                      |                   |                   |          |
|--|------------------------------|-------------|------|----------------|----------------------|--------------------------|----------------------|----------------------|------------------|-------------------|----------------------|-------------------|-------------------|----------|
|  |                              |             |      | Physician      | facility<br>practice | Non-facility<br>practice | Facility<br>practice | Facility<br>practice | Mal-             | Non-              | Transitioned<br>Non- |                   | Transitioned      |          |
| CPT //<br>HCPCS 2 Mod Status Description |                              | Description |      | work 3<br>RVUs | expense<br>RVUs      | expense<br>RVUs          | expense<br>RVUs      | expense<br>RVUs      | practice<br>RUVs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Global   |
| Contrast x-ray thorax spine              | Contrast x-ray thorax spine  |             | 0    | 0.91           | 0.23                 | 0.39                     | 0.23                 | 0.39                 | 0.05             | 1.19              | 1.35                 | 1.19              | 1.35              | ××       |
| Contrast x-ray thorax spine              | Contrast x-ray thorax spine  |             | 0.0  | 0              | 4.49                 | 4.48                     | 4.49                 | 4.48                 | 0.20             | 4.69              | 4.68                 | 4.69              | 4.68              | ×        |
| A Contrast x-ray lower spine 0.83        | Contrast x-ray lower spine   |             | 0.8  | ~              | 4.43                 | 4.57                     | 4.43                 | 4.57                 | 0.25             | 5.51              | 5.65                 | 5.51              | 5.65              | ×        |
| A Contrast x-ray lower spine             | Contrast x-ray lower spine   |             | 0.83 | ~              | 0.21                 | 0.36                     | 0.21                 | 0.36                 | 0.05             | 1.09              | 1.24                 | 1.09              | 1.24              | ××       |
| ine                                      | Contrast x-ray lower spine   | ine         | 0.00 |                | 4.22                 | 4.21                     | 4.22                 | 4.21                 | 0.20             | 4.42              | 4.41                 | 4.42              | 4.41              | ×        |
| A Contrast x-ray of spine                | Contrast x-ray of spine      |             | 1.33 |                | 89.9                 | 6.89                     | 9.9                  | 68.9                 | 0.36             | 8.37              | 8.58                 | 8.37              | 8.58              | X        |
| 7  | Contrast x-ray of spine      |             | 1.33 |                | 0.35                 | 0.57                     | 0.35                 | 0.57                 | 0.07             | 1.75              | 1.97                 | 1.75              | 1.97              | ×        |
| Contrast x-ray of spine                  | Contrast x-ray of spine      |             | 0.00 |                | 6.33                 | 6.32                     | 6.33                 | 6.32                 | 0.29             | 6.62              | 6.61                 | 6.62              | 6.61              | ×        |
| A X-ray of neck spine disk               | X-ray of neck spine disk     |             | 0.83 |                | 8.90                 | 9.04                     | 8.90                 | 9.04                 | 0.44             | 10.17             | 10.31                | 10.17             | 10.31             | ×        |
| A X-ray of neck spine disk               | X-ray of neck spine disk     |             | 0.83 |                | 0.20                 | 0.36                     | 0.20                 | 0.36                 | 0.05             | 1.08              | 1.24                 | 1.08              | 1.24              | ×        |
| TC A X-ray of neck spine disk 0.00       | X-ray of neck spine disk     |             | 0.00 |                | 8.70                 | 8.68                     | 8.70                 | 8.68                 | 0.39             | 60.6              | 9.07                 | 60.6              | 9.07              | ×        |
| X-ray of lower spine disk                | X-ray of lower spine disk    |             | 0.83 |                | 8.39                 | 8.51                     | 8.39                 | 8.51                 | 0.41             | 9.63              | 9.75                 | 9.63              | 9.75              | ×        |
| A X-ray of lower spine disk              | X-ray of lower spine disk    |             | 0.83 |                | 0.23                 | 0.37                     | 0.23                 | 0.37                 | 0.05             | 1.11              | 1.25                 | 1.11              | 1.25              | ×        |
| X-ray of lower spine disk                | X-ray of lower spine disk    |             | 0.00 |                | 8.16                 | 8.14                     | 8.16                 | 8.14                 | 0.36             | 8.52              | 8.50                 | 8.52              | 8.50              | ×        |
| X-ray exam of collarbone                 | X-ray exam of collarbone     |             | 0.16 |                | 0.59                 | 0.61                     | 0.59                 | 0.61                 | 0.03             | 0.78              | 08.0                 | 0.78              | 0.80              | ×        |
| A X-ray exam of collarbone               | X-ray exam of collarbone     |             | 0.16 |                | 0.04                 | 0.07                     | 0.04                 | 0.07                 | 0.01             | 0.21              | 0.24                 | 0.21              | 0.24              | ×        |
| X-ray exam of collarbone                 | X-ray exam of collarbone     |             | 0.00 |                | 0.55                 | 0.54                     | 0.55                 | 0.54                 | 0.02             | 0.57              | 0.56                 | 0.57              | 0.56              | ×        |
| A X-ray exam of shoulder blade           | X-ray exam of shoulder blade |             | 0.17 |                | 0.59                 | 0.62                     | 0.59                 | 0.62                 | 0.03             | 0.79              | 0.82                 | 0.79              | 0.82              | ×        |
| A X-ray exam of shoulder blade           | X-ray exam of shoulder blade |             | 0.17 |                | 0.04                 | 0.08                     | 0.04                 | 0.08                 | 0.01             | 0.22              | 0.26                 | 0.22              | 0.26              | ×        |
| X-ray exam of shoulder blade             | X-ray exam of shoulder blade |             | 0.00 |                | 0.55                 | 0.54                     | 0.55                 | 0.54                 | 0.05             | 0.57              | 0.56                 | 0.57              | 0.56              | ž        |
| A X-ray exam of shoulder                 | X-ray exam of shoulder       |             | 0.15 |                | 0.53                 | 0.56                     | 0.53                 | 0.56                 | 0.03             | 0.71              | 0.74                 | 0.71              | 0.74              | ×        |
| 26 A X-ray exam of shoulder 0.15         | X-ray exam of shoulder       |             | 0.15 |                | 0.04                 | 0.07                     | 40.0                 | 0.07                 | 0.0              | 0.20              | 0.23                 | 0.20              | 0.23              | <b>X</b> |
| A X-ray exam of shoulder                 | X-ray exam of shoulder       |             | 0.00 |                | 0.43                 | 0.43                     | 0.43                 | 0.43                 | 0.02             | 0.96              | 68.0                 | 0.0               | 680               | { ×      |
| X-ray exam of shoulder                   | X-ray exam of shoulder       |             | 0.18 |                | 0.05                 | 0.08                     | 0.05                 | 0.08                 | 0.01             | 0.24              | 0.27                 | 0.24              | 0.27              | ×        |
| X-ray exam of shoulder                   | X-ray exam of shoulder       |             | 00.0 | _              | 0.59                 | 0.59                     | 0.59                 | 0.59                 | 0.03             | 0.62              | 0.62                 | 0.62              | 0.62              | ×        |
| A Contrast x-ray of shoulder             | Contrast x-ray of shoulder   |             | 0.54 |                | 2.32                 | 2.41                     | 2.32                 | 2.41                 | 0.13             | 2.99              | 3.08                 | 2.99              | 3.08              | ×        |
| A Contrast x-ray of shoulder             | Contrast x-ray of shoulder   |             | 0.54 | _              | 0.14                 | 0.24                     | 0.14                 | 0.24                 | 0.03             | 0.71              | 0.81                 | 0.71              | 0.81              | ×        |
| Contrast x-ray of shoulder               | Contrast x-ray of shoulder   | <b>.</b>    | 0.0  |                | 2.18                 | 2.17                     | 2.18                 | 2.17                 | 0.10             | 2.28              | 2.27                 | 2.28              | 2.27              | ×        |
| A X-ray exam of shoulders                | X-ray exam of shoulders      |             | 0.20 |                | 0.75                 | 0.78                     | 0.75                 | 0.78                 | 0.04             | 0.99              | 1.02                 | 0.99              | 1.02              | ×        |
| A X-ray exam of shoulders                | X-ray exam of shoulders      |             | 0.20 |                | 0.05                 | 60.0                     | 0.05                 | 0.09                 | 0.01             | 0.26              | 0.30                 | 0.26              | 0.30              | ×        |
| X-ray exam of shoulders                  | X-ray exam of shoulders      |             | 0.00 |                | 0.70                 | 69.0                     | 0.70                 | 69.0                 | 0.03             | 0.73              | 0.72                 | 0.73              | 0.72              | ×        |
| A X-ray exam of humerus                  | X-ray exam of humerus        |             | 0.17 |                | 0.63                 | 29.0                     | 0.63                 | 29.0                 | 0.04             | 0.84              | 0.88                 | 0.84              | 0.88              | ×        |
| A X-ray exam of humerus                  | X-ray exam of humerus        |             | 0.17 |                | 0.04                 | 90.0                     | 0.04                 | 0.08                 | 0.01             | 0.22              | 0.26                 | 0.22              | 0.26              | ×        |
| TC A X-ray exam of humerus 0.00          | X-ray exam of humerus        |             | 0.00 |                | 0.59                 | 0.59                     | 0.59                 | 0.59                 | 0.03             | 0.62              | 0.62                 | 0.62              | 0.62              | ×        |
| A X-ray exam of elbow 0.15               | X-ray exam of elbow          |             | 0.15 |                | 0.59                 | 0.61                     | 0.59                 | 0.61                 | 0.03             | 0.77              | 0.79                 | 0.77              | 0.79              | ×        |
| A X-ray exam of elbow                    | X-ray exam of elbow          |             | 0.1  | 2              | 0.04                 | 0.07                     | 0.04                 | 0.07                 | 0.01             | 0.20              | 0.23                 | 0.20              | 0.23              | ×        |
| A X-ray exam of elbow                    | X-ray exam of elbow          |             | 0.00 | _              | 0.55                 | 0.54                     | 0.55                 | 0.54                 | 0.02             | 0.57              | 0.56                 | 0.57              | 0.56              | ×        |
| A X-ray exam of elbow 0.17               | X-ray exam of elbow          |             | 0.17 |                | 0.63                 | 29.0                     | 0.63                 | 0.67                 | 0.04             | 0.84              | 0.88                 | 0.84              | 0.88              | ×        |
| X-ray exam of elbow                      | X-ray exam of elbow          |             | 0.17 |                | 0.04                 | 0.08                     | 0.04                 | 90.0                 | 0.01             | 0.22              | 0.26                 | 0.22              | 0.26              | ×        |
|  |                              |             |      |                |                      |                          |                      |                      |                  |                   |                      |                   |                   |          |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |        |        |                           |                   | Non-     | Transitioned             |          | Transitioned |          |          |                     |          |                          |        |
|--------------------|--------|--------|---------------------------|-------------------|----------|--------------------------|----------|--------------|----------|----------|---------------------|----------|--------------------------|--------|
|                    |        |        |                           | Physician         | tacility | Non-tacility<br>practice | Facility | Facility     | Mal      | Non      | Transitioned<br>Mon |          | Transitioned             |        |
| CPT 1/             |        |        |                           | work              | expense  | expense                  | expense  | expense      | practice | facility | ron-<br>facility    | Facility | ıransıllonea<br>Facility |        |
| HCPCS <sup>2</sup> | Mod    | Status | Description               | RVUs <sup>3</sup> | RVUs     | RVUs                     | RVUs     | RVUs         | RUYs     | Total    | Total               | Total    | Total                    | Global |
| 73080              | TC     | ¥      | X-ray exam of elbow       | 00.0              | 0.59     | 0.59                     | 0.59     | 69.0         | 0.03     | 0.62     | 0.62                | 0.62     | 0.62                     | XXX    |
| 73085              |        | ∢      | Contrast x-ray of elbow   | 0.54              | 2.33     | 2.41                     | 2.33     | 2.41         | 0.13     | 3.00     | 3.08                | 3.00     | 3.08                     | ××     |
| 73085              | 56     | ∢      | Contrast x-ray of elbow   | 0.54              | 0.15     | 0.24                     | 0.15     | 0.24         | 0.03     | 0.72     | 0.81                | 0.72     | 0.81                     | ×      |
| 73085              | 5      | ∢      | Contrast x-ray of elbow   | 0.00              | 2.18     | 2.17                     | 2.18     | 2.17         | 0.10     | 2.28     | 2.27                | 2.28     | 2.27                     | ××     |
| 73090              |        | ∢      | X-ray exam of forearm     | 0.16              | 0.59     | 0.61                     | 0.59     | 0.61         | 0.03     | 0.78     | 0.80                | 0.78     | 0.80                     | ××     |
| 73090              | 56     | ∢      | X-ray exam of forearm     | 0.16              | 0.04     | 0.07                     | 0.04     | 0.07         | 0.01     | 0.21     | 0.24                | 0.21     | 0.24                     | ××     |
| 73090              | 5      | ∢      | X-ray exam of forearm     | 00.00             | 0.55     | 0.54                     | 0.55     | 0.54         | 0.02     | 0.57     | 0.56                | 0.57     | 0.56                     | ××     |
| 73092              |        | ∢      | X-ray exam of arm, infant | 0.16              | 0.55     | 0.58                     | 0.55     | 0.58         | 0.03     | 0.74     | 0.77                | 0.74     | 0.77                     | ××     |
| 73092              | 56     | ∢      | X-ray exam of arm, infant | 0.16              | 0.04     | 0.07                     | 0.04     | 20.0         | 0.01     | 0.21     | 0.24                | 0.21     | 0.24                     | ×      |
| 73092              | 5      | ∢      | X-ray exam of arm, infant | 00.00             | 0.51     | 0.51                     | 0.51     | 0.51         | 0.02     | 0.53     | 0.53                | 0.53     | 0.53                     | ××     |
| 73100              |        | ∢      | X-ray exam of wrist       | 0.16              | 0.55     | 0.58                     | 0.55     | 0.58         | 0.03     | 0.74     | 0.77                | 0.74     | 0.77                     | ××     |
| 73100              | 56     | ∢      | X-ray exam of wrist       | 0.16              | 0.04     | 0.07                     | 0.04     | 0.07         | 0.01     | 0.21     | 0.24                | 0.21     | 0.24                     | ×      |
| 73100              | 5      | ∢      | X-ray exam of wrist       | 0.00              | 0.51     | 0.51                     | 0.51     | 0.51         | 0.02     | 0.53     | 0.53                | 0.53     | 0.53                     | ××     |
| 73110              |        | ∢      | X-ray exam of wrist       | 0.17              | 0.60     | 0.63                     | 09.0     | 0.63         | 0.03     | 08.0     | 0.83                | 0.80     | 0.83                     | ××     |
| 73110              | 56     | ∢      | X-ray exam of wrist       | 0.17              | 0.04     | 90.0                     | 0.04     | 80.0         | 0.01     | 0.22     | 0.26                | 0.22     | 0.26                     | ××     |
| 73110              | 5      | ∢      | X-ray exam of wrist       | 0.00              | 0.56     | 0.55                     | 0.56     | 0.55         | 0.02     | 0.58     | 0.57                | 0.58     | 0.57                     | ××     |
| 73115              |        | ∢      | Contrast x-ray of wrist   | 0.54              | 1.78     | 1.87                     | 1.78     | 1.87         | 0.11     | 2.43     | 2.52                | 2.43     | 2.52                     | ××     |
| 73115              | 56     | ∢      | Contrast x-ray of wrist   | 0.54              | 0.15     | 0.24                     | 0.15     | 0.24         | 0.03     | 0.72     | 0.81                | 0.72     | 0.81                     | ×      |
| 73115              | 5      | ∢      | Contrast x-ray of wrist   | 0.00              | 1.63     | 1.63                     | 1.63     | 1.63         | 0.08     | 1.71     | 1.71                | 1.71     | 1.71                     | XX     |
| 73120              |        | ⋖      | X-ray exam of hand        | 0.16              | 0.55     | 0.58                     | 0.55     | 0.58         | 0.03     | 0.74     | 0.77                | 0.74     | 0.77                     | ××     |
| 73120              | 56     | ∢      | X-ray exam of hand        | 0.16              | 0.04     | 0.07                     | 0.04     | 0.07         | 0.01     | 0.21     | 0.24                | 0.21     | 0.24                     | ×      |
| 73120              | ٦<br>ک | ⋖      | X-ray exam of hand        | 0.00              | 0.51     | 0.51                     | 0.51     | 0.51         | 0.02     | 0.53     | 0.53                | 0.53     | 0.53                     | ××     |
| 73130              |        | ∢      | X-ray exam of hand        | 0.17              | 09.0     | 0.63                     | 09:0     | 0.63         | 0.03     | 0.80     | 0.83                | 0.80     | 0.83                     | ×      |
| 73130              | 56     | ∢      | X-ray exam of hand        | 0.17              | 0.04     | 80.0                     | 0.04     | 80.0         | 0.01     | 0.22     | 0.26                | 0.22     | 0.26                     | ×      |
| 73130              | 10     | ∢      | X-ray exam of hand        | 0.00              | 0.56     | 0.55                     | 0.56     | 0.55         | 0.02     | 0.58     | 0.57                | 0.58     | 0.57                     | ××     |
| 73140              |        | ∢      | X-ray exam of finger(s)   | 0.13              | 0.47     | 0.49                     | 0.47     | 0.49         | 0.03     | 0.63     | 0.65                | 0.63     | 0.65                     | ××     |
| 73140              | 56     | ∢      | X-ray exam of finger(s)   | 0.13              | 0.03     | 90.0                     | 0.03     | 90:0         | 0.01     | 0.17     | 0.20                | 0.17     | 0.20                     | ×      |
| 73140              | ည      | ∢      | X-ray exam of finger(s)   | 0.00              | 0.44     | 0.43                     | 0.44     | 0.43         | 0.02     | 0.46     | 0.45                | 0.46     | 0.45                     | ××     |
| 73200              |        | ∢      | CAT scan of arm           | 1.09              | 5.44     | 5.60                     | 5.44     | 5.60         | 0.28     | 6.81     | 6.97                | 6.81     | 6.97                     | ×      |
| 73200              | 56     | ∢      | CAT scan of arm           | 1.09              | 0.29     | 0.46                     | 0.29     | 0.46         | 0.05     | 1.43     | 1.60                | 1.43     | 1.60                     | ×      |
| 73200              | ည      | ∢      | CAT scan of arm           | 0.00              | 5.15     | 5.14                     | 5.15     | 5.14         | 0.23     | 5.38     | 5.37                | 5.38     | 5.37                     | ×      |
| 73201              |        | ∢      | Contrast CAT scan of arm  | 1.16              | 6.44     | 6.61                     | 6.44     | 6.61         | 0.34     | 7.94     | 8.11                | 7.94     | 8.11                     | ×      |
| 73201              | 56     | ∢      | Contrast CAT scan of arm  | 1.16              | 0.31     | 0.49                     | 0.31     | 0.49         | 90.0     | 1.53     | 1.71                | 1.53     | 1.71                     | ×      |
| 73201              | ဥ      | ∢      | Contrast CAT scan of arm  | 0.00              | 6.13     | 6.12                     | 6.13     | 6.12         | 0.28     | 6.41     | 6.40                | 6.41     | 6.40                     | ×      |
| 73202              |        | ∢      | Contrast CAT scans of arm | 1.22              | 8.04     | 8.21                     | 8.04     | 8.21         | 0.41     | 29.6     | 9.84                | 29.6     | 9.84                     | ××     |
| 73202              | 56     | ∢      | Contrast CAT scans of arm | 1.22              | 0.33     | 0.52                     | 0.33     | 0.52         | 90.0     | 1.61     | 1.80                | 1.61     | 1.80                     | ×      |
| 73202              | 2      | ∢      | Contrast CAT scans of arm | 0.00              | 7.71     | 69.7                     | 7.71     | 69.2         | 0.35     | 90.8     | 8.04                | 8.06     | 8.04                     | ×      |
| 73220              |        | ∢      | Magnetic image, arm, hand | 1.48              | 12.03    | 12.24                    | 12.03    | 12.24        | 09.0     | 14.11    | 14.32               | 14.11    | 14.32                    | ××     |
| 73220              | 56     | ∢      | Magnetic image, arm, hand | 1.48              | 0.40     | 0.64                     | 0.40     | 0.64         | 90.0     | 1.96     | 2.20                | 1.96     | 2.20                     | ×      |
| 73220              | 5      | ∢      | Magnetic image, arm, hand | 0.00              | 11.63    | 11.60                    | 11.63    | 11.60        | 0.52     | 12.15    | 12.12               | 12.15    | 12.12                    | ××     |
|                    |        |        |                           |                   |          |                          |          |              |          |          |                     |          |                          |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        |                              |              | Non-            | Transitioned             | Carifin         | Transitioned    |                  | _                 | ;                    |                   |                   |        |
|------------------------------|-----|--------|------------------------------|--------------|-----------------|--------------------------|-----------------|-----------------|------------------|-------------------|----------------------|-------------------|-------------------|--------|
| •                            |     |        |                              | Physician    | practice        | Non-racility<br>practice | practice        | ractice         | Mal-             | Non-              | iransiilonea<br>Non- |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs          | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Global |
| 73221                        |     | ∢      | Magnetic image, joint of arm | 1.48         | 12.03           | 12.05                    | 12.03           | 12.05           | 0.57             | 14.08             | 14.10                | 14.08             | 14.10             | XX     |
| 73221                        | 26  | ∢      | Magnetic image, joint of arm | 1.48         | 0.40            | 0.45                     | 0.40            | 0.45            | 0.05             | 1.93              | 1.98                 | 1.93              | 1.98              | ××     |
| 73221                        | 5   | ∢      | Magnetic image, joint of arm | 0.00         | 11.63           | 11.60                    | 11.63           | 11.60           | 0.52             | 12.15             | 12.12                | 12.15             | 12.12             | ×      |
| 73225                        |     | z      | Magnetic imaging/upper (MRA) | +1.73        | 12.28           | 12.30                    | 12.28           | 12.30           | 09:0             | 14.61             | 14.63                | 14.61             | 14.63             | ×      |
| 73225                        | 56  | z      | Magnetic imaging/upper (MRA) | +1.73        | 0.65            | 0.70                     | 0.65            | 0.70            | 0.08             | 2.46              | 2.51                 | 2.46              | 2.51              | ×      |
| 73225                        | 5   | z      | Magnetic imaging/upper (MRA) | +0.00        | 11.63           | 11.60                    | 11.63           | 11.60           | 0.52             | 12.15             | 12.12                | 12.15             | 12.12             | ×      |
| 73500                        |     | ∢      | X-ray exam of hip            | 0.17         | 0.53            | 0.57                     | 0.53            | 0.57            | 0.03             | 0.73              | 0.77                 | 0.73              | 0.77              | ×      |
| 73500                        | 56  | ∢      | X-ray exam of hip            | 0.17         | 0.04            | 0.08                     | 0.04            | 80.0            | 0.01             | 0.22              | 0.26                 | 0.22              | 0.26              | ××     |
| 73500                        | 2   | ∢      | X-ray exam of hip            | 0.00         | 0.49            | 0.49                     | 0.49            | 0.49            | 0.02             | 0.51              | 0.51                 | 0.51              | 0.51              | ×      |
| 73510                        |     | ∢      | X-ray exam of hip            | 0.21         | 0.65            | 69.0                     | 0.65            | 69.0            | 0.04             | 0.30              | 0.94                 | 06.0              | 0.94              | ××     |
| 73510                        | 56  | ∢      | X-ray exam of hip            | 0.21         | 90.0            | 0.10                     | 90'0            | 0.10            | 0.01             | 0.28              | 0.32                 | 0.28              | 0.32              | ×      |
| 73510                        | 2   | ∢      | X-ray exam of hip            | 0.00         | 0.59            | 0.59                     | 0.59            | 0.59            | 0.03             | 0.62              | 0.62                 | 0.62              | 0.62              | ×      |
| 73520                        |     | ∢      | X-ray exam of hips           | 0.26         | 0.77            | 0.81                     | 0.77            | 0.81            | 0.05             | 1.08              | 1.12                 | 1.08              | 1.12              | ×      |
| 73520                        | 56  | ∢      | X-ray exam of hips           | 0.26         | 0.07            | 0.12                     | 0.07            | 0.12            | 0.02             | 0.35              | 0.40                 | 0.35              | 0.40              | ×      |
| 73520                        | բ   | ∢      | X-ray exam of hips           | 0.00         | 0.70            | 69.0                     | 0.70            | 69.0            | 0.03             | 0.73              | 0.72                 | 0.73              | 0.72              | ×      |
| 73525                        |     | ∢      | Contrast x-ray of hip        | 0.54         | 2.32            | 2.41                     | 2.32            | 2.41            | 0.13             | 2.99              | 3.08                 | 2.99              | 3.08              | ××     |
| 73525                        | 56  | ∢      | Contrast x-ray of hip        | 0.54         | 0.14            | 0.24                     | 0.14            | 0.24            | 0.03             | 0.71              | 0.81                 | 0.71              | 0.81              | ×      |
| 73525                        | ည   | ∢      | Contrast x-ray of hip        | 0.00         | 2.18            | 2.17                     | 2.18            | 2.17            | 0.10             | 2.28              | 2.27                 | 2.28              | 2.27              | ×      |
| 73530                        |     | ∢      | X-ray exam of hip            | 0.29         | 0.63            | 0.67                     | 0.63            | 0.67            | 0.04             | 96.0              | 1.00                 | 96.0              | 1.00              | ×      |
| 73530                        | 56  | ∢      | X-ray exam of hip            | 0.29         | 0.08            | 0.13                     | 0.08            | 0.13            | 0.02             | 0.39              | 0.44                 | 0.39              | 0.44              | ×      |
| 73530                        | ည   | ∢      | X-ray exam of hip            | 0.00         | 0.55            | 0.54                     | 0.55            | 0.54            | 0.02             | 0.57              | 0.56                 | 0.57              | 0.56              | ×      |
| 73540                        |     | ∢      | X-ray exam of pelvis & hips  | 0.20         | 0.64            | 69.0                     | 0.64            | 69.0            | 0.04             | 0.88              | 0.93                 | 0.88              | 0.93              | ×      |
| 73540                        | 56  | ∢      | X-ray exam of pelvis & hips  | 0.20         | 0.05            | 0.10                     | 0.05            | 0.10            | 0.01             | 0.26              | 0.31                 | 0.26              | 0.31              | ×      |
| 73540                        | 5   | ∢      | X-ray exam of pelvis & hips  | 0.00         | 0.59            | 0.59                     | 0.59            | 0.59            | 0.03             | 0.62              | 0.62                 | 0.62              | 0.62              | ×      |
| 73550                        |     | ∢      | X-ray exam of thigh          | 0.17         | 0.63            | 0.67                     | 0.63            | 0.67            | 0.04             | 0.84              | 0.88                 | 0.84              | 0.88              | ×      |
| 73550                        | 56  | ∢      | X-ray exam of thigh          | 0.17         | 0.04            | 0.08                     | 0.04            | 0.08            | 0.01             | 0.22              | 0.26                 | 0.22              | 0.26              | ×      |
| 73550                        | 2   | ∢      | X-ray exam of thigh          | 0.00         | 0.59            | 0.59                     | 0.59            | 0.59            | 0.03             | 0.62              | 0.62                 | 0.62              | 0.62              | X      |
| 73560                        |     | ∢      | X-ray exam of knee, 1 or 2   | 0.17         | 0.60            | 0.61                     | 0.60            | 0.61            | 0.03             | 0.80              | 0.81                 | 0.80              | 0.81              | ×      |
| 73560                        | 56  | ∢ •    | X-ray exam of knee, 1 or 2   | 0.17         | 0.05            | 0.07                     | 0.05            | 0.07            | 0.01             | 0.23              | 0.25                 | 0.23              | 0.25              | ×      |
| 73560                        | ည   | ∢      | X-ray exam of knee, 1 or 2   | 0.00         | 0.55            | 0.54                     | 0.55            | 0.54            | 0.02             | 0.57              | 0.56                 | 0.57              | 0.56              | ž      |
| 73562                        |     | ∢      | X-ray exam of knee, 3        | 0.18         | 0.64            | 0.68                     | 0.64            | 0.68            | 0.04             | 0.86              | 0.90                 | 98.0              | 0.90              | ×      |
| 73562                        | 56  | ∢      | X-ray exam of knee, 3        | 0.18         | 0.05            | 60.0                     | 0.05            | 0.09            | 0.01             | 0.24              | 0.28                 | 0.24              | 0.28              | ×      |
| 73562                        | ပ   | ∢      | X-ray exam of knee, 3        | 0.00         | 0.59            | 0.59                     | 0.59            | 0.59            | 0.03             | 0.62              | 0.62                 | 0.62              | 0.62              | ×      |
| 73564                        |     | ∢      | X-ray exam of knee, 4+       | 0.22         | 0.70            | 0.74                     | 0.70            | 0.74            | 0.05             | 0.97              | 1.01                 | 0.97              | 1.01              | ××     |
| 73564                        | 56  | ∢      | X-ray exam of knee, 4+       | 0.22         | 90:0            | 0.10                     | 90.0            | 0.10            | 0.02             | 0.30              | 0.34                 | 0.30              | 0.34              | ×      |
| 73564                        | ဥ   | ∢      | X-ray exam of knee, 4+       | 0.00         | 0.64            | 0.64                     | 0.64            | 0.64            | 0.03             | 0.67              | 0.67                 | 29.0              | 0.67              | ×      |
| 73565                        |     | ∢      | X-ray exam of knee           | 0.17         | 0.56            | 0.58                     | 0.56            | 0.58            | 0.03             | 0.76              | 0.78                 | 92.0              | 0.78              | ×      |
| 73565                        | 56  | ∢      | X-ray exam of knee           | 0.17         | 0.05            | 0.07                     | 0.05            | 0.07            | 0.01             | 0.23              | 0.25                 | 0.23              | 0.25              | ×      |
| 73565                        | 5   | ∢      | X-ray exam of knee           | 0.00         | 0.51            | 0.51                     | 0.51            | 0.51            | 0.02             | 0.53              | 0.53                 | 0.53              | 0.53              | ×      |
| 73580                        |     | ∢      | Contrast x-ray of knee joint | 0.54         | 2.87            | 2.96                     | 2.87            | 2.96            | 0.16             | 3.57              | 3.66                 | 3.57              | 3.66              | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |           |        |                              |              | Non-            | Transitioned    | Facility        | Transitioned<br>Facility |                  |                   | 1                 |                   |                   |        |
|------------------------------|-----------|--------|------------------------------|--------------|-----------------|-----------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| -                            |           |        |                              | Physician    | practice        | practice        | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod       | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 73580                        | <b>26</b> | ∢      | Contrast x-ray of knee joint | 0.54         | 0.14            | 0.24            | 0.14            | 0.24                     | 0.03             | 0.71              | 0.81              | 0.71              | 0.81              | ××     |
| 73580                        | 5         | ∢      | Contrast x-ray of knee joint | 0.00         | 2.73            | 2.72            | 2.73            | 2.72                     | 0.13             | 2.86              | 2.85              | 2.86              | 2.85              | ××     |
| 73590                        |           | ∢      | X-ray exam of lower leg      | 0.17         | 0.59            | 0.61            | 0.59            | 0.61                     | 0.03             | 0.79              | 0.81              | 0.79              | 0.81              | ×      |
| 73590                        | 56        | ∢      | X-ray exam of lower leg      | 0.17         | 0.04            | 0.07            | 0.04            | 0.07                     | 0.01             | 0.22              | 0.25              | 0.22              | 0.25              | ××     |
| 73590                        | 5         | ∢      | X-ray exam of lower leg      | 0.00         | 0.55            | 0.54            | 0.55            | 0.54                     | 0.02             | 0.57              | 0.56              | 0.57              | 0.56              | ××     |
| 73592                        |           | ∢      | X-ray exam of leg, infant    | 0.16         | 0.55            | 0.58            | 0.55            | 0.58                     | 0.03             | 0.74              | 0.77              | 0.74              | 0.77              | ×      |
| 73592                        | 56        | ∢      | X-ray exam of leg, infant    | 0.16         | 0.04            | 0.07            | 0.04            | 0.07                     | 0.01             | 0.21              | 0.24              | 0.21              | 0.24              | ××     |
| 73592                        | 5         | ∢      | X-ray exam of leg, infant    | 00.00        | 0.51            | 0.51            | 0.51            | 0.51                     | 0.02             | 0.53              | 0.53              | 0.53              | 0.53              | ××     |
| 73600                        |           | ∢      | X-ray exam of ankle          | 0.16         | 0.55            | 0.58            | 0.55            | 0.58                     | 0.03             | 0.74              | 0.77              | 0.74              | 0.77              | ××     |
| 73600                        | 56        | ∢      | X-ray exam of ankle          | 0.16         | 0.04            | 0.07            | 0.04            | 0.07                     | 0.01             | 0.21              | 0.24              | 0.21              | 0.24              | ××     |
| 73600                        | ဥ         | ∢      | X-ray exam of ankle          | 00.00        | 0.51            | 0.51            | 0.51            | 0.51                     | 0.02             | 0.53              | 0.53              | 0.53              | 0.53              | ××     |
| 73610                        |           | ∢      | X-ray exam of ankle          | 0.17         | 0.60            | 0.63            | 09.0            | 0.63                     | 0.03             | 0.80              | 0.83              | 0.80              | 0.83              | ××     |
| 73610                        | 56        | ∢      | X-ray exam of ankle          | 0.17         | 0.04            | 0.08            | 0.04            | 90.0                     | 0.01             | 0.22              | 0.26              | 0.22              | 0.26              | ××     |
| 73610                        | ဥ         | ∢      | X-ray exam of ankle          | 0.00         | 0.56            | 0.55            | 0.56            | 0.55                     | 0.02             | 0.58              | 0.57              | 0.58              | 0.57              | ××     |
| 73615                        |           | ∢      | Contrast x-ray of ankle      | 0.54         | 2.35            | 2.42            | 2.35            | 2.42                     | 0.13             | 3.02              | 3.09              | 3.02              | 3.09              | ××     |
| 73615                        | 56        | ∢      | Contrast x-ray of ankle      | 0.54         | 0.17            | 0.25            | 0.17            | 0.25                     | 0.03             | 0.74              | 0.82              | 0.74              | 0.82              | ××     |
| 73615                        | 2         | ∢      | Contrast x-ray of ankle      | 0.00         | 2.18            | 2.17            | 2.18            | 2.17                     | 0.10             | 2.28              | 2.27              | 2.28              | 2.27              | ××     |
| 73620                        |           | ∢      | X-ray exam of foot           | 0.16         | 0.55            | 0.58            | 0.55            | 0.58                     | 0.03             | 0.74              | 0.77              | 0.74              | 0.77              | ×      |
| 73620                        | 56        | ∢      | X-ray exam of foot           | 0.16         | 0.04            | 0.07            | 0.04            | 0.07                     | 0.01             | 0.21              | 0.24              | 0.21              | 0.24              | ××     |
| 73620                        | ဥ         | ∢      | X-ray exam of foot           | 0.00         | 0.51            | 0.51            | 0.51            | 0.51                     | 0.02             | 0.53              | 0.53              | 0.53              | 0.53              | ××     |
| 73630                        |           | ∢      | X-ray exam of foot           | 0.17         | 0.60            | 0.63            | 0.60            | 0.63                     | 0.03             | 0.80              | 0.83              | 0.80              | 0.83              | ××     |
| 73630                        | 56        | ∢      | X-ray exam of foot           | 0.17         | 0.04            | 0.08            | 0.04            | 0.08                     | 0.01             | 0.22              | 0.26              | 0.22              | 0.26              | ××     |
| 73630                        | ည         | ∢      | X-ray exam of foot           | 0.00         | 0.56            | 0.55            | 0.56            | 0.55                     | 0.02             | 0.58              | 0.57              | 0.58              | 0.57              | ××     |
| 73650                        |           | ∢      | X-ray exam of heel           | 0.16         | 0.53            | 0.56            | 0.53            | 0.56                     | 0.03             | 0.72              | 0.75              | 0.72              | 0.75              | ××     |
| 73650                        | 56        | ∢      | X-ray exam of heel           | 0.16         | 0.04            | 0.07            | 0.04            | 0.07                     | 0.01             | 0.21              | 0.24              | 0.21              | 0.24              | ××     |
| 73650                        | ဥ         | ∢      | X-ray exam of heel           | 0.00         | 0.49            | 0.49            | 0.49            | 0.49                     | 0.02             | 0.51              | 0.51              | 0.51              | 0.51              | ×      |
| 73660                        |           | ∢      | X-ray exam of toe(s)         | 0.13         | 0.47            | 0.49            | 0.47            | 0.49                     | 0.03             | 0.63              | 0.65              | 0.63              | 0.65              | ××     |
| 73660                        | 56        | ∢      | X-ray exam of toe(s)         | 0.13         | 0.03            | 90.0            | 0.03            | 90.0                     | 0.01             | 0.17              | 0.20              | 0.17              | 0.20              | ××     |
| 73660                        | ပ         | ∢      | X-ray exam of toe(s)         | 0.00         | 0.44            | 0.43            | 0.44            | 0.43                     | 0.02             | 0.46              | 0.45              | 0.46              | 0.45              | ×      |
| 73700                        | 1         | ∢ •    | CAT scan of leg              | 1.09         | 5.44            | 5.60            | 5.44            | 5.60                     | 0.28             | 6.81              | 6.97              | 6.81              | 6.97              | ×      |
| 73700                        | 56        | ∢ ·    | CAT scan of leg              | 1.09         | 0.29            | 0.46            | 0.29            | 0.46                     | 0.05             | 1.43              | 1.60              | 1.43              | 1.60              | ×      |
| 73700                        | ဥ         | ∢      | CAT scan of leg              | 0.00         | 5.15            | 5.14            | 5.15            | 5.14                     | 0.23             | 5.38              | 5.37              | 5.38              | 5.37              | ××     |
| 73701                        |           | ∢      | Contrast CAT scan of leg     | 1.16         | 6.44            | 6.61            | 6.44            | 6.61                     | 0.34             | 7.94              | 8.11              | 7.94              | 8.11              | ××     |
| 73701                        | 56        | ∢      | Contrast CAT scan of leg     | 1.16         | 0.31            | 0.49            | 0.31            | 0.49                     | 90.0             | 1.53              | 1.71              | 1.53              | 1.71              | ×      |
| 73701                        | 2         | ∢      | Contrast CAT scan of leg     | 0.00         | 6.13            | 6.12            | 6.13            | 6.12                     | 0.28             | 6.41              | 6.40              | 6.41              | 6.40              | ××     |
| 73702                        |           | ⋖      | Contrast CAT scans of leg    | 1.22         | 8.04            | 8.21            | 8.04            | 8.21                     | 0.41             | 9.67              | 9.84              | 29.6              | 9.84              | ×      |
| 73702                        | 56        | ⋖      | Contrast CAT scans of leg    | 1.22         | 0.33            | 0.52            | 0.33            | 0.52                     | 90.0             | 1.61              | 1.80              | 1.61              | 1.80              | ××     |
| 73702                        | 2         | ∢      | Contrast CAT scans of leg    | 0.00         | 7.71            | 69.7            | 7.71            | 7.69                     | 0.35             | 8.06              | 8.04              | 8.06              | 8.04              | ××     |
| 73720                        |           | ∢      | Magnetic image, leg, foot    | 1.48         | 12.02           | 12.24           | 12.02           | 12.24                    | 0.60             | 14.10             | 14.32             | 14.10             | 14.32             | ××     |
| 73720                        | 56        | ∢      | Magnetic image, leg, foot    | 1.48         | 0.39            | 0.64            | 0.39            | 0.64                     | 0.08             | 1.95              | 2.20              | 1.95              | 2.20              | ××     |
|                              |           |        |                              |              |                 |                 |                 |                          |                  |                   |                   |                   |                   |        |

Page 136 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| Practice expense Production 11.63 11.63 12.03 0.40 11.63 12.03 0.60 0.65 0.65 0.65 0.65 0.65 0.65 0.05 0.0  |    |   |                               |                   | Non-<br>facility    | Transitioned<br>Non-facility | Facility            | Transitioned<br>Facility |                  |                  | Transitioned     |          |                          |       |
|---|----|---|-------------------------------|-------------------|---------------------|------------------------------|---------------------|--------------------------|------------------|------------------|------------------|----------|--------------------------|-------|
| Magnetic image, leg forth         RINS         RINS         RINS         RINS         RINS         RINS         Index place   |    |   |                               | Physician<br>work | practice<br>expense | practice                     | practice<br>expense | practice                 | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |       |
| Magnetic image, ford         0.00         1153         1160         1163         1160         1163         1160         1163         1160         1163         1160         1163         1160         1163         1160         1163         1160         1163         1160         1163         1160         1163         1160         1163         1160         1163         1160         1163         1160         1163         1160         1163         1163         1160         1163<  | 용  | ţ | Description                   | RVUs              | RVUS                | RVUs                         | RVUs                | RVUs                     | RUVs             | Total            | Total            | Total    | Total                    | Globa |
| Magnetic mage, joint of leg         148         1203         1205         1205         1205         1205         1405         1409         1449         1440 <th< td=""><td>•</td><td>⋖</td><td>Magnetic image, leg, foot</td><td>0.00</td><td>11.63</td><td>11.60</td><td>11.63</td><td>11.60</td><td>0.52</td><td>12.15</td><td>12.12</td><td>12.15</td><td>12.12</td><td>×</td></th<>          | •  | ⋖ | Magnetic image, leg, foot     | 0.00              | 11.63               | 11.60                        | 11.63               | 11.60                    | 0.52             | 12.15            | 12.12            | 12.15    | 12.12                    | ×     |
| Magnetic imaging/lower (MRA)         114         0.40         0.45         0.65         155         159         159         159           Magnetic imaging/lower (MRA)         122 <t< td=""><td>_</td><td>4</td><td>Magnetic image, joint of leg</td><td>1.48</td><td>12.03</td><td>12.05</td><td>12.03</td><td>12.05</td><td>0.57</td><td>14.08</td><td>14.10</td><td>14.08</td><td>14.10</td><td>ž</td></t<>   | _  | 4 | Magnetic image, joint of leg  | 1.48              | 12.03               | 12.05                        | 12.03               | 12.05                    | 0.57             | 14.08            | 14.10            | 14.08    | 14.10                    | ž     |
| Magnetic imaging/lover (MRA)         1.0         1.153         1.150         1.153         1.150         1.153         1.150         1.153         1.150         1.153         1.150         1.153         1.150         1.054         1.150         1.054         1.150         1.054         1.056         1.057         1.056         1.057         1.056         1.057         1.056         1.057         1.056         1  | •  | _ | Magnetic image, joint of leg  | 1.48              | 0.40                | 0.45                         | 0.40                | 0.45                     | 0.05             | 1.93             | 1.98             | 1.93     | 1.98                     | ž     |
| Magnetic imaging/lover (MRA)         122         122         122         122         122         162         1454         1468         1454         1468           Magnetic imaging/lover (MRA)         122         122         122         0.06         123         121         122         0.05         123         1454         1458         1458           Magnetic imaging/lover (MRA)         100         1163         1160         1165         1160         0.05         121 <td>٩</td> <td>_</td> <td>Magnetic image, joint of leg</td> <td>0.00</td> <td>11.63</td> <td>11.60</td> <td>11.63</td> <td>11.60</td> <td>0.52</td> <td>12.15</td> <td>12.12</td> <td>12.15</td> <td>12.12</td> <td>ž</td>                               | ٩  | _ | Magnetic image, joint of leg  | 0.00              | 11.63               | 11.60                        | 11.63               | 11.60                    | 0.52             | 12.15            | 12.12            | 12.15    | 12.12                    | ž     |
| Magnetic imaging/lower (MRA)         182         0.49         0.66         0.08         2.39         2.56         2.39         2.56           Magnetic imaging/lower (MRA)         0.00         116.3         1160         116.2         1160         116.2         116.0         116.3         1160         116.2         116.0         116.2         12.1   | ш. | ~ | Magnetic imaging/lower (MRA)  | 1.82              | 12.12               | 12.26                        | 12.12               | 12.26                    | 0.60             | 14.54            | 14.68            | 14.54    | 14.68                    | ×     |
| Magnetic image/leg/over (MRA)         0.00         1163         1160         1163         1160         0.02         1215         12.15  | ш. | ~ | Magnetic imaging/lower (MRA)  | 1.82              | 0.49                | 99.0                         | 0.49                | 99.0                     | 0.08             | 2.39             | 2.56             | 2.39     | 2.56                     | ×     |
| X-ray exam of abdomen         018         0.66         0.62         0.03         0.81         0.83         0.81         0.83           X-ray exam of abdomen         0.18         0.66         0.65         0.70         0.65         0.77         0.69         0.77         0.69         0.77         0.69         0.77         0.69         0.77         0.69         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.65         0.77         0.75         0.75         0.65         0.77         0.75  | _  | ~ | Magnetic imaging/lower (MRA)  | 0.00              | 11.63               | 11.60                        | 11.63               | 11.60                    | 0.52             | 12.15            | 12.12            | 12.15    | 12.12                    | ž     |
| X-ray exam of abdomen         018         0.05         0.08         0.05         0.07         0.24         0.27         0.05         0.05           X-ray exam of abdomen         0.05         0.05         0.05         0.05         0.05         0.07         0.05         0.07         0.05         0.07         0.05         0.07         0.05         0.07         0.05         0.07         0.05         0.07         0.05         0.07         0.05         0.07  | 4  | ۔ | X-ray exam of abdomen         | 0.18              | 09.0                | 0.62                         | 09.0                | 0.62                     | 0.03             | 0.81             | 0.83             | 0.81     | 0.83                     | ×     |
| X-ray exam of abdomen         0.00         0.55         0.54         0.55         0.54         0.65         0.67         0.67         0.67         0.67         0.67         0.69         0.69         0.69         0.70         0.68         0.71         0.05         0.69         0.73         0.68         0.71         0.05         0.69         0.73         0.68         0.71         0.72         0.71         0.74         0.71         0.75         0.71         0.75         0.71         0.75         0.71         0.75         0.74         0.75  | 4  | ر | X-ray exam of abdomen         | 0.18              | 0.05                | 90.0                         | 0.05                | 80.0                     | 0.01             | 0.24             | 0.27             | 0.24     | 0.27                     | ž     |
| X-ray exam of abdomen         0.23         0.66         0.70         0.65         0.70         0.05         0.93         0.93         0.93         0.93           X-ray exam of abdomen         0.02         0.05         0.94         0.71         0.06         0.11         0.06         0.11         0.06         0.11         0.06         0.11         0.06         0.11         0.06         0.11         0.06         0.11         0.06         0.11         0.06         0.09   | •  | _ | X-ray exam of abdomen         | 0.00              | 0.55                | 0.54                         | 0.55                | 0.54                     | 0.02             | 0.57             | 0.56             | 0.57     | 0.56                     | ×     |
| X-ray exam of abdomen         0.23         0.06         0.11         0.05         0.01         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.03         0.05         0.05         0.03         0.05         0.05         0.03         0.05         0.04         0.05         0.05         0.03         0.05         0.04         0.05         0.05         0.03         0.05         0.04         0.05         0.05         0.04         0.05         0.05         0.05         0.04         0.05         0.05         0.05         0.04         0.05         0.05         0.05         0.04         0.05         0.04         0.05         0.05         0.04         0.05         0.05         0.04         0.05         0.05         0.05         0.05         0.05         0.04         0.05         0.04         0.05         0.04         0.05         0.04         0.05         0.04         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.05  | ٩  | ر | X-ray exam of abdomen         | 0.23              | 0.65                | 0.70                         | 0.65                | 0.70                     | 0.05             | 0.93             | 96.0             | 0.93     | 0.98                     | ×     |
| X-ray exam of abdomen         0.00         0.59         0.69  | 4  | _ | X-ray exam of abdomen         | 0.23              | 90:0                | 0.11                         | 90:0                | 0.11                     | 0.02             | 0.31             | 0.36             | 0.31     | 0.36                     | ×     |
| X-ray exam of abdomen         0.27         0.71         0.76         0.71         0.76         0.71         0.76         0.71         0.76         0.71         0.76         0.71         0.76         0.71         0.76         0.71         0.72         0.77         0.72         0.77         0.72         0.77         0.72         0.77         0.72         0.77         0.72         0.77         0.72         0.77         0.72         0.77         0.72         0.77         0.72         0.77         0.72         0.77         0.72         0.77         0.72         0.74         0.72         0.74         0.72         0.74         0.72         0.74         0.72         0.74         0.72         0.74         0.72         0.74  | ٩  | ۰ | X-ray exam of abdomen         | 0.00              | 0.59                | 0.59                         | 0.59                | 0.59                     | 0.03             | 0.62             | 0.62             | 0.62     | 0.62                     | ž     |
| X-ray exam of abdomen         0.27         0.07         0.12         0.07         0.12         0.03         0.04         0.05         0.05         0.04         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.05  | ٦  | ر | X-ray exam of abdomen         | 0.27              | 0.71                | 0.76                         | 0.71                | 9.76                     | 0.05             | 1.03             | 1.08             | 1.03     | 1.08                     | ×     |
| X-ray exam of abdomen         0.00         0.64         0.64         0.64         0.64         0.64         0.64         0.64         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.67         0.69         0.72         0.68         0.73         0.74         0.75         0.76         0.76         0.76         0.76         0.77         0.77         0.88         0.71         1.78         0.77         0.78         0.77         0.78         0.77         0.78         0.77         0.78         0.77         0.78         0.79         0.89         0.79         0.89         0.79         0.89         0.77         0.78         0.78         0.77         0.78         0.77         0.78         0.77         0.78         0.77         0.78         0.77         0.78         0.77         0.78         0.77         0.78         0.77         0.78         0.77         0.78         0.74         0.77         0.78         0.74         0.77         0.78         0.74         0.77         0.78         0.74         0.77         0.74         0.74  | •  | _ | X-ray exam of abdomen         | 0.27              | 0.07                | 0.12                         | 0.07                | 0.12                     | 0.02             | 0.36             | 0.41             | 0.36     | 0.41                     | ž     |
| X-ray exam series, abdomen         0.32         0.83         0.90         0.83         0.90         0.06         1.21         1.28         1.21         1.28           X-ray exam series, abdomen         0.32         0.08         0.14         0.02         0.42         0.48         0.42         0.48         0.42         0.48         0.49         0.89         0.69         0.79         0.79         0.79         0.79         0.79         0.79         0.79         0.79         0.79         0.79         0.79         0.89         0.79         0.89         0.79         0.79         0.79         0.79         0.89         0.79         0.79         0.79         0.79         0.79         0.79         0.79         0.79         0.79         0.71         7.71         7.78         1.   | 1  | _ | X-ray exam of abdomen         | 0.00              | 0.64                | 0.64                         | 0.64                | 0.64                     | 0.03             | 0.67             | 0.67             | 0.67     | 29.0                     | ×     |
| X-ray exam series, abdomen         0.32         0.08         0.14         0.02         0.42         0.48         0.42         0.48         0.49         0.89         0.49         0.79         0.89         0.49         0.79         0.89         0.49         0.79         0.89         0.77         1.78         0.74         1.74         1.72         1.74         1.72         1.74         1.74         1.74         1.74         1.74 <th< td=""><td>٩</td><td>۰</td><td>X-ray exam series, abdomen</td><td>0.32</td><td>0.83</td><td>06.0</td><td>0.83</td><td>06.0</td><td>90.0</td><td>1.21</td><td>1.28</td><td>1.21</td><td>1.28</td><td>×</td></th<>                 | ٩  | ۰ | X-ray exam series, abdomen    | 0.32              | 0.83                | 06.0                         | 0.83                | 06.0                     | 90.0             | 1.21             | 1.28             | 1.21     | 1.28                     | ×     |
| X-ray exam series, abdomen         0.00         0.75         0.76         0.75         0.76         0.76         0.75         0.76         0.79         0.80         0.79         0.80           CAT scan of abdomen         1.19         6.19         6.36         6.37         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.88         7.71         7.89         9.10         9.29  | ٩  | _ | X-ray exam series, abdomen    | 0.32              | 0.08                | 0.14                         | 80.0                | 0.14                     | 0.02             | 0.42             | 0.48             | 0.42     | 0.48                     | ×     |
| CAT scan of abdomen         1.19         6.19         6.36         6.19         6.36         0.33         771         7.88         771         7.88           CAT scan of abdomen         1.19         0.32         0.50         0.32         0.50         0.67         1.57         1.75         1.75           CAT scan of abdomen         1.27         7.44         7.63         0.39         0.10         9.29         9.10         9.29         9.10         9.29           Contrast CAT scan of abdomen         1.27         7.44         7.63         0.39         0.70         1.68         1.88         1.68         1.89           Contrast CAT scans, abdomen         0.00         7.10         7.09         7.10         7.09         0.32         7.42         7.42         7.42         7.42         7.42         7.42         7.42         7.42         7.42         7.42         7.42         7.42         7.44         7.63         0.72         1.68         1.88         1.68         1.88         1.68         1.88         1.88         1.88         1.88         1.89         1.89         1.89         1.89         1.89         1.89         1.89         1.89         1.89         1.89         1.89         1.89  | ٩  | ۰ | X-ray exam series, abdomen    | 0.00              | 0.75                | 0.76                         | 0.75                | 0.76                     | 0.04             | 0.79             | 0.80             | 0.79     | 0.80                     | ×     |
| CAT scan of abdomen         119         0.32         0.50         0.05         1.57         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.74         7.83         6.84         5.87         5.86         0.57         6.14         6.13         6.14         6.14         6.14 <td>٩</td> <td>_</td> <td>CAT scan of abdomen</td> <td>1.19</td> <td>6.19</td> <td>6.36</td> <td>6.19</td> <td>6.36</td> <td>0.33</td> <td>7.71</td> <td>7.88</td> <td>7.71</td> <td>7.88</td> <td>×</td>                       | ٩  | _ | CAT scan of abdomen           | 1.19              | 6.19                | 6.36                         | 6.19                | 6.36                     | 0.33             | 7.71             | 7.88             | 7.71     | 7.88                     | ×     |
| CAT scan of abdomen         0.00         5.87         5.86         6.27         6.14         6.13         6.14         6.13           Contrast CAT scan of abdomen         1.27         7.44         7.63         7.44         7.63         0.34         0.54         0.07         1.68         1.88         1.68         1.88           Contrast CAT scan of abdomen         0.00         7.10         7.09         0.34         0.54         0.74         1.04         1.26         1.88         1.88           Contrast CAT scans, abdomen         1.40         9.17         9.39         0.47         11.04         11.26         11.04         11.26         0.09           Contrast CAT scans, abdomen         0.00         8.80         8.79         0.04         11.85         2.08         1.85         2.08         1.85         2.08         1.85         2.08         1.85         2.08         2.08         1.85         2.08         1.85         2.08         1.85         2.08         1.85         2.08         1.85         2.08         1.85         2.08         1.85         2.08         1.85         2.08         1.85         2.08         1.85         2.08         1.85         2.08         1.85         2.08         1.85 <td>1</td> <td>_</td> <td>CAT scan of abdomen</td> <td>1.19</td> <td>0.32</td> <td>0.50</td> <td>0.32</td> <td>0.50</td> <td>90.0</td> <td>1.57</td> <td>1.75</td> <td>1.57</td> <td>1.75</td> <td>Ž</td>                   | 1  | _ | CAT scan of abdomen           | 1.19              | 0.32                | 0.50                         | 0.32                | 0.50                     | 90.0             | 1.57             | 1.75             | 1.57     | 1.75                     | Ž     |
| Contrast CAT scan of abdomen         1.27         7.44         7.63         7.44         7.63         0.34         0.54         0.74         1.04         1.74         1.40         0.74         0.60         0.74         1.04         1.26         1.64         1.56         0.60         0.89         0.89         0.89         0.74         1.04         1.26         1.62         1.63         1.60         0.89         <  | _  |   | CAT scan of abdomen           | 0.00              | 5.87                | 5.86                         | 5.87                | 5.86                     | 0.27             | 6.14             | 6.13             | 6.14     | 6.13                     | ×     |
| Contrast CAT scan of abdomen         1.27         0.34         0.54         0.74         7.42         7.41         7.42         7.42         7.41         7.42         7.42         7.41         7.42         7.42         7.42         7.41         7.42         7.42         7.42         7.41         7.42         7.42         7.42         7.42         7.42         7.42         7.42         7.42         7.42         7.42         <  | •  |   | Contrast CAT scan of abdomen  | 1.27              | 7.44                | 7.63                         | 7.44                | 7.63                     | 0.39             | 9.10             | 9.29             | 9.10     | 9.29                     | ž     |
| Contrast CAT scan of abdomen         0.00         7.10         7.09         7.09         0.32         7.42         7.41         7.42         7.41           Contrast CAT scans, abdomen         1.40         9.17         9.39         0.47         11.04         11.26         11.04         11.26           Contrast CAT scans, abdomen         1.40         0.37         0.60         0.37         0.60         0.08         1.85         2.08         1.85         2.08           Contrast CAT scans, abdomen         1.40         0.37         0.60         0.08         8.80         8.79         0.89         9.19         9.18         9.19           Contrast CAT scans, abdomen         0.00         12.06         12.29         0.60         14.27         14.50         14.27         14.50         14.27           Magnetic image, abdomen (MRI)         1.60         12.29         12.06         12.29         0.69         0.71         14.77         14.77         14.77           Magnetic image, abdomen (MRA)         1.80         1.63         12.31         12.36         0.61         14.72         14.77         14.72         14.77           Magnetic image, abdomen (MRA)         1.80         0.68         0.76         0.68         0.76  | •  |   | Contrast CAT scan of abdomen  | 1.27              | 0.34                | 0.54                         | 0.34                | 0.54                     | 0.07             | 1.68             | 1.88             | 1.68     | 1.88                     | ×     |
| Contrast CAT scans, abdomen         1.40         9.17         9.39         9.47         11.04         11.26         11.04         11.26           Contrast CAT scans, abdomen         1.40         0.37         0.60         0.37         0.60         0.08         1.85         2.08         1.85         2.08           Contrast CAT scans, abdomen         0.00         8.80         8.79         8.80         8.79         0.99         9.19         9.18         9.19         9.18         2.08           Magnetic image, abdomen (MRI)         1.60         12.06         12.29         12.09         0.61         14.27         14.50         14.50         14.50           Magnetic image, abdomen (MRI)         1.60         11.63         11.60         10.69         0.03         2.12         2.38         2.12         2.38           Magnetic image, abdomen (MRA)         1.80         1.63         11.60         10.63         0.61         14.72         14.77         14.72         14.77           Magnetic image, abdomen (MRA)         1.80         0.68         0.76         0.69         0.61         14.72         14.77         14.72         14.77           Magnetic image, abdomen (MRA)         1.80         0.68         0.76   | ٩  |   | Contrast CAT scan of abdomen  | 0.00              | 7.10                | 7.09                         | 7.10                | 7.09                     | 0.32             | 7.42             | 7.41             | 7.42     | 7.41                     | ž     |
| Contrast CAT scans, abdomen         1.40         0.37         0.60         0.37         0.60         0.08         1.85         2.08         1.85         2.08           Contrast CAT scans, abdomen         0.00         8.80         8.79         8.80         8.79         0.39         9.19         9.18         9.19         9.18           Magnetic image, abdomen (MRI)         1.60         12.06         12.29         12.06         12.29         0.61         14.27         14.50         14.27         14.50           Magnetic image, abdomen (MRI)         1.60         0.43         0.69         0.43         0.69         0.09         2.12         2.38         2.12         2.38           Magnetic image, abdomen (MRA)         1.60         11.63         11.60         11.63         11.60         0.75         12.15         12.12         12.12           Magnetic image/abdomen (MRA)         1.80         0.68         0.76         0.69         0.76         0.09         2.75         2.65         2.05         2.05           Magnetic image/abdomen (MRA)         0.00         11.63         11.60         11.63         11.60         0.76         0.09         2.71         2.05         2.05         2.05           X-ray ex   | 1  |   | Contrast CAT scans, abdomen   | 1.40              | 9.17                | 9.39                         | 9.17                | 9.39                     | 0.47             | 11.04            | 11.26            | 11.04    | 11.26                    | Š     |
| Contrast CAT scans, abdomen         0.00         8.80         8.79         8.80         8.79         0.39         9.19         9.18         9.19         9.18           Magnetic image, abdomen (MRI)         1.60         12.06         12.29         12.29         0.61         14.27         14.50         14.27         14.50           Magnetic image, abdomen (MRI)         1.60         0.43         0.69         0.43         0.69         0.09         2.12         2.38         2.12         2.38           Magnetic image, abdomen (MRA)         0.00         11.63         11.60         11.63         12.31         12.36         0.61         14.77   | 1  |   | Contrast CAT scans, abdomen   | 1.40              | 0.37                | 09:0                         | 0.37                | 09'0                     | 0.08             | 1.85             | 2.08             | 1.85     | 2.08                     | ŝ     |
| Magnetic image, abdomen (MRI)         1.60         12.06         12.29         12.06         12.29         0.61         14.27         14.50         14.57         14.50           Magnetic image, abdomen (MRI)         1.60         0.43         0.69         0.09         2.12         2.38         2.12         2.38           Magnetic image, abdomen (MRA)         0.00         11.63         11.60         11.63         11.60         0.52         12.15         12.12         12.15         12.12           Magnetic image/abdomen (MRA)         1.80         0.68         0.76         0.68         0.76         0.09         2.57         2.65         2.57         2.65           Magnetic image/abdomen (MRA)         0.00         11.63         11.60         11.63         11.60         0.76         0.09         2.57         2.65         2.57         2.65           X-ray exam of peritoneum         0.48         0.12         0.14         0.12         0.14         0.14         0.02         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05         2.05<  | _  |   | Contrast CAT scans, abdomen   | 0.00              | 8.80                | 8.79                         | 8.80                | 8.79                     | 0.39             | 9.19             | 9.18             | 9.19     | 9.18                     | \$    |
| Magnetic image, abdomen (MRI)         1.60         0.43         0.69         0.09         2.12         2.38         2.12         2.38           Magnetic image, abdomen (MRI)         0.00         11.63         11.60         11.63         11.60         0.52         12.15         12.12         12.15         12.12           Magnetic image/abdomen (MRA)         1.80         12.31         12.36         12.31         12.36         0.61         14.72         14.77         14.72         14.77           Magnetic image/abdomen (MRA)         0.00         11.63         11.60         0.76         0.09         2.57         2.65         2.57         2.65           Magnetic image/abdomen (MRA)         0.00         11.63         11.60         0.76         0.09         2.57         2.65         2.57         2.65           X-ray exam of peritoneum         0.48         0.12         0.14         0.12         0.14         0.12         0.14         0.12         0.62         0.65         0.65         0.64           X-ray exam of peritoneum         0.00         1.34         1.35         1.34         1.35         0.06         1.40         1.41         1.41         1.41         1.41         1.41         1.41         1.41  | ٩  |   | Magnetic image, abdomen (MRI) | 1.60              | 12.06               | 12.29                        | 12.06               | 12.29                    | 0.61             | 14.27            | 14.50            | 14.27    | 14.50                    | Ž     |
| Magnetic image, abdomen (MRI)         0.00         11.63         11.60         11.63         11.60         0.52         12.15         12.12         12.12         12.12           Magnetic image/abdomen (MRA)         1.80         12.31         12.36         12.31         12.36         0.61         14.72         14.77         14.72         14.77           Magnetic image/abdomen (MRA)         1.80         0.68         0.76         0.68         0.76         0.09         2.57         2.65         2.57         2.65           Magnetic image/abdomen (MRA)         0.00         11.63         11.60         11.63         11.60         0.52         12.15         12.12         12.12           X-ray exam of peritoneum         0.48         0.12         0.14         0.12         0.14         0.12         0.14         0.12         0.62         0.64         0.65         0.64           X-ray exam of peritoneum         0.00         1.34         1.35         1.34         1.35         0.06         0.62         0.64         0.62         0.64         0.64         0.64         0.64         0.64         0.64         0.64         0.64         0.64         0.64         0.64         0.64         0.64         0.64         0.64 <td>٩</td> <td></td> <td>Magnetic image, abdomen (MRI)</td> <td>1.60</td> <td>0.43</td> <td>69.0</td> <td>0.43</td> <td>69.0</td> <td>60.0</td> <td>2.12</td> <td>2.38</td> <td>2.12</td> <td>2.38</td> <td>×</td> | ٩  |   | Magnetic image, abdomen (MRI) | 1.60              | 0.43                | 69.0                         | 0.43                | 69.0                     | 60.0             | 2.12             | 2.38             | 2.12     | 2.38                     | ×     |
| Magnetic image/abdomen (MRA)         1.80         12.31         12.36         12.31         12.36         0.61         14.72         14.77         14.72         14.77         14.71         14.71         14.71         14.71         14.71         14.71         14.71         14.71         14.71         1  | ٩  |   | Magnetic image, abdomen (MRI) | 0.00              | 11.63               | 11.60                        | 11.63               | 11.60                    | 0.52             | 12.15            | 12.12            | 12.15    | 12.12                    | ž     |
| Magnetic image/abdomen (MRA)         1.80         0.68         0.76         0.08         0.76         0.09         2.57         2.65         2.57         2.65           Magnetic image/abdomen (MRA)         0.00         11.63         11.60         11.63         11.60         0.52         12.15         12.12         12.12         12.12           X-ray exam of peritoneum         0.48         0.12         0.14         0.12         0.14         0.02         0.62         0.64         0.62         0.64  | ш. |   | Magnetic image/abdomen (MRA)  | 1.80              | 12.31               | 12.36                        | 12.31               | 12.36                    | 0.61             | 14.72            | 14.77            | 14.72    | 14.77                    | ×     |
| Magnetic image/abdomen (MRA)         0.00         11.63         11.60         11.63         11.60         0.52         12.15         12.12         12.12         12.12           X-ray exam of peritoneum         0.48         1.46         1.49         0.08         2.02         2.05         2.05         2.05         2.05           X-ray exam of peritoneum         0.48         0.12         0.14         0.12         0.14         0.02         0.62         0.64         0.62         0.64 <td< td=""><td>ш.</td><td></td><td>Magnetic image/abdomen (MRA)</td><td>1.80</td><td>0.68</td><td>0.76</td><td>0.68</td><td>92.0</td><td>60.0</td><td>2.57</td><td>2.65</td><td>2.57</td><td>2.65</td><td>ž</td></td<>             | ш. |   | Magnetic image/abdomen (MRA)  | 1.80              | 0.68                | 0.76                         | 0.68                | 92.0                     | 60.0             | 2.57             | 2.65             | 2.57     | 2.65                     | ž     |
| X-ray exam of peritoneum         0.48         1.46         1.49         0.08         2.02         2.05         0.64         0  | ч. |   | Magnetic image/abdomen (MRA)  | 0.00              | 11.63               | 11.60                        | 11.63               | 11.60                    | 0.52             | 12.15            | 12.12            | 12.15    | 12.12                    | ×     |
| X-ray exam of peritoneum         0.48         0.12         0.14         0.12         0.14         0.02         0.62         0.64         0.62         0.64         0.65         0.64         0.65         0.64         0.65         0.64         0.62         0.64         0.62         0.64         0.62         0.64         0.62         0.64         0.62         0.64         0.62         0.64         0.62         0.64         0.62         0.64         0.62         0.64         0.62         0.64         0.62         0.64         0.62         0.64         0.62         0.74         1.41         1  | •  |   | X-ray exam of peritoneum      | 0.48              | 1.46                | 1.49                         | 1.46                | 1.49                     | 80.0             | 2.02             | 2.05             | 2.02     | 2.05                     | ×     |
| X-ray exam of peritoneum         0.00         1.34         1.35         1.35         0.06         1.40         1.41         1.40         1.41           Contrast xray exam of throat         0.36         1.32         1.38         0.07         1.75         1.81         1.75         1.81           Contrast xray exam of throat         0.36         0.09         0.15         0.09         0.15         0.05         0.47         0.53         0.47         0.53           Contrast xray exam of throat         0.00         1.23         1.23         1.23         0.05         1.28         1.28         1.28         1.28   | `  | - | X-ray exam of peritoneum      | 0.48              | 0.12                | 0.14                         | 0.12                | 0.14                     | 0.02             | 0.62             | 0.64             | 0.62     | 0.64                     | ×     |
| Contrast xray exam of throat         0.36         1.32         1.38         0.07         1.75         1.81         1.75         1.81           Contrast xray exam of throat         0.36         0.09         0.15         0.09         0.15         0.02         0.47         0.53         0.47         0.53           Contrast xray exam of throat         0.00         1.23         1.23         1.23         0.05         1.28         1.28         1.28         1.28   | ٩  | _ | X-ray exam of peritoneum      | 0.00              | 1.34                | 1.35                         | 1.34                | 1.35                     | 90.0             | 1.40             | 1.41             | 1.40     | 1.41                     | ž     |
| Contrast xray exam of throat 0.36 0.09 0.15 0.09 0.15 0.02 0.47 0.53 0.47 0.53 Contrast xray exam of throat 0.00 1.23 1.23 1.23 1.23 1.23 1.28 1.28 1.28 1.28   | _  | d | Contrast xray exam of throat  | 0.36              | 1.32                | 1.38                         | 1.32                | 1.38                     | 0.07             | 1.75             | 1.81             | 1.75     | 1.81                     | ž     |
| Contrast xray exam of throat 0.00 1.23 1.23 1.23 0.05 1.28 1.28 1.28 1.28   | `  | 4 | Contrast xray exam of throat  | 0.36              | 60.0                | 0.15                         | 60.0                | 0.15                     | 0.02             | 0.47             | 0.53             | 0.47     | 0.53                     | ×     |
|   | ٩  | _ | Contrast xray exam of throat  | 0.00              | 1.23                | 1.23                         | 1.23                | 1.23                     | 0.05             | 1.28             | 1.28             | 1.28     | 1.28                     | ×     |

Page 137 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |                |        |                               |              | Mon Won         | Transferra      |                 | Transitioned           |                  |                   |                   |                   |                     |        |
|-----------------------------|----------------|--------|-------------------------------|--------------|-----------------|-----------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|---------------------|--------|
|                             |                |        |                               |              | facility        | Non-facility    | Facility        | rrunsmoneu<br>Facility |                  |                   | Transitioned      |                   |                     |        |
| ``                          |                |        |                               | Physician    | practice        | practice        | practice        | practice               | -laH             | Non               | Non-              |                   | <b>Iransitioned</b> |        |
| CPT /<br>HCPCS <sup>2</sup> | Mod            | Status | Description                   | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total   | Global |
| 74220                       |                | ∢      | Contrast xray exam,esophagus  | 0.46         | 1.35            | 1.43            | 1.35            | 1.43                   | 0.07             | 1.88              | 1.96              | 1.88              | 1.96                | ×      |
| 74220                       | 26             | ∢      | Contrast xray exam, esophagus | 0.46         | 0.12            | 0.20            | 0.12            | 0.20                   | 0.02             | 09.0              | 0.68              | 09.0              | 0.68                | XX     |
| 74220                       | 5              | ∢      | Contrast xray exam, esophagus | 0.00         | 1.23            | 1.23            | 1.23            | 1.23                   | 0.05             | 1.28              | 1.28              | 1.28              | 1.28                | ×      |
| 74230                       |                | ∢      | Cinema xray throat/esophagus  | 0.53         | 1.48            | 1.59            | 1.48            | 1.59                   | 0.09             | 2.10              | 2.21              | 2.10              | 2.21                | ×      |
| 74230                       | 56             | ∢      | Cinema xray throat/esophagus  | 0.53         | 0.14            | 0.24            | 0.14            | 0.24                   | 0.03             | 0.70              | 0.80              | 0.70              | 0.80                | ×      |
| 74230                       | 5              | ∢      | Cinema xray throat/esophagus  | 0.00         | 1.34            | 1.35            | 1.34            | 1.35                   | 90.0             | 1.40              | 1.41              | 1.40              | 1.41                | ×      |
| 74235                       |                | ∢      | Remove esophagus obstruction  | 1.19         | 3.08            | 3.23            | 3.08            | 3.23                   | 0.19             | 4.46              | 4.61              | 4.46              | 4.61                | ××     |
| 74235                       | 26             | ∢      | Remove esophagus obstruction  | 1.19         | 0.35            | 0.51            | 0.35            | 0.51                   | 90.0             | 1.60              | 1.76              | 1.60              | 1.76                | ×      |
| 74235                       | <b>T</b> C     | ∢      | Remove esophagus obstruction  | 0.00         | 2.73            | 2.72            | 2.73            | 2.72                   | 0.13             | 2.86              | 2.85              | 2.86              | 2.85                | ×      |
| 74240                       |                | ∢      | X-ray exam upper GI tract     | 69.0         | 1.71            | 1.82            | 1.71            | 1.82                   | 0.11             | 2.51              | 2.62              | 2.51              | 2.62                | ×      |
| 74240                       | 26             | ∢      | X-ray exam upper GI tract     | 69.0         | 0.19            | 0.31            | 0.19            | 0.31                   | 0.04             | 0.92              | 1.04              | 0.92              | 1.04                | ×      |
| 74240                       | ٦ <sub>5</sub> | ∢      | X-ray exam upper GI tract     | 0.00         | 1.52            | 1.51            | 1.52            | 1.51                   | 0.07             | 1.59              | 1.58              | 1.59              | 1.58                | ×      |
| 74241                       |                | ∢      | X-ray exam upper GI tract     | 69.0         | 1.74            | 1.85            | 1.74            | 1.85                   | 0.11             | 2.54              | 2.65              | 2.54              | 2.65                | ×      |
| 74241                       | 26             | ∢      | X-ray exam upper GI tract     | 69.0         | 0.19            | 0.31            | 0.19            | 0.31                   | 0.04             | 0.92              | 1.04              | 0.92              | 1.04                | ×      |
| 74241                       | 5              | ∢      | X-ray exam upper GI tract     | 0.00         | 1.55            | 1.54            | 1.55            | 1.54                   | 0.07             | 1.62              | 1.61              | 1.62              | 1.61                | ××     |
| 74245                       |                | ∢      | X-ray exam upper GI tract     | 0.91         | 2.72            | 2.86            | 2.72            | 2.86                   | 0.17             | 3.80              | 3.94              | 3.80              | 3.94                | ×      |
|                             | 56             | ∢      | X-ray exam upper GI tract     | 0.91         | 0.24            | 0.39            | 0.24            | 0.39                   | 0.05             | 1.20              | 1.35              | 1.20              | 1.35                | ×      |
|                             | ည              | ∢      | X-ray exam upper GI tract     | 0.00         | 2.48            | 2.47            | 2.48            | 2.47                   | 0.12             | 2.60              | 2.59              | 2.60              | 2.59                | ×.     |
|                             |                | ∢      | Contrast xray upper GI tract  | 69.0         | 1.89            | 2.01            | 1.89            | 2.01                   | 0.12             | 2.70              | 2.82              | 2.70              | 2.82                | ××     |
|                             | 56             | ∢      | Contrast xray upper GI tract  | 69.0         | 0.19            | 0.31            | 0.19            | 0.31                   | 0.04             | 0.92              | 1.04              | 0.92              | 1.04                | ×      |
|                             | ပ              | ∢      | Contrast xray upper GI tract  | 0.00         | 1.70            | 1.70            | 1.70            | 1.70                   | 0.08             | 1.78              | 1.78              | 1.78              | 1.78                | ×      |
|                             |                | ∢      | Contrast xray upper GI tract  | 69.0         | 1.93            | 2.05            | 1.93            | 2.05                   | 0.13             | 2.75              | 2.87              | 2.75              | 2.87                | ×      |
|                             | 26             | ∢      | Contrast xray upper GI tract  | 69.0         | 0.19            | 0.31            | 0.19            | 0.31                   | 0.04             | 0.92              | 1.04              | 0.92              | 1.04                | ×      |
|                             | ဥ              | ∢      | Contrast xray upper GI tract  | 0.00         | 1.74            | 1.74            | 1.74            | 1.74                   | 60.0             | 1.83              | 1.83              | 1.83              | 1.83                | ×      |
|                             |                | ∢      | Contrast xray upper GI tract  | 0.91         | 2.91            | 3.05            | 2.91            | 3.05                   | 0.18             | 4.00              | 4.14              | 4.00              | 4.14                | ×      |
|                             | <b>5</b> 6     | ∢      | Contrast xray upper GI tract  | 0.91         | 0.24            | 0.39            | 0.24            | 0.39                   | 0.05             | 1.20              | 1.35              | 1.20              | 1.35                | ×      |
|                             | 5              | ∢      | Contrast xray upper GI tract  | 0.00         | 2.67            | 2.66            | 2.67            | 2.66                   | 0.13             | 2.80              | 2.79              | 2.80              | 2.79                | ×      |
|                             |                | ∢      | X-ray exam of small bowel     | 0.47         | 1.46            | 1.55            | 1.46            | 1.55                   | 0.08             | 2.01              | 2.10              | 2.01              | 2.10                | ×      |
|                             | 26             | ∢      | X-ray exam of smail bowel     | 0.47         | 0.12            | 0.20            | 0.12            | 0.20                   | 0.02             | 0.61              | 69.0              | 0.61              | 69.0                | ×      |
|                             | ပ              | ∢      | X-ray exam of small bowel     | 0.00         | 1.34            | 1.35            | 1.34            | 1.35                   | 90.0             | 1.40              | 1.41              | 1.40              | 1.41                | ×      |
| 74251                       |                | ∢      | X-ray exam of small bowel     | 69.0         | 1.53            | 1.57            | 1.53            | 1.57                   | 0.08             | 2.30              | 2.34              | 2.30              | 2.34                | ×      |
| 74251                       | 26             | ∢      | X-ray exam of small bowel     | 69.0         | 0.19            | 0.22            | 0.19            | 0.22                   | 0.02             | 06.0              | 0.93              | 0.90              | 0.93                | ×      |
|                             | 72             | ∢      | X-ray exam of small bowel     | 0.00         | 1.34            | 1.35            | 1.34            | 1.35                   | 90:0             | 1.40              | 1.41              | 1.40              | 1.41                | ×      |
|                             |                | ∢      | X-ray exam of small bowel     | 0.50         | 1.68            | 1.76            | 1.68            | 1.76                   | 0.09             | 2.27              | 2.35              | 2.27              | 2.35                | ×      |
|                             | 56             | ⋖      | X-ray exam of small bowel     | 0.50         | 0.13            | 0.22            | 0.13            | 0.22                   | 0.02             | 0.65              | 0.74              | 0.65              | 0.74                | ×      |
| 74260                       | ည              | ⋖      | X-ray exam of small bowel     | 0.00         | 1.55            | 1.54            | 1.55            | 1.54                   | 0.07             | 1.62              | 1.61              | 1.62              | 1.61                | ×      |
|                             |                | ∢      | Contrast x-ray exam of colon  | 69.0         | 1.96            | 2.07            | 1.96            | 2.07                   | 0.13             | 2.78              | 2.89              | 2.78              | 2.89                | ×      |
| 74270                       | 56             | ∢      | Contrast x-ray exam of colon  | 69.0         | 0.19            | 0.31            | 0.19            | 0.31                   | 0.04             | 0.92              | 1.04              | 0.92              | 1.04                | ×      |
| 74270                       | ည              | ∢      | Contrast x-ray exam of colon  | 00.0         | 1.77            | 1.76            | 1.77            | 1.76                   | 60.0             | 1.86              | 1.85              | 1.86              | 1.85                | ×      |
| 74280                       |                | ∢      | Contrast x-ray exam of colon  | 66.0         | 2.58            | 2.75            | 2.58            | 2.75                   | 0.16             | 3.73              | 3.90              | 3.73              | 3.90                | ×      |
|                             |                |        |                               |              |                 |                 |                 |                        |                  |                   |                   |                   |                     |        |

Page 138 of 271
1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                       | _                        | Global                      | ××                           | ×                            | ××                           | ×                            | ×                            | ×                           | ×                           | ××                          | ××                           | ×                            | ×                            | ×                          | ×                          | ×                          | 777                      | 777                      | 222                      | ×.                         | ×                          | ×                          | ××                           | ×                            | ×                            | ×                            | ×                            | ×                            | ××                           | ×                            | ×                            | ×                            | ×                            | ×                            | ×                             | ×                            | ×                            | ×                       | ×                       | ×                       | ×                         | ××                        |
|-----------------------|--------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|----------------------------|----------------------------|----------------------------|--------------------------|--------------------------|--------------------------|----------------------------|----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------|-------------------------|-------------------------|---------------------------|---------------------------|
|                       | Transitioned             | Facility<br>Total           | 1.48                         | 2.42                         | 5.78                         | 3.00                         | 2.78                         | 1.28                        | 0.48                        | 0.80                        | 0.75                         | 0.30                         | 0.45                         | 0.00                       | 0.54                       | 0.00                       | 0.00                     | 0.32                     | 0.00                     | 1.48                       | 0.63                       | 0.85                       | 4.22                         | 0.81                         | 3.41                         | 2.96                         | 1.05                         | 1.91                         | 4.46                         | 1.05                         | 3.41                         | 4.46                         | 1.05                         | 3.41                         | 4.67                          | 1.26                         | 3.41                         | 3.66                    | 0.81                    | 2.85                    | 4.55                      | 1.14                      |
|                       |                          | Facility<br>Total           | 1.31                         | 2.42                         | 5.45                         | 2.67                         | 2.78                         | 1.21                        | 0.42                        | 0.79                        | 0.72                         | 0.26                         | 0.46                         | 0.00                       | 0.47                       | 0.00                       | 0.00                     | 0.27                     | 0.00                     | 1.41                       | 0.55                       | 98.0                       | 4.12                         | 0.71                         | 3.41                         | 2.85                         | 0.93                         | 1.92                         | 4.34                         | 0.93                         | 3.41                         | 4.34                         | 0.93                         | 3.41                         | 4.59                          | 1.18                         | 3.41                         | 3.57                    | 0.71                    | 2.86                    | 4.42                      | 1.01                      |
| J                     | nansmoneo<br>Non-        | facility<br>Total           | 1.48                         | 2.42                         | 5.78                         | 3.00                         | 2.78                         | 1.28                        | 0.48                        | 0.80                        | 0.75                         | 0.30                         | 0.45                         | 0.00                       | 0.54                       | 0.00                       | 00.00                    | 0.32                     | 00.0                     | 1.48                       | 0.63                       | 0.85                       | 4.22                         | 0.81                         | 3.41                         | 2.96                         | 1.05                         | 1.91                         | 4.46                         | 1.05                         | 3.41                         | 4.46                         | 1.05                         | 3.41                         | 4.67                          | 1.26                         | 3.41                         | 3.66                    | 0.81                    | 2.85                    | 4.55                      | 1.14                      |
|                       | Non-                     | facility<br>Total           | 1.31                         | 2.42                         | 5.45                         | 2.67                         | 2.78                         | 1.21                        | 0.42                        | 0.79                        | 0.72                         | 0.26                         | 0.46                         | 0.00                       | 0.47                       | 0.00                       | 0.00                     | 0.27                     | 0.00                     | 1.41                       | 0.55                       | 98.0                       | 4.12                         | 0.71                         | 3.41                         | 2.85                         | 0.93                         | 1.92                         | 4.34                         | 0.93                         | 3.41                         | 4.34                         | 0.93                         | 3.41                         | 4.59                          | 1.18                         | 3.41                         | 3.57                    | 0.71                    | 2.86                    | 4.42                      | 1.01                      |
|                       | Mal-                     | practice<br>RUVs            | 0.05                         | 0.11                         | 0.24                         | 0.11                         | 0.13                         | 90:0                        | 0.02                        | 0.04                        | 0.03                         | 0.01                         | 0.02                         | 0.00                       | 0.02                       | 0.00                       | 0.0                      | 0.01                     | 0.00                     | 90:0                       | 0.02                       | 0.04                       | 0.18                         | 0.03                         | 0.15                         | 0.13                         | 0.04                         | 60.0                         | 0.19                         | 0.0                          | 0.15                         | 0.19                         | 0.04                         | 0.15                         | 0.19                          | 0.04                         | 0.15                         | 0.16                    | 0.03                    | 0.13                    | 0.19                      | 0.04                      |
| Transitioned Facility | practice                 | expense<br>RVUs             | 0.44                         | 2.31                         | 3.52                         | 0.87                         | 2.65                         | 0.90                        | 0.14                        | 97.0                        | 0.52                         | 60.0                         | 0.43                         | 0.00                       | 0.16                       | 0.00                       | 0.00                     | 0.10                     | 0.00                     | 1.00                       | 0.19                       | 0.81                       | 3.50                         | 0.24                         | 3.26                         | 2.13                         | 0.31                         | 1.82                         | 3.57                         | 0.31                         | 3.26                         | 3.57                         | 0.31                         | 3.26                         | 3.58                          | 0.32                         | 3.26                         | 2.96                    | 0.24                    | 2.72                    | 3.60                      | 0.34                      |
| Facility              | practice                 | expense<br>RVUs             | 0.27                         | 2.31                         | 3.19                         | 0.54                         | 2.65                         | 0.83                        | 0.08                        | 0.75                        | 0.49                         | 0.05                         | 0.44                         | 0.00                       | 60.0                       | 0.00                       | 0.00                     | 0.05                     | 0.00                     | 0.93                       | 0.11                       | 0.82                       | 3.40                         | 0.14                         | 3.26                         | 2.02                         | 0.19                         | 1.83                         | 3.45                         | 0.19                         | 3.26                         | 3.45                         | 0.19                         | 3.26                         | 3.50                          | 0.24                         | 3.26                         | 2.87                    | 0.14                    | 2.73                    | 3.47                      | 0.21                      |
| Transitioned          | non-racility<br>practice | expense                     | 0.44                         | 2.31                         | 3.52                         | 0.87                         | 2.65                         | 06.0                        | 0.14                        | 9.76                        | 0.52                         | 60:0                         | 0.43                         | 00.00                      | 0.16                       | 0.00                       | 00.00                    | 0.10                     | 0.00                     | 1.00                       | 0.19                       | 0.81                       | 3.50                         | 0.24                         | 3.26                         | 2.13                         | 0.31                         | 1.82                         | 3.57                         | 0.31                         | 3.26                         | 3.57                         | 0.31                         | 3.26                         | 3.58                          | 0.32                         | 3.26                         | 2.96                    | 0.24                    | 2.72                    | 3.60                      | 0.34                      |
| Non-                  | practice                 | expense<br>RVUs             | 0.27                         | 2.31                         | 3.19                         | 0.54                         | 2.65                         | 0.83                        | 80.0                        | 0.75                        | 0.49                         | 0.05                         | 0.44                         | 0.00                       | 60.0                       | 0.00                       | 0.00                     | 0.05                     | 0.00                     | 0.93                       | 0.11                       | 0.82                       | 3.40                         | 0.14                         | 3.26                         | 2.02                         | 0.19                         | 1.83                         | 3.45                         | 0.19                         | 3.26                         | 3.45                         | 0.19                         | 3.26                         | 3.50                          | 0.24                         | 3.26                         | 2.87                    | 0.14                    | 2.73                    | 3.47                      | 0.21                      |
|                       | Physician                | work 3                      | 0.99                         | 0.00                         | 2.02                         | 2.02                         | 0.00                         | 0.32                        | 0.32                        | 0.00                        | 0.20                         | 0.20                         | 0.00                         | 0.00                       | 0.36                       | 0.00                       | 0.00                     | 0.21                     | 0.00                     | 0.42                       | 0.42                       | 0.00                       | 0.54                         | 0.54                         | 0.00                         | 0.70                         | 0.70                         | 0.00                         | 0.70                         | 0.70                         | 0.00                         | 0.70                         | 0.70                         | 0.00                         | 0.90                          | 0.90                         | 0.00                         | 0.54                    | 0.54                    | 0.00                    | 92.0                      | 92.0                      |
|                       |                          | Description                 | Contrast x-ray exam of colon | Contrast x-ray, gallbladder | Contrast x-ray, galibladder | Contrast x-ray, gallbladder | Contrast x-rays, gallbladder | Contrast x-rays, gallbladder | Contrast x-rays, gallbladder | X-ray bile ducts, pancreas | X-ray bile ducts, pancreas | X-ray bile ducts, pancreas | X-rays at surgery add-on | X-rays at surgery add-on | X-rays at surgery add-on | X-ray bile ducts, pancreas | X-ray bile ducts, pancreas | X-ray bile ducts, pancreas | Contrast x-ray of bile ducts | Contrast x-ray of bile ducts | Contrast x-ray of bile ducts | X-ray for bile stone removal | X-ray for bile stone removal | X-ray for bile stone removal | Xray for bile duct endoscopy | Xray for bile duct endoscopy | Xray for bile duct endoscopy | X-ray for pancreas endoscopy | X-ray for pancreas endoscopy | X-ray for pancreas endoscopy | Xray, bile/pancreas endoscopy | Xray,bile/pancreas endoscopy | Xray,bile/pancreas endoscopy | X-ray guide for GI tube | X-ray guide for GI tube | X-ray guide for GI tube | X-ray guide, stomach tube | X-ray guide, stomach tube |
|                       |                          | Status                      | ∢                            | ∢                            | ∢                            | ∢                            | ∢                            | ∢                           | ∢                           | ∢                           | ∢                            | ∢                            | ∢                            | ပ                          | ∢                          | ပ                          | ပ                        | ∢                        | ပ                        | ∢                          | ∢                          | ∢                          | ∢                            | ∢                            | ∢                            | ∢                            | ∢                            | ∢                            | ∢                            | ⋖                            | ∢                            | ⋖                            | ∢                            | ∢                            | ∢                             | ∢                            | ∢                            | ∢                       | ∢                       | ∢                       | ∢                         | ∢                         |
|                       |                          | Mod                         | Ñ                            | 10                           |                              | 56                           | 5                            |                             | 56                          | 2                           |                              | 56                           | 10                           |                            | 56                         | ဥ                          |                          | 56                       | ည                        |                            | 56                         | 2                          |                              | 56                           | 2                            |                              | 56                           | 2                            |                              | 56                           | 5                            |                              | 56                           | ပ                            |                               | 56                           | 10                           |                         | 56                      | 2                       |                           | 56                        |
|                       | -                        | CPT /<br>HCPCS <sup>2</sup> | 74280                        | 74280                        | 74283                        | 74283                        | 74283                        | 74290                       | 74290                       | 74290                       | 74291                        | 74291                        | 74291                        | 74300                      | 74300                      | 74300                      | 74301                    | 74301                    | 74301                    | 74305                      | 74305                      | 74305                      | 74320                        | 74320                        | 74320                        | 74327                        | 74327                        | 74327                        | 74328                        | 74328                        | 74328                        | 74329                        | 74329                        | 74329                        | 74330                         | 74330                        | 74330                        | 74340                   | 74340                   | 74340                   | 74350                     | 74350                     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |        |        |                              |                   | 1                   |                              | •                   | ,                       |                  |                  |                  |          |                          |        |
|--------------------|--------|--------|------------------------------|-------------------|---------------------|------------------------------|---------------------|-------------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|                    |        |        |                              |                   | Non-<br>facility    | Iransitioned<br>Non-facility | Facility            | ıransınonea<br>Facility |                  |                  | Transitioned     |          |                          |        |
| CPT 1/             |        |        |                              | Physician<br>work | practice<br>expense | practice<br>expense          | practice<br>expense | practice<br>expense     | Mal-<br>proctice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| HCPCS <sup>2</sup> | Mod    | Status | Description                  | RVUs <sup>3</sup> | RYUS                | RVUs                         | RVUs                | RYUs                    | RUVs             | Total            | Total            | Total    | Total                    | Global |
| 74350              | 75     | ∢      | X-ray guide, stomach tube    | 00.0              | 3.26                | 3.26                         | 3.26                | 3.26                    | 0.15             | 3.41             | 3.41             | 3.41     | 3.41                     | ××     |
| 74355              |        | ∢      | X-ray guide, intestinal tube | 92.0              | 2.94                | 3.06                         | 2.94                | 3.06                    | 0.17             | 3.87             | 3.99             | 3.87     | 3.99                     | ×      |
| 74355              | 56     | ∢      | X-ray guide, intestinal tube | 0.76              | 0.21                | 0.34                         | 0.21                | 0.34                    | 0.04             | 1.01             | 1.14             | 1.01     | 1.14                     | ×      |
| 74355              | 5      | ∢      | X-ray guide, intestinal tube | 0.00              | 2.73                | 2.72                         | 2.73                | 2.72                    | 0.13             | 2.86             | 2.85             | 2.86     | 2.85                     | ×      |
| 74360              |        | ∢      | X-ray guide, GI dilation     | 0.54              | 3.44                | 3.51                         | 3.44                | 3.51                    | 0.18             | 4.16             | 4.23             | 4.16     | 4.23                     | ×      |
| 74360              | 56     | ∢      | X-ray guide, GI dilation     | 0.54              | 0.18                | 0.25                         | 0.18                | 0.25                    | 0.03             | 0.75             | 0.82             | 0.75     | 0.82                     | ×      |
| 74360              | 2      | ∢      | X-ray guide, Gl dilation     | 0.00              | 3.26                | 3.26                         | 3.26                | 3.26                    | 0.15             | 3.41             | 3.41             | 3.41     | 3.41                     | ×      |
| 74363              |        | ∢      | X-ray, bile duct dilation    | 0.88              | 6.57                | 6.70                         | 6.57                | 6.70                    | 0.34             | 7.79             | 7.92             | 7.79     | 7.92                     | ×      |
| 74363              | 56     | ∢      | X-ray, bile duct dilation    | 0.88              | 0.24                | 0.38                         | 0.24                | 0.38                    | 0.05             | 1.17             | 1.31             | 1.17     | 1.31                     | ×      |
| 74363              | 5      | ∢      | X-ray, bile duct dilation    | 00.00             | 6.33                | 6.32                         | 6.33                | 6.32                    | 0.29             | 6.62             | 6.61             | 6.62     | 6.61                     | ×      |
| 74400              |        | ∢      | Contrast x-ray urinary tract | 0.49              | 1.87                | 1.95                         | 1.87                | 1.95                    | 0.11             | 2.47             | 2.55             | 2.47     | 2.55                     | ×      |
| 74400              | 56     | ∢      | Contrast x-ray urinary tract | 0.49              | 0.13                | 0.21                         | 0.13                | 0.21                    | 0.02             | 0.64             | 0.72             | 0.64     | 0.72                     | ×      |
| 74400              | 5      | ∢      | Contrast x-ray urinary tract | 00.00             | 1.74                | 1.74                         | 1.74                | 1.74                    | 0.09             | 1.83             | 1.83             | 1.83     | 1.83                     | ×      |
| 74405              |        | ۵      | Contrast x-ray urinary tract | 0.00              | 0.00                | 0.00                         | 0.00                | 00.00                   | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 74405              | 56     | ۵      | Contrast x-ray urinary tract | 0.00              | 00.0                | 0.00                         | 0.00                | 00.00                   | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 74405              | 5      | ۵      | Contrast x-ray urinary tract | 00.00             | 00.00               | 0.00                         | 0.00                | 00.00                   | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ××     |
| 74410              |        | ∢      | Contrast x-ray urinary tract | 0.49              | 2.15                | 2.23                         | 2.15                | 2.23                    | 0.11             | 2.75             | 2.83             | 2.75     | 2.83                     | ×      |
| 74410              | 56     | ∢      | Contrast x-ray urinary tract | 0.49              | 0.13                | 0.21                         | 0.13                | 0.21                    | 0.02             | 0.64             | 0.72             | 0.64     | 0.72                     | ×      |
| 74410              | 2      | ∢      | Contrast x-ray urinary tract | 0.00              | 2.02                | 2.02                         | 2.02                | 2.02                    | 0.09             | 2.11             | 2.11             | 2.11     | 2.11                     | ×      |
| 74415              |        | ∢      | Contrast x-ray urinary tract | 0.49              | 2.33                | 2.40                         | 2.33                | 2.40                    | 0.12             | 2.94             | 3.01             | 2.94     | 3.01                     | ×      |
| 74415              | 56     | ∢      | Contrast x-ray urinary tract | 0.49              | 0.13                | 0.21                         | 0.13                | 0.21                    | 0.02             | 0.64             | 0.72             | 0.64     | 0.72                     | ×      |
| 74415              | ٦<br>ک | ∢      | Contrast x-ray urinary tract | 00:0              | 2.20                | 2.19                         | 2.20                | 2.19                    | 0.10             | 2.30             | 2.29             | 2.30     | 2.29                     | ×      |
| 74420              |        | ∢      | Contrast x-ray urinary tract | 0.36              | 2.83                | 2.87                         | 2.83                | 2.87                    | 0.15             | 3.34             | 3.38             | 3.34     | 3.38                     | ×      |
| 74420              | 56     | ∢      | Contrast x-ray urinary tract | 0.36              | 0.10                | 0.15                         | 0.10                | 0.15                    | 0.02             | 0.48             | 0.53             | 0.48     | 0.53                     | ×      |
| 74420              | 2      | ∢      | Contrast x-ray urinary tract | 0.00              | 2.73                | 2.72                         | 2.73                | 2.72                    | 0.13             | 2.86             | 2.85             | 2.86     | 2.85                     | ×      |
| 74425              |        | ∢      | Contrast x-ray urinary tract | 0.36              | 1.43                | 1.50                         | 1.43                | 1.50                    | 0.08             | 1.87             | 1.94             | 1.87     | 1.94                     | ×      |
| 74425              | 56     | ∢      | Contrast x-ray urinary tract | 0.36              | 60.0                | 0.15                         | 60.0                | 0.15                    | 0.02             | 0.47             | 0.53             | 0.47     | 0.53                     | ××     |
| 74425              | 2      | ∢      | Contrast x-ray urinary tract | 0.00              | 1.34                | 1.35                         | 1.34                | 1.35                    | 90.0             | 1.40             | 1.41             | 1.40     | 1.41                     | ×      |
| 74430              |        | ∢      | Contrast x-ray of bladder    | 0.32              | 1.16                | 1.23                         | 1.16                | 1.23                    | 0.07             | 1.55             | 1.62             | 1.55     | 1.62                     | ×      |
| 74430              | 56     | ∢      | Contrast x-ray of bladder    | 0.32              | 0.08                | 0.14                         | 0.08                | 0.14                    | 0.02             | 0.42             | 0.48             | 0.42     | 0.48                     | ×      |
| 74430              | 2      | ∢      | Contrast x-ray of bladder    | 0.00              | 1.08                | 1.09                         | 1.08                | 1.09                    | 0.05             | 1.13             | 1.14             | 1.13     | 1.14                     | ××     |
| 74440              |        | ∢      | Xray exam male genital tract | 0.38              | 1.28                | 1.33                         | 1.28                | 1.33                    | 0.07             | 1.73             | 1.78             | 1.73     | 1.78                     | ×      |
| 74440              | 56     | ∢      | Xray exam male genital tract | 0.38              | 0.10                | 0.16                         | 0.10                | 0.16                    | 0.02             | 0.50             | 0.56             | 0.50     | 0.56                     | ×      |
| 74440              | 2      | ∢      | Xray exam male genital tract | 0.00              | 1.18                | 1.17                         | 1.18                | 1.17                    | 0.05             | 1.23             | 1.22             | 1.23     | 1.22                     | ×      |
| 74445              |        | ∢      | X-ray exam of penis          | 1.14              | 1.52                | 1.66                         | 1.52                | 1.66                    | 0.11             | 2.77             | 2.91             | 2.77     | 2.91                     | ×      |
| 74445              | 56     | ∢      | X-ray exam of penis          | 1.14              | 0.34                | 0.49                         | 0.34                | 0.49                    | 90.0             | 1.54             | 1.69             | 1.54     | 1.69                     | ×      |
| 74445              | ည      | ∢      | X-ray exam of penis          | 0.00              | 1.18                | 1.17                         | 1.18                | 1.17                    | 0.05             | 1.23             | 1.22             | 1.23     | 1.22                     | ×      |
| 74450              |        | ∢      | X-ray exam urethra/bladder   | 0.33              | 1.61                | 1.65                         | 1.61                | 1.65                    | 60.0             | 2.03             | 2.07             | 2.03     | 2.07                     | ×      |
| 74450              | 56     | ∢      | X-ray exam urethra/bladder   | 0.33              | 60.0                | 0.14                         | 60.0                | 0.14                    | 0.02             | 0.44             | 0.49             | 0.44     | 0.49                     | ×      |
| 74450              | 2      | ∢      | X-ray exam urethra/bladder   | 00:00             | 1.52                | 1.51                         | 1.52                | 1.51                    | 0.07             | 1.59             | 1.58             | 1.59     | 1.58                     | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                                   |                                |                              |          |            | Non-<br>facility | Transitioned<br>Non-facility | Facility | Transitioned<br>Facility |      |       | Transitioned |            |                       |        |
|-----------------------------------|--------------------------------|------------------------------|----------|------------|------------------|------------------------------|----------|--------------------------|------|-------|--------------|------------|-----------------------|--------|
|                                   |                                |                              |          | Physician  | practice         | practice                     | practice | practice                 | Mal- | Non-  | Non-         | After      | Transitioned Contract |        |
| HCPCS Mod Status Description      |                                | Description                  |          | RVUs 3     | RVUs             | RVUs                         | RVUs     | RVUs                     | RUYs | Total | Total        | Total      | Total                 | Global |
| A Contrast x-ray exam of aorta    | A Contrast x-ray exam of aorta | Contrast x-ray exam of aorta |          | 0.49       | 13.28            | 13.27                        | 13.28    | 13.27                    | 0.61 | 14.38 | 14.37        | 14.38      | 14.37                 | xxx    |
| A Contrast x-ray exam of aorta    | Contrast x-ray exam of aorta   |                              | o        | 0.49       | 0.20             | 0.23                         | 0.20     | 0.23                     | 0.02 | 0.71  | 0.74         | 0.71       | 0.74                  | ××     |
| Contrast x-ray exam of aorta      | Contrast x-ray exam of aorta   |                              | Ö :      | ο.         | 13.08            | 13.04                        | 13.08    | 13.04                    | 0.59 | 13.67 | 13.63        | 13.67      | 13.63                 | ×      |
| A Contrast x-ray exam of aorta    | Contrast x-ray exam of aorta   |                              | 7        | <u>.</u> . | 13.44            | 13.54                        | 13.44    | 13.54                    | 0.65 | 15.23 | 15.33        | 15.23      | 15.33                 | ž š    |
| A Contrast x-ray exam of aorta    | Contrast x-ray exam of aorta   |                              | 1.14     | <b>.</b> . | 0.36             | 0.50                         | 0.36     | 0.50                     | 0.06 | 1.56  | 1./0         | 5.5<br>5.5 | 0/.                   | ž      |
| Contrast x-ray exam of aorta      | Contrast x-ray exam of aorta   |                              | 0.00     |            | 13.08            | 13.04                        | 13.08    | 13.04                    | 0.59 | 13.67 | 13.63        | 13.67      | 13.63                 | ×      |
| A Contrast x-ray exam of aorta    | Contrast x-ray exam of aorta   |                              | 1.14     |            | 13.40            | 13.53                        | 13.40    | 13.53                    | 0.65 | 15.19 | 15.32        | 91.CI      | 15.32                 | ž      |
| A Contrast x-ray exam of aorta    | Contrast x-ray exam of aorta   |                              | 1.14     |            | 0.32             | 0.49                         | 0.32     | 0.49                     | 0.06 | 1.52  | 1.69         | 1.52       | 99.0                  | X      |
| Contrast x-ray exam of aona       | Contrast x-ray exam of aoria   | _                            | 0.00     |            | 13.08            | 13.04                        | 13.08    | 13.04                    | 0.59 | 13.67 | 13.63        | 13.67      | 13.63                 | X      |
| A X-ray aorta, leg arteries       | X-ray aorta, leg arteries      |                              | 1.79     |            | 14.14            | 14.20                        | 14.14    | 14.20                    | 0.69 | 16.62 | 16.68        | 16.62      | 16.68                 | ×      |
| ∢                                 | X-ray aorta, leg arteries      |                              | 9/.      |            | 0.53             | U.61                         | 0.53     | 0.61                     | 0.0  | 2.39  | 2.47         | 2.39       | 2.47                  | ž      |
| X-ray aorta, leg arteries         | X-ray aorta, leg arteries      |                              | 0.00     |            | 13.61            | 13.59                        | 13.61    | 13.59                    | 0.62 | 14.23 | 14.21        | 14.23      | 14.21                 | ×      |
| ∢                                 | Artery x-rays, head & neck     |                              | 1.49     |            | 13.48            | 13.68                        | 13.48    | 13.68                    | 0.67 | 15.64 | 15.84        | 15.64      | 15.84                 | ×      |
| A Artery x-rays, head & neck      | Artery x-rays, head & neck     |                              | 1.49     |            | 0.40             | 0.64                         | 0.40     | 0.64                     | 0.08 | 1.97  | 2.21         | 1.97       | 2.21                  | ×      |
| Artery x-rays, head & neck        | Artery x-rays, head & neck     |                              | 0.00     |            | 13.08            | 13.04                        | 13.08    | 13.04                    | 0.59 | 13.67 | 13.63        | 13.67      | 13.63                 | ×      |
| A X-ray exam of arm arteries 1.31 | X-ray exam of arm arteries     |                              | 1.31     |            | 13.56            | 13.63                        | 13.56    | 13.63                    | 99.0 | 15.53 | 15.60        | 15.53      | 15.60                 | ×      |
| A X-ray exam of arm arteries      | X-ray exam of arm arteries     |                              | 1.31     |            | 0.48             | 0.59                         | 0.48     | 0.59                     | 0.07 | 1.86  | 1.97         | 1.86       | 1.97                  | ×      |
| X-ray exam of arm arteries        | X-ray exam of arm arteries     |                              | 0.00     |            | 13.08            | 13.04                        | 13.08    | 13.04                    | 0.59 | 13.67 | 13.63        | 13.67      | 13.63                 | ×      |
| A Artery x-rays, head & neck      | Artery x-rays, head & neck     |                              | 1.31     |            | 13.46            | 13.61                        | 13.46    | 13.61                    | 99.0 | 15.43 | 15.58        | 15.43      | 15.58                 | ××     |
| A Artery x-rays, head & neck      | Artery x-rays, head & neck     |                              | 1.31     |            | 0.38             | 0.57                         | 0.38     | 0.57                     | 0.07 | 1.76  | 1.95         | 1.76       | 1.95                  | ×      |
| Artery x-rays, head & neck        | Artery x-rays, head & neck     |                              | 0.00     |            | 13.08            | 13.04                        | 13.08    | 13.04                    | 0.59 | 13.67 | 13.63        | 13.67      | 13.63                 | ×      |
| ∢ •                               | Artery x-rays, head & neck     |                              | 1.66     |            | 13.61            | 13.77                        | 13.61    | 13.77                    | 0.68 | 15.95 | 16.11        | 15.95      | 16.11                 | × ?    |
| Attend Allego & Heck              | Attend Allego & Heck           |                              | 9 6      |            | 5 6 6            | 5.5                          | 20.00    | 5.5                      | 0.03 | 42.67 | 12.40        | 42.40      | 12.40                 | <      |
| A Artery x-rays, head & neck      | Artery x-rays, iread & neck    |                              | 1.31     |            | 13.45            | 13.61                        | 13.45    | 13.61                    | 0.66 | 15.42 | 15.58        | 15.42      | 15.58                 | X<br>X |
| Artery x-rays, head & neck        | Artery x-rays, head & neck     |                              | 1.31     |            | 0.37             | 0.57                         | 0.37     | 0.57                     | 0.07 | 1.75  | 1.95         | 1.75       | 1.95                  | ×      |
| Artery x-rays, head & neck        | Artery x-rays, head & neck     |                              | 0.00     |            | 13.08            | 13.04                        | 13.08    | 13.04                    | 0.59 | 13.67 | 13.63        | 13.67      | 13.63                 | ×      |
| A Artery x-rays, head & neck 1.66 | Artery x-rays, head & neck     |                              | 1.66     |            | 13.53            | 13.75                        | 13.53    | 13.75                    | 0.68 | 15.87 | 16.09        | 15.87      | 16.09                 | ×      |
| A Artery x-rays, head & neck      | Artery x-rays, head & neck     | head & neck                  | 1.66     |            | 0.45             | 0.71                         | 0.45     | 0.71                     | 0.09 | 2.20  | 2.46         | 2.20       | 2.46                  | ×      |
| Artery x-rays, head & neck        | Artery x-rays, head & neck     | & neck                       | 0.00     |            | 13.08            | 13.04                        | 13.08    | 13.04                    | 0.59 | 13.67 | 13.63        | 13.67      | 13.63                 | ×      |
| A Artery x-rays, neck 1.31        | Artery x-rays, neck            |                              | 1.31     |            | 13.46            | 13.61                        | 13.46    | 13.61                    | 99.0 | 15.43 | 15.58        | 15.43      | 15.58                 | ×      |
| A Artery x-rays, neck             | Artery x-rays, neck            |                              | 1.31     |            | 0.38             | 0.57                         | 0.38     | 0.57                     | 0.07 | 1.76  | 1.95         | 1.76       | 1.95                  | ×      |
| Artery x-rays, neck               | Artery x-rays, neck            | neck                         | 0.00     |            | 13.08            | 13.04                        | 13.08    | 13.04                    | 0.59 | 13.67 | 13.63        | 13.67      | 13.63                 | ×      |
| A Artery x-rays, neck 1.66        | Artery x-rays, neck            | neck                         | 1.66     |            | 13.53            | 13.75                        | 13.53    | 13.75                    | 0.68 | 15.87 | 16.09        | 15.87      | 16.09                 | ××     |
| A Artery x-rays, neck             | Artery x-rays, neck            | neck                         | 1.66     |            | 0.45             | 0.71                         | 0.45     | 0.71                     | 0.09 | 2.20  | 2.46         | 2.20       | 2.46                  | ××     |
| TC A Artery x-rays, neck 0.00     | Artery x-rays, neck            |                              | 0.00     |            | 13.08            | 13.04                        | 13.08    | 13.04                    | 0.59 | 13.67 | 13.63        | 13.67      | 13.63                 | ××     |
| Artery x-rays, spine              | Artery x-rays, spine           | spine                        | <u>+</u> | _          | 13.44            | 13.60                        | 13.44    | 13.60                    | 99.0 | 15.41 | 15.57        | 15.41      | 15.57                 | ××     |
| A Artery x-rays, spine            | Artery x-rays, spine           | spine                        | 1.3      | _          | 0.36             | 0.56                         | 0.36     | 0.56                     | 0.07 | 1.74  | 1.94         | 1.74       | 1.94                  | ×      |
| TC A Artery x-rays, spine 0.00    | Artery x-rays, spine           |                              | 0.00     | _          | 13.08            | 13.04                        | 13.08    | 13.04                    | 0.59 | 13.67 | 13.63        | 13.67      | 13.63                 | ××     |
| A Artery x-rays, spine 2.18       | Artery x-rays, spine           |                              | 2.18     |            | 13.70            | 13.99                        | 13.70    | 13.99                    | 0.71 | 16.59 | 16.88        | 16.59      | 16.88                 | ××     |
|                                   |                                |                              |          |            |                  |                              |          |                          |      |       |              |            |                       |        |

Page 142 of 271 Codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                  |     |        | ADI                           | AUDLINUUM D | VERHILL V            | וארמב מווויז(ו           | TONY HILL       | יייייייייייייייייייייייייייייייייייייי |                  | _                 |                      |                   |                   |        |
|------------------|-----|--------|-------------------------------|-------------|----------------------|--------------------------|-----------------|--|------------------|-------------------|----------------------|-------------------|-------------------|--------|
|                  |     |        |                               |             | Non-                 | Transitioned             | , in the second | Transitioned                           |                  |                   | ;                    |                   |                   |        |
| -                |     |        |                               | Physician   | racility<br>practice | Non-racility<br>practice | practice        | radility<br>practice                   | Mal-             | Non-              | iransitioned<br>Non- |                   | Transitioned      |        |
| CPT /<br>HCPCS 2 | Mod | Status | Description                   | work 3      | expense<br>RVUs      | expense<br>RVUs          | expense<br>RVUs | expense<br>RVUs                        | practice<br>RUVs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Global |
| 75705            | Ñ   | ∢      | Artery x-rays, spine          | 2.18        | 0.62                 | 0.95                     | 0.62            | 0.95                                   | 0.12             | 2.92              | 3.25                 | 2.92              | 3.25              | ž      |
| 75705            | 5   | ∢      | Artery x-rays, spine          | 00.0        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ×      |
| 75710            |     | ∢      | Artery x-rays, arm/leg        | 1.14        | 13.41                | 13.53                    | 13.41           | 13.53                                  | 0.65             | 15.20             | 15.32                | 15.20             | 15.32             | ×      |
| 75710            | 56  | ∢      | Artery x-rays, arm/leg        | 1.14        | 0.33                 | 0.49                     | 0.33            | 0.49                                   | 90.0             | 1.53              | 1.69                 | 1.53              | 1.69              | ×      |
| 75710            | 2   | ∢      | Artery x-rays, arm/leg        | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ××     |
| 75716            |     | ∢      | Artery x-rays, arms/legs      | 1.31        | 13.44                | 13.60                    | 13.44           | 13.60                                  | 99.0             | 15.41             | 15.57                | 15.41             | 15.57             | ××     |
| 75716            | 56  | ∢      | Artery x-rays, arms/legs      | 1.31        | 0.36                 | 0.56                     | 0.36            | 0.56                                   | 0.07             | 1.74              | 1.94                 | 1.74              | 1.94              | ×      |
| 75716            | 2   | ∢      | Artery x-rays, arms/legs      | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ××     |
| 75722            |     | ∢      | Artery x-rays, kidney         | 1.14        | 13.43                | 13.53                    | 13.43           | 13.53                                  | 0.65             | 15.22             | 15.32                | 15.22             | 15.32             | ×      |
| 75722            | 56  | ∢      | Artery x-rays, kidney         | 1.14        | 0.35                 | 0.49                     | 0.35            | 0.49                                   | 90.0             | 1.55              | 1.69                 | 1.55              | 1.69              | ×      |
| 75722            | 5   | ∢      | Artery x-rays, kidney         | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ×      |
| 75724            |     | ∢      | Artery x-rays, kidneys        | 1.49        | 13.62                | 13.72                    | 13.62           | 13.72                                  | 0.67             | 15.78             | 15.88                | 15.78             | 15.88             | ×      |
| 75724            | 56  | ∢      | Artery x-rays, kidneys        | 1.49        | 0.54                 | 89.0                     | 0.54            | 0.68                                   | 0.08             | 2.11              | 2.25                 | 2.11              | 2.25              | ×      |
| 75724            | ဥ   | ∢      | Artery x-rays, kidneys        | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ××     |
| 75726            |     | ∢      | Artery x-rays, abdomen        | 1.14        | 13.39                | 13.52                    | 13.39           | 13.52                                  | 0.65             | 15.18             | 15.31                | 15.18             | 15.31             | ×      |
| 75726            | 56  | ∢      | Artery x-rays, abdomen        | 1.14        | 0.31                 | 0.48                     | 0.31            | 0.48                                   | 90.0             | 1.51              | 1.68                 | 1.51              | 1.68              | ××     |
| 75726            | ည   | ∢      | Artery x-rays, abdomen        | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ×      |
| 75731            |     | ∢      | Artery x-rays, adrenal gland  | 1.14        | 13.38                | 13.52                    | 13.38           | 13.52                                  | 0.65             | 15.17             | 15.31                | 15.17             | 15.31             | ×.     |
| 75731            | 56  | ∢      | Artery x-rays, adrenal gland  | 1.14        | 0.30                 | 0.48                     | 0:30            | 0.48                                   | 90.0             | 1.50              | 1.68                 | 1.50              | 1.68              | ×      |
| 75731            | ည   | ∢      | Artery x-rays, adrenal gland  | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ×      |
| 75733            |     | ∢      | Artery x-rays, adrenal glands | 1.31        | 13.44                | 13.60                    | 13.44           | 13.60                                  | 99.0             | 15.41             | 15.57                | 15.41             | 15.57             | ×      |
| 75733            | 56  | ∢      | Artery x-rays, adrenal glands | 1.31        | 0.36                 | 0.56                     | 0.36            | 0.56                                   | 0.07             | 1.74              | 1.94                 | 1.74              | 1.94              | ×      |
| 75733            | ည   | ∢      | Artery x-rays,adrenal glands  | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ×      |
| 75736            |     | ∢      | Artery x-rays, pelvis         | 1.14        | 13.39                | 13.52                    | 13.39           | 13.52                                  | 0.65             | 15.18             | 15.31                | 15.18             | 15.31             | ž      |
| 75736            | 56  | ∢      | Artery x-rays, pelvis         | 4.1         | 0.31                 | 0.48                     | 0.31            | 0.48                                   | 90.0             | 1.51              | 1.68                 | 1.51              | 1.68              | ×      |
| 75736            | ပ္  | ∢      | Artery x-rays, pelvis         | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ž      |
| 75741            |     | ∢ ·    | Artery x-rays, lung           | 1.31        | 13.44                | 13.60                    | 13.44           | 13.60                                  | 99.0             | 15.41             | 15.57                | 15.41             | 15.57             | ×      |
| 75741            | 56  | ∢      | Artery x-rays, lung           | 1.31        | 0.36                 | 0.56                     | 0.36            | 0.56                                   | 0.07             | 1.74              | 1.94                 | 1.74              | 1.94              | ×      |
| 75741            | ပ   | ∢ ⋅    | Artery x-rays, lung           | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ž      |
| /5/43            |     | ∢      |                               | 9.          | 13.53                | 13.75                    | 13.53           | 13.75                                  | 0.68             | 15.87             | 16.09                | 15.87             | 16.09             | XX     |
| 75743            | 56  | ∢      | Artery x-rays, lungs          | 1.66        | 0.45                 | 0.71                     | 0.45            | 0.71                                   | 60.0             | 2.20              | 2.46                 | 2.20              | 2.46              | ×      |
| 75743            | ဥ   | ∢      | Artery x-rays, lungs          | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ž      |
| 75746            |     | ∢      | Artery x-rays, lung           | 1.14        | 13.41                | 13.53                    | 13.41           | 13.53                                  | 0.65             | 15.20             | 15.32                | 15.20             | 15.32             | ×      |
| 75746            | 56  | ∢      | Artery x-rays, lung           | 1.14        | 0.33                 | 0.49                     | 0.33            | 0.49                                   | 90.0             | 1.53              | 1.69                 | 1.53              | 1.69              | ×      |
| 75746            | ဥ   | ∢      | Artery x-rays, lung           | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ××     |
| 75756            |     | ∢      | Artery x-rays, chest          | 1.14        | 13.56                | 13.57                    | 13.56           | 13.57                                  | 0.65             | 15.35             | 15.36                | 15.35             | 15.36             | ×      |
| 75756            | 56  | ∢      | Artery x-rays, chest          | 1.14        | 0.48                 | 0.53                     | 0.48            | 0.53                                   | 90.0             | 1.68              | 1.73                 | 1.68              | 1.73              | ×      |
| 75756            | 5   | ∢      | Artery x-rays, chest          | 0.00        | 13.08                | 13.04                    | 13.08           | 13.04                                  | 0.59             | 13.67             | 13.63                | 13.67             | 13.63             | ×      |
| 75774            |     | ∢      | Artery x-ray, each vessel     | 0.36        | 13.18                | 13.19                    | 13.18           | 13.19                                  | 0.61             | 14.15             | 14.16                | 14.15             | 14.16             | 777    |
| 75774            | 56  | ∢      | Artery x-ray, each vessel     | 0.36        | 0.10                 | 0.15                     | 0.10            | 0.15                                   | 0.02             | 0.48              | 0.53                 | 0.48              | 0.53              | 777    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                  |     |        |                              | LINDOM D. | ארנאנועד ו<br>אפיי | Transferra   | out (con         | Transitioned    |                  | _                 |                   |                   |                   |        |
|------------------|-----|--------|------------------------------|-----------|--------------------|--------------|------------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                  |     |        |                              |           | facility           | Non-facility | Facility         | Facility        |                  |                   | Transitioned      |                   |                   |        |
| -                |     |        |                              | Physician | practice           | practice     | practice         | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS 2 | Pof | Centuc | Darrintion                   | work 3    | expense<br>RVIIc   | expense      | expense<br>RVIIs | expense<br>RVIK | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 75774            | ĮΨ  | A A    | Artery x-ray each vessel     | 00.0      | 13.08              | 13.04        | 13.08            | 13.04           | 0.59             | 13.67             | 13.63             | 13.67             | 13.63             | 777    |
| 75790            | )   | < <    | Visualize A-V shunt          | 1.84      | 1.90               | 2.20         | 1.90             | 2.20            | 0.16             | 3.90              | 4.20              | 3.90              | 4.20              | ×      |
| 75790            | 56  | ⋖      | Visualize A-V shunt          | 1.84      | 0.50               | 0.80         | 0.50             | 0.80            | 60.0             | 2.43              | 2.73              | 2.43              | 2.73              | ×      |
| 75790            | 5   | ∢      | Visualize A-V shunt          | 0.00      | 1.40               | 1.40         | 1.40             | 1.40            | 0.07             | 1.47              | 1.47              | 1.47              | 1.47              | XX     |
| 75801            |     | ∢      | Lymph vessel x-ray, arm/leg  | 0.81      | 5.85               | 5.97         | 5.85             | 5.97            | 0.30             | 96.9              | 7.08              | 96.9              | 7.08              | ×      |
| 75801            | 56  | ∢      | Lymph vessel x-ray, arm/leg  | 0.81      | 0.23               | 0.36         | 0.23             | 0.36            | 0.04             | 1.08              | 1.21              | 1.08              | 1.21              | ××     |
| 75801            | 5   | ∢      | Lymph vessel x-ray, arm/leg  | 0.00      | 5.62               | 5.61         | 5.62             | 5.61            | 0.26             | 5.88              | 5.87              | 5.88              | 2.87              | ×      |
| 75803            |     | ∢      | Lymph vessel x-ray,arms/legs | 1.17      | 5.93               | 6.10         | 5.93             | 6.10            | 0.32             | 7.42              | 7.59              | 7.42              | 7.59              | XX     |
| 75803            | 56  | ∢      | Lymph vessel x-ray,arms/legs | 1.17      | 0.31               | 0.49         | 0.31             | 0.49            | 90.0             | 1.54              | 1.72              | 1.54              | 1.72              | ××     |
| 75803            | 2   | ∢      | Lymph vessel x-ray,arms/legs | 0.00      | 5.62               | 5.61         | 5.62             | 5.61            | 0.26             | 5.88              | 5.87              | 5.88              | 2.87              | ××     |
| 75805            |     | ∢      | Lymph vessel x-ray, trunk    | 0.81      | 6.55               | 89.9         | 6.55             | 89.9            | 0.33             | 7.69              | 7.82              | 69.7              | 7.82              | ×      |
| 75805            | 56  | ∢      | Lymph vessel x-ray, trunk    | 0.81      | 0.22               | 0.36         | 0.22             | 0.36            | 0.04             | 1.07              | 1.21              | 1.07              | 1.21              | ×      |
| 75805            | ဥ   | ∢      | Lymph vessel x-ray, trunk    | 0.00      | 6.33               | 6.32         | 6.33             | 6.32            | 0.29             | 6.62              | 6.61              | 6.62              | 6.61              | ×      |
| 75807            |     | ∢      | Lymph vessel x-ray, trunk    | 1.17      | 6.64               | 6.81         | 6.64             | 6.81            | 0.35             | 8.16              | 8.33              | 8.16              | 8.33              | ×      |
| 75807            | 56  | ∢      | Lymph vessel x-ray, trunk    | 1.17      | 0.31               | 0.49         | 0.31             | 0.49            | 90:0             | 1.54              | 1.72              | 1.54              | 1.72              | ×      |
| 75807            | ဥ   | ∢      | Lymph vessel x-ray, trunk    | 0.00      | 6.33               | 6.32         | 6.33             | 6.32            | 0.29             | 6.62              | 6.61              | 6.62              | 6.61              | ××     |
| 75809            |     | ∢      | Nonvascular shunt, x-ray     | 0.47      | 0.94               | 1.00         | 0.94             | 1.00            | 90.0             | 1.47              | 1.53              | 1.47              | 1.53              | ×      |
| 75809            | 56  | ∢      | Nonvascular shunt, x-ray     | 0.47      | 0.12               | 0.19         | 0.12             | 0.19            | 0.02             | 0.61              | 0.68              | 0.61              | 99.0              | ×,     |
| 75809            | ဥ   | ∢      | Nonvascular shunt, x-ray     | 0.00      | 0.82               | 0.81         | 0.82             | 0.81            | 0.04             | 98.0              | 0.85              | 98.0              | 0.85              | ××     |
| 75810            |     | ∢      | Vein x-ray, spleen/liver     | 1.14      | 13.38              | 13.52        | 13.38            | 13.52           | 0.65             | 15.17             | 15.31             | 15.17             | 15.31             | ××     |
| 75810            | 56  | ∢      | Vein x-ray, spleen/liver     | 1.14      | 0.30               | 0.48         | 0.30             | 0.48            | 90.0             | 1.50              | 1.68              | 1.50              | 1.68              | ×      |
| 75810            | ပ   | ∢      | Vein x-ray, spleen/liver     | 0.00      | 13.08              | 13.04        | 13.08            | 13.04           | 0.59             | 13.67             | 13.63             | 13.67             | 13.63             | ×      |
| 75820            |     | ∢      | Vein x-ray, arm/leg          | 0.70      | 1.17               | 1.29         | 1.17             | 1.29            | 0.09             | 1.96              | 2.08              | 1.96              | 2.08              | ×      |
| 75820            | 56  | ∢      | Vein x-ray, arm/leg          | 0.70      | 0.19               | 0.31         | 0.19             | 0.31            | 0.04             | 0.93              | 1.05              | 0.93              | 1.05              | ×      |
| 75820            | ဥ   | ∢      | Vein x-ray, arm/leg          | 0.00      | 0.98               | 0.98         | 0.98             | 0.98            | 0.05             | 1.03              | 1.03              | 1.03              | 1.03              | ×      |
| 75822            |     | ∢      | Vein x-ray, arms/legs        | 1.06      | 1.83               | 1.99         | 1.83             | 1.99            | 0.12             | 3.01              | 3.17              | 3.01              | 3.17              | ××     |
| 75822            | 56  | ∢      | Vein x-ray, arms/legs        | 1.06      | 0.29               | 0.46         | 0.29             | 0.46            | 0.05             | 1.40              | 1.57              | 1.40              | 1.57              | ×      |
| 75822            | ပ   | ∢      | Vein x-ray, arms/legs        | 0.00      | 1.54               | 1.53         | 1.54             | 1.53            | 0.07             | 1.61              | 1.60              | 1.61              | 1.60              | ××     |
| 75825            |     | ∢      | Vein x-ray, trunk            | 1.14      | 13.39              | 13.52        | 13.39            | 13.52           | 0.65             | 15.18             | 15.31             | 15.18             | 15.31             | ×      |
| 75825            | 56  | ∢      | Vein x-ray, trunk            | 1.14      | 0.31               | 0.48         | 0.31             | 0.48            | 90:0             | 1.51              | 1.68              | 1.51              | 1.68              | ×      |
| 75825            | ည   | ∢      | Vein x-ray, trunk            | 0.00      | 13.08              | 13.04        | 13.08            | 13.04           | 0.59             | 13.67             | 13.63             | 13.67             | 13.63             | ×      |
| 75827            |     | ∢      | Vein x-ray, chest            | 1.14      | 13.39              | 13.52        | 13.39            | 13.52           | 0.65             | 15.18             | 15.31             | 15.18             | 15.31             | ×      |
| 75827            | 56  | ∢      | Vein x-ray, chest            | 1.14      | 0.31               | 0.48         | 0.31             | 0.48            | 90.0             | 1.51              | 1.68              | 1.51              | 1.68              | ×      |
| 75827            | 5   | ∢      | Vein x-ray, chest            | 0.00      | 13.08              | 13.04        | 13.08            | 13.04           | 0.59             | 13.67             | 13.63             | 13.67             | 13.63             | ××     |
| 75831            |     | ∢      | Vein x-ray, kidney           | 1.14      | 13.38              | 13.52        | 13.38            | 13.52           | 0.65             | 15.17             | 15.31             | 15.17             | 15.31             | ××     |
| 75831            | 56  | ∢      | Vein x-ray, kidney           | 1.14      | 0.30               | 0.48         | 0:30             | 0.48            | 90.0             | 1.50              | 1.68              | 1.50              | 1.68              | ×      |
| 75831            | ပ   | ∢      | Vein x-ray, kidney           | 0.00      | 13.08              | 13.04        | 13.08            | 13.04           | 0.59             | 13.67             | 13.63             | 13.67             | 13.63             | ×      |
| 75833            |     | ∢      | Vein x-ray, kidneys          | 1.49      | 13.49              | 13.68        | 13.49            | 13.68           | 0.67             | 15.65             | 15.84             | 15.65             | 15.84             | ×      |
| 75833            | 56  | ∢      | Vein x-ray, kidneys          | 1.49      | 0.41               | 0.64         | 0.41             | 0.64            | 0.08             | 1.98              | 2.21              | 1.98              | 2.21              | ×      |
| 75833            | ဥ   | ∢      | Vein x-ray, kidneys          | 0.00      | 13.08              | 13.04        | 13.08            | 13.04           | 0.59             | 13.67             | 13.63             | 13.67             | 13.63             | ×      |
|                  |     |        |                              |           |                    |              |                  |                 |                  |                   |                   |                   |                   |        |

Page 144 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Denial Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|         |     |        | NO PLANCE                    | i i i             | ערנאווער ע          | אבטב טווויטן זי              | . AHD /co.          | Transferral           |                  |                  |                  |          |                          |        |
|---------|-----|--------|------------------------------|-------------------|---------------------|------------------------------|---------------------|-----------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|         |     |        |                              |                   | Non-<br>facility    | Iransitioned<br>Non-facility | Facility            | nansmonea<br>Facility |                  |                  | Transitioned     |          |                          |        |
| (h)     |     |        |                              | Physician<br>work | practice<br>expense | practice<br>expense          | practice<br>expense | practice<br>expense   | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| HCPCS 2 | Mod | Status | Description                  | RVUs 3            | RVUs                | RVUs                         | RVUs                | RVUs                  | RUYs             | Total            | Total            | Total    | Total                    | Global |
| 75840   |     | ۷      | Vein x-ray, adrenal gland    | 1.14              | 13.42               | 13.53                        | 13.42               | 13.53                 | 0.65             | 15.21            | 15.32            | 15.21    | 15.32                    | ×      |
| 75840   | 56  | ∢      | Vein x-ray, adrenal gland    | 1.14              | 0.34                | 0.49                         | 0.34                | 0.49                  | 90.0             | 1.54             | 1.69             | 1.54     | 1.69                     | ×      |
| 75840   | 5   | ∢      | Vein x-ray, adrenal gland    | 0.00              | 13.08               | 13.04                        | 13.08               | 13.04                 | 0.59             | 13.67            | 13.63            | 13.67    | 13.63                    | ×      |
| 75842   |     | ∢      | Vein x-ray, adrenal glands   | 1.49              | 13.47               | 13.68                        | 13.47               | 13.68                 | 0.67             | 15.63            | 15.84            | 15.63    | 15.84                    | ×      |
| 75842   | 56  | ∢      | Vein x-ray, adrenal glands   | 1.49              | 0.39                | 0.64                         | 0.39                | 0.64                  | 90.0             | 1.96             | 2.21             | 1.96     | 2.21                     | ×      |
| 75842   | 5   | ∢      | Vein x-ray, adrenal glands   | 0.00              | 13.08               | 13.04                        | 13.08               | 13.04                 | 0.59             | 13.67            | 13.63            | 13.67    | 13.63                    | ×      |
| 75860   |     | ∢      | Vein x-ray, neck             | 1.14              | 13.39               | 13.52                        | 13.39               | 13.52                 | 0.65             | 15.18            | 15.31            | 15.18    | 15.31                    | ×      |
| 75860   | 56  | ∢      | Vein x-ray, neck             | 1.14              | 0.31                | 0.48                         | 0.31                | 0.48                  | 90.0             | 1.51             | 1.68             | 1.51     | 1.68                     | ×      |
| 75860   | 5   | ∢      | Vein x-ray, neck             | 0.00              | 13.08               | 13.04                        | 13.08               | 13.04                 | 0.59             | 13.67            | 13.63            | 13.67    | 13.63                    | ×      |
| 75870   |     | ∢      | Vein x-ray, skull            | 1.14              | 13.40               | 13.53                        | 13.40               | 13.53                 | 0.65             | 15.19            | 15.32            | 15.19    | 15.32                    | ×      |
| 75870   | 56  | ∢      | Vein x-ray, skull            | 1.14              | 0.32                | 0.49                         | 0.32                | 0.49                  | 90.0             | 1.52             | 1.69             | 1.52     | 1.69                     | ×      |
| 75870   | 2   | ∢      | Vein x-ray, skull            | 0.00              | 13.08               | 13.04                        | 13.08               | 13.04                 | 0.59             | 13.67            | 13.63            | 13.67    | 13.63                    | ×      |
| 75872   |     | ∢      | Vein x-ray, skull            | 1.14              | 13.39               | 13.52                        | 13.39               | 13.52                 | 0.65             | 15.18            | 15.31            | 15.18    | 15.31                    | ×      |
| 75872   | 56  | ∢      | Vein x-ray, skull            | 1.14              | 0.31                | 0.48                         | 0.31                | 0.48                  | 90.0             | 1.51             | 1.68             | 1.51     | 1.68                     | ×      |
| 75872   | 5   | ∢      | Vein x-ray, skull            | 0.00              | 13.08               | 13.04                        | 13.08               | 13.04                 | 0.59             | 13.67            | 13.63            | 13.67    | 13.63                    | ×      |
| 75880   |     | ∢      | Vein x-ray, eye socket       | 0.70              | 1.17                | 1.29                         | 1.17                | 1.29                  | 60.0             | 1.96             | 2.08             | 1.96     | 2.08                     | ž      |
| 75880   | 56  | ∢      | Vein x-ray, eye socket       | 0.70              | 0.19                | 0.31                         | 0.19                | 0.31                  | 0.04             | 0.93             | 1.05             | 0.93     | 1.05                     | ×      |
| 75880   | 2   | ∢      | Vein x-ray, eye socket       | 0.00              | 0.98                | 96.0                         | 96.0                | 86.0                  | 0.05             | 1.03             | 1.03             | 1.03     | 1.03                     | ×      |
| 75885   |     | ∢      | Vein x-ray, liver            | 1.44              | 13.46               | 13.65                        | 13.46               | 13.65                 | 0.67             | 15.57            | 15.76            | 15.57    | 15.76                    | ××     |
| 75885   | 56  | ∢      | Vein x-ray, liver            | 1.44              | 0.38                | 0.61                         | 0.38                | 0.61                  | 0.08             | 1.90             | 2.13             | 1.90     | 2.13                     | ×      |
| 75885   | ဥ   | ∢      | Vein x-ray, liver            | 0.00              | 13.08               | 13.04                        | 13.08               | 13.04                 | 0.59             | 13.67            | 13.63            | 13.67    | 13.63                    | ×      |
| 75887   |     | ∢      | Vein x-ray, liver            | 1.44              | 13.46               | 13.65                        | 13.46               | 13.65                 | 0.67             | 15.57            | 15.76            | 15.57    | 15.76                    | ×      |
| 75887   | 56  | ∢      | Vein x-ray, liver            | 1.44              | 0.38                | 0.61                         | 0.38                | 0.61                  | 90.0             | 1.90             | 2.13             | 1.90     | 2.13                     | ×      |
| 75887   | ဥ   | ∢      | Vein x-ray, liver            | 0.00              | 13.08               | 13.04                        | 13.08               | 13.04                 | 0.59             | 13.67            | 13.63            | 13.67    | 13.63                    | ×      |
| 75889   |     | ∢      | Vein x-ray, liver            | 1.14              | 13.38               | 13.52                        | 13.38               | 13.52                 | 0.65             | 15.17            | 15.31            | 15.17    | 15.31                    | ×      |
| 75889   | 56  | ∢      | Vein x-ray, liver            | 1.14              | 0.30                | 0.48                         | 0.30                | 0.48                  | 90.0             | 1.50             | 1.68             | 1.50     | 1.68                     | ×      |
| 75889   | 5   | ∢      | Vein x-ray, liver            | 0.00              | 13.08               | 13.04                        | 13.08               | 13.04                 | 0.59             | 13.67            | 13.63            | 13.67    | 13.63                    | ×      |
| 75891   |     | ∢      | Vein x-ray, liver            | 1.14              | 13.39               | 13.52                        | 13.39               | 13.52                 | 0.65             | 15.18            | 15.31            | 15.18    | 15.31                    | ×      |
| 75891   | 56  | ∢      | Veín x-ray, liver            | 1.14              | 0.31                | 0.48                         | 0.31                | 0.48                  | 90.0             | 1.51             | 1.68             | 1.51     | 1.68                     | ×      |
| 75891   | ပ   | ∢      | Vein x-ray, liver            | 0.00              | 13.08               | 13.04                        | 13.08               | 13.04                 | 0.59             | 13.67            | 13.63            | 13.67    | 13.63                    | ×      |
| 75893   |     | ∢      | Venous sampling by catheter  | 0.54              | 13.22               | 13.28                        | 13.22               | 13.28                 | 0.62             | 14.38            | 14.44            | 14.38    | 14.44                    | ×      |
| 75893   | 56  | ∢      | Venous sampling by catheter  | 0.54              | 0.14                | 0.24                         | 0.14                | 0.24                  | 0.03             | 0.71             | 0.81             | 0.71     | 0.81                     | ×      |
| 75893   | 5   | ∢      | Venous sampling by catheter  | 0.00              | 13.08               | 13.04                        | 13.08               | 13.04                 | 0.59             | 13.67            | 13.63            | 13.67    | 13.63                    | ×      |
| 75894   |     | ∢      | Xrays, transcatheter therapy | 1.31              | 25.41               | 25.55                        | 25.41               | 25.55                 | 1.20             | 27.92            | 28.06            | 27.92    | 28.06                    | ×      |
| 75894   | 56  | ∢      | Xrays, transcatheter therapy | 1.31              | 0.37                | 0.57                         | 0.37                | 0.57                  | 0.07             | 1.75             | 1.95             | 1.75     | 1.95                     | ×      |
| 75894   | 5   | ∢      | Xrays, transcatheter therapy | 0.00              | 25.04               | 24.98                        | 25.04               | 24.98                 | 1.13             | 26.17            | 26.11            | 26.17    | 26.11                    | ×      |
| 75896   |     | ∢      | Xrays, transcatheter therapy | 1.31              | 22.19               | 22.31                        | 22.19               | 22.31                 | 1.05             | 24.55            | 24.67            | 24.55    | 24.67                    | ×      |
| 75896   | 56  | ∢      | Xrays, transcatheter therapy | 1.31              | 0.41                | 0.58                         | 0.41                | 0.58                  | 0.07             | 1.79             | 1.96             | 1.79     | 1.96                     | ×      |
| 75896   | 7   | ∢      | Xrays, transcatheter therapy | 0.00              | 21.78               | 21.73                        | 21.78               | 21.73                 | 0.98             | 22.76            | 22.71            | 22.76    | 22.71                    | ×      |
| 75898   |     | ∢      | Follow-up angiogram          | 1.65              | 1.56                | 1.81                         | 1.56                | 1.81                  | 0.14             | 3.35             | 3.60             | 3.35     | 3.60                     | ×      |

Page 145 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |            |        |                              |              | Non-<br>facility | Transitioned    | Facility        | Transitioned<br>Facility |                  |                   | Lensitioned       |                   |                   |        |
|-----------------------------|------------|--------|------------------------------|--------------|------------------|-----------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| 7                           |            |        |                              | Physician    | practice         | practice        | practice        | practice                 | Mal-             | Non-              | Non-              | •                 | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Mod        | Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 75898                       | <b>5</b> 8 | ٨      | Follow-up angiogram          | 1.65         | 0.48             | 0.72            | 0.48            | 0.72                     | 60.0             | 2.22              | 2.46              | 2.22              | 2.46              | ××     |
| 75898                       | 5          | ∢      | Follow-up angiogram          | 0.00         | 1.08             | 1.09            | 1.08            | 1.09                     | 0.05             | 1.13              | 1.14              | 1.13              | 1.14              | ××     |
| 75900                       |            | ∢      | Arterial catheter exchange   | 0.49         | 21.90            | 21.93           | 21.90           | 21.93                    | 1.01             | 23.40             | 23.43             | 23.40             | 23.43             | ××     |
| 75900                       | 56         | ∢      | Arterial catheter exchange   | 0.49         | 0.13             | 0.22            | 0.13            | 0.22                     | 0.02             | 0.64              | 0.73              | 0.64              | 0.73              | ××     |
| 75900                       | 2          | ∢      | Arterial catheter exchange   | 0.00         | 21.77            | 21.71           | 21.77           | 21.71                    | 66.0             | 22.76             | 22.70             | 22.76             | 22.70             | ×      |
| 75940                       |            | ∢      | X-ray placement, vein filter | 0.54         | 13.23            | 13.28           | 13.23           | 13.28                    | 0.62             | 14.39             | 14.44             | 14.39             | 14.44             | ×      |
| 75940                       | 56         | ∢      | X-ray placement, vein filter | 0.54         | 0.15             | 0.24            | 0.15            | 0.24                     | 0.03             | 0.72              | 0.81              | 0.72              | 0.81              | ××     |
| 75940                       | 5          | ∢      | X-ray placement, vein fitter | 0.00         | 13.08            | 13.04           | 13.08           | 13.04                    | 0.59             | 13.67             | 13.63             | 13.67             | 13.63             | ××     |
| 75945                       |            | ∢      | Intravascular us             | 0.40         | ¥                | Ϋ́              | 4.87            | 4.94                     | 0.24             | ×<br>V            | Ą                 | 5.51              | 5.58              | ××     |
| 75945                       | 56         | ∢      | Intravascular us             | 0.40         | ¥                | ¥               | 0.14            | 0.22                     | 0.02             | Z<br>A            | ¥                 | 0.56              | 0.64              | ×      |
| 75945                       | 2          | ∢      | Intravascular us             | 0.00         | ¥                | Ϋ́              | 4.73            | 4.72                     | 0.22             | Ϋ́                | Ą                 | 4.95              | 4.94              | ××     |
| 75946                       |            | ∢      | Intravascular us add-on      | 0.40         | ¥                | Ϋ́              | 2.53            | 2.59                     | 0.13             | Ϋ́                | Ϋ́                | 3.06              | 3.12              | 222    |
| 75946                       | 56         | ∢      | Intravascular us add-on      | 0.40         | ¥                | ¥               | 0.15            | 0.22                     | 0.02             | Ϋ́                | Ϋ́                | 0.57              | 0.64              | 222    |
| 75946                       | 5          | ∢      | Intravascular us add-on      | 0.00         | ¥                | ¥               | 2.38            | 2.37                     | 0.11             | Ϋ́                | ₹                 | 2.49              | 2.48              | 222    |
| 75960                       |            | ∢      | Transcatheter intro, stent   | 0.82         | 15.72            | 15.79           | 15.72           | 15.79                    | 0.74             | 17.28             | 17.35             | 17.28             | 17.35             | ×      |
| 75960                       | 56         | ∢      | Transcatheter intro, stent   | 0.82         | 0.26             | 0.37            | 0.26            | 0.37                     | 0.05             | 1.13              | 1.24              | 1.13              | 1.24              | ××     |
| 75960                       | 5          | ∢      | Transcatheter intro, stent   | 0.00         | 15.46            | 15.42           | 15.46           | 15.42                    | 0.69             | 16.15             | 16.11             | 16.15             | 16.11             | ×      |
| 75961                       |            | ∢      | Retrieval, broken catheter   | 4.25         | 12.06            | 12.71           | 12.06           | 12.71                    | 0.71             | 17.02             | 17.67             | 17.02             | 17.67             | ×      |
| 75961                       | 56         | ∢      | Retrieval, broken catheter   | 4.25         | 1.16             | 1.84            | 1.16            | 1.84                     | 0.22             | 5.63              | 6.31              | 5.63              | 6.31              | ×      |
| 75961                       | ဥ          | ∢      | Retrieval, broken catheter   | 0.00         | 10.90            | 10.87           | 10.90           | 10.87                    | 0.49             | 11.39             | 11.36             | 11.39             | 11.36             | ××     |
| 75962                       |            | ∢      | Repair arterial blockage     | 0.54         | 16.50            | 16.54           | 16.50           | 16.54                    | 0.77             | 17.81             | 17.85             | 17.81             | 17.85             | ××     |
| 75962                       | 56         | ∢      | Repair arterial blockage     | 0.54         | 0.17             | 0.25            | 0.17            | 0.25                     | 0.03             | 0.74              | 0.82              | 0.74              | 0.82              | ××     |
| 75962                       | 2          | ∢      | Repair arterial blockage     | 0.00         | 16.33            | 16.29           | 16.33           | 16.29                    | 0.74             | 17.07             | 17.03             | 17.07             | 17.03             | ××     |
| 75964                       |            | ∢      | Repair artery blockage, each | 0.36         | 8.82             | 8.85            | 8.82            | 8.85                     | 0.41             | 9.59              | 9.62              | 9.59              | 9.62              | 222    |
| 75964                       | 56         | ∢      | Repair artery blockage, each | 0.36         | 0.11             | 0.16            | 0.11            | 0.16                     | 0.02             | 0.49              | 0.54              | 0.49              | 0.54              | 777    |
| 75964                       | ည          | ∢      | Repair artery blockage, each | 0.00         | 8.71             | 8.69            | 8.71            | 8.69                     | 0.39             | 9.10              | 9.08              | 9.10              | 9.08              | 222    |
| 22966                       |            | ∢      | Repair arterial blockage     | 1.31         | 16.75            | 16.87           | 16.75           | 16.87                    | 0.81             | 18.87             | 18.99             | 18.87             | 18.99             | ×      |
| 22966                       | 56         | ∢      | Repair arterial blockage     | 1.31         | 0.42             | 0.58            | 0.42            | 0.58                     | 0.07             | 1.80              | 1.96              | 1.80              | 1.96              | ×      |
| 22966                       | ည          | ∢      | Repair arterial blockage     | 0.00         | 16.33            | 16.29           | 16.33           | 16.29                    | 0.74             | 17.07             | 17.03             | 17.07             | 17.03             | ×      |
| 75968                       |            | ∢      | Repair artery blockage, each | 0.36         | 8.82             | 8.85            | 8.82            | 8.85                     | 0.41             | 9.59              | 9.62              | 9.59              | 9.62              | 222    |
| 2268                        | 56         | ∢      | Repair artery blockage, each | 0.36         | 0.11             | 0.16            | 0.11            | 0.16                     | 0.05             | 0.49              | 0.54              | 0.49              | 0.54              | 777    |
| 75968                       | ဥ          | ∢      | Repair artery blockage, each | 0.00         | 8.71             | 8.69            | 8.71            | 8.69                     | 0.39             | 9.10              | 80.6              | 9.10              | 80.6              | 777    |
| 75970                       |            | ∢      | Vascular biopsy              | 0.83         | 12.23            | 12.32           | 12.23           | 12.32                    | 0.59             | 13.65             | 13.74             | 13.65             | 13.74             | ×      |
| 75970                       | 56         | ∢      | Vascular biopsy              | 0.83         | 0.25             | 0.37            | 0.25            | 0.37                     | 0.05             | 1.13              | 1.25              | 1.13              | 1.25              | ×      |
| 75970                       | TC         | ∢      | Vascular biopsy              | 0.00         | 11.98            | 11.95           | 11.98           | 11.95                    | 0.54             | 12.52             | 12.49             | 12.52             | 12.49             | ××     |
| 75978                       |            | ∢      | Repair venous blockage       | 0.54         | 16.47            | 16.72           | 16.47           | 16.72                    | 0.77             | 17.78             | 18.03             | 17.78             | 18.03             | ××     |
| 75978                       | 56         | ∢      | Repair venous blockage       | 0.54         | 0.14             | 0.43            | 0.14            | 0.43                     | 0.03             | 0.71              | 1.00              | 0.71              | 1.00              | ×      |
| 75978                       | ည          | ∢      | Repair venous blockage       | 0.00         | 16.33            | 16.29           | 16.33           | 16.29                    | 0.74             | 17.07             | 17.03             | 17.07             | 17.03             | ×      |
| 75980                       |            | ∢      | Contrast xray exam bile duct | 1.44         | 00.9             | 6.22            | 00.9            | 6.22                     | 0.34             | 7.78              | 8.00              | 7.78              | 8.00              | ×      |
| 75980                       | 56         | ∢      | Contrast xray exam bile duct | 1.44         | 0.38             | 0.61            | 0.38            | 0.61                     | 0.08             | 1.90              | 2.13              | 1.90              | 2.13              | ××     |

Page 146 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Denial Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |            |        |                              | Control of the contro | יייייייייייייייייייייייייייייייייייייי | יארטר טווויטןיי              | י שווע לכס ו    | יי יי ל               |      | 1_                |                   |                   |                   |        |
|--------------------|------------|--------|------------------------------|--|--|------------------------------|-----------------|-----------------------|------|-------------------|-------------------|-------------------|-------------------|--------|
|                    |            |        |                              |  | non-<br>facility                       | Iransitioned<br>Non-facility | Facility        | ransmoned<br>Facility |      |                   | Transitioned      |                   |                   |        |
| /1 TO              |            |        |                              | Physician  | practice                               | practice                     | practice        | practice              | Mal- | Non-              | Non-              | į                 | Transitioned      |        |
| HCPCS <sup>2</sup> | Мод        | Status | Description                  | work<br>RVUs   | expense<br>RVUs                        | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs       | RUYs | tacility<br>Total | tacility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 75980              | 77         | ∢      | Contrast xray exam bile duct | 0.00   | 5.62                                   | 5.61                         | 5.62            | 5.61                  | 0.26 | 5.88              | 5.87              | 5.88              | 5.87              | XX     |
| 75982              |            | ∢      | Contrast xray exam bile duct | 1.44   | 6.71                                   | 6.93                         | 6.71            | 6.93                  | 0.37 | 8.52              | 8.74              | 8.52              | 8.74              | ××     |
| 75982              | 56         | ∢      | Contrast xray exam bile duct | 1.44   | 0.38                                   | 0.61                         | 0.38            | 0.61                  | 0.08 | 1.90              | 2.13              | 1.90              | 2.13              | ×      |
| 75982              | ဥ          | ∢      | Contrast xray exam bile duct | 0.00   | 6.33                                   | 6.32                         | 6.33            | 6.32                  | 0.29 | 6.62              | 6.61              | 6.62              | 6.61              | ×      |
| 75984              |            | ∢      | Xray control catheter change | 0.72   | 2.22                                   | 2.34                         | 2.22            | 2.34                  | 0.13 | 3.07              | 3.19              | 3.07              | 3.19              | ×      |
| 75984              | 56         | ∢      | Xray control catheter change | 0.72   | 0.20                                   | 0.32                         | 0.20            | 0.32                  | 0.04 | 96.0              | 1.08              | 96.0              | 1.08              | ×      |
| 75984              | 5          | ∢      | Xray control catheter change | 0.00   | 2.02                                   | 2.02                         | 2.02            | 2.02                  | 0.09 | 2.11              | 2.11              | 2.11              | 2.11              | ×      |
| 75989              |            | ∢      | Abscess drainage under x-ray | 1.19   | 3.58                                   | 3.76                         | 3.58            | 3.76                  | 0.21 | 4.98              | 5.16              | 4.98              | 5.16              | ××     |
| 75989              | 56         | ∢      | Abscess drainage under x-ray | 1.19   | 0.32                                   | 0.50                         | 0.32            | 0.50                  | 90.0 | 1.57              | 1.75              | 1.57              | 1.75              | ×      |
| 75989              | 5          | ∢      | Abscess drainage under x-ray | 0.00   | 3.26                                   | 3.26                         | 3.26            | 3.26                  | 0.15 | 3.41              | 3.41              | 3.41              | 3.41              | ××     |
| 75992              |            | ∢      | Atherectomy, x-ray exam      | 0.54   | 16.51                                  | 16.54                        | 16.51           | 16.54                 | 0.77 | 17.82             | 17.85             | 17.82             | 17.85             | ×      |
| 75992              | 56         | ∢      | Atherectomy, x-ray exam      | 0.54   | 0.18                                   | 0.25                         | 0.18            | 0.25                  | 0.03 | 0.75              | 0.82              | 0.75              | 0.82              | ×      |
| 75992              | ဍ          | ∢      | Atherectomy, x-ray exam      | 0.00   | 16.33                                  | 16.29                        | 16.33           | 16.29                 | 0.74 | 17.07             | 17.03             | 17.07             | 17.03             | ×      |
| 75993              |            | ∢      | Atherectomy, x-ray exam      | 0.36   | 8.84                                   | 8.85                         | 8.84            | 8.85                  | 0.41 | 9.61              | 9.62              | 9.61              | 9.62              | 777    |
| 75993              | 56         | ∢      | Atherectomy, x-ray exam      | 0.36   | 0.13                                   | 0.16                         | 0.13            | 0.16                  | 0.02 | 0.51              | 0.54              | 0.51              | 0.54              | 777    |
| 75993              | ပ္         | ∢      | Atherectomy, x-ray exam      | 0.00   | 8.71                                   | 8.69                         | 8.71            | 8.69                  | 0.39 | 9.10              | 80.6              | 9.10              | 80.6              | 777    |
| 75994              |            | ∢      | Atherectomy, x-ray exam      | 1.31   | 16.77                                  | 16.87                        | 16.77           | 16.87                 | 0.81 | 18.89             | 18.99             | 18.89             | 18.99             | ×      |
| 75994              | 56         | ∢      | Atherectomy, x-ray exam      | 1.31   | 0.44                                   | 0.58                         | 0.44            | 0.58                  | 0.07 | 1.82              | 1.96              | 1.82              | 1.96              | ×      |
| 75994              | ဥ          | ∢      | Atherectomy, x-ray exam      | 0.00   | 16.33                                  | 16.29                        | 16.33           | 16.29                 | 0.74 | 17.07             | 17.03             | 17.07             | 17.03             | ××     |
| 75995              |            | ∢      | Atherectomy, x-ray exam      | 1.31   | 16.85                                  | 16.89                        | 16.85           | 16.89                 | 0.81 | 18.97             | 19.01             | 18.97             | 19.01             | ××     |
| 75995              | 56         | ∢      | Atherectomy, x-ray exam      | 1.31   | 0.52                                   | 09:0                         | 0.52            | 0.60                  | 0.07 | 1.90              | 1.98              | 1.90              | 1.98              | ×      |
| 75995              | ပ          | ∢      | Atherectomy, x-ray exam      | 0.00   | 16.33                                  | 16.29                        | 16.33           | 16.29                 | 0.74 | 17.07             | 17.03             | 17.07             | 17.03             | ×      |
| 25996              |            | ∢      | Atherectomy, x-ray exam      | 0.36   | 8.82                                   | 8.85                         | 8.82            | 8.85                  | 0.41 | 9.59              | 9.62              | 9.59              | 9.62              | 777    |
| 75996              | <b>5</b> 0 | ∢      | Atherectomy, x-ray exam      | 98.0   | 0.11                                   | 0.16                         | 0.11            | 0.16                  | 0.02 | 0.49              | 0.54              | 0.49              | 0.54              | 777    |
| 75996              | ည          | ∢      | Atherectomy, x-ray exam      | 0.00   | 8.71                                   | 8.69                         | 8.71            | 8.69                  | 0.39 | 9.10              | 80.6              | 9.10              | 80.6              | 777    |
| 20009              |            | ∢      | Fluoroscope examination      | 0.17   | 1.38                                   | 1.42                         | 1.38            | 1.42                  | 0.07 | 1.62              | 1.66              | 1.62              | 1.66              | ×      |
| 26000              | 7<br>1 26  | ∢ ⋅    | Fluoroscope examination      | 0.17   | 0.04                                   | 0.07                         | 0.0             | 0.07                  | 0.01 | 0.22              | 0.25              | 0.22              | 0.25              | ×      |
| /6000              | ပ          | ∢ •    | Fluoroscope examination      | 0.00   | 1.34                                   | 1.35                         | 1.34            | 1.35                  | 90.0 | 1.40              | 1.41              | 1.40              | 1.41              | ×      |
| 76001              |            | ∢ ·    | Fluoroscope exam, extensive  | 0.67   | 2.92                                   | 3.02                         | 2.92            | 3.02                  | 0.17 | 3.76              | 3.86              | 3.76              | 3.86              | ×      |
| 76001              | 56         | ∢      | Fluoroscope exam, extensive  | 0.67   | 0.19                                   | 0:30                         | 0.19            | 0.30                  | 0.04 | 0.90              | 1.01              | 06.0              | 1.01              | ×      |
| 76001              | ဥ          | ∢      | Fluoroscope exam, extensive  | 0.00   | 2.73                                   | 2.72                         | 2.73            | 2.72                  | 0.13 | 2.86              | 2.85              | 2.86              | 2.85              | ×      |
| 76003              |            | ∢      | Needle localization by x-ray | 0.54   | 1.48                                   | 1.59                         | 1.48            | 1.59                  | 0.09 | 2.11              | 2.22              | 2.11              | 2.22              | ×      |
| 76003              | 26         | ∢      | Needle localization by x-ray | 0.54   | 0.14                                   | 0.24                         | 0.14            | 0.24                  | 0.03 | 0.71              | 0.81              | 0.71              | 0.81              | ×      |
| 76003              | 2          | ∢      | Needle localization by x-ray | 0.00   | 1.34                                   | 1.35                         | 1.34            | 1.35                  | 90.0 | 1.40              | 1.41              | 1.40              | 1.41              | ×      |
| 90092              |            | ∢      | X-ray stress view            | 0.41   | 0.11                                   | 0.11                         | 0.11            | 0.11                  | 0.03 | 0.55              | 0.55              | 0.55              | 0.55              | ×      |
| 76010              |            | ∢      | X-ray, nose to rectum        | 0.18   | 0.60                                   | 0.62                         | 09.0            | 0.62                  | 0.03 | 0.81              | 0.83              | 0.81              | 0.83              | ×      |
| 76010              | 56         | ∢      | X-ray, nose to rectum        | 0.18   | 0.05                                   | 0.08                         | 0.05            | 80.0                  | 0.01 | 0.24              | 0.27              | 0.24              | 0.27              | ×      |
| 76010              | 5          | ∢      | X-ray, nose to rectum        | 00.00  | 0.55                                   | 0.54                         | 0.55            | 0.54                  | 0.02 | 0.57              | 95.0              | 0.57              | 0.56              | ×      |
| 76020              |            | ∢      | X-rays for bone age          | 0.19   | 09:0                                   | 0.63                         | 09.0            | 0.63                  | 0.03 | 0.82              | 0.85              | 0.82              | 0.85              | ×      |
| 76020              | 56         | ∢      | X-rays for bone age          | 0.19   | 0.05                                   | 60.0                         | 0.05            | 60.0                  | 0.01 | 0.25              | 0.29              | 0.25              | 0.29              | ×      |

Page 147 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Denial Association. All rights reserved.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| Status<br>A |                                 |           | facility | Mon tacility           |                      |                     |                   |          |                      |          |              |         |
|-------------|---------------------------------|-----------|----------|------------------------|----------------------|---------------------|-------------------|----------|----------------------|----------|--------------|---------|
|             |                                 | Physician | practice | non-rating<br>practice | racility<br>practice | raciiny<br>practice | Mal-              | Non-     | Iransitioned<br>Non- |          | Transitioned |         |
|             |                                 | work      | expense  | expense                | expense              | expense             | practice<br>RIIVs | facility | facility             | Facility | Facility     | Clabert |
|             | Description X-rays for bone age | 0 00      | 0.55     | 0.54                   | 0.55                 | 0.54                | 0.02              | 0.57     | 0.56                 | 0.57     | 0.56         | i X     |
| •           | X-rays, bone evaluation         | 0.27      | 0.89     | 0.93                   | 0.89                 | 0.93                | 90.0              | 1.22     | 1.26                 | 1.22     | 1.26         | ×       |
|             | X-rays, bone evaluation         | 0.27      | 0.07     | 0.12                   | 0.07                 | 0.12                | 0.02              | 0.36     | 0.41                 | 0.36     | 0.41         | ×       |
|             | X-rays, bone evaluation         | 0.00      | 0.82     | 0.81                   | 0.82                 | 0.81                | 0.04              | 98.0     | 0.85                 | 98.0     | 0.85         | ×       |
|             | X-rays, bone survey             | 0.45      | 1.15     | 1.23                   | 1.15                 | 1.23                | 0.07              | 1.67     | 1.75                 | 1.67     | 1.75         | ×       |
|             | X-rays, bone survey             | 0.45      | 0.12     | 0.20                   | 0.12                 | 0.20                | 0.02              | 0.59     | 0.67                 | 0.59     | 0.67         | ×       |
|             | X-rays, bone survey             | 00.00     | 1.03     | 1.03                   | 1.03                 | 1.03                | 0.05              | 1.08     | 1.08                 | 1.08     | 1.08         | ×       |
|             | X-rays, bone survey             | 0.54      | 1.63     | 1.73                   | 1.63                 | 1.73                | 0.10              | 2.27     | 2.37                 | 2.27     | 2.37         | ×       |
|             | X-rays, bone survey             | 0.54      | 0.14     | 0.24                   | 0.14                 | 0.24                | 0.03              | 0.71     | 0.81                 | 0.71     | 0.81         | ×       |
|             | X-rays, bone survey             | 0.00      | 1.49     | 1.49                   | 1.49                 | 1.49                | 0.07              | 1.56     | 1.56                 | 1.56     | 1.56         | ×       |
|             | X-rays, bone evaluation         | 0.28      | 0.82     | 0.88                   | 0.82                 | 0.88                | 90:0              | 1.16     | 1.22                 | 1.16     | 1.22         | ×       |
|             | X-rays, bone evaluation         | 0.28      | 0.07     | 0.12                   | 0.07                 | 0.12                | 0.02              | 0.37     | 0.42                 | 0.37     | 0.42         | ×       |
|             | X-rays, bone evaluation         | 00.00     | 0.75     | 0.76                   | 0.75                 | 97.0                | 0.04              | 0.79     | 0.80                 | 0.79     | 0.80         | ×       |
| -           | Joint(s) survey, single film    | 0.31      | 1.25     | 1.29                   | 1.25                 | 1.29                | 0.07              | 1.63     | 1.67                 | 1.63     | 1.67         | ×       |
|             | Joint(s) survey, single film    | 0.31      | 0.09     | 0.14                   | 60.0                 | 0.14                | 0.02              | 0.42     | 0.47                 | 0.42     | 0.47         | ×       |
| -           | Joint(s) survey, single film    | 00:00     | 1.16     | 1.15                   | 1.16                 | 1.15                | 0.05              | 1.21     | 1.20                 | 1.21     | 1.20         | X       |
| -           | CT scan, bone density study     | +0.25     | 3.15     | 3.17                   | 3.15                 | 3.17                | 0.16              | 3.56     | 3.58                 | 3.56     | 3.58         | ×       |
| -           | CT scan, bone density study     | +0.25     | 0.09     | 0.12                   | 60.0                 | 0.12                | 0.02              | 0.36     | 0.39                 | 0.36     | 0.39         | ×.      |
| -           | CT scan, bone density study     | +0.00     | 3.06     | 3.05                   | 3.06                 | 3.05                | 0.14              | 3.20     | 3.19                 | 3.20     | 3.19         | ×       |
|             | Dual energy x-ray study         | 0:30      | 3.30     | 3.32                   | 3.30                 | 3.32                | 0.17              | 3.77     | 3.79                 | 3.77     | 3.79         | ×       |
|             | Dual energy x-ray study         | 0:30      | 60.0     | 0.12                   | 60.0                 | 0.12                | 0.02              | 0.41     | 0.44                 | 0.41     | 0.44         | ×       |
|             | Dual energy x-ray study         | 0.00      | 3.21     | 3.20                   | 3.21                 | 3.20                | 0.15              | 3.36     | 3.35                 | 3.36     | 3.35         | ×       |
|             | Dual energy x-ray study         | 0.22      | 0.87     | 0.88                   | 0.87                 | 0.88                | 90:0              | 1.15     | 1.16                 | 1.15     | 1.16         | ×       |
|             | Dual energy x-ray study         | 0.22      | 0.08     | 0.10                   | 0.08                 | 0.10                | 0.02              | 0.32     | 0.34                 | 0.32     | 0.34         | ×       |
|             | Dual energy x-ray study         | 0.00      | 0.79     | 0.78                   | 0.79                 | 0.78                | 0.04              | 0.83     | 0.82                 | 0.83     | 0.82         | ×       |
|             | Photodensitometry               | 0.20      | 98.0     | 0.88                   | 98.0                 | 0.88                | 90.0              | 1.12     | 1.14                 | 1.12     | 1.14         | ×       |
|             | Photodensitometry               | 0.20      | 0.07     | 0.10                   | 0.02                 | 0.10                | 0.02              | 0.29     | 0.32                 | 0.29     | 0.32         | ×       |
|             | Photodensitometry               | 0.00      | 0.79     | 0.78                   | 0.79                 | 0.78                | 0.04              | 0.83     | 0.82                 | 0.83     | 0.82         | ×       |
|             | K-ray exam of fistula           | 0.54      | 1.22     | 1.33                   | 1.22                 | 1.33                | 0.08              | 1.84     | 1.95                 | 1.84     | 1.95         | ×       |
|             | X-ray exam of fistula           | 0.54      | 0.14     | 0.24                   | 0.14                 | 0.24                | 0.03              | 0.71     | 0.81                 | 0.71     | 0.81         | ×       |
|             | X-ray exam of fistula           | 0.00      | 1.08     | 1.09                   | 1.08                 | 1.09                | 0.05              | 1.13     | 1.14                 | 1.13     | 1.14         | ×       |
|             | X-ray of mammary duct           | 0.36      | 2.82     | 2.88                   | 2.82                 | 2.88                | 0.15              | 3.33     | 3.39                 | 3.33     | 3.39         | ×       |
|             | X-ray of mammary duct           | 0.36      | 0.09     | 0.16                   | 60.0                 | 0.16                | 0.02              | 0.47     | 0.54                 | 0.47     | 0.54         | ×       |
|             | X-ray of mammary duct           | 00.00     | 2.73     | 2.72                   | 2.73                 | 2.72                | 0.13              | 2.86     | 2.35                 | 2.86     | 2.85         | ×       |
|             | X-ray of mammary ducts          | 0.45      | 3.92     | 3.99                   | 3.92                 | 3.99                | 0.19              | 4.56     | 4.63                 | 4.56     | 4.63         | ×       |
|             | X-ray of mammary ducts          | 0.45      | 0.12     | 0.20                   | 0.12                 | 0.20                | 0.02              | 0.59     | 0.67                 | 0.59     | 0.67         | ×       |
|             | X-ray of mammary ducts          | 0.00      | 3.80     | 3.79                   | 3.80                 | 3.79                | 0.17              | 3.97     | 3.96                 | 3.97     | 3.96         | ××      |
|             | Mammogram, one breast           | 0.58      | 1.23     | 1.23                   | 1.23                 | 1.23                | 0.07              | 1.88     | 1.88                 | 1.88     | 1.88         | ×       |
|             | Mammogram, one breast           | 0.58      | 0.15     | 0.14                   | 0.15                 | 0.14                | 0.05              | 0.75     | 0.74                 | 0.75     | 0.74         | ×       |
|             | Mammogram, one breast           | 00.00     | 1.08     | 1.09                   | 1.08                 | 1.09                | 0.05              | 1.13     | 1.14                 | 1.13     | 1.14         | ××      |

Page 148 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                   |     |        |                              | LINDOM V.      | ייבאוורי         | יייייייייייייייייייייייייייייייייייייי | and (con        | , ;; ,                   |                  | _                 |                   |                   |                   |        |
|-------------------|-----|--------|------------------------------|----------------|------------------|--|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                   |     |        |                              |                | Non-<br>facility | Transitioned<br>Non-facility           | Facility        | Iransitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| -                 |     |        |                              | Physician      | practice         | practice                               | practice        | practice                 | -Hal-            | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS 2 | Mod | Status | Description                  | work 3<br>RVUs | expense<br>RVUs  | expense<br>RVUs                        | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 76091             |     | ∢      | Mammogram, both breasts      | 69.0           | 1.53             | 1.55                                   | 1.53            | 1.55                     | 0.08             | 2.30              | 2.32              | 2.30              | 2.32              | XX     |
| 76091             | 56  | ∢      | Mammogram, both breasts      | 69.0           | 0.19             | 0.20                                   | 0.19            | 0.20                     | 0.02             | 06.0              | 0.91              | 0.00              | 0.91              | ×      |
| 76091             | 2   | ∢      | Mammogram, both breasts      | 00.0           | 1.34             | 1.35                                   | 1.34            | 1.35                     | 90.0             | 1.40              | 1.41              | 1.40              | 1.41              | ×      |
| 76092             |     | ×      | Mamm0gram, screening         | 0.00           | 0.00             | 0.00                                   | 0.00            | 00.0                     | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 76093             |     | ∢      | Magnetic image, breast       | 1.63           | 18.71            | 18.93                                  | 18.71           | 18.93                    | 0.91             | 21.25             | 21.47             | 21.25             | 21.47             | ×      |
| 76093             | 56  | ∢      | Magnetic image, breast       | 1.63           | 0.43             | 69.0                                   | 0.43            | 69.0                     | 0.09             | 2.15              | 2.41              | 2.15              | 2.41              | ×      |
| 76093             | 5   | ∢      | Magnetic image, breast       | 00:00          | 18.28            | 18.24                                  | 18.28           | 18.24                    | 0.82             | 19.10             | 19.06             | 19.10             | 19.06             | X      |
| 76094             |     | ∢      | Magnetic image, both breasts | 1.63           | 25.23            | 25.44                                  | 25.23           | 25.44                    | 1.20             | 28.06             | 28.27             | 28.06             | 28.27             | ×      |
| 76094             | 56  | ∢      | Magnetic image, both breasts | 1.63           | 0.43             | 69.0                                   | 0.43            | 69.0                     | 0.09             | 2.15              | 2.41              | 2.15              | 2.41              | ×      |
| 76094             | 2   | ∢      | Magnetic image, both breasts | 00.00          | 24.80            | 24.75                                  | 24.80           | 24.75                    | 1.1              | 25.91             | 25.86             | 25.91             | 25.86             | ×      |
| 76095             |     | ∢      | Stereotactic breast biopsy   | 1.59           | 7.89             | 8.11                                   | 7.89            | 8.11                     | 0.43             | 9.91              | 10.13             | 9.91              | 10.13             | ×      |
| 76095             | 56  | ∢      | Stereotactic breast biopsy   | 1.59           | 0.45             | 69.0                                   | 0.45            | 69.0                     | 0.09             | 2.13              | 2.37              | 2.13              | 2.37              | ×      |
| 26092             | 5   | ∢      | Stereotactic breast biopsy   | 00.00          | 7.44             | 7.42                                   | 7.44            | 7.42                     | 0.34             | 7.78              | 7.76              | 7.78              | 7.76              | ×      |
| 96092             |     | ∢      | X-ray of needle wire, breast | 0.56           | 1.48             | 1.60                                   | 1.48            | 1.60                     | 0.09             | 2.13              | 2.25              | 2.13              | 2.25              | ×      |
| 96092             | 56  | ∢      | X-ray of needle wire, breast | 0.56           | 0.14             | 0.25                                   | 0.14            | 0.25                     | 0.03             | 0.73              | 0.84              | 0.73              | 0.84              | ×      |
| 96092             | 5   | ∢      | X-ray of needle wire, breast | 00.00          | 1.34             | 1.35                                   | 1.34            | 1.35                     | 90.0             | 1.40              | 1.41              | 1.40              | 1.41              | ××     |
| 76098             |     | ∢      | X-ray exam, breast specimen  | 0.16           | 0.48             | 0.50                                   | 0.48            | 0.50                     | 0.03             | 0.67              | 69.0              | 0.67              | 69.0              | ×      |
| 76098             | 56  | ∢      | X-ray exam, breast specimen  | 0.16           | 0.04             | 0.07                                   | 0.04            | 0.07                     | 0.01             | 0.21              | 0.24              | 0.21              | 0.24              | X.     |
| 76098             | ည   | ∢      | X-ray exam, breast specimen  | 0.00           | 0.44             | 0.43                                   | 0.44            | 0.43                     | 0.02             | 0.46              | 0.45              | 0.46              | 0.45              | ×      |
| 76100             |     | ∢      | X-ray exam of body section   | 0.58           | 1.45             | 1.55                                   | 1.45            | 1.55                     | 0.09             | 2.12              | 2.22              | 2.12              | 2.22              | ×      |
| 76100             | 56  | ∢      | X-ray exam of body section   | 0.58           | 0.15             | 0.26                                   | 0.15            | 0.26                     | 0.03             | 92.0              | 0.87              | 92.0              | 0.87              | ×      |
| 76100             | 5   | ∢      | X-ray exam of body section   | 00.00          | 1.30             | 1.29                                   | 1.30            | 1.29                     | 90.0             | 1.36              | 1.35              | 1.36              | 1.35              | ×      |
| 76101             |     | ∢      | Complex body section x-ray   | 0.58           | 1.62             | 1.73                                   | 1.62            | 1.73                     | 0.10             | 2.30              | 2.41              | 2.30              | 2.41              | ×      |
| 76101             | 56  | ∢      | Complex body section x-ray   | 0.58           | 0.15             | 0.26                                   | 0.15            | 0.26                     | 0.03             | 92.0              | 0.87              | 92.0              | 0.87              | ×      |
| 76101             | ဍ   | ∢      | Complex body section x-ray   | 00.00          | 1.47             | 1.47                                   | 1.47            | 1.47                     | 0.07             | 1.54              | 1.54              | 1.54              | 1.54              | ×      |
| 76102             |     | ∢      | Complex body section x-rays  | 0.58           | 1.95             | 2.05                                   | 1.95            | 2.05                     | 0.12             | 2.65              | 2.75              | 2.65              | 2.75              | ×      |
| 76102             | 56  | ∢      | Complex body section x-rays  | 0.58           | 0.15             | 0.26                                   | 0.15            | 0.26                     | 0.03             | 92.0              | 0.87              | 92.0              | 0.87              | ×      |
| 76102             | ပ   | ∢      | Complex body section x-rays  | 0.00           | 1.80             | 1.79                                   | 1.80            | 1.79                     | 0.09             | 1.89              | 1.88              | 1.89              | 1.88              | ×      |
| 76120             | ,   | ∢ •    | Cinematic x-rays             | 0.38           | 1.21             | 1.26                                   | 1.21            | 1.26                     | 0.07             | 1.66              | 1.71              | 1.66              | 1.71              | ×      |
| 76120             | 56  | ∢      | Cinematic x-rays             | 0.38           | 0.13             | 0.17                                   | 0.13            | 0.17                     | 0.02             | 0.53              | 0.57              | 0.53              | 0.57              | ×      |
| 76120             | ည   | ∢      | Cinematic x-rays             | 0.00           | 1.08             | 1.09                                   | 1.08            | 1.09                     | 0.05             | 1.13              | 1.14              | 1.13              | 1.14              | ×      |
| 76125             |     | ∢      | Cinematic x-rays add-on      | 0.27           | 06.0             | 0.93                                   | 06.0            | 0.93                     | 90.0             | 1.23              | 1.26              | 1.23              | 1.26              | 777    |
| 76125             | 56  | ∢      | Cinematic x-rays add-on      | 0.27           | 0.08             | 0.12                                   | 0.08            | 0.12                     | 0.02             | 0.37              | 0.41              | 0.37              | 0.41              | 777    |
| 76125             | ဥ   | ∢      | Cinematic x-rays add-on      | 0.00           | 0.82             | 0.81                                   | 0.82            | 0.81                     | 0.04             | 0.86              | 0.85              | 98.0              | 0.85              | 222    |
| 76140             |     | _      | X-ray consultation           | 0.00           | 0.00             | 0.00                                   | 0.00            | 00.0                     | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 76150             |     | ∢      | X-ray exam, dry process      | 0.00           | 0.44             | 0.43                                   | 0.44            | 0.43                     | 0.02             | 0.46              | 0.45              | 0.46              | 0.45              | ×      |
| 76350             |     | ပ      | Special x-ray contrast study | 0.00           | 0.00             | 0.00                                   | 0.00            | 00.0                     | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 76355             |     | ∢      | CAT scan for tocalization    | 1.21           | 8.89             | 9.07                                   | 8.89            | 9.07                     | 0.44             | 10.54             | 10.72             | 10.54             | 10.72             | ×      |
| 76355             | 56  | ∢      | CAT scan for localization    | 1.21           | 0.33             | 0.52                                   | 0.33            | 0.52                     | 90:0             | 1.60              | 1.79              | 1.60              | 1.79              | ×      |
| 76355             | ဥ   | ∢      | CAT scan for localization    | 0.00           | 8.56             | 8.55                                   | 8.56            | 8.55                     | 0.38             | 8.94              | 8.93              | 8.94              | 8.93              | ×      |

Page 149 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|         |     |        |                              |                   | Non-     | Transitioned |          | Transitioned |          |          |                   |          |                        |        |
|---------|-----|--------|------------------------------|-------------------|----------|--------------|----------|--------------|----------|----------|-------------------|----------|------------------------|--------|
|         |     |        |                              | Ē                 | facility | Non-facility | Facility | Facility     | Mal      | 7        | Transitioned      |          | T                      |        |
| ON /    |     |        |                              | rnysician<br>work | expense  | expense      | expense  | expense      | practice | facility | roll:<br>facility | Facility | rransmonea<br>Facility |        |
| HCPCS ' | Mod | Status | Description                  | RVUs              | RYUs     | RVUs         | RVUs     | RVUs         | RUYs     | Total    | Total             | Total    | Total                  | Global |
| 76360   |     | ∢      | CAT scan for needle biopsy   | 1.16              | 8.87     | 9.03         | 8.87     | 9.03         | 0.44     | 10.47    | 10.63             | 10.47    | 10.63                  | ××     |
| 76360   | 56  | ∢      | CAT scan for needle biopsy   | 1.16              | 0.31     | 0.48         | 0.31     | 0.48         | 90.0     | 1.53     | 1.70              | 1.53     | 1.70                   | ×      |
| 76360   | 5   | ∢      | CAT scan for needle biopsy   | 00.00             | 8.56     | 8.55         | 8.56     | 8.55         | 0.38     | 8.94     | 8.93              | 8.94     | 8.93                   | ×      |
| 76365   |     | ∢      | CAT scan for cyst aspiration | 1.16              | 8.87     | 9.03         | 8.87     | 9.03         | 0.44     | 10.47    | 10.63             | 10.47    | 10.63                  | ×      |
| 76365   | 56  | ∢      | CAT scan for cyst aspiration | 1.16              | 0.31     | 0.48         | 0.31     | 0.48         | 90:0     | 1.53     | 1.70              | 1.53     | 1.70                   | ×      |
| 76365   | 5   | ∢      | CAT scan for cyst aspiration | 00:00             | 8.56     | 8.55         | 8.56     | 8.55         | 0.38     | 8.94     | 8.93              | 8.94     | 8.93                   | ××     |
| 76370   |     | ∢      | CAT scan for therapy guide   | 0.85              | 3.29     | 3.42         | 3.29     | 3.42         | 0.19     | 4.33     | 4.46              | 4.33     | 4.46                   | ×      |
| 76370   | 56  | ∢      | CAT scan for therapy guide   | 0.85              | 0.23     | 0.37         | 0.23     | 0.37         | 0.05     | 1.13     | 1.27              | 1.13     | 1.27                   | ×      |
| 76370   | 5   | ∢      | CAT scan for therapy guide   | 0.00              | 3.06     | 3.05         | 3.06     | 3.05         | 0.14     | 3.20     | 3.19              | 3.20     | 3.19                   | ××     |
| 76375   |     | ∢      | 3d/holograph reconstr add-on | 0.16              | 3.72     | 3.74         | 3.72     | 3.74         | 0.17     | 4.05     | 4.07              | 4.05     | 4.07                   | ×      |
| 76375   | 56  | ∢      | 3d/holograph reconstr add-on | 0.16              | 0.04     | 0.07         | 0.04     | 0.07         | 0.01     | 0.21     | 0.24              | 0.21     | 0.24                   | ×      |
| 76375   | 5   | ∢      | 3d/holograph reconstr add-on | 0.00              | 3.68     | 3.67         | 3.68     | 3.67         | 0.16     | 3.84     | 3.83              | 3.84     | 3.83                   | ×      |
| 76380   |     | ∢      | CAT scan follow-up study     | 96.0              | 3.90     | 4.06         | 3.90     | 4.06         | 0.21     | 5.09     | 5.25              | 5.09     | 5.25                   | ×      |
| 76380   | 56  | ∢      | CAT scan follow-up study     | 96.0              | 0.26     | 0.43         | 0.26     | 0.43         | 0.05     | 1.29     | 1.46              | 1.29     | 1.46                   | ×      |
| 76380   | 5   | ∢      | CAT scan follow-up study     | 0.00              | 3.64     | 3.63         | 3.64     | 3.63         | 0.16     | 3.80     | 3.79              | 3.80     | 3.79                   | X      |
| 76390   |     | ∢      | Mr spectroscopy              | 1.40              | 12.16    | 12.27        | 12.16    | 12.27        | 09.0     | 14.16    | 14.27             | 14.16    | 14.27                  | ×      |
| 76390   | 56  | ∢      | Mr spectroscopy              | 1.40              | 0.53     | 0.67         | 0.53     | 29.0         | 0.08     | 2.01     | 2.15              | 2.01     | 2.15                   | ×      |
| 76390   | ည   | ∢      | Mr spectroscopy              | 0.00              | 11.63    | 11.60        | 11.63    | 11.60        | 0.52     | 12.15    | 12.12             | 12.15    | 12.12                  | ××     |
| 76400   |     | ∢      | Magnetic image, bone marrow  | 1.60              | 12.05    | 12.29        | 12.05    | 12.29        | 0.61     | 14.26    | 14.50             | 14.26    | 14.50                  | ×      |
| 76400   | 56  | ∢      | Magnetic image, bone marrow  | 1.60              | 0.42     | 69.0         | 0.42     | 69.0         | 60.0     | 2.11     | 2.38              | 2.11     | 2.38                   | ×      |
| 76400   | ပ္  | ∢      | Magnetic image, bone marrow  | 0.00              | 11.63    | 11.60        | 11.63    | 11.60        | 0.52     | 12.15    | 12.12             | 12.15    | 12.12                  | ×      |
| 76499   |     | ပ      | Radiographic procedure       | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00     | 0.00     | 0.00              | 0.00     | 0.00                   | ×      |
| 76499   | 56  | ပ      | Radiographic procedure       | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00     | 0.00     | 0.00              | 0.00     | 0.00                   | ×      |
| 76499   | ည   | ပ      | Radiographic procedure       | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00     | 0.00     | 0.00              | 0.00     | 0.00                   | ×      |
| 2029    |     | ∢      | Echo exam of head            | 0.63              | 1.69     | 1.76         | 1.69     | 1.76         | 0.10     | 2.42     | 2.49              | 2.42     | 2.49                   | ×      |
| 76506   | 56  | ∢      | Echo exam of head            | 0.63              | 0.22     | 0.29         | 0.22     | 0.29         | 0.03     | 0.88     | 0.95              | 0.88     | 0.95                   | ×      |
| 26506   | ည   | ∢      | Echo exam of head            | 0.00              | 1.47     | 1.47         | 1.47     | 1.47         | 0.07     | 1.54     | 1.54              | 1.54     | 1.54                   | ×      |
| 76511   |     | ⋖      | Echo exam of eye             | 0.94              | 1.70     | 1.59         | 1.70     | 1.59         | 0.09     | 2.73     | 2.62              | 2.73     | 2.62                   | ×      |
| 76511   | 56  | ∢      | Echo exam of eye             | 0.94              | 0.40     | 0.30         | 0.40     | 0.30         | 0.03     | 1.37     | 1.27              | 1.37     | 1.27                   | ×      |
| 76511   | ဥ   | ⋖      | Echo exam of eye             | 0.00              | 1.30     | 1.29         | 1.30     | 1.29         | 90.0     | 1.36     | 1.35              | 1.36     | 1.35                   | ×      |
| 76512   |     | ∢      | Echo exam of eye             | 99.0              | 1.90     | 1.90         | 1.90     | 1.90         | 0.12     | 2.68     | 2.68              | 2.68     | 2.68                   | ×      |
| 76512   | 56  | ∢      | Echo exam of eye             | 99.0              | 0.32     | 0.33         | 0.32     | 0.33         | 0.04     | 1.02     | 1.03              | 1.02     | 1.03                   | ×      |
| 76512   | 5   | ∢      | Echo exam of eye             | 0.00              | 1.58     | 1.57         | 1.58     | 1.57         | 0.08     | 1.66     | 1.65              | 1.66     | 1.65                   | ×      |
| 76513   |     | ∢      | Echo exam of eye, water bath | 99.0              | 1.89     | 1.90         | 1.89     | 1.90         | 0.12     | 2.67     | 2.68              | 2.67     | 2.68                   | ×      |
| 76513   | 56  | ∢      | Echo exam of eye, water bath | 99.0              | 0.31     | 0.33         | 0.31     | 0.33         | 0.04     | 1.01     | 1.03              | 1.01     | 1.03                   | ×      |
| 76513   | ဥ   | ∢      | Echo exam of eye, water bath | 0.00              | 1.58     | 1.57         | 1.58     | 1.57         | 0.08     | 1.66     | 1.65              | 1.66     | 1.65                   | ×      |
| 76516   |     | ∢      | Echo exam of eye             | 0.54              | 1.56     | 1.56         | 1.56     | 1.56         | 60.0     | 2.19     | 2.19              | 2.19     | 2.19                   | ×      |
| 76516   | 56  | ∢      | Echo exam of eye             | 0.54              | 0.26     | 0.27         | 0.26     | 0.27         | 0.03     | 0.83     | 0.84              | 0.83     | 0.84                   | ×      |
| 76516   | 2   | ∢      | Echo exam of eye             | 0.00              | 1.30     | 1.29         | 1.30     | 1.29         | 90:0     | 1.36     | 1.35              | 1.36     | 1.35                   | ×      |
| 76519   |     | ∢      | Echo exam of eye             | 0.54              | 1.57     | 1.56         | 1.57     | 1.56         | 0.09     | 2.20     | 2.19              | 2.20     | 2.19                   | ××     |

Page 150 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| protifie         protifie         protifie         Moritie         Moritie         Moritie         Moritie         Moritie         Moritie         Intensitioned acqueres         Expense         Expen   |   |                                   |                            |      |   | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |            |
|---|---|-----------------------------------|----------------------------|------|---|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
| Companies         Expenses         Paperins         Propering         Profession         Including         Including <th< th=""><th></th><th></th><th></th><th></th><th>_</th><th>practice</th><th>practice</th><th>practice</th><th>practice</th><th>-low</th><th>Non</th><th>Non-</th><th>į</th><th>Iransitioned</th><th></th></th<>  |   |                                   |                            |      | _ | practice         | practice                     | practice        | practice                 | -low             | Non               | Non-              | į                 | Iransitioned      |            |
| 0.27         0.27         0.27         0.27         0.27         0.84         0.84         0.84         0.84         0.84         0.84         0.84         0.84         0.84         0.84         0.84         0.84         0.84         0.84         0.84         0.84         0.84         0.84         1.26         1.26         1.26         0.12         0.85         1.35         1.36         1.35         1.36 <th< th=""><th>CPT / work work HCPCS Mod Status Description RVUs 3</th><th>work work Status Description RVUs</th><th>work<br/>Description RVUs 3</th><th></th><th>-</th><th>expense<br/>RVUs</th><th>expense<br/>RVUs</th><th>expense<br/>RVUs</th><th>expense<br/>RVUs</th><th>practice<br/>RUVs</th><th>facility<br/>Total</th><th>facility<br/>Total</th><th>Facility<br/>Total</th><th>Facility<br/>Total</th><th>Global</th></th<> | CPT / work work HCPCS Mod Status Description RVUs 3 | work work Status Description RVUs | work<br>Description RVUs 3 |      | - | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
| 129         130         129         0.06         136         148 <td>26 A Echo exam of eye 0.54</td> <td>Echo exam of eye</td> <td></td> <td>0.54</td> <td>1</td> <td>0.27</td> <td>0.27</td> <td>0.27</td> <td>0.27</td> <td>0.03</td> <td>0.84</td> <td>0.84</td> <td>0.84</td> <td>0.84</td> <td>×</td>  | 26 A Echo exam of eye 0.54                          | Echo exam of eye                  |                            | 0.54 | 1 | 0.27             | 0.27                         | 0.27            | 0.27                     | 0.03             | 0.84              | 0.84              | 0.84              | 0.84              | ×          |
| 168         167         168         0.10         2.34         2.35         2.34         2.35           0.27         0.25         0.27         0.03         0.08         0.03<   | ∢   | Echo exam of eye                  |                            | 0.00 |   | 1.30             | 1.29                         | 1.30            | 1.29                     | 90.0             | 1.36              | 1.35              | 1.36              | 1.35              | ×          |
| 027         025         027         008         087         085         087           1,44         1,42         1,41         0.07         1,48         1,48         1,48         1,48           1,72         1,72         1,72         0.07         1,49         1,48         1,48         1,48           1,60         0.15         0.25         0.03         0.74         0.84         0.74         0.84           1,60         0.15         0.25         0.03         0.73         0.83         0.73         0.89           0,25         0.15         0.25         0.03         0.73         0.83         0.73         0.89           0,25         0.15         0.25         0.03         0.73         0.83         0.73         0.83           0,26         0.15         0.25         0.03         0.73         0.83         0.73         0.83           0,26         0.16         0.25         0.03         0.73         0.83         0.73         0.83           0,27         0.14         0.24         0.73         0.83         0.73         0.83           0,28         0.14         0.13         0.14         0.14         1.14  | A Echo exam of eye 0.57                             | Echo exam of eye                  |                            | 0.57 |   | 1.67             | 1.68                         | 1.67            | 1.68                     | 0.10             | 2.34              | 2.35              | 2.34              | 2.35              | ž          |
| 141         142         141         007         149         148         149         148         149         148         148         149         148         149         149         144         140         141         140         141         140         141         140         141         140         141         140         141         140         141         140         141         140         141         140         141         140         141         140         141         140         141         140         141         140         141         140         141         140         141 <td>A Echo exam of eye</td> <td>Echo exam of eye</td> <td></td> <td>0.57</td> <td></td> <td>0.25</td> <td>0.27</td> <td>0.25</td> <td>0.27</td> <td>0.03</td> <td>0.85</td> <td>0.87</td> <td>0.85</td> <td>0.87</td> <td>×</td>  | A Echo exam of eye                                  | Echo exam of eye                  |                            | 0.57 |   | 0.25             | 0.27                         | 0.25            | 0.27                     | 0.03             | 0.85              | 0.87              | 0.85              | 0.87              | ×          |
| 1,72         1,62         1,72         0.10         2.28         2.38         2.28         2.38           0,25         0,25         0.03         0.74         0.84         0.74         0.84           1,40         1,47         1,47         1,60         0.09         2.13         2.24         2.13         2.24           1,60         1,49         1,60         0.09         2.13         2.24         2.13         0.83           1,35         1,22         1,33         0.08         1,84         1,95         1,84         1,95           1,35         1,22         1,33         0.08         1,84         1,95         1,84         1,95           1,35         1,24         1,25         0.03         0.71         0.81         0.71         1,41  | TC A Echo exam of eye 0.00                          | Echo exam of eye                  |                            | 0.00 |   | 1.42             | 1.41                         | 1.42            | 1.41                     | 0.07             | 1.49              | 1.48              | 1.49              | 1.48              | ×          |
| 0.25         0.15         0.26         0.03         0.74         0.84         0.74         0.84           1.47         1.47         1.47         1.47         1.67         1.69         0.03         0.73         0.83         0.73         0.83           1.60         0.15         0.25         0.03         0.73         0.83         0.73         0.83           1.35         1.34         1.35         0.06         1.40         1.41         1.40         1.41           1.33         1.22         1.33         0.08         1.40         1.41         1.40         1.41           1.34         1.25         0.06         1.40         1.41         1.40         1.41           1.02         1.03         0.05         0.13         0.73         0.83         0.73         0.83           2.40         2.27         2.40         0.13         3.21         3.34         3.21         3.34           2.40         2.27         2.40         0.03         0.77         0.88         0.77         0.88           0.26         0.05         0.04         1.07         1.21         1.14         1.14         1.14         1.14         1.14         1.14  | A Echo exam of head and neck 0.56                   | Echo exam of head and neck        |                            | 99.0 |   | 1.62             | 1.72                         | 1.62            | 1.72                     | 0.10             | 2.28              | 2.38              | 2.28              | 2.38              | ×          |
| 147         147         147         107         154         154         154         154         154         154         154         154         154         154         154         154         156         0.09         2.13         2.24         2.13         2.24         2.13         0.22         1.33         0.08         1.84         1.95         1.41   | A Echo exam of head and neck                        | Echo exam of head and neck        |                            | 0.56 |   | 0.15             | 0.25                         | 0.15            | 0.25                     | 0.03             | 0.74              | 0.84              | 0.74              | 0.84              | ×          |
| 160         149         160         0.09         2.13         2.24         2.13         2.24           1.25         0.15         0.25         0.03         0.73         0.83         0.73         0.83           1.33         1.22         1.34         1.35         0.06         1.40         1.41         1.40         1.41           1.33         1.22         1.33         0.08         1.84         1.95         1.84         1.95           0.24         0.14         0.24         0.03         0.71         0.81         0.71         0.81           1.09         1.08         1.09         0.07         1.84         1.95         1.84         1.95           0.24         0.04         0.03         0.71         0.81         0.71         0.81           0.36         0.26         0.04         1.07         1.21         1.74         1.14           1.73         1.62         1.73         0.10         2.14         2.13         2.14           0.26         0.26         0.04         1.07         1.21         1.07         1.21           0.27         1.27         1.21         1.07         1.21         1.24         2.13  | TC A Echo exam of head and neck 0.00                | Echo exam of head and neck        |                            | 0.00 |   | 1.47             | 1.47                         | 1.47            | 1.47                     | 0.07             | 1.54              | 1.54              | 1.54              | 1.54              | ×          |
| 0.25         0.15         0.25         0.03         0.73         0.83         0.73         0.83           1.36         1.34         1.35         0.06         1.40         1.41         1.40         1.41           1.33         1.22         1.35         0.06         1.40         1.41         1.40         1.41           1.09         1.08         1.09         0.05         1.13         1.14         1.13         1.14           1.09         1.09         0.05         1.13         1.14         1.13         1.14           2.40         2.27         2.40         0.03         0.71         0.81         1.07         1.14           2.40         2.27         2.40         0.03         2.14         2.13         2.42         1.24         2.21         2.24         0.03         2.14         2.13         2.42         1.24         2.21         2.24         0.03         0.77         0.88         0.77         0.88         0.77         0.88         0.77         0.88         0.77         0.88         0.77         0.88         0.77         0.88         0.71         0.78         0.74         0.78         0.74         0.78         0.74         0.78  | Echo exam of chest                                  | Echo exam of chest                |                            | 0.55 |   | 1.49             | 1.60                         | 1.49            | 1.60                     | 0.0              | 2.13              | 2.24              | 2.13              | 2.24              | ×          |
| 1.35         1.34         1.35         0.06         140         141         140         144           1.33         1.22         1.33         0.08         1.84         1.95         1.84         1.95           0.24         0.14         0.24         0.03         1.13         1.14         1.14         1.14           1.09         1.08         1.09         0.05         1.13         1.14         1.14         1.14           2.40         2.27         2.40         0.13         3.21         3.34         3.21         3.34           2.04         2.05         0.04         1.07         1.21         1.07         1.14           1.73         1.62         1.73         0.04         1.07         1.21         0.07         0.08           0.26         0.16         0.26         0.03         0.77         0.88         0.71         0.88           1.47         1.47         0.07         1.54         1.54         1.54         1.54           2.04         2.06         0.03         0.77         0.88         0.71         0.88           2.37         2.25         2.37         0.13         2.44         2.14         2.13   |   | Echo exam of chest                |                            | 0.55 |   | 0.15             | 0.25                         | 0.15            | 0.25                     | 0.03             | 0.73              | 0.83              | 0.73              | 0.83              | ×          |
| 1,33         1,22         1,33         0.08         1,84         1,95         1,84         1,95           0,24         0,14         0,24         0,03         0,71         0,81         1,14         1,13         1,14           2,40         2,27         2,40         0,13         3,21         3,34         3,21         3,34           2,40         2,27         2,40         0,13         3,21         3,44         3,21         3,34           2,04         2,05         2,04         0,09         2,14         2,13         2,14         2,13           2,04         2,05         2,04         0,09         2,14         2,13         2,14         2,13           1,73         1,62         1,77         0,10         2,31         2,44         3,24           2,04         2,05         0,03         0,77         0,88         0,77         0,88           1,73         1,62         1,77         0,13         3,12         3,24         1,14           2,04         0,09         2,14         2,13         2,14         2,13           2,04         0,07         1,54         1,54         1,54         1,54           1,73  | Echo exam of chest                                  | Echo exam of chest                |                            | 0.00 |   | 1.34             | 1.35                         | 1.34            | 1.35                     | 90.0             | 1.40              | 1.41              | 1.40              | 1.41              | ž          |
| 0.24         0.14         0.24         0.03         0.71         0.81         0.71         0.81           1.09         1.08         1.09         0.05         1.13         1.14         1.13         1.14           2.40         2.27         2.40         0.04         1.07         1.21         1.07         1.21           2.04         2.05         2.04         0.09         2.14         2.13         2.14         2.13           2.04         2.05         2.04         0.09         2.14         2.13         2.14         2.13           0.26         0.15         0.26         0.03         0.77         0.88         0.77         0.88           1.73         1.62         1.73         0.10         2.31         2.42         2.31         2.42           2.04         0.09         2.14         2.13         2.14         2.13         2.14         2.13           2.05         0.05         0.07         1.54         1.54         1.54         1.54         1.54           2.04         0.09         2.14         2.13         2.14         2.13         2.14         2.13           2.04         0.09         2.04         0.09 <td>A Echo exam of breast 0.54</td> <td>Echo exam of breast</td> <td></td> <td>0.54</td> <td></td> <td>1.22</td> <td>1.33</td> <td>1.22</td> <td>1.33</td> <td>0.08</td> <td>1.84</td> <td>1.95</td> <td>1.84</td> <td>1.95</td> <td>ž</td>   | A Echo exam of breast 0.54                          | Echo exam of breast               |                            | 0.54 |   | 1.22             | 1.33                         | 1.22            | 1.33                     | 0.08             | 1.84              | 1.95              | 1.84              | 1.95              | ž          |
| 1.09         1.08         1.09         0.05         1.13         1.14         1.14         1.14           2.40         2.27         2.40         0.13         3.21         3.34         3.21         3.34           2.04         2.27         2.40         0.04         1.07         1.21         1.07         1.21           2.04         2.05         2.04         0.09         2.14         2.13         2.14         2.13           1.73         1.62         1.73         0.10         2.31         2.42         2.31         2.42           0.26         0.15         0.26         0.03         0.77         0.88         0.77         0.88           2.37         2.25         2.37         0.13         3.12         3.24         3.12         3.24           2.04         2.05         0.03         0.77         0.88         0.77         0.88           2.04         2.05         0.03         0.77         0.88         0.77         0.88           2.04         0.05         2.04         0.09         2.14         2.13         2.14         2.13           2.04         2.05         2.04         0.09         2.14         2.14 <td>A Echo exam of breast</td> <td>Echo exam of breast</td> <td></td> <td>0.54</td> <td></td> <td>0.14</td> <td>0.24</td> <td>0.14</td> <td>0.24</td> <td>0.03</td> <td>0.71</td> <td>0.81</td> <td>0.71</td> <td>0.81</td> <td>ž</td>  | A Echo exam of breast                               | Echo exam of breast               |                            | 0.54 |   | 0.14             | 0.24                         | 0.14            | 0.24                     | 0.03             | 0.71              | 0.81              | 0.71              | 0.81              | ž          |
| 2.40       2.27       2.40       0.13       3.21       3.34       3.21       3.34         0.36       0.22       0.36       0.04       1.07       1.21       1.07       1.21         1.73       1.62       1.73       0.09       2.14       2.13       2.14       2.13         0.26       0.15       0.26       0.03       0.07       0.88       0.77       0.88         1.47       1.47       1.47       0.07       1.54       1.54       1.54         2.37       2.25       2.37       0.13       3.12       3.24       3.12       3.24         2.04       2.05       2.04       0.09       2.14       2.13       2.14       2.13         1.73       1.62       1.73       0.04       0.98       1.11       0.98       1.11         2.04       2.05       2.04       0.09       2.14       2.13       2.14       2.13         1.73       1.62       1.73       0.10       2.30       2.41       2.30       2.41         2.04       2.05       0.03       0.03       0.04       0.98       1.11       0.98       1.11         2.04       2.05       2.04 </td <td>Echo exam of breast</td> <td>Echo exam of breast</td> <td></td> <td>0.00</td> <td></td> <td>1.08</td> <td>1.09</td> <td>1.08</td> <td>1.09</td> <td>0.05</td> <td>1.13</td> <td>1.14</td> <td>1.13</td> <td>1.14</td> <td>ž</td>  | Echo exam of breast                                 | Echo exam of breast               |                            | 0.00 |   | 1.08             | 1.09                         | 1.08            | 1.09                     | 0.05             | 1.13              | 1.14              | 1.13              | 1.14              | ž          |
| 0.36         0.02         0.36         0.04         1.07         1.21         1.07         1.21           2.04         2.05         2.04         0.09         2.14         2.13         2.14         2.13           1.73         0.15         0.26         0.03         0.77         0.88         0.77         0.88           0.26         0.15         0.26         0.03         0.77         0.88         0.77         0.88           2.37         2.25         2.37         0.13         3.12         3.24         3.12         3.24           2.37         2.25         2.37         0.13         3.12         3.24         3.12         3.24           2.04         2.05         2.04         0.09         2.14         2.13         2.14         2.13           1.73         1.62         1.73         0.10         2.30         2.41         2.13         3.24           2.04         2.05         2.04         0.09         2.14         2.13         2.14         2.13           2.04         2.05         2.04         0.09         2.14         2.13         2.14         2.13           2.04         2.05         2.04         0.09 <td>A Echo exam of abdomen 0.81</td> <td>Echo exam of abdomen</td> <td></td> <td>0.81</td> <td></td> <td>2.27</td> <td>2.40</td> <td>2.27</td> <td>2.40</td> <td>0.13</td> <td>3.21</td> <td>3.34</td> <td>3.21</td> <td>3.34</td> <td>×</td>   | A Echo exam of abdomen 0.81                         | Echo exam of abdomen              |                            | 0.81 |   | 2.27             | 2.40                         | 2.27            | 2.40                     | 0.13             | 3.21              | 3.34              | 3.21              | 3.34              | ×          |
| 2.04         2.05         2.04         0.09         2.14         2.13         2.14         2.13           1.73         1.62         1.73         0.10         2.31         2.42         2.31         2.42           0.26         0.15         0.26         0.03         0.77         0.88         0.77         0.88           1.47         1.47         1.47         1.47         0.04         0.98         1.11         0.98         1.11           2.37         2.25         2.37         0.13         3.12         3.24         3.12         3.24           2.04         2.08         0.09         2.14         2.13         2.14         2.13           2.04         2.09         2.14         2.13         2.14         2.13           2.05         0.15         0.26         0.03         0.76         0.87         0.76         0.87           0.26         0.15         0.26         0.03         0.76         0.87         0.76         0.87           0.26         0.15         0.26         0.03         0.76         0.87         0.76         0.87           0.26         0.13         0.13         3.12         3.24         3.24 <td>26 A Echo exam of abdomen 0.81</td> <td>Echo exam of abdomen</td> <td></td> <td>0.81</td> <td></td> <td>0.22</td> <td>0.36</td> <td>0.22</td> <td>0.36</td> <td>0.04</td> <td>1.07</td> <td>1.21</td> <td>1.07</td> <td>1.21</td> <td>×</td>  | 26 A Echo exam of abdomen 0.81                      | Echo exam of abdomen              |                            | 0.81 |   | 0.22             | 0.36                         | 0.22            | 0.36                     | 0.04             | 1.07              | 1.21              | 1.07              | 1.21              | ×          |
| 1,73       1,62       1,73       0,10       2,31       2,42       2,31       2,42         0,26       0,15       0,26       0,03       0,77       0,88       0,77       0,88         1,47       1,47       1,47       1,47       1,47       1,47       1,54       1,54       1,54         2,37       2,25       2,37       0,04       0,98       1,11       0,98       1,11         2,04       2,05       2,04       0,09       2,14       2,13       2,14       2,13         1,73       1,62       1,73       0,10       2,30       2,41       2,30       2,41         2,04       2,05       0,03       0,76       0,87       0,76       0,87         1,47       1,47       1,47       0,07       1,54       1,54       1,54       1,54         1,47       1,47       1,47       0,07       1,54       1,54       1,54       1,54         2,04       2,03       0,04       0,98       1,11       0,98       1,11         2,04       2,04       0,09       2,14       2,13       2,14       2,13         2,04       2,05       2,04       0,09       2,14 </td <td>Echo exam of abdomen</td> <td>Echo exam of abdomen</td> <td></td> <td>0.00</td> <td></td> <td>2.05</td> <td>2.04</td> <td>2.05</td> <td>2.04</td> <td>60.0</td> <td>2.14</td> <td>2.13</td> <td>2.14</td> <td>2.13</td> <td>×</td>  | Echo exam of abdomen                                | Echo exam of abdomen              |                            | 0.00 |   | 2.05             | 2.04                         | 2.05            | 2.04                     | 60.0             | 2.14              | 2.13              | 2.14              | 2.13              | ×          |
| 0.26         0.15         0.26         0.03         0.77         0.88         0.77         0.88           1.47         1.47         1.47         0.07         1.54         1.   | Echo exam of abdomen                                | Echo exam of abdomen              |                            | 0.59 |   | 1.62             | 1.73                         | 1.62            | 1.73                     | 0.10             | 2.31              | 2.42              | 2.31              | 2.42              | ž          |
| 1.47       1.47       1.47       1.47       1.64       1.54       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.41       2.13       2.41       2.13       2.41       2.13       2.41       2.13       2.41       2.13       2.41       2.13       2.41       2.13       2.41       2.13       2.41       2.13       2.41       2.13       2.41       2.13       2.41       2.13       2.41       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13       2.14       2.13  | A Echo exam of abdomen                              | Echo exam of abdomen              |                            | 0.59 |   | 0.15             | 0.26                         | 0.15            | 0.26                     | 0.03             | 0.77              | 0.88              | 0.77              | 0.88              | X          |
| 2.37       2.25       2.37       0.13       3.12       3.24       3.12       3.24         2.34       0.20       0.33       0.04       0.98       1.11       0.98       1.11         2.04       2.05       2.04       0.09       2.14       2.13       2.14       2.13         0.26       0.15       0.26       0.01       0.03       0.76       0.87       0.76       0.87         1.47       1.47       1.47       0.07       1.54       1.54       1.54       1.54         2.37       2.25       2.37       0.04       0.98       1.11       0.98       1.11         2.04       2.05       2.04       0.09       2.14       2.13       2.14       2.13         2.04       2.05       2.04       0.09       2.14       2.13       2.14       2.13         1.96       1.79       1.96       0.13       3.05       3.22       3.05       3.22         1.96       1.79       1.96       0.13       3.05       3.22       3.05       3.04         1.96       1.79       1.96       0.13       3.05       3.22       3.05       3.05         1.47       1.47 </td <td>Echo exam of abdomen</td> <td>Echo exam of abdomen</td> <td></td> <td>0.00</td> <td></td> <td>1.47</td> <td>1.47</td> <td>1.47</td> <td>1.47</td> <td>0.07</td> <td>1.54</td> <td>1.54</td> <td>45.</td> <td>- c</td> <td>X</td>  | Echo exam of abdomen                                | Echo exam of abdomen              |                            | 0.00 |   | 1.47             | 1.47                         | 1.47            | 1.47                     | 0.07             | 1.54              | 1.54              | 45.               | - c               | X          |
| 0.50         0.70         0.50         0.70         0.50         0.70 <th< td=""><td></td><td>Echo exam abdomen back wall</td><td></td><td>0.74</td><td></td><td>2.25</td><td>2.37</td><td>2.25</td><td>2.37</td><td>0.13</td><td>3.12</td><td>3.24</td><td>3.12</td><td>3.24</td><td><b>{</b> }</td></th<>   |   | Echo exam abdomen back wall       |                            | 0.74 |   | 2.25             | 2.37                         | 2.25            | 2.37                     | 0.13             | 3.12              | 3.24              | 3.12              | 3.24              | <b>{</b> } |
| 1.73       1.62       1.73       0.03       2.41       2.30       2.41         0.26       0.15       0.03       0.76       0.87       0.76       0.87       0.76         1.47       1.47       0.07       1.54       1.54       1.54       1.54         2.37       2.25       2.37       0.13       3.12       3.24       3.12       3.24         2.33       0.20       0.33       0.04       0.98       1.11       0.98       1.11         2.04       2.05       2.04       0.09       2.14       2.13       2.14       2.13         1.96       1.79       1.96       0.13       3.05       3.22       3.05       3.22         0.49       0.32       0.49       0.06       1.51       1.68       1.51       1.68         1.47       1.47       0.07       1.54       1.54       1.54       1.54         2.61       2.47       2.61       0.05       1.51       1.68       1.51       1.68         2.17       2.47       2.61       0.05       1.54       1.54       1.54       1.54         2.17       2.18       2.17       0.01       2.28       2.27 </td <td>Echo exam abdomen back wall</td> <td>Echo exam abdomen back wall</td> <td></td> <td>† CO</td> <td></td> <td>20.20</td> <td>2. S</td> <td>20.5</td> <td>20.5</td> <td>, e</td> <td>2.5</td> <td>2.13</td> <td>2.30</td> <td>2.13</td> <td>X</td>   | Echo exam abdomen back wall                         | Echo exam abdomen back wall       |                            | † CO |   | 20.20            | 2. S                         | 20.5            | 20.5                     | , e              | 2.5               | 2.13              | 2.30              | 2.13              | X          |
| 0.26         0.15         0.26         0.03         0.76         0.87         0.76         0.87           1.47         1.47         0.07         1.54         1.54         1.54         1.54           2.37         2.25         2.37         0.13         3.12         3.24         3.12         3.24           2.33         0.20         0.33         0.04         0.98         1.11         0.98         1.11           2.04         2.05         2.04         0.09         2.14         2.13         2.14         2.13           1.96         1.79         1.96         0.13         3.05         3.22         3.05         3.22           0.49         0.32         0.49         0.06         1.51         1.68         1.11           1.47         1.47         0.07         1.54         1.54         1.54         1.54           2.61         2.47         2.61         0.05         1.54         1.54         1.54         1.54           2.44         0.29         0.49         0.06         1.51         1.68         1.54         1.54           2.44         0.29         0.49         0.06         1.54         1.54         1.54 <td>A Echo exam abdomen back wall</td> <td>Echo exam abdomen back wall</td> <td></td> <td>0.58</td> <td></td> <td>1.62</td> <td>1.73</td> <td>1.62</td> <td>1.73</td> <td>0.10</td> <td>2.30</td> <td>2.41</td> <td>2.30</td> <td>2.41</td> <td>×</td>  | A Echo exam abdomen back wall                       | Echo exam abdomen back wall       |                            | 0.58 |   | 1.62             | 1.73                         | 1.62            | 1.73                     | 0.10             | 2.30              | 2.41              | 2.30              | 2.41              | ×          |
| 1.47       1.47       1.47       0.07       1.54       1.54       1.54       1.54         2.37       2.26       2.37       0.13       3.12       3.24       3.12       3.24         0.33       0.20       0.33       0.04       0.98       1.11       0.98       1.11         2.04       2.05       2.04       0.09       2.14       2.13       2.14       2.13         1.96       1.79       1.96       0.13       3.05       3.22       3.05       3.22         0.49       0.32       0.49       0.06       1.51       1.68       1.51       1.68         1.47       1.47       1.47       0.07       1.54       1.54       1.54       1.54         2.61       2.47       2.61       0.15       3.61       3.75       3.61       3.75         0.44       0.29       0.44       0.05       1.33       1.48       1.33       1.48         2.17       2.18       2.17       0.10       2.28       2.27       2.28       2.27         5.21       4.94       5.21       0.30       7.21       7.48       7.24       4.54         4.34       4.35       4.34 </td <td>Echo exam abdomen back wall</td> <td>Echo exam abdomen back wall</td> <td></td> <td>0.58</td> <td></td> <td>0.15</td> <td>0.26</td> <td>0.15</td> <td>0.26</td> <td>0.03</td> <td>92.0</td> <td>0.87</td> <td>92.0</td> <td>0.87</td> <td>××</td>   | Echo exam abdomen back wall                         | Echo exam abdomen back wall       |                            | 0.58 |   | 0.15             | 0.26                         | 0.15            | 0.26                     | 0.03             | 92.0              | 0.87              | 92.0              | 0.87              | ××         |
| 2.37         2.26         2.37         0.13         3.12         3.24         3.12         3.24           0.33         0.20         0.33         0.04         0.98         1.11         0.98         1.11           2.04         2.05         2.04         0.09         2.14         2.13         2.14         2.13           1.96         1.79         1.96         0.13         3.05         3.22         3.05         3.22           0.49         0.32         0.49         0.06         1.51         1.68         1.51         1.68           1.47         1.47         1.47         0.07         1.54         1.54         1.54         1.54           2.61         2.47         2.61         0.15         3.61         3.75         3.61         3.75           0.44         0.29         0.44         0.05         1.33         1.48         1.33         1.48           2.17         2.18         2.17         0.10         2.28         2.27         2.28         2.27           5.21         4.94         5.21         0.30         7.21         7.48         7.21         7.48           4.34         4.35         4.34         0.20 <td>A Echo exam abdomen back wall</td> <td>Echo exam abdomen back wall</td> <td></td> <td>0.00</td> <td></td> <td>1.47</td> <td>1.47</td> <td>1.47</td> <td>1.47</td> <td>0.07</td> <td>1.54</td> <td>1.54</td> <td>1.54</td> <td>1.54</td> <td>×</td>  | A Echo exam abdomen back wall                       | Echo exam abdomen back wall       |                            | 0.00 |   | 1.47             | 1.47                         | 1.47            | 1.47                     | 0.07             | 1.54              | 1.54              | 1.54              | 1.54              | ×          |
| 0.33     0.20     0.33     0.04     0.98     1.11     0.98     1.11       2.04     2.05     2.04     0.09     2.14     2.13     2.14     2.13       1.96     1.79     1.96     0.13     3.05     3.22     3.05     3.22       0.49     0.32     0.49     0.06     1.51     1.68     1.51     1.68       1.47     1.47     1.47     0.07     1.54     1.54     1.54     1.54       2.61     2.47     2.61     0.15     3.61     3.75     3.61     3.75       0.44     0.29     0.44     0.05     1.33     1.48     1.33     1.48       2.17     2.17     0.10     2.28     2.27     2.28     2.27       5.21     4.94     5.21     0.30     7.21     7.48     7.21     7.48       0.87     0.59     0.87     0.10     2.66     2.94     2.66     2.94       4.34     4.35     4.34     0.20     4.55     4.54     4.54       1.77     1.67     1.77     0.10     2.42     2.52     2.42     2.52       0.30     0.20     0.30     0.03     0.03     0.03     0.03     0.03     0.03  |   | Echo exam kidney transplant       |                            | 0.74 |   | 2.25             | 2.37                         | 2.25            | 2.37                     | 0.13             | 3.12              | 3.24              | 3.12              | 3.24              | ×          |
| 2.04       2.05       2.04       0.09       2.14       2.13       2.14       2.13         1.96       1.79       1.96       0.13       3.05       3.22       3.05       3.22         0.49       0.03       0.06       1.51       1.68       1.51       1.68         1.47       1.47       0.07       1.54       1.54       1.54       1.54         2.61       2.47       2.61       0.15       3.61       3.75       3.61       3.75         0.44       0.29       0.44       0.05       1.33       1.48       1.33       1.48         2.17       2.17       0.10       2.28       2.27       2.28       2.27         5.21       4.94       5.21       0.30       7.21       7.48       7.21       7.48         0.87       0.59       0.87       0.10       2.66       2.94       2.66       2.94         4.34       4.35       4.34       0.20       4.55       4.54       4.54         1.77       1.67       1.77       0.10       2.42       2.52       2.42       2.52         0.30       0.20       0.30       0.03       0.03       0.03       0.08 </td <td></td> <td>Echo exam kidney transplant</td> <td></td> <td>0.74</td> <td></td> <td>0.20</td> <td>0.33</td> <td>0.20</td> <td>0.33</td> <td>0.04</td> <td>0.98</td> <td>1.11</td> <td>0.98</td> <td>1.1</td> <td>×</td>  |   | Echo exam kidney transplant       |                            | 0.74 |   | 0.20             | 0.33                         | 0.20            | 0.33                     | 0.04             | 0.98              | 1.11              | 0.98              | 1.1               | ×          |
| 1.96       1.79       1.96       0.13       3.05       3.22       3.05       3.22         0.49       0.32       0.49       0.06       1.51       1.68       1.51       1.68         1.47       1.47       1.47       0.07       1.54       1.54       1.54       1.54         2.61       2.47       2.61       0.15       3.61       3.75       3.61       3.75         0.44       0.29       0.44       0.05       1.33       1.48       1.33       1.48         2.17       2.17       0.10       2.28       2.27       2.28       2.27         5.21       4.94       5.21       0.30       7.21       7.48       7.21       7.48         0.87       0.69       0.87       0.10       2.66       2.94       2.66       2.94         4.34       4.35       4.34       0.20       4.55       4.54       4.54         1.77       1.67       1.77       0.10       2.42       2.52       2.42       2.52         0.30       0.20       0.30       0.03       0.88       0.98       0.98       0.98   | Echo exam kidney transplant                         | Echo exam kidney transplant       |                            | 0.00 |   | 2.05             | 2.04                         | 2.05            | 2.04                     | 0.09             | 2.14              | 2.13              | 2.14              | 2.13              | ×          |
| 0.49     0.32     0.49     0.06     1.51     1.68     1.51     1.68       1.47     1.47     1.47     0.07     1.54     1.54     1.54     1.54     1.54       2.61     2.47     2.61     0.15     3.61     3.75     3.61     3.75       0.44     0.29     0.44     0.05     1.33     1.48     1.33     1.48       2.17     2.17     0.10     2.28     2.27     2.28     2.27       5.21     4.94     5.21     0.30     7.21     7.48     7.21     7.48       0.87     0.59     0.87     0.10     2.66     2.94     2.66     2.94       4.34     4.35     4.34     0.20     4.55     4.54     4.54       1.77     1.67     1.77     0.10     2.42     2.52     2.42     2.52       0.30     0.20     0.30     0.03     0.88     0.98     0.98     0.98  | A Echo exam spinal canal 1.13                       | Echo exam spinal canal            |                            | 1.13 |   | 1.79             | 1.96                         | 1.79            | 1.96                     | 0.13             | 3.05              | 3.22              | 3.05              | 3.22              | ×          |
| 1.47       1.47       1.47       0.07       1.54       1.48       1.33       1.48       1.48       1.48       1.48       1.48       1.48       1.48       1.48       1.48       1.27       1.48       1.27       1.48       1.27       1.48       1.27       1.48       1.27       1.48       1.27       1.48       1.27       1.48       1.27       1.48       1.27       1.48       1.27       1.48       1.27       1.48       1.27       1.48       1.28       2.27       2.27       2.27       2.24       2.54       4.54  | A Echo exam spinal canal                            | Echo exam spinal canal            |                            | 1.13 |   | 0.32             | 0.49                         | 0.32            | 0.49                     | 90.0             | 1.51              | 1.68              | 1.51              | 1.68              | ž          |
| 2.61     2.47     2.61     0.15     3.61     3.75     3.61     3.75       0.44     0.29     0.44     0.05     1.33     1.48     1.33     1.48       2.17     2.18     2.17     0.10     2.28     2.27     2.28     2.27       5.21     4.94     5.21     0.30     7.21     7.48     7.21     7.48       0.87     0.59     0.87     0.10     2.66     2.94     2.66     2.94       4.34     4.35     4.34     0.20     4.55     4.54     4.55     4.54       1.77     1.67     1.77     0.10     2.42     2.52     2.42     2.52       0.30     0.20     0.30     0.03     0.88     0.98     0.98     0.98   | Echo exam spinal canal                              | Echo exam spinal canal            |                            | 0.00 |   | 1.47             | 1.47                         | 1.47            | 1.47                     | 0.07             | 1.54              | 1.54              | 1.54              | 1.54              | ×          |
| 0.44     0.29     0.44     0.05     1.33     1.48     1.33     1.48       2.17     2.18     2.17     0.10     2.28     2.27     2.28     2.27       5.21     4.94     5.21     0.30     7.21     7.48     7.21     7.48       0.87     0.69     0.87     0.10     2.66     2.94     2.66     2.94       4.34     4.35     4.34     0.20     4.55     4.54     4.55     4.54       1.77     1.67     1.77     0.10     2.42     2.52     2.42     2.52       0.30     0.20     0.30     0.03     0.88     0.98     0.98     0.98   | Echo exam of pregnant uterus                        | Echo exam of pregnant uterus      |                            | 66.0 |   | 2.47             | 2.61                         | 2.47            | 2.61                     | 0.15             | 3.61              | 3.75              | 3.61              | 3.75              | ××         |
| 2.17     2.18     2.17     0.10     2.28     2.27     2.28     2.27       5.21     4.94     5.21     0.30     7.21     7.48     7.21     7.48       0.87     0.59     0.87     0.10     2.66     2.94     2.66     2.94       4.34     4.35     4.34     0.20     4.55     4.54     4.55     4.54       1.77     1.67     1.77     0.10     2.42     2.52     2.42     2.52       0.30     0.20     0.30     0.03     0.88     0.98     0.98     0.98   |   | Echo exam of pregnant uterus      |                            | 66.0 |   | 0.29             | 0.44                         | 0.29            | 0.44                     | 0.05             | 1.33              | 1.48              | 1.33              | 1.48              | ×          |
| 5.21     4.94     5.21     0.30     7.21     7.48     7.21     7.48       0.87     0.59     0.87     0.10     2.66     2.94     2.66     2.94       4.34     4.35     4.34     0.20     4.55     4.54     4.55     4.54       1.77     1.67     1.77     0.10     2.42     2.52     2.42     2.52       0.30     0.20     0.30     0.03     0.88     0.98     0.98     0.98   | A Echo exam of pregnant uterus                      | Echo exam of pregnant uterus      |                            | 0.00 |   | 2.18             | 2.17                         | 2.18            | 2.17                     | 0.10             | 2.28              | 2.27              | 2.28              | 2.27              | ××         |
| 0.87     0.59     0.87     0.10     2.66     2.94     2.66     2.94       4.34     4.35     4.34     0.20     4.55     4.54     4.55     4.54       1.77     1.67     1.77     0.10     2.42     2.52     2.42     2.52       0.30     0.20     0.30     0.03     0.88     0.98     0.98     0.98   | A Echo exam of pregnant uterus 1.97                 | Echo exam of pregnant uterus      | •                          | 1.97 |   | 4.94             | 5.21                         | 4.94            | 5.21                     | 0.30             | 7.21              | 7.48              | 7.21              | 7.48              | ×          |
| 4.34     4.35     4.34     0.20     4.55     4.54     4.55     4.54       1.77     1.67     1.77     0.10     2.42     2.52     2.42     2.52       0.30     0.20     0.30     0.03     0.88     0.98     0.88     0.98   | A Echo exam of pregnant uterus                      | Echo exam of pregnant uterus      |                            | 1.97 |   | 0.59             | 0.87                         | 0.59            | 0.87                     | 0.10             | 5.66              | 2.94              | 5.66              | 2.94              | ×          |
| 1.77 1.67 1.77 0.10 2.42 2.52 2.42 2.52 3.60 0.30 0.20 0.03 0.08 0.98 0.98 0.98 0.98  | Echo exam of pregnant uterus                        | Echo exam of pregnant uterus      |                            | 0.00 |   | 4.35             | 4.34                         | 4.35            | 4.34                     | 0.20             | 4.55              | 4.54              | 4.55              | 4.54              | ××         |
| 0.30 0.20 0.30 0.03 0.88 0.98 0.88 0.98   | A Echo exam of pregnant uterus 0.65                 | Echo exam of pregnant uterus      | _                          | 0.65 |   | 1.67             | 1.77                         | 1.67            | 1.77                     | 0.10             | 2.42              | 2.52              | 2.42              | 2.52              | ××         |
|   | 26 A Echo exam of pregnant uterus 0.65              | Echo exam of pregnant uterus      |                            | 0.65 |   | 0.20             | 0.30                         | 0.20            | 0.30                     | 0.03             | 0.88              | 0.98              | 0.88              | 0.98              | ×          |

Page 151 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| Mode Status         Description         Physician practite         pract   |                    |   |                        |              | Mon             | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|--|--------------------|---|------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| Participan   Par |                    |   |                        |              | facility        | Non-facility    | Facility        | Facility        | :                |                   | Transitioned      |                   |                   |        |
| Med.         Strikt         Applies         Ap   |                    |   |                        | Physician    | practice        | practice        | practice        | practice        | - Wal            | Non-              | Non-              | į                 | Transitioned      |        |
| A Echo exam. infant highs         0.74         1.78         1.89         1.79         1.89         1.79         1.89         1.79         1.89         1.79         1.89         1.79         1.89         1.79         1.89         1.79         1.89         1.79         1.89  | CPT //<br>HCPCS // |   |                        | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | tacility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| A Echo saram, infant higher         0.74         0.20         0.31         0.03         0.04         0.09         1.09         0.10           A Echo saram, infant higher         0.75         1.68         1.57         1.68         1.57         1.69         1.09         0.08         1.09           A Echo saram, infant highs         0.62         1.64         1.75         1.64         1.75         0.01         2.66         2.65         2.6   | l .                | ∢ | Echo exam, infant hips | 0.74         | 1.78            | 1.88            | 1.78            | 1.88            | 0.12             | 2.64              | 2.74              | 2.64              | 2.74              | ×      |
| A Echo exam infant highs         0.0         1.58         1.57         1.68         1.65         1.   | 56                 | < | Echo exam, infant hips | 0.74         | 0.20            | 0.31            | 0.20            | 0.31            | 0.04             | 0.98              | 1.09              | 0.98              | 1.09              | ×      |
| A Echo evan, infant higs         052         164         173         164         173         164         173         164         173         164         173         164         173         164         173         164         174         164         175         165         164         158         154         154         158         154         154         154         154         154 <td>2</td> <td></td> <td></td> <td>0.00</td> <td>1.58</td> <td>1.57</td> <td>1.58</td> <td>1.57</td> <td>0.08</td> <td>1.66</td> <td>1.65</td> <td>1.66</td> <td>1.65</td> <td>×</td>   | 2                  |   |                        | 0.00         | 1.58            | 1.57            | 1.58            | 1.57            | 0.08             | 1.66              | 1.65              | 1.66              | 1.65              | ×      |
| A Echo exam infant hiss         0 C 20         0 17         0 25         0 17         0 25         0 17         0 25         0 17         0 25         0 17         0 25         0 17         0 25         0 17         0 18         1 18  |                    |   |                        | 0.62         | 1.64            | 1.73            | 1.64            | 1.73            | 0.10             | 2.36              | 2.45              | 2.36              | 2.45              | ×      |
| A         Echo earm frient hisses         0.00         147         148         158   | 26                 |   |                        | 0.62         | 0.17            | 0.26            | 0.17            | 0.26            | 0.03             | 0.82              | 0.91              | 0.82              | 0.91              | ×      |
| A Echo guide for heart sac lap         0 67         183         189         189         0 12         2 62         2 68         1 69         1 7         <  | 2                  |   |                        | 0.00         | 1.47            | 1.47            | 1.47            | 1.47            | 0.07             | 1.54              | 1.54              | 1.54              | 1.54              | ×      |
| A         Echo guide for heart sact lap         067         025         022         023         094         096         103         096         103           A         Echo guide for heart sact lap         067         184         187         157         186         167         169         169         169         160           A         Echo guide for heart stact biopsy         067         184         187         188         189 <t< td=""><td></td><td></td><td>_</td><td>0.67</td><td>1.83</td><td>1.89</td><td>1.83</td><td>1.89</td><td>0.12</td><td>2.62</td><td>2.68</td><td>2.62</td><td>2.68</td><td>×</td></t<>  |                    |   | _                      | 0.67         | 1.83            | 1.89            | 1.83            | 1.89            | 0.12             | 2.62              | 2.68              | 2.62              | 2.68              | ×      |
| A Echo guide for heart set cap         0 00         1.58         1.57         1.56         1.65   | 56                 |   | _                      | 0.67         | 0.25            | 0.32            | 0.25            | 0.32            | 0.04             | 96.0              | 1.03              | 96.0              | 1.03              | ×      |
| A Echo guide for heart blopsy         067         184         189         184         189         012         253         268         26   | բ                  |   |                        | 0.00         | 1.58            | 1.57            | 1.58            | 1.57            | 0.08             | 1.66              | 1.65              | 1.66              | 1.65              | ×      |
| A Echo guide for heart biopsy         067         0.26         0.22         0.26         0.32         0.04         167         167         168         167         168         166         166         166         166         166         166         166         166         166         166         166         166         166         166         166         166         166         167         176         177         176         177         178         176         178         176         178         176         168         167         168         168         168         169         169         <   |                    | ∢ | _                      | 29.0         | 1.84            | 1.89            | 1.84            | 1.89            | 0.12             | 2.63              | 2.68              | 2.63              | 2.68              | ×      |
| A Echo guide for heart biopsy         0 00         1.58         1.57         1.58         1.57         0.08         1.66         1.65  | 56                 |   |                        | 29.0         | 0.26            | 0.32            | 0.26            | 0.32            | 0.04             | 0.97              | 1.03              | 0.97              | 1.03              | ×      |
| A Echo guide for chest tap         0.67         1.76         1.87         1.76         1.87         0.12         2.55         2.66         2.55         2.66           A Echo guide for chest tap         0.67         0.18         0.57         1.58         1.57         0.08         1.66         1.65         1.67         0.08         1.66         1.67         0.08         1.67         0.08         1.66         1.65         1.67         0.08         1.66         1.65         1.67         0.08         1.66         1.67         1.68         1.67         0.08         1.66         1.65         1.66         1.65         1.67         1.68         1.67         0.08         1.66         1.65         1.66         1.65         1.69         1.67         1.68         1.67         0.08         1.66         1.65         1.65         1.65         1.67         1.68         1.67         1.68         1.67         1.68         1.67         1.68         1.67         1.68         1.67         1.68         1.67         1.68         1.67         1.68         1.67         1.68         1.67         1.68         1.67         1.68         1.67         1.68         1.67         1.68         1.67         1.68         1.  | 2                  |   |                        | 0.00         | 1.58            | 1.57            | 1.58            | 1.57            | 0.08             | 1.66              | 1.65              | 1.66              | 1.65              | ×      |
| A Echo guide for chest tap         067         018         030         018         030         004         089         101         089         101           A Echo guide for chest tap         000         1.58         1.57         1.58         1.57         1.68         1.67         1.69   |                    | ∢ | _                      | 0.67         | 1.76            | 1.87            | 1.76            | 1.87            | 0.12             | 2.55              | 2.66              | 2.55              | 2.66              | ×      |
| A Echo guide for chest tap         0.00         1.58         1.57         1.58         1.57         1.68         1.65         1.66         1.66         1.66 <th< td=""><td>56</td><td></td><td></td><td>0.67</td><td>0.18</td><td>0.30</td><td>0.18</td><td>0.30</td><td>0.04</td><td>0.89</td><td>1.01</td><td>0.89</td><td>1.01</td><td>×</td></th<>  | 56                 |   |                        | 0.67         | 0.18            | 0.30            | 0.18            | 0.30            | 0.04             | 0.89              | 1.01              | 0.89              | 1.01              | ×      |
| A Echo guide for artery repair         1.99         7.12         7.68         7.12         7.68         0.38         9.49         10.05         9.49         10.05           A Echo guide for artery repair         1.99         7.12         7.68         7.12         7.68         0.38         9.49         10.05         9.49         10.05           A Echo guide for artery repair         0.00         6.59         1.16         0.59         1.16         0.79         0.78         0.89         6.82         6.82         6.82         0.89         0.89         1.09         0.89         1.09         0.89         1.09         0.89         1.09         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         0.89         0.89         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89         1.00         0.89   | 7                  |   | _                      | 0.00         | 1.58            | 1.57            | 1.58            | 1.57            | 0.08             | 1.66              | 1.65              | 1.66              | 1.65              | ×      |
| A         Echo guide for artery repair         1.99         0.59         1.16         0.59         1.16         0.08         2.66         3.23         2.66         3.25         3.26         3.26         3.23         3.68         3.23         3.68         3.23         3.68         3.23         3.68         3.23         3.68         3.73         3.68         3.73         3.68         3.73         3.68         3.73         3.68         3.73         3.68         3.73         3.68         3.73         3.68         3.73         3.68         3.73  |                    | ∢ | -                      | 1.99         | 7.12            | 7.68            | 7.12            | 7.68            | 0.38             | 9.49              | 10.05             | 9.49              | 10.05             | ×      |
| A Echo guide for antery repair         0.00         6.53         6.52         6.53         6.83         6.83         6.83         6.82         6.82   | 56                 |   | _                      | 1.99         | 0.59            | 1.16            | 0.59            | 1.16            | 0.08             | 5.66              | 3.23              | 5.66              | 3.23              | ×      |
| A Echo exam for drainage         067         176         187         176         187         012         255         266         255         266         256         266         267         260         4         Echo exam for drainage         067         176         187         176         187         012         255         266         256         266         266         266         267         267         217         176         187         014         089         101         089         101         101         089         101         010         101         010         101         010         101         010         101         010         101         010         101         010         101         010         101         010         101         010         010         101         010  | 2                  |   |                        | 0.00         | 6.53            | 6.52            | 6.53            | 6.52            | 0.30             | 6.83              | 6.82              | 6.83              | 6.82              | ×      |
| A Echo exam for drainage         0.67         0.18         0.30         0.18         0.30         0.018         0.04         0.89         1.01         0.89         1.01           A Echo exam for drainage         0.00         1.58         1.57         1.58         1.57         0.015         3.47         6.66         1.65         1.65           A Echo guide for transfusion         1.34         0.39         0.59         0.39         0.59         0.89         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         2.01         1.81         1.82<   |                    | ∢ |                        | 0.67         | 1.76            | 1.87            | 1.76            | 1.87            | 0.12             | 2.55              | 2.66              | 2.55              | 2.66              | ×      |
| A Echo exam for drainage         0.00         1.58         1.57         1.68         1.65         1.66         1   | 56                 |   |                        | 0.67         | 0.18            | 0.30            | 0.18            | 0:30            | 0.04             | 0.89              | 1.01              | 0.89              | 1.01              | ×      |
| A Echo guide for transfusion         1.34         1.98         2.17         0.15         3.47         3.66         3.47         3.66           A Echo guide for transfusion         1.34         1.98         2.17         1.98         2.17         0.15         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         3.47         3.66         1.65 <t< td=""><td>7</td><td></td><td></td><td>0.00</td><td>1.58</td><td>1.57</td><td>1.58</td><td>1.57</td><td>0.08</td><td>1.66</td><td>1.65</td><td>1.66</td><td>1.65</td><td>×</td></t<>   | 7                  |   |                        | 0.00         | 1.58            | 1.57            | 1.58            | 1.57            | 0.08             | 1.66              | 1.65              | 1.66              | 1.65              | ×      |
| A Echo guide for transfusion         1.34         0.39         0.59         0.39         0.59         0.78         1.81         2.01         1.81         2.01           A Echo guide for transfusion         0.00         1.59         1.58         1.59         1.58         0.07         1.66         1.65 <t< td=""><td></td><td>⋖</td><td></td><td>1.34</td><td>1.98</td><td>2.17</td><td>1.98</td><td>2.17</td><td>0.15</td><td>3.47</td><td>3.66</td><td>3.47</td><td>3.66</td><td>×</td></t<>   |                    | ⋖ |                        | 1.34         | 1.98            | 2.17            | 1.98            | 2.17            | 0.15             | 3.47              | 3.66              | 3.47              | 3.66              | ×      |
| A Echo guide for transfusion         0.00         1.59         1.58         1.59         1.58         0.07         1.66         1.65         1.66         1.65           A Echo guide for biopsy         0.67         1.78         1.88         1.78         1.88         0.12         2.57         2.67         2.67           A Echo guide for biopsy         0.67         1.78         1.58         1.57         1.68         1.65         1.65         1.65         1.65         1.65         1.65         1.65         1.65         1.65         1.66         1.65         1.65         1.65         1.65         1.66         1.65  | 56                 |   |                        | 1.34         | 0.39            | 0.59            | 0.39            | 0.59            | 0.08             | 1.81              | 2.01              | 1.81              | 2.01              | ×      |
| A Echo guide for biopsy         0.67         1.78         1.88         1.78         1.88         0.12         2.57         2.67         2.57         2.67         2.67         2.67         2.67         2.67         2.67         2.67         2.67         2.67         2.67         2.67         2.60         2.94         2.67         2.   | 7                  |   |                        | 0.00         | 1.59            | 1.58            | 1.59            | 1.58            | 0.07             | 1.66              | 1.65              | 1.66              | 1.65              | ×      |
| A Echo guide for biopsy         0.67         0.20         0.31         0.04         0.91         1.02         0.91         1.02           A Echo guide for biopsy         0.00         1.58         1.57         1.58         1.57         0.08         1.66         1.65         1.66         1.65           A Echo guide for biopsy         0.00         1.58         1.57         1.58         0.54         0.15         2.02         2.94         2.04         1.59           A Echo guide, villus sampling         0.67         0.19         0.54         0.19         0.54         0.09         1.29         2.94         2.05         2.94         1.29         1.59         1.58         0.05         0.09         1.29         0.54         0.09         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29         0.94         1.29  |                    | ⋖ |                        | 0.67         | 1.78            | 1.88            | 1.78            | 1.88            | 0.12             | 2.57              | 2.67              | 2.57              | 2.67              | ×      |
| A Echo guide for biopsy         0.00         1.58         1.57         1.58         1.57         0.08         1.66         1.65         1.   | 26                 |   |                        | 0.67         | 0.20            | 0.31            | 0.20            | 0.31            | 0.04             | 0.91              | 1.02              | 0.91              | 1.02              | ××     |
| A Echo guide, villus sampling         0.67         1.78         2.12         1.78         2.12         0.15         2.60         2.94         2.60         2.94         2.94         2.94         2.94         2.94         2.94         2.94         2.94         2.60         2.94  | ۲                  |   |                        | 0.00         | 1.58            | 1.57            | 1.58            | 1.57            | 0.08             | 1.66              | 1.65              | 1.66              | 1.65              | ×      |
| A Echo guide, villus sampling         0.67         0.19         0.54         0.08         0.94         1.29         0.94         1.29           A Echo guide, villus sampling         0.00         1.59         1.58         1.59         1.58         0.19         0.54         0.08         0.94         1.29         0.94         1.29           A Echo guide for amniocentesis         0.38         1.70         1.74         1.70         1.74         0.10         2.18         2.22         2.18         2.22           A Echo guide for amniocentesis         0.38         0.12         0.17         0.17         0.02         0.57         0.57         0.57           A Echo guide for amniocentesis         0.00         1.58         1.57         1.58         1.57         0.08         1.66         1.65   |                    | ∢ |                        | 29.0         | 1.78            | 2.12            | 1.78            | 2.12            | 0.15             | 2.60              | 2.94              | 2.60              | 2.94              | ×      |
| A Echo guide, villus sampling         0.00         1.59         1.58         1.59         1.58         0.07         1.66         1.65         1.66         1.65         1.66         1.65         1.66         1.65         1.69         1.65         1.66         1.65         1.66         1.65         1.65         1.66         1.65  | 56                 |   |                        | 0.67         | 0.19            | 0.54            | 0.19            | 0.54            | 0.08             | 0.94              | 1.29              | 0.94              | 1.29              | ×      |
| A Echo guide for amniocentesis         0.38         1.70         1.74         1.70         1.74         0.10         2.18         2.22         2.18         2.22           A Echo guide for amniocentesis         0.38         0.12         0.17         0.12         0.17         0.02         0.52         0.57         0.57         0.57           A Echo guide, ova aspiration         0.38         1.69         1.73         1.69         1.73         0.10         2.17         2.21         2.17         2.21           A Echo guide, ova aspiration         0.38         0.11         0.16         0.11         0.16         0.02         0.51         0.56         0.51         0.56           A Echo guide, ova aspiration         0.00         1.58         1.57         1.58         1.57         0.08         1.66         1.65         <   | 7                  |   | _                      | 0.00         | 1.59            | 1.58            | 1.59            | 1.58            | 0.07             | 1.66              | 1.65              | 1.66              | 1.65              | ×      |
| A Echo guide for amniocentesis         0.38         0.12         0.17         0.12         0.17         0.02         0.52         0.57         0.57         0.57           A Echo guide, ova aspiration         0.38         1.69         1.73         1.69         1.73         0.10         2.17         2.21         2.17         2.21           A Echo guide, ova aspiration         0.38         0.11         0.16         0.17         0.16         0.17         0.16         0.27         2.21         2.17         2.21           A Echo guide, ova aspiration         0.00         1.58         1.57         1.58         1.57         0.08         1.66         1.65         1.61         1.73 <t< td=""><td></td><td>⋖</td><td></td><td>0.38</td><td>1.70</td><td>1.74</td><td>1.70</td><td>1.74</td><td>0.10</td><td>2.18</td><td>2.22</td><td>2.18</td><td>2.22</td><td>×</td></t<>   |                    | ⋖ |                        | 0.38         | 1.70            | 1.74            | 1.70            | 1.74            | 0.10             | 2.18              | 2.22              | 2.18              | 2.22              | ×      |
| A Echo guide for amniocentesis         0.00         1.58         1.57         1.58         1.57         0.08         1.66         1.65         1.61         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75         1.75   | 26                 |   |                        | 0.38         | 0.12            | 0.17            | 0.12            | 0.17            | 0.02             | 0.52              | 0.57              | 0.52              | 0.57              | ×      |
| A Echo guide, ova aspiration         0.38         1.69         1.73         1.69         1.73         0.10         2.17         2.21         2.21         2.21           A Echo guide, ova aspiration         0.38         0.11         0.16         0.16         0.02         0.51         0.56         0.51         0.56           A Echo guide, ova aspiration         0.00         1.58         1.57         1.58         1.57         0.08         1.66         1.65         1.65         1.65         1.65           A Echo guidance radiotherapy         0.58         0.18         0.26         0.18         0.26         0.03         0.79         0.87         0.79         0.87           A Echo guidance radiotherapy         0.00         1.34         1.35         1.34         1.35         0.06         1.40         1.41         1.40         1.41           A Echo guidance radiotherapy         0.58         1.52         1.61         0.09         2.19         2.28         2.19         2.28  | բ                  |   | _                      | 0.00         | 1.58            | 1.57            | 1.58            | 1.57            | 0.08             | 1.66              | 1.65              | 1.66              | 1.65              | ×      |
| A Echo guide, ova aspiration         0.38         0.11         0.16         0.02         0.51         0.56         0.51         0.56           A Echo guide, ova aspiration         0.00         1.58         1.57         1.58         1.57         0.08         1.66         1.65         1.67         0.09         2.19         2.28         2.19         2.28           A Echo guidance radiotherapy         0.00         1.34         1.35         1.34         1.35         0.06         1.40         1.41         1.40         1.41           A Echo guidance radiotherapy         0.58         1.52         1.61         0.09         2.19         2.28         2.19         2.28  |                    | ⋖ | _                      | 0.38         | 1.69            | 1.73            | 1.69            | 1.73            | 0.10             | 2.17              | 2.21              | 2.17              | 2.21              | ×      |
| A Echo guide, ova aspiration       0.00       1.58       1.57       0.08       1.66       1.65       1.65       1.65       1.65       1.65       1.65       1.65       1.65       1.65       1.65       1.65       1.65       1.67       0.09       2.19       2.28       2.19       2.28         A Echo guidance radiotherapy       0.58       0.18       0.26       0.03       0.79       0.87       0.79       0.87       0.79       0.87         A Echo guidance radiotherapy       0.00       1.34       1.35       1.34       1.35       0.06       1.40       1.41       1.41         A Echo guidance radiotherapy       0.58       1.52       1.61       1.52       1.61       0.09       2.19       2.28       2.19       2.28  | 56                 |   | _                      | 0.38         | 0.11            | 0.16            | 0.11            | 0.16            | 0.02             | 0.51              | 0.56              | 0.51              | 0.56              | ×      |
| A Echo guidance radiotherapy         0.58         1.52         1.61         0.09         2.19         2.28         2.19         2.28           A Echo guidance radiotherapy         0.58         0.18         0.26         0.03         0.79         0.87         0.79         0.87         0.79         0.87           A Echo guidance radiotherapy         0.00         1.34         1.35         1.34         1.35         0.06         1.40         1.41         1.41           A Echo guidance radiotherapy         0.58         1.52         1.61         0.09         2.19         2.28         2.19         2.28   | 7                  |   |                        | 0.00         | 1.58            | 1.57            | 1.58            | 1.57            | 0.08             | 1.66              | 1.65              | 1.66              | 1.65              | ×      |
| A         Echo guidance radiotherapy         0.58         0.18         0.26         0.05         0.07         0.79         0.87         0.79         0.87           A         Echo guidance radiotherapy         0.00         1.34         1.35         1.34         1.35         0.06         1.40         1.41         1.40         1.41           A         Echo guidance radiotherapy         0.58         1.52         1.61         0.09         2.19         2.28         2.19         2.28  |                    | ⋖ | _                      | 0.58         | 1.52            | 1.61            | 1.52            | 1.61            | 0.09             | 2.19              | 2.28              | 2.19              | 2.28              | ×      |
| A Echo guidance radiotherapy 0.00 1.34 1.35 1.34 1.35 0.06 1.40 1.41 1.40 1.41 1.41 A Echo guidance radiotherapy 0.58 1.52 1.61 1.52 1.61 0.09 2.19 2.28 2.19 2.28   | 56                 |   | Echo                   | 0.58         | 0.18            | 0.26            | 0.18            | 0.26            | 0.03             | 0.79              | 0.87              | 0.79              | 0.87              | ×      |
| Echo guidance radiotherapy 0.58 1.52 1.61 1.52 1.61 0.09 2.19 2.28 2.19 2.28   | ۲                  |   |                        | 0.00         | 1.34            | 1.35            | 1.34            | 1.35            | 90.0             | 1.40              | 1.41              | 1.40              | 1.41              | ×      |
|  |                    | ∢ | _                      | 0.58         | 1.52            | 1.61            | 1.52            | 1.61            | 0.09             | 2.19              | 2.28              | 2.19              | 2.28              | ×      |

Page 153 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|        |     |        |  |   | Man                         | Irancitioned   |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|--------|-----|--------|--|---|-----------------------------|--|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|        |     |        |  |   | facility                    | Non-facility   | Facility        | Facility        |                  |                   | Transitioned      |                   |                   | ,      |
| -      |     |        |  | Physician                               | practice                    | practice   | practice        | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT // | Mod | Status | Description  | work<br>RVUs                            | expense<br>RVUs             | expense<br>RVUs  | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 76960  | 7   | ۲      | Echo quidance radiotherapy   | 0.58                                    | 0.18                        | 0.26   | 0.18            | 0.26            | 0.03             | 0.79              | 0.87              | 0.79              | 0.87              | ××     |
| 26960  | 2   | < <    | Echo quidance radiotherapy   | 00.0                                    | 1.34                        | 1.35   | 1.34            | 1.35            | 90.0             | 1.40              | 1.41              | 1.40              | 1.41              | ××     |
| 76965  | )   | <      | Echo quidance radiotherapy   | 1.34                                    | 6.20                        | 7.08   | 6.20            | 7.08            | 0.41             | 7.95              | 8.83              | 7.95              | 8.83              | ×      |
| 76965  | 56  | <      | Echo quidance radiotherapy   | 1.34                                    | 0.42                        | 1.31   | 0.42            | 1.31            | 0.15             | 1.91              | 2.80              | 1.91              | 2.80              | ×      |
| 76965  | ဥ   | ∢      | Echo quidance radiotherapy   | 0.00                                    | 5.78                        | 5.77   | 5.78            | 5.77            | 0.26             | 6.04              | 6.03              | 6.04              | 6.03              | ××     |
| 76970  | ,   | <      | Ultrasound exam follow-up  | 0.40                                    | 1.19                        | 1.27   | 1.19            | 1.27            | 0.07             | 1.66              | 1.74              | 1.66              | 1.74              | ×      |
| 2697   | 56  | < <    | Ultrasound exam follow-up  | 0.40                                    | 0.11                        | 0.18   | 0.11            | 0.18            | 0.02             | 0.53              | 09:0              | 0.53              | 09:0              | ×      |
| 76970  | ဥ   | < <    | Ultrasound exam follow-up  | 0.00                                    | 1.08                        | 1.09   | 1.08            | 1.09            | 0.05             | 1.13              | 1.14              | 1.13              | 1.14              | ×      |
| 76975  |     | ∢      | GI endoscopic ultrasound   | 0.81                                    | 1.84                        | 1.91   | 1.84            | 1.91            | 0.12             | 2.77              | 2.84              | 2.77              | 2.84              | ××     |
| 76975  | 56  | ∢      | GI endoscopic ultrasound   | 0.81                                    | 0.26                        | 0.34   | 0.26            | 0.34            | 0.04             | 1.1               | 1.19              | 1.1               | 1.19              | ××     |
| 76975  | 2   | ∢      | GI endoscopic ultrasound   | 0.00                                    | 1.58                        | 1.57   | 1.58            | 1.57            | 0.08             | 1.66              | 1.65              | 1.66              | 1.65              | ×      |
| 76977  |     | œ      | Us bone density measure  | 0.22                                    | 0.94                        | 0.94   | 0.94            | 0.94            | 90.0             | 1.22              | 1.22              | 1.22              | 1.22              | ×      |
| 7697   | 56  | œ      | Us bone density measure  | 0.22                                    | 0.08                        | 80.0   | 0.08            | 80.0            | 0.02             | 0.32              | 0.32              | 0.32              | 0.32              | ×      |
| 7697   | 2   | ~      | Us bone density measure  | 0.00                                    | 98.0                        | 98.0   | 98.0            | 0.86            | 0.04             | 06.0              | 06.0              | 0.90              | 0.90              | ×      |
| 26986  |     | ∢      | Echo exam at surgery   | 1.20                                    | 3.09                        | 3.25   | 3.09            | 3.25            | 0.19             | 4.48              | 4.64              | 4.48              | 4.64              | ×      |
| 26986  | 56  | ∢      | Echo exam at surgery   | 1.20                                    | 0.36                        | 0.53   | 0.36            | 0.53            | 90.0             | 1.62              | 1.79              | 1.62              | 1.79              | ×      |
| 76986  | ည   | ∢      | Echo exam at surgery   | 0.00                                    | 2.73                        | 2.72   | 2.73            | 2.72            | 0.13             | 2.86              | 2.85              | 2.86              | 2.85              | ×      |
| 26697  |     | ပ      | Echo examination procedure   | 0.00                                    | 0.00                        | 00.0   | 00.00           | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| 76999  | 56  | ပ      | Echo examination procedure   | 0.00                                    | 0.00                        | 00.00  | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 26697  | ဥ   | ပ      | Echo examination procedure   | 0.00                                    | 0.00                        | 0.00   | 00.00           | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 77261  |     | ∢      | Radiation therapy planning   | 1.39                                    | 0.45                        | 0.62   | 0.45            | 0.62            | 0.07             | 1.91              | 2.08              | 1.91              | 2.08              | ×      |
| 77262  |     | ∢      | Radiation therapy planning   | 2.11                                    | 0.68                        | 0.94   | 0.68            | 0.94            | 0.11             | 2.90              | 3.16              | 2.90              | 3.16              | ×      |
| 77263  |     | ∢      | Radiation therapy planning   | 3.14                                    | 66.0                        | 1.39   | 66.0            | 1.39            | 0.16             | 4.29              | 4.69              | 4.29              | 4.69              | ×      |
| 77280  |     | ∢      | Set radiation therapy field  | 0.70                                    | 3.81                        | 3.91   | 3.81            | 3.91            | 0.20             | 4.71              | 4.81              | 4.71              | 4.81              | ×      |
| 77280  | 56  | ∢      | Set radiation therapy field  | 0.70                                    | 0.20                        | 0.31   | 0.20            | 0.31            | 0.0              | 0.94              | 1.05              | 0.94              | 1.05              | ×      |
| 77280  | 2   | ∢      | Set radiation therapy field  | 0.00                                    | 3.61                        | 3.60   | 3.61            | 3.60            | 0.16             | 3.77              | 3.76              | 3.77              | 3.76              | ×      |
| 77285  |     | ∢      | Set radiation therapy field  | 1.05                                    | 6.07                        | 6.22   | 6.07            | 6.22            | 0.32             | 7.44              | 7.59              | 7.44              | 7.59              | ×      |
| 77285  | 56  | ∢      | Set radiation therapy field  | 1.05                                    | 0.29                        | 0.45   | 0.29            | 0.45            | 0.05             | 1.39              | 1.55              | 1.39              | 1.55              | ×      |
| 77285  | ည   | ∢      | Set radiation therapy field  | 00:00                                   | 5.78                        | 5.77   | 5.78            | 5.77            | 0.27             | 6.05              | 6.04              | 6.05              | 6.04              | ×      |
| 77290  |     | ∢      | Set radiation therapy field  | 1.56                                    | 7.18                        | 7.42   | 7.18            | 7.42            | 0.40             | 9.14              | 9.38              | 9.14              | 9.38              | ×      |
| 77290  | 56  | ∢      | Set radiation therapy field  | 1.56                                    | 0.43                        | 99.0   | 0.43            | 0.68            | 0.09             | 2.08              | 2.33              | 2.08              | 2.33              | ×      |
| 77290  | 5   | ∢      | Set radiation therapy field  | 0.00                                    | 6.75                        | 6.74   | 6.75            | 6.74            | 0.31             | 7.06              | 7.05              | 90'2              | 7.05              | ×      |
| 77295  |     | ⋖      | Set radiation therapy field  | 4.57                                    | 30.25                       | 30.91  | 30.25           | 30.91           | 1.51             | 36.33             | 36.99             | 36.33             | 36.99             | ×      |
| 77295  | 56  | ∢      | Set radiation therapy field  | 4.57                                    | 1.27                        | 2.00   | 1.27            | 2.00            | 0.18             | 6.02              | 6.75              | 6.02              | 6.75              | ×      |
| 77295  | ဥ   | ∢      | Set radiation therapy field  | 0.00                                    | 28.98                       | 28.91  | 28.98           | 28.91           | 1.33             | 30.31             | 30.24             | 30.31             | 30.24             | ×      |
| 77299  |     | ပ      | Radiation therapy planning   | 0.00                                    | 0.00                        | 0.00   | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 77299  | 56  | ပ      | Radiation therapy planning   | 0.00                                    | 0.00                        | 0.00   | 00.00           | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 77299  | 5   | ပ      | Radiation therapy planning   | 0.00                                    | 0.00                        | 0.00   | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 77300  |     | ∢      | Radiation therapy dose plan  | 0.62                                    | 1.57                        | 1.66   | 1.57            | 1.66            | 0.09             | 2.28              | 2.37              | 2.28              | 2.37              | ××     |
| 77300  | 56  | ∢      | Radiation therapy dose plan  | 0.62                                    | 0.18                        | 0.27   | 0.18            | 0.27            | 0.03             | 0.83              | 0.92              | 0.83              | 0.92              | ××     |
|        |     |        | AND AND A STATE OF THE PROPERTY OF THE PROPERT | 100000000000000000000000000000000000000 | Management of Statement Co. | A BANK COMMON TO THE TAX TO THE PROPERTY OF TH |                 | 3               | 3                | Ĭ                 | :                 |                   |                   |        |

Page 154 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |                             |                    | 2  | ADDLINDIN D  | VERNIVE                               | - ALLAHITE VALUE UNITOTATOS/ AND ALLAHED INFUNITATION | V US / AIND I   | ובנאובט ווור             | OVIEWICZ         |                   |                    |                   |                   |        |
|------------------------------|-----------------------------|--------------------|--|--|---------------------------------------|---|-----------------|--------------------------|------------------|-------------------|--------------------|-------------------|-------------------|--------|
|                              |                             |                    |  |  | Non-<br>facility                      | Transitioned  | Facility        | Transitioned<br>Facility |                  |                   | T                  |                   |                   |        |
| 'l ***                       |                             |                    |  | Physician  | practice                              | practice  | practice        | practice                 | Mal-             | Non-              | rransmoneu<br>Non- |                   | Transitioned      |        |
| LPI /<br>HCPCS <sup>2</sup>  | Mod                         | Status             | Description  | work<br>RVUs   | expense<br>RVUs                       | expense<br>RVUs                                       | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total  | Facility<br>Total | Facility<br>Total | Global |
| 77300                        | TC                          | ∢                  | Radiation therapy dose plan  | 0.00   | 1.39                                  | 1.39  | 1.39            | 1.39                     | 90.0             | 1.45              | 1.45               | 1.45              | 1.45              | ××     |
| 77305                        |                             | ∢                  | Radiation therapy dose plan  | 0.70   | 2.13                                  | 2.23  | 2.13            | 2.23                     | 0.13             | 2.96              | 3.06               | 2.96              | 3.06              | ××     |
| 77305                        | 56                          | ∢                  | Radiation therapy dose plan  | 0.70   | 0.20                                  | 0.31  | 0.20            | 0.31                     | 0.04             | 0.94              | 1.05               | 0.94              | 1.05              | ×      |
| 77305                        | 2                           | ∢                  | Radiation therapy dose plan  | 00.0   | 1.93                                  | 1.92  | 1.93            | 1.92                     | 60.0             | 2.02              | 2.01               | 2.02              | 2.01              | ××     |
| 77310                        |                             | ∢                  | Radiation therapy dose plan  | 1.05   | 2.71                                  | 2.86  | 2.71            | 2.86                     | 0.17             | 3.93              | 4.08               | 3.93              | 4.08              | ××     |
| 77310                        | 56                          | ∢                  | Radiation therapy dose plan  | 1.05   | 0.29                                  | 0.45  | 0.29            | 0.45                     | 0.05             | 1.39              | 1.55               | 1.39              | 1.55              | ×      |
| 77310                        | ဥ                           | ∢                  | Radiation therapy dose plan  | 0.00   | 2.42                                  | 2.41  | 2.42            | 2.41                     | 0.12             | 2.54              | 2.53               | 2.54              | 2.53              | ×      |
| 77315                        |                             | ∢                  | Radiation therapy dose plan  | 1.56   | 3.19                                  | 3.43  | 3.19            | 3.43                     | 0.22             | 4.97              | 5.21               | 4.97              | 5.21              | ×      |
| 77315                        | 56                          | ∢                  | Radiation therapy dose plan  | 1.56   | 0.43                                  | 0.68  | 0.43            | 0.68                     | 0.09             | 2.08              | 2.33               | 2.08              | 2.33              | ××     |
| 77315                        | 2                           | ∢                  | Radiation therapy dose plan  | 00:00  | 2.76                                  | 2.75  | 2.76            | 2.75                     | 0.13             | 2.89              | 2.88               | 2.89              | 2.88              | ×      |
| 77321                        |                             | ⋖                  | Radiation therapy port plan  | 0.95   | 4.46                                  | 4.60  | 4.46            | 4.60                     | 0.24             | 5.65              | 5.79               | 5.65              | 5.79              | ×      |
| 77321                        | 56                          | ⋖                  | Radiation therapy port plan  | 0.95   | 0.27                                  | 0.42  | 0.27            | 0.42                     | 0.05             | 1.27              | 1.42               | 1.27              | 1.42              | ××     |
| 77321                        | 2                           | ∢                  | Radiation therapy port plan  | 00.00  | 4.19                                  | 4.18  | 4.19            | 4.18                     | 0.19             | 4.38              | 4.37               | 4.38              | 4.37              | ××     |
| 77326                        |                             | ∢                  | Radiation therapy dose plan  | 0.93   | 2.71                                  | 2.85  | 2.71            | 2.85                     | 0.17             | 3.81              | 3.95               | 3.81              | 3.95              | ××     |
| 77326                        | 56                          | ∢                  | Radiation therapy dose plan  | 0.93   | 0.26                                  | 0.41  | 0.26            | 0.41                     | 0.05             | 1.24              | 1.39               | 1.24              | 1.39              | ××     |
| 77326                        | ည                           | ∢                  | Radiation therapy dose plan  | 00:00  | 2.45                                  | 2.44  | 2.45            | 2.44                     | 0.12             | 2.57              | 2.56               | 2.57              | 2.56              | ××     |
| 77327                        |                             | ∢                  | Radiation therapy dose plan  | 1.39   | 3.99                                  | 4.20  | 3.99            | 4.20                     | 0.23             | 5.61              | 5.82               | 5.61              | 5.82              | ××     |
| 77327                        | 56                          | ∢                  | Radiation therapy dose plan  | 1.39   | 0.38                                  | 09:0  | 0.38            | 09.0                     | 0.07             | 1.84              | 2.06               | 1.84              | 5.06              | ××     |
| 77327                        | 10                          | ∢                  | Radiation therapy dose plan  | 0.0  | 3.61                                  | 3.60  | 3.61            | 3.60                     | 0.16             | 3.77              | 3.76               | 3.77              | 3.76              | ×      |
| 77328                        |                             | ∢                  | Radiation therapy dose plan  | 2.09   | 5.73                                  | 6.04  | 5.73            | 6.04                     | 0.34             | 8.16              | 8.47               | 8.16              | 8.47              | ×      |
| 77328                        | 56                          | ∢                  | Radiation therapy dose plan  | 2.09   | 0.58                                  | 0.90  | 0.58            | 06.0                     | 0.11             | 2.78              | 3.10               | 2.78              | 3.10              | ×      |
| 77328                        | ည                           | ∢                  | Radiation therapy dose plan  | 0.00   | 5.15                                  | 5.14  | 5.15            | 5.14                     | 0.23             | 5.38              | 5.37               | 5.38              | 5.37              | ×      |
| 77331                        |                             | ∢                  | Special radiation dosimetry  | 0.87   | 0.76                                  | 0.90  | 92.0            | 0.90                     | 0.07             | 1.70              | 1.84               | 1.70              | 1.84              | ×      |
| 77331                        | 76                          | ∢                  | Special radiation dosimetry  | 0.87   | 0.24                                  | 0.38  | 0.24            | 0.38                     | 0.05             | 1.16              | 1.30               | 1.16              | 1.30              | ××     |
| 77331                        | ပ                           | ∢                  | Special radiation dosimetry  | 0.00   | 0.52                                  | 0.52  | 0.52            | 0.52                     | 0.02             | 0.54              | 0.54               | 0.54              | 0.54              | ×      |
| 77332                        |                             | ∢                  | Radiation treatment aid(s)   | 0.54   | 1.54                                  | 1.63  | 1.54            | 1.63                     | 0.09             | 2.17              | 2.26               | 2.17              | 2.26              | ××     |
| 77332                        | 56                          | ∢                  | Radiation treatment aid(s)   | 0.54   | 0.15                                  | 0.24  | 0.15            | 0.24                     | 0.03             | 0.72              | 0.81               | 0.72              | 0.81              | ×      |
| 77332                        | 2                           | ∢ ·                | Radiation treatment aid(s)   | 0.00   | 1.39                                  | 1.39  | 1.39            | 1.39                     | 90.0             | 1.45              | 1.45               | 1.45              | 1.45              | ××     |
| //333                        |                             | ∢                  | Radiation treatment aid(s)   | 0.84   | 2.20                                  | 2.33  | 2.20            | 2.33                     | 0.14             | 3.18              | 3.31               | 3.18              | 3.31              | ×      |
| 77333                        | 56                          | ∢ ·                | Radiation treatment aid(s)   | 0.84   | 0.24                                  | 0.37  | 0.24            | 0.37                     | 0.05             | 1.13              | 1.26               | 1.13              | 1.26              | ××     |
| 77333                        | ပ                           | ∢                  | Radiation treatment aid(s)   | 0.00   | 1.96                                  | 1.96  | 1.96            | 1.96                     | 0.09             | 2.05              | 2.05               | 2.05              | 2.05              | ×      |
| 77334                        |                             | ∢                  | Radiation treatment aid(s)   | 1.24   | 3.72                                  | 3.90  | 3.72            | 3.90                     | 0.21             | 5.17              | 5.35               | 5.17              | 5.35              | ×      |
| 77334                        | 26                          | ∢                  | Radiation treatment aid(s)   | 1.24   | 0.34                                  | 0.53  | 0.34            | 0.53                     | 90.0             | 1.64              | 1.83               | 1.64              | 1.83              | ×      |
| 77334                        | ည                           | ∢                  | Radiation treatment aid(s)   | 0.00   | 3.38                                  | 3.37  | 3.38            | 3.37                     | 0.15             | 3.53              | 3.52               | 3.53              | 3.52              | ××     |
| 77336                        |                             | ∢                  | Radiation physics consult  | 0.00   | 3.10                                  | 3.09  | 3.10            | 3.09                     | 0.14             | 3.24              | 3.23               | 3.24              | 3.23              | ××     |
| 77370                        |                             | ∢                  | Radiation physics consult  | 0.00   | 3.63                                  | 3.62  | 3.63            | 3.62                     | 0.16             | 3.79              | 3.78               | 3.79              | 3.78              | ××     |
| 77380                        |                             | ပ                  | Proton beam delivery   | 0.00   | 0.00                                  | 0.00  | 0.00            | 00:00                    | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| 77380                        | 26                          | ပ                  | Proton beam delivery   | 0.00   | 00.00                                 | 0.00  | 0.00            | 00.0                     | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 77380                        | ဥ                           | ပ                  | Proton beam delivery   | 0.00   | 0.00                                  | 0.00  | 0.00            | 00.0                     | 0.00             | 0.00              | 0.00               | 00.0              | 0.00              | ×      |
| 77381                        |                             | ပ                  | Proton beam treatment  | 0.00   | 0.00                                  | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| CAROLINE CO. (10.100 - 1.1.) | Acceptability of the second | W-0940511-400000-0 | ADMINISTRATION OF THE PROPERTY | Section of the sectio | Company of the Company of the Company |   |                 |                          |                  |                   |                    |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARSDFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicales RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                     |                                   |        |       |            | Non-<br>facility | Transitioned<br>Non-facility | Facility            | Transitioned<br>Facility |                  |                  | Transitioned     |              |                          |            |
|-------------------------------------|-----------------------------------|--------|-------|------------|------------------|------------------------------|---------------------|--------------------------|------------------|------------------|------------------|--------------|--------------------------|------------|
| Physician I work                    |                                   |        |       | bra<br>exp | ctice<br>ense    | practice                     | practice<br>expense | practice                 | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility     | Transitioned<br>Facility |            |
|                                     | Description RVUs 3                | RVUs 3 |       |            | ?VUs             | RVUs                         | RVUs                | RVUs                     | RUVs             | Total            | Total            | Total        | Total                    | Global     |
|                                     | 00.0                              | 00.0   |       |            | 0.00             | 00:00                        | 0.00                | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00         | 0.00                     | ×          |
|                                     | Proton beam treatment 0.00        | 0.00   |       |            | 0.00             | 0.00                         | 0.00                | 0.00                     | 0.00             | 0.00             | 00:00            | 0.00         | 0.00                     | ×          |
| C External radiation dosimetry 0.00 | External radiation dosimetry      |        | 0.00  |            | 0.00             | 0.00                         | 0.00                | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00         | 0.00                     | ×          |
| External radiation dosimetry        | External radiation dosimetry      |        | 0.00  |            | 0.0              | 0.00                         | 0.00                | 0.00                     | 0.0              | 0.00             | 0.00             | 0.0          | 0.00                     | ž          |
| C External radiation dosimetry      | External radiation dosimetry      |        | 0.00  |            | 0.00             | 0.00                         | 0.00                | 0.00                     | 0.0              | 0.00             | 0.00             | 0.00         | 0.00                     | ž          |
| A Radiation treatment delivery 0.00 | Radiation treatment delivery      |        | 0.00  |            | 1.84             | 1.83                         | 1.84                | 1.83                     | 0.09             | 1.93             | 1.92             | 1.93         | 1.92                     | ž          |
| A Radiation treatment delivery 0.00 | Radiation treatment delivery      |        | 0.00  |            | 1.84             | 1.83                         | 1.84                | 1.83                     | 0.09             | 1.93             | 1.92             | 1.93         | 1.92                     | ×          |
| A Radiation treatment delivery 0.00 | Radiation treatment delivery      |        | 0.00  |            | 1.84             | 1.83                         | 1.84                | 1.83                     | 0.09             | 1.93             | 1.92             | 1.93         | 1.92                     | ž          |
| A Radiation treatment delivery 0.00 | Radiation treatment delivery      |        | 0.00  |            | 1.84             | 1.83                         | 1.84                | 1.83                     | 0.09             | 1.93             | 1.92             | 1.93         | 1.92                     | ×          |
| A Radiation treatment delivery 0.00 | Radiation treatment delivery      |        | 00.0  |            | 1.84             | 1.83                         | 1.84                | 1.83                     | 0.09             | 1.93             | 1.92             | 1.93         | 1.92                     | ×          |
| A Radiation treatment delivery 0.00 | Radiation treatment delivery      |        | 0.00  |            | 2.17             | 2.16                         | 2.17                | 2.16                     | 0.10             | 2.27             | 2.26             | 2.27         | 2.26                     | ×          |
| A Radiation treatment delivery 0.00 |                                   |        | 0.00  |            | 2.17             | 2.16                         | 2.17                | 2.16                     | 0.10             | 2.27             | 2.26             | 2.27         | 2.26                     | ×          |
|                                     | Radiation treatment delivery 0.00 | 00:0   |       |            | 2.17             | 2.16                         | 2.17                | 2.16                     | 0.10             | 2.27             | 2.26             | 2.27         | 2.26                     | ×          |
|                                     | Radiation treatment delivery 0.00 | 0.00   |       |            | 2.17             | 2.16                         | 2.17                | 2.16                     | 0.10             | 2.27             | 2.26             | 2.27         | 2.26                     | ×          |
|                                     | Radiation treatment delivery 0.00 | 00.0   |       |            | 2.42             | 2.41                         | 2.42                | 2.41                     | 0.12             | 2.54             | 2.53             | 2.54         | 2.53                     | ×          |
|                                     | Radiation treatment delivery 0.00 | 0.00   |       |            | 2.42             | 2.41                         | 2.42                | 2.41                     | 0.12             | 2.54             | 2.53             | 2.54         | 2.53                     | ××         |
|                                     | 0.00                              | 0.00   |       |            | 2.42             | 2.41                         | 2.42                | 2.41                     | 0.12             | 2.54             | 2.53             | 2.54         | 2.53                     | ×          |
|                                     | Radiation treatment delivery 0.00 | 0.00   |       |            | 2.42             | 2.41                         | 2.42                | 2.41                     | 0.12             | 2.54             | 2.53             | 2.54         | 2.53                     | ×          |
|                                     | Radiology port film(s) 0.00       | 0.00   |       |            | 0.61             | 0.61                         | 0.61                | 0.61                     | 0.03             | 0.64             | 0.64             | 0.64         | 0.64                     | ×          |
|                                     | Weekly radiation therapy          |        | 3.60  |            | 1.1              | 1.60                         | 1.14                | 1.60                     | 0.18             | 4.92             | 5.38             | 4.92         | 5.38                     | ×          |
| Weekly radiation therapy            | Weekly radiation therapy          |        | 1.61  |            | 0.54             | 0.72                         | 0.54                | 0.72                     | 0.09             | 2.24             | 2.42             | 2.24         | 2.42                     | X          |
| Weekly radiation therapy            | Weekly radiation therapy          |        | 2.44  |            | 0.79             | 1.09                         | 0.79                | 1.09                     | 0.13             | 3.36             | 3.66             | 5. 5<br>5. 6 | ა.<br>მა                 | ž          |
| Weekly radiation therapy            | Weekly radiation therapy          | •      | 3.60  |            | 4.0              | 0.50                         | 4.0                 | 09.1                     | 2 0              | 26.92            | 0.58<br>7.73     | 4.92         | 0.5<br>0.7<br>0.7        | <b>{</b> } |
| A Kadiation therapy management 1.01 | Radiation therapy management      |        | 1.01  |            | 0.07<br>2.56     | 0.02<br>4 66                 | 0.02<br>2.56        | 0.02<br>4.66             | 2.0              | 10.80            | 12.90            | 10.80        | 12.90                    | XX         |
| Special radiation treatment         | Special radiation treatment       |        | 2.09  |            | 12.14            | 12.44                        | 12.14               | 12.44                    | 0.63             | 14.86            | 15.16            | 14.86        | 15.16                    | ×          |
| Special radiation treatment         | Special radiation treatment       |        | 2.09  |            | 0.58             | 06.0                         | 0.58                | 06.0                     | 0.11             | 2.78             | 3.10             | 2.78         | 3.10                     | ×          |
| A Special radiation treatment       | Special radiation treatment       |        | 00.00 |            | 11.56            | 11.54                        | 11.56               | 11.54                    | 0.52             | 12.08            | 12.06            | 12.08        | 12.06                    | ×          |
|                                     |                                   |        | 00:00 |            | 0.00             | 0.00                         | 00.00               | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00         | 0.00                     | ž          |
| Radiation therapy management        | Radiation therapy management      |        | 0.00  |            | 0.0              | 0.00                         | 0.00                | 0.00                     | 0.0              | 0.00             | 0.00             | 0.0          | 0.0                      | ×          |
| C Radiation therapy management      | Radiation therapy management      |        | 0.00  |            | 0.00             | 0.00                         | 0.00                | 0.00                     | 0.00             | 0.00             | 0.00             | 0.0          | 0.00                     | ×          |
|                                     | Hyperthermia treatment 1.56       | 1.56   |       |            | 3.58             | 3.83                         | 3.58                | 3.83                     | 0.23             | 5.37             | 5.62             | 5.37         | 5.62                     | 060        |
|                                     | Hyperthermia treatment 1.56       | 1.56   |       |            | 0.43             | 0.68                         | 0.43                | 99.0                     | 60.0             | 2.08             | 2.33             | 2.08         | 2.33                     | 060        |
| R Hyperthermia treatment 0.00       | Hyperthermia treatment 0.00       | 0.00   |       | •          | 3.15             | 3.15                         | 3.15                | 3.15                     | 0.14             | 3.29             | 3.29             | 3.29         | 3.29                     | 060        |
|                                     | Hyperthermia treatment 2.09       | 2.09   |       |            | 4.79             | 5.10                         | 4.79                | 5.10                     | 0.31             | 7.19             | 7.50             | 7.19         | 7.50                     | 060        |
| R Hyperthermia treatment 2.09       | Hyperthermia treatment 2.09       | 2.09   |       |            | 0.58             | 06.0                         | 0.58                | 06.0                     | 0.11             | 2.78             | 3.10             | 2.78         | 3.10                     | 060        |
| Hyperthermia treatment              | Hyperthermia treatment            |        | 00:00 |            | 4.21             | 4.20                         | 4.21                | 4.20                     | 0.20             | 4.41             | 4.40             | 4.41         | 4.40                     | 060        |
| œ                                   | Hyperthermia treatment            |        | 1.56  |            | 3.64             | 3.84                         | 3.64                | 3.84                     | 0.23             | 5.43             | 5.63             | 5.43         | 5.63                     | 060        |
| 26 R Hyperthermia treatment 1.56    | Hyperthermia treatment            |        | 1.56  |            | 0.49             | 69.0                         | 0.49                | 69.0                     | 60.0             | 2.14             | 2.34             | 2.14         | 2.34                     | 060        |
| R Hyperthermia treatment            | Hyperthermia treatment            |        | 0.00  |            | 3.15             | 3.15                         | 3.15                | 3.15                     | 0.14             | 3.29             | 3.29             | 3.29         | 3.29                     | 060        |
|                                     |                                   |        |       |            |                  |                              |                     |                          |                  |                  |                  |              |                          |            |

Page 156 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| Mysion profite   Mysion profite  |                           |    |        |                              |           | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
|--|---------------------------|----|--------|------------------------------|-----------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| No.   State   Description      | -                         |    |        |                              | Physician | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| Ke         Hyperthermia trealment         209         478         510         478         510         037         718         750         718           Ze         R         Hyperthermia trealment         209         0.57         0.90         0.17         718         750         718           Ze         R         Hyperthermia trealment         0.09         0.51         0.50         0.51         0.51         0.70         0.51         0.70         0.41         4.10         4.41         4.01         4.41         4.00         4.41         4.00         4.41         4.00         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.51         0.70         0.70         0.70         0.70         0.70         0.70         0.70         0.70         0.70         0.70         0.70         0.70         0.70         0.70         0.70         0.70         0.70         0.70 <t< th=""><th>717/<br/>IQPG <sup>2</sup></th><th></th><th>Status</th><th>Description</th><th>work 3</th><th>expense<br/>RVUs</th><th>expense<br/>RVUs</th><th>expense<br/>RVUs</th><th>expense<br/>RVUs</th><th>practice<br/>RUVs</th><th>facility<br/>Total</th><th>facility<br/>Total</th><th>Facility<br/>Total</th><th>Facility<br/>Total</th><th>Global</th></t<>   | 717/<br>IQPG <sup>2</sup> |    | Status | Description                  | work 3    | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 26         R Hypotherima treatment         209         657         420         0.11         277         3.10         277         3.10         277         3.10         277         3.10         277         3.10         277         3.10         277         3.10         277         3.10         277         3.10         277         3.10         277         3.10         277         3.10         3.10         3.24         4.41         <  | 315                       | •  | ~      | Hyperthermia treatment       | 2.09      | 4.78             | 5.10                         | 4.78            | 5.10                     | 0.31             | 7.18              | 7.50              | 7.18              | 7.50              | 060    |
| TC         R Hyperthermia treatment         100         421         420         421         420         624         441         440         441           26         R Hyperthermia treatment         156         356         366         366         366         366         366         367         368  | 15                        | 26 | œ      | Hyperthermia treatment       | 2.09      | 0.57             | 06.0                         | 0.57            | 0.90                     | 0.11             | 2.77              | 3.10              | 2.77              | 3.10              | 060    |
| R Hyperthermia treatment         156         365         366         366         365         365         367         369         269         264         565         564         564 <td>15</td> <td>5</td> <td>œ</td> <td>Hyperthermia treatment</td> <td>0.00</td> <td>4.21</td> <td>4.20</td> <td>4.21</td> <td>4.20</td> <td>0.20</td> <td>4.41</td> <td>4.40</td> <td>4.41</td> <td>4.40</td> <td>060</td>  | 15                        | 5  | œ      | Hyperthermia treatment       | 0.00      | 4.21             | 4.20                         | 4.21            | 4.20                     | 0.20             | 4.41              | 4.40              | 4.41              | 4.40              | 060    |
| 26         R         Hyperthermal teatment         156         0.51         0.70         0.04         316         2.95         2.14         2.29         2.39         2.39         2.34         3.15         3.16         0.04         3.16         3.16         3.16         3.16         3.16         3.16         3.16         3.16         3.16         3.16         3.16         3.16         3.29  | 20                        |    | œ      | Hyperthermia treatment       | 1.56      | 3.66             | 3.85                         | 3.66            | 3.85                     | 0.23             | 5.45              | 5.64              | 5.45              | 5.64              | 060    |
| T.C.         A Introne radioactive materials         0.00         3.15         3.15         3.15         0.14         3.29  | 320                       | 26 | œ      | Hyperthermia treatment       | 1.56      | 0.51             | 0.70                         | 0.51            | 0.70                     | 0.09             | 2.16              | 2.35              | 2.16              | 2.35              | 060    |
| A   Interest andioactive materials   | 320                       | 2  | œ      | Hyperthermia treatment       | 0.00      | 3.15             | 3.15                         | 3.15            | 3.15                     | 0.14             | 3.29              | 3.29              | 3.29              | 3.29              | 060    |
| 26         A Intrinse radioactive materials         491         137         201         137         201         621         771         652         652  | 20                        |    | ⋖      | Infuse radioactive materials | 4.91      | 2.74             | 3.39                         | 2.74            | 3.39                     | 0.29             | 7.94              | 8.59              | 7.94              | 8.59              | 060    |
| TC         A infuse enalocative materials         0.00         1.37         1.38         1.37         1.41         1.44         1.44         1.45           2         A Radioelement application         3.81         3.57         1.43         3.74         4.13         3.74         4.13         3.74         4.13         3.74         4.13         0.71         7.69         9.82         4.96         1.49         1.4  | .20                       | 26 | ∢      | Infuse radioactive materials | 4.91      | 1.37             | 2.01                         | 1.37            | 2.01                     | 0.23             | 6.51              | 7.15              | 6.51              | 7.15              | 060    |
| A Radioelement application         381         357         413         357         413         769         825         769           C A Radioelement application         381         367         154         0.97         154         0.97         159         159         159         159         159         159         159         159         159         159         159         159         159         150         159         159         150         1  | 50                        | 7  | ∢      | Infuse radioactive materials | 0.00      | 1.37             | 1.38                         | 1.37            | 1.38                     | 90.0             | 1.43              | 1.44              | 1.43              | 1.44              | 060    |
| 26         A         Radioelement application         381         0.97         1.54         0.16         4.96         5.53         4.96           TC         A         Radioelement application         5.72         5.00         6.06         5.73         0.01         2.73         1.75         3.75         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75         1.46         1.75   | 91                        |    | ∢      | Radioelement application     | 3.81      | 3.57             | 4.13                         | 3.57            | 4.13                     | 0.31             | 7.69              | 8.25              | 7.69              | 8.25              | 060    |
| TC         A Radicelement application         0.00         2.69         2.69         2.69         0.79         2.73         2   | 61                        | 26 | ∢      | Radioelement application     | 3.81      | 0.97             | 1.54                         | 0.97            | 1.54                     | 0.18             | 4.96              | 5.53              | 4.96              | 5.53              | 060    |
| A Radicelement application         572         530         6.06         530         6.06         144         14.46         12.22         1146           TC         A Radicelement application         572         1.56         2.33         1.56         2.33         0.07         7.45         8.22         7.55           TC         A Radicelement application         0.00         3.74         3.73         3.74         0.07         3.73         1.74         3.73         1.74         3.73         3.74         3.74         3.74         3.74         4.85         4.86         4.86         4.85         0.21         4.87         4.87         4.87         4.87         4.87         4.87         4.87         4.87   |                           | 5  | ∢      | Radioelement application     | 00:00     | 2.60             | 2.59                         | 2.60            | 2.59                     | 0.13             | 2.73              | 2.72              | 2.73              | 2.72              | 060    |
| 26         A Radicelement application         572         156         233         156         233         027         755         832         755           TC         A Radicelement application         877         6.94         8.14         694         814         060         16.11         17.31         16.11           26         A Radicelement application         867         6.94         8.45         0.29         1.19         0.09         1.19         1.24   | 62                        |    | ⋖      | Radioelement application     | 5.72      | 5.30             | 90.9                         | 5.30            | 90.9                     | 0.44             | 11.46             | 12.22             | 11.46             | 12.22             | 060    |
| TC         A Radioelement application         0.00         3.74         3.73         3.74         3.73         3.74         3.73         3.74         3.73         3.74         3.73         3.74         3.73         3.74         3.73         3.74         3.73         3.74         3.73         3.74         3.73         3.74         3.74         3.73         3.74         3.74         3.74         3.74         4.87         4.86         4.87         4.86         4.87         4.86         4.87         4.86         4.87         4.86         4.87         4.86         4.87         4.86         4.87         4.86         4.87         4.86         4.87         6.03         6   | .05                       | 56 | ∢      | Radioelement application     | 5.72      | 1.56             | 2.33                         | 1.56            | 2.33                     | 0.27             | 7.55              | 8.32              | 7.55              | 8.32              | 060    |
| A Radioelement application         857         6.94         8 14         6.94         8 14         6.94         17.31         16.11           26         A Radioelement application         0.00         4.66         3.49         2.28         3.49         0.39         11.24         12.48         11.24           26         A Radioelement application         0.00         4.66         3.44         4.25         0.35         8.45         9.26         8.45           26         A Radioelement application         4.66         1.19         2.00         1.19         2.00         0.24         6.09  | 62                        | 2  | ∢      | Radioelement application     | 00.0      | 3.74             | 3.73                         | 3.74            | 3.73                     | 0.17             | 3.91              | 3.90              | 3.91              | 3.90              | 060    |
| 26         A Radioelement application         857         228         349         228         349         124         1245         1124           TC         A Radioelement application         6.06         4.66         4.65         4.66         4.66         4.66         4.66         4.66         4.66         6.07         4.66         4.66         4.66         6.07         4.66         6.07         4.66         6.07         4.66         6.07         4.66         6.07         4.66         6.07         6.08         6.09  | 63                        |    | ∢      | Radioelement application     | 8.57      | 6.94             | 8.14                         | 6.94            | 8.14                     | 09.0             | 16.11             | 17.31             | 16.11             | 17.31             | 060    |
| TC         A         Radioelement application         0.00         4.66         4.65         4.65         0.21         4.87         4.86         4.87           A         Radioelement application         4.66         1.34         4.25         0.24         4.25         0.35         8.45         9.29         8.45           TC         A         Radioelement application         0.00         2.25         2.25         2.25         0.11         2.36         2.36         2.36         8.45         9.20         0.04         0.04         0.00         2.25         2.25         0.27         0.11         2.36         2.36         2.36         8.45         9.25         0.01         2.36         2.36         2.36         0.00         2.36         1.46         1.55         1.464         1.55         1.464         1.55         1.464         1.55         1.464         1.55         1.464         1.56         0.01         2.25         0.11         2.00         0.04         0.09         0.024         0.05         1.66         1.49         0.65         1.46         1.55         0.14         4.39         0.24         4.51         0.24         4.50         0.05         1.60         0.03         1.00   | 63                        | 56 | ∢      | Radioelement application     | 8.57      | 2.28             | 3.49                         | 2.28            | 3.49                     | 0.39             | 11.24             | 12.45             | 11.24             | 12.45             | 060    |
| A Radioelement application         466         344         4.25         344         4.25         6.35         8.45         9.26         8.45           26         A Radioelement application         4.66         1.19         2.20         0.11         2.30         0.39         6.90         6.90         6.90           7 A Radioelement application         0.00         2.25         2.25         0.11         2.36         0.36         1.464         1.52.36           | 93                        | ည  | ∢      | Radioelement application     | 0.00      | 4.66             | 4.65                         | 4.66            | 4.65                     | 0.21             | 4.87              | 4.86              | 4.87              | 4.86              | 060    |
| 26         A Radioelement application         4.66         1.19         2.00         1.19         2.00         0.24         6.09         6.90         6.09           TC         A Radioelement application         7.48         6.19         2.25         2.25         2.25         0.01         2.36         1.84         1.85         1.84         1.86         1.84         1.86         1.84         1.84         1.84         1.84         1.84         1.85         1.84         1.85         1.84         1.85         1.84         1.85         1.84         1.85         1.84         1.85         1.84         1.85         1.84         1.85 </td <td>92</td> <td></td> <td>∢</td> <td>Radioelement application</td> <td>4.66</td> <td>3.44</td> <td>4.25</td> <td>3.44</td> <td>4.25</td> <td>0.35</td> <td>8.45</td> <td>9.26</td> <td>8.45</td> <td>9.26</td> <td>×</td>   | 92                        |    | ∢      | Radioelement application     | 4.66      | 3.44             | 4.25                         | 3.44            | 4.25                     | 0.35             | 8.45              | 9.26              | 8.45              | 9.26              | ×      |
| TC         A Radioelement application         0.00         2.25         2.25         0.11         2.36         2.36         2.36           A Radioelement application         7.48         661         7.49         6.60         7.70         7.60         7.70<  | 9/                        | 56 | ∢      | Radioelement application     | 4.66      | 1.19             | 2.00                         | 1.19            | 2.00                     | 0.24             | 6.09              | 06:9              | 60.9              | 06.9              | ×      |
| A Radioelement application         748         661         749         661         749         661         749         0.56         1464         15.52         1464           26         A Radioelement application         748         2.21         3.10         2.21         3.10         0.35         10.04         10.93         10.04           7         A Radioelement application         11.19         8.48         9.92         0.76         2.04         1.87         20.43         21.87         20.43           26         A Radioelement application         11.19         8.48         9.92         0.76         2.04         1.87         16.32         14.87           1C         A Radioelement application         11.19         3.16         4.61         3.16         4.61         0.52         1.48         1.63         20.43         21.87         20.43         1.87         20.43         1.87         20.43         1.87         20.43         1.87         20.43         1.87         20.43         1.87         20.43         1.87         20.43         1.87         20.43         1.87         20.43         1.87         20.43         1.87         20.43         1.87         20.43         1.87         20.43  | 92                        | ည  | ∢      | Radioelement application     | 0.00      | 2.25             | 2.25                         | 2.25            | 2.25                     | 0.11             | 2.36              | 2.36              | 2.36              | 2.36              | ×      |
| 26         A Radioelement application         7.48         2.21         3.10         2.21         3.10         0.35         10.04         10.93         10.04           TC         A Radioelement application         0.00         4.40         4.39         4.40         4.39         0.20         4.60         4.50         4.60         6.60         6.71         6.71         6.72         6.44         2.4  | 22                        |    | ∢      | Radioelement application     | 7.48      | 6.61             | 7.49                         | 6.61            | 7.49                     | 0.55             | 14.64             | 15.52             | 14.64             | 15.52             | 060    |
| TC         A         Radioelement application         0.00         4.40         4.39         4.40         4.39         0.20         4.60         4.50         4.60           26         A         Radioelement application         11.19         8.48         9.92         8.76         20.43         21.87         20.43           26         A         Radioelement application         11.19         8.48         9.92         0.76         20.43         20.43           TC         A         Radioelement application         0.00         5.32         5.31         5.31         0.24         5.56 <td>22</td> <td>56</td> <td>∢</td> <td>Radioelement application</td> <td>7.48</td> <td>2.21</td> <td>3.10</td> <td>2.21</td> <td>3.10</td> <td>0.35</td> <td>10.04</td> <td>10.93</td> <td>10.04</td> <td>10.93</td> <td>060</td>  | 22                        | 56 | ∢      | Radioelement application     | 7.48      | 2.21             | 3.10                         | 2.21            | 3.10                     | 0.35             | 10.04             | 10.93             | 10.04             | 10.93             | 060    |
| A Radioelement application         11.19         8.48         9.92         0.76         20.43         21.87         20.43           26         A Radioelement application         11.19         3.16         4.61         0.52         14.87         16.32         14.87           TC         A Radioelement application         0.00         5.32         5.31         5.32         5.56         5.53         5.56         5.56         5.56         5.56         5.56         5.53         5.56         5.56         5.53         5.56         5.53         3.66         3.32         1.00         1   | 11                        | 2  | ∢      | Radioelement application     | 00:00     | 4.40             | 4.39                         | 4.40            | 4.39                     | 0.20             | 4.60              | 4.59              | 4.60              | 4.59              | 060    |
| 26         A         Radioelement application         11.19         3.16         4.61         3.16         4.61         0.52         14.87         16.32         14.87           TC         A         Radioelement application         0.00         5.32         5.31         5.31         5.24         5.55         5.56           A         High intensity brachytherapy         1.66         21.55         21.71         21.55         21.71         1.04         24.25         24.41         24.25           26         A         High intensity brachytherapy         1.66         21.65         21.02         21.02         0.09         22.4         24.41         24.25           26         A         High intensity brachytherapy         2.00         21.06         21.02         0.09         22.01         21.97         22.01           26         A         High intensity brachytherapy         0.00         21.06         21.02         0.05         22.01         21.97         22.01           26         A         High intensity brachytherapy         0.00         21.06         21.02         0.95         22.01         21.97         22.01           26         A         High intensity brachytherapy         0.00         <   | 82                        |    | ∢      | Radioelement application     | 11.19     | 8.48             | 9.92                         | 8.48            | 9.92                     | 92.0             | 20.43             | 21.87             | 20.43             | 21.87             | 060    |
| TC         A         Radioelement application         0.00         5.32         5.31         6.24         5.56         5.56         5.56           A         High intensity brachytherapy         1.66         21.55         21.71         21.55         21.71         1.04         24.25         24.41         24.25           26         A         High intensity brachytherapy         1.66         0.49         0.69         0.69         0.24         2.44         2.24           TC         A         High intensity brachytherapy         0.00         21.06         21.05         21.06         21.02         0.95         22.01         21.97         22.01           26         A         High intensity brachytherapy         2.49         0.70         1.03         0.13         3.32         3.65         3.32           26         A         High intensity brachytherapy         0.00         21.06         21.02         22.04         1.03         1.52         0.95         22.01         21.97         22.01           26         A         High intensity brachytherapy         3.73         1.03         1.52         2.24         1.97         2.01         2.94         2.04         2.94           26         A </td <td>28</td> <td>26</td> <td>∢</td> <td>Radioelement application</td> <td>11.19</td> <td>3.16</td> <td>4.61</td> <td>3.16</td> <td>4.61</td> <td>0.52</td> <td>14.87</td> <td>16.32</td> <td>14.87</td> <td>16.32</td> <td>060</td>  | 28                        | 26 | ∢      | Radioelement application     | 11.19     | 3.16             | 4.61                         | 3.16            | 4.61                     | 0.52             | 14.87             | 16.32             | 14.87             | 16.32             | 060    |
| A High intensity brachytherapy         1.66         21.55         21.71         1.04         24.25         24.41         24.25           26         A High intensity brachytherapy         1.66         0.49         0.69         0.49         0.69         0.24         2.44         2.24           TC         A High intensity brachytherapy         0.00         21.06         21.02         21.05         1.08         25.33         25.62         25.33           26         A High intensity brachytherapy         2.49         0.70         1.03         0.70         1.03         0.13         3.32         3.55         3.55           26         A High intensity brachytherapy         2.00         21.06         21.06         21.02         0.95         22.01         21.97         22.01           26         A High intensity brachytherapy         3.73         1.03         1.52         2.09         22.54         1.13         26.95         22.01         21.97         22.01           26         A High intensity brachytherapy         3.73         2.09         22.54         1.03         1.52         20.95         22.01         2.94         30.15         29.46           26         A High intensity brachytherapy         5.61         <   | 28                        | ည  | ∢      | Radioelement application     | 00.0      | 5.32             | 5.31                         | 5.32            | 5.31                     | 0.24             | 5.56              | 5.55              | 5.56              | 5.55              | 060    |
| 26         A         High intensity brachytherapy         1.66         0.49         0.69         0.69         0.24         2.24         2.24           TC         A         High intensity brachytherapy         0.00         21.06         21.02         21.05         21.05         21.05         21.06         21.02         22.01         21.97         22.01           26         A         High intensity brachytherapy         2.49         21.76         21.05         21.05         21.05         22.05         1.03         0.13         3.32         3.55         25.33           26         A         High intensity brachytherapy         0.00         21.06         21.05         22.04         1.13         26.95         27.40         26.95           26         A         High intensity brachytherapy         0.00         21.06         21.02         20.95         22.01         21.97         22.01           26         A         High intensity brachytherapy         3.73         1.03         1.52         21.02         20.96         22.01         21.97         22.01           26         A         High intensity brachytherapy         5.61         22.63         23.32         1.22         29.46         30.15         2   | 25                        |    | ∢      | High intensity brachytherapy | 1.66      | 21.55            | 21.71                        | 21.55           | 21.71                    | 1.04             | 24.25             | 24.41             | 24.25             | 24.41             | 060    |
| TC         A         High intensity brachytherapy         0.00         21.06         21.02         21.06         21.02         21.06         21.02         21.06         21.02         21.06         21.02         21.06         21.07         21.06         21.07         21.06         21.07         1.03         0.13         3.32         25.62         25.33           26         A         High intensity brachytherapy         2.49         0.70         1.03         0.13         3.32         3.65         3.32           1C         A         High intensity brachytherapy         0.00         21.06         21.02         21.02         0.95         22.01         21.97         22.01           26         A         High intensity brachytherapy         3.73         1.03         1.52         1.03         1.52         0.18         4.94         5.43         4.94           TC         A         High intensity brachytherapy         5.61         22.63         22.63         23.22         1.22         29.46         30.15         29.46           A         High intensity brachytherapy         5.61         1.57         2.06         21.02         21.02         20.95         22.01         21.97         22.01           <  | 25                        | 26 | ∢      | High intensity brachytherapy | 1.66      | 0.49             | 69:0                         | 0.49            | 69.0                     | 0.09             | 2.24              | 2.44              | 2.24              | 2.44              | 060    |
| A         High intensity brachytherapy         2.49         21.76         22.05         1.08         25.33         25.62         25.33           26         A         High intensity brachytherapy         2.49         0.70         1.03         0.13         3.32         3.65         25.33           TC         A         High intensity brachytherapy         0.00         21.06         21.02         21.06         21.02         0.95         22.01         21.97         22.01           26         A         High intensity brachytherapy         3.73         1.03         1.52         1.03         1.62         0.18         4.94         5.43         4.94           TC         A         High intensity brachytherapy         0.00         21.06         21.02         21.02         0.95         22.01         21.97         22.01           A         High intensity brachytherapy         5.61         22.63         23.23         1.22         29.46         30.15         29.46           A         High intensity brachytherapy         5.61         1.57         2.06         21.06         21.06         21.02         0.95         22.01         21.97         22.01           A         High intensity brachytherapy         5.61 </td <td>81</td> <td>ဥ</td> <td>⋖</td> <td>High intensity brachytherapy</td> <td>00.0</td> <td>21.06</td> <td>21.02</td> <td>21.06</td> <td>21.02</td> <td>0.95</td> <td>22.01</td> <td>21.97</td> <td>22.01</td> <td>21.97</td> <td>060</td>  | 81                        | ဥ  | ⋖      | High intensity brachytherapy | 00.0      | 21.06            | 21.02                        | 21.06           | 21.02                    | 0.95             | 22.01             | 21.97             | 22.01             | 21.97             | 060    |
| 26         A         High intensity brachytherapy         2.49         0.70         1.03         0.70         1.03         0.13         3.32         3.65         3.32           TC         A         High intensity brachytherapy         0.00         21.06         21.02         21.02         0.95         22.01         21.97         22.01           26         A         High intensity brachytherapy         3.73         1.03         1.52         1.03         1.52         0.18         4.94         5.43         4.94           TC         A         High intensity brachytherapy         0.00         21.06         21.02         22.63         22.63         22.01         21.97         22.01           A         High intensity brachytherapy         5.61         22.63         23.263         23.32         1.27         29.46         30.15         29.46           26         A         High intensity brachytherapy         5.61         1.57         2.30         1.57         2.06         21.02         20.05         22.01         29.46         30.15         29.46           A         High intensity brachytherapy         5.61         1.57         2.06         21.06         21.02         20.02         22.01         21.9   | 82                        |    | ⋖      | High intensity brachytherapy | 2.49      | 21.76            | 22.05                        | 21.76           | 22.05                    | 1.08             | 25.33             | 25.62             | 25.33             | 25.62             | 060    |
| TC         A         High intensity brachytherapy         0.00         21.06         21.02         21.06         21.02         21.06         21.02         21.06         21.02         21.06         21.02         22.54         1.13         26.95         27.40         26.95           26         A         High intensity brachytherapy         3.73         1.03         1.52         1.03         1.52         0.18         4.94         5.43         4.94           TC         A         High intensity brachytherapy         5.61         21.06         21.02         21.02         0.95         22.01         21.97         22.01           26         A         High intensity brachytherapy         5.61         1.57         23.0         1.57         2.06         21.02         21.05         20.01         21.07         29.46         30.15         29.46           26         A         High intensity brachytherapy         5.61         1.57         23.0         1.57         2.06         21.06         21.02         0.95         22.01         21.97         22.01           A         High intensity brachytherapy         0.00         21.06         21.06         21.02         0.95         22.01         21.97         22.01   | 82                        | 26 | ⋖      | High intensity brachytherapy | 2.49      | 0.70             | 1.03                         | 0.70            | 1.03                     | 0.13             | 3.32              | 3.65              | 3.32              | 3.65              | 060    |
| A         High intensity brachytherapy         3.73         22.09         22.54         22.09         22.54         1.13         26.95         27.40         26.95           26         A         High intensity brachytherapy         3.73         1.03         1.52         1.03         1.52         0.18         4.94         5.43         4.94           TC         A         High intensity brachytherapy         0.00         21.06         21.02         21.02         0.95         22.01         21.97         22.01           26         A         High intensity brachytherapy         5.61         1.57         2.30         0.27         7.45         8.18         7.45           TC         A         High intensity brachytherapy         0.00         21.06         21.06         21.02         0.95         22.01         21.97         22.01           TC         A         High intensity brachytherapy         0.00         21.06         21.06         21.02         0.95         22.01         21.97         22.01           A         High intensity brachytherapy         0.00         21.06         21.06         21.02         0.93         0.07         1.97         21.97         22.01         1.97         22.01         1.9   | 82                        | 2  | ⋖      | High intensity brachytherapy | 00.0      | 21.06            | 21.02                        | 21.06           | 21.02                    | 0.95             | 22.01             | 21.97             | 22.01             | 21.97             | 060    |
| 26         A         High intensity brachytherapy         3.73         1.03         1.52         1.03         1.52         0.18         4.94         5.43         4.94           TC         A         High intensity brachytherapy         0.00         21.06         21.02         21.02         0.95         22.01         21.97         22.01           26         A         High intensity brachytherapy         5.61         1.57         2.30         1.57         2.30         0.27         7.45         8.18         7.45           TC         A         High intensity brachytherapy         0.00         21.06         21.06         21.02         0.93         0.07         7.45         8.18         7.45           A         Radioelement application         1.12         0.78         0.93         0.78         0.93         0.07         1.97         2.197         2.197         1.97   | 83                        |    | ⋖      | High intensity brachytherapy | 3.73      | 22.09            | 22.54                        | 22.09           | 22.54                    | 1.13             | 26.95             | 27.40             | 26.95             | 27.40             | 060    |
| TC         A High intensity brachytherapy         0.00         21.06         21.02         21.02         0.05         22.01         21.97         22.01           A High intensity brachytherapy         5.61         22.63         23.32         1.22         29.46         30.15         29.46           26         A High intensity brachytherapy         5.61         1.57         2.30         1.57         2.30         0.27         7.45         8.18         7.45           TC         A High intensity brachytherapy         0.00         21.06         21.02         21.02         0.95         22.01         21.97         22.01           A Radioelement application         1.12         0.78         0.93         0.78         0.93         0.07         1.97         1.97   | 83                        | 26 | ⋖      | High intensity brachytherapy | 3.73      | 1.03             | 1.52                         | 1.03            | 1.52                     | 0.18             | 4.94              | 5.43              | 4.94              | 5.43              | 060    |
| A High intensity brachytherapy 5.61 22.63 23.32 1.22 29.46 30.15 2 | 83                        | ည  | ∢      | High intensity brachytherapy | 0.00      | 21.06            | 21.02                        | 21.06           | 21.02                    | 0.95             | 22.01             | 21.97             | 22.01             | 21.97             | 060    |
| 26         A         High intensity brachytherapy         5.61         1.57         2.30         1.57         2.30         0.27         7.45         8.18         7.45           TC         A         High intensity brachytherapy         0.00         21.06         21.02         21.02         0.95         22.01         21.97         22.01           A         Radioelement application         1.12         0.78         0.93         0.78         0.93         0.07         1.97         2.12         1.97   | 8                         |    | ∢      | High intensity brachytherapy | 5.61      | 22.63            | 23.32                        | 22.63           | 23.32                    | 1.22             | 29.46             | 30.15             | 29.46             | 30.15             | 060    |
| TC A High intensity brachytherapy 0.00 21.06 21.07 21.06 21.02 0.95 22.01 21.97 22.01 A Radioelement application 1.12 0.78 0.93 0.78 0.93 0.07 1.97 2.12 1.97  | 48                        | 26 | ∢      | High intensity brachytherapy | 5.61      | 1.57             | 2.30                         | 1.57            | 2.30                     | 0.27             | 7.45              | 8.18              | 7.45              | 8.18              | 060    |
| A Radioelement application 1.12 0.78 0.93 0.78 0.93 0.07 1.97 2.12 1.97  | 84                        | ည  | ⋖      | High intensity brachytherapy | 00.0      | 21.06            | 21.02                        | 21.06           | 21.02                    | 0.95             | 22.01             | 21.97             | 22.01             | 21.97             | 060    |
|  | 89                        |    | ∢      | Radioelement application     | 1.12      | 0.78             | 0.93                         | 0.78            | 0.93                     | 0.07             | 1.97              | 2.12              | 1.97              | 2.12              | 060    |

Page 157 of 271 2 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |          |        |  |              | Non-<br>facility               | Transitioned<br>Non-facility  | Facility                                      | Transitioned<br>Facility | 1                |                   | Transitioned      |                   |                   |        |
|-----------------------------|----------|--------|--|--------------|--------------------------------|---|---|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| 7                           |          |        |  | Physician    | practice                       | practice  | practice                                      | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Mod      | Status | Description  | work<br>RVUs | expense<br>RVUs                | expense<br>RVUs   | expense<br>RVUs                               | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
|                             | ည        | ∢      | Thyroid, met imaging, body   | 00.0         | 5.63                           | 5.62  | 5.63  | 5.62                     | 0.26             | 5.89              | 5.88              | 5.89              | 5.88              | ×      |
| 78020                       |          | ⋖      | Thyroid met uptake   | 09.0         | 0.17                           | 0.17  | 0.17  | 0.17                     | 80.0             | 0.85              | 0.85              | 0.85              | 0.85              | 777    |
| 78070                       |          | ∢      | Parathyroid nuclear imaging  | 0.82         | 2.12                           | 2.13  | 2.12  | 2.13                     | 0.12             | 3.06              | 3.07              | 3.06              | 3.07              | ×      |
| 78070                       | 56       | ∢      | Parathyroid nuclear imaging  | 0.82         | 0.23                           | 0.25  | 0.23  | 0.25                     | 0.03             | 1.08              | 1.10              | 1.08              | 1.10              | ×      |
| 78070                       | 5        | ∢      | Parathyroid nuclear imaging  | 0.00         | 1.89                           | 1.88  | 1.89  | 1.88                     | 60:0             | 1.98              | 1.97              | 1.98              | 1.97              | ×      |
| 78075                       |          | ∢      | Adrenal nuclear imaging  | 0.74         | 5.84                           | 5.95  | 5.84  | 5.95                     | 0.30             | 6.88              | 66.9              | 6.88              | 6.9               | ×      |
| 78075                       | 56       | ∢      | Adrenal nuclear imaging  | 0.74         | 0.21                           | 0.33  | 0.21  | 0.33                     | 0.04             | 0.99              | 1.11              | 0.99              | 1.1               | ×      |
| 78075                       | 5        | ∢      | Adrenal nuclear imaging  | 0.00         | 5.63                           | 5.62  | 5.63  | 5.62                     | 0.26             | 5.89              | 5.88              | 5.89              | 5.88              | ×      |
| 66082                       |          | ပ      | Endocrine nuclear procedure  | 0.00         | 0.00                           | 0.00  | 0.00  | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 78099                       | 26       | O      | Endocrine nuclear procedure  | 0.00         | 0.00                           | 0.00  | 00.00   | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 78099                       | ဥ        | ပ      | Endocrine nuclear procedure  | 0.00         | 0.00                           | 0.00  | 0.00  | 0.00                     | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 78102                       |          | ∢      | Bone marrow imaging, Itd   | 0.55         | 2.27                           | 2.35  | 2.27  | 2.35                     | 0.13             | 2.95              | 3.03              | 2.95              | 3.03              | ×      |
| 78102                       | 56       | ∢      | Bone marrow imaging, Itd   | 0.55         | 0.15                           | 0.24  | 0.15  | 0.24                     | 0.03             | 0.73              | 0.82              | 0.73              | 0.82              | ×      |
| 78102                       | 5        | ∢      | Bone marrow imaging, Itd   | 0.00         | 2.12                           | 2.11  | 2.12  | 2.11                     | 0.10             | 2.22              | 2.21              | 2.22              | 2.21              | ×      |
| 78103                       |          | ∢      | Bone marrow imaging, mult  | 0.75         | 3.49                           | 3.61  | 3.49  | 3.61                     | 0.19             | 4.43              | 4.55              | 4.43              | 4.55              | ×      |
| 78103                       | 56       | ∢      | Bone marrow imaging, mult  | 0.75         | 0.21                           | 0.33  | 0.21  | 0.33                     | 0.04             | 1.00              | 1.12              | 1.00              | 1.12              | ×      |
| 78103                       | 2        | ∢      | Bone marrow imaging, mult  | 00.00        | 3.28                           | 3.28  | 3.28  | 3.28                     | 0.15             | 3.43              | 3.43              | 3.43              | 3.43              | ×      |
| 78104                       |          | ∢      | Bone marrow imaging, body  | 0.80         | 4.44                           | 4.57  | 4.44  | 4.57                     | 0.24             | 5.48              | 5.61              | 5.48              | 5.61              | ×      |
| 78104                       | 56       | ∢      | Bone marrow imaging, body  | 0.80         | 0.22                           | 0.36  | 0.22  | 0.36                     | 0.04             | 1.06              | 1.20              | 1.06              | 1.20              | ×      |
| 78104                       | <b>1</b> | ∢      | Bone marrow imaging, body  | 00.00        | 4.22                           | 4.21  | 4.22  | 4.21                     | 0.20             | 4.42              | 4.41              | 4.42              | 4.41              | ×      |
| 78110                       |          | ∢      | Plasma volume, single  | 0.19         | 1.03                           | 1.07  | 1.03  | 1.07                     | 90:0             | 1.28              | 1.32              | 1.28              | 1.32              | ×      |
| 78110                       | 56       | ∢      | Plasma volume, single  | 0.19         | 0.05                           | 60.0  | 0.05  | 60:0                     | 0.01             | 0.25              | 0.29              | 0.25              | 0.29              | ×      |
| 78110                       | 5        | ∢      | Plasma volume, single  | 0.00         | 0.98                           | 0.98  | 0.98  | 96.0                     | 0.05             | 1.03              | 1.03              | 1.03              | 1.03              | ×      |
| 78111                       |          | ∢      | Plasma volume, multiple  | 0.22         | 2.73                           | 2.76  | 2.73  | 2.76                     | 0.15             | 3.10              | 3.13              | 3.10              | 3.13              | ×      |
| 78111                       | 56       | ∢      | Plasma volume, multiple  | 0.22         | 90.0                           | 0.10  | 90.0  | 0.10                     | 0.02             | 0.30              | 0.34              | 0.30              | 0.34              | ×      |
| 78111                       | 2        | ∢      | Plasma volume, multiple  | 0.00         | 2.67                           | 2.66  | 2.67  | 2.66                     | 0.13             | 2.80              | 2.79              | 2.80              | 2.79              | ×      |
| 78120                       |          | ∢      | Red cell mass, single  | 0.23         | 1.86                           | 1.90  | 1.86  | 1.90                     | 0.11             | 2.20              | 2.24              | 2.20              | 2.24              | ×      |
| 78120                       | 56       | ∢      | Red cell mass, single  | 0.23         | 90.0                           | 0.11  | 90.0  | 0.11                     | 0.02             | 0.31              | 0.36              | 0.31              | 0.36              | ×      |
| 78120                       | <b>Σ</b> | ∢      | Red cell mass, single  | 0.00         | 1.80                           | 1.79  | 1.80  | 1.79                     | 0.09             | 1.89              | 1.88              | 1.89              | 1.88              | ×      |
| 78121                       |          | ∢      | Red cell mass, multiple  | 0.32         | 3.11                           | 3.15  | 3.11  | 3.15                     | 0.15             | 3.58              | 3.62              | 3.58              | 3.62              | ×      |
| 78121                       | 26       | ∢      | Red cell mass, multiple  | 0.32         | 0.09                           | 0.14  | 60.0  | 0.14                     | 0.02             | 0.43              | 0.48              | 0.43              | 0.48              | ×      |
| 78121                       | 2        | ∢      | Red cell mass, multiple  | 00.00        | 3.02                           | 3.01  | 3.02  | 3.01                     | 0.13             | 3.15              | 3.14              | 3.15              | 3.14              | ×      |
| 78122                       |          | ∢      | Blood volume   | 0.45         | 4.90                           | 4.97  | 4.90  | 4.97                     | 0.24             | 5.59              | 5.66              | 5.59              | 5.66              | ×      |
| 78122                       | 26       | ∢      | Blood volume   | 0.45         | 0.12                           | 0.20  | 0.12  | 0.20                     | 0.02             | 0.59              | 0.67              | 0.59              | 0.67              | ×      |
| 78122                       | <u>1</u> | ∢      | Blood volume   | 0.00         | 4.78                           | 4.77  | 4.78  | 4.77                     | 0.22             | 5.00              | 4.99              | 2.00              | 4.99              | ×      |
| 78130                       |          | ∢      | Red cell survival study  | 0.61         | 3.14                           | 3.22  | 3.14  | 3.22                     | 0.16             | 3.91              | 3.99              | 3.91              | 3.99              | ×      |
| 78130                       | 56       | ∢      | Red cell survival study  | 0.61         | 0.18                           | 0.27  | 0.18  | 0.27                     | 0.03             | 0.82              | 0.91              | 0.82              | 0.91              | ×      |
| 78130                       | 5        | ∢      | Red cell survival study  | 0.00         | 2.96                           | 2.95  | 2.96  | 2.95                     | 0.13             | 3.09              | 3.08              | 3.09              | 3.08              | ×      |
| 78135                       |          | ∢      | Red cell survival kinetics   | 0.64         | 5.23                           | 5.32  | 5.23  | 5.32                     | 0.26             | 6.13              | 6.22              | 6.13              | 6.22              | ×      |
| 78135                       | 56       | ∢      | Red cell survival kinetics   | 0.64         | 0.18                           | 0.28  | 0.18  | 0.28                     | 0.03             | 0.85              | 0.95              | 0.85              | 0.95              | ×      |
| . John andersanziel fins so | 0.40.1   |        | Beddelated in terms of the control o | 365          | gille egg, an competitive egg. | en contraction of the state of | # A7 0 to |                          |                  |                   |                   |                   | -                 |        |

Page 159 of 271
2 Copyright 1994 American Dental Association, All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Dental Association. All rights reserved.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |            |        | ť  | AUVENUOM V.   | 4                            | Iransitioned                        | 3                   | Transitioned        |                  | _                |                  |          |                          |        |
|--------------------|------------|--------|--|---|------------------------------|-------------------------------------|---------------------|---------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|                    |            |        |  |   | facility                     | Non-facility                        | Facility            | Facility            |                  |                  | Transitioned     |          | •                        |        |
| / <sub>1</sub> Id) |            |        |  | Physician<br>work   | practice                     | practice                            | practice<br>expense | practice<br>expense | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| HCPCS <sup>2</sup> | Mod        | Status | Description  | RVUs 3  | RVUs                         | RVUs                                | ŔVUs                | RVUs                | RUVs             | Total            | Total            | Total    | Total                    | Global |
| 78135              | 75         | ٨      | Red cell survival kinetics   | 0.00  | 5.05                         | 5.04                                | 5.05                | 5.04                | 0.23             | 5.28             | 5.27             | 5.28     | 5.27                     | ×      |
| 78140              | <b>)</b>   | < <    | Red cell sequestration   | 0.61  | 4.26                         | 4.34                                | 4.26                | 4.34                | 0.22             | 5.09             | 5.17             | 5.09     | 5.17                     | ×      |
| 78140              | 56         | <      | Red cell sequestration   | 0.61  | 0.18                         | 0.27                                | 0.18                | 0.27                | 0.03             | 0.82             | 0.91             | 0.82     | 0.91                     | ×      |
| 78140              | ပူ         | <      | Red cell sequestration   | 0.00  | 4.08                         | 4.07                                | 4.08                | 4.07                | 0.19             | 4.27             | 4.26             | 4.27     | 4.26                     | ×      |
| 78160              | li         | ∢      | Plasma iron turnover   | 0.33  | 3.92                         | 3.94                                | 3.92                | 3.94                | 0.19             | 4.44             | 4.46             | 4.44     | 4.46                     | ×      |
| 78160              | 56         | <      | Plasma iron turnover   | 0.33  | 0.12                         | 0.15                                | 0.12                | 0.15                | 0.02             | 0.47             | 0.50             | 0.47     | 0.50                     | ×      |
| 78160              | ဥ          | <      | Plasma iron turnover   | 0.00  | 3.80                         | 3.79                                | 3.80                | 3.79                | 0.17             | 3.97             | 3.96             | 3.97     | 3.96                     | ×      |
| 78162              | ,          | ∢      | Iron absorption exam   | 0.45  | 3.52                         | 3.53                                | 3.52                | 3.53                | 0.17             | 4.14             | 4.15             | 4.14     | 4.15                     | ××     |
| 78162              | 56         | ∢      | Iron absorption exam   | 0.45  | 0.19                         | 0.21                                | 0.19                | 0.21                | 0.02             | 99.0             | 0.68             | 99.0     | 0.68                     | ×      |
| 78162              | 5          | ∢      | Iron absorption exam   | 0.00  | 3.33                         | 3.32                                | 3.33                | 3.32                | 0.15             | 3.48             | 3.47             | 3.48     | 3.47                     | ×      |
| 78170              |            | ∢      | Red cell iron utilization  | 0.41  | 5.62                         | 5.68                                | 5.62                | 5.68                | 0.27             | 6.30             | 6.36             | 6.30     | 6.36                     | ž      |
| 78170              | 56         | ∢      | Red cell iron utilization  | 0.41  | 0.11                         | 0.18                                | 0.11                | 0.18                | 0.02             | 0.54             | 0.61             | 0.54     | 0.61                     | ž      |
| 78170              | 5          | ∢      | Red cell iron utilization  | 0.00  | 5.51                         | 5.50                                | 5.51                | 5.50                | 0.25             | 5.76             | 5.75             | 5.76     | 5.75                     | ×      |
| 78172              |            | ပ      | Total body iron estimation   | 0.00  | 0.00                         | 00.0                                | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ž      |
| 78172              | 56         | ∢      | Total body iron estimation   | 0.53  | 0.15                         | 0.24                                | 0.15                | 0.24                | 0.03             | 0.71             | 0.80             | 0.71     | 0.80                     | ×      |
| 78172              | բ          | ပ      | Total body iron estimation   | 0.00  | 0.00                         | 00:00                               | 00.00               | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 78185              |            | ∢      | Spleen imaging   | 0.40  | 2.56                         | 2.62                                | 2.56                | 2.62                | 0.14             | 3.10             | 3.16             | 3.10     | 3.16                     | ž      |
| 78185              | 26         | ∢      | Spleen imaging   | 0.40  | 0.11                         | 0.18                                | 0.11                | 0.18                | 0.02             | 0.53             | 09:0             | 0.53     | 09:0                     | ž      |
| 78185              | 2          | ∢      | Spleen imaging   | 0.00  | 2.45                         | 2.44                                | 2.45                | 2.44                | 0.12             | 2.57             | 2.56             | 2.57     | 2.56                     | ×      |
| 78190              |            | ∢      | Platelet survival, kinetics  | 1.09  | 6.25                         | 6.39                                | 6.25                | 6:39                | 0.32             | 7.66             | 7.80             | 99'2     | 7.80                     | ž      |
| 78190              | 56         | ∢      | Platelet survival, kinetics  | 1.09  | 0.32                         | 0.47                                | 0.32                | 0.47                | 0.05             | 1.46             | 1.61             | 1.46     | 1.61                     | ×      |
| 78190              | ဥ          | ∢      | Platelet survival, kinetics  | 0.00  | 5.93                         | 5.92                                | 5.93                | 5.92                | 0.27             | 6.20             | 6.19             | 6.20     | 6.19                     | ×      |
| 78191              |            | ∢      | Platelet survival  | 0.61  | 7.78                         | 7.86                                | 7.78                | 7.86                | 0.37             | 8.76             | 8.84             | 8.76     | 8.84                     | ×      |
| 78191              | 56         | ∢      | Platelet survival  | 0.61  | 0.18                         | 0.27                                | 0.18                | 0.27                | 0.03             | 0.82             | 0.91             | 0.82     | 0.91                     | ×      |
| 78191              | 2          | ∢      | Platelet survival  | 0.00  | 7.60                         | 7.59                                | 7.60                | 7.59                | 0.34             | 7.94             | 7.93             | 7.94     | 7.93                     | ××     |
| 78195              |            | ∢      | Lymph system imaging   | 1.20  | 4.56                         | 4.56                                | 4.56                | 4.56                | 0.24             | 9.00             | 9.00             | 9.00     | 00.9                     | ××     |
| 78195              | 56         | ∢      | Lymph system imaging   | 1.20  | 0.34                         | 0.35                                | 0.34                | 0.35                | 0.04             | 1.58             | 1.59             | 1.58     | 1.59                     | ×      |
| 78195              | <b>1</b> 2 | ∢      | Lymph system imaging   | 0.00  | 4.22                         | 4.21                                | 4.22                | 4.21                | 0.20             | 4.42             | 4.41             | 4.42     | 4.41                     | ×      |
| 78199              |            | ပ      | Blood/lymph nuclear exam   | 0.00  | 0.00                         | 00:00                               | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 78199              | 56         | ပ      | Blood/lymph nuclear exam   | 0.00  | 0.00                         | 0.00                                | 0.00                | 0.00                | 0.0              | 0.00             | 0.00             | 0.00     | 0.00                     | ž      |
| 78199              | ဥ          | ပ      | Blood/lymph nuclear exam   | 0.00  | 0.00                         | 0.00                                | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 78201              |            | ∢      | Liver imaging  | 0.44  | 2.57                         | 2.63                                | 2.57                | 2.63                | 0.14             | 3.15             | 3.21             | 3.15     | 3.21                     | ×      |
| 78201              | 56         | ∢      | Liver imaging  | 0.44  | 0.12                         | 0.19                                | 0.12                | 0.19                | 0.02             | 0.58             | 0.65             | 0.58     | 0.65                     | ×      |
| 78201              | 5          | ∢      | Liver imaging  | 0.00  | 2.45                         | 2.44                                | 2.45                | 2.44                | 0.12             | 2.57             | 2.56             | 2.57     | 2.56                     | ×      |
| 78202              |            | ∢      | Liver imaging with flow  | 0.51  | 3.13                         | 3.21                                | 3.13                | 3.21                | 0.16             | 3.80             | 3.88             | 3.80     | 3.88                     | ×      |
| 78202              | 56         | ∢      | Liver imaging with flow  | 0.51  | 0.13                         | 0.22                                | 0.13                | 0.22                | 0.03             | 0.67             | 9.76             | 0.67     | 92.0                     | ×      |
| 78202              | ဥ          | ∢      | Liver imaging with flow  | 0.00  | 3.00                         | 2.99                                | 3.00                | 2.99                | 0.13             | 3.13             | 3.12             | 3.13     | 3.12                     | ×      |
| 78205              |            | ∢      | Liver imaging (3D)   | 0.71  | 6.33                         | 6.44                                | 6.33                | 6.44                | 0.32             | 7.36             | 7.47             | 7.36     | 7.47                     | ×      |
| 78205              | 56         | ∢      | Liver imaging (3D)   | 0.71  | 0.20                         | 0.32                                | 0.20                | 0.32                | 0.04             | 0.95             | 1.07             | 0.95     | 1.07                     | ×      |
| 78205              | 2          | ∢      | Liver imaging (3D)   | 0.00  | 6.13                         | 6.12                                | 6.13                | 6.12                | 0.28             | 6.41             | 6.40             | 6.41     | 6.40                     | ×      |
|                    |            | No.    | The state of the s | La Carlo de | *ADDINGACIONETTO VICTOR A TO | - 24% Sc 1980K St. Landson addition |                     | - 1                 |                  |                  |                  |          |                          |        |

Page 160 of 271 271 Codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| Physician   | Physisian  | Physician                | Physirian | i            | Non-<br>facility<br>practice | Transitioned<br>Non-facility<br>practice | Facility<br>practice | Transitioned<br>Facility<br>practice | Mal-             | Non-              | Transitioned<br>Non- |                   | Transitioned                            |            |
|---|--|--------------------------|-----------|--------------|------------------------------|--|----------------------|--------------------------------------|------------------|-------------------|----------------------|-------------------|---|------------|
| CPT <sup>1</sup> /<br>HCPCS <sup>2</sup> Mod Status Description |  | Description              |           | work<br>RVUs | expense<br>RVUs              | expense<br>RVUs                          | expense              | expense<br>RVUs                      | practice<br>RUVs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total                       | Global     |
| A Liver in  | l  | Liver image (3-d) w/flow |           | 96.0         | 6.41                         | 6.41                                     | 6.41                 | 6.41                                 | 0.12             | 7.49              | 7.49                 | 7.49              | 7.49                                    | ××         |
| A Liver image (3-d) w/flow                                      | Liver image (3-d) w/flow                               |                          | 0         | 96.0         | 0.28                         | 0.28                                     | 0.28                 | 0.28                                 | 0.03             | 1.27              | 1.27                 | 1.27              | 1.27                                    | ××         |
| TC A Liver image (3-d) w/flow 0.00                              | Liver image (3-d) w/flow                               |                          | 0.0       | 8            | 6.13                         | 6.13                                     | 6.13                 | 6.13                                 | 0.09             | 6.22              | 6.22                 | 6.22              | 6.22                                    | ××         |
| A Liver and spleen imaging                                      | Liver and spleen imaging                               |                          | 0.4       | 6            | 3.18                         | 3.25                                     | 3.18                 | 3.25                                 | 0.15             | 3.82              | 3.89                 | 3.82              | 3.89                                    | ×          |
| A Liver and spleen imaging                                      | Liver and spleen imaging                               |                          | 0.48      | •            | 0.13                         | 0.21                                     | 0.13                 | 0.21                                 | 0.02             | 0.64              | 0.72                 | 0.64              | 0.72                                    | ××         |
| Liver and spleen imaging  | Liver and spleen imaging                               |                          | 0.00      | _            | 3.05                         | 3.04                                     | 3.05                 | 3.04                                 | 0.13             | 3.18              | 3.17                 | 3.18              | 3.17                                    | ××         |
| Liver & spfeen image, flow                                      | Liver & spfeen image, flow                             |                          | 0.57      |              | 3.77                         | 3.86                                     | 3.77                 | 3.86                                 | 0.19             | 4.53              | 4.62                 | 4.53              | 4.62                                    | ×          |
| A Liver & spleen image, flow                                    | Liver & spleen image, flow                             |                          | 0.57      |              | 0.15                         | 0.25                                     | 0.15                 | 0.25                                 | 0.03             | 0.75              | 0.85                 | 0.75              | 0.85                                    | ×          |
| TC A Liver & spleen image, flow 0.00                            | Liver & spleen image, flow                             |                          | 0.00      |              | 3.62                         | 3.61                                     | 3.62                 | 3.61                                 | 0.16             | 3.78              | 3.77                 | 3.78              | 3.77                                    | ×          |
| A Liver function study 0.49                                     | Liver function study                                   |                          | 0.49      |              | 3.99                         | 4.06                                     | 3.99                 | 4.06                                 | 0.19             | 4.67              | 4.74                 | 4.67              | 4.74                                    | ×          |
| 26 A Liver function study 0.49                                  | Liver function study                                   |                          | 0.49      |              | 0.13                         | 0.21                                     | 0.13                 | 0.21                                 | 0.02             | 0.64              | 0.72                 | 0.64              | 0.72                                    | ×          |
| TC A Liver function study 0.00                                  | Liver function study                                   |                          | 0.00      |              | 3.86                         | 3.85                                     | 3.86                 | 3.85                                 | 0.17             | 4.03              | 4.02                 | 4.03              | 4.02                                    | ×          |
| A Hepatobiliary imaging 0.84                                    | Hepatobiliary imaging                                  |                          | 0.84      |              | 4.03                         | 4.16                                     | 4.03                 | 4.16                                 | 0.22             | 5.09              | 5.22                 | 5.09              | 5.22                                    | ×          |
| A Hepatobiliary imaging   | Hepatobiliary imaging                                  |                          | 0.84      |              | 0.23                         | 0.37                                     | 0.23                 | 0.37                                 | 0.05             | 1.12              | 1.26                 | 1.12              | 1.26                                    | ×          |
| TC A Hepatobiliary imaging 0.00                                 | Hepatobiliary imaging                                  |                          | 0.00      |              | 3.80                         | 3.79                                     | 3.80                 | 3.79                                 | 0.17             | 3.97              | 3.96                 | 3.97              | 3.96                                    | ×          |
| A Salivary gland imaging  | Salivary gland imaging                                 |                          | 0.45      |              | 2.37                         | 2.45                                     | 2.37                 | 2.45                                 | 0.13             | 2.95              | 3.03                 | 2.95              | 3.03                                    | ×          |
| A Salivary gland imaging  | Salivary gland imaging                                 |                          | 0.45      |              | 0.12                         | 0.20                                     | 0.12                 | 0.20                                 | 0.02             | 0.59              | 0.67                 | 0.59              | 0.67                                    | ×          |
| ••  | Salivary gland imaging                                 |                          | 0.00      |              | 2.25                         | 2.25                                     | 2.25                 | 2.25                                 | 0.11             | 2.36              | 2.36                 | 2.36              | 2.36                                    | ××         |
| A Serial salivary imaging                                       | Serial salivary imaging                                |                          | 0.52      |              | 3.42                         | 3.51                                     | 3.42                 | 3.51                                 | 0.18             | 4.12              | 4.21                 | 4.12              | 4.21                                    | ×          |
| A Serial salivary imaging                                       | Serial salivary imaging                                |                          | 0.52      |              | 0.14                         | 0.23                                     | 0.14                 | 0.23                                 | 0.03             | 69.0              | 0.78                 | 69.0              | 0.78                                    | ×          |
| Serial salivary imaging   | Serial salivary imaging                                |                          | 0.0       |              | 3.28                         | 3.28                                     | 3.28                 | 3.28                                 | 0.15             | 3.43              | 3.43                 | 3.43              | 3.43                                    | ×          |
| A Salivary gland function exam                                  | Salivary gland function exam                           |                          | 0.47      |              | 3.81                         | 3.88                                     | 3.81                 | 3.88                                 | 0.18             | 4.46              | 4.53                 | 4.46              | 4.53                                    | X ?        |
|   | Salivary gland function exam                           |                          | 74.0      |              | 5.5                          | 0.21                                     | 0.13                 | 0.21                                 | 0.02             | 70.0              | 0.70                 | 70.0              | 0.70                                    | <b>{</b> } |
| A Salivary gland function exami                                 | Salivary gland function exam Esophageal motility study | E 100                    | 0.00      |              | 3.21                         | 330                                      | 3.00                 | 3.37                                 | 0.10             | 5.04<br>4.12      | 5.05<br>5.05<br>5.05 | 4 12              | 5.05<br>4.73                            | X<br>X     |
| A Esophageal motility study                                     | Esophageal motility study                              |                          | 0.74      |              | 0.21                         | 0.33                                     | 0.21                 | 0.33                                 | 0.04             | 66.0              | 1.1                  | 0.99              | ======================================= | ×          |
| Esophageal motility study                                       | Esophageal motility study                              |                          | 0.00      |              | 3.00                         | 2.99                                     | 3.00                 | 2.99                                 | 0.13             | 3.13              | 3.12                 | 3.13              | 3.12                                    | ×          |
|   | Gastric mucosa imaging                                 |                          | 0.69      |              | 4.45                         | 4.56                                     | 4.45                 | 4.56                                 | 0.24             | 5.38              | 5.49                 | 5.38              | 5.49                                    | ××         |
| A Gastric mucosa imaging  | Gastric mucosa imaging                                 |                          | 0.69      |              | 0.19                         | 0.31                                     | 0.19                 | 0.31                                 | 0.04             | 0.92              | 1.04                 | 0.92              | 1.04                                    | ××         |
| TC A Gastric mucosa imaging 0.00                                | Gastric mucosa imaging                                 |                          | 0.00      |              | 4.26                         | 4.25                                     | 4.26                 | 4.25                                 | 0.20             | 4.46              | 4.45                 | 4.46              | 4.45                                    | ×          |
| A Gastroesophageal reflux exam 0.68                             | Gastroesophageal reflux exam                           |                          | 0.68      |              | 4.61                         | 4.71                                     | 4.61                 | 4.71                                 | 0.24             | 5.53              | 5.63                 | 5.53              | 5.63                                    | ×          |
| A Gastroesophageal reflux exam                                  | Gastroesophageal reflux exam                           |                          | 0.68      |              | 0.20                         | 0.31                                     | 0.20                 | 0.31                                 | 0.04             | 0.92              | 1.03                 | 0.92              | 1.03                                    | ×          |
| TC A Gastroesophageal reflux exam 0.00                          | Gastroesophageal reflux exam                           |                          | 0.00      |              | 4.41                         | 4.40                                     | 4.41                 | 4.40                                 | 0.20             | 4.61              | 4.60                 | 4.61              | 4.60                                    | ×          |
| A Gastric emptying study 0.78                                   | Gastric emptying study                                 |                          | 0.78      |              | 4.51                         | 4.63                                     | 4.51                 | 4.63                                 | 0.24             | 5.53              | 5.65                 | 5.53              | 5.65                                    | ×          |
| A Gastric emptying study  | Gastric emptying study                                 |                          | 0.78      |              | 0.22                         | 0.35                                     | 0.22                 | 0.35                                 | 0.04             | 1.04              | 1.17                 | 1.04              | 1.17                                    | ××         |
| TC A Gastric emptying study 0.00                                | Gastric emptying study                                 |                          | 0.00      |              | 4.29                         | 4.28                                     | 4.29                 | 4.28                                 | 0.20             | 4.49              | 4.48                 | 4.49              | 4.48                                    | ×          |
| A Vit B-12 absorption exam 0.20                                 | Vit B-12 absorption exam                               |                          | 0.20      | _            | 1.66                         | 1.70                                     | 1.66                 | 1.70                                 | 60.0             | 1.95              | 1.99                 | 1.95              | 1.99                                    | ×          |
|   | Vit B-12 absorption exam                               |                          | 0.20      | _            | 90.0                         | 0.10                                     | 90.0                 | 0.10                                 | 0.01             | 0.27              | 0.31                 | 0.27              | 0.31                                    | ××         |
| Vit B-12 absorption exam  | Vit B-12 absorption exam                               |                          | 0.00      |              | 1.60                         | 1.60                                     | 1.60                 | 1.60                                 | . 0.08           | 1.68              | 1.68                 | 1.68              | 1.68                                    | ×          |
| A Vit B-12 absorp exam, IF 0.20                                 | Vit B-12 absorp exam, IF                               |                          | 0.20      |              | 1.76                         | 1.80                                     | 1.76                 | 1.80                                 | 60.0             | 2.05              | 2.09                 | 2.05              | 2.09                                    | ×          |
|   |  |                          |           |              |                              |  |                      |                                      |                  |                   |                      |                   |   |            |

Page 161 of 271
CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|  |  |  |       | ;                         | Non-<br>facility                      | Transitioned<br>Non-facility | Facility                      | Transitioned<br>Facility    | Ĭ                                 | :   | Transitioned              |                   | :                                 |        |
|--|--|--|-------|---------------------------|---------------------------------------|------------------------------|-------------------------------|-----------------------------|-----------------------------------|---|---------------------------|-------------------|-----------------------------------|--------|
| CPT <sup>1</sup> /<br>HCPCS <sup>2</sup> Mod Status Description                                      |  | Deccription  |       | Physician<br>work<br>RVUs | practice<br>expense<br>RVUs           | practice<br>expense<br>RVUs  | practice<br>expense<br>RVUs   | practice<br>expense<br>RVUs | Mal-<br>practice<br>RUVs          | Non-<br>facility<br>Total   | Non-<br>facility<br>Total | Facility<br>Total | Transitioned<br>Facility<br>Total | Global |
| 26 A Vit B-1   | 1  | Vit B-12 absorp exam, IF   | l     | 0.20                      | 90.0                                  | 0.10                         | 90.0                          | 0.10                        | 0.01                              | 0.27  | 0.31                      | 0.27              | 0.31                              | ××     |
|  | Vit B-12 absorp exam, IF   |  | 0     | 00.0                      | 1.70                                  | 1.70                         | 1.70                          | 1.70                        | 0.08                              | 1.78  | 1.78                      | 1.78              | 1.78                              | ××     |
| A Vit B-12 absorp, combined 0.27   | Vit B-12 absorp, combined  |  | 0.2   | 7                         | 2.48                                  | 2.52                         | 2.48                          | 2.52                        | 0.14                              | 2.89  | 2.93                      | 2.89              | 2.93                              | ×      |
| Vit B-12 absorp, combined  | Vit B-12 absorp, combined  |  | 0.27  |                           | 0.07                                  | 0.12                         | 0.07                          | 0.12                        | 0.02                              | 0.36  | 0.41                      | 0.36              | 0.41                              | ××     |
| A Vit B-12 absorp, combined  | Vit B-12 absorp, combined  |  | 0.00  | _                         | 2.41                                  | 2.40                         | 2.41                          | 2.40                        | 0.12                              | 2.53  | 2.52                      | 2.53              | 2.52                              | ××     |
| Acute GI blood loss imaging  | Acute GI blood loss imaging  |  | 0.99  |                           | 5.32                                  | 5.48                         | 5.32                          | 5.48                        | 0.28                              | 6.59  | 6.75                      | 6.59              | 6.75                              | ××     |
| A Acute GI blood loss imaging  | Acute GI blood loss imaging  |  | 0.99  |                           | 0.27                                  | 0.44                         | 0.27                          | 0.44                        | 0.05                              | 1.31  | 1.48                      | 1.31              | 1.48                              | ××     |
| Acute GI blood loss imaging  | Acute GI blood loss imaging  |  | 0.00  |                           | 5.05                                  | 5.04                         | 5.05                          | 5.04                        | 0.23                              | 5.28  | 5.27                      | 5.28              | 5.27                              | ××     |
| C GI protein loss exam 0.00  | GI protein loss exam   |  | 0.00  |                           | 0.00                                  | 0.00                         | 0.00                          | 00.00                       | 0.00                              | 0.00  | 00.00                     | 0.00              | 0.00                              | ××     |
| A GI protein loss exam   | Gl protein loss exam   |  | 0.38  |                           | 0.11                                  | 0.16                         | 0.11                          | 0.16                        | 0.02                              | 0.51  | 0.56                      | 0.51              | 0.56                              | ×      |
| TC C GI protein loss exam 0.00   | GI protein loss exam   |  | 0.00  |                           | 0.00                                  | 0.00                         | 0.00                          | 0.00                        | 0.00                              | 0.00  | 00.0                      | 0.00              | 0.00                              | ×      |
| A Meckel's divert exam 0.68  | Meckel's divert exam   |  | 0.68  |                           | 3.34                                  | 3.45                         | 3.34                          | 3.45                        | 0.18                              | 4.20  | 4.31                      | 4.20              | 4.31                              | ××     |
| A Meckel's divert exam   | Meckel's divert exam   |  | 0.68  |                           | 0.19                                  | 0.30                         | 0.19                          | 0:30                        | 0.04                              | 0.91  | 1.02                      | 0.91              | 1.02                              | ×      |
| TC A Meckel's divert exam 0.00   | Meckel's divert exam   |  | 0.00  |                           | 3.15                                  | 3.15                         | 3.15                          | 3.15                        | 0.14                              | 3.29  | 3.29                      | 3.29              | 3.29                              | ×      |
| A Leveen/shunt patency exam 0.88   | Leveen/shunt patency exam  |  | 0.88  |                           | 3.41                                  | 3.55                         | 3.41                          | 3.55                        | 0.19                              | 4.48  | 4.62                      | 4.48              | 4.62                              | ×      |
| A Leveen/shunt patency exam  | Leveen/shunt patency exam  |  | 0.88  |                           | 0.24                                  | 0.38                         | 0.24                          | 0.38                        | 0.05                              | 1.17  | 1.31                      | 1.17              | 1.31                              | ×      |
| Leveen/shunt patency exam  | Leveen/shunt patency exam  | exam   | 0.00  |                           | 3.17                                  | 3.17                         | 3.17                          | 3.17                        | 0.14                              | 3.31  | 3.31                      | 3.31              | 3.31                              | ××     |
| C GI nuclear procedure   | GI nuclear procedure   |  | 0.00  |                           | 0.00                                  | 0.00                         | 0.00                          | 0.00                        | 0.00                              | 0.00  | 00.0                      | 0.00              | 0.00                              | ××     |
| C Gl nuclear procedure   | Gl nuclear procedure   |  | 0.00  |                           | 0.00                                  | 0.00                         | 0.00                          | 0.00                        | 0.0                               | 0.00  | 0.00                      | 0.00              | 0.00                              | ×      |
| Gi nuclear procedure   | Gi nuclear procedure   |  | 0.00  |                           | 0.00                                  | 0.00                         | 0.00                          | 0.00                        | 0.0                               | 0.0   | 0.00                      | 0.0               | 0.0                               | ×      |
| ∢ •  | Bone imaging, limited area   |  | 0.62  |                           | 2.74                                  | 2.85                         | 2.74                          | 2.85                        | 0.16                              | 3.52  | 3.63                      | 3.52              | 3.63                              | ×      |
| A Bone imaging, limited area   | Bone imaging, limited area   |  | 0.62  |                           | 0.17                                  | 0.28                         | 0.17                          | 0.28                        | 0.03                              | 0.82  | 0.93                      | 0.82              | 0.93                              | X      |
| Bone imaging, limited area   | Bone imaging, limited area   |  | 0.00  |                           | 2.57                                  | 2.57                         | 2.57                          | 2.57                        | 0.13                              | 2.70  | 2.70                      | 2.70              | 2.70                              | ž      |
| A Bone imaging, multiple areas   | Bone imaging, multiple areas   |  | 0.83  |                           | 4.03                                  | 4.10<br>0.10                 | 50.4                          | 4.16<br>0.16                | 0.22                              | 20.5<br>20.5<br>30.5<br>4.6<br>5.6<br>5.6<br>5.6<br>5.6<br>5.6<br>5.6<br>5.6<br>5.6<br>5.6<br>5 | 5.21                      | 2.03              | 5.21                              | X ?    |
| ∢ •  | Bone imaging, muitiple areas   |  | 0.83  |                           | 0.23                                  | 0.37                         | 0.23                          | 0.37                        | S :                               | = !   | 1.25                      | E !               | 3.75                              | XX     |
| Bone imaging, multiple areas   | Bone imaging, multiple areas   | as   | 0.00  |                           | 2.80                                  | 3.79                         | 3.80                          | 3.79                        | 0.1                               | 3.97  | 3.96                      | 3.97              | بر<br>وي<br>وي                    | X ?    |
| A Bone imaging, whole body   | Bone imaging, whole body   |  | 0.80  |                           | 4.6/                                  | 4.80                         | 4.67                          | 4.80                        | 0.25                              | ۶./x  | 5.91                      | 2.78              | 5.91<br>10.                       | XX     |
| Bone imaging, whole body   | Bone imaging, whole body   |  | 0.86  |                           | 0.24                                  | 0.38                         | 0.24                          | 0.38                        | 0.05                              | 1.15  | 1.29                      | 1.15              | 1.29                              | ×      |
| A Bone imaging, whole body   | Bone imaging, whole body   |  | 0.00  |                           | 4.43                                  | 4.42                         | 4.43                          | 4.42                        | 0.20                              | 4.63  | 4.62                      | 4.63              | 4.62                              | ××     |
| A Bone imaging, 3 phase  | Bone imaging, 3 phase  |  | 1.02  |                           | 5.23                                  | 5.38                         | 5.23                          | 5.38                        | 0.28                              | 6.53  | 89.9                      | 6.53              | 6.68                              | ×      |
| A Bone imaging, 3 phase  | Bone imaging, 3 phase  |  | 1.02  |                           | 0.28                                  | 0.44                         | 0.28                          | 0.44                        | 0.05                              | 1.35  | 1.51                      | 1.35              | 1.51                              | ×      |
| Bone imaging, 3 phase  | Bone imaging, 3 phase  |  | 0.00  |                           | 4.95                                  | 4.94                         | 4.95                          | 4.94                        | 0.23                              | 5.18  | 5.17                      | 5.18              | 5.17                              | ×      |
| A Bone imaging (3D) 1.04   | Bone imaging (3D)  |  | 1.04  |                           | 6.43                                  | 6.57                         | 6.43                          | 6.57                        | 0.33                              | 7.80  | 7.94                      | 7.80              | 7.94                              | ×      |
| A Bone imaging (3D)  | Bone imaging (3D)  |  | 1.04  |                           | 0.30                                  | 0.45                         | 0.30                          | 0.45                        | 0.05                              | 1.39  | 1.54                      | 1.39              | 1.54                              | ××     |
| A Bone imaging (3D)  | Bone imaging (3D)  |  | 0.00  |                           | 6.13                                  | 6.12                         | 6.13                          | 6.12                        | 0.28                              | 6.41  | 6.40                      | 6.41              | 6.40                              | ×      |
|  |  | Bone mineral, single photon 0.22   | 0.22  |                           | 0.87                                  | 0.88                         | 0.87                          | 0.88                        | 90.0                              | 1.15  | 1.16                      | 1.15              | 1.16                              | ×      |
|  | Bone mineral, single photon  |  | 0.22  |                           | 80.0                                  | 0.10                         | 0.08                          | 0.10                        | 0.02                              | 0.32  | 0.34                      | 0.32              | 0.34                              | ××     |
| A Bone mineral, single photon  | Bone mineral, single photon  |  | 0.00  |                           | 0.79                                  | 0.78                         | 0.79                          | 0.78                        | 0.04                              | 0.83  | 0.82                      | 0.83              | 0.82                              | ××     |
| N Bone mineral, dual photon +  | Bone mineral, dual photon  | ·  | +0.30 |                           | 1.24                                  | 0.47                         | 0.11                          | 0.19                        | 0.02                              | 1.56  | 0.79                      | 0.43              | 0.51                              | ××     |
| Musculoskeletal nuclear exam   | Musculoskeletal nuclear exam   |  | 00.0  |                           | 0.00                                  | 0.00                         | 0.00                          | 0.00                        | 0.00                              | 0.00  | 0.00                      | 0.00              | 0.00                              | ××     |
| V = 00-79 a PT = 00-20-700 - 100000-200000 Laddonosyn-Sad Was - 10000 - 1000000000000000000000000000 | <ul> <li>northorn - dicition involved del 2000 del complete del conflicte del conflicte del conflicte del 2000 del 2</li></ul> | <ul> <li>control for a 19 (20 Control Control College College College Control College Coll</li></ul> |       | 2.10                      | author constant and fooded a constant |                              | and Springer at 1995 and 1995 |                             | sillion for entputpement of the e |   |                           |                   |                                   |        |

Page 162 of 271 COT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |     |        |   |   | Mon             | Transitioned                                     |                             | Transitioned    |                  |                   |                   |                   |                   |        |
|-----------------------------|-----|--------|---|---|-----------------|--|-----------------------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |     |        |   |   | facility        | Non-facility                                     | Facility                    | Facility        |                  |                   | Transitioned      |                   |                   |        |
| -                           |     |        |   | Physician   | practice        | practice   | practice                    | practice        | Wal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Mod | Status | Description                                   | work 3  | expense<br>RVUs | expense<br>RVUs                                  | expense<br>RVUs             | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 78399                       | 26  | ပ      | Musculoskeletal nuclear exam                  | 0.00  | 0.00            | 0.00   | 0.00                        | 0.00            | 00.0             | 0.00              | 0.00              | 00.0              | 0.00              | ×      |
| 78399                       | 5   | ပ      | Muscuioskeletal nuclear exam                  | 0.00  | 0.00            | 00:00  | 0.00                        | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 78414                       |     | ပ      | Non-imaging heart function                    | 0.00  | 0.00            | 0.00   | 0.00                        | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ××     |
| 78414                       | 56  | ∢      | Non-imaging heart function                    | 0.45  | 0.14            | 0.20   | 0.14                        | 0.20            | 0.02             | 0.61              | 0.67              | 0.61              | 0.67              | ×      |
| 78414                       | 5   | ပ      | Non-imaging heart function                    | 0.00  | 00:00           | 0.00   | 00:0                        | 00.0            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 78428                       |     | ∢      | Cardiac shunt imaging                         | 0.78  | 2.61            | 2.69   | 2.61                        | 2.69            | 0.15             | 3.54              | 3.62              | 3.54              | 3.62              | ×      |
| 78428                       | 56  | ∢      | Cardiac shunt imaging                         | 0.78  | 0.28            | 0.36   | 0.28                        | 0.36            | 0.04             | 1.10              | 1.18              | 1.10              | 1.18              | ×      |
| 78428                       | 5   | ∢      | Cardiac shunt imaging                         | 0.00  | 2.33            | 2.33   | 2.33                        | 2.33            | 0.11             | 2.44              | 2.44              | 2.44              | 2.44              | ××     |
| 78445                       |     | ∢      | Vascular flow imaging                         | 0.49  | 2.07            | 2.15   | 2.07                        | 2.15            | 0.12             | 2.68              | 2.76              | 2.68              | 2.76              | ×      |
| 78445                       | 56  | ∢      | Vascular flow imaging                         | 0.49  | 0.14            | 0.23   | 0.14                        | 0.23            | 0.03             | 99.0              | 0.75              | 99.0              | 0.75              | ×      |
| 78445                       | 5   | ∢      | Vascular flow imaging                         | 0.00  | 1.93            | 1.92   | 1.93                        | 1.92            | 60.0             | 2.02              | 2.01              | 2.02              | 2.01              | ××     |
| 78455                       |     | ∢      | Venous thrombosis study                       | 0.73  | 4.33            | 4.44   | 4.33                        | 4.44            | 0.23             | 5.29              | 5.40              | 5.29              | 5.40              | ×      |
| 78455                       | 56  | ∢      | Venous thrombosis study                       | 0.73  | 0.20            | 0.32   | 0.20                        | 0.32            | 0.04             | 0.97              | 1.09              | 0.97              | 1.09              | ×      |
| 78455                       | 2   | ∢      | Venous thrombosis study                       | 0.00  | 4.13            | 4.12   | 4.13                        | 4.12            | 0.19             | 4.32              | 4.31              | 4.32              | 4.31              | ×      |
| 78457                       |     | ∢      | Venous thrombosis imaging                     | 0.77  | 2.98            | 3.09   | 2.98                        | 3.09            | 0.17             | 3.92              | 4.03              | 3.92              | 4.03              | ××     |
| 78457                       | 56  | ∢      | Venous thrombosis imaging                     | 0.77  | 0.22            | 0.34   | 0.22                        | 0.34            | 0.04             | 1.03              | 1.15              | 1.03              | 1.15              | ×      |
| 78457                       | ე   | ∢      | Venous thrombosis imaging                     | 0.00  | 2.76            | 2.75   | 2.76                        | 2.75            | 0.13             | 2.89              | 2.88              | 2.89              | 2.88              | ×      |
| 78458                       |     | ∢      | Ven thrombosis images, bilat                  | 0.90  | 4.44            | 4.55   | 4.44                        | 4.55            | 0.24             | 5.58              | 5.69              | 5.58              | 5.69              | ×      |
| 78458                       | 56  | ∢      | Ven thrombosis images, bilat                  | 0.90  | 0.27            | 0.39   | 0.27                        | 0.39            | 0.05             | 1.22              | 1.34              | 1.22              | 1.34              | ×      |
| 78458                       | 2   | ∢      | Ven thrombosis images, bilat                  | 0.00  | 4.17            | 4.16   | 4.17                        | 4.16            | 0.19             | 4.36              | 4.35              | 4.36              | 4.35              | ×      |
| 78459                       |     | -      | Heart muscle imaging (PET)                    | 0.00  | 0.00            | 0.00   | 0.00                        | 0.00            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 78459                       | 56  | -      | Heart muscle imaging (PET)                    | +1.88   | 0.71            | 1.27   | 0.71                        | 1.27            | 0.08             | 2.67              | 3.23              | 2.67              | 3.23              | ×      |
| 78459                       | 5   | _      | Heart muscle imaging (PET)                    | 0.00  | 0.00            | 0.00   | 0.00                        | 00.00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 78460                       |     | ∢      | Heart muscle blood single                     | 98.0  | 2.71            | 2.82   | 2.71                        | 2.82            | 0.17             | 3.74              | 3.85              | 3.74              | 3.85              | ×      |
| 78460                       | 56  | ∢      | Heart muscle blood single                     | 0.86  | 0.26            | 0.38   | 0.26                        | 0.38            | 0.05             | 1.17              | 1.29              | 1.17              | 1.29              | ×      |
| 78460                       | ည   | ∢      | Heart muscle blood single                     | 0.00  | 2.45            | 2.44   | 2.45                        | 2.44            | 0.12             | 2.57              | 2.56              | 2.57              | 2.56              | ×      |
| 78461                       |     | ∢      | Heart muscle blood multiple                   | 1.23  | 5.29            | 5.43   | 5.29                        | 5.43            | 0.29             | 6.81              | 6.95              | 6.81              | 6.95              | ×      |
| 78461                       | 56  | ∢      | Heart muscle blood multiple                   | 1.23  | 0.39            | 0.54   | 0.39                        | 0.54            | 90.0             | 1.68              | 1.83              | 1.68              | 1.83              | ×      |
| 78461                       | 2   | ∢      | Heart muscle blood multiple                   | 0.00  | 4.90            | 4.89   | 4.90                        | 4.89            | 0.23             | 5.13              | 5.12              | 5.13              | 5.12              | ×      |
| 78464                       |     | ∢      | Heart image (3D) single                       | 1.09  | 7.66            | 7.79   | 99.2                        | 7.79            | 0.39             | 9.14              | 9.27              | 9.14              | 9.27              | ×      |
| 78464                       | 56  | ∢      | Heart image (3D) single                       | 1.09  | 0.33            | 0.47   | 0.33                        | 0.47            | 0.05             | 1.47              | 1.61              | 1.47              | 1.61              | ×      |
| 78464                       | ည   | ∢      | Heart image (3D) single                       | 0.00  | 7.33            | 7.32   | 7.33                        | 7.32            | 0.34             | 7.67              | 99.2              | 7.67              | 99.7              | ×      |
| 78465                       |     | ∢      | Heart image (3D) multiple                     | 1.46  | 12.72           | 12.86  | 12.72                       | 12.86           | 0.63             | 14.81             | 14.95             | 14.81             | 14.95             | ×      |
| 78465                       | 56  | ∢      | Heart image (3D) multiple                     | 1.46  | 0.48            | 0.65   | 0.48                        | 0.65            | 0.08             | 2.02              | 2.19              | 2.02              | 2.19              | ×      |
| 78465                       | 2   | ∢      | Heart image (3D) multiple                     | 0.00  | 12.24           | 12.21  | 12.24                       | 12.21           | 0.55             | 12.79             | 12.76             | 12.79             | 12.76             | ×      |
| 78466                       |     | ∢      | Heart infarct image                           | 69.0  | 2.93            | 3.03   | 2.93                        | 3.03            | 0.17             | 3.79              | 3.89              | 3.79              | 3.89              | ×      |
| 78466                       | 56  | ∢      | Heart infarct image                           | 69.0  | 0.20            | 0.31   | 0.20                        | 0.31            | 0.04             | 0.93              | 1.04              | 0.93              | 1.04              | ×      |
| 78466                       | 7   | ∢      | Heart infarct image                           | 00.00   | 2.73            | 2.72   | 2.73                        | 2.72            | 0.13             | 2.86              | 2.85              | 2.86              | 2.85              | ×      |
| 78468                       |     | ∢      | Heart infarct image, EF                       | 0.80  | 4.04            | 4.14   | 4.04                        | 4.14            | 0.21             | 5.05              | 5.15              | 5.05              | 5.15              | ×      |
| 78468                       | 56  | ∢      | Heart infarct image, EF                       | 08.0  | 0.24            | 0.35   | 0.24                        | 0.35            | 0.04             | 1.08              | 1.19              | 1.08              | 1.19              | ×      |
|                             |     |        | 000 m s - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | 100 mm and |                 | a servery as a consequence of the consequence of | CONTRACTOR AND A CONTRACTOR |                 |                  |                   |                   |                   |                   |        |

Page 163 of 271
2 Copyright 1994 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        |                             |           | Non-            | Transitioned            | Earility        | Transitioned<br>Caritim |                  |                   | 7                 |                   |                   |            |
|------------------------------|-----|--------|-----------------------------|-----------|-----------------|-------------------------|-----------------|-------------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
| -                            |     |        |                             | Physician | practice        | non-raciiry<br>practice | practice        | practice                | Mal-             | Моп-              | Non-              |                   | Transitioned      |            |
| CPT '/<br>HCPCS <sup>7</sup> | Mod | Status | Description                 | work 3    | expense<br>RVUs | expense                 | expense<br>RVUs | expense<br>RVUs         | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
| 78468                        | F   | ∢      | Heart infarct image, EF     | 0.00      | 3.80            | 3.79                    | 3.80            | 3.79                    | 0.17             | 3.97              | 3.96              | 3.97              | 3.96              | ××         |
| 78469                        |     | ∢      | Heart infarct image (3D)    | 0.92      | 5.70            | 5.81                    | 5.70            | 5.81                    | 0.30             | 6.92              | 7.03              | 6.92              | 7.03              | ××         |
| 78469                        | 56  | ∢      | Heart infarct image (3D)    | 0.92      | 0.28            | 0.40                    | 0.28            | 0.40                    | 0.05             | 1.25              | 1.37              | 1.25              | 1.37              | ×          |
| 78469                        | 5   | ∢      | Heart infarct image (3D)    | 00.00     | 5.45            | 5.41                    | 5.42            | 5.41                    | 0.25             | 2.67              | 5.66              | 2.67              | 5.66              | XX         |
| 78472                        |     | ∢      | Gated heart, planar single  | 0.98      | 6.02            | 6.15                    | 6.02            | 6.15                    | 0.32             | 7.32              | 7.45              | 7.32              | 7.45              | ×          |
| 78472                        | 56  | ∢      | Gated heart, planar single  | 0.98      | 0.30            | 0.44                    | 0.30            | 0.44                    | 0.05             | 1.33              | 1.47              | 1.33              | 1.47              | ××         |
| 78472                        | 2   | ∢      | Gated heart, planar single  | 00.00     | 5.72            | 5.71                    | 5.72            | 5.71                    | 0.27             | 5.99              | 5.98              | 5.99              | 5.98              | ××         |
| 78473                        |     | ∢      | Gated heart, multiple       | 1.47      | 9.01            | 9.20                    | 9.01            | 9.20                    | 0.46             | 10.94             | 11.13             | 10.94             | 11.13             | ××         |
| 78473                        | 56  | ∢      | Gated heart, multiple       | 1.47      | 0.45            | 0.65                    | 0.45            | 0.65                    | 0.08             | 2.00              | 2.20              | 2.00              | 2.20              | ×          |
| 78473                        | 5   | ∢      | Gated heart, multiple       | 00.00     | 8.56            | 8.55                    | 8.56            | 8.55                    | 0.38             | 8.94              | 8.93              | 8.94              | 8.93              | ×          |
| 78478                        |     | ∢      | Heart wall motion add-on    | 0.62      | 1.82            | 1.89                    | 1.82            | 1.89                    | 0.11             | 2.55              | 2.62              | 2.55              | 2.62              | 777        |
| 78478                        | 56  | ∢      | Heart wall motion add-on    | 0.62      | 0.21            | 0.28                    | 0.21            | 0.28                    | 0.03             | 98.0              | 0.93              | 98.0              | 0.93              | 222        |
| 78478                        | 5   | ∢      | Heart wall motion add-on    | 0.00      | 1.61            | 1.61                    | 1.61            | 1.61                    | 0.08             | 1.69              | 1.69              | 1.69              | 1.69              | <b>ZZZ</b> |
| 78480                        |     | ∢      | Heart function add-on       | 0.62      | 1.82            | 1.89                    | 1.82            | 1.89                    | 0.11             | 2.55              | 2.62              | 2.55              | 2.62              | 777        |
| 78480                        | 56  | ∢      | Heart function add-on       | 0.62      | 0.21            | 0.28                    | 0.21            | 0.28                    | 0.03             | 0.86              | 0.93              | 98.0              | 0.93              | 222        |
| 78480                        | 12  | ∢      | Heart function add-on       | 0.00      | 1.61            | 1.61                    | 1.61            | 1.61                    | 0.08             | 1.69              | 1.69              | 1.69              | 1.69              | 777        |
| 78481                        |     | ∢      | Heart first pass single     | 0.98      | 5.75            | 5.85                    | 5.75            | 5.85                    | 0.30             | 7.03              | 7.13              | 7.03              | 7.13              | ×          |
| 78481                        | 56  | ∢      | Heart first pass single     | 0.98      | 0.33            | 0.44                    | 0.33            | 0.44                    | 0.05             | 1.36              | 1.47              | 1.36              | 1.47              | ×          |
| 78481                        | ပ   | ∢      | Heart first pass single     | 0.00      | 5.45            | 5.41                    | 5.45            | 5.41                    | 0.25             | 2.67              | 5.66              | 2.67              | 5.66              | ×          |
| 78483                        |     | ∢      | Heart first pass multiple   | 1.47      | 8.69            | 8.82                    | 8.69            | 8.82                    | 0.45             | 10.61             | 10.74             | 10.61             | 10.74             | ××         |
| 78483                        | 56  | ∢      | Heart first pass multiple   | 1.47      | 0.53            | 0.67                    | 0.53            | 0.67                    | 0.08             | 2.08              | 2.22              | 2.08              | 2.22              | ×          |
| 78483                        | 5   | ∢      | Heart first pass multiple   | 00:00     | 8.16            | 8.15                    | 8.16            | 8.15                    | 0.37             | 8.53              | 8.52              | 8.53              | 8.52              | ×          |
| 78491                        |     | _      | Heart image (pet) single    | 0.00      | 0.0             | 0.00                    | 0.00            | 0.00                    | 0.00             | 0.00              | 00.00             | 0.0               | 0.00              | ×          |
| 78491                        | 56  | -      | Heart image (pet) single    | +1.50     | 0.57            | 1.23                    | 0.57            | 1.23                    | 0.08             | 2.15              | 2.81              | 2.15              | 2.81              | ×          |
| 78491                        | 2   | -      | Heart image (pet) single    | 0.00      | 0.00            | 0.00                    | 0.00            | 0.00                    | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| 78492                        |     | -      | Heart image (pet) multiple  | 00:00     | 0.00            | 00:00                   | 0.00            | 00.00                   | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ××         |
| 78492                        | 56  | -      | Heart image (pet) multiple  | +1.87     | 0.70            | 1.26                    | 0.70            | 1.26                    | 0.08             | 2.65              | 3.21              | 2.65              | 3.21              | ××         |
| 78492                        | ည   | -      | Heart image (pet) multiple  | 0.00      | 0.00            | 0.00                    | 0.00            | 00.00                   | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×          |
| 78494                        |     | ∢      | Heart image, spect          | 1.19      | 6.07            | 6.07                    | 6.07            | 6.07                    | 0.32             | 7.58              | 7.58              | 7.58              | 7.58              | ×          |
| 78494                        | 56  | ∢      | Heart image, spect          | 1.19      | 0.36            | 0.36                    | 0.36            | 0.36                    | 0.05             | 1.60              | 1.60              | 1.60              | 1.60              | ×          |
| 78494                        | ည   | ⋖      | Heart image, spect          | 0.00      | 5.71            | 5.71                    | 5.71            | 5.71                    | 0.27             | 5.98              | 5.98              | 5.98              | 5.98              | ×          |
| 78496                        |     | ∢      | Heart first pass add-on     | 0.50      | 1.80            | 1.80                    | 1.80            | 1.80                    | 0.32             | 2.62              | 2.62              | 2.62              | 2.62              | 222        |
| 78496                        | 56  | ∢      | Heart first pass add-on     | 0.50      | 0.19            | 0.19                    | 0.19            | 0.19                    | 0.05             | 0.74              | 0.74              | 0.74              | 0.74              | 222        |
| 78496                        | ე   | ∢      | Heart first pass add-on     | 00.00     | 1.61            | 1.61                    | 1.61            | 1.61                    | 0.27             | 1.88              | 1.88              | 1.88              | 1.88              | 777        |
| 78499                        |     | ပ      | Cardiovascular nuclear exam | 0.00      | 0.0             | 0.00                    | 0.00            | 0.00                    | 0.00             | 0.00              | 00:0              | 0.00              | 0.00              | ×          |
| 78499                        | 56  | ပ      | Cardiovascular nuclear exam | 0.00      | 0.0             | 0.00                    | 0.00            | 0.00                    | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| 78499                        | ည   | ပ      | Cardiovascular nuclear exam | 00.00     | 0.00            | 0.00                    | 0.00            | 0.00                    | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ××         |
| 78580                        |     | ∢      | Lung perfusion imaging      | 0.74      | 3.77            | 3.88                    | 3.77            | 3.88                    | 0.20             | 4.71              | 4.82              | 4.71              | 4.82              | ×          |
| 78580                        | 56  | ∢      | Lung perfusion imaging      | 0.74      | 0.21            | 0.33                    | 0.21            | 0.33                    | 0.0              | 0.99              | 1.11              | 66.0              | 1.11              | ××         |
| 78580                        | 5   | ∢      | Lung perfusion imaging      | 0.00      | 3.56            | 3.55                    | 3.56            | 3.55                    | 0.16             | 3.72              | 3.71              | 3.72              | 3.71              | ××         |

PT CODES and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                            |     |        |                              |             |                  | ALOL OMINGIN                 |                 | Terresident            |                  |                   |                   |                   |                   |        |
|----------------------------|-----|--------|------------------------------|-------------|------------------|------------------------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                            |     |        |                              |             | non-<br>facility | Iransitioned<br>Non-facility | Facility        | rransmonea<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| 1                          |     |        |                              | Physician   | practice         | practice                     | practice        | practice               | Mal              | Non               | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPG <sup>2</sup> | Mod | Status | Description                  | work 3 RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 78584                      |     | ∢      | Lung V/Q image single breath | 0.99        | 3.60             | 3.76                         | 3.60            | 3.76                   | 0.20             | 4.79              | 4.95              | 4.79              | 4.95              | XXX    |
| 78584                      | 56  | ∢      | Lung V/Q image single breath | 0.99        | 0.27             | 0.44                         | 0.27            | 0.44                   | 0.05             | 1.31              | 1.48              | 1.31              | 1.48              | ××     |
| 78584                      | 5   | ∢      | Lung V/Q image single breath | 0.00        | 3.33             | 3.32                         | 3.33            | 3.32                   | 0.15             | 3.48              | 3.47              | 3.48              | 3.47              | ×      |
| 78585                      |     | ∢      | Lung V/Q imaging             | 1.09        | 6.14             | 6.30                         | 6.14            | 6.30                   | 0.32             | 7.55              | 7.71              | 7.55              | 7.71              | ××     |
| 78585                      | 56  | ∢      | Lung V/Q imaging             | 1.09        | 0.29             | 0.46                         | 0.29            | 0.46                   | 0.05             | 1.43              | 1.60              | 1.43              | 1.60              | ××     |
| 78585                      | 2   | ∢      | Lung V/Q imaging             | 0.00        | 5.85             | 5.84                         | 5.85            | 5.84                   | 0.27             | 6.12              | 6.11              | 6.12              | 6.11              | ×      |
| 78586                      |     | ∢      | Aerosol lung image, single   | 0.40        | 2.79             | 2.86                         | 2.79            | 2.86                   | 0.15             | 3.34              | 3.41              | 3.34              | 3.41              | ×      |
| 78586                      | 56  | ∢      | Aerosol lung image, single   | 0.40        | 0.10             | 0.18                         | 0.10            | 0.18                   | 0.02             | 0.52              | 09.0              | 0.52              | 0.60              | ×      |
| 78586                      | 5   | ∢      | Aerosol lung image, single   | 0.00        | 5.69             | 2.68                         | 2.69            | 2.68                   | 0.13             | 2.82              | 2.81              | 2.82              | 2.81              | ×      |
| 78587                      |     | ∢      | Aerosol lung image, multiple | 0.49        | 3.03             | 3.11                         | 3.03            | 3.11                   | 0.15             | 3.67              | 3.75              | 3.67              | 3.75              | ×      |
| 78587                      | 56  | ∢      | Aerosol lung image, multiple | 0.49        | 0.13             | 0.21                         | 0.13            | 0.21                   | 0.02             | 0.64              | 0.72              | 0.64              | 0.72              | ××     |
| 78587                      | 5   | ∢      | Aerosol lung image, multiple | 0.00        | 2.90             | 2.90                         | 2.90            | 2.90                   | 0.13             | 3.03              | 3.03              | 3.03              | 3.03              | ×      |
| 78588                      |     | ∢      | Perfusion lung image         | 1.09        | 3.86             | 3.86                         | 3.86            | 3.86                   | 0.20             | 5.15              | 5.15              | 5.15              | 5.15              | ×      |
| 78588                      | 56  | ∢      | Perfusion lung image         | 1.09        | 0.30             | 0.30                         | 0.30            | 0.30                   | 0.04             | 1.43              | 1.43              | 1.43              | 1.43              | ×      |
| 78588                      | ည   | ∢      | Perfusion lung image         | 0.00        | 3.56             | 3.56                         | 3.56            | 3.56                   | 0.16             | 3.72              | 3.72              | 3.72              | 3.72              | ×      |
| 78591                      |     | ∢      | Vent image, 1 breath, 1 proj | 0.40        | 3.07             | 3.13                         | 3.07            | 3.13                   | 0.15             | 3.62              | 3.68              | 3.62              | 3.68              | ×      |
| 78591                      | 56  | ∢      | Vent image, 1 breath, 1 proj | 0.40        | 0.11             | 0.18                         | 0.11            | 0.18                   | 0.02             | 0.53              | 09:0              | 0.53              | 0.60              | ××     |
| 78591                      | ည   | ∢      | Vent image, 1 breath, 1 proj | 0.00        | 2.96             | 2.95                         | 2.96            | 2.95                   | 0.13             | 3.09              | 3.08              | 3.09              | 3.08              | ×      |
| 78593                      |     | ∢      | Vent image, 1 proj, gas      | 0.49        | 3.71             | 3.78                         | 3.71            | 3.78                   | 0.18             | 4.38              | 4.45              | 4.38              | 4.45              | ××     |
| 78593                      | 56  | ∢      | Vent image, 1 proj, gas      | 0.49        | 0.13             | 0.21                         | 0.13            | 0.21                   | 0.02             | 0.64              | 0.72              | 0.64              | 0.72              | ×      |
| 78593                      | 7   | ∢      | Vent image, 1 proj, gas      | 0.00        | 3.58             | 3.57                         | 3.58            | 3.57                   | 0.16             | 3.74              | 3.73              | 3.74              | 3.73              | ×      |
| 78594                      |     | ∢      | Vent image, mult proj, gas   | 0.53        | 5.32             | 5.40                         | 5.32            | 5.40                   | 0.26             | 6.11              | 6.19              | 6.11              | 6.19              | ž      |
| 78594                      | 56  | ∢      | Vent image, mult proj, gas   | 0.53        | 0.14             | 0.24                         | 0.14            | 0.24                   | 0.03             | 0.70              | 0.80              | 0.70              | 0.80              | ××     |
| 78594                      | ဥ   | ∢      | Vent image, mult proj, gas   | 0.00        | 5.18             | 5.16                         | 5.18            | 5.16                   | 0.23             | 5.41              | 5.39              | 5.41              | 5.39              | ×      |
| 78596                      |     | ∢      | Lung differential function   | 1.27        | 7.68             | 78.7                         | 7.68            | 7.87                   | 0.41             | 9.36              | 9.55              | 9.36              | 9.55              | ×      |
| 78596                      | 56  | ∢      | Lung differential function   | 1.27        | 0.35             | 0.55                         | 0.35            | 0.55                   | 0.07             | 1.69              | 1.89              | 1.69              | 1.89              | ×      |
| 78596                      | ည   | ∢      | Lung differential function   | 0.00        | 7.33             | 7.32                         | 7.33            | 7.32                   | 0.34             | 7.67              | 7.66              | 7.67              | 99.7              | ×      |
| 78599                      |     | ပ      | Respiratory nuclear exam     | 0.00        | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 78599                      | 56  | ပ      | Respiratory nuclear exam     | 0.00        | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| 78599                      | ည   | ပ      | Respiratory nuclear exam     | 0.00        | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 78600                      |     | ∢      | Brain imaging, Itd static    | 0.44        | 3.12             | 3.19                         | 3.12            | 3.19                   | 0.15             | 3.71              | 3.78              | 3.71              | 3.78              | ×      |
| 78600                      | 56  | ∢      | Brain imaging, Itd static    | 0.44        | 0.12             | 0.20                         | 0.12            | 0.20                   | 0.02             | 0.58              | 99.0              | 0.58              | 99.0              | ×      |
| 78600                      | ဍ   | ∢      | Brain imaging, Itd static    | 0.00        | 3.00             | 2.99                         | 3.00            | 2.99                   | 0.13             | 3.13              | 3.12              | 3.13              | 3.12              | ×      |
| 78601                      |     | ∢      | Brain Itd imaging & flow     | 0.51        | 3.66             | 3.75                         | 3.66            | 3.75                   | 0.19             | 4.36              | 4.45              | 4.36              | 4.45              | ×      |
| 78601                      | 56  | ∢      | Brain Itd imaging & flow     | 0.51        | 0.14             | 0.23                         | 0.14            | 0.23                   | 0.03             | 0.68              | 0.77              | 99.0              | 0.77              | ×      |
| 78601                      | 2   | ∢      | Brain Itd imaging & flow     | 0.00        | 3.52             | 3.52                         | 3.52            | 3.52                   | 0.16             | 3.68              | 3.68              | 3.68              | 3.68              | ×      |
| 78605                      |     | ∢      | Brain imaging, complete      | 0.53        | 3.67             | 3.76                         | 3.67            | 3.76                   | 0.19             | 4.39              | 4.48              | 4.39              | 4.48              | ×      |
| 78605                      | 56  | ∢      | Brain imaging, complete      | 0.53        | 0.15             | 0.24                         | 0.15            | 0.24                   | 0.03             | 0.71              | 08.0              | 0.71              | 0.80              | ×      |
| 78605                      | 2   | ∢      | Brain imaging, complete      | 0.00        | 3.52             | 3.52                         | 3.52            | 3.52                   | 0.16             | 3.68              | 3.68              | 3.68              | 3.68              | ××     |
| 78606                      |     | ∢      | Brain imaging comp & flow    | 0.64        | 4.19             | 4.28                         | 4.19            | 4.28                   | 0.21             | 5.04              | 5.13              | 5.04              | 5.13              | ×      |
|                            |     |        |                              |             |                  |                              |                 |                        |                  |                   |                   |                   |                   |        |

Page 165 of 271
2 Copyright 1994 American Dedical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|   | Global      | X                         | <b>{</b> }                | X<br>X                                   | ×                  | ×                   | ×                   | ×                       | ×                       | ××                      | ×                           | ×                           | ×                           | ××                       | ××                       | ××                       | ×                    | ××                   | ×                    | ×                    | ×                    | ×                    | ×                        | ×                        | ×                        | ×                   | ×                   | ×                   | ××                        | ×                         | ×                         | ×                           | ×                           | ×                           | ××                     | ×                      | ×                      | ×                        | ×                        | ××                       |
|---|-------------|---------------------------|---------------------------|--|--------------------|---------------------|---------------------|-------------------------|-------------------------|-------------------------|-----------------------------|-----------------------------|-----------------------------|--------------------------|--------------------------|--------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|--------------------------|--------------------------|--------------------------|---------------------|---------------------|---------------------|---------------------------|---------------------------|---------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|------------------------|------------------------|--------------------------|--------------------------|--------------------------|
| Transitioned<br>Facility                        | lotal       | 0.95                      | 4. α<br>Σ. α              | 1.82                                     | 7.10               | 0.00                | 0.00                | 2.17                    | 0.46                    | 1.71                    | 4.80                        | 0.63                        | 4.17                        | 6.47                     | 1.02                     | 5.45                     | 3.68                 | 0.92                 | 2.76                 | 4.56                 | 0.85                 | 3.71                 | 7.75                     | 1.35                     | 6.40                     | 5.93                | 0.91                | 5.05                | 3.09                      | 0.80                      | 2.29                      | 0.00                        | 0.00                        | 0.00                        | 3.96                   | 0.67                   | 3.29                   | 4.57                     | 0.72                     | 3.85                     |
| Facility  | Total       | 0.85                      | 9.19<br>8.78              | 164                                      | 7.12               | 0.00                | 0.00                | 2.12                    | 0.41                    | 1.71                    | 4.75                        | 0.57                        | 4.18                        | 6.37                     | 0.91                     | 5.46                     | 3.63                 | 0.87                 | 2.76                 | 4.47                 | 0.75                 | 3.72                 | 7.62                     | 1.21                     | 6.41                     | 5.85                | 0.82                | 5.03                | 3.00                      | 0.70                      | 2.30                      | 0.00                        | 0.00                        | 0.00                        | 3.88                   | 0.59                   | 3.29                   | 4.50                     | 0.64                     | 3.86                     |
| Transitioned<br>Non-<br>facility                | Total       | 0.95                      | 4. α<br>δ . α             | 1.82                                     | 7.10               | 0.00                | 00:0                | 2.17                    | 0.46                    | 1.71                    | 4.80                        | 0.63                        | 4.17                        | 6.47                     | 1.02                     | 5.45                     | 3.68                 | 0.92                 | 2.76                 | 4.56                 | 0.85                 | 3.71                 | 7.75                     | 1.35                     | 6.40                     | 5.93                | 0.91                | 5.02                | 3.09                      | 0.80                      | 2.29                      | 00:0                        | 0.00                        | 0.00                        | 3.96                   | 29.0                   | 3.29                   | 4.57                     | 0.72                     | 3.85                     |
| Non-<br>facility                                | Total       | 0.85                      | 4.19<br>7.0               | 1.64                                     | 7.12               | 0.00                | 0.00                | 2.12                    | 0.41                    | 1.71                    | 4.75                        | 0.57                        | 4.18                        | 6.37                     | 0.91                     | 5.46                     | 3.63                 | 0.87                 | 2.76                 | 4.47                 | 0.75                 | 3.72                 | 7.62                     | 1.21                     | 6.41                     | 5.85                | 0.82                | 5.03                | 3.00                      | 0.70                      | 2.30                      | 0.00                        | 0.00                        | 0.00                        | 3.88                   | 0.59                   | 3.29                   | 4.50                     | 0.64                     | 3.86                     |
| Mal-<br>practice                                | KUVS        | 0.03                      | 0.18                      | 6.0                                      | 0.31               | 0.00                | 0.00                | 0.10                    | 0.05                    | 0.08                    | 0.20                        | 0.02                        | 0.18                        | 0.28                     | 0.0                      | 0.24                     | 0.16                 | 0.03                 | 0.13                 | 0.19                 | 0.03                 | 0.16                 | 0.33                     | 0.05                     | 0.28                     | 0.25                | 0.03                | 0.22                | 0.13                      | 0.03                      | 0.10                      | 0.00                        | 0.00                        | 0.00                        | 0.16                   | 0.02                   | 0.14                   | 0.18                     | 0.02                     | 0.16                     |
| Transitioned<br>Facility<br>practice<br>expense | KVUS        | 0.28                      | 00.4                      | 7.32                                     | 6.79               | 0.00                | 0.00                | 1.77                    | 0.14                    | 1.63                    | 4.18                        | 0.19                        | 3.99                        | 5.51                     | 0.30                     | 5.21                     | 2.91                 | 0.28                 | 2.63                 | 3.80                 | 0.25                 | 3.55                 | 6.52                     | 0.40                     | 6.12                     | 5.07                | 0.27                | 4.80                | 2.43                      | 0.24                      | 2.19                      | 0.00                        | 0.00                        | 0.00                        | 3.35                   | 0.20                   | 3.15                   | 3.90                     | 0.21                     | 3.69                     |
| Facility<br>practice<br>expense                 | KNUS        | 0.18                      | 7.07<br>7.07              | 0.35                                     | 6.81               | 0.00                | 0.00                | 1.72                    | 0.09                    | 1.63                    | 4.13                        | 0.13                        | 4.00                        | 5.41                     | 0.19                     | 5.22                     | 2.86                 | 0.23                 | 2.63                 | 3.71                 | 0.15                 | 3.56                 | 6.39                     | 0.26                     | 6.13                     | 4.99                | 0.18                | 4.81                | 2.34                      | 0.14                      | 2.20                      | 00.0                        | 0.00                        | 00.00                       | 3.27                   | 0.12                   | 3.15                   | 3.83                     | 0.13                     | 3.70                     |
| Transitioned Non-facility practice expense      | RVOs        | 0.28                      | 4.00<br>7.33              | 0.53                                     | 6.79               | 0.00                | 00.00               | 1.77                    | 0.14                    | 1.63                    | 4.18                        | 0.19                        | 3.99                        | 5.51                     | 0:30                     | 5.21                     | 2.91                 | 0.28                 | 2.63                 | 3.80                 | 0.25                 | 3.55                 | 6.52                     | 0.40                     | 6.12                     | 5.07                | 0.27                | 4.80                | 2.43                      | 0.24                      | 2.19                      | 0.00                        | 0.00                        | 00:00                       | 3.35                   | 0.20                   | 3.15                   | 3.90                     | 0.21                     | 3.69                     |
| Non-<br>facility<br>practice<br>expense         | RVUs        | 0.18                      | 4.01                      | 0.10                                     | 6.83               | 00.0                | 00.0                | 1.72                    | 0.09                    | 1.63                    | 4.13                        | 0.13                        | 4.00                        | 5.41                     | 0.19                     | 5.22                     | 2.86                 | 0.23                 | 2.63                 | 3.71                 | 0.15                 | 3.56                 | 6:39                     | 0.26                     | 6.13                     | 4.99                | 0.18                | 4.81                | 2.34                      | 0.14                      | 2.20                      | 0.00                        | 00.00                       | 00.0                        | 3.27                   | 0.12                   | 3.15                   | 3.83                     | 0.13                     | 3.70                     |
| Physician<br>work 3                             | RVUs        | 0.64                      | 0.00                      | 1.23                                     | 00.0               | 0.0                 | 0.00                | 0.30                    | 0.30                    | 0.00                    | 0.42                        | 0.42                        | 0.00                        | 0.68                     | 0.68                     | 0.00                     | 0.61                 | 0.61                 | 0.00                 | 0.57                 | 0.57                 | 0.00                 | 06.0                     | 06.0                     | 0.00                     | 0.61                | 0.61                | 0.00                | 0.53                      | 0.53                      | 0.00                      | 0.00                        | 00.00                       | 0.00                        | 0.45                   | 0.45                   | 0.00                   | 0.49                     | 0.49                     | 0.00                     |
|   | Description | Brain imaging comp & flow | Brain imaging comp & flow | Brain imaging (5D)<br>Brain imaging (3D) | Brain imaging (3D) | Brain imaging (PET) | Brain imaging (PET) | Brain flow imaging only | Brain flow imaging only | Brain flow imaging only | Cerebral blood flow imaging | Cerebral blood flow imaging | Cerebral blood flow imaging | Cerebrospinal fluid scan | Cerebrospinal fluid scan | Cerebrospinal fluid scan | CSF ventriculography | CSF ventriculography | CSF ventriculography | CSF shunt evaluation | CSF shunt evaluation | CSF shunt evaluation | Cerebrospinal fluid scan | Cerebrospinal fluid scan | Cerebrospinal fluid scan | CSF leakage imaging | CSF leakage imaging | CSF leakage imaging | Nuclear exam of tear flow | Nuclear exam of tear flow | Nuclear exam of tear flow | Nervous system nuclear exam | Nervous system nuclear exam | Nervous system nuclear exam | Kidney imaging, static | Kidney imaging, static | Kidney imaging, static | Kidney imaging with flow | Kidney imaging with flow | Kidney imaging with flow |
| ,   | Status      | ∢ '                       | ∢ <                       | < ⊲                                      | < ∢                | z                   | z                   | ∢                       | ∢                       | ∢                       | ∢                           | ∢                           | ∢                           | ∢                        | ∢                        | ∢                        | ∢                    | ∢                    | ∢                    | ∢                    | ∢                    | ∢                    | <                        | ∢                        | ∢                        | ∢                   | ∢                   | ∢                   | ⋖                         | ∢                         | ∢                         | ပ                           | ပ                           | ပ                           | ∢                      | ∢                      | ∢                      | ∢                        | ∢                        | ∢                        |
|   | Wod         | 56                        | ပ                         | 90                                       | 2                  |                     |                     |                         | 56                      | 5                       |                             | 56                          | 5                           |                          | 56                       | <b>1</b>                 |                      | 56                   | ဥ                    |                      | 56                   | 5                    |                          | 56                       | ဍ                        |                     | 56                  | 2                   |                           | 56                        | ည                         |                             | 56                          | 2                           |                        | 56                     | 2                      |                          | 56                       | 2                        |
| (Pt 1/  | HCPCS:      | 78606                     | 78606                     | 78607                                    | 78607              | 78608               | 78609               | 78610                   | 78610                   | 78610                   | 78615                       | 78615                       | 78615                       | 78630                    | 78630                    | 78630                    | 78635                | 78635                | 78635                | 78645                | 78645                | 78645                | 78647                    | 78647                    | 78647                    | 78650               | 78650               | 78650               | 78660                     | 78660                     | 78660                     | 78699                       | 78699                       | 78699                       | 78700                  | 78700                  | 78700                  | 78701                    | 78701                    | 78701                    |

Page 166 of 271
2 Copyright 1994 American Only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| Physician practice  work expense  RVUs RVUs  0.74 4.30  0.74 0.20  0.00 4.10 | facility                     |                     |                     |                     |                     |                     | 1-11             | :                | Danomen :        |          | :                        |        |
|--|------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------------|------------------|------------------|----------|--------------------------|--------|
| Description Imaging renogram Imaging renogram                                |                              | Physician<br>work , | practice<br>expense | practice<br>expense | practice<br>expense | practice<br>expense | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Iransitioned<br>Facility |        |
|  |                              | RVUs                | RVUs                | RVUs                | RVUs                | RYUs                | RUYs             | Total            | Total            | Total    | Total                    | Global |
| ĒĒ   |                              | 0.74                | 4.30                | 4.42                | 4.30                | 4.42                | 0.23             | 5.27             | 5.39             | 5.27     | 5.39                     | ×      |
| Ε  |                              | 0.74                | 0.20                | 0.33                | 0.20                | 0.33                | 0.04             | 0.98             | 1.11             | 0.98     | 1.1                      | ×      |
|  |                              | 0.00                | 4.10                | 4.09                | 4.10                | 4.09                | 0.19             | 4.29             | 4.28             | 4.29     | 4.28                     | ×      |
| Ę  | Kidney flow & function image | 96.0                | 4.90                | 5.04                | 4.90                | 5.04                | 0.26             | 6.12             | 6.26             | 6.12     | 6.26                     | ×      |
| 2  | Kidney flow & function image | 96.0                | 0.26                | 0.41                | 0.26                | 0.41                | 0.05             | 1.27             | 1.42             | 1.27     | 1.42                     | ×      |
| 2  | Kidney flow & function image | 0.00                | 4.64                | 4.63                | 4.64                | 4.63                | 0.21             | 4.85             | 4.84             | 4.85     | 4.84                     | ×      |
| 2  | Kidney flow & function image | 1.21                | 4.97                | 5.06                | 4.97                | 5.06                | 0.26             | 6.44             | 6.53             | 6.44     | 6.53                     | ×      |
| ဗ  | Kidney flow & function image | 1.21                | 0.33                | 0.43                | 0.33                | 0.43                | 0.05             | 1.59             | 1.69             | 1.59     | 1.69                     | ×      |
| ပ္   | Kidney flow & function image | 0.00                | 4.64                | 4.63                | 4.64                | 4.63                | 0.21             | 4.85             | 4.84             | 4.85     | 4.84                     | ×      |
| 2  | Kidney flow & function image | 1.41                | 5.02                | 5.07                | 5.02                | 5.07                | 0.26             | 69.9             | 6.74             | 69.9     | 6.74                     | ×      |
| $\circ$  | Kidney flow & function image | 1.41                | 0.38                | 0.44                | 0.38                | 0.44                | 0.05             | 1.84             | 1.90             | 1.84     | 1.90                     | ×      |
| 2  | Kidney flow & function image | 0.00                | 4.64                | 4.63                | 4.64                | 4.63                | 0.21             | 4.85             | 4.84             | 4.85     | 4.84                     | ×      |
| Kidney imaging (3D)  | ·                            | 99.0                | 6.32                | 6.42                | 6.32                | 6.42                | 0.32             | 7.30             | 7.40             | 7.30     | 7.40                     | ×      |
| Kidney imaging (3D)  | · (C)                        | 99.0                | 0.19                | 0:30                | 0.19                | 0.30                | 0.04             | 0.89             | 1.00             | 0.89     | 1.00                     | ×      |
| Kidney imaging (3D)  | · (C)                        | 0.00                | 6.13                | 6.12                | 6.13                | 6.12                | 0.28             | 6.41             | 6.40             | 6.41     | 6.40                     | ×      |
| ્ર   | Renal vascular flow exam     | 0.30                | 1.72                | 1.77                | 1.72                | 1.77                | 0.10             | 2.12             | 2.17             | 2.12     | 2.17                     | ×      |
| Ó  | Renal vascular flow exam     | 0.30                | 0.09                | 0.14                | 60.0                | 0.14                | 0.02             | 0.41             | 0.46             | 0.41     | 0.46                     | ×      |
| Ó  | Renal vascular flow exam     | 0.00                | 1.63                | 1.63                | 1.63                | 1.63                | 0.08             | 1.71             | 1.71             | 1.71     | 1.71                     | ×      |
| 돲  | Kidney function study        | 0.38                | 1.95                | 2.00                | 1.95                | 2.00                | 0.11             | 2.44             | 2.49             | 2.44     | 2.49                     | ×      |
| 돯  | Kidney function study        | 0.38                | 0.10                | 0.16                | 0.10                | 0.16                | 0.02             | 0.50             | 0.56             | 0.50     | 99.0                     | ×      |
| 돲  | Kidney function study        | 0.00                | 1.85                | 1.84                | 1.85                | 1.84                | 0.09             | 1.94             | 1.93             | 1.94     | 1.93                     | ×      |
| ᅙ  | Urinary bladder retention    | 0.36                | 1.63                | 1.67                | 1.63                | 1.67                | 0.09             | 2.08             | 2.12             | 2.08     | 2.12                     | ×      |
| ē  | Urinary bladder retention    | 0.36                | 0.11                | 0.16                | 0.11                | 0.16                | 0.02             | 0.49             | 0.54             | 0.49     | 0.54                     | ×      |
| ē  | Urinary bladder retention    | 0.00                | 1.52                | 1.51                | 1.52                | 1.51                | 0.07             | 1.59             | 1.58             | 1.59     | 1.58                     | ×      |
| Jreteral reflux study  |                              | 0.57                | 2.35                | 2.44                | 2.35                | 2.44                | 0.13             | 3.05             | 3.14             | 3.05     | 3.14                     | ×      |
| Jreteral reflux study  |                              | 0.57                | 0.15                | 0.25                | 0.15                | 0.25                | 0.03             | 0.75             | 0.85             | 0.75     | 0.85                     | ×      |
| Ureteral reflux study  | <u>~</u>                     | 0.00                | 2.20                | 2.19                | 2.20                | 2.19                | 0.10             | 2.30             | 2.29             | 2.30     | 2.29                     | ×      |
| Festicular imaging   |                              | 99.0                | 2.96                | 3.06                | 2.96                | 3.06                | 0.16             | 3.78             | 3.88             | 3.78     | 3.88                     | ×      |
| Testicular imaging   |                              | 99:0                | 0.18                | 0.29                | 0.18                | 0.29                | 0.03             | 0.87             | 96.0             | 0.87     | 0.98                     | ×      |
| Festicular imaging   |                              | 0.00                | 2.78                | 2.77                | 2.78                | 2.77                | 0.13             | 2.91             | 2.90             | 2.91     | 2.90                     | ×      |
| Ē  | Festicular imaging & flow    | 0.71                | 3.53                | 3.64                | 3.53                | 3.64                | 0.19             | 4.43             | 4.54             | 4.43     | 4.54                     | ×      |
| Ē  | Testicular imaging & flow    | 0.71                | 0.20                | 0.32                | 0.20                | 0.32                | 0.04             | 0.95             | 1.07             | 0.95     | 1.07                     | ×      |
| Ē  | Testicular imaging & flow    | 0.00                | 3.33                | 3.32                | 3.33                | 3.32                | 0.15             | 3.48             | 3.47             | 3.48     | 3.47                     | ×      |
| 걸  | Genitourinary nuclear exam   | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 00.0                     | ×      |
| 걸  | Genitourinary nuclear exam   | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 00.00                    | ×      |
| ž  | Genitourinary nuclear exam   | 0.00                | 0.00                | 0.00                | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 00.00                    | ×      |
| <u>=</u>   | Tumor imaging, limited area  | 99.0                | 3.71                | 3.82                | 3.71                | 3.82                | 0.19             | 4.56             | 4.67             | 4.56     | 4.67                     | ×      |
| Ë  | Tumor imaging, limited area  | 99.0                | 0.19                | 0.30                | 0.19                | 0.30                | 0.03             | 0.88             | 66.0             | 0.88     | 66.0                     | ×      |
| Ē  | Fumor imaging, limited area  | 0.00                | 3.52                | 3.52                | 3.52                | 3.52                | 0.16             | 3.68             | 3.68             | 3.68     | 3.68                     | ×      |
| Ē  | Tumor imaging, mult areas    | 0.79                | 4.60                | 4.72                | 4.60                | 4.72                | 0.24             | 5.63             | 5.75             | 5.63     | 5.75                     | ×      |

Page 167 of 271
2 Copyright 1994 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

Page 168 of 271
2 Copyright 1994 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                            |     |        |                              |           | Non-<br>facility | Transitioned            | Facility        | Transitioned |                  |                   | 7                   |                   |              |        |
|----------------------------|-----|--------|------------------------------|-----------|------------------|-------------------------|-----------------|--------------|------------------|-------------------|---------------------|-------------------|--------------|--------|
| •                          |     |        |                              | Physician | practice         | non-raciniy<br>practice | practice        | practice     | Mal-             | Non-              | Iransinonea<br>Non- |                   | Transitioned |        |
| CPT /<br>HCPG <sup>2</sup> | Mod | Status | Decription                   | work 3    | expense          | expense<br>RVIIc        | expense<br>RVUs | expense      | practice<br>RUVs | facility<br>Total | facility<br>Total   | Facility<br>Total | Facility     | Glohal |
| 79030                      | Ñ   | ∢      | Thyroid ablation, carcinoma  | 2.10      | 0.59             | 0.91                    | 0.59            | 0.91         | 0.11             | 2.80              | 3.12                | 2.80              | 3.12         | ××     |
| 79030                      | 10  | ∢      | Thyroid ablation, carcinoma  | 0.00      | 2.73             | 2.72                    | 2.73            | 2.72         | 0.13             | 2.86              | 2.85                | 2.86              | 2.85         | XX     |
| 79035                      |     | ∢      | Thyroid metastatic therapy   | 2.52      | 3.45             | 3.82                    | 3.45            | 3.82         | 0.26             | 6.23              | 09.9                | 6.23              | 9.60         | XXX    |
| 79035                      | 56  | ∢      | Thyroid metastatic therapy   | 2.52      | 0.72             | 1.10                    | 0.72            | 1.10         | 0.13             | 3.37              | 3.75                | 3.37              | 3.75         | ×      |
| 79035                      | 5   | ∢      | Thyroid metastatic therapy   | 0.00      | 2.73             | 2.72                    | 2.73            | 2.72         | 0.13             | 2.86              | 2.85                | 2.86              | 2.85         | ×      |
| 79100                      |     | ∢      | Hematopoetic nuclear therapy | 1.32      | 3.11             | 3.29                    | 3.11            | 3.29         | 0.20             | 4.63              | 4.81                | 4.63              | 4.81         | ××     |
| 79100                      | 56  | ∢      | Hematopoetic nuclear therapy | 1.32      | 0.38             | 0.57                    | 0.38            | 0.57         | 0.07             | 1.77              | 1.96                | 1.77              | 1.96         | ×      |
| 79100                      | 10  | ∢      | Hematopoetic nuclear therapy | 0.00      | 2.73             | 2.72                    | 2.73            | 2.72         | 0.13             | 2.86              | 2.85                | 2.86              | 2.85         | ×      |
| 79200                      |     | ∢      | Intracavitary nuc treatment  | 1.99      | 3.33             | 3.60                    | 3.33            | 3.60         | 0.24             | 5.56              | 5.83                | 5.56              | 5.83         | ×      |
| 79200                      | 56  | ∢      | Intracavitary nuc treatment  | 1.99      | 09:0             | 0.88                    | 09:0            | 0.88         | 0.11             | 2.70              | 2.98                | 2.70              | 2.98         | ×      |
| 79200                      | 5   | ∢      | Intracavitary nuc treatment  | 0.00      | 2.73             | 2.72                    | 2.73            | 2.72         | 0.13             | 2.86              | 2.85                | 2.86              | 2.85         | ×      |
| 79300                      |     | ပ      | Interstitial nuclear therapy | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 79300                      | 56  | ∢      | Interstitial nuclear therapy | 1.60      | 0.42             | 99.0                    | 0.42            | 0.68         | 0.09             | 2.11              | 2.37                | 2.11              | 2.37         | ××     |
| 79300                      | 15  | ပ      | Interstitial nuclear therapy | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 79400                      |     | ∢      | Nonhemato nuclear therapy    | 1.96      | 3.29             | 3.57                    | 3.29            | 3.57         | 0.23             | 5.48              | 5.76                | 5.48              | 5.76         | ××     |
| 79400                      | 56  | ∢      | Nonhemato nuclear therapy    | 1.96      | 0.56             | 0.85                    | 0.56            | 0.85         | 0.10             | 2.62              | 2.91                | 2.62              | 2.91         | ×      |
| 79400                      | 5   | ∢      | Nonhemato nuclear therapy    | 0.00      | 2.73             | 2.72                    | 2.73            | 2.72         | 0.13             | 2.86              | 2.85                | 2.86              | 2.85         | ××     |
| 79420                      |     | ပ      | Intravascular nuc therapy    | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 79420                      | 56  | ∢      | Intravascular nuc therapy    | 1.51      | 0.41             | 0.65                    | 0.41            | 0.65         | 0.08             | 2.00              | 2.24                | 2.00              | 2.24         | ××     |
| 79420                      | 5   | ပ      | Intravascular nuc therapy    | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 79440                      |     | ∢      | Nuclear joint therapy        | 1.99      | 3.29             | 3.59                    | 3.29            | 3.59         | 0.24             | 5.52              | 5.82                | 5.52              | 5.82         | ××     |
| 79440                      | 56  | ∢      | Nuclear joint therapy        | 1.99      | 0.56             | 0.87                    | 0.56            | 0.87         | 0.11             | 5.66              | 2.97                | 5.66              | 2.97         | ××     |
| 79440                      | 5   | ∢      | Nuclear joint therapy        | 0.00      | 2.73             | 2.72                    | 2.73            | 2.72         | 0.13             | 2.86              | 2.85                | 2.86              | 2.85         | ××     |
| 2006                       |     | ပ      | Provide ther radiopharm(s)   | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 79999                      |     | ပ      | Nuclear medicine therapy     | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
|                            | 26  | ပ      | Nuclear medicine therapy     | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
|                            | 2   | ပ      | Nuclear medicine therapy     | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 80049                      |     | ×      | Metabolic panel, basic       | 0.00      | 0.0              | 0.00                    | 0.00            | 0.00         | 0.0              | 0.00              | 0.00                | 0.0               | 0.00         | ×      |
| 80020                      |     | z      | General health panel         | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 80051                      |     | ×      | Electrolyte panel            | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ×      |
| 80054                      |     | ×      | Comprehen metabolic panel    | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 80055                      |     | _      | Obstetric panel              | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 00.0              | 00.0         | ××     |
| 80028                      |     | ×      | Hepatic function panel       | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 80029                      |     | ×      | Hepatitis panel              | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 00.0              | 0.00         | ××     |
| 80061                      |     | ×      | Lipid panel                  | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 80072                      |     | ×      | Arthritis panel              | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 00.0              | 00.00        | ×      |
| 80090                      |     | ×      | Torch antibody panel         | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 80091                      |     | ×      | Thyroid panel                | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 0.00              | 0.00         | ××     |
| 80092                      |     | ×      | Thyroid panel w/TSH          | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 0.00                | 00.0              | 00.0         | ××     |
| 80100                      |     | ×      | Drug screen                  | 0.00      | 0.00             | 0.00                    | 0.00            | 0.00         | 0.00             | 0.00              | 00.00               | 0.00              | 0.00         | XXX    |

Page 169 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Undicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |   |                              |           | Non-                 | Transitioned             | 4                    | Transitioned         |                   |          | •                    |                   |              |        |
|--------------------|---|------------------------------|-----------|----------------------|--------------------------|----------------------|----------------------|-------------------|----------|----------------------|-------------------|--------------|--------|
|                    |   |                              | Physician | tacility<br>practice | Non-tacility<br>practice | racility<br>practice | Facility<br>practice | Mal-              | Non-     | Iransitioned<br>Non- |                   | Transitioned |        |
| CPT / HCPCS 2 Mach | 5 | Description                  | Work 3    | expense              | expense                  | expense              | expense              | practice<br>RIIVs | facility | facility             | Facility<br>Total | Facility     | Global |
| ı                  | 1 | Drids                        | 000       | 000                  | 0.00                     | 00.0                 | 00.0                 | 00.0              | 00.0     | 0.00                 | 0.00              | 0.00         | ×      |
| 80102              | × | Drug confirmation            | 00.0      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 00.0         | ×      |
| 80103              | × | Drug analysis, tissue prep   | 0.00      | 0.00                 | 00:0                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00.0                 | 0.00              | 00.0         | ×      |
| 80150              | × | Assay of amikacin            | 0.00      | 0.00                 | 00:00                    | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ××     |
| 80152              | × | Assay of amitriptyline       | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00:00                | 0.00              | 0.00         | ×      |
| 80154              | × | Assay of benzodiazepines     | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00.00                | 0.00              | 0.00         | ××     |
| 80156              | × | Assay carbamazepine          | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00.00                | 0.00              | 0.00         | ×      |
| 80158              | × | Assay of cyclosporine        | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00.00                | 0.00              | 0.00         | ××     |
| 80160              | × | Assay of desipramine         | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00'0                 | 0.00              | 0.00         | ×      |
| 80162              | × | Assay for digoxin            | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00.00                | 0.00              | 0.00         | ××     |
| 80164              | × | Assay, dipropylacetic acid   | 0.00      | 00.00                | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00.0                 | 0.00              | 0.00         | ×      |
| 80166              | × | Assay of doxepin             | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00.00                | 0.00              | 0.00         | ××     |
| 80168              | × | Assay of ethosuximide        | 0.00      | 00.00                | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00.00                | 0.00              | 0.00         | ×      |
| 80170              | × | Gentamicin                   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00:00                | 0.00              | 0.00         | ××     |
| 80172              | × | Assay for gold               | 0.00      | 00.00                | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80174              | × | Assay of imipramine          | 0.00      | 0.00                 | 0.00                     | 0.00                 | 00.00                | 0.00              | 0.00     | 00:00                | 0.00              | 0.00         | ×      |
| 80176              | × | Assay for lidocaine          | 0.00      | 00.00                | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00:00                | 0.00              | 0.00         | ×      |
| 80178              | × | Assay for lithium            | 0.00      | 00.00                | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80182              | × | Assay for nortriptyline      | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80184              | × | Assay for phenobarbital      | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.0               | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80185              | × | Assay for phenytoin          | 0.00      | 0.00                 | 0.00                     | 0.00                 | 00:00                | 0.00              | 0.00     | 0.00                 | 0.00              | 00.00        | ×      |
| 80186              | × | Assay for phenytoin, free    | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80188              | × | Assay for primidone          | 0.00      | 00.00                | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80190              | × | Assay for procainamide       | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ž      |
| 80192              | × | Assay for procainamide       | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80194              | × | Assay for quinidine          | 0.00      | 00.00                | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80196              | × | Assay for salicylate         | 0.00      | 00.00                | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00:00                | 0.00              | 0.00         | ×      |
| 80197              | × | Assay for tacrolimus         | 0.00      | 0.00                 | 0.00                     | 0.0                  | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80198              | × | Assay for theophylline       | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ž      |
| 80200              | × | Assay for tobramycin         | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.0          | ×      |
| 80201              | × | Assay for topiramate         | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80202              | × | Assay for vancomycin         | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00:00                | 0.00              | 0.00         | ×      |
| 80299              | × | Quantitative assay, drug     | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ××     |
| 80400              | × | Acth stimulation panel       | 0.00      | 0.00                 | 0.00                     | 0.00                 | 00.00                | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80402              | × | Acth stimulation panel       | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80406              | × | Acth stimulation panel       | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80408              | × | Aldosterone suppression eval | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 00:00                | 0.00              | 0.00         | ×      |
| 80410              | × | Calcitonin stimul panel      | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80412              | × | CRH stimulation panel        | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 0.00              | 0.00         | ×      |
| 80414              | × | Testosterone response        | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00     | 0.00                 | 00.0              | 0.00         | ×      |
|                    |   |                              |           |                      |                          |                      |                      |                   |          |                      |                   |              |        |

Page 110 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                      |            |                              |               | Non-            | Iransitioned     |                 | Transitioned    |                  | _                 |                   |                   |                     |            |
|----------------------|------------|------------------------------|---------------|-----------------|------------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|---------------------|------------|
|                      |            |                              |               | facility        | Non-facility     | Facility        | Facility        |                  |                   | Transitioned      |                   |                     |            |
| -                    |            |                              | Physician     | practice        | practice         | practice        | practice        | Wal-             | Non-              | Non-              |                   | <b>Iransitioned</b> |            |
| CPT //<br>HCPCS 2 MA | Mod Status | Description                  | work<br>RVIIs | expense<br>RVUs | expense<br>RVIIs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total   | Global     |
|                      |            | Estrad                       | 0.00          | 0.00            | 0.00             | 0.00            | 00:0            | 0.00             | 0.00              | 00.0              | 00.0              | 0.00                | ×          |
| 80416                | ×          | Renin stimulation panel      | 0.00          | 0.00            | 00:0             | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80417                | ×          | Renin stimulation panel      | 0.00          | 0.00            | 0.00             | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80418                | ×          | Pituitary evaluation panel   | 0.00          | 0.00            | 00:00            | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80420                | ×          | Dexamethasone panel          | 0.00          | 0.00            | 00.00            | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80422                | ×          | Glucagon tolerance panel     | 00.00         | 0.00            | 0.00             | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80424                | ×          | Glucagon tolerance panel     | 0.00          | 0.00            | 00.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80426                | ×          | Gonadotropin hormone panel   | 00.00         | 0.00            | 00.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80428                | ×          | Growth hormone panel         | 00.0          | 0.00            | 00.00            | 00.00           | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ××         |
| 80430                | ×          | Growth hormone panel         | 0.00          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80432                | ×          | Insulin suppression panel    | 00.0          | 0.00            | 0.00             | 00.00           | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80434                | ×          | Insulin tolerance panel      | 0.00          | 0.00            | 00.00            | 00.00           | 0.00            | 0.00             | 00.0              | 0.00              | 0.00              | 0.00                | ×          |
| 80435                | ×          | Insulin tolerance panel      | 00.0          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80436                | ×          | Metyrapone panel             | 00.0          | 0.00            | 0.00             | 00.0            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00                | ×          |
| 80438                | ×          | TRH stimulation panel        | 00.0          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80439                | ×          | TRH stimulation panel        | 00.0          | 0.00            | 0.00             | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 80440                | ×          | TRH stimulation panel        | 0.00          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00                | ×          |
| 80500                | ∢          | Lab pathology consultation   | 0.37          | 0.20            | 0.22             | 0.15            | 0.20            | 0.01             | 0.58              | 0.60              | 0.53              | 0.58                | ×          |
| 80502                | ∢          | Lab pathology consultation   | 1.33          | 0.58            | 0.42             | 0.55            | 0.41            | 0.02             | 1.93              | 1.77              | 1.90              | 1.76                | ×          |
| 81000                | ×          | Urinalysis, nonauto, w/scope | 0.00          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00                | ž          |
| 81001                | ×          | Urinalysis, auto, w/scope    | 0.00          | 0.00            | 0.00             | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.00                | ×          |
| 81002                | ×          | Urinalysis nonauto w/o scope | 0.00          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00                | ×          |
| 81003                | × :        | Urinalysis, auto, w/o scope  | 0.00          | 0.00            | 0.00             | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
| 81005                | × :        | Urinalysis                   | 0.00          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 00:0              | 0.00                | X          |
| 81007                | ××         | Urine screen for bacteria    | 0.00          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ž          |
| 81015                | < >        | Microscopic exam of unite    | 000           | 9 6             | 0.0              | 0.00            | 90.0            | 9 6              | 9.0               | 0.00              | 0.00              | 0.00                | <b>{ }</b> |
| 81020                | < ×        | Unite pregnancy test         | 90.0          | 00.0            | 00.0             | 00.00           | 0.00            | 00.0             | 8 6               | 800               | 000               | 000                 | < ×        |
| 81050                | : ×        | Urinalysis, volume measure   | 00.0          | 0.00            | 0.00             | 00.0            | 00.0            | 0.00             | 000               | 00.0              | 000               | 0.00                | ×          |
| 81099                | ×          | Urinalysis test procedure    | 0.00          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 00.0              | 00.00             | 0.0               | 0.00                | ×          |
| 82000                | ×          | Assay blood acetaldehyde     | 00.0          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 00:00             | 0.00                | ×          |
| 82003                | ×          | Assay acetaminophen          | 00.0          | 0.00            | 0.00             | 00:00           | 00.0            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                | ×          |
| 82009                | ×          | Test for acetone/ketones     | 00.00         | 0.00            | 0.00             | 00.0            | 0.00            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                | ×          |
| 82010                | ×          | Acetone assay                | 00.00         | 0.00            | 0.00             | 00.0            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00                | ×          |
| 82013                | ×          | Acetylcholinesterase assay   | 00.00         | 0.00            | 0.00             | 00.00           | 0.00            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                | ××         |
| 82016                | ×          | Acylcarnitines, qual         | 00.0          | 0.00            | 0.00             | 0.00            | 00.0            | 0.00             | 0.00              | 00.0              | 00.00             | 0.00                | ×          |
| 82017                | ×          | Acylcarnitines, quant        | 0.00          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 00.00             | 0.00                | ×          |
| 82024                | ×          | АСТН                         | 00.00         | 0.00            | 0.00             | 0.00            | 00.0            | 0.00             | 0.00              | 00.0              | 00.0              | 0.00                | ×          |
| 82030                | ×          | ADP & AMP                    | 00.0          | 0.00            | 0.00             | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 00.0              | 0.00                | ×          |
| 82040                | ×          | Assay serum albumin          | 00:00         | 0.00            | 0.00             | 00.00           | 0.00            | 00.00            | 0.00              | 0.00              | 0.00              | 0.00                | ×          |
|                      |            |                              |               |                 |                  |                 |                 |                  |                   |                   |                   |                     |            |

Page 171 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| (PT <sup>1</sup> /<br>HCPCS <sup>2</sup> Mod<br>82042<br>82043<br>82044<br>82045<br>82055<br>82005<br>82005<br>82005<br>82101<br>82103<br>82104<br>82105<br>82105<br>82105<br>82105<br>82105 | s ××××××××××××××××××××××××××××××××××××   | Description<br>Assess uring albumin  | Physician    | noir-<br>facility<br>practice<br>expense | Non-facility practice | Facility<br>practice | ransmoned<br>Facility<br>practice | Mal-             | Non-              | Transitioned<br>Non- |                   | Transitioned      |              |
|--|--|--|--------------|--|-----------------------|----------------------|-----------------------------------|------------------|-------------------|----------------------|-------------------|-------------------|--------------|
| ~~   | Salata National States   | Description<br>Associations albumin  | Physician    | practice<br>expense                      | practice              | practice             | practice                          | Mal-             | Non-              | Non-                 |                   | Transitioned      |              |
| 7.0  | Selection of the select | Description<br>Assess uring albumin  | •            | expense                                  | DOUGLAN               | •                    |                                   |                  |                   |                      |                   |                   |              |
|  | ××××××××   | Accay urine albumin  | work<br>RVUs | RVUs                                     | RVUs                  | expense<br>RVUs      | expense<br>RVUs                   | practice<br>RUVs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Globa!       |
| 82043<br>82044<br>82055<br>82075<br>82088<br>82101<br>82104<br>82104<br>82106<br>82106<br>82108  | ×××××××  | Tools of the contract of the c | 00.0         | 0.00                                     | 00.00                 | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | XX           |
| 82044<br>82055<br>82075<br>82085<br>82101<br>82103<br>82104<br>82106<br>82106<br>82108   | ××××××   | Microalbumin, quantitative   | 0.00         | 0.00                                     | 0.00                  | 00:00                | 0.00                              | 0.00             | 0.00              | 00.00                | 0.00              | 00:00             | ××           |
| 82055<br>82075<br>82085<br>82088<br>82101<br>82103<br>82104<br>82106<br>82106<br>82127   | ×××××  | Microalbumin, semiquant  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 00:00                             | 0.00             | 0.00              | 00.00                | 0.00              | 00:00             | ××           |
| 82075<br>82085<br>82088<br>82101<br>82103<br>82104<br>82106<br>82106<br>82127  | ×××××  | Assay ethanol  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 00.00                | 0.00              | 0.00              | ×            |
| 82085<br>82088<br>82101<br>82103<br>82104<br>82105<br>82106<br>82127   | ××××:  | Assay breath ethanol   | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 00.0                 | 0.00              | 0.00              | ×            |
| 82088<br>82101<br>82103<br>82104<br>82105<br>82106<br>82127<br>82128   | ×××  | Assay of aldolase  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 00.0                 | 0.00              | 0.00              | ×            |
| 82101<br>82103<br>82104<br>82105<br>82106<br>82127<br>82128  | ××:  | Aldosterone  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 00:00                | 0.00              | 00.00             | ×            |
| 82103<br>82104<br>82105<br>82106<br>82127<br>82128   | ×  | Assay of urine alkaloids   | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 00:00                | 0.00              | 0.00              | ××           |
| 82104<br>82105<br>82106<br>82108<br>82127<br>82128   | ;  | Alpha-1-antitrypsin, total   | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×            |
| 82105<br>82106<br>82108<br>82127<br>82128  | ×  | Alpha-1-antitrypsin, pheno   | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 00.00                | 0.00              | 0.00              | ×            |
| 82106<br>82108<br>82127<br>82128   | ×  | Alpha-fetoprotein, serum   | 00.00        | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 00.00                | 0.00              | 0.00              | ×            |
| 82108<br>82127<br>82128  | ×  | Alpha-fetoprotein; amniotic  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 00:00             | ×            |
| 82127<br>82128   | ×  | Assay, aluminum  | 00:00        | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 00.00             | 0.00              | ×            |
| 82128  | ×  | Amino acid, single qual  | 00:00        | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 00.00             | 0.00              | ×            |
|  | ×  | Amino acids, mult qual   | 00.00        | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 00.00             | 0.00              | ×            |
| 82130  | ۵  | Amino acids analysis   | 00:00        | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×            |
| 82131  | ×  | Amino acids, single quant  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.0               | ×            |
| 82135  | ×  | Assay, aminolevulinic acid   | 00.00        | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×            |
| 82136  | ×  | Amino acids, 2-5 quant   | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×            |
| 82139  | ×  | Amino acids, 6+ quant  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×            |
| 82140  | ×  | Assay of ammonia   | 0.00         | 0.00                                     | 0.00                  | 0.0                  | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ž            |
| 82143  | ×  | Amniotic fluid scan  | 0.00         | 00.0                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | X            |
| 82145  | ×  | Assay of amphetamines  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | X            |
| 82150  | ×  | Assay of amylase   | 0.00         | 00.0                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | X            |
| 82154  | ×  | Androstanediol glucuronide   | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 00.00             | 0.00              | X            |
| 82157  | ×  | Assay of androstenedione   | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 00.0                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×            |
| 82160  | ×  | Androsterone assay   | 0.00         | 00.0                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×            |
| 82163  | × :  | Assay of angiotensin II  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | X            |
| 82164  | <b>×</b> :   | Angiotensin I enzyme test  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | <b>{</b> }   |
| 82172  | <b>×</b> >   | Apolipoprotein   | 0.00         | 9 6                                      | 8.6                   | 00.0                 | 0.00                              | 9 6              | 20.00             | 00.0                 | 0.0               | 9 6               | {            |
| 07170  | < >  | Assay of alsellic  | 9 6          | 8 6                                      | 8 8                   | 8 6                  | 8 6                               | 8 6              | 8 6               | 9 6                  | 8 8               | 8 6               | <b>{</b> }   |
| 82180  | < >  | Assay or ascorbic acid   | 8 8          | 00.0                                     | 8.6                   | 00.0                 | 00.0                              | 9 6              | 8 6               | 00.0                 | 9 6               | 9.0               | < >          |
| 82190  | ≺ :  | Atomic absorption  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 00.0              | <b>{</b> }   |
| 82205  | <b>×</b> ;   | Assay of barbiturates  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | <b>{</b> }   |
| 82232  | <b>×</b> :   | Beta-2 protein   | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | <b>{</b> }   |
| 82239  | <b>×</b> :   | Bile acids, total  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | <b>X</b>     |
| 82240  | × :  | Bile acids, cholylglycine  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | X            |
| 82247  | ××   | Bilirubin total  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×;           |
| 82248  | κ (  | Bilirubin direct   | 0.00         | 9 6                                      | 0.00                  | 0.00                 | 00.0                              | 9 6              | 9 6               | 00.0                 | 0.00              | 00.0              | <b>;</b> }   |
| 82250  | 2  | Assay bilirubin  | 0.00         | 0.00                                     | 0.00                  | 0.00                 | 0.00                              | 0.00             | 0.00              | )<br>)               | 0.00              | 0.00              | <del>\</del> |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                   |             |         |                              |               | Non-<br>facility | Transitioned<br>Non-facility | Facility         | Transitioned<br>Facility |                  |                   | Transitional      |                   |                   |        |
|-------------------|-------------|---------|------------------------------|---------------|------------------|------------------------------|------------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| -                 |             |         |                              | Physician     | practice         | practice                     | practice         | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS 2 | Po <b>7</b> | Ctartus | Docerntion                   | work<br>RVIIs | expense          | expense<br>PVIIs             | expense<br>RVIIs | expense                  | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 82251             | 1           | -       | Assav bilirubin              | 0.00          | 000              | 0.00                         | 0.00             | 0.00                     | 0.00             | 00.0              | 0.00              | 0.00              | 0.00              | ×      |
| 82252             |             | ×       | Fecal bilirubin test         | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | XX     |
| 82261             |             | ×       | Assay biotinidase            | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 00.00             | 0.00              | 00.0              | ××     |
| 82270             |             | ×       | Test feces for blood         | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ××     |
| 82273             |             | ×       | Test for blood, other source | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ××     |
| 82286             |             | ×       | Assay of bradykinin          | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ××     |
| 82300             |             | ×       | Assay cadmium                | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 00:00             | ××     |
| 82306             |             | ×       | Assay of vitamin D           | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ××     |
| 82307             |             | ×       | Assay of vitamin D           | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82308             |             | ×       | Assay of calcitonin          | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ××     |
| 82310             |             | ×       | Assay calcium                | 0.00          | 0.00             | 0.00                         | 00.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82330             |             | ×       | Assay calcium                | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 82331             |             | ×       | Calcium infusion test        | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 82340             |             | ×       | Assay calcium in urine       | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82355             |             | ×       | Calculus (stone) analysis    | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82360             |             | ×       | Calculus (stone) assay       | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 82365             |             | ×       | Calculus (stone) assay       | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 82370             |             | ×       | X-ray assay,calculus (stone) | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ××     |
| 82374             |             | ×       | Assay blood carbon dioxide   | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82375             |             | ×       | Assay blood carbon monoxide  | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82376             |             | ×       | Test for carbon monoxide     | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 82378             |             | ×       | Carcinoembryonic antigen     | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82379             |             | ×       | Assay carnifine              | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82380             |             | ×       | Assay carotene               | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.0              | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| 82382             |             | ×       | Assay urine catecholamines   | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| 82383             |             | ×       | Assay blood catecholamines   | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 82384             |             | ×       | Assay three catecholamines   | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| 82387             |             | ×       | Cathepsin-D                  | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82390             |             | × :     | Assay ceruloplasmin          | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| 82397             |             | ×       | Chemiluminescent assay       | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82415             |             | ×       | Assay chloramphenicol        | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82435             |             | ×       | Assay blood chloride         | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.0              | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 82436             |             | ×       | Assay urine chloride         | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ××     |
| 82438             |             | ×       | Assay other fluid chlorides  | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82441             |             | ×       | Test for chlorohydrocarbons  | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 00.00             | ××     |
| 82465             |             | ×       | Assay serum cholesterol      | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| 82480             |             | ×       | Assay serum cholinesterase   | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 82482             |             | ×       | Assay rbc cholinesterase     | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ××     |
| 82485             |             | ×       | Assay chondroitin sulfate    | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82486             |             | ×       | Gas/liquid chromatography    | 0.00          | 0.00             | 0.00                         | 0.00             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |

Page 173 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |        |        |                              |           | Non-<br>facility | Transitioned<br>Non-facility | Facility | Transitioned<br>Facility |                  |                  | Transitioned |          |                        |        |
|--------------------|--------|--------|------------------------------|-----------|------------------|------------------------------|----------|--------------------------|------------------|------------------|--------------|----------|------------------------|--------|
| / <sub>1</sub> 10) |        |        |                              | Physician | practice         | practice                     | practice | practice                 | Mal.<br>practice | Non-<br>facility | Non-         | Lacility | Transitioned Lacities. |        |
| HCPCS 2            | Mod Si | Status | Description                  | Work 3    | RVUs             | expense<br>RVUs              | RVUs     | RVUs                     | RUVs             | Total            | Total        | Total    | radiliy<br>Total       | Global |
| 82487              |        | ×      | Paper chromatography         | 0.00      | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | XXX    |
| 82488              |        | ×      | Paper chromatography         | 0.00      | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82489              |        | ×      | Thin layer chromatography    | 0.00      | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82491              |        | ×      | Chromotography, quantitative | 00.00     | 0.00             | 00.00                        | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82492              |        | ×      | Chromotography, quant, mult  | 00.00     | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82495              |        | ×      | Assay chromium               | 00.00     | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82507              |        | ×      | Assay citrate                | 00.0      | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82520              |        | ×      | Assay for cocaine            | 00.00     | 0.00             | 00.00                        | 0.00     | 00'0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82523              |        | ×      | Collagen crosslinks          | 00.00     | 0.00             | 0.00                         | 0.00     | 00.00                    | 0.00             | 0.00             | 0.00         | 0.00     | 00:0                   | ×      |
| 82525              |        | ×      | Assay copper                 | 00.00     | 0.00             | 00.00                        | 0.00     | 00.00                    | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82528              |        | ×      | Assay corticosterone         | 0.00      | 0.00             | 0.00                         | 0.00     | 00:0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82530              |        | ×      | Cortisol, free               | 00.00     | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82533              |        | ×      | Total cortisol               | 00:00     | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82540              |        | ×      | Assay creatine               | 00.00     | 0.00             | 00.00                        | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82541              |        | ×      | Column chromotography qual   | 00.00     | 0.00             | 0.00                         | 0.00     | 00.00                    | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82542              |        | ×      | Column chromotography quant  | 00.00     | 0.00             | 00.00                        | 0.00     | 00.00                    | 0.00             | 0.00             | 0.00         | 0.00     | 00:00                  | ×      |
| 82543              |        | ×      | Column chromotograph/isotope | 00.00     | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82544              |        | ×      | Column chromotography quant  | 0.00      | 0.00             | 0.00                         | 0.00     | 00.00                    | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82550              |        | ×      | Assay CK (CPK)               | 0.00      | 0.00             | 0.00                         | 0.00     | 00:0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82552              |        | ×      | Assay CPK in blood           | 00:00     | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82553              |        | ×      | Creatine, MB fraction        | 0.00      | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82554              |        | ×      | Creatine, isoforms           | 0.00      | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82565              |        | ×      | Assay creatinine             | 00:00     | 0.00             | 0.00                         | 0.00     | 00:00                    | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82570              |        | ×      | Assay urine creatinine       | 0.00      | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82575              |        | ×      | Creatinine clearance test    | 0.00      | 0.00             | 0.00                         | 0.00     | 00.00                    | 00.00            | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82585              |        | ×      | Assay cryofibrinogen         | 0.00      | 0.00             | 0.00                         | 0.00     | 00:00                    | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82595              |        | ×      | Assay cryoglobulin           | 00:00     | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82600              |        | ×      | Assay cyanide                | 0.00      | 0.00             | 0.00                         | 0.0      | 00.00                    | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82607              |        | ×      | Vitamin B-12                 | 0.00      | 00.0             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ž      |
| 82608              |        | ×      | B-12 binding capacity        | 0.00      | 0.00             | 0.00                         | 0.00     | 00.00                    | 0.0              | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82615              |        | ×      | Test for urine cystines      | 0.00      | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82626              |        | ×      | Dehydroepiandrosterone       | 00:00     | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82627              |        | ×      | Dehydroepiandrosterone       | 0.00      | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82633              |        | ×      | Desoxycorticosterone         | 00:0      | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00         | 0.00     | 00.0                   | ××     |
| 82634              |        | ×      | Deoxycortisol                | 00:00     | 0.00             | 0.00                         | 0.00     | 00:00                    | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82638              |        | ×      | Assay dibucaine number       | 0.00      | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82646              |        | ×      | Assay of dihydrocodeinone    | 0.00      | 0.00             | 0.00                         | 0.00     | 00:00                    | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |
| 82649              |        | ×      | Assay of dihydromorphinone   | 0.00      | 0.00             | 0.00                         | 0.00     | 00:00                    | 0.00             | 0.00             | 00.00        | 0.00     | 0.00                   | ×      |
| 82651              |        | ×      | Dihydrotestosterone assay    | 0.00      | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00         | 0.00     | 00:00                  | ×      |
| 82652              |        | ×      | Assay, dihydroxyvitamin D    | 00.0      | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00         | 0.00     | 0.00                   | ×      |

Page 174 of 271
2 Copyright 1994 American Medical Association. All Rights Reserved. Applicable FARSDFARS Apply.
3 Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                              |             |   |                 | Non-     | Transitioned            | Facility        | Transitioned Carities. |                  |                   | 7                  |                   |                   |        |
|------------------------------|-------------|---|-----------------|----------|-------------------------|-----------------|------------------------|------------------|-------------------|--------------------|-------------------|-------------------|--------|
|                              |             |   | Physician       | practice | Mon-raciiny<br>practice | practice        | ractice                | Mal-             | Non-              | Iransmonea<br>Non- |                   | Transitioned      |        |
| CPT '/<br>HCPCS <sup>2</sup> | Mod Ctertuc | ue Becription                                   | work<br>RVIIc 3 | expense  | expense                 | expense<br>RVUs | expense                | practice<br>RUVs | facility<br>Total | facility<br>Total  | Facility<br>Total | Facility<br>Total | Global |
| 82654                        | 1           | Assav   | 00.00           | 00.0     | 00'0                    | 0.00            | 0.00                   | 00.0             | 0.00              | 0.00               | 0.00              | 00.0              | XX     |
| 82657                        | ` ^         | X Enzyme cell activity                          | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| 82658                        | ^           | X Enzyme cell activity ra                       | 00:00           | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| 82664                        | ^           | X Electrophoretic test                          | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82666                        | ^           | X Epiandrosterone assay                         | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82668                        | ^           | X Erythropoietin                                | 00:0            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82670                        | ^           | X Estradiol                                     | 0.00            | 0.00     | 0.00                    | 00.00           | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| 82671                        | ^           | X Estrogens assay                               | 00:00           | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82672                        | ^           | X Estrogen assay                                | 0.00            | 0.00     | 00.00                   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82677                        | ^           | X Estriol                                       | 0.00            | 0.00     | 00.00                   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82679                        | ^           | X Estrone                                       | 0.00            | 0.00     | 00.00                   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82690                        | ^           | X Ethchlorvynol                                 | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82693                        | ^           | X Ethylene glycol                               | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82696                        | ^           | X Etiocholanolone                               | 0.00            | 0.00     | 0.00                    | 00.00           | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82705                        | ^           | X Fats/lipids, feces, qualitativ                | 0.00            | 0.00     | 00.00                   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82710                        | ^           | X Fats/lipids, feces, quantitati                | 0.00            | 0.00     | 00.00                   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82715                        | ^           | X Fecal fat assay                               | 0.00            | 0.00     | 0.00                    | 00.00           | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| 82725                        | ^           | X Assay blood fatty acids                       | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82726                        | ^           | X Long chain fatty acids                        | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| 82728                        | ^           | X Assay ferritin                                | 0.00            | 00.00    | 00.00                   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| 82731                        | ^           |   | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82735                        | ^           | X Assay fluoride                                | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82742                        | ^           | X Assay of flurazepam                           | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82746                        | ^           | _   | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82747                        | ^           | X Folic acid, RBC                               | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82757                        | ^           | <ul> <li>Assay semen fructose</li> </ul>        | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82759                        | ^           | X RBC galactokinase assay                       | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82760                        | ^           | X Assay galactose                               | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| 82775                        | ^           | <ul> <li>Assay galactose transferase</li> </ul> | 0.00            | 0.0      | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| 82776                        | ^           | _   | 0.00            | 0.0      | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| 82784                        | ^           | X Assay gammaglobulin IgM                       | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| 82785                        | ^           | _   | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82787                        | ^           | X lgG1, 2, 3 and 4                              | 0.00            | 0.00     | 00:00                   | 0.00            | 0.00                   | 0.00             | 0.00              | 00.0               | 00.0              | 0.00              | ××     |
| 82800                        | ^           |   | 0.00            | 0.00     | 00:00                   | 0.00            | 0.00                   | 0.00             | 0.00              | 00.0               | 0.00              | 0.00              | ××     |
| 82803                        | ^           |   | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 00.0               | 00:00             | 0.00              | ××     |
| 82805                        | ^           |   | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 00.0               | 0.00              | 0.00              | ××     |
| 82810                        | ^           | X Blood gases, O2 sat only                      | 0.00            | 0.0      | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82820                        | ^           | X Hemoglobin-oxygen affinity                    | 00:00           | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82926                        | ^           | <ul> <li>Assay gastric acid</li> </ul>          | 0.00            | 0.00     | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ××     |
| 82928                        | ^           | <ul> <li>Assay gastric acid</li> </ul>          | 0.00            | 0.0      | 0.00                    | 0.00            | 0.00                   | 0.00             | 0.0               | 0.00               | 0.00              | 0.00              | ×      |
|                              |             |   |                 |          |                         |                 |                        |                  |                   |                    |                   |                   |        |

Page 175 of 271
2 Copyright 1994 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|         |     |            |                              |                   | Non-     | Transitioned        |         | Transitioned |          |                  |                  |          |                          |            |
|---------|-----|------------|------------------------------|-------------------|----------|---------------------|---------|--------------|----------|------------------|------------------|----------|--------------------------|------------|
|         |     |            |                              | Dhucician         | tacility | Non-tacility        | raciiry | Facility     | Mal.     | Non              | Iransitioned     |          | Transitional             |            |
| (PT 1/  |     |            |                              | rnysician<br>work | expense  | practice<br>expense | expense | expense      | practice | ron-<br>facility | ron-<br>facility | Facility | rransirionea<br>Facility |            |
| HCPCS 2 | Mod | Status     | Description                  | RVUs              | RVUs     | RVUs                | RVUs    | RVUs         | RUVs     | Total            | Total            | Total    | Total                    | Global     |
| 82938   |     | ×          | Gastrin test                 | 0.00              | 0.00     | 0.00                | 00.0    | 0.00         | 00.0     | 0.00             | 0.00             | 0.00     | 0.00                     | ××         |
| 82941   |     | ×          | Assay of gastrin             | 0.00              | 0.00     | 0.00                | 0.00    | 00.0         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82943   |     | ×          | Assay of glucagon            | 0.00              | 0.00     | 0.00                | 0.00    | 00.0         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82946   |     | ×          | Glucagon tolerance test      | 0.00              | 0.00     | 0.00                | 0.00    | 00.0         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82947   |     | ×          | Assay quantitative, glucose  | 0.00              | 0.00     | 0.00                | 0.00    | 00.0         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82948   |     | ×          | Reagent strip/blood glucose  | 0.00              | 0.00     | 0.00                | 0.00    | 00.0         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82950   |     | ×          | Glucose test                 | 0.00              | 0.00     | 0.00                | 0.00    | 00.0         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82951   |     | ×          | Glucose tolerance test (GTT) | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82952   |     | ×          | GTT-added samples            | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82953   |     | ×          | Glucose-tolbutamide test     | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.0              | 0.00             | 0.00     | 0.00                     | ××         |
| 82955   |     | ×          | Assay G6PD enzyme            | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ××         |
| 82960   |     | ×          | Test for G6PD enzyme         | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82962   |     | ×          | Glucose blood test           | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.0              | 0.00             | 0.00     | 0.00                     | ×          |
| 82963   |     | ×          | Glucosidase assay            | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82965   |     | ×          | Assay GDH enzyme             | 0.00              | 0.00     | 00.00               | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82975   |     | ×          | Assay glutamine              | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ××         |
| 82977   |     | ×          | Assay of GGT                 | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82978   |     | ×          | Glutathione assay            | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.0              | 0.00             | 0.00     | 0.00                     | ×          |
| 82979   |     | ×          | Assay RBC glutathione enzyme | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82980   |     | ×          | Assay of glutethimide        | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 82985   |     | ×          | Glycated protein             | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 83001   |     | ×          | Gonadotropin (FSH)           | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 83002   |     | ×          | Gonadotropin (LH)            | 0.00              | 0.0      | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 83003   |     | ×          | Assay growth hormone (HGH)   | 0.00              | 0.0      | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 83008   |     | ×          | Assay guanosine              | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 00:0             | 0.00     | 0.00                     | X          |
| 83010   |     | ×          | Quant assay haptoglobin      | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ×          |
| 83012   |     | × :        | Assay haptoglobins           | 0.00              | 0.00     | 0.00                | 00.0    | 0.00         | 0.00     | 0.00             | 0.00             | 00:0     | 0.00                     | ž }        |
| 83013   |     | <b>×</b> : | H pylori breath test anal    | 0.00              | 0.0      | 0.00                | 0.00    | 0.00         | 9 6      | 0.0              | 0.00             | 9 6      | 9.0                      | <b>{</b> } |
| 83014   |     | < >        | H pyion arug admin/collect   | 9 6               | 8 6      | 00.0                | 8 6     | 0.00         | 00.0     | 8 6              | 00.00            | 8 6      | 8 6                      | X X        |
| 83018   |     | < ×        | Ouantitative screen metals   | 00.0              | 000      | 000                 | 000     | 000          | 000      | 000              | 000              | 000      | 000                      | ×          |
| 83019   |     | Ω          | Breath isotope test          | 00.0              | 00.0     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ××         |
| 83020   |     | ×          | Hemoglobin electrophoresis   | 0.00              | 0.00     | 00.0                | 0.00    | 0.00         | 0.0      | 0.00             | 00:00            | 0.00     | 0.00                     | ×          |
|         | 26  | ∢          | Hemoglobin electrophoresis   | 0.37              | 0.15     | 0.20                | 0.15    | 0.20         | 0.01     | 0.53             | 0.58             | 0.53     | 0.58                     | ×          |
| 83021   |     | ×          | Hemoglobin chromotography    | 00.00             | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 00.00            | 0.00     | 0.00                     | ××         |
| 83026   |     | ×          | Hemoglobin, copper sulfate   | 0.00              | 0.00     | 00:00               | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ××         |
| 83030   |     | ×          | Fetal hemoglobin assay       | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 00:00            | 00:0     | 0.00                     | ××         |
| 83033   |     | ×          | Fetal fecal hemoglobin assay | 00.00             | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                     | ××         |
| 83036   |     | ×          | Glycated hemoglobin test     | 0.00              | 0.00     | 0.00                | 0.00    | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 00.00                    | ×          |
| 83045   |     | ×          | Blood methemoglobin test     | 0.00              | 0.00     | 00.00               | 0.00    | 0.00         | 0.00     | 0.0              | 0.00             | 0.00     | 0.00                     | ×          |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                 |          |                              | DLADOM D     | ערדאווגר         | ADDLINDOM D NELKHITE TALOL OMITS(NTOS) AND NELKHED INFONMATION | TOST AND I      | Territory Inter        |                  | ı                 |                   |                   |                   |        |
|---------------------------------|----------|------------------------------|--------------|------------------|--|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                                 |          |                              |              | ron-<br>facility | Iransinoned<br>Non-facility                                    | Facility        | rransmonea<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| 1 46                            |          |                              | Physician    | practice         | practice   | practice        | practice               | Mal-             | Non-              | Non-              | ţ                 | Transitioned      |        |
| CP1 /<br>HCPCS <sup>2</sup> Mod | d Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs  | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | tacility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 83050                           | ×        | Blood methemoglobin assay    | 00.0         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 00.0              | 0.00              | 00:00             | 0.00              | ××     |
| 83051                           | ×        | Assay plasma hemoglobin      | 0.00         | 00.00            | 0.00   | 0.00            | 00.0                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83055                           | ×        | Blood suffhemoglobin test    | 0.00         | 0.00             | 0.00   | 0.00            | 00.0                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83060                           | ×        | Blood sulfhemoglobin assay   | 0.00         | 0.00             | 0.00   | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83065                           | ×        | Hemoglobin heat assay        | 0.00         | 0.00             | 0.00   | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83068                           | ×        | Hemoglobin stability screen  | 0.00         | 0.00             | 0.00   | 0.00            | 00.0                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83069                           | ×        | Assay urine hemoglobin       | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83070                           | ×        | Qualt assay hemosiderin      | 0.00         | 0.00             | 0.00   | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 83071                           | ×        | Quant assay of hemosiderin   | 0.00         | 0.00             | 0.00   | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83080                           | ×        | B hexosaminidase assay       | 0.00         | 0.00             | 0.00   | 0.00            | 00.0                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83088                           | ×        | Assay histamine              | 0.00         | 00.00            | 0.00   | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83150                           | ×        | Assay for HVA                | 0.00         | 0.00             | 0.00   | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83491                           | ×        | Assay of corticosteroids     | 0.00         | 0.00             | 0.00   | 0.00            | 00:00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83497                           | ×        | Assay 5-HIAA                 | 0.00         | 0.00             | 0.00   | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83498                           | ×        | Assay of progesterone        | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83499                           | ×        | Assay of progesterone        | 0.00         | 0.00             | 0.00   | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83500                           | ×        | Assay free hydroxyproline    | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83505                           | ×        | Assay total hydroxyproline   | 0.00         | 0.00             | 0.00   | 0.00            | 00:00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83516                           | ×        | Immunoassay, non antibody    | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 83518                           | ×        | Immunoassay, dipstick        | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83519                           | ×        | Immunoassay nonantibody      | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83520                           | ×        | Immunoassay, RIA             | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83525                           | ×        | Assay of insulin             | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83527                           | ×        | Assay of insulin             | 0.00         | 0.00             | 0.00   | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83528                           | ×        | Assay intrinsic factor       | 0.00         | 0.00             | 0.00   | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 83540                           | ×        | Assay iron                   | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 83550                           | ×        | Iron binding test            | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 83570                           | ×        | Assay IDH enzyme             | 0.00         | 00.00            | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83582                           | ×        | Assay ketogenic steroids     | 0.00         | 0.00             | 0.00   | 0.00            | 00:00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83586                           | ×        | Assay 17-(17-KS)ketosteroids | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83593                           | ×        | Fractionation ketosteroids   | 0.00         | 0.00             | 0.00   | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83605                           | ×        | Lactic acid assay            | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83615                           | ×        | Lactate (LD) (LDH) enzyme    | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83625                           | ×        | Assay LDH enzymes            | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83632                           | ×        | Placental lactogen           | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83633                           | ×        | Test urine for lactose       | 0.00         | 00:00            | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83634                           | ×        | Assay urine for lactose      | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 00.0              | ×      |
| 83655                           | ×        | Assay for lead               | 0.00         | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 00.0              | ××     |
| 83661                           | ×        | Assay L/S ratio              | 0.00         | 00.00            | 0.00   | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 83662                           | ×        | L/S ratio, foam stability    | 00.00        | 0.00             | 0.00   | 0.00            | 0.00                   | 0.00             | 00.00             | 00.00             | 00.00             | 0.00              | ×      |
|                                 |          |                              |              |                  |  |                 |                        |                  |                   |                   |                   |                   |        |

Page 177 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                  |      |              |                             |  | Non-     | Iransitioned                     |  | Transitioned                     |                  |                   |                               |                   |              |        |
|------------------|------|--------------|-----------------------------|--|----------|----------------------------------|--|----------------------------------|------------------|-------------------|-------------------------------|-------------------|--------------|--------|
|                  |      |              |                             | Dhusisian  | facility | Non-facility                     | Facility<br>practice                                       | Facility                         | Wal-             | Kop.              | Transitioned<br>Non-          |                   | Transitioned |        |
| CPT 1/<br>HCPC 2 | 7.11 | j            | Possessin file              | work<br>work   | expense  | expense                          | expense  | expense                          | practice<br>RUVs | facility<br>Total | facility<br>Total             | Facility<br>Total | Facility     | Global |
| 83670            | 1    | S ×          | Assav I AP enzyme           | 00.0   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83690            |      | ×            | Assav lipase                | 0.00   | 0.0      | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 00.0                          | 0.00              | 0.00         | ×      |
| 83715            |      | ×            | Assay blood lipoproteins    | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 00:00                         | 0.00              | 0.00         | ×      |
| 83716            |      | ×            | Assay blood lipoproteins    | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83717            |      | ۵            | Assay blood lipoproteins    | 0.00   | 0.00     | 00.0                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83718            |      | ×            | Blood lipoprotein assay     | 00.0   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 00.0                          | 0.00              | 0.00         | ×      |
| 83719            |      | ×            | Blood lipoprotein assay     | 0.00   | 0.00     | 00.00                            | 00.00  | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83721            |      | ×            | Blood lipoprotein assay     | 00:00  | 0.00     | 00.00                            | 00.00  | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83727            |      | ×            | LRH hormone assay           | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83735            |      | ×            | Assay magnesium             | 00.00  | 0.00     | 00.0                             | 00.00  | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83775            |      | ×            | Assay of md enzyme          | 0.00   | 0.00     | 00.00                            | 00.0   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.0               | 0.00         | ž      |
| 83785            |      | ×            | Assay of manganese          | 00.00  | 0.00     | 00.0                             | 00.0   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.0               | 0.00         | ž      |
| 83788            |      | ×            | Mass spectrometry qual      | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ž      |
| 83789            |      | ×            | Mass spectrometry quant     | 0.00   | 0.00     | 0.00                             | 00:00  | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.0               | 0.00         | ž      |
| 83805            |      | ×            | Assay of meprobamate        | 0.00   | 0.00     | 0.00                             | 00.00  | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.0               | 0.00         | ž      |
| 83825            |      | ×            | Assay mercury               | 00.00  | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.0               | 0.00         | ×      |
| 83835            |      | ×            | Assay metanephrines         | 0.00   | 0.0      | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.0               | 0.00         | ž      |
| 83840            |      | ×            | Assay methadone             | 00.00  | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.0               | 0.00         | ×      |
| 83857            |      | ×            | Assay methemalbumin         | 00:00  | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83858            |      | ×            | Assay methsuximide          | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.0              | 0.00              | 0.00                          | 0.00              | 0.00         | ž      |
| 83864            |      | ×            | Mucopolysaccharides         | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.0              | 0.00              | 0.00                          | 0.0               | 0.00         | ×      |
| 83866            |      | ×            | Mucopolysaccharides screen  | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.0              | 0.00              | 0.00                          | 0.0               | 0.00         | ž      |
| 83872            |      | ×            | Assay synovial fluid mucin  | 00.00  | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83873            |      | ×            | Assay, CSF protein          | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.0              | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83874            |      | ×            | Myoglobin                   | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.0               | 0.00                          | 0.0               | 0.00         | ×      |
| 83883            |      | ×            | Nephelometry, not specified | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.0               | 0.00         | ×      |
| 83885            |      | ×            | Assay for nickel            | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.0               | 0.00                          | 0.0               | 0.00         | ×      |
| 83887            |      | ×            | Assay nicotine              | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.0               | 0.00                          | 0.0               | 0.00         | ×      |
| 83890            |      | ×            | Molecule isolate            | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.0               | 0.00                          | 0.0               | 0.00         | ž      |
| 83891            |      | ×            | Molecule isolate nucleic    | 0.00   | 0.0      | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.0               | 0.00                          | 0.00              | 00.0         | ×      |
| 83892            |      | ×            | Molecular diagnostics       | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.0               | 0.00                          | 0.00              | 0.00         | ×      |
| 83893            |      | ×            | Molecule dot/slot/blot      | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.0               | 0.00                          | 0.00              | 0.00         | ×      |
| 83894            |      | ×            | Molecule gel electrophor    | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.0               | 0.00                          | 0.00              | 00.00        | ×      |
| 83896            |      | ×            | Molecular diagnostics       | 0.00   | 0.0      | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ž      |
| 83897            |      | ×            | Motecule nucleic transfer   | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83898            |      | ×            | Molecule nucleic amp        | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ž      |
| 83901            |      | ×            | Molecule nucleic amp        | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.0               | 0.00                          | 0.00              | 0.00         | ×      |
| 83902            |      | ×            | Molecular diagnostics       | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.0               | 0.00                          | 0.00              | 0.00         | ž      |
| 83903            |      | ×            | Molecule mutation scan      | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
| 83904            |      | ×            | Molecule mutation identify  | 0.00   | 0.00     | 0.00                             | 0.00   | 0.00                             | 0.00             | 0.00              | 0.00                          | 0.00              | 0.00         | ×      |
|                  |      | C CONTRACTOR |                             | The state of the s |          | CONTRACTOR CONCLUSION CONTRACTOR | 2004 P 1 Mod 1 400 14 1 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | * 11 A. Office County County (1) | 1                |                   | and the state of the state of |                   | 20.000       |        |

Page 178 of 271 t CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|     |        |                             |              | Non-            | Transitioned    |                 | Transitioned    | .,               |                   |                   |                   |                   |        |
|-----|--------|-----------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|     |        |                             |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
|     |        |                             | Physician    | practice        | practice        | practice        | practice        | -JuW             | Non-              | Non-              |                   | Transitioned      |        |
| Mod | Status | Description                 | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
|     | ×      | Molecule mutation identify  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 00.0              | 00.0              | 0.00              | 0.00              | XXX    |
|     | ×      | Molecule mutation identify  | 00.00        | 0.00            | 0.00            | 0.00            | 00:0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Genetic examination         | 00.0         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 26  | ∢      | Genetic examination         | 0.37         | 0.13            | 0.20            | 0.15            | 0.20            | 0.01             | 0.51              | 0.58              | 0.53              | 0.58              | ×      |
|     | ×      | Assay nucleotidase          | 00.00        | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Oligoclonal bands           | 00:00        | 0.00            | 0.00            | 0.00            | 00:00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay organic acids quant   | 00.00        | 0.00            | 0.00            | 0.00            | 00:00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay organic acids qual    | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
|     | ×      | Opiates                     | 00.0         | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay blood osmolality      | 00.0         | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay urine osmolality      | 00.00        | 0.00            | 0.00            | 0.00            | 00:00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay for osteocalcin       | 00.00        | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay oxalate               | 00.00        | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay of parathormone       | 00.00        | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay body fluid acidity    | 00.00        | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay for phencyclidine     | 00.0         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay of phenothiazine      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay blood PKU             | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay phenylketones         | 00:00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
|     | ×      | Assay acid phosphatase      | 00.00        | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
|     | ×      | Phosphatase, forensic exam  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ×      |
|     | ×      | Assay prostate phosphatase  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ×      |
|     | ×      | Assay alkaline phosphatase  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ×      |
|     | ×      | Assay alkaline phosphatase  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay alkaline phosphatases | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
|     | ×      | Amniotic fluid enzyme test  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay RBC PG6D enzyme       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay phosphohexose enzymes | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay phosphorus            | 0.00         | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
|     | ×      | Assay urine phosphorus      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Test for porphobilinogen    | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ×      |
|     | ×      | Assay porphobilinogen       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ×      |
|     | ×      | Test urine for porphyrins   | 00.00        | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay urine porphyrins      | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ×      |
|     | ×      | Assay feces porphyrins      | 00:00        | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ×      |
|     | ×      | Porphyrins, feces           | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ×      |
|     | ×      | Assay serum potassium       | 00.00        | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ×      |
|     | ×      | Assay urine potassium       | 00.00        | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ×      |
|     | ×      | Prealbumin                  | 0.00         | 00:00           | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|     | ×      | Assay pregnanediol          | 0.00         | 0.00            | 00.00           | 0.00            | 0.00            | 00.0             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
|     |        |                             |              |                 |                 |                 |                 |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Denial Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|         |        |                              |                |                 | (mon non        |                 |                 |                  |                   |                   |                   |                   |        |
|---------|--------|------------------------------|----------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|         |        |                              | Physician      | practice        | practice        | practice        | practice        | -Wal             | Non-              | Non-              | -                 | Transitioned      |        |
| Mod Sta | Status | Description                  | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
|         | ×      | Assay pregnanetriol          | 00:00          | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | XX     |
|         | ×      | Assay for pregnenolone       | 0.00           | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00              | 00.0              | ×      |
|         | ×      | Assay/17-hydroxypregnenolone | 0.00           | 0.00            | 0.00            | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | -      | Assay progesterone           | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay for prolactin          | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         |        | Assay of prostaglandin       | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Psa total                    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Psa free                     | 0.00           | 0.00            | 0.00            | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay protein                | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay serum protein          | 0.00           | 0.00            | 0.00            | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         |        | Assay serum proteins         | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 26      | ⋖      | Assay serum proteins         | 0.37           | 0.15            | 0.20            | 0.15            | 0.20            | 0.01             | 0.53              | 0.58              | 0.53              | 0.58              | ××     |
|         | ×      | Western blot test            | 0.00           | 0.00            | 0.00            | 00:0            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 26      | ⋖      | Western blot test            | 0.37           | 0.14            | 0.20            | 0.15            | 0.20            | 0.01             | 0.52              | 0.58              | 0.53              | 0.58              | ×      |
|         | ×      | Protein, western blot test   | 0.00           | 00.0            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 26      | ∢      | Protein, western blot test   | 0.37           | 0.14            | 0.20            | 0.15            | 0.20            | 0.01             | 0.52              | 0.58              | 0.53              | 0.58              | ×      |
|         | ×      | Assay RBC protoporphyrin     | 00.00          | 00.00           | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Test RBC protoporphyrin      | 0.00           | 00.0            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay of proinsulin          | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay vitamin B-6            | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay pyruvate               | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay pyruvate kinase        | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay quinine                | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay estrogen               | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay progesterone           | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay endocrine hormone      | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay non-endocrine receptor | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay of renin               | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay vitamin B-2            | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay selenium               | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay serotonin              | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Sex hormone globulin (SHBG)  | 00.00          | 00.00           | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay sialic acid            | 00.00          | 0.00            | 0.00            | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay silica                 | 00.00          | 00.0            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay serum sodium           | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Assay urine sodium           | 0.00           | 00.0            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 00.00             | ×      |
|         | ×      | Somatomedin                  | 00.00          | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|         | ×      | Somatostatin                 | 00.00          | 00:0            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 00.0              | 0.00              | ×      |
|         | ×      | Spectrophotometry            | 0.00           | 00.0            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 00.0              | 00.0              | ×      |
|         | ×      | Body fluid specific gravity  | 0.00           | 0.00            | 0.00            | 0.00            | 00:00           | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |

Page 180 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| Mon-facility practice expense RVUS STUD   |     |       |                              |                | -Won-           | Transitioned    |                 | Transitioned    |                  |                   |                   |                  |                   |        |
|---|-----|-------|------------------------------|----------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|------------------|-------------------|--------|
|   |     |       |                              |                | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                  |                   |        |
| Mod   Status   Description   NWA   Status   Aspense   Aspense |     |       |                              | Physician      | practice        | practice        | practice        | practice        | Mal-<br>practice | Non-              | Non-              | 1                | Transitioned      |        |
| X         Chromatogram assay, sugars         0.00         0.00           X         Sugars single qual         0.00         0.00           X         Sugars multiple qual         0.00         0.00           X         Sugars multiple quant         0.00         0.00           X         Sugars multiple quant         0.00         0.00           X         Sugars multiple quant         0.00         0.00           X         Assay unine sulfate         0.00         0.00           X         Assay total testosterone         0.00         0.00           X         Assay total thyroxine         0.00         0.00           X         Assay trea thyroxine         0.00         0.00           X         Assay traind stim hormone         0.00         0.00           X         Assay traind stim hormone         0.00         0.00           X         Assay traind stim hormone         0.00   | Mod | tatus | Description                  | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | RUIS             | racılıry<br>Total | racility<br>Total | raciiny<br>Total | racılıry<br>Total | Global |
| X Sugars single qual         0.00         0.00           X Sugars multiple qual         0.00         0.00           X Sugars multiple quant         0.00         0.00           X Sugars multiple quant         0.00         0.00           X Assay urine sulfate         0.00         0.00           X Assay total testosterone         0.00         0.00           X Assay transcerial         0.00         0.00           X Assay transcerial         0.00         0.00           X Assay transcerial         0.00         0.00           X Assay trigitycerides         0.00         0.00           X Assay trigitycerides   |     | ×     | Chromatogram assay, sugars   | 0.00           | 00:00           | 00.0            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 00.00            | 0.00              | ××     |
| X         Sugars multiple qualt         0.00         0.00           X         Sugars single quant         0.00         0.00           X         Sugars multiple quant         0.00         0.00           X         Assay trail estatement         0.00         0.00           X         Assay total textosterone         0.00         0.00           X         Assay total thyroxine         0.00         0.00           X         Assay, free thyroxine         0.00         0.00           X         Assay transferrin         0.00         0.00           X         Assay virturin E         0.00         0.00           X         Assay virturin E         0.00         0.00           X         Assay virturin E         0.00         0.00           X         Assay virturin (4E) SGPT)         0.00         0.00           X         Assay for transcordin         0.00         0.00           X         Assay turin (4E-3)         0.00         0.00  |     | ×     | Sugars single qual           | 00.00          | 0.00            | 00.00           | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00             | 0.00              | ×      |
| X         Sugars multiple quant         0.00         0.00         0.00           X         Sugars multiple quant         0.00         0.00         0.00           X         Assay urine sulfate         0.00         0.00         0.00           X         Assay urine sulfate         0.00         0.00         0.00           X         Assay total testosterone         0.00         0.00         0.00           X         Assay total testosterone         0.00         0.00         0.00           X         Assay total thyroxine         0.00         0.00         0.00           X         Assay total thyroxine         0.00         0.00         0.00           X         Assay total thyroxine         0.00         0.00         0.00           X         Assay tracedurin         0.00         0.00         0.00           X         Assay tracedurin for transcorfin         0.00         0.00         0.00           X         Assay tracedurin charlos for transcorfin         0.00         0.00         0.00           X         Assay traces (AT) (SGOT)         0.00         0.00         0.00           X         Assay traces (AT)         0.00         0.00         0.00   |     | ×     | Sugars multiple qual         | 00.00          | 0.00            | 00:00           | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X Sugars multiple quant         0.00         0.00           X Assay urine sulfate         0.00         0.00           X Assay urine sulfate         0.00         0.00           X Assay trial testosterone         0.00         0.00           X Assay tidal testosterone         0.00         0.00           X Assay tidal testosterone         0.00         0.00           X Assay tidal thyroxine         0.00         0.00           X Assay total thyroxine         0.00         0.00           X Assay free thyroxine         0.00         0.00           X Assay tree thyroxine         0.00         0.00           X Assay thyroid stim hormone         0.00         0.00           X Assay thyroid transcortin         0.00         0.00           X Assay thyroid transcortin         0.00         0.00           X Assay transferrin         0.00         0.00           X Assay triacothyromine (t-3)         0.00         0.00           X Assay triacothyromine (t-3)         0.00         0.00           X Assay triodothyromine (t-3)         0.00         0.00           X Assay triodothyromine (t-3)         0.00         0.00           X Assay triodothyromine (t-3)         0.00         0.00           X Ass   |     | ×     | Sugars single quant          | 0.00           | 0.00            | 00:00           | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00             | 0.00              | ×      |
| X         Assay urine sulfate         0.00         0.00           X         Assay total testosterone         0.00         0.00         0.00           X         Assay total testosterone         0.00         0.00         0.00           X         Assay thiocyanate         0.00         0.00         0.00           X         Assay thiocyanate         0.00         0.00         0.00           X         Assay thiocyanate         0.00         0.00         0.00           X         Assay thiocyanate lithyroxine         0.00         0.00         0.00           X         Assay thiodia thyroxine         0.00         0.00         0.00           X         Assay thiodia activity (TBG) assay         0.00         0.00         0.00           X         Assay thyroid activity (TBG) assay         0.00         0.00         0.00           X         Assay tyroid activity (TBG) assay         0.00         0.00         0.00           X         Assay tyroid transcortin         0.00         0.00         0.00           X         Assay tyroid transcortin         0.00         0.00         0.00           X         Assay tyroid transcortin         0.00         0.00         0.00   |     | ×     | Sugars multiple quant        | 00.00          | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 00.00             | 0.00             | 0.00              | ×      |
| X         Testosterone         0.00         0.00           X         Assay total testosterone         0.00         0.00           X         Assay total testosterone         0.00         0.00           X         Assay total testosterone         0.00         0.00           X         Assay tilosid testosterone         0.00         0.00           X         Assay total thyroxine         0.00         0.00           X         Assay, free thyroxine         0.00         0.00           X         Assay reactivity (TBG) assay         0.00         0.00           X         Assay tryoid stim hormone         0.00         0.00           X         Assay tridocoloring (t-3 or t-4)         0.00         0.00           X         Assay tridocolyrounine (t-3)         0.00         0.00           X         Assay tridocol  |     | ×     | Assay urine sulfate          | 00.0           | 0.00            | 00:00           | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X Assay vitariin B-1         0.00         0.00           X Assay vitariin B-1         0.00         0.00           X Assay vitariin B-1         0.00         0.00           X Assay, total thyroxine         0.00         0.00           X Assay, total thyroxine         0.00         0.00           X Assay, total thyroxine         0.00         0.00           X Assay recinated thyroxine         0.00         0.00           X Assay thyroid stim hormone         0.00         0.00           X Assay total contin         0.00         0.00           X Assay total contin         0.00         0.00           X Assay trilodothyronine (+3)         0.00         0.00  |     | ×     | Testosterone                 | 00:00          | 0.00            | 00:00           | 00.00           | 00.00           | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Assay vitamin B-1         0.00         0.00           X         Assay tinocyanate         0.00         0.00         0.00           X         Assay tinocyanate thyroxine         0.00         0.00         0.00           X         Assay tinocyanate thyroxine         0.00         0.00         0.00           X         Assay tyroid activity (TBG) assay         0.00         0.00         0.00           X         Assay tyroid stim hormone         0.00         0.00         0.00           X         Assay triadio stim hormone         0.00         0.00         0.00           X         Assay triadiocatin         0.00         0.00         0.00           X         Assay trigivoreides         0.00         0.00         0.00           X         Assay trigivoreides         0.00         0.00         0.00           X         Assay trigivoreides         0.00         0.00         0.00           X         Assay trigivoreides<   |     | ×     | Assay total testosterone     | 00.0           | 0.00            | 00.0            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Assay thiocyanate         0.00         0.00           X         Assay thocyanate         0.00         0.00           X         Assay total thyroxine         0.00         0.00           X         Assay trotal thyroxine         0.00         0.00           X         Assay tryroid activity (TBG) assay         0.00         0.00           X         Assay tryroid activity (TBG) assay         0.00         0.00           X         Assay tryroid stim hormone         0.00         0.00           X         Assay tryroid stim hormone         0.00         0.00           X         Assay transcortin         0.00         0.00           X         Assay for transcortin         0.00         0.00           X         Assay triglycerides         0.00         <  |     | ×     | Assay vitamin B-1            | 00.0           | 0.00            | 00.0            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X Thyroglobulin         0.00         0.00           X Assay, total thyroxine         0.00         0.00           X Assay, free thyroxine         0.00         0.00           X Assay, free thyroxine         0.00         0.00           X Thyroid activity (TBG) assay         0.00         0.00           X Assay throid stim hormone         0.00         0.00         0.00           X Assay throid stim hormone         0.00         0.00         0.00           X Assay transine         0.00         0.00         0.00           X Assay transine         0.00         0.00         0.00           X Assay triglycenides         0.00         0.00         0.00           X Assay trigl   |     | ×     | Assay thiocyanate            | 00.00          | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 00.00             | 0.00             | 0.00              | ×      |
| X Assay, total thyroxine         0.00         0.00         0.00           X Assay, free thyroxine         0.00         0.00         0.00           X Assay throrid strink (TBC) assay         0.00         0.00         0.00           X Assay throrid strink normone         0.00         0.00         0.00           X Assay throrid strink normone         0.00         0.00         0.00           X Assay throrid strink normone         0.00         0.00         0.00           X Assay transferase (AST) (SGOT)         0.00         0.00         0.00           X Assay triglycerides         0.00         0.00         0.00           X Assay triceses         0.00         0.00         0.00  |     | ×     | Thyroglobulin                | 00.0           | 0.00            | 00'0            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X Assay neonatal thyroxine         0.00         0.00         0.00           X Assay, free thyroxine         0.00         0.00         0.00           X Thyroid activity (TBG) assay         0.00         0.00         0.00           X Assay thyroid stim hormone         0.00         0.00         0.00           X Assay vitamin E         0.00         0.00         0.00           X Assay tor transcortin         0.00         0.00         0.00           X Assay tor transcortin         0.00         0.00         0.00           X Assay tor transcortin         0.00         0.00         0.00           X Assay trinic (ALT) (SGPT)         0.00         0.00         0.00           X Tareverse         0.00         0.00         0.00         0.00           X Assay trinic (ALT) (SGPT)         0.00         0.00         0.00           X Assay freces for trypsin         0.00         0.00         0.  |     | ×     | Assay, total thyroxine       | 00.00          | 0.00            | 00.00           | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X Assay, free thyroxine         0.00         0.00           X Thyroid activity (TBG) assay         0.00         0.00           X Assay thyroid stim hormone         0.00         0.00         0.00           X Assay vitamin E         0.00         0.00         0.00           X Assay vitamin E         0.00         0.00         0.00           X Assay for transcortin         0.00         0.00         0.00           X Transferrase (AST) (SGOT)         0.00         0.00         0.00           X Assay triglycerides         0.00         0.00         0.00           X Assay turdendry (t-3 or t-4)         0.00         0.00         0.00           X Assay duodenal fluid trypsin         0.00         0.00         0.00           X Assay troseine         0.00   |     | ×     | Assay neonatal thyroxine     | 00.0           | 0.00            | 00.0            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Thyroid activity (TBG) assay         0.00         0.00           X         Assay thyroid stim hormone         0.00         0.00         0.00           X         Assay thyroid stim hormone         0.00         0.00         0.00           X         Assay vitamin E         0.00         0.00         0.00           X         Assay for transcortin         0.00         0.00         0.00           X         Assay frighycerides         0.00         0.00         0.00           X         Assay trighycerides         0.00         0.00         0.00           X         Assay feces for trypsin   |     | ×     | Assay, free thyroxine        | 00.0           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X Assay thyroid stim hormone         0.00         0.00         0.00           X Assay thyroid immunoglobulins TSI         0.00         0.00         0.00           X Assay vitamin E         0.00         0.00         0.00           X Assay for transcordin         0.00         0.00         0.00           X Assay for transcordin         0.00         0.00         0.00           X Assay transferrin         0.00         0.00         0.00           X Assay triyorid (t-3 or t-4)         0.00         0.00         0.00           X Assay triiodothyronine (t-3)         0.00         0.00         0.00           X Assay triiodothyronine (t-3)         0.00         0.00         0.00           X Assay triodothyronine (t-3)         0.00         0.00         0.00           X Assay duodenal fluid trypsin         0.00         0.00         0.00           X Assay feces for trypsin         0.00         0.00         0.00           X Assay trosine         0.00         0.00         0.00           X Assay urine urea-N         0.00         0.00         0.00           X Assay urine urea-N         0.00         0.00         0.00           X Assay urine urea-S         0.00         0.00         0.00  |     | ×     | Thyroid activity (TBG) assay | 00:00          | 0.00            | 00:00           | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Thyroid immunoglobulins TSI         0.00         0.00         0.00           X         Assay vitamin E         0.00         0.00         0.00           X         Assay for transcortin         0.00         0.00         0.00           X         Assay for transcortin         0.00         0.00         0.00           X         Alanine amino (ALT) (SGPT)         0.00         0.00         0.00           X         Assay triglycerides         0.00         0.00         0.00           X         Troponin, quant         0.00         0.00         0.00           X         Assay docenal fluid trypsin         0.00         0.00         0.00           X         Assay feces for trypsin         0.00         0.00         0.00           X         Assay u  |     | ×     | Assay thyroid stim hormone   | 0.00           | 0.00            | 00:00           | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X Assay vitamin E         0.00         0.00         0.00           X Assay for transcortin         0.00         0.00         0.00           X Transferase (AST) (SGPT)         0.00         0.00         0.00           X Assay triglycerides         0.00         0.00         0.00           X Taeverse         0.00         0.00         0.00           X Troponin, quant         0.00         0.00         0.00           X Assay feces for trypsin         0.00         0.00         0.00           X Assay frosine         0.00         0.00         0.00           X Assay trinogen         0.00         0.00         0.00           X Assay urea nitrogen         0.00         0.00         0.00           X Assay urine urea-N         0.00         0.00         0.00           X Assay urine uric acid         0.00  |     | ×     | Thyroid immunoglobulins TSI  | 0.00           | 0.00            | 00.00           | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X Assay for transcortin         0.00         0.00         0.00           X Transferase (AST) (SGOT)         0.00         0.00         0.00           X Alanine amino (ALT) (SGPT)         0.00         0.00         0.00           X Assay triglycerides         0.00         0.00         0.00           X Troponin, quant         0.00         0.00         0.00           X Troponin, quant         0.00         0.00         0.00           X Assay trosine         0.00         0.00         0.00           X Assay trosine         0.00         0.00         0.00           X Assay trosine         0.00         0.00         0.00           X Assay urea nitrogen         0.00         0.00         0.00           X Assay urea nitrogen         0.00         0.00         0.00           X Assay urine urea-N         0.00         0.00         0.00           X Assay urine uric acid         0.00         0.00         0.00           X Assay urine uric acid         0.00   |     | ×     | Assay vitamin E              | 0.00           | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Transferase (AST) (SGOT)         0.00         0.00         0.00           X         Alanine amino (ALT) (SGPT)         0.00         0.00         0.00           X         Transferrin         0.00         0.00         0.00           X         Assay triglycerides         0.00         0.00         0.00           X         Assay triglycerides         0.00         0.00         0.00           X         Assay trijdodtyronine (t-3)         0.00         0.00         0.00           X         Treserse         0.00         0.00         0.00           X         Tasverse         0.00         0.00         0.00           X         Assay duodenal fluid trypsin         0.00         0.00         0.00           X         Assay feces for trypsin         0.00         0.00         0.00           X         Assay trosine         0.00         0.00         0.00           X         Assay trosine         0.00         0.00         0.00           X         Assay urae nitrogen         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay urine uric acid         0   |     | ×     | Assay for transcortin        | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Alanine amino (ALT) (SGPT)         0.00         0.00           X         Transferrin         0.00         0.00         0.00           X         Assay triglycerides         0.00         0.00         0.00           X         Assay trijdocthyronine (t-3)         0.00         0.00         0.00           X         Assay trijdocthyronine (t-3)         0.00         0.00         0.00           X         Treverse         0.00         0.00         0.00           X         Treponin, quant         0.00         0.00         0.00           X         Assay duodenal fluid trypsin         0.00         0.00         0.00           X         Assay feces for trypsin         0.00         0.00         0.00           X         Assay trosine         0.00         0.00         0.00           X         Assay urae nitrogen         0.00         0.00         0.00           X         Assay urae nitrogen         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay blood uric acid         0.0  |     | ×     | Transferase (AST) (SGOT)     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Transferrin         0.00         0.00         0.00           X         Assay triglycerides         0.00         0.00         0.00           X         Assay triglycerides         0.00         0.00         0.00           X         Free assay (FT-3)         0.00         0.00         0.00           X         Taseverse         0.00         0.00         0.00           X         Troponin, quant         0.00         0.00         0.00           X         Assay duodenal fluid trypsin         0.00         0.00         0.00           X         Assay duodenal fluid trypsin         0.00         0.00         0.00           X         Assay trossine         0.00         0.00         0.00           X         Assay trossine         0.00         0.00         0.00           X         Assay urae nitrogen         0.00         0.00         0.00           X         Assay urae nitrogen         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00 </td <th></th> <td>×</td> <td>Alanine amino (ALT) (SGPT)</td> <td>0.00</td> <td>×</td>  |     | ×     | Alanine amino (ALT) (SGPT)   | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X Assay triglycerides         0.00         0.00         0.00           X Assay triglycerides         0.00         0.00         0.00           X Assay trividothyronine (t-3)         0.00         0.00         0.00           X Tareverse         0.00         0.00         0.00           X Tareverse         0.00         0.00         0.00           X Assay duodenal fluid trypsin         0.00         0.00         0.00           X Assay feces for trypsin         0.00         0.00         0.00           X Assay trosine         0.00         0.00         0.00           X Assay urae nitrogen         0.00         0.00         0.00           X Assay urae nitrogen semi-quant         0.00         0.00         0.00           X Assay urine urea-N         0.00         0.00         0.00           X Assay urine uric acid   |     | ×     | Transferrin                  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.0               | ž      |
| X Assay thyroid (t-3 or t-4)         0.00         0.00         0.00           X Assay trividothyronine (t-3)         0.00         0.00         0.00           X Tareverse         0.00         0.00         0.00           X Tareverse         0.00         0.00         0.00           X Assay duodenal fluid trypsin         0.00         0.00         0.00           X Assay feces for trypsin         0.00         0.00         0.00           X Assay trycsine         0.00         0.00         0.00           X Assay uraa nitrogen         0.00         0.00         0.00           X Uraa nitrogen semi-quant         0.00         0.00         0.00           X Assay urine urea-N         0.00         0.00         0.00           X Assay blood uric acid         0.00         0.00         0.00           X Assay urine uric acid         0.00         0.00         0.00           X Assay feces urobi   |     | ×     | Assay triglycerides          | 0.00           | 0.00            | 0.00            | 00.00           | 00.00           | 0.00             | 0.00              | 0.00              | 0.00             | 0.0               | ×      |
| X         Assay triiodothyronine (t-3)         0.00         0.00         0.00           X         Free assay (FT-3)         0.00         0.00         0.00           X         T3 reverse         0.00         0.00         0.00           X         Assay duodenal fluid trypsin         0.00         0.00         0.00           X         Assay feces for trypsin         0.00         0.00         0.00           X         Assay trosine         0.00         0.00         0.00           X         Assay urea nitrogen         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay blood uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay line uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay rine uric acid<  |     | ×     | Assay thyroid (t-3 or t-4)   | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Free assay (FT-3)         0.00         0.00         0.00           X         T3 reverse         0.00         0.00         0.00           X         Assay duodenal fluid trypsin         0.00         0.00         0.00           X         Assay duodenal fluid trypsin         0.00         0.00         0.00           X         Assay trosine         0.00         0.00         0.00           X         Assay trosine         0.00         0.00         0.00           X         Assay urea nitrogen         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay blood uric acid         0.00         0.00         0.00           X         Assay trine uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay reces urobilinogen <th></th> <th>×</th> <th>Assay triiodothyronine (t-3)</th> <th>0.00</th> <th>0.0</th> <th>0.00</th> <th>0.00</th> <th>0.00</th> <th>0.00</th> <th>0.00</th> <th>0.00</th> <th>0.00</th> <th>0.00</th> <th>ž</th>  |     | ×     | Assay triiodothyronine (t-3) | 0.00           | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ž      |
| X         T3 reverse         0.00         0.00         0.00           X         Assay duodenal fluid trypsin         0.00         0.00         0.00           X         Assay duodenal fluid trypsin         0.00         0.00         0.00           X         Assay teces for trypsin         0.00         0.00         0.00           X         Assay trosine         0.00         0.00         0.00           X         Troponin, qual         0.00         0.00         0.00           X         Assay urea nitrogen         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay lucine urea-N         0.00         0.00         0.00           X         Assay blood uric acid         0.00         0.00         0.00           X         Assay rine uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay rine uric acid         0.00         0.00         0.00           X         Assay rine uric acid         0.00         0.00         0.00   |     | ×     | Free assay (FT-3)            | 0.00           | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Troponin, quant         0.00         0.00         0.00           X         Assay duodenal fluid trypsin         0.00         0.00         0.00           X         Assay feces for trypsin         0.00         0.00         0.00           X         Assay trosine         0.00         0.00         0.00           X         Troponin, qual         0.00         0.00         0.00           X         Assay urea nitrogen         0.00         0.00         0.00           X         Urea nitrogen semi-quant         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay blood uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay feces urobilinogen         0.00         0.00         0.00  |     | ×     | T3 reverse                   | 0.00           | 0.00            | 00.00           | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00             | 0.00              | ×      |
| X Assay duodenal fluid trypsin         0.00         0.00         0.00           X Test feces for trypsin         0.00         0.00         0.00           X Assay feces for trypsin         0.00         0.00         0.00           X Troponin, qual         0.00         0.00         0.00           X Assay urea nitrogen         0.00         0.00         0.00           X Lrea nitrogen semi-quant         0.00         0.00         0.00           X Assay urine urea-N         0.00         0.00         0.00           X Assay blood uric acid         0.00         0.00         0.00           X Assay urine uric acid         0.00         0.00         0.00           X Assay urine uric acid         0.00         0.00         0.00           X Assay feces urobilinogen         0.00         0.00         0.00  |     | ×     | Troponin, quant              | 0.00           | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Test feces for trypsin         0.00         0.00         0.00           X         Assay feces for trypsin         0.00         0.00         0.00           X         Assay trosine         0.00         0.00         0.00           X         Troponin, qual         0.00         0.00         0.00           X         Assay urea nitrogen         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay blood uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay teces urobilinogen         0.00         0.00         0.00  |     | ×     | Assay duodenal fluid trypsin | 0.00           | 0.00            | 00.00           | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00             | 0.00              | ž      |
| X Assay feces for trypsin         0.00         0.00         0.00           X Assay tyrosine         0.00         0.00         0.00           X Troponin, qual         0.00         0.00         0.00           X Assay urea nitrogen         0.00         0.00         0.00           X Assay urine urea-N         0.00         0.00         0.00           X Assay blood uric acid         0.00         0.00         0.00           X Assay urine uric acid         0.00         0.00         0.00           X Assay trine uric acid         0.00         0.00         0.00           X Assay feces urobilinogen         0.00         0.00         0.00  |     | ×     | Test feces for trypsin       | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Assay tyrosine         0.00         0.00         0.00           X         Troponin, qual         0.00         0.00         0.00           X         Assay urea nitrogen         0.00         0.00         0.00           X         Urea nitrogen semi-quant         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay blood uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay feces urobilinogen         0.00         0.00         0.00  |     | ×     | Assay feces for trypsin      | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.0              | 0.0               | ×      |
| X         Troponin, qual         0.00         0.00         0.00           X         Assay urea nitrogen         0.00         0.00         0.00           X         Urea nitrogen semi-quant         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Assay blood uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay feces urobilinogen         0.00         0.00         0.00  |     | ×     | Assay tyrosine               | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:00             | 0.00             | 0.00              | ×      |
| X         Assay urea nitrogen         0.00         0.00         0.00           X         Urea nitrogen semi-quant         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Urea-N clearance test         0.00         0.00         0.00           X         Assay blood uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay feces urobilinogen         0.00         0.00         0.00   |     | ×     | Troponin, qual               | 0.00           | 0.00            | 00:00           | 0.00            | 0.00            | 0.00             | 00.0              | 00.00             | 0.00             | 0.00              | ×      |
| X         Urea nitrogen semi-quant         0.00         0.00         0.00           X         Assay urine urea-N         0.00         0.00         0.00           X         Urea-N clearance test         0.00         0.00         0.00           X         Assay blood uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay feces urobilinogen         0.00         0.00         0.00  |     | ×     | Assay urea nitrogen          | 00.00          | 0.00            | 00:00           | 0.00            | 0.00            | 0.00             | 00.0              | 0.00              | 0.00             | 0.00              | ×      |
| X         Assay urine urea-N         0.00         0.00         0.00           X         Urea-N clearance test         0.00         0.00         0.00           X         Assay blood uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay feces urobilinogen         0.00         0.00         0.00  |     | ×     | Urea nitrogen semi-quant     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
| X         Urea-N clearance test         0.00         0.00         0.00           X         Assay blood uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay feces urobilinogen         0.00         0.00         0.00  |     | ×     | Assay urine urea-N           | 0.00           | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ××     |
| X         Assay blood uric acid         0.00         0.00         0.00           X         Assay urine uric acid         0.00         0.00         0.00           X         Assay feces urobilinogen         0.00         0.00         0.00   |     | ×     | Urea-N clearance test        | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 00.0              | 00.00             | 0.00             | 0.00              | ×      |
| X Assay urine uric acid 0.00 0.00 0.00 0.00 X Assay feces urobilinogen 0.00 0.00 0.00 0.00  |     | ×     | Assay blood uric acid        | 00.00          | 0.00            | 00:0            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00             | 0.00              | ×      |
| X Assay feces urobilinogen 0.00 0.00 0.00   |     | ×     | Assay urine uric acid        | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |
|   |     | ×     | Assay feces urobilinogen     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00             | 0.00              | ×      |

Page 181 of 271 Codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Denial Association. All rights reserved.
3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                  |     |     |                                    |              | Non-                 | Transitioned             |                      | Transitioned         |                   |                   | •                    |          |              |        |
|------------------|-----|-----|------------------------------------|--------------|----------------------|--------------------------|----------------------|----------------------|-------------------|-------------------|----------------------|----------|--------------|--------|
|                  |     |     |                                    | Physician    | tacility<br>nractice | Non-tacility<br>nractice | racility<br>practice | racility<br>practice | -Wal              | Non-              | Iransitioned<br>Non- |          | Transitioned |        |
| CPT /<br>urace 2 |     | j   |                                    | work<br>work | expense              | expense                  | expense              | expense              | practice<br>RIIVs | facility<br>Total | facility             | Facility | Facility     | Clobal |
| MUT.D.           | DOW | > > | Description Test urine urobilingen |              |                      | 000                      | 600                  | 000                  | 00 0              | 00 0              | 0.00                 | 0.00     | 0.00         | ×      |
| 84580            |     | < × | Assav urine urobilinogen           | 000          | 00.0                 | 00.0                     | 00.0                 | 0.00                 | 00.0              | 00.0              | 0.00                 | 00.0     | 0.00         | ××     |
| 84583            |     | ×   | Assav urine urobilinogen           | 0.0          | 0.00                 | 00:0                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ××     |
| 84585            |     | ×   | Assay urine VMA                    | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 00.0              | 00.00             | 0.00                 | 00.0     | 0.00         | ××     |
| 84586            |     | ×   | VIP assay                          | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 84588            |     | ×   | Assay vasopressin                  | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ××     |
| 84590            |     | ×   | Assay vitamin-A                    | 00.00        | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 84597            |     | ×   | Assay vitamin-K                    | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ××     |
| 84600            |     | ×   | Assay for volatiles                | 00.00        | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 84620            |     | ×   | Xylose tolerance test              | 00.00        | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ××     |
| 84630            |     | ×   | Assay zinc                         | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 84681            |     | ×   | Assay C-peptide                    | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ××     |
| 84702            |     | ×   | Chorionic gonadotropin test        | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 84703            |     | ×   | Chorionic gonadotropin assay       | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 84830            |     | ×   | Ovulation tests                    | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 84999            |     | ×   | Clinical chemistry test            | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85002            |     | ×   | Bleeding time test                 | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85007            |     | ×   | Differential WBC count             | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85008            |     | ×   | Nondifferential WBC count          | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85009            |     | ×   | Differential WBC count             | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85013            |     | ×   | Hematocrit                         | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85014            |     | ×   | Hematocrit                         | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85018            |     | ×   | Hemoglobin                         | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85021            |     | ×   | Automated hemogram                 | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85022            |     | ×   | Automated hemogram                 | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85023            |     | ×   | Automated hemogram                 | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.0               | 0.0               | 0.00                 | 0.00     | 0.00         | ×      |
| 85024            |     | ×   | Automated hemogram                 | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 00:00                | 0.00     | 0.00         | ×;     |
| 85025            |     | ×   | Automated hemogram                 | 0.00         | 0.00                 | 00:00                    | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | X ?    |
| 85027            |     | ×   | Automated hemogram                 | 0.00         | 0.00                 | 00:00                    | 0.00                 | 00:0                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85029            |     | ۵   | Automated hemogram                 | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | XX     |
| 85030            |     | Δ:  | Automated hemogram                 | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | XX     |
| 85031            |     | ×   | Manual hemogram, complete cbc      | 0.00         | 0.00                 | 0.00                     | 0.00                 | 00.0                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | X      |
| 85041            |     | ×   | Red blood cell (RBC) count         | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.0               | 0.0               | 0.00                 | 0.00     | 0.00         | ×      |
| 85044            |     | ×   | Reticulocyte count                 | 0.00         | 0.00                 | 00:00                    | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85045            |     | ×   | Reticulocyte count                 | 0.00         | 0.00                 | 00.00                    | 0.00                 | 0.00                 | 0.0               | 0.0               | 0.00                 | 0.00     | 0.00         | ×      |
| 85046            |     | ×   | Reticyte, hgb concentrate          | 0.00         | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×      |
| 85048            |     | ×   | White blood cell (WBC) count       | 0.00         | 0.00                 | 00.00                    | 0.00                 | 0.00                 | 0.00              | 0.00              | 0.00                 | 0.00     | 00.00        | ××     |
| 85060            |     | ∢   | Blood smear interpretation         | 0.45         | 0.67                 | 0.35                     | 0.19                 | 0.23                 | 0.02              | 1.14              | 0.82                 | 99.0     | 0.70         | ×      |
| 85095            |     | ∢   | Bone marrow aspiration             | 1.08         | 4.16                 | 1.59                     | 0.49                 | 0.67                 | 0.04              | 5.28              | 2.71                 | 1.61     | 1.79         | ×      |
| 85097            |     | ∢   | Bone marrow interpretation         | 0.94         | 2.61                 | 1.04                     | 0.38                 | 0.49                 | 0.03              | 3.58              | 2.01                 | 1.35     | 1.46         | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| production         production         production         Mod.         Intuity         Fraidity   |   |                              |                | Non-<br>facility | Transitioned<br>Non-facility | Facility | Transitioned<br>Facility |                  |                  | Transitioned     |           |                       |        |
|--|---|------------------------------|----------------|------------------|------------------------------|----------|--------------------------|------------------|------------------|------------------|-----------|-----------------------|--------|
| Mail   Maine   Description   Mail   Maine   Mail   Maine   M |   |                              | Physician      | practice         | practice                     | practice | practice                 | Mal-<br>practice | Non-             | Non-             | , distrib | Transitioned Lacities |        |
| X         Bone marrow loppy         137         4.28         17.2         0.60         0.04         559         313         2.01         2.02           X         Bone marrow loppy         1.37         4.28         1.72         0.60         0.00 </th <th></th> <th>Description</th> <th>Work 3<br/>RVUs</th> <th>expense<br/>RVUs</th> <th>expense<br/>RVUs</th> <th>RVUs</th> <th>RVUs</th> <th>RUVS</th> <th>raciniy<br/>Total</th> <th>raciniy<br/>Total</th> <th>Total</th> <th>Total</th> <th>Global</th>   |   | Description                  | Work 3<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | RVUs     | RVUs                     | RUVS             | raciniy<br>Total | raciniy<br>Total | Total     | Total                 | Global |
| Characteries assay 0,00 0,00 0,00 0,00 0,00 0,00 0,00 0,   | 4 | Bone marrow biopsy           | 1.37           | 4.28             | 1.72                         | 09.0     | 08.0                     | 0.04             | 5.69             | 3.13             | 2.01      | 2.21                  | ×      |
| Blood dot factor VII lest         0.00  | × | Chromogenic substrate assay  | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Blood dot factor Vill test         0.00 <th< td=""><td>×</td><td>Blood clot retraction</td><td>0.00</td><td>0.00</td><td>00:00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>00.0</td><td>0.00</td><td>0.00</td><td>×</td></th<>  | × | Blood clot retraction        | 0.00           | 0.00             | 00:00                        | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Blood dot factor VIII lesst 000 000 000 000 000 000 000 000 000  | × | Blood clot lysis time        | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ××     |
| Blood dot factor VIII test         0.00 <th< td=""><td>×</td><td>Blood clot factor II test</td><td>00:00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>00.0</td><td>0.00</td><td>0.00</td><td>×</td></th<>  | × | Blood clot factor II test    | 00:00          | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Blood dot factor VIII test         0.00 <th< td=""><td>×</td><td>Blood clot factor V test</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>00.0</td><td>0.00</td><td>0.00</td><td>×</td></th<>  | × | Blood clot factor V test     | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Blood dot fleator VIII lest         0.00 <t< td=""><td>×</td><td>Blood clot factor VII test</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>00.0</td><td>0.00</td><td>0.00</td><td>×</td></t<>   | × | Blood clot factor VII test   | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Blood dot flactor VIII lest         0.00 <t< td=""><td>×</td><td>Blood clot factor VIII test</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>00.00</td><td>0.00</td><td>0.00</td><td>×</td></t<>   | × | Blood clot factor VIII test  | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.00            | 0.00      | 0.00                  | ×      |
| Blood clot factor VIII lest         0.00 <t< td=""><td>×</td><td>Blood clot factor VIII test</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.0</td><td>00.00</td><td>0.00</td><td>0.00</td><td>××</td></t<>   | × | Blood clot factor VIII test  | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.0              | 00.00            | 0.00      | 0.00                  | ××     |
| Blood clot factor VIII test         0.00 <t< td=""><td>×</td><td>Blood clot factor VIII test</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>00.00</td><td>0.00</td><td>0.00</td><td>×</td></t<>   | × | Blood clot factor VIII test  | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.00            | 0.00      | 0.00                  | ×      |
| Blood clot factor //III test         0.00         <   | × | Blood clot factor VIII test  | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.00            | 0.00      | 0.00                  | ×      |
| Blood clot factor IX test         0.00  | × | Blood clot factor VIII test  | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.00            | 0.00      | 0.00                  | ×      |
| Blood clot factor X test         000 <td>×</td> <td>Blood clot factor IX test</td> <td>0.00</td> <td>0.00</td> <td>00.00</td> <td>0.00</td> <td>00.0</td> <td>0.00</td> <td>0.00</td> <td>00.00</td> <td>0.00</td> <td>0.00</td> <td>×</td>  | × | Blood clot factor IX test    | 0.00           | 0.00             | 00.00                        | 0.00     | 00.0                     | 0.00             | 0.00             | 00.00            | 0.00      | 0.00                  | ×      |
| Blood clot factor XII test         0.00 <th< td=""><td>×</td><td>Blood clot factor X test</td><td>00.0</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>00.0</td><td>0.00</td><td>0.00</td><td>×</td></th<>  | × | Blood clot factor X test     | 00.0           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Blood clot factor XII lest         0.00 <th< td=""><td>×</td><td>Blood clot factor XI test</td><td>00.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>00.00</td><td>0.00</td><td>0.00</td><td>×</td></th<>   | × | Blood clot factor XI test    | 00.00          | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.00            | 0.00      | 0.00                  | ×      |
| Blood clot factor XIII test         0.00 <t< td=""><td>×</td><td>Blood clot factor XII test</td><td>00.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>00.0</td><td>0.00</td><td>0.00</td><td>×</td></t<>  | × | Blood clot factor XII test   | 00.00          | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Blood clot factor XIII lest         0.00 <t< td=""><td>×</td><td>Blood clot factor XIII test</td><td>00:00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>×</td></t<>   | × | Blood clot factor XIII test  | 00:00          | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ×      |
| Blood clot factor assay         0.00         0.   | × | Blood clot factor XIII test  | 00.0           | 00.0             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ×      |
| Blood clot factor assay         0.00         0.   | × | Blood clot factor assay      | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ×      |
| Antithrombin III test         0.00   | × | Blood clot factor assay      | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ×      |
| Antithrombin III test         0.00   | × | Antithrombin III test        | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ž      |
| Blood clot inhibitor antigen         0.00         <   | × | Antithrombin III test        | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.0              | 0.00             | 0.00      | 0.00                  | ×      |
| Blood clot inhibitor test         0.00  | × | Blood clot inhibitor antigen | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.0              | 0.00             | 0.00      | 0.00                  | ×      |
| Blood clot inhibitor assay         0.00 <th< td=""><td>×</td><td>Blood clot inhibitor test</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>×</td></th<>   | × | Blood clot inhibitor test    | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ×      |
| Blood clot inhibitor test         0.00  | × | Blood clot inhibitor assay   | 0.00           | 0.00             | 00:00                        | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ×      |
| Factor inhibitor test         0.00   | × | Blood clot inhibitor test    | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ×      |
| Thrombomodulin         0.00  | × | Factor inhibitor test        | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ž      |
| Coagulation time         0.00  | × | Thrombomodulin               | 00:00          | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.0              | 0.00             | 0.00      | 0.00                  | ž      |
| Coagulation time         0.00  | × | Coagulation time             | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.0                   | ž      |
| Coagulation time         0.00  | × | Coagulation time             | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ž      |
| Euglobulin lysis         0.00  | × | Coagulation time             | 0.00           | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ž      |
| Fibrin degradation products         0.00 <t< td=""><td>×</td><td>Euglobulin lysis</td><td>00.0</td><td>00.0</td><td>0.00</td><td>00.0</td><td>0.00</td><td>00.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>×</td></t<>  | × | Euglobulin lysis             | 00.0           | 00.0             | 0.00                         | 00.0     | 0.00                     | 00.00            | 0.00             | 0.00             | 0.00      | 0.00                  | ×      |
| Fibrinogen test         0.00   | × | Fibrin degradation products  | 00.0           | 0.00             | 0.00                         | 00.0     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Fibrinogen test         0.00   | × | Fibrinogen test              | 00.0           | 0.00             | 00.00                        | 00.00    | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Fibrin degradation         0.00 <td>×</td> <td>Fibrinogen test</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>00.0</td> <td>0.00</td> <td>0.00</td> <td>×</td>   | × | Fibrinogen test              | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Fibrin degradation         0.00 <td>×</td> <td>Fibrin degradation</td> <td>00.0</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>0.00</td> <td>00.0</td> <td>0.00</td> <td>0.00</td> <td>×</td>  | × | Fibrin degradation           | 00.0           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Fibrinogen         0.00  | × | Fibrin degradation           | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 00.0             | 0.00      | 0.00                  | ×      |
| Fibrinogen         0.00  | × | Fibrinogen                   | 00:0           | 0.00             | 00.00                        | 00.0     | 0.00                     | 0.00             | 0.00             | 00:00            | 0.00      | 0.00                  | ×      |
| Fibrinolysins screen 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0  | × | Fibrinogen                   | 00.0           | 00:0             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00             | 0.00             | 00.0      | 00:00                 | ×      |
|  | × | Fibrinolysins screen         | 00:00          | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00      | 0.00                  | ×      |

Page 183 of 271.
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 vindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| (PT <sup>1</sup> /<br>HCPCS <sup>2</sup> Mod<br>85390 26<br>85400 85410<br>85415<br>85420<br>85421<br>85441<br>85445<br>85520<br>85520<br>85525<br>85530<br>85530<br>85530<br>85530 |        |                              |                |                 |                          | Lacility        | Carilia         |                  |                   | 1                   |                   |                   |        |
|---|--------|------------------------------|----------------|-----------------|--------------------------|-----------------|-----------------|------------------|-------------------|---------------------|-------------------|-------------------|--------|
| 7   |        |                              | Physician      | practice        | non-racility<br>practice | practice        | practice        | Mal-             | Non-              | rransinonea<br>Non- |                   | Transitioned      |        |
| Ñ   | Status | Description                  | work<br>RVUs 3 | expense<br>RVUs | expense<br>RVUs          | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total   | Facility<br>Total | Facility<br>Total | Global |
| 85400<br>85415<br>85415<br>85421<br>85421<br>85441<br>85445<br>85520<br>85520<br>85525<br>85525<br>85530<br>85530   | ∢      | Fibrinolysins screen         | 0.37           | 0.14            | 0.20                     | 0.14            | 0.20            | 0.01             | 0.52              | 0.58                | 0.52              | 0.58              | XX     |
| 85410<br>85415<br>85421<br>85421<br>85441<br>85445<br>85460<br>85520<br>85520<br>85520<br>85530<br>85530<br>85530   | ×      | Fibrinolytic plasmin         | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 00.00               | 0.00              | 0.00              | ×      |
| 85415<br>85421<br>85421<br>85441<br>85445<br>85460<br>85520<br>85520<br>85525<br>85530<br>85530   | ×      | Fibrinolytic antiplasmin     | 00.00          | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85420<br>85421<br>85441<br>85445<br>85460<br>85461<br>85520<br>85525<br>85525<br>85530<br>85536   | ×      | Fibrinolytic plasminogen     | 00.0           | 0.00            | 0.00                     | 00.0            | 00.0            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85421<br>85445<br>85445<br>85460<br>85461<br>85520<br>85525<br>85525<br>85530<br>85530  | ×      | Fibrinolytic plasminogen     | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 00.00               | 0.00              | 0.00              | ×      |
| 85441<br>85445<br>85460<br>85461<br>85520<br>85520<br>85525<br>85530<br>85530   | ×      | Fibrinolytic plasminogen     | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 00.00               | 0.00              | 0.00              | ×      |
| 85445<br>85460<br>85461<br>85475<br>85520<br>85525<br>85330<br>85530  | ×      | Heinz bodies; direct         | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 00.00               | 0.00              | 0.00              | ×      |
| 85460<br>85461<br>85475<br>85520<br>85525<br>85530<br>85530<br>85530  | ×      | Heinz bodies; induced        | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 00.00             | 0.00                | 0.00              | 0.00              | ×      |
| 85461<br>85475<br>85520<br>85525<br>85530<br>85530<br>85530   | ×      | Hemoglobin, fetal            | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 00.00               | 0.00              | 0.00              | ×      |
| 85475<br>85520<br>85525<br>85530<br>85535<br>85540  | ×      | Hemoglobin, fetal            | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 00:00               | 0.00              | 0.00              | ×      |
| 85520<br>85525<br>85530<br>85535<br>85540   | ×      | Hemolysin                    | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85525<br>85530<br>85535<br>85540<br>86547   | ×      | Heparin assay                | 0.00           | 0.00            | 00.00                    | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85530<br>85535<br>85540<br>86547  | ×      | Heparin                      | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85535<br>85540<br>85547   | ×      | Heparin-protamine tolerance  | 0.00           | 0.00            | 00:00                    | 0.00            | 0.00            | 0.00             | 0.00              | 00.00               | 0.00              | 0.00              | ×      |
| 85540   | ×      | Iron stain, blood cells      | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 955.47  | ×      | Wbc alkaline phosphatase     | 0.00           | 0.00            | 00.00                    | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 1   | ×      | RBC mechanical fragility     | 0.00           | 0.00            | 00:00                    | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.0               | ×      |
| 85549   | ×      | Muramidase                   | 0.00           | 0.00            | 00:00                    | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85555   | ×      | RBC osmotic fragility        | 0.00           | 0.00            | 00'0                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85557   | ×      | RBC osmotic fragility        | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85576   | ×      | Blood platelet aggregation   | 0.00           | 0.00            | 00.00                    | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85576 26  | ∢      | Blood platelet aggregation   | 0.37           | 0.15            | 0.20                     | 0.15            | 0.20            | 0.01             | 0.53              | 0.58                | 0.53              | 0.58              | ×      |
| 85585   | ×      | Blood platelet estimation    | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85590   | ×      | Platelet manual count        | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 00:00               | 0.00              | 0.00              | ×      |
| 85595   | ×      | Platelet count, automated    | 00.0           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85597   | ×      | Platelet neutralization      | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85610   | ×      | Prothrombin time             | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85611   | ×      | Prothrombin test             | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85612   | ×      | Viper venom prothrombin time | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85613   | ×      | Russell viper venom, diluted | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.0              | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85635   | ×      | Reptilase test               | 0.00           | 0.00            | 00:00                    | 0.00            | 0.00            | 0.00             | 0.00              | 00.00               | 0.00              | 0.00              | ×      |
| 85651   | ×      | Rbc sed rate, nonauto        | 00.0           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85652   | ×      | Rbc sed rate, auto           | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 00:00               | 0.00              | 0.00              | ××     |
| 85660   | ×      | RBC sickle cell test         | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85670   | ×      | Thrombin time, plasma        | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 00:00               | 0.00              | 0.00              | ×      |
| 85675   | ×      | Thrombin time, titer         | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85705   | ×      | Thromboplastin inhibition    | 0.00           | 0.00            | 00:00                    | 0.00            | 0.00            | 0.00             | 0.00              | 00:00               | 0.00              | 0.00              | ×      |
| 85730   | ×      | Thromboplastin time, partial | 0.00           | 0.00            | 00.00                    | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85732   | ×      | Thromboplastin time, partial | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 85810   | ×      | Blood viscosity examination  | 0.00           | 0.00            | 0.00                     | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |

Page 184 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Denial Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|        |                              |           | 1.1.    | 4.                      | Carifia |          |                  |          |                   |          |              |       |
|--------|------------------------------|-----------|---------|-------------------------|---------|----------|------------------|----------|-------------------|----------|--------------|-------|
|        |                              | Physician | nactice | Non-raciiny<br>practice | ractice | practice | -Wal             | Non-     | ransmonea<br>Non- |          | Transitioned |       |
|        |                              | work      | expense | expense                 | expense | expense  | practice<br>ouv. | facility | facility          | Facility | Facility     | -     |
| Status | Description                  | KVUs      | KVOS    | KWOS                    | KVUS    | KVUS     | VAN              | lotal    | lotal             | lotai    | lotal        | riopa |
| ×      | Hematology procedure         | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.0      | 0.00              | 0.00     | 0.00         | X     |
| ×      | Agglutinins; febrile         | 0.00      | 0.00    | 0.00                    | 0.00    | 00:00    | 0.00             | 0.0      | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Allergen specific IgE        | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 00.00             | 0.00     | 0.00         | ×     |
| ×      | Allergen specific tgE        | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | WBC antibody identification  | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 00.0     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Platelet antibodies          | 00.0      | 0.00    | 00:0                    | 00.0    | 00:00    | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Immunoqlobulin assay         | 0.00      | 0.00    | 0.00                    | 0.00    | 00:0     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Antinuclear antibodies       | 0.00      | 0.00    | 00.00                   | 00.00   | 00.0     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ××    |
| ×      | Antinuclear antibodies (ANA) | 0.00      | 0.00    | 0.00                    | 0.00    | 00.0     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Antistreptolysin O titer     | 0.00      | 0.00    | 0.00                    | 0.00    | 00.0     | 0.00             | 0.00     | 0.00              | 00.0     | 0.00         | ×     |
| ×      | Antistreptolysin O screen    | 0.00      | 0.00    | 0.00                    | 0.00    | 00.0     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| <      | Physician blood bank service | 0.94      | 0.46    | 0.36                    | 0.38    | 0.34     | 0.02             | 1.42     | 1.32              | 1.34     | 1.30         | ×     |
| ď      | Physician blood bank service | 0.94      | 0.51    | 0.41                    | 0.39    | 0.38     | 0.02             | 1.47     | 1.37              | 1.35     | 1.34         | ×     |
| <      | Physician blood bank service | 0.94      | 0.50    | 0.40                    | 0.39    | 0.37     | 0.02             | 1.46     | 1.36              | 1.35     | 1.33         | ×     |
| ×      | C-reactive protein           | 0.00      | 0.00    | 0.00                    | 0.00    | 00.0     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Cardiolipin antibody         | 0.00      | 0.00    | 00.00                   | 00.0    | 00.00    | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Phospholipid antibody        | 0.00      | 0.00    | 0.00                    | 0.00    | 00.0     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Chemotaxis assay             | 0.00      | 0.00    | 00.00                   | 00.00   | 00.0     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ××    |
| ×      | Cold agglutinin screen       | 0.00      | 0.00    | 0.00                    | 0.00    | 00:00    | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Cold agglutinin, titer       | 0.00      | 0.00    | 0.00                    | 0.00    | 00.0     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Complement, antigen          | 0.00      | 0.00    | 00.00                   | 00.0    | 00.0     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Complement/function activity | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Complement, total (CH50)     | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Complement fixation, each    | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Counterimmunoelectrophoresis | 00.00     | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Deoxyribonuclease, antibody  | 0.00      | 0.00    | 0.00                    | 0.00    | 00.0     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | DNA antibody                 | 0.00      | 00.00   | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | DNA antibody, single strand  | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Nuclear antigen antibody     | 0.00      | 00.0    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Fc receptor                  | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Fluorescent antibody; screen | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ⋖      | Fluorescent antibody; screen | 0.37      | 0.17    | 0.21                    | 0.15    | 0.20     | 0.01             | 0.55     | 0.59              | 0.53     | 0.58         | ×     |
| ×      | Fluorescent antibody; titer  | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ⋖      | Fluorescent antibody; titer  | 0.37      | 0.15    | 0.20                    | 0.15    | 0.20     | 0.01             | 0.53     | 0.58              | 0.53     | 0.58         | ×     |
| ×      | Growth hormone antibody      | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Hemagglutination inhibition  | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Heterophile antibodies       | 0.00      | 0.00    | 00.0                    | 00.0    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Heterophile antibodies       | 0.00      | 0.00    | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 0.00              | 0.00     | 0.00         | ×     |
| ×      | Heterophile antibodies       | 0.00      | 00.00   | 0.00                    | 0.00    | 0.00     | 0.00             | 0.00     | 00.00             | 0.00     | 0.00         | ×     |
| ;      |                              |           |         |                         |         |          |                  |          |                   |          |              |       |

Page 185 of 271
2 Copyright 1994 American Descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

Page 186 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        | •                          |              | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
|------------------------------|-----|--------|----------------------------|--------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |     |        |                            | Physician    | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Мод | Status | Description                | work<br>RVUs | expense<br>RVUs  | expense                      | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 86602                        | ı   | ×      | Antinomyces antibody       | 00:00        | 00.0             | 00.0                         | 00:0            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 00:0              | ×      |
| 86603                        |     | ×      | Adenovirus, antibody       | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90998                        |     | ×      | Aspergillus antibody       | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 60998                        |     | ×      | Bacterium, antibody        | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | XX     |
| 86612                        |     | ×      | Blastomyces, antibody      | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 86615                        |     | ×      | Bordetella antibody        | 00.0         | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ××     |
| 86617                        |     | ×      | Lyme disease antibody      | 00.00        | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 86618                        |     | ×      | Lyme disease antibody      | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 86619                        |     | ×      | Borrelia antibody          | 00.00        | 0.00             | 00.00                        | 00.0            | 0.00                     | 0.00             | 0.00              | 00.0              | 00.00             | 0.00              | ×      |
| 86622                        |     | ×      | Brucella, antibody         | 00.00        | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ××     |
| 86625                        |     | ×      | Campylobacter, antibody    | 00.0         | 0.00             | 0.00                         | 00.00           | 0.00                     | 0.00             | 0.00              | 00.0              | 00.00             | 0.00              | ×      |
| 86628                        |     | ×      | Candida, antibody          | 00.0         | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 00'0              | 0.00              | 0.00              | ×      |
| 86631                        |     | ×      | Chlamydia, antibody        | 00.0         | 0.00             | 00.00                        | 00.00           | 0.00                     | 0.00             | 0.00              | 00.0              | 00.00             | 0.00              | ×      |
| 86632                        |     | ×      | Chlamydia, IgM, antibody   | 00.0         | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 86635                        |     | ×      | Coccidioides, antibody     | 00.0         | 0.00             | 00.0                         | 00.00           | 0.00                     | 0.00             | 0.00              | 00.0              | 00.0              | 0.00              | ×      |
| 86638                        |     | ×      | Q fever antibody           | 00.0         | 0.00             | 00.0                         | 0.00            | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 86641                        |     | ×      | Cryptococcus antibody      | 00.0         | 0.00             | 00.0                         | 00.00           | 0.00                     | 0.00             | 0.00              | 00.0              | 00.0              | 0.00              | ××     |
| 86644                        |     | ×      | CMV antibody               | 00.0         | 0.00             | 00:00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ××     |
| 86645                        |     | ×      | CMV antibody, IgM          | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 00.00             | 00:00             | ×      |
| 86648                        |     | ×      | Diphtheria antibody        | 0.00         | 0.00             | 00:00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 86651                        |     | ×      | Encephalitis antibody      | 0.00         | 0.00             | 0.00                         | 00:00           | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 86652                        |     | ×      | Encephalitis antibody      | 00.0         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ××     |
| 86653                        |     | ×      | Encephalitis, antibody     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 00:00             | 0.00              | ××     |
| 86654                        |     | ×      | Encephalitis, antibody     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ××     |
| 86658                        |     | ×      | Enterovirus, antibody      | 0.00         | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ××     |
| 86663                        |     | ×      | Epstein-barr antibody      | 00.0         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ××     |
| 86664                        |     | ×      | Epstein-barr antibody      | 0.00         | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 86665                        |     | ×      | Epstein-barr, antibody     | 0.00         | 0.00             | 00.0                         | 0.00            | 0.00                     | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 89998                        |     | ×      | Francisella tularensis     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 00.00             | 00:00             | 0.00              | ×      |
| 86671                        |     | ×      | Fungus, antibody           | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 86674                        |     | ×      | Giardia lamblia            | 0.00         | 0.00             | 0.00                         | 00.0            | 0.00                     | 0.00             | 0.00              | 00.0              | 00.0              | 0.00              | ×      |
| 86677                        |     | ×      | Helicobacter pylori        | 00.0         | 0.00             | 00.00                        | 00.0            | 0.00                     | 0.00             | 0.00              | 00.0              | 00.0              | 00.00             | ×      |
| 86682                        |     | ×      | Helminth, antibody         | 00.0         | 0.00             | 00.0                         | 00.00           | 0.00                     | 0.00             | 0.00              | 00.0              | 00.0              | 00.0              | ××     |
| 86684                        |     | ×      | Hemophilus influenza       | 00.00        | 0.00             | 0.00                         | 00.0            | 0.00                     | 0.00             | 0.00              | 00:0              | 00:0              | 00.00             | ×      |
| 86687                        |     | ×      | HTLV I                     | 00.0         | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 00.00             | 0.00              | 00.00             | ×      |
| 86688                        |     | ×      | HTLV-II                    | 00.0         | 0.00             | 0.00                         | 00.00           | 0.00                     | 0.00             | 0.00              | 00.0              | 00.00             | 00.0              | ×      |
| 86689                        |     | ×      | HTLV/HIV confirmatory test | 00.0         | 0.00             | 00.00                        | 00.00           | 0.00                     | 0.00             | 0.00              | 00.00             | 00.0              | 00.0              | ×      |
| 86692                        |     | ×      | Hepatitis, delta agent     | 00:00        | 0.00             | 00.00                        | 00.00           | 0.00                     | 0.00             | 0.00              | 00.0              | 00.0              | 0.00              | ×      |
| 86694                        |     | ×      | Herpes simplex test        | 00.0         | 0.00             | 00.00                        | 00.00           | 0.00                     | 0.00             | 0.00              | 00.0              | 00.00             | 0.00              | ××     |
| 86695                        |     | ×      | Herpes simplex test        | 0.00         | 0.00             | 0.00                         | 0.00            | 00.00                    | 00.00            | 00.00             | 00.00             | 0.00              | 0.00              | ××     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                |               |                             | אסעבווטטווו ט. | יין אור          | ALOL ON 15 1               | 4 A 10 / CO 1   | Transfer of            |                  |                   |                   |                   |                   |          |
|--------------------------------|---------------|-----------------------------|----------------|------------------|----------------------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|----------|
|                                |               |                             |                | non-<br>facility | Iransmoned<br>Non-facility | Facility        | rransmonea<br>Facility |                  |                   | Transitioned      |                   |                   |          |
| -                              |               |                             | Physician      | practice         | practice                   | practice        | practice               | Mal-             | Non-              | Non-              |                   | Transitioned      |          |
| CPT //<br>HCPCS <sup>2</sup> , | Mod Status    | Description                 | work<br>RVUs   | expense<br>RVUs  | expense                    | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global   |
|                                | 1             | Histop                      | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ××       |
| 86701                          | ×             | HIV-1                       | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×        |
| 86702                          | ×             | HIV-2                       | 0.00           | 0.00             | 00:00                      | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 00.00             | ×        |
| 86703                          | ×             | HIV-1/HIV-2, single assay   | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ××       |
| 86704                          | ×             | Hep b core ab test, igg & m | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×        |
| 86705                          | ×             | Hep b core ab test, igm     | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 00'0              | 0.00              | 0.00              | ×        |
| 86706                          | ×             | Hepatitis b surface ab test | 0.00           | 0.00             | 0.00                       | 00.00           | 0.00                   | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ××       |
| 86707                          | ×             | Hepatitis be ab test        | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×        |
| 86708                          | ×             | Hep a ab test, igg & m      | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×        |
| 86709                          | ×             | Hep a ab test, igm          | 0.00           | 0.00             | 0.00                       | 00.00           | 0.00                   | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×        |
| 86710                          | ×             | Influenza virus             | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×        |
| 86713                          | ×             | Legionella                  | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×        |
| 86717                          | ×             | Leishmania                  | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×        |
| 86720                          | ×             | Leptospira                  | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86723                          | ×             | Listeria monocytogenes      | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86727                          | ×             | Lymph choriomeningitis      | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86729                          | ×             | Lympho venereum             | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86732                          | ×             | Mucormycosis                | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž        |
| 86735                          | ×             | Mumps                       | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86738                          | ×             | Mycoplasma                  | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86741                          | ×             | Neisseria meningitidis      | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×        |
| 86744                          | ×             | Nocardia                    | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86747                          | ×             | Parvovirus                  | 0.00           | 00.00            | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86750                          | ×             | Malaria                     | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ×        |
| 86753                          | ×             | Protozoa, not elsewhere     | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86756                          | ×             | Respiratory virus           | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž        |
| 86759                          | ×             | Rotavirus                   | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86762                          | × :           | Rubella                     | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | X        |
| 86765                          | ×             | Rubeola                     | 0.00           | 0.00             | 0.00                       | 00.0            | 00.0                   | 0.00             | 0.0               | 00.0              | 0.00              | 0.00              | <b>X</b> |
| 00/00                          | < >           | Shinolena                   | 8.6            | 8 6              | 0.0                        | 8.0             | 9.0                    | 8 6              | 9 6               | 00.0              | 90.0              | 9 6               | < >      |
| 86774                          | < ×           | Tetanis                     | 00.0           | 0.00             | 800                        | 8 0             | 000                    | 800              | 8 0               | 00.00             | 00.00             | 00.0              | { ×      |
| 86777                          | < <b>&gt;</b> | Tovorlasma                  | 000            |                  | 00.0                       |                 | 000                    |                  | 000               | 000               |                   | 000               | XXX      |
| 86778                          | < ×           | Toxoplasma, IdM             | 0.00           | 00.0             | 0.00                       | 00.0            | 00.0                   | 0.00             | 00.0              | 000               | 00.0              | 00.0              | ×        |
| 86781                          | ×             | Treponema pallidum confirm  | 0.00           | 0.00             | 0.00                       | 00.0            | 00.0                   | 00.0             | 0.00              | 00.0              | 0.00              | 00.0              | ×        |
| 86784                          | ×             | Trichinella                 | 0.00           | 0.00             | 0.00                       | 00.0            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86787                          | ×             | Varicella-zoster            | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                   | 0.00             | 0.00              | 00.0              | 0.00              | 00:0              | XX       |
| 86790                          | ×             | Virus, not specified        | 0.00           | 0.00             | 0.00                       | 0.00            | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×        |
| 86793                          | ×             | Yersinia                    | 0.00           | 0.00             | 0.00                       | 0.00            | 00.0                   | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×        |
| 86800                          | ×             | Thyroglobulin antibody      | 0.00           | 0.00             | 00.00                      | 0.00            | 0.00                   | 00.00            | 00.00             | 0.00              | 0.00              | 0.00              | ×        |
|                                |               |                             |                |                  |                            |                 |                        |                  |                   |                   |                   |                   |          |

Page 188 of 271 CCPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        |                              |              | Non             | Transitioned    |                 | Trancitioned    |                  |                   |                   |                   |                   |        |
|------------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| -                            |     |        |                              | Physician    | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 86803                        |     | ×      | Hepatitis c ab test          | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | XX     |
| 86804                        |     | ×      | Hep c ab test, confirm       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 86805                        |     | ×      | Lymphocytotoxicity assay     | 0.00         | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 86806                        |     | ×      | Lymphocytotoxicity assay     | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 86807                        |     | ×      | Cytotoxic antibody screening | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.0               | 00:0              | 0.00              | 0.00              | ××     |
| 80898                        |     | ×      | Cytotoxic antibody screening | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ××     |
| 86812                        |     | ×      | HLA typing, A, B, or C       | 0.00         | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 86813                        |     | ×      | HLA typing, A, B, or C       | 0.00         | 0.00            | 00.00           | 00.00           | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 86816                        |     | ×      | HLA typing, DR/DQ            | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 86817                        |     | ×      | HLA typing, DR/DQ            | 0.00         | 0.00            | 0.00            | 0.00            | 00:00           | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 86821                        |     | ×      | Lymphocyte culture, mixed    | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 86822                        |     | ×      | Lymphocyte culture, primed   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 86849                        |     | ×      | Immunology procedure         | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 86850                        |     | ×      | RBC antibody screen          | 0.00         | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 86860                        |     | ×      | RBC antibody elution         | 0.00         | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 00:0              | 0.00              | 0.00              | ×      |
| 86870                        |     | ×      | RBC antibody identification  | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 86880                        |     | ×      | Coombs test                  | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 86885                        |     | ×      | Coombs test                  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 86886                        |     | ×      | Coombs test                  | 0.00         | 0.00            | 0.00            | 0.00            | 00:00           | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 86890                        |     | ×      | Autologous blood process     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ×      |
| 86891                        |     | ×      | Autologous blood, op salvage | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ž      |
| 86900                        |     | ×      | Blood typing, ABO            | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 00:00             | 0.00              | 0.00              | ×      |
| 86901                        |     | ×      | Blood typing, Rh (D)         | 0.00         | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 86903                        |     | ×      | Blood typing, antigen screen | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 86904                        |     | ×      | Blood typing, patient serum  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 86905                        |     | ×      | Blood typing, RBC antigens   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:0              | 0.00              | 0.00              | ×      |
| 90698                        |     | ×      | Blood typing, Rh phenotype   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 86910                        |     | z      | Blood typing, paternity test | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 86911                        |     | z      | Blood typing, antigen system | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 86915                        |     | ×      | Bone marrow                  | 0.00         | 00:00           | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 00.00             | 0.00              | 0.00              | ž      |
| 86920                        |     | ×      | Compatibility test           | 0.00         | 0.00            | 0.00            | 0.0             | 0.00            | 0.0              | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 86921                        |     | ×      | Compatibility test           | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 86922                        |     | ×      | Compatibility test           | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 86927                        |     | ×      | Plasma, fresh frozen         | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:0              | 0.00              | 0.00              | ×      |
| 86930                        |     | ×      | Frozen blood prep            | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 86931                        |     | ×      | Frozen blood thaw            | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 86932                        |     | ×      | Frozen blood, freeze/thaw    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 86940                        |     | ×      | Hemolysins/agglutinins auto  | 00.00        | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 86941                        |     | ×      | Hemolysins/agglutinins       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 86945                        |     | ×      | Blood product/irradiation    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
|                              |     |        |                              |              |                 |                 |                 |                 |                  |                   |                   |                   |                   |        |

7 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |            | τ   | DOLLADOM D. | Nethanie        | Transitioned                                | ally (con       | Transitioned                          |                  |                   |                   |                   |   |        |
|------------------------------|------------|---|-------------|-----------------|---|-----------------|---------------------------------------|------------------|-------------------|-------------------|-------------------|---|--------|
|                              |            |   |             | facility        | Non-facility                                | Facility        | Facility                              |                  |                   | Transitioned      |                   |   |        |
|                              |            |   | Physician   | practice        | practice                                    | practice        | practice                              | Mal-             | Non-              | Non-              |                   | <b>Transitioned</b>                     |        |
| CPT '/<br>HCPCS <sup>2</sup> | Mod Status | Rescription                                     | work 3      | expense<br>RVUs | expense<br>RVIIs                            | expense<br>RVUs | expense<br>RVUs                       | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total                       | Global |
| 86950                        | 1          | Leuka   | 0.00        | 00.0            | 00.00                                       | 00.00           | 0.00                                  | 0.00             | 00.00             | 00:0              | 0.00              | 0.00                                    | ×××    |
| 86965                        | ×          | Pooling blood platelets                         | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 00.0             | 0.00              | 0.00              | 0.00              | 0.00                                    | ××     |
| 86970                        | ×          | _   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 00.0             | 0.00              | 0.00              | 0.00              | 0.00                                    | XX     |
| 86971                        | ×          | RBC pretreatment                                | 00:00       | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                                    | ××     |
| 86972                        | ×          |   | 00:00       | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                                    | ××     |
| 86975                        | ×          |   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                                    | ××     |
| 86976                        | ×          |   | 00:00       | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                                    | ××     |
| 22698                        | ×          | _   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 00.00             | 0.00              | 0.00              | 0.00                                    | ××     |
| 86978                        | ×          |   | 00.0        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                                    | ××     |
| 86985                        | ×          |   | 00.00       | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00                                    | ××     |
| 86999                        | ~          | ( Transfusion procedure                         | 00.00       | 0.00            | 00.0  | 00.00           | 0.00                                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                                    | ×      |
| 87001                        | ~          | Small animal inoculation                        | 00.00       | 0.00            | 00.0  | 00.0            | 0.00                                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00                                    | ××     |
| 87003                        | ×          | Small animal inoculation                        | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ××     |
| 87015                        | ~          | Specimen concentration                          | 00.00       | 0.00            | 0.00  | 00.00           | 0.00                                  | 0.00             | 0.00              | 00:0              | 0.00              | 0.00                                    | ×      |
| 87040                        | ×          | ( Blood culture for bacteria                    | 0.00        | 0.00            | 0.00  | 00:0            | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ×      |
| 87045                        | ×          | Stool culture for bacteria                      | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                                    | ××     |
| 87060                        | ×          | ( Nose/throat culture,bacteria                  | 0.00        | 0.00            | 0.00  | 0.00            | 00:00                                 | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ×      |
| 87070                        | ×          | <ul> <li>Culture specimen, bacteria</li> </ul>  | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                                    | ×      |
| 87072                        | ×          | Culture of specimen by kit                      | 0.00        | 0.00            | 0.00  | 00.00           | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ×      |
| 87078                        | ~          | <ul> <li>Culture specimen, bacteria</li> </ul>  | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ×      |
| 87076                        | ~          | ( Bacteria identification                       | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ×      |
| 87081                        | ×          |   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ×      |
| 87082                        | ×          | _   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                                    | ×      |
| 87083                        | ×          | _   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ×      |
| 87084                        | ×          | <ul> <li>Culture of specimen by kit</li> </ul>  | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ×      |
| 87085                        | ×          | _   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ××     |
| 87086                        | ~          | _   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                                    | ×      |
| 87087                        | ×          | _   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                                    | ×      |
| 87088                        | ×          |   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                                    | ×      |
| 87101                        | ×          | •   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                                    | ×      |
| 87102                        | ×          | Fungus isolation culture                        | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ××     |
| 87103                        | ×          | _   | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                                    | ×      |
| 87106                        | ×          | ( Fungus identification                         | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                                    | ×      |
| 87109                        | ×          | ( Mycoplasma culture                            | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ××     |
| 87110                        | ×          | ( Culture, chlamydia                            | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00:0              | 0.00              | 0.00                                    | ×      |
| 87116                        | ×          | ( Mycobacteria culture                          | 0.00        | 0.00            | 00.00                                       | 00:00           | 0.00                                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                                    | ××     |
| 87117                        | ×          | ( Mycobacteria culture                          | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00:00             | 0.00              | 0.00                                    | ××     |
| 87118                        | ×          | <ul> <li>Mycobacteria identification</li> </ul> | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                                    | ×      |
| 87140                        | ^          | <ul> <li>Culture typing, fluorescent</li> </ul> | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00                                    | ××     |
| 87143                        | ^          | ( Culture typing, GLC method                    | 0.00        | 0.00            | 0.00  | 0.00            | 0.00                                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                                    | ×      |
|                              |            |   |             |                 | E. C. CONTROL DIMENS AN ARCHITECTURE CO. P. |                 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |                  |                   |                   | 20000000          | 100000000000000000000000000000000000000 | 0.000  |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                              |     |        |                              | AUVEINUM U.  | -                | ואבטר טווויס(אוסט/ אווים     |                 | ALLAILE III            |                  |                   |                   |                   |                   |        |
|------------------------------|-----|--------|------------------------------|--------------|------------------|------------------------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |     |        |                              |              | Non-<br>facility | Iransitioned<br>Non-facility | Facility        | rransmonea<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| -                            |     |        |                              | Physician    | practice         | practice                     | practice        | practice               | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT '/<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 87145                        |     | ×      | Culture typing, phage method | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 00.00             | 00.00             | XX     |
| 87147                        |     | ×      | Culture typing, serologic    | 00.00        | 0.00             | 0.00                         | 00.00           | 00.0                   | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 87151                        |     | ×      | Culture typing, serologic    | 00.00        | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87155                        |     | ×      | Culture typing, precipitin   | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87158                        |     | ×      | Culture typing, added method | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87163                        |     | ×      | Special microbiology culture | 0.00         | 0.00             | 0.00                         | 00:00           | 00.00                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ××     |
| 87164                        |     | ×      | Dark field examination       | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 87164                        | 26  | ∢      | Dark field examination       | 0.37         | 0.11             | 0.19                         | 0.14            | 0.20                   | 0.01             | 0.49              | 0.57              | 0.52              | 0.58              | ×      |
| 87166                        |     | ×      | Dark field examination       | 0.00         | 0.00             | 0.00                         | 00.0            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87174                        |     | ×      | Endotoxin, bacterial         | 0.00         | 0.00             | 0.00                         | 0.00            | 00.0                   | 0.00             | 0.00              | 0.00              | 00:00             | 0.00              | ×      |
| 87175                        |     | ×      | Assay, endotoxin, bacterial  | 0.00         | 0.00             | 0.00                         | 00.00           | 0.00                   | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| 87176                        |     | ×      | Endotoxin, bacterial         | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87177                        |     | ×      | Ova and parasites smears     | 0.00         | 0.00             | 00:00                        | 0.00            | 0.00                   | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| 87181                        |     | ×      | Antibiotic sensitivity, each | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.0               | 0.00              | 00.0              | 0.00              | ×      |
| 87184                        |     | ×      | Antibiotic sensitivity, each | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87186                        |     | ×      | Antibiotic sensitivity, MIC  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 00:0              | 0.00              | ×      |
| 87187                        |     | ×      | Antibiotic sensitivity, MBC  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87188                        |     | ×      | Antibiotic sensitivity, each | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87190                        |     | ×      | TB antibiotic sensitivity    | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87192                        |     | ×      | Antibiotic sensitivity, each | 0.00         | 0.00             | 00:00                        | 00:00           | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87197                        |     | ×      | Bactericidal level, serum    | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87205                        |     | ×      | Smear, stain & interpret     | 0.00         | 00:00            | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87206                        |     | ×      | Smear, stain & interpret     | 0.00         | 0.00             | 00:00                        | 00:00           | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87207                        |     | ×      | Smear, stain & interpret     | 0.00         | 00.00            | 00.00                        | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 87207                        | 26  | ∢      | Smear, stain & interpret     | 0.37         | 0.17             | 0.21                         | 0.15            | 0.20                   | 0.01             | 0.55              | 0.59              | 0.53              | 0.58              | ×      |
| 87208                        |     | ×      | Smear, stain & interpret     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87210                        |     | ×      | Smear, stain & interpret     | 0.00         | 00:00            | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87211                        |     | ×      | Smear, stain & interpret     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.0               | 0.00              | 00.0              | 0.00              | ×      |
| 87220                        |     | ×      | Tissue exam for fungi        | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87230                        |     | ×      | Assay, toxin or antitoxin    | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87250                        |     | ×      | Virus inoculation for test   | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87252                        |     | ×      | Virus inoculation for test   | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 00.0              | 0.00              | ×      |
| 87253                        |     | ×      | Virus inoculation for test   | 0.00         | 0.00             | 00.00                        | 00.0            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 87260                        |     | ×      | Adenovirus ag, dfa           | 0.00         | 00.00            | 00.00                        | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87265                        |     | ×      | Pertussis ag, dfa            | 0.00         | 00.00            | 00.0                         | 00.00           | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 87270                        |     | ×      | Chylmd trach ag, dfa         | 0.00         | 0.00             | 00.00                        | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 00.0              | 0.00              | ×      |
| 87272                        |     | ×      | Cryptosporidum ag, dfa       | 0.00         | 00.00            | 00.0                         | 00.00           | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87274                        |     | ×      | Herpes simplex ag, dfa       | 0.00         | 00.0             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 00.0              | 0.00              | ×      |
| 87276                        |     | ×      | Influenza ag, dfa            | 0.00         | 00.00            | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ××     |
| 87278                        |     | ×      | Legion pneumo ag, dfa        | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 00.00             | ×      |

Page 191 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| ### May Status Description  87286   |          |               | Non-<br>facility | Transitioned             | Facility        | Transitioned Facility |                  |                   | T                 |                   |                   |        |
|---|----------|---------------|------------------|--------------------------|-----------------|-----------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| Solution in the second | •        | Physician     | practice         | non-lacility<br>practice | practice        | practice              | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| **************************************  |          | work<br>RVIIs | expense<br>RVUs  | expense<br>RVIIs         | expense<br>RVUs | expense<br>RVUs       | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 00.0             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 00.0              | ×      |
| ××××××××××××××××××××××××××××××××××××××  | œ,       | 00.00         | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 00.0              | 0.00              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 00.0          | 0.00             | 0.00                     | 0.00            | 00:00                 | 00.00            | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00.00                 | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00:00                 | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  | <u>.</u> | 0.00          | 0.00             | 0.00                     | 0.00            | 00:00                 | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00.00                 | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00.00                 | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| ××××××××××××××××××××××××××××××××××××××  | g, eia   | 0.00          | 0.00             | 00.00                    | 0.00            | 00:00                 | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00.0                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ××     |
| ××××××××××××××××××××××××××××××××××××××  | ag, eia  | 0.00          | 0.00             | 0.00                     | 0.00            | 00.00                 | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00.00                 | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  | eia      | 0.00          | 0.00             | 0.00                     | 0.00            | 00:0                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00:0                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  | eia      | 0.00          | 0.00             | 0.00                     | 0.00            | 00:00                 | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.0               | 00.0              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00:00                 | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00:00                 | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| ××××××××××××××××××××××××××××××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| ××××××××××××  |          | 00'0          | 0.00             | 0.00                     | 0.00            | 00.00                 | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| ××××××××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00:00                 | 0.00             | 0.0               | 00.00             | 0.00              | 0.00              | ×      |
| ×××××××××   |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00.0                  | 0.00             | 0.0               | 00:00             | 0.00              | 0.00              | ×      |
| ××××××××  | robe     | 0.00          | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| ×××××××   |          | 0.00          | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| ****  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00.0                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| ****  |          | 0.00          | 0.00             | 0.00                     | 00.00           | 00.0                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| ****  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00.0                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ××     |
| ××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00.00                 | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ××     |
| ××××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00:00                 | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| × × ×   | <b>.</b> | 0.00          | 0.00             | 0.00                     | 0.00            | 00.00                 | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| ××  |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00:00                 | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| ×   |          | 0.00          | 0.00             | 0.00                     | 00.00           | 00.0                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
|   |          | 0.00          | 0.00             | 0.00                     | 0.00            | 00.00                 | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 87510 X Gardner vag, dna, dir probe   |          | 00:00         | 0.00             | 0.00                     | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 00:00             | ×      |

Page 192 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |     |        |                              |   | Non-  | Transitioned        |  | Transitioned        |                  |                  |                  |          |                          |        |
|--------------------|-----|--------|------------------------------|---|---|---------------------|--|---------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|                    |     |        |                              |   | facility  | Non-facility        | Facility   | Facility            |                  | :                | Iransitioned     |          | ,                        |        |
| / <sub>1</sub> Id) |     |        |                              | Physician<br>work                       | practice<br>expense   | practice<br>expense | practice<br>expense  | practice<br>expense | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| HCPCS 2            | Mod | Status | Description                  | RVUs                                    | RVUs  | RVUs                | RVUs   | RVUs                | RUVs             | Total            | Total            | Total    | Total                    | Global |
| 87511              |     | ×      | Gardner vag, dna, amp probe  | 0.00                                    | 0.00  | 00.00               | 00.00  | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 00.0                     | XX     |
| 87512              |     | ×      | Gardner vag, dna, quant      | 00.0                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ××     |
| 87515              |     | ×      | Hepatitis b, dna, dir probe  | 00:0                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87516              |     | ×      | Hepatitis b , dna, amp probe | 00.0                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 00.0             | 00.0             | 0.00     | 0.00                     | ×      |
| 87517              |     | ×      | Hepatitis b, dna, quant      | 00.00                                   | 00.00   | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 00.00            | 0.00     | 0.00                     | ×      |
| 87520              |     | ×      | Hepatitis c, rna, dir probe  | 00.0                                    | 0.00  | 00.0                | 0.00   | 0.00                | 0.00             | 00.0             | 0.00             | 0.00     | 0.00                     | ×      |
| 87521              |     | ×      | Hepatitis c , rna, amp probe | 00:00                                   | 0.00  | 00:00               | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87522              |     | ×      | Hepatitis c, rna, quant      | 00.00                                   | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 00.00            | 0.00     | 0.00                     | ×      |
| 87525              |     | ×      | Hepatitis g, dna, dir probe  | 00.0                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87526              |     | ×      | Hepatitis g, dna, amp probe  | 00.0                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87527              |     | ×      | Hepatitis g, dna, quant      | 00.0                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87528              |     | ×      | Hsv, dna, dir probe          | 00.0                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87529              |     | ×      | Hsv, dna, amp probe          | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87530              |     | ×      | Hsv, dna, quant              | 00.0                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87531              |     | ×      | Hhv-6, dna, dir probe        | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87532              |     | ×      | Hhv-6, dna, amp probe        | 00.00                                   | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87533              |     | ×      | Hhv-6, dna, quant            | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87534              |     | ×      | Hiv-1, dna, dir probe        | 00.00                                   | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 00.00    | 0.00                     | ×      |
| 87535              |     | ×      | Hiv-1, dna, amp probe        | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87536              |     | ×      | Hiv-1, dna, quant            | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87537              |     | ×      | Hiv-2, dna, dir probe        | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87538              |     | ×      | Hiv-2, dna, amp probe        | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.0              | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87539              |     | ×      | Hiv-2, dna, quant            | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87540              |     | ×      | Legion pneumo, dna, dir prob | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.0              | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87541              |     | ×      | Legion pneumo, dna, amp prob | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87542              |     | ×      | Legion pneumo, dna, quant    | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87550              |     | ×      | Mycobacteria, dna, dir probe | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87551              |     | ×      | Mycobacteria, dna, amp probe | 0.00                                    | 0.0   | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87552              |     | ×      | Mycobacteria, dna, quant     | 0.00                                    | 0.00  | 00:00               | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87555              |     | ×      | M.tuberculo, dna, dir probe  | 0.00                                    | 0.0   | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87556              |     | ×      | M.tuberculo, dna, amp probe  | 0.00                                    | 0.00  | 00:00               | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87557              |     | ×      | M.tuberculo, dna, quant      | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87560              |     | ×      | M.avium-intra, dna, dir prob | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 00:00                    | ×      |
| 87561              |     | ×      | M.avium-intra, dna, amp prob | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ××     |
| 87562              |     | ×      | M.avium-intra, dna, quant    | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87580              |     | ×      | M.pneumon, dna, dir probe    | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87581              |     | ×      | M.pneumon, dna, amp probe    | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87582              |     | ×      | M.pneumon, dna, quant        | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.0                 | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87590              |     | ×      | N.gonorrhoeae, dna, dir prob | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 87591              |     | ×      | N.gonorrhoeae, dna, amp prob | 0.00                                    | 0.00  | 0.00                | 0.00   | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
|                    |     |        |                              | 200000000000000000000000000000000000000 | A STATE OF THE PROPERTY OF THE PARTY OF THE |                     | Company of Contraction of the Co |                     |                  |                  |                  |          |                          |        |

Page 193 of 271 Codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                             |     |        | Idak                         | ADDLINGON D. | 4                | 5                          | Transfer of Transfer of | Transitional           |                  | ı                 |                   |                   |                   |        |
|-----------------------------|-----|--------|------------------------------|--------------|------------------|----------------------------|-------------------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |     |        |                              |              | non-<br>facility | Iransmonea<br>Non-facility | Facility                | nansniðneu<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| •                           |     |        |                              | Physician    | practice         | practice                   | practice                | practice               | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT '/<br>HCPG <sup>2</sup> | Pop | Status | Description                  | work 3       | expense<br>RVUs  | expense<br>RVUs            | expense<br>RVUs         | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 87592                       |     | ×      | N.gonorrhoeae, dna, quant    | 0.00         | 0.00             | 00.00                      | 0.00                    | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87620                       |     | ×      | Hpv, dna, dir probe          | 0.00         | 0.00             | 00.0                       | 0.00                    | 0.00                   | 00.0             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87621                       |     | ×      | Hpv, dna, amp probe          | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87622                       |     | ×      | Hpv, dna, quant              | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.0                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87650                       |     | ×      | Strep a, dna, dir probe      | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.0                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87651                       |     | ×      | Strep a, dna, amp probe      | 0.00         | 0.00             | 0.00                       | 0.00                    | 00:00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87652                       |     | ×      | Strep a, dna, quant          | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.0                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87797                       |     | ×      | Detect agent nos, dna, dir   | 0.00         | 0.00             | 0.00                       | 00:00                   | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 85778                       |     | ×      | Detect agent nos, dna, amp   | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87799                       |     | ×      | Detect agent nos, dna, quant | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87810                       |     | ×      | Chylmd trach assay w/optic   | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87850                       |     | ×      | N. gonorrhoeae assay w/optic | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87880                       |     | ×      | Strep a assay w/optic        | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87899                       |     | ×      | Agent nos assay w/optic      | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.0                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 87999                       |     | ×      | Microbiology procedure       | 0.00         | 0.00             | 0.00                       | 0.00                    | 00:00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88000                       |     | z      | Autopsy (necropsy), gross    | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.0                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88005                       |     | z      | Autopsy (necropsy), gross    | 0.00         | 0.00             | 0.00                       | 0.00                    | 00:00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88007                       |     | z      | Autopsy (necropsy), gross    | 0.00         | 0.00             | 0.00                       | 0.00                    | 00.0                   | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 88012                       |     | z      | Autopsy (necropsy), gross    | 0.00         | 0.00             | 0.00                       | 0.00                    | 00:00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88014                       |     | z      | Autopsy (necropsy), gross    | 0.00         | 0.00             | 0.00                       | 0.00                    | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88016                       |     | z      | Autopsy (necropsy), gross    | 0.00         | 0.00             | 0.00                       | 0.00                    | 0.00                   | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88020                       |     | z      | Autopsy (necropsy), complete | 0.00         | 0.00             | 0.00                       | 0.00                    | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88025                       |     | z      | Autopsy (necropsy), complete | 0.00         | 0.00             | 0.00                       | 0.00                    | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88027                       |     | z      | Autopsy (necropsy), complete | 0.00         | 0.00             | 0.00                       | 0.00                    | 0.00                   | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| 88028                       |     | z      | Autopsy (necropsy), complete | 0.00         | 0.00             | 0.00                       | 0.00                    | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88029                       |     | z      | Autopsy (necropsy), complete | 0.00         | 0.00             | 0.00                       | 0.00                    | 00:00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88036                       |     | z      | Limited autopsy              | 0.00         | 0.00             | 0.00                       | 0.00                    | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88037                       |     | z      | Limited autopsy              | 0.00         | 0.00             | 0.00                       | 0.00                    | 0.00                   | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 88040                       |     | z      | Forensic autopsy (necropsy)  | 0.00         | 0.00             | 0.00                       | 0.00                    | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88045                       |     | z      | Coroner's autopsy (necropsy) | 0.00         | 0.00             | 0.00                       | 0.00                    | 0.00                   | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 88099                       |     | z      | Necropsy (autopsy) procedure | 0.00         | 0.00             | 0.00                       | 0.00                    | 0.00                   | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 88104                       |     | ∢      | Cytopathology, fluids        | 0.56         | 0.46             | 0.48                       | 0.46                    | 0.48                   | 0.04             | 1.06              | 1.08              | 1.06              | 1.08              | ×      |
| 88104                       | 56  | ∢      | Cytopathology, fluids        | 0.56         | 0.23             | 0.25                       | 0.23                    | 0.25                   | 0.02             | 0.81              | 0.83              | 0.81              | 0.83              | ×      |
| 88104                       | 2   | ∢      | Cytopathology, fluids        | 0.00         | 0.23             | 0.23                       | 0.23                    | 0.23                   | 0.02             | 0.25              | 0.25              | 0.25              | 0.25              | ×      |
| 88106                       |     | ∢      | Cytopathology, fluids        | 0.56         | 0.43             | 0.41                       | 0.43                    | 0.41                   | 0.03             | 1.02              | 1.00              | 1.02              | 1.00              | ××     |
| 88106                       | 56  | ∢      | Cytopathology, fluids        | 0.56         | 0.24             | 0.23                       | 0.24                    | 0.23                   | 0.01             | 0.81              | 08.0              | 0.81              | 0.80              | ×      |
| 88106                       | 7C  | ∢      | Cytopathology, fluids        | 0.00         | 0.19             | 0.18                       | 0.19                    | 0.18                   | 0.02             | 0.21              | 0.20              | 0.21              | 0.20              | ×      |
| 88107                       |     | ∢      | Cytopathology, fluids        | 9.76         | 0.57             | 0.53                       | 0.57                    | 0.53                   | 0.04             | 1.37              | 1.33              | 1.37              | 1.33              | ×      |
| 88107                       | 26  | ∢      | Cytopathology, fluids        | 0.76         | 0.32             | 0.28                       | 0.32                    | 0.28                   | 0.02             | 1.10              | 1.06              | 1.10              | 1.06              | ×      |
| 88107                       | 2   | ∢      | Cytopathology, fluids        | 0.00         | 0.25             | 0.25                       | 0.25                    | 0.25                   | 0.02             | 0.27              | 0.27              | 0.27              | 0.27              | ×      |
|                             |     |        |                              |              |                  |                            |                         |                        |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|     |  |                              |                   | Non-<br>facility   | Transitioned<br>Non-facility  | Facility   | Transitioned<br>Facility  |   |                              | Transitioned  |   |  |                              |
|-----|--|------------------------------|-------------------|--|---|--|---|---|------------------------------|---|---|--|------------------------------|
|     |  |                              | Physician<br>work | practice   | practice  | practice<br>expense  | practice<br>expense   | Mal-<br>practice  | Non-<br>facility             | Non-<br>facility  | Facility  | Transitioned<br>Facility   |                              |
| Mod | Status                                       | Description                  | RVUs 3            | RVUs   | RVUs  | RVUs   | RVUs  | RUVs  | Total                        | Total   | Total   | Total  | Global                       |
|     | ∢  | Cytopath, concentrate tech   | 0.56              | 0.49   | 0.51  | 0.49   | 0.51  | 0.04  | 1.09                         | 1.11  | 1.09  | 1.11   | ×                            |
| 56  | ∢  | Cytopath, concentrate tech   | 0.56              | 0.24   | 0.26  | 0.24   | 0.26  | 0.02  | 0.82                         | 0.84  | 0.82  | 0.84   | ××                           |
| 5   | ∢  | Cytopath, concentrate tech   | 0.00              | 0.25   | 0.25  | 0.25   | 0.25  | 0.02  | 0.27                         | 0.27  | 0.27  | 0.27   | ××                           |
|     | ∢  | Forensic cytopathology       | 0.26              | 0.14   | 0.13  | 0.14   | 0.13  | 0.00  | 0.40                         | 0.39  | 0.40  | 0.39   | ×                            |
| 26  | ∢  | Forensic cytopathology       | 0.26              | 0.10   | 60.0  | 0.10   | 60.0  | 0.00  | 0.36                         | 0.35  | 0.36  | 0.35   | ×                            |
| 7   | ∢  | Forensic cytopathology       | 00:0              | 0.04   | 0.04  | 0.04   | 0.04  | 0.00  | 0.04                         | 0.04  | 0.04  | 0.04   | ×                            |
|     | ×  | Sex chromatin identification | 0.00              | 0.00   | 0.00  | 0.00   | 0.00  | 0.00  | 0.00                         | 0.00  | 0.00  | 0.00   | ×                            |
|     | ×  | Sex chromatin identification | 0.00              | 0.00   | 0.00  | 0.00   | 0.00  | 0.00  | 0.00                         | 0.00  | 0.00  | 0.00   | ×                            |
|     | ∢  | Cytpath c/vag interpret      | 0.42              | 1.17   | 0.56  | 0.18   | 0.31  | 0.03  | 1.62                         | 1.01  | 0.63  | 0.76   | 777                          |
|     | ×  | Cytpath c/vag t/layer        | 0.00              | 0.00   | 00.00   | 0.00   | 0.00  | 0.00  | 0.00                         | 00.0  | 0.00  | 0.00   | ××                           |
|     | ×  | Cytpath c/vag t/layer redo   | 0.00              | 0.00   | 00.00   | 0.00   | 0.00  | 0.00  | 0.00                         | 00.0  | 0.00  | 0.00   | ×                            |
|     | ×  | Cytpathc/vagt/layerauto redo | 00.0              | 0.00   | 0.00  | 0.00   | 0.00  | 0.00  | 0.00                         | 0.00  | 0.00  | 0.00   | ×                            |
|     | ×  | Cytpath c/vag t/layer select | 00.0              | 0.00   | 00:00   | 0.00   | 0.00  | 0.00  | 0.00                         | 0.00  | 0.00  | 0.00   | ×                            |
|     | ×  | Cytpath c/vag automated      | 00.0              | 0.00   | 0.00  | 0.00   | 0.00  | 0.00  | 0.00                         | 0.00  | 0.00  | 0.00   | ×                            |
|     | ×  | Cytpath c/vag auto rescreen  | 00.00             | 0.00   | 00.00   | 0.00   | 0.00  | 0.00  | 0.00                         | 00.0  | 0.00  | 0.00   | ×                            |
|     | ×  | Cytpath c/vag manual         | 0.00              | 0.00   | 00.00   | 0.00   | 0.00  | 0.00  | 0.00                         | 00.0  | 0.00  | 0.00   | ××                           |
|     | ×  | Cytpath c/vag auto redo      | 0.00              | 0.00   | 00.00   | 0.00   | 0.00  | 0.00  | 0.00                         | 00:00   | 0.00  | 0.00   | ×                            |
|     | ×  | Cytpath c/vag redo           | 0.00              | 0.00   | 00'0  | 0.00   | 0.00  | 0.00  | 0.00                         | 0.00  | 0.00  | 0.00   | ×                            |
|     | ×  | Cytpath c/vag select         | 00.00             | 0.00   | 00:00   | 0.00   | 0.00  | 0.00  | 0.00                         | 0.00  | 0.00  | 0.00   | ×                            |
|     | ×  | Cytpath c/vag index add-on   | 0.00              | 0.00   | 0.00  | 0.00   | 0.00  | 0.00  | 0.00                         | 0.00  | 0.00  | 0.00   | 777                          |
|     | ٥  | Cytopath cerv/vag tbs        | 0.00              | 0.00   | 00.00   | 0.00   | 0.00  | 0.00  | 0.0                          | 0.00  | 0.00  | 0.00   | ×                            |
|     | ٥  | Cytopath cerv/vag tbs auto   | 00.00             | 0.0  | 00.00   | 0.00   | 0.00  | 0.00  | 0.0                          | 0.00  | 0.00  | 0.00   | ×                            |
|     | ∢  | Cytopath smear, other source | 0.50              | 0.38   | 0.36  | 0.38   | 0.36  | 0.03  | 0.91                         | 0.89  | 0.91  | 0.89   | ×                            |
| 56  | ∢  | Cytopath smear, other source | 0.50              | 0.21   | 0.19  | 0.21   | 0.19  | 0.01  | 0.72                         | 0.70  | 0.72  | 0.70   | ×                            |
| 5   | ∢  | Cytopath smear, other source | 0.00              | 0.17   | 0.17  | 0.17   | 0.17  | 0.02  | 0.19                         | 0.19  | 0.19  | 0.19   | ×                            |
|     | ∢  | Cytopath smear, other source | 0.50              | 0.42   | 0.43  | 0.42   | 0.43  | 0.03  | 0.95                         | 96:0  | 0.95  | 96.0   | ×                            |
| 26  | ∢  | Cytopath smear, other source | 0.50              | 0.21   | 0.22  | 0.21   | 0.22  | 0.01  | 0.72                         | 0.73  | 0.72  | 0.73   | ×                            |
| ပ   | ∢  | Cytopath smear, other source | 0.00              | 0.21   | 0.21  | 0.21   | 0.21  | 0.02  | 0.23                         | 0.23  | 0.23  | 0.23   | X<br>X                       |
| ;   | ∢ ⋅  | Cytopath smear, other source | 0.76              | 0.73   | 0.82  | 0.73   | 0.82  | 0.04  | 1.53                         | 1.62  | 1.53  | 1.62   | ž                            |
| 97  | ∢ •  | Cytopath smear, other source | 0.76              | 0.32   | 0.4   | 0.32   | 14.0  | 0.02  | ⊇ ;                          | <u></u>   | 0.10  | <u>.</u> .   | <b>X X X X X X X X X X</b>   |
| ပ   | ∢ :  | Cytopath smear, other source | 0.00              | 0.41   | 0.41  | 0.41   | 0.41  | 0.02  | 0.43                         | 0.43  | 0.43  | 0.43   | X ?                          |
|     | ×  | Cytpath tbs c/vag manual     | 00.0              | 00.0   | 0.00  | 0.00   | 0.00  | 0.00  | 0.00                         | 0.00  | 0.00  | 0.00   | ×                            |
|     | ×  | Cytpath tbs c/vag redo       | 0.00              | 0.00   | 0.00  | 0.00   | 0.00  | 0.00  | 0.00                         | 0.00  | 0.00  | 0.00   | ×                            |
|     | ×  | Cytpath tbs c/vag auto redo  | 0.00              | 0.00   | 00:00   | 0.00   | 0.00  | 0.00  | 0.00                         | 0.00  | 0.00  | 0.00   | ×                            |
|     | ×  | Cytpath tbs c/vag select     | 00.00             | 0.00   | 0.00  | 0.00   | 0.00  | 0.00  | 0.0                          | 0.00  | 0.00  | 0.00   | ×                            |
|     | ∢  | Fine needle aspiration       | 1.27              | 1.03   | 1.06  | 1.03   | 1.06  | 0.07  | 2.37                         | 2.40  | 2.37  | 2.40   | ×                            |
| 56  | ∢  | Fine needle aspiration       | 1.27              | 0.52   | 0.55  | 0.52   | 0.55  | 0.04  | 1.83                         | 1.86  | 1.83  | 1.86   | ×                            |
| 7   | ∢  | Fine needle aspiration       | 00.00             | 0.51   | 0.51  | 0.51   | 0.51  | 0.03  | 0.54                         | 0.54  | 0.54  | 0.54   | ×                            |
|     | ∢  | Fine needle aspiration       | 1.27              | 1.13   | 1.38  | 1.13   | 1.38  | 0.07  | 2.47                         | 2.72  | 2.47  | 2.72   | ××                           |
| 56  | ∢  | Fine needle aspiration       | 1.27              | 0.43   | 0.69  | 0.43   | 69.0  | 0.04  | 1.74                         | 2.00  | 1.74  | 2.00   | ×                            |
|     | 26 75 26 26 26 26 26 26 26 26 26 26 26 26 26 |                              | <pre></pre>       | Cytopath, concentrate tech A Cytopath, concentrate tech A Forensic cytopathology A Forensic cytopathology A Forensic cytopathology X Sex chromatin identification X Sex chromatin identification X Sex chromatin identification X Sex chromatin identification X Cytopath c/vag interpret X Cytopath c/vag tlayer redo X Cytopath c/vag tlayer redo X Cytopath c/vag tlayer select X Cytopath c/vag uto rescreen X Cytopath c/vag auto redo X Cytopath c/vag auto redo X Cytopath c/vag tlayer select X Cytopath smear, other source A Cytopath tbs c/vag auto redo Cytopath tbs c/vag auto redo Cytopath tbs c/vag auto redo Cytopath tbs c/vag select A Fine needle aspiration | A Cytopath, concentrate tech A Cytopath, concentrate tech A Forensic cytopathology A Forensic cytopathology Cytopath concentrate tech Cytopath covag interpret Cytopath cvag auto rescreen Cytopath cvag auto rescreen Cytopath cvag auto rescreen Cytopath cvag auto redo Cytopath cvag auto redo Cytopath cvag index add-on Cytopath smear, other source Cytopath stored spaination Cytopath tbs cvag manual Cytopath tbs cvag auto redo Cytopath coeffe aspiration Cytopath coeffe | A Cytopath, concentrate tech A Cytopath, concentrate tech Cytopath cytopathology Cytopath cytopathology Cytopath cytopathology Cytopath cytog triayer Cytopath cytog triayer Cytopath cytog triayer redo Cytopath cytog triayer redo Cytopath cytog triayer redo Cytopath cytog triayer redo Cytopath cytog auto rescreen Cytopath cytog auto rescreen Cytopath cytog auto redo Cytopath cervivag tes auto Cytopath cervivag tes auto Cytopath cervivag tes auto Cytopath smear, other source Cyt | A Cytopath, concentrate tech 0.56 0.24 0.25 A Cytopath, concentrate tech 0.00 0.25 0.25 A Forensic cytopathology 0.26 0.14 0.03 A Forensic cytopathology 0.26 0.10 0.09 A Forensic cytopathology 0.00 0.00 0.00 X Sex chromatin identification 0.00 0.00 0.00 X Sex chromatin identification 0.00 0.00 0.00 X Sex chromatin identification 0.00 0.00 0.00 X Cytpath cvag interpret 0.00 0.00 0.00 X Cytpath cvag flayer redo 0.00 0.00 0.00 X Cytpath cvag ultiple redo 0.00 0.00 0.00 X Cytpath cvag automated 0.00 0.00 0.00 X Cytpath cvag automated 0.00 0.00 0.00 X Cytpath cvag autor rescreen 0.00 0.00 0.00 X Cytpath cvag autor redo 0.00 0.00 0.00 X Cytpath cvag autor source 0.50 0.21 0.21 A Cytopath smear, other source 0.50 0.21 0.22 A Cytopath smear, other source 0.50 0.21 A Cytopath smear, other source 0.00 0.00 X Cytpath the cvag autor redo 0.00 0.00 0.00 X Cytpath the cvag autor redo 0.00 0.00 0.00 X Cytpath the cvag autor redo 0.00 0.00 0.00 0.00 X Cytpath the cvag autor redo 0.00 0.00 0.00 0.00 0.00 X Cytpath the cvag autor redo 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0. | A Cytopath, concentrate tech 0.56 0.24 0.26 0.24 A Forensic cytopathology 0.26 0.14 0.13 A Forensic cytopathology 0.26 0.14 0.13 A Forensic cytopathology 0.26 0.14 0.13 A Forensic cytopathology 0.26 0.10 0.00 X Sex chromatin identification 0.00 0.00 0.00 X Sex chromatin identification 0.00 0.00 0.00 X Sex chromatin identification 0.00 0.00 0.00 X Sypath civiag literpret 0.00 0.00 0.00 0.00 X Cytpath civiag automated 0.00 0.00 0.00 0.00 X Cytpath smear, other source 0.50 0.21 0.21 A Cytopath smear, other source 0.50 0.00 0.00 Cytopath smear, other source 0.50 Cytpath tits civiag manual Cytpath tits civiag manual Cytpath tits civiag and order source 0.00 Cytpath tits civiag manual Cytpath tits civiag manual Cytpath tits civiag manual Cytpath tits civiag manual Cytpath tits civiag and order 0.00 0.00 0.00 Cytpath tits civiag manual Cytpath tits civiag manual Cytpath tits civiag manual Cytpath tits civiag manual Cytpath tits civiag and order 0.00 0.00 0.00 0.00 Cytpath tits civiag manual Cytpath tits civiag manual Cytpath tits civiag manual Cytpath tits civiag elect 0.00 0.00 0.00 0.00 0.00 0.00 | A Cytopath, concentrate tech | A Cypopath, concentrate tech 0.65 0.24 0.26 0.24 0.26 0.27 A Cypopath, concentrate tech 0.00 0.25 0.25 0.25 0.25 0.25 0.25 0.25 | A Cytopath, concentrate each of Separation of Sep | A Cytopath, concentrate tech 056 024 026 026 027 027 027 027 027 027 027 027 027 027 | A Cytopath, concentrate tech |

Page 195 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Denial Association. All rights reserved.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |                          | Global      | ××                     | ×                   | ×                   | ×                   | ×                       | ×                       | ×                       | ××                | ×                 | ×                 | ××                | ×                 | ×                 | ×                       | ×                       | ×                       | ×                          | ×                           | ×                        | ×                           | ×                     | ×                         | ×                       | ×                          | ×                           | ×                        | ž š                 | <b>{</b> }                   | X<br>X   | ×                      | ×                          | ×                            | ×                            | ×                       | ×                 | ×                   | ×                   | ×                     | ×                          |
|------------------------------|--------------------------|-------------|------------------------|---------------------|---------------------|---------------------|-------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------------|-------------------------|-------------------------|----------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------|---------------------------|-------------------------|----------------------------|-----------------------------|--------------------------|---------------------|------------------------------|--|------------------------|----------------------------|------------------------------|------------------------------|-------------------------|-------------------|---------------------|---------------------|-----------------------|----------------------------|
|                              | Transitioned<br>Facility | Total       | 0.72                   | 1.38                | 0.98                | 0.40                | 2.40                    | 1.92                    | 0.48                    | 0.73              | 0.54              | 0.19              | 1.75              | 1.24              | 0.51              | 0.00                    | 0.00                    | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                        | 0.00                  | 0.00                      | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                | 0.00                         | 8 6  | 000                    | 00:0                       | 0.00                         | 00.0                         | 0.00                    | 0.00              | 0.00                | 0.00                | 0.00                  | 0.00                       |
|                              | Facility                 | Total       | 0.73                   | 1.27                | 0.87                | 0.40                | 2.46                    | 1.99                    | 0.47                    | 0.70              | 0.51              | 0.19              | 1.62              | 1.11              | 0.51              | 0.00                    | 0.00                    | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                        | 0.00                  | 0.00                      | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                | 0.00                         | 00.0   | 000                    | 0.00                       | 0.00                         | 0.00                         | 0.00                    | 0.00              | 0.00                | 0.00                | 0.00                  | 00.0                       |
| Transitioned                 | Non-<br>facility         | Total       | 0.72                   | 1.38                | 0.98                | 0.40                | 2.40                    | 1.92                    | 0.48                    | 0.73              | 0.54              | 0.19              | 1.75              | 1.24              | 0.51              | 0.00                    | 0.00                    | 0.00                    | 00.00                      | 0.00                        | 0.00                     | 0.00                        | 0.00                  | 0.00                      | 00.00                   | 0.00                       | 0.00                        | 0.00                     | 0.00                | 00.0                         | 00.0   | 0.00                   | 0.00                       | 00.00                        | 00.0                         | 00.00                   | 0.00              | 0.00                | 0.00                | 0.00                  | 00.0                       |
|                              | Non-<br>facility         | Total       | 0.73                   | 1.27                | 0.87                | 0.40                | 2.46                    | 1.99                    | 0.47                    | 0.70              | 0.51              | 0.19              | 1.62              | 1.1               | 0.51              | 0.00                    | 0.00                    | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                        | 0.00                  | 0.00                      | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                | 9.0                          | 00.0   | 00.0                   | 0.0                        | 0.00                         | 0.00                         | 00.00                   | 0.00              | 0.00                | 00.0                | 0.00                  | 0.00                       |
|                              | Mal-<br>practice         | KUVs        | 0.03                   | 0.04                | 0.02                | 0.02                | 0.04                    | 0.02                    | 0.02                    | 0.03              | 0.01              | 0.02              | 0.05              | 0.02              | 0.03              | 0.00                    | 0.00                    | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                        | 0.00                  | 0.0                       | 0.00                    | 0.00                       | 0.0                         | 0.00                     | 0.00                | 0.0                          | 9.0  | 00.0                   | 0.0                        | 0.00                         | 0.00                         | 0.00                    | 0.00              | 0.00                | 0.00                | 0.00                  | 0.00                       |
| Transitioned<br>Facility     | practice<br>expense      | RVUs        | 69.0                   | 0.74                | 0.36                | 0.38                | 0.97                    | 0.51                    | 0.46                    | 0.34              | 0.17              | 0.17              | 0.93              | 0.45              | 0.48              | 0.00                    | 0.00                    | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                        | 0.00                  | 0.00                      | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                | 0.00                         | 3 6  | 00.0                   | 0.00                       | 0.00                         | 0.00                         | 00:0                    | 0.00              | 00:0                | 0.00                | 0.00                  | 0.00                       |
| Facility                     | practice<br>expense      | RVUs        | 0.70                   | 0.63                | 0.25                | 0.38                | 1.03                    | 0.58                    | 0.45                    | 0.31              | 0.14              | 0.17              | 0.80              | 0.32              | 0.48              | 0.00                    | 0.00                    | 00.00                   | 0.00                       | 0.00                        | 0.00                     | 00.00                       | 0.00                  | 0.00                      | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                | 8 6                          | 00.0   | 00.0                   | 0.0                        | 00.0                         | 00.0                         | 0.00                    | 00.0              | 0.00                | 0.00                | 00:00                 | 0.00                       |
| Transitioned<br>Non-facility | practice<br>expense      | RVUs        | 69.0                   | 0.74                | 0.36                | 0.38                | 0.97                    | 0.51                    | 0.46                    | 0.34              | 0.17              | 0.17              | 0.93              | 0.45              | 0.48              | 0.00                    | 00.00                   | 0.00                    | 0.00                       | 00.0                        | 0.00                     | 0.00                        | 0.00                  | 0.00                      | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                | 000                          | 3 6  | 0.00                   | 0.00                       | 0.00                         | 0.00                         | 0.00                    | 0.00              | 0.00                | 0.00                | 00.00                 | 0.00                       |
| Non-<br>facility             | practice<br>expense      | RVUs        | 0.70                   | 0.63                | 0.25                | 0.38                | 1.03                    | 0.58                    | 0.45                    | 0.31              | 0.14              | 0.17              | 0.80              | 0.32              | 0.48              | 0.00                    | 0.00                    | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                        | 0.00                  | 0.00                      | 0.00                    | 0.00                       | 0.00                        | 00.0                     | 0.00                | 0.00                         | 00.0   | 000                    | 00.0                       | 0.00                         | 0.00                         | 0.00                    | 0.00              | 0.00                | 0.00                | 0.00                  | 0.00                       |
|                              | Physician<br>work        | RVUs .      | 00.00                  | 09:0                | 09.0                | 0.00                | 1.39                    | 1.39                    | 0.00                    | 0.36              | 0.36              | 0.00              | 0.77              | 0.77              | 0.00              | 0.00                    | 0.00                    | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                        | 0.00                  | 0.00                      | 0.00                    | 0.00                       | 0.00                        | 0.00                     | 0.00                | 00.0                         | 0.00   | 00.0                   | 0.00                       | 0.00                         | 0.00                         | 0.00                    | 0.00              | 0.00                | 0.00                | 00.0                  | 0.00                       |
|                              |                          | Description | Fine needle aspiration | Evaluation of smear | Evaluation of smear | Evaluation of smear | Interpretation of smear | Interpretation of smear | Interpretation of smear | Cell marker study | Cytopathology procedure | Cytopathology procedure | Cytopathology procedure | Tissue culture, lymphocyte | Tissue culture, skin/biopsy | Tissue culture, placenta | Tissue culture, bone marrow | Tissue culture, tumor | Cell cryopreserve/storage | Frozen cell preparation | Chromosome analysis, 20-25 | Chromosome analysis, 50-100 | Chromosome analysis, 100 | Chromosome analysis | Chromosome analysis: 5 cells | Chromosome analysis, 5<br>Chromosome analysis, 15-20 | Chromosome analysis 45 | Chromosome analysis, 20-25 | Chromosome analysis:placenta | Chromosome analysis:amniotic | Cytogenetics, dna probe | Cytogenetics, 3-5 | Cytogenetics, 10-30 | Cytogenetics, 25-99 | Cytogenetics, 100-300 | Chromosome karyotype study |
|                              |                          | Status      | ∢                      | ∢                   | ∢                   | ∢                   | ∢                       | 4                       | ∢                       | ∢                 | ∢                 | ∢                 | ∢                 | ∢                 | ⋖                 | ပ                       | ပ                       | ပ                       | ×                          | ×                           | ×                        | ×                           | ×                     | ×                         | ×                       | ×                          | × :                         | ×                        | م د                 | ג ב                          | < ×  | : ×                    | ×                          | ×                            | ×                            | ×                       | ×                 | ×                   | ×                   | ×                     | ×                          |
|                              |                          | Mod         | TC                     |                     | 56                  | 5                   |                         | 56                      | 5                       |                   | 56                | 2                 |                   | 56                | ည                 |                         | 56                      | ည                       |                            |                             |                          |                             |                       |                           |                         |                            |                             |                          |                     |                              |  |                        |                            |                              |                              |                         |                   |                     |                     |                       |                            |
|                              | CPT 1/                   | HCPCS '     | 88171                  | 88172               | 88172               | 88172               | 88173                   | 88173                   | 88173                   | 88180             | 88180             | 88180             | 88182             | 88182             | 88182             | 88199                   | 88199                   | 88199                   | 88230                      | 88233                       | 88235                    | 88237                       | 88239                 | 88240                     | 88241                   | 88245                      | 88248                       | 88249                    | 88250               | 88200                        | 88261  | 88263                  | 88264                      | 88267                        | 88269                        | 88271                   | 88272             | 88273               | 88274               | 88275                 | 88280                      |

Page 196 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              | peu          | y<br>Global                  |                          |                              |                              |                       | ××                | ××               | ××               | ××               | ××                         | ×                          | ××                         | ××                         | ××                         |                            |                            |                            |                            |                            |                            |                            |                            |                            |                            |                  |                  |                  |                |                |                | ××             | ××             |                |                     |                     |                     |                         | ×                       | ××                      | ×                     | ××                    |
|------------------------------|--------------|------------------------------|--------------------------|------------------------------|------------------------------|-----------------------|-------------------|------------------|------------------|------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|------------------|------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------------|---------------------|---------------------|-------------------------|-------------------------|-------------------------|-----------------------|-----------------------|
|                              | Transitioned | Facility<br>Total            | 0.00                     | 0.00                         | 0.00                         | 0.74                  | 0.00              | 0.29             | 0.18             | 0.11             | 0.57                       | 0.30                       | 0.27                       | 0.84                       | 0.46                       | 0.38                       | 1.87                       | 1.30                       | 0.57                       | 3.29                       | 2.44                       | 0.85                       | 4.43                       | 3.37                       | 1.06                       | 0.48             | 0.37             | 0.11             | 0.85           | 0.72           | 0.13           | 0.48           | 0.37           | 0.11           | 1.11                | 0.80                | 0.31                | 0.70                    | 0.57                    | 0.13                    | 1.09                  | 0.82                  |
|                              |              | Facility<br>Total            | 00:0                     | 0.00                         | 0.00                         | 0.74                  | 0.00              | 0.23             | 0.12             | 0.11             | 0.47                       | 0.20                       | 0.27                       | 0.71                       | 0.33                       | 0.38                       | 1.68                       | 1.10                       | 0.58                       | 3.16                       | 2.30                       | 0.86                       | 4.33                       | 3.27                       | 1.06                       | 0.46             | 0.35             | 0.11             | 0.91           | 0.78           | 0.13           | 0.46           | 0.35           | 0.11           | 0.97                | 99.0                | 0.31                | 0.74                    | 0.61                    | 0.13                    | 1.04                  | 0.77                  |
| Transitioned                 | Non-         | facility<br>Total            | 0.00                     | 0.00                         | 0.00                         | 0.74                  | 0.00              | 0.29             | 0.18             | 0.11             | 0.57                       | 0.30                       | 0.27                       | 0.84                       | 0.46                       | 0.38                       | 1.87                       | 1.30                       | 0.57                       | 3.29                       | 2.44                       | 0.85                       | 4.43                       | 3.37                       | 1.06                       | 0.48             | 0.37             | 0.11             | 0.85           | 0.72           | 0.13           | 0.48           | 0.37           | 0.11           | 1.1                 | 08'0                | 0.31                | 0.70                    | 0.57                    | 0.13                    | 1.09                  | 0.82                  |
|                              | Non-         | facility<br>Total            | 0.00                     | 0.00                         | 0.00                         | 0.74                  | 0.00              | 0.23             | 0.12             | 0.11             | 0.47                       | 0.20                       | 0.27                       | 0.71                       | 0.33                       | 0.38                       | 1.68                       | 1.10                       | 0.58                       | 3.16                       | 2.30                       | 98.0                       | 4.33                       | 3.27                       | 1.06                       | 0.46             | 0.35             | 0.11             | 0.91           | 0.78           | 0.13           | 0.46           | 0.35           | 0.11           | 0.97                | 99.0                | 0.31                | 0.74                    | 0.61                    | 0.13                    | 1.04                  | 0.77                  |
|                              | Mal-         | practice<br>RUVs             | 0.00                     | 0.00                         | 0.00                         | 0.01                  | 0.00              | 0.01             | 0.01             | 0.00             | 0.04                       | 0.02                       | 0.02                       | 0.04                       | 0.02                       | 0.02                       | 90.0                       | 0.03                       | 0.03                       | 0.10                       | 0.05                       | 0.05                       | 0.10                       | 0.05                       | 0.05                       | 0.01             | 0.01             | 0.00             | 0.01           | 0.01           | 0.00           | 0.01           | 0.01           | 0.00           | 0.04                | 0.02                | 0.02                | 0.01                    | 0.01                    | 00.0                    | 0.04                  | 0.02                  |
| Transitioned<br>Facility     | practice     | expense<br>RVUs              | 0.00                     | 0.00                         | 0.00                         | 0.21                  | 00.00             | 0.20             | 0.09             | 0.11             | 0.40                       | 0.15                       | 0.25                       | 0.58                       | 0.22                       | 0.36                       | 1.06                       | 0.52                       | 0.54                       | 1.60                       | 0.80                       | 0.80                       | 2.05                       | 1.04                       | 1.01                       | 0.23             | 0.12             | 0.11             | 0:30           | 0.17           | 0.13           | 0.23           | 0.12           | 0.11           | 0.62                | 0.33                | 0.29                | 0.27                    | 0.14                    | 0.13                    | 0.52                  | 0.27                  |
| Facility                     | practice     | expense<br>RVUs              | 0.00                     | 0.00                         | 0.00                         | 0.21                  | 0.00              | 0.14             | 0.03             | 0.11             | 0.30                       | 0.05                       | 0.25                       | 0.45                       | 60.0                       | 0.36                       | 0.87                       | 0.32                       | 0.55                       | 1.47                       | 99.0                       | 0.81                       | 1.95                       | 0.94                       | 1.01                       | 0.21             | 0.10             | 0.11             | 0.36           | 0.23           | 0.13           | 0.21           | 0.10           | 0.11           | 0.48                | 0.19                | 0.29                | 0.31                    | 0.18                    | 0.13                    | 0.47                  | 0.22                  |
| Transitioned<br>Non-facility | practice     | expense<br>RVUs              | 0.00                     | 0.00                         | 0.00                         | 0.21                  | 00.00             | 0.20             | 60.0             | 0.11             | 0.40                       | 0.15                       | 0.25                       | 0.58                       | 0.22                       | 0.36                       | 1.06                       | 0.52                       | 0.54                       | 1.60                       | 0.80                       | 08.0                       | 2.05                       | 1.04                       | 1.01                       | 0.23             | 0.12             | 0.11             | 0.30           | 0.17           | 0.13           | 0.23           | 0.12           | 0.11           | 0.62                | 0.33                | 0.29                | 0.27                    | 0.14                    | 0.13                    | 0.52                  | 0.27                  |
| Non-<br>facility             | practice     | expense<br>RVUs              | 0.00                     | 0.00                         | 0.00                         | 0.21                  | 0.00              | 0.14             | 0.03             | 0.11             | 0.30                       | 0.05                       | 0.25                       | 0.45                       | 0.09                       | 0.36                       | 0.87                       | 0.32                       | 0.55                       | 1.47                       | 99.0                       | 0.81                       | 1.95                       | 0.94                       | 1.01                       | 0.21             | 0.10             | 0.11             | 0.36           | 0.23           | 0.13           | 0.21           | 0.10           | 0.11           | 0.48                | 0.19                | 0.29                | 0.31                    | 0.18                    | 0.13                    | 0.47                  | 0.22                  |
|                              | Physician    | work<br>RVUs                 | 0.00                     | 0.00                         | 0.00                         | 0.52                  | 0.00              | 90.0             | 0.08             | 0.00             | 0.13                       | 0.13                       | 0.00                       | 0.22                       | 0.22                       | 0.00                       | 0.75                       | 0.75                       | 0.00                       | 1.59                       | 1.59                       | 0.00                       | 2.28                       | 2.28                       | 0.00                       | 0.24             | 0.24             | 0.00             | 0.54           | 0.54           | 0.00           | 0.24           | 0.24           | 0.00           | 0.45                | 0.45                | 0.00                | 0.42                    | 0.42                    | 00.00                   | 0.53                  | 0.53                  |
|                              |              | Description                  | Chromosome banding study | Chromosome count: additional | Chromosome study: additional | Cyto/molecular report | Cytogenetic study | Surg path, gross | Surg path, gross | Surg path, gross | Tissue exam by pathologist | Decalcify tissue | Decalcify tissue | Decalcify tissue | Special stains | Histochemical stain | Histochemical stain | Histochemical stain | Chemical histochemistry | Chemical histochemistry | Chemical histochemistry | Enzyme histochemistry | Enzyme histochemistry |
|                              |              | Status                       | ×                        | ×                            | ×                            | ∢                     | ပ                 | ∢                | ∢                | ∢                | ∢                          | ∢                          | ∢                          | ∢                          | ∢                          | ∢                          | ∢                          | ∢                          | ∢                          | ∢                          | ∢                          | ∢                          | ∢                          | ∢                          | ∢                          | ∢                | ⋖                | ⋖                | ∢              | ∢              | ∢              | ∢              | ∢              | ∢              | ∢                   | ⋖                   | ∢                   | ∢                       | ∢                       | ∢                       | ∢                     | ∢                     |
|                              |              | Mod                          |                          |                              |                              |                       |                   |                  | 56               | 2                |                            | 56                         | 2                          |                            | 56                         | 2                          |                            | 56                         | 2                          |                            | 56                         | 2                          |                            | 56                         | ပ                          |                  | 56               | ည                |                | 56             | ည              |                | 56             | 5              |                     | 56                  | 2                   |                         | 56                      | 2                       |                       | 96                    |
|                              | 1            | CPT //<br>HCPCS <sup>2</sup> | 88283                    | 88285                        | 88289                        | 88291                 | 88299             | 88300            | 88300            | 88300            | 88302                      | 88302                      | 88302                      | 88304                      | 88304                      | 88304                      | 88305                      | 88305                      | 88305                      | 88307                      | 88307                      | 88307                      | 88309                      | 88309                      | 88309                      | 88311            | 88311            | 88311            | 88312          | 88312          | 88312          | 88313          | 88313          | 88313          | 88314               | 88314               | 88314               | 88318                   | 88318                   | 88318                   | 88319                 | 88319                 |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Denial Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                              | p                        | Global             | ×                     | ×                       | ×                       | ×                       | ×                       | ×                            | ×                            | ×                            | ×                            | ×                            | ××                           | ×                            | ×                            | ×                   | ×                   | ×                   | ×                       | ×                       | ××                      | ××                      | ×                       | ×                       | ×                   | ×                   | ×                   | ×                            | ×                            | ×                            | ××                        | ×                         | ×                         | ×               | ×               | ×               | ×               | ××              | ×               | ×                          | ×                          |      |
|------------------------------|--------------------------|--------------------|-----------------------|-------------------------|-------------------------|-------------------------|-------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|---------------------|---------------------|---------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|---------------------|---------------------|---------------------|------------------------------|------------------------------|------------------------------|---------------------------|---------------------------|---------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------------------|----------------------------|------|
|                              | Transitioned<br>Facility | Total              | 0.27                  | 1.79                    | 2.21                    | 1.83                    | 0.38                    | 2.86                         | 1.06                         | 2.42                         | 1.80                         | 0.62                         | 1.22                         | 0.91                         | 0.31                         | 1.59                | 1.23                | 0.36                | 1.53                    | 1.22                    | 0.31                    | 1.40                    | 1.09                    | 0.31                    | 3.93                | 2.69                | 1.24                | 2.41                         | 1.54                         | 0.87                         | 3.77                      | 2.83                      | 0.94                      | 2.97            | 4.53            | 1.44            | 5.44            | 4.12            | 1.32            | 4.36                       | 3.26                       |      |
|                              | Facility                 | Total              | 0.27                  | 1.86                    | 2.32                    | 1.94                    | 0.38                    | 3.16                         | 0.97                         | 2.34                         | 1.72                         | 0.62                         | 1.17                         | 0.86                         | 0.31                         | 1.58                | 1.22                | 0.36                | 1.54                    | 1.23                    | 0.31                    | 1.53                    | 1.22                    | 0.31                    | 3.44                | 2.19                | 1.25                | 2.01                         | 1.13                         | 0.88                         | 3.57                      | 2.63                      | 0.94                      | 5.72            | 4.29            | 1.43            | 5.37            | 4.05            | 1.32            | 4.19                       | 3.09                       | ) ·  |
| Transitioned                 | Non-<br>facility         | Total              | 0.27                  | 1.89                    | 2.21                    | 1.83                    | 0.38                    | 2.94                         | 1.08                         | 2.42                         | 1.80                         | 0.62                         | 1.22                         | 0.91                         | 0.31                         | 1.59                | 1.23                | 0.36                | 1.53                    | 1.22                    | 0.31                    | 1.40                    | 1.09                    | 0.31                    | 3.93                | 5.69                | 1.24                | 2.41                         | 1.54                         | 0.87                         | 3.77                      | 2.83                      | 0.94                      | 5.97            | 4.53            | 1.44            | 5.44            | 4.12            | 1.32            | 4.36                       | 3.26                       |      |
|                              | Non-<br>facility         | Total              | 0.27                  | 2.27                    | 2.32                    | 1.94                    | 0.38                    | 3.46                         | 1.06                         | 2.34                         | 1.72                         | 0.62                         | 1.17                         | 98.0                         | 0.31                         | 1.58                | 1.22                | 0.36                | 1.54                    | 1.23                    | 0.31                    | 1.53                    | 1.22                    | 0.31                    | 3.44                | 2.19                | 1.25                | 2.01                         | 1.13                         | 0.88                         | 3.57                      | 2.63                      | 0.94                      | 5.72            | 4.29            | 1.43            | 5.37            | 4.05            | 1.32            | 4.19                       | 3.09                       |      |
|                              | Mal-<br>practice         | RUVs               | 0.02                  | 0.02                    | 0.04                    | 0.02                    | 0.02                    | 0.03                         | 0.02                         | 90.0                         | 0.03                         | 0.03                         | 0.04                         | 0.02                         | 0.02                         | 0.04                | 0.02                | 0.02                | 0.04                    | 0.02                    | 0.02                    | 0.04                    | 0.02                    | 0.02                    | 0.12                | 90.0                | 90.0                | 0.10                         | 0.05                         | 0.05                         | 0.10                      | 0.05                      | 0.05                      | 0.14            | 0.08            | 90.0            | 0.12            | 90.0            | 90.0            | 0.10                       | 0.05                       |      |
| Transitioned<br>Facility     | practice<br>expense      | RVUs               | 0.25                  | 0.47                    | 0.82                    | 0.46                    | 0.36                    | 0.61                         | 0.37                         | 1.17                         | 0.58                         | 0.59                         | 0.59                         | 0.30                         | 0.29                         | 0.70                | 0.36                | 0.34                | 0.63                    | 0.34                    | 0.29                    | 0.50                    | 0.21                    | 0.29                    | 2.30                | 1.12                | 1.18                | 1.55                         | 0.73                         | 0.82                         | 1.82                      | 0.93                      | 0.89                      | 2.81            | 1.43            | 1.38            | 2.50            | 1.24            | 1.26            | 2.09                       | 1.04                       |      |
| Facility                     | practice<br>expense      | RVUs               | 0.25                  | 0.54                    | 0.93                    | 0.57                    | 0.36                    | 0.91                         | 0.28                         | 1.09                         | 0.50                         | 0.59                         | 0.54                         | 0.25                         | 0.29                         | 69.0                | 0.35                | 0.34                | 0.64                    | 0.35                    | 0.29                    | 0.63                    | 0.34                    | 0.29                    | 1.81                | 0.62                | 1.19                | 1.15                         | 0.32                         | 0.83                         | 1.62                      | 0.73                      | 0.89                      | 2.56            | 1.19            | 1.37            | 2.43            | 1.17            | 1.26            | 1.92                       | 0.87                       |      |
| Transitioned<br>Non-facility | practice<br>expense      | RVUs               | 0.25                  | 0.57                    | 0.82                    | 0.46                    | 0.36                    | 69.0                         | 0.39                         | 1.17                         | 0.58                         | 0.59                         | 0.59                         | 0.30                         | 0.29                         | 0.70                | 0.36                | 0.34                | 0.63                    | 0.34                    | 0.29                    | 0.50                    | 0.21                    | 0.29                    | 2.30                | 1.12                | 1.18                | 1.55                         | 0.73                         | 0.82                         | 1.82                      | 0.93                      | 0.89                      | 2.81            | 1.43            | 1.38            | 2.50            | 1.24            | 1.26            | 2.09                       | 1.04                       |      |
| Non-<br>facility             | practice<br>expense      | RVUs               | 0.25                  | 0.95                    | 0.93                    | 0.57                    | 0.36                    | 1.21                         | 0.37                         | 1.09                         | 0.50                         | 0.59                         | 0.54                         | 0.25                         | 0.29                         | 69.0                | 0.35                | 0.34                | 0.64                    | 0.35                    | 0.29                    | 0.63                    | 0.34                    | 0.29                    | 1.81                | 0.62                | 1.19                | 1.15                         | 0.32                         | 0.83                         | 1.62                      | 0.73                      | 0.89                      | 2.56            | 1.19            | 1.37            | 2.43            | 1.17            | 1.26            | 1.92                       | 0.87                       |      |
|                              | Physician<br>work        | RVUs 3             | 0.00                  | 1.30                    | 1.35                    | 1.35                    | 0.00                    | 2.22                         | 0.67                         | 1.19                         | 1.19                         | 0.00                         | 0.59                         | 0.59                         | 0.00                         | 0.85                | 0.85                | 0.00                | 98.0                    | 98.0                    | 0.00                    | 98.0                    | 98.0                    | 0.00                    | 1.51                | 1.51                | 0.00                | 92.0                         | 92.0                         | 0.00                         | 1.85                      | 1.85                      | 0.00                      | 3.02            | 3.02            | 0.00            | 2.82            | 2.82            | 0.00            | 2.17                       | 2.17                       | 0    |
|                              |                          | Description        | Enzyme histochemistry | Microslide consultation | Microslide consultation | Microslide consultation | Microslide consultation | Comprehensive review of data | Pathology consult in surgery | Immunocytochemistry | Immunocytochemistry | Immunocytochemistry | Immunofluorescent study | Electron microscopy | Electron microscopy | Electron microscopy | Scanning electron microscopy | Scanning electron microscopy | Scanning electron microscopy | Analysis, skeletal muscle | Analysis, skeletal muscle | Analysis, skeletal muscle | Analysis, nerve | Analysis, nerve | Analysis, nerve | Analysis, tumor | Analysis, tumor | Analysis, tumor | Nerve teasing preparations | Nerve teasing preparations | 14   |
|                              |                          | Status             | ¥                     | ∢                       | ∢                       | ∢                       | ∢                       | ∢                            | ∢                            | ∢                            | ∢                            | ∢                            | ⋖                            | ∢                            | ∢                            | ∢                   | ∢                   | ∢                   | ∢                       | ∢                       | ∢                       | ∢                       | ∢                       | ∢                       | ∢                   | ∢                   | ∢                   | ∢                            | ∢                            | ∢                            | ∢                         | ⋖                         | ∢                         | ∢               | ∢               | ∢               | ∢               | ∢               | ∢               | ∢                          | ∢                          | •    |
|                              |                          | Wod                | 70                    |                         |                         | 56                      | 2                       |                              |                              |                              | 56                           | 5                            |                              | 56                           | 5                            |                     | 56                  | ည                   |                         | 56                      | ည                       |                         | 56                      | 2                       |                     | 56                  | 2                   |                              | 56                           | 2                            |                           | 56                        | 2                         |                 | 56              | ည               |                 | 26              | 5               |                            | 56                         | (    |
|                              | CPT 1/                   | HCPCS <sup>2</sup> | 88319                 | 88321                   | 88323                   | 88323                   | 88323                   | 88325                        | 88329                        | 88331                        | 88331                        | 88331                        | 88332                        | 88332                        | 88332                        | 88342               | 88342               | 88342               | 88346                   | 88346                   | 88346                   | 88347                   | 88347                   | 88347                   | 88348               | 88348               | 88348               | 88349                        | 88349                        | 88349                        | 88355                     | 88355                     | 88355                     | 88356           | 88356           | 88356           | 88358           | 88358           | 88358           | 88362                      | 88362                      | 0000 |

Page 198 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| 0.04 1.75 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0 | 0.04 1.75 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0       | 0.04 1.75 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0  | 0.04 1.75 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0               | 0.04 1.75 0.02 0.042 0.00 0.00 0.00 0.00 0.00 0.0                    | 0.04 1.75 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0                       | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0                          | 1.75<br>1.75<br>1.33<br>0.49<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00                                       | 1.75<br>1.75<br>1.33<br>0.49<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00                                       | 1.75<br>1.75<br>1.33<br>0.49<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 1.75<br>1.33<br>1.33<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.04<br>0.02<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00  | 0.04<br>0.02<br>0.02<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.04<br>0.02<br>0.02<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00         | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0          |  |  |  |  |  | 1.75<br>1.33<br>1.33<br>1.33<br>1.33<br>1.33<br>1.00<br>1.00<br>1.00   | 1.75<br>1.33<br>0.42<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 1.75<br>1.33<br>1.33<br>1.33<br>1.00<br>1.00<br>1.00<br>1.00<br>1.65<br>1.65<br>1.65<br>1.65<br>1.65<br>1.64<br>1.64<br>1.64<br>1.64<br>1.64<br>1.64<br>1.64<br>1.64   | 1.75<br>1.33<br>0.49<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 1.75<br>1.33<br>1.33<br>1.33<br>1.00<br>1.00<br>1.00<br>1.64<br>1.64<br>1.64<br>1.64<br>1.64<br>1.64<br>1.64<br>1.64   | 2.7.1.1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.   | 1.75<br>1.33<br>1.33<br>1.43<br>1.43<br>1.65<br>1.65<br>1.60<br>1.60<br>1.60<br>1.60<br>1.60<br>1.60<br>1.60<br>1.60   | 1.75<br>1.33<br>1.33<br>1.33<br>1.33<br>1.33<br>1.34<br>1.64<br>1.64<br>1.64<br>1.64<br>1.64<br>1.64<br>1.64<br>1.6  | 1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75<br>1.75 | 7 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3  | 7 £ 8 6 6 6 7 8 8 9 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9  | 7.7  | <ul><li>το το τ</li></ul>   |
|  |  |   |  |  |  |  |  |  |  | 00000000000000000000000000000000000000   | 000<br>000<br>000<br>000<br>000<br>000<br>000<br>000<br>000<br>00  | 100<br>100<br>100<br>100<br>100<br>100<br>100<br>100<br>100<br>100   | 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  | 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  | 10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10.00<br>10   |  | 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  | 100 00 00 00 00 00 00 00 00 00 00 00 00  |  |  |  |  |  |
|  |  |   |  |  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0          | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0                          | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 0.00<br>0.15<br>0.00<br>0.00<br>0.00           | 0.0000000000000000000000000000000000000              | 0.00<br>0.14<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 0.00   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00 0. | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.21 | 0.19<br>0.00<br>0.20<br>0.00<br>0.00<br>0.00<br>0.00<br>0.21         | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.59         | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.21<br>1.01                         | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.21<br>0.59<br>0.67   | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.21<br>1.01<br>0.67<br>0.67   | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.21<br>1.01<br>0.55<br>0.67   | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.59<br>0.67<br>0.67   | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.21<br>0.00<br>0.67<br>0.67<br>0.67<br>0.99   | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.52<br>0.05<br>0.00<br>0.00   | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.52<br>0.67<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 0.19<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   |
|  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  |
|  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  | 0  | 0  | ٥  | ٥  | 0  | ٥  | 0  |
|  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  | 0  | 0  | ٥  | ٥  | 0  | ٥  | 0  |
| 00.0   | 00.0<br>00.0<br>00.0<br>00.0                         | 000<br>000<br>000<br>000<br>000<br>000<br>000   | 0.00<br>0.00<br>0.00<br>0.00<br>0.37                         | 000<br>000<br>000<br>000<br>000<br>000<br>000<br>000<br>000<br>00    | 0.00<br>0.00<br>0.00<br>0.37<br>0.50                                 | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.50<br>0.00                                 | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.50<br>0.45   | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.50<br>0.45<br>0.19   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.50<br>0.00<br>0.19<br>0.79   | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.50<br>0.00<br>0.19<br>0.21   | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.45<br>0.45<br>0.79<br>0.79<br>0.85   | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.45<br>0.19<br>0.79<br>0.85   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.50<br>0.00<br>0.21<br>0.94<br>0.00<br>0.00   | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.45<br>0.19<br>0.00<br>0.00<br>0.00   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  |
| 0.00   | 00:0   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.17         | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.47<br>0.60<br>0.97 | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.60<br>0.97<br>0.60<br>0.97 | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.60<br>0.50<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.50<br>0.50<br>0.79<br>0.00<br>0.45<br>1.37<br>0.19                               | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.60<br>0.50<br>0.79<br>0.00<br>0.45<br>1.37<br>0.19<br>1.43<br>0.79               | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.60<br>0.50<br>0.79<br>0.00<br>0.45<br>1.37<br>0.19<br>0.79<br>0.79<br>0.79<br>0.79<br>0.79<br>0.79<br>0.79<br>0.79<br>0.79<br>0.79<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70<br>0.70 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.50<br>0.50<br>0.79<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.19<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10<br>0.10 | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.50<br>0.50<br>0.45<br>1.37<br>0.19<br>1.43<br>0.79<br>0.80<br>0.21<br>1.51<br>0.94<br>1.35<br>0.86<br>0.00<br>0.80<br>0.21<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80<br>0.80 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.50<br>0.50<br>0.45<br>1.37<br>0.19<br>0.79<br>0.80<br>0.21<br>1.43<br>0.79<br>0.80<br>0.21<br>1.51<br>0.94<br>1.51<br>0.94<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.60<br>0.50<br>0.45<br>0.13<br>0.79<br>0.00<br>0.79<br>0.19<br>1.37<br>0.19<br>1.37<br>0.19<br>1.37<br>0.19<br>1.37<br>0.09<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.50<br>0.50<br>0.45<br>0.19<br>0.79<br>0.79<br>0.79<br>0.80<br>0.21<br>1.37<br>0.19<br>0.80<br>0.21<br>1.51<br>0.94<br>1.32<br>0.86<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.37<br>0.50<br>0.45<br>0.45<br>1.37<br>0.19<br>0.21<br>1.43<br>0.24<br>1.32<br>0.86<br>0.21<br>1.51<br>0.94<br>1.32<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 |
|  | 00.0 00.0 00.0                                       | 0.00 0.00 0.00  | 0.00 0.00 0.00<br>0.00 0.00 0.00<br>0.37 0.17 0.21           | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0                               | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0                               | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00 0.00 0.00<br>0.00 0.00 0.00<br>0.37 0.17 0.21<br>0.50 0.97 0.59<br>0.00 0.00 0.00<br>0.45 1.37 0.67<br>0.19 1.43 0.52 | 0.00 0.00 0.00<br>0.00 0.00 0.00<br>0.37 0.17 0.21<br>0.50 2.79 1.01<br>0.00 0.00 0.00<br>0.45 1.37 0.67<br>0.79 0.80 0.67 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00 0.00 0.00<br>0.00 0.00 0.00<br>0.00 0.00 0.00<br>0.50 0.37 0.21<br>0.50 2.79 1.01<br>0.00 0.00 0.00<br>0.45 1.37 0.67<br>0.79 0.80 0.67<br>0.21 1.51 0.56<br>0.94 1.32 0.99<br>0.85 1.78 1.04   | 0.00 0.00 0.00<br>0.00 0.00 0.00<br>0.00 0.00  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00 0.00 0.00<br>0.00 0.00 0.00<br>0.00 0.00  | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   |

Page 199 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |     |        |                              | LINDOM D          | ערדאווגר         | ADDENDOM D ALEANITE TALOL OMINGIATOS) AND ALEALLD INTOANIANTON | מווא לכסי | ביייי ווויי              |                  |                  |                  |          |                       |        |
|--------------------|-----|--------|------------------------------|-------------------|------------------|--|-----------|--------------------------|------------------|------------------|------------------|----------|-----------------------|--------|
|                    |     |        |                              |                   | Non-<br>facility | Transitioned<br>Non-facility                                   | Facility  | Transitioned<br>Facility |                  |                  | Transitioned     |          |                       |        |
| / <sub>1</sub> Id) |     |        |                              | Physician<br>work | practice         | practice   | practice  | practice                 | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned Facility |        |
| HCPCS 2            | Mod | Status | Description                  | RVUs 3            | RVUs             | RVUs   | RVUs      | RVUs                     | RUVs             | Total            | racniiy<br>Total | Total    | Total                 | Global |
| 89320              |     | ×      | Semen analysis               | 0.00              | 0.00             | 0.00   | 0.00      | 0.00                     | 0.00             | 00.00            | 0.00             | 0.00     | 0.00                  | XXX    |
| 89325              |     | ×      | Sperm antibody test          | 0.00              | 0.00             | 0.00   | 0.00      | 00.00                    | 0.00             | 0.00             | 0.00             | 00:00    | 0.00                  | ×      |
| 89329              |     | ×      | Sperm evaluation test        | 00.0              | 0.00             | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 89330              |     | ×      | Evaluation, cervical mucus   | 0.00              | 0.00             | 0.00   | 0.00      | 00.00                    | 0.00             | 0.00             | 0.00             | 00:00    | 0.00                  | ×      |
| 89350              |     | ∢      | Sputum specimen collection   | 0.00              | 0.43             | 0.42   | 0.43      | 0.42                     | 0.02             | 0.45             | 0.44             | 0.45     | 0.44                  | ×      |
| 89355              |     | ×      | Exam feces for starch        | 0.00              | 00.00            | 0.00   | 0.00      | 00.0                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 89360              |     | ∢      | Collect sweat for test       | 0.00              | 0.46             | 0.47   | 0.46      | 0.47                     | 0.02             | 0.48             | 0.49             | 0.48     | 0.49                  | ×      |
| 89365              |     | ×      | Water load test              | 0.00              | 0.00             | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 00.00    | 0.00                  | ×      |
| 89399              |     | ပ      | Pathology lab procedure      | 0.00              | 0.00             | 0.00   | 0.00      | 00.00                    | 0.00             | 0.00             | 0.00             | 00.00    | 0.00                  | ×      |
| 89399              | 26  | ပ      | Pathology lab procedure      | 0.00              | 00.00            | 0.00   | 00.0      | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 89399              | 5   | ပ      | Pathology lab procedure      | 0.00              | 0.00             | 0.00   | 0.00      | 00.00                    | 0.00             | 0.00             | 0.00             | 00:00    | 0.00                  | ×      |
| 90281              |     | _      | Human ig, im                 | 0.00              | 00.0             | 0.00   | 00.00     | 00.00                    | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90283              |     | -      | Human ig, iv                 | 0.00              | 0.00             | 0.00   | 0.00      | 00.00                    | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90287              |     | _      | Botulinum antitoxin          | 0.00              | 0.00             | 0.00   | 0.00      | 00.00                    | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90288              |     | -      | Botulism ig, iv              | 0.00              | 00.00            | 0.00   | 0.00      | 00.00                    | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90291              |     | _      | Cmv ig, iv                   | 0.00              | 00.0             | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90296              |     | ш      | Diphtheria antitoxin         | 0.00              | 0.00             | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90371              |     | ×      | Hepb ig, im                  | 0.00              | 00.0             | 0.00   | 00.00     | 00:00                    | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90375              |     | ш      | Rabies ig, im/sc             | 0.00              | 0.00             | 0.00   | 0.00      | 00:00                    | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90376              |     | ш      | Rabies ig, heat treated      | 0.00              | 0.00             | 0.00   | 0.00      | 00:00                    | 0.00             | 0.00             | 0.00             | 00.00    | 0.00                  | ×      |
| 90379              |     | ш      | Rsv ig, iv                   | 0.00              | 0.00             | 0.00   | 0.00      | 00:00                    | 0.00             | 0.00             | 0.00             | 00.0     | 0.00                  | ×      |
| 90384              |     | -      | Rh ig, full-dose, im         | 0.00              | 00.0             | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90385              |     | ш      | Rh ig, minidose, im          | 0.00              | 0.00             | 0.00   | 0.00      | 00.0                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90386              |     | _      | Rh ig, iv                    | 0.00              | 00.00            | 0.00   | 00.0      | 00.00                    | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90389              |     | ш      | Tetanus ig, im               | 0.00              | 0.00             | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90393              |     | ш      | Vaccina ig, im               | 0.00              | 00.00            | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ××     |
| 90396              |     | ш      | Varicella-zoster ig, im      | 0.00              | 0.00             | 0.00   | 0.00      | 0.00                     | 00.00            | 0.00             | 0.00             | 00.00    | 0.00                  | ×      |
| 90399              |     | _      | Immune globulin              | 0.00              | 00:00            | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 00.00    | 0.00                  | ×      |
| 90471              |     | ш      | Immunization admin, single   | 0.00              | 0.00             | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.0                   | ×      |
| 90472              |     | ш      | Immunization admin, 2+       | 0.00              | 0.00             | 0.00   | 0.00      | 0.00                     | 0.00             | 0.0              | 0.00             | 0.00     | 0.00                  | ×      |
| 90476              |     | ш      | Adenovirus vaccine, type 4   | 0.00              | 0.00             | 0.00   | 0.00      | 0.00                     | 0.0              | 0.00             | 0.00             | 0.00     | 0.0                   | ×      |
| 90477              |     | Ш      | Adenovirus vaccine, type 7   | 0.00              | 0.00             | 0.00   | 0.00      | 0.00                     | 0.0              | 0.00             | 0.00             | 0.00     | 0.0                   | ×      |
| 90581              |     | ш      | Anthrax vaccine, sc          | 0.00              | 0.00             | 0.00   | 0.00      | 00:00                    | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90585              |     | Ш      | Bcg vaccine, percut          | 0.00              | 00.00            | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90286              |     | ш      | Bcg vaccine, intravesical    | 0.00              | 0.00             | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90592              |     | ш      | Cholera vaccine, oral        | 0.00              | 00.0             | 0.00   | 0.00      | 0.00                     | 0.00             | 0.00             | 0.00             | 00.00    | 0.00                  | ×      |
| 90632              |     | ш      | Hepa vaccine adult im        | 0.00              | 0.00             | 0.00   | 0.00      | 00.0                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90633              |     | ш      | Hepa vaccine ped/adol-2 dose | 0.00              | 00.0             | 0.00   | 00.0      | 00.00                    | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90634              |     | ш      | Hepa vaccine ped/adol-3 dose | 0.00              | 00.0             | 0.00   | 00:0      | 0.00                     | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                  | ×      |
| 90636              |     | Ш      | Hepa/hepb vaccine adult im   | 0.00              | 0.00             | 00.00  | 0.00      | 0.00                     | 0.00             | 0.00             | 00.0             | 00.00    | 0.00                  | ×      |
|                    |     |        |                              |                   |                  |  |           |                          |                  |                  |                  |          |                       |        |

Page 200 of 271 CDT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |     |        |                             |           | Non-            | Transitioned    | ,               | Transitioned    |                  |                   |                   |                   |                   |        |
|-----------------------------|-----|--------|-----------------------------|-----------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |     |        |                             |           | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| 1                           |     |        |                             | Physician | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Mod | Status | Description                 | work 3    | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 90645                       |     | ш      | Hib vaccine, hboc, im       | 0.00      | 0.00            | 0.00            | 0.00            | 0:00            | 0.00             | 0.00              | 0:00              | 0.00              | 0.00              | ×      |
| 90646                       |     | ш      | Hib vaccine, prp-d, im      | 00:00     | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90647                       |     | ш      | Hib vaccine, prp-omp, im    | 00:00     | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90648                       |     | ш      | Hib vaccine, prp-t, im      | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90657                       |     | ×      | Flu vaccine, 6-35 mo, im    | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90658                       |     | ×      | Flu vaccine, 3 yrs, im      | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 90659                       |     | ×      | Flu vaccine, whole, im      | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 09906                       |     | ×      | Flu vaccine, nasal          | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 90665                       |     | ш      | Lyme disease vaccine, im    | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 69906                       |     | ×      | Pneumococcal vaccine, ped   | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 90675                       |     | ш      | Rabies vaccine, im          | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 90676                       |     | ш      | Rabies vaccine, id          | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 08906                       |     | ш      | Rotovirus vaccine, oral     | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 06906                       |     | Ш      | Typhoid vaccine, oral       | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 90691                       |     | ш      | Typhoid vaccine, im         | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90692                       |     | ш      | Typhoid vaccine, h-p, sc/id | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90693                       |     | ш      | Typhoid vaccine, akd, sc    | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90200                       |     | ш      | Dtap vaccine, im            | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | X.     |
| 90701                       |     | ш      | Dtp vaccine, im             | 00.00     | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90702                       |     | ш      | Dt vaccine, im              | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90703                       |     | Ш      | Tetanus vaccine, im         | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90704                       |     | ш      | Mumps vaccine, sc           | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90705                       |     | ш      | Measles vaccine, sc         | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90206                       |     | Ш      | Rubella vaccine, sc         | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 20206                       |     | ш      | Mmr vaccine, sc             | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 80206                       |     | ш      | Measles-rubella vaccine sc  | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90206                       |     | Ш      | Rubella & mumps vaccine sc  | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90710                       |     | Ш      | Mmrv vaccine, sc            | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90711                       |     |        | Combined vaccine            | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90712                       |     | ш      | Oral poliovirus vaccine     | 0.00      | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90713                       |     | ш      | Poliovirus, ipv, sc         | 0.00      | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90714                       |     | ۵      | Typhoid immunization        | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90716                       |     | ш      | Chicken pox vaccine, sc     | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| 90717                       |     | ш      | Yellow fever vaccine, sc    | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90718                       |     | ш      | Td vaccine, im              | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90719                       |     | ш      | Diphtheria vaccine, im      | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90720                       |     | ш      | Dtp/hib vaccine, im         | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90721                       |     | ш      | Dtap/hib vaccine, im        | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90724                       |     | ۵      | Influenza immunization      | 0.00      | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90725                       |     | ш      | Cholera vaccine, injectable | 0.00      | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| CPT <sup>1</sup> /<br>HCPCS <sup>2</sup> Mod<br>90726 |          |                              |           | Non-            | Iransifioned | į               | Iransitioned    |                  |                   |                   |                   |                   |        |
|---|----------|------------------------------|-----------|-----------------|--------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| ~ ~   |          |                              |           | INCINIA         | MON-IBCHILY  | racility        | Facility        |                  |                   | Iransmonea        |                   |                   |        |
| ~   |          |                              | Physician | practice        | practice     | practice        | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
|   | Status   | Description                  | work 3    | expense<br>RVUs | expense      | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
|   | ł        | Rabies immunization          | 0.00      | 0.00            | 0:00         | 0.00            | 0.00            | 0:00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90727   | ш        | Plague vaccine, im           | 0.00      | 0.00            | 0.00         | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90728   | ۵        | BCG immunization             | 0.00      | 0.00            | 0.00         | 0.00            | 00:0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90730   | ۵        | Hepatitis A vaccine          | 0.00      | 0.00            | 0.00         | 0.00            | 00:00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90732   | ×        | Pneumococcal vaccine, adult  | 0.00      | 0.00            | 0.00         | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90733   | ш        | Meningococcal vaccine, sc    | 0.00      | 0.00            | 0.00         | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ž      |
| 90735   | ш        | Encephalitis vaccine, sc     | 0.00      | 0.00            | 0.00         | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| 90737   | ٥        | Influenza B immunization     | 0.00      | 0.00            | 0.00         | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| 90741   | ۵        | Passive immunization, ISG    | 0.00      | 0.00            | 0.00         | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90742   | ۵        | Special passive immunization | 00.00     | 0.00            | 0.00         | 0.00            | 00.0            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| 90744   | ×        | Hepb vaccine, ped/adol, im   | 0.00      | 0.00            | 0.00         | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90745   | ×        | Hepb vaccine, adol/risk, im  | 0.00      | 0.00            | 0.00         | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| 90746   | ×        | Hepb vaccine, adult, im      | 0.00      | 0.00            | 0.00         | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ž      |
| 90747   | ×        | Hepb vaccine, ill pat, im    | 0.00      | 0.00            | 0.00         | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90748   | ш        | Hepb/hib vaccine, im         | 0.00      | 0.00            | 0.00         | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90749   | ш        | Vaccine toxoid               | 0.00      | 0.00            | 0.00         | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| 90780   | ∢        | IV infusion therapy, 1 hour  | 0.00      | 1.16            | 1.15         | 1.16            | 1.15            | 90.0             | 1.22              | 1.21              | 1.22              | 1.21              | ž      |
| 90781   | ∢        | IV infusion, additional hour | 0.00      | 0.58            | 0.58         | 0.58            | 0.58            | 0.03             | 0.61              | 0.61              | 0.61              | 0.61              | 777    |
| 90782   | -        | Injection (SC)/(IM)          | 0.00      | 0.11            | 0.11         | 0.11            | 0.11            | 0.01             | 0.12              | 0.12              | 0.12              | 0.12              | ž      |
| 90783   | -        | Injection (IA)               | 0.00      | 0.43            | 0.42         | 0.43            | 0.42            | 0.02             | 0.45              | 0.44              | 0.45              | 0.44              | ž      |
| 90784   | H        | Injection (IV)               | 0.00      | 0.49            | 0.49         | 0.49            | 0.49            | 0.03             | 0.52              | 0.52              | 0.52              | 0.52              | ×      |
| 90788   | <b>—</b> | Injection of antibiotic      | 0.00      | 0.12            | 0.12         | 0.12            | 0.12            | 0.0              | 0.13              | 0.13              | 0.13              | 0.13              | ž      |
| 66406   | ပ        | Therapeutic/diag injection   | 0.00      | 0.00            | 0.00         | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| 90801   | ∢        | Psy dx interview             | 2.80      | 1.05            | 0.81         | 1.03            | 0.81            | 0.07             | 3.92              | 3.68              | 3.90              | 3.68              | ×      |
| 90802   | ∢        | Intac psy dx interview       | 3.01      | 1.17            | 09.0         | 1.12            | 0.59            | 0.04             | 4.22              | 3.65              | 4.17              | 3.64              | ×      |
| 90804   | ∢        | Psytx, office (20-30)        | 1.21      | 0.50            | 0.41         | 0.45            | 0.40            | 0.04             | 1.75              | 1.66              | 1.70              | 1.65              | ×      |
| 90805   | ∢        | Psytx, office (20-30) w/e&m  | 1.37      | 0.51            | 0.41         | 0.51            | 0.41            | 0.04             | 1.92              | 1.82              | 1.92              | 1.82              | ×      |
| 90806   | ∢        | Psytx, office (45-50)        | 1.86      | 0.75            | 0.63         | 0.70            | 0.62            | 90.0             | 2.67              | 2.55              | 2.62              | 2.54              | ×      |
| 20805   | ∢        | Psytx, office (45-50) w/e&m  | 2.02      | 0.70            | 0.62         | 0.73            | 0.63            | 90.0             | 2.78              | 2.70              | 2.81              | 2.71              | ž      |
| 80806   | ∢        | Psytx, office (75-80)        | 2.79      | 1.09            | 1.13         | 66.0            | 1.10            | 0.12             | 4.00              | 4.04              | 3.90              | 4.01              | ×      |
| 60806   | ∢        | Psytx, office (75-80) w/e&m  | 2.95      | 1.01            | 1.1          | 1.03            | 1.11            | 0.12             | 4.08              | 4.18              | 4.10              | 4.18              | ×      |
| 90810   | ∢        | Intac psytx, office (20-30)  | 1.32      | 0.53            | 0.61         | 0.50            | 0.61            | 0.07             | 1.92              | 2.00              | 1.89              | 2.00              | ×      |
| 90811   | ∢        | Intac psytx, off 20-30 w/e&m | 1.48      | 0.54            | 0.62         | 0.52            | 0.61            | 0.07             | 5.09              | 2.17              | 2.07              | 2.16              | ×      |
| 90812   | ∢        | Intac psytx, office (45-50)  | 1.97      | 0.83            | 69.0         | 0.71            | 99.0            | 0.07             | 2.87              | 2.73              | 2.75              | 2.70              | ×      |
| 90813   | ∢        | Intac psytx, off 45-50 w/e&m | 2.13      | 0.74            | 29.0         | 0.73            | 99.0            | 0.07             | 2.94              | 2.87              | 2.93              | 2.86              | ž      |
| 90814   | ∢        | Intac psytx, office (75-80)  | 2.90      | 1.17            | 0.77         | 1.14            | 0.77            | 0.07             | 4.14              | 3.74              | 4.11              | 3.74              | ×      |
| 90815   | ∢        | Intac psytx, off 75-80 w/e&m | 3.06      | 1.08            | 0.75         | 1.11            | 92.0            | 0.07             | 4.21              | 3.88              | 4.24              | 3.89              | ×      |
| 90816   | ∢        | Psytx, hosp (20-30)          | 1.25      | 95.0            | 0.43         | 0.52            | 0.42            | 0.04             | 1.85              | 1.72              | 1.81              | 1.71              | ×      |
| 90817   | ∢        | Psytx, hosp (20-30) w/e&m    | 1.41      | 0.54            | 0.42         | 0.51            | 0.41            | 0.04             | 1.99              | 1.87              | 1.96              | 1.86              | ×      |
| 90818   | ∢        | Psytx, hosp (45-50)          | 1.89      | 0.79            | 0.64         | 0.73            | 0.63            | 90.0             | 2.74              | 2.59              | 2.68              | 2.58              | ×      |

Page 202 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Denial Association. All rights reserved.
3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |       |        |                              |              | No.             | Transfer of the           |                 | Transfer of             |                  | _                 |                   |                   |                   |        |
|--------------------|-------|--------|------------------------------|--------------|-----------------|---------------------------|-----------------|-------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                    |       |        |                              |              | facility        | Hansmonea<br>Non-facility | Facility        | ıransınonea<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| / <sub>1</sub> 100 |       |        |                              | Physician    | practice        | practice                  | practice        | practice                | Wal              | Non-              | Non-              | •                 | Transitioned      |        |
| HCPCS 2            | Nod S | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs           | expense<br>RVUs | expense<br>RVUs         | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Glohal |
| 90819              |       | <      | Psytx, hosp (45-50) w/e&m    | 2.05         | 0.77            | 0.64                      | 0.69            | 0.62                    | 90.0             | 2.88              | 2.75              | 2.80              | 2.73              | ×      |
| 90821              |       | ∢      | Psytx, hosp (75-80)          | 2.83         | 1.14            | 1.14                      | 1.02            | 1.11                    | 0.12             | 4.09              | 4.09              | 3.97              | 4.06              | ×      |
| 90822              |       | ∢      | Psytx, hosp (75-80) w/e&m    | 2.99         | 1.07            | 1.12                      | 0.99            | 1.10                    | 0.12             | 4.18              | 4.23              | 4.10              | 4.21              | ×      |
| 90823              |       | ∢      | Intac psytx, hosp (20-30)    | 1.36         | 0.64            | 0.64                      | 0.56            | 0.62                    | 0.07             | 2.07              | 2.07              | 1.99              | 2.05              | ×      |
| 90824              |       | ∢      | Intac psytx, hsp 20-30 w/e&m | 1.52         | 0.59            | 0.63                      | 0.56            | 0.62                    | 0.07             | 2.18              | 2.22              | 2.15              | 2.21              | ×      |
| 90826              |       | ∢      | Intac psytx, hosp (45-50)    | 2.01         | 0.88            | 0.70                      | 0.80            | 0.68                    | 0.07             | 2.96              | 2.78              | 2.88              | 2.76              | ×      |
| 90827              |       | ∢      | Intac psytx, hsp 45-50 w/e&m | 2.16         | 0.80            | 99.0                      | 0.75            | 0.67                    | 0.07             | 3.03              | 2.91              | 2.98              | 2.90              | ×      |
| 90828              |       | ⋖      | Intac psytx, hosp (75-80)    | 2.94         | 1.26            | 0.80                      | 1.09            | 0.75                    | 0.07             | 4.27              | 3.81              | 4.10              | 3.76              | ×      |
| 90829              |       | ∢      | Intac psytx, hsp 75-80 w/e&m | 3.10         | 1.08            | 0.75                      | 1.05            | 0.74                    | 0.07             | 4.25              | 3.92              | 4.22              | 3.91              | ×      |
| 90845              |       | ∢      | Psychoanalysis               | 1.79         | 0.64            | 0.49                      | 0.58            | 0.48                    | 0.04             | 2.47              | 2.32              | 2.41              | 2.31              | ×      |
| 90846              |       | œ      | Family psytx w/o patient     | 1.83         | 0.72            | 89.0                      | 99.0            | 0.67                    | 90.0             | 2.61              | 2.57              | 2.55              | 2.56              | ×      |
| 90847              |       | œ      | Family psytx w/patient       | 2.21         | 0.83            | 89.0                      | 0.79            | 0.67                    | 90:0             | 3.10              | 2.95              | 3.06              | 2.94              | ×      |
| 90849              |       | œ      | Multiple family group psytx  | 0.59         | 0.33            | 0.29                      | 0.31            | 0.29                    | 0.02             | 0.94              | 06.0              | 0.92              | 06:0              | ×      |
| 90853              |       | ∢      | Group psychotherapy          | 0.59         | 0.31            | 0.29                      | 0.29            | 0.28                    | 0.02             | 0.92              | 06.0              | 06:0              | 0.89              | ×      |
| 90857              |       | ∢      | Intac group psytx            | 0.63         | 0.32            | 0.20                      | 0.32            | 0.20                    | 0.02             | 0.97              | 0.85              | 0.97              | 0.85              | ×      |
| 90862              |       | ∢      | Medication management        | 0.95         | 0.37            | 0.39                      | 0.35            | 0.39                    | 0.04             | 1.36              | 1.38              | 1.34              | 1.38              | ×      |
| 90865              |       | ∢      | Narcosynthesis               | 2.84         | 4.43            | 1.51                      | 98.0            | 0.62                    | 0.05             | 7.32              | 4.40              | 3.75              | 3.51              | ×      |
| 90870              |       | ∢      | Electroconvulsive therapy    | 1.88         | 0.65            | 0.61                      | 0.64            | 0.61                    | 90.0             | 2.59              | 2.55              | 2.58              | 2.55              | 8      |
| 90871              |       | ∢      | Electroconvulsive therapy    | 2.72         | ₹               | Ϋ́                        | 06.0            | 06:0                    | 0.10             | ¥                 | ¥                 | 3.72              | 3.72              | ô      |
| 90875              |       | z      | Psychophysiological therapy  | +1.20        | 0.70            | 0.70                      | 0.63            | 0.63                    | 0.04             | 1.94              | 1.94              | 1.87              | 1.87              | ×      |
| 90876              |       | z      | Psychophysiological therapy  | +1.90        | 0.97            | 0.97                      | 06.0            | 06:0                    | 90.0             | 2.93              | 2.93              | 2.86              | 2.86              | ×      |
| 90880              |       | ∢      | Hypnotherapy                 | 2.19         | 0.84            | 0.73                      | 0.73            | 0.70                    | 0.05             | 3.08              | 2.97              | 2.97              | 2.94              | ×      |
| 90882              |       | z      | Environmental manipulation   | 0.00         | 0.00            | 0.00                      | 0.00            | 0.00                    | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 90885              |       | ω      | Psy evaluation of records    | +0.97        | 0.37            | 0.35                      | 0.37            | 0.35                    | 0.03             | 1.37              | 1.35              | 1.37              | 1.35              | ×      |
| 90887              |       | ω      | Consultation with family     | +1.48        | 0.70            | 0.45                      | 99.0            | 0.44                    | 0.03             | 2.21              | 1.96              | 2.17              | 1.95              | ×      |
| 90889              |       | ω .    | Preparation of report        | 0.00         | 0.00            | 0.00                      | 0.00            | 0.00                    | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 66806              |       | ပ -    | Psychiatric service/therapy  | 0.00         | 0.0             | 0.00                      | 0.00            | 0.00                    | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| 90901              |       | ∢ ∙    | Biofeedback, any method      | 0.41         | 0.63            | 0.95                      | 0.65            | 0.95                    | 0.05             | 1.09              | 1.41              | Ξ.                | 1.41              | 8      |
| 90911              |       | ∢ •    | Biofeedback peri/uro/rectal  | 0.89         | 0.65            | 1.09                      | 0.68            | 1.09                    | 0.21             | 1.75              | 2.19              | 1.78              | 2.19              | 00     |
| 90918              |       | ∢ ⋅    | ESRD related services, month | 11.18        | 59.             | 2.95                      | 4.65            | 2.95                    | 0.11             | 15.94             | 14.24             | 15.94             | 14.24             | ×      |
| 90919              |       | ∢      | ESRD related services, month | 8.54         | 3.69            | 2.71                      | 3.69            | 2.71                    | 0.11             | 12.34             | 11.36             | 12.34             | 11.36             | ×      |
| 90920              |       | ∢      | ESRD related services, month | 7.27         | 3.12            | 2.57                      | 3.12            | 2.57                    | 0.11             | 10.50             | 9.95              | 10.50             | 9.92              | ×      |
| 90921              |       | ∢      | ESRD related services, month | 4.47         | 2.12            | 2.32                      | 2.12            | 2.32                    | 0.11             | 6.70              | 06.9              | 6.70              | 06.9              | ×      |
| 90922              |       | <      | ESRD related services, day   | 0.37         | 0.13            | 60:0                      | 0.13            | 60.0                    | 0.01             | 0.51              | 0.47              | 0.51              | 0.47              | ×      |
| 90923              |       | ∢      | Esrd related services, day   | 0.28         | 0.12            | 60:0                      | 0.12            | 60.0                    | 0.01             | 0.41              | 0.38              | 0.41              | 0.38              | ×      |
| 90924              |       | ∢      | Esrd related services, day   | 0.24         | 0.10            | 60:0                      | 0.10            | 60:0                    | 0.01             | 0.35              | 0.34              | 0.35              | 0.34              | ×      |
| 90925              |       | ∢      | Esrd related services, day   | 0.15         | 0.07            | 0.08                      | 0.07            | 80:0                    | 0.01             | 0.23              | 0.24              | 0.23              | 0.24              | ×      |
| 90935              |       | ∢      | Hemodialysis, one evaluation | 1.22         | ₹               | ₹                         | 0.61            | 1.24                    | 0.08             | Ϋ́                | ¥                 | 1.91              | 2.54              | 00     |
| 90937              |       | ∢      | Hemodialysis, repeated eval. | 2.11         | ₹               | ¥                         | 0.88            | 2.11                    | 0.14             | Ϋ́                | ₹                 | 3.13              | 4.36              | 00     |
| 90945              |       | ∢      | Dialysis, one evaluation     | 1.28         | ₹               | ¥<br>Z                    | 0.63            | 1.19                    | 90:0             | Š                 | ¥                 | 1.97              | 2.53              | 000    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|   |                              |                          |           | :                         | Non-<br>facility            | Transitioned<br>Non-facility | Facility                    | Transitioned<br>Facility    | 7                        | :                         | Transitioned              |                   | ,                                 |        |
|---|------------------------------|--------------------------|-----------|---------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|--------------------------|---------------------------|---------------------------|-------------------|-----------------------------------|--------|
| CPT <sup>1</sup> /<br>HCPCS <sup>2</sup> Mod Status Description |                              |                          |           | Physician<br>work<br>RVUs | practice<br>expense<br>RVUs | practice<br>expense<br>RVUs  | practice<br>expense<br>RVUs | practice<br>expense<br>RVUs | Mal-<br>practice<br>RUVs | Non-<br>facility<br>Total | Non-<br>facility<br>Total | Facility<br>Total | Transitioned<br>Facility<br>Total | Global |
| A Dialysi   | l                            | Dialysis, repeated eval. |           | 2.16                      | ₹                           | Ą                            | 0.90                        | 1.93                        | 0.11                     | ¥                         | ¥                         | 3.17              | 4.20                              | 8      |
| ete   | Dialysis training/complete   |                          | Õ         | 00.0                      | 0.00                        | 0.00                         | 0.00                        | 0.00                        | 0.00                     | 0.00                      | 0.00                      | 0.00              | 0.00                              | ×      |
| Dialysis training/incomplete                                    | Dialysis training/incomplete |                          | 0.0       | 0                         | 0.00                        | 0.00                         | 0.00                        | 0.00                        | 0.00                     | 0.00                      | 0.00                      | 0.00              | 0.00                              | Š      |
| Hemoperfusion   | Hemoperfusion                |                          | <u>7.</u> | ₩                         | ¥                           | ¥                            | 0.85                        | 1.86                        | 0.13                     | ¥                         | ¥                         | 2.82              | 3.83                              | 8      |
| Dialysis procedure  | Dialysis procedure           |                          | 0.0       | 0                         | 0.00                        | 0.00                         | 0.00                        | 00.00                       | 0.00                     | 0.00                      | 0.00                      | 0.00              | 0.00                              | ž      |
| A Esophageal intubation 0.73                                    | Esophageal intubation        |                          | 0.7       | <u>~</u>                  | 0.33                        | 0.62                         | 0.33                        | 0.62                        | 0.05                     | 1.1                       | 1.40                      | 1.11              | 1.40                              | 8      |
| A Esophageal intubation   | Esophageal intubation        |                          | 0.73      | ~                         | 0.25                        | 0.54                         | 0.25                        | 0.54                        | 0.04                     | 1.02                      | 1.31                      | 1.02              | 1.31                              | 8      |
| Esophageal intubation   | Esophageal intubation        |                          | 0.0       | _                         | 0.08                        | 90.0                         | 0.08                        | 90:0                        | 0.01                     | 0.09                      | 60.0                      | 0.09              | 0.09                              | 8      |
| Esophagus motility study  | Esophagus motility study     |                          | 1.25      |                           | 1.27                        | 2.08                         | 1.27                        | 2.08                        | 0.14                     | 2.66                      | 3.47                      | 2.66              | 3.47                              | 8      |
| A Esophagus motility study                                      | Esophagus motility study     |                          | 1.25      |                           | 0.42                        | 1.23                         | 0.42                        | 1.23                        | 0.09                     | 1.76                      | 2.57                      | 1.76              | 2.57                              | 8      |
| A Esophagus motility study                                      | Esophagus motility study     |                          | 0.00      |                           | 0.85                        | 0.85                         | 0.85                        | 0.85                        | 0.05                     | 06.0                      | 06.0                      | 06.0              | 0.90                              | 8      |
|   | Esophagus motility study     |                          | 1.50      |                           | 1.58                        | 2.53                         | 1.58                        | 2.53                        | 0.14                     | 3.22                      | 4.17                      | 3.22              | 4.17                              | 8      |
| A Esophagus motility study                                      | Esophagus motility study     |                          | 1.50      |                           | 0.52                        | 1.47                         | 0.52                        | 1.47                        | 0.09                     | 2.11                      | 3.06                      | 2.11              | 3.06                              | 8      |
|   | Esophagus motility study     |                          | 0.00      |                           | 1.06                        | 1.06                         | 1.06                        | 1.06                        | 0.05                     | 1.1                       | 1.11                      | 1.11              | 1.1                               | 8      |
| Esophagus motility study  | Esophagus motility study     |                          | 1.46      |                           | 1.71                        | 2.63                         | 1.71                        | 2.63                        | 0.18                     | 3.35                      | 4.27                      | 3.35              | 4.27                              | 8      |
| A Esophagus motility study                                      | Esophagus motility study     |                          | 1.46      |                           | 0.51                        | 1.44                         | 0.51                        | 1.44                        | 0.12                     | 5.09                      | 3.02                      | 5.09              | 3.02                              | 8      |
| Esophagus motility study  | Esophagus motility study     |                          | 0.00      |                           | 1.20                        | 1.19                         | 1.20                        | 1.19                        | 90.0                     | 1.26                      | 1.25                      | 1.26              | 1.25                              | 8      |
| Gastric motility  | Gastric motility             |                          | 1.44      |                           | 1.28                        | 2.19                         | 1.28                        | 2.19                        | 0.14                     | 2.86                      | 3.77                      | 2.86              | 3.77                              | 8      |
| A Gastric motility  | Gastric motility             |                          | 1.44      |                           | 0.48                        | 1.40                         | 0.48                        | 1.40                        | 0.09                     | 2.01                      | 2.93                      | 2.01              | 2.93                              | 8      |
| Gastric motility  | Gastric motility             |                          | 0.00      |                           | 0.80                        | 0.79                         | 0.80                        | 0.79                        | 0.05                     | 0.85                      | 0.84                      | 0.85              | 0.84                              | ĕ      |
| ∢ ·   | Acid perfusion of esophagus  |                          | 0.91      |                           | 0.54                        | 0.59                         | 0.54                        | 0.59                        | 0.04                     | 1.49                      | 1.54                      | 1.49              | 1.54                              | 8      |
| A Acid perfusion of esophagus                                   | Acid perfusion of esophagus  |                          | 0.91      |                           | 0.31                        | 0.36                         | 0.31                        | 0.36                        | 0.02                     | 1.24                      | 1.29                      | 1.24              | 1.29                              | 8      |
| Acid perfusion of esophagus                                     | Acid perfusion of esophagus  |                          | 0.00      |                           | 0.23                        | 0.23                         | 0.23                        | 0.23                        | 0.02                     | 0.25                      | 0.25                      | 0.25              | 0.25                              | 8      |
| A Esophagus, acid reflux test                                   | Esophagus, acid reflux test  |                          | 7.7       |                           | 1.1                         | 1.89                         | 1.17                        | 1.89                        | 0.13                     | 2.51                      | 3.23                      | 2.51              | 3.23                              | 8      |
| Esopilagus, acid reliux test                                    | Esopilagus, acid reliux test |                          | 7 0       |                           | 7.0                         | 27.0                         | 4.0                         | 1.12                        | 9 6                      | 5 6                       | 1.4.0                     | 5 5               | 14.2                              | 3 8    |
| A Prolonged acid reflux fest                                    | Prolonged acid reflux test   |                          | 130       |                           | 2.5                         | 2.66                         | 2.5                         | 2.66                        | 000                      | 33.5                      | 4 16                      | 333               | 4 16                              | 3 8    |
| Prolonged acid reflux test                                      | Prolonged acid reflux test   |                          | 1.30      | _                         | 0.44                        | 1.27                         | 0.44                        | 1.27                        | 0.11                     | 1.85                      | 2.68                      | 1.85              | 2.68                              | 8      |
| Prolonged acid reflux test                                      | Prolonged acid reflux test   |                          | 0.00      | _                         | 1.39                        | 1.39                         | 1.39                        | 1.39                        | 0.09                     | 1.48                      | 1.48                      | 1.48              | 1.48                              | 8      |
| A Gastric analysis test 0.79                                    | Gastric analysis test        |                          | 0.79      |                           | 0.62                        | 0.82                         | 0.62                        | 0.82                        | 0.05                     | 1.46                      | 1.66                      | 1.46              | 1.66                              | 8      |
| A Gastric analysis test   | Gastric analysis test        |                          | 0.79      |                           | 0.27                        | 0.47                         | 0.27                        | 0.47                        | 0.03                     | 1.09                      | 1.29                      | 1.09              | 1.29                              | 8      |
|   | Gastric analysis test        |                          | 0.00      |                           | 0.35                        | 0.35                         | 0.35                        | 0.35                        | 0.02                     | 0.37                      | 0.37                      | 0.37              | 0.37                              | 8      |
| Gastric intubation for smear                                    | Gastric intubation for smear |                          | 0.94      |                           | 0.59                        | 0.79                         | 0.59                        | 0.79                        | 0.05                     | 1.58                      | 1.78                      | 1.58              | 1.78                              | 8      |
| 26 A Gastric intubation for smear 0.94                          | Gastric intubation for smear |                          | 0.94      |                           | 0.27                        | 0.48                         | 0.27                        | 0.48                        | 0.03                     | 1.24                      | 1.45                      | 1.24              | 1.45                              | 8      |
| Gastric intubation for smear                                    | Gastric intubation for smear |                          | 0.00      |                           | 0.32                        | 0.31                         | 0.32                        | 0.31                        | 0.02                     | 0.34                      | 0.33                      | 0.34              | 0.33                              | 8      |
| Gastric saline load test  | Gastric saline load test     |                          | 0.45      |                           | 0.36                        | 29.0                         | 0.36                        | 0.67                        | 0.05                     | 98.0                      | 1.17                      | 98.0              | 1.17                              | 00     |
| A Gastric saline load test                                      | Gastric saline load test     |                          | 7.0       | 5                         | 0.13                        | 0.44                         | 0.13                        | 0.44                        | 0.03                     | 0.61                      | 0.92                      | 0.61              | 0.92                              | 8      |
| Gastric saline load test  | Gastric saline load test     |                          | 0.0       | 0                         | 0.23                        | 0.23                         | 0.23                        | 0.23                        | 0.02                     | 0.25                      | 0.25                      | 0.25              | 0.25                              | 8      |
| A Breath hydrogen test 0.20                                     | Breath hydrogen test         |                          | 0.20      | _                         | 0.44                        | 0.57                         | 0.44                        | 0.57                        | 0.04                     | 0.68                      | 0.81                      | 99.0              | 0.81                              | 8      |
| Breath hydrogen test  | Breath hydrogen test         |                          | 0.2       | _                         | 0.07                        | 0.20                         | 0.07                        | 0.20                        | 0.02                     | 0.29                      | 0.42                      | 0.29              | 0.42                              | 8      |
|   |                              |                          |           |                           |                             |                              |                             |                             |                          |                           |                           |                   |                                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                   |            |        |                              |           | -Kon-                | Transitioned             | 4                    | Transitioned        |          |          | ,                    |          |                         |        |
|-------------------|------------|--------|------------------------------|-----------|----------------------|--------------------------|----------------------|---------------------|----------|----------|----------------------|----------|-------------------------|--------|
| ,                 |            |        |                              | Physician | racility<br>practice | Non-tacility<br>practice | racility<br>practice | raciiny<br>practice | Mal-     | Mon-     | Iransitioned<br>Mon- |          | Transitioned            |        |
| CPT 1/<br>ucacs 2 |            | ;      | :                            | work      | expense              | expense                  | expense              | expense             | practice | facility | facility             | Facility | rransinonea<br>Facility | :      |
| ST.               | Wod        | Status | Description                  | KVUS      | KNOS                 | KVUS                     | KVUS                 | KVUs                | KUVS     | Total    | Total                | Total    | Total                   | Global |
| 91065             | ဥ          | ∢      | Breath hydrogen test         | 0.00      | 0.37                 | 0.37                     | 0.37                 | 0.37                | 0.02     | 0.39     | 0.39                 | 0.39     | 0.39                    | 00     |
| 91100             |            | ∢      | Pass intestine bleeding tube | 1.08      | ¥                    | Ϋ́                       | 0.34                 | 0.54                | 0.04     | ₹        | ¥                    | 1.46     | 1.66                    | 00     |
| 91105             |            | ∢      | Gastric intubation treatment | 0.37      | ₹                    | ¥                        | 0.13                 | 0.36                | 0.03     | ¥        | ¥                    | 0.53     | 92.0                    | 000    |
| 91122             |            | ∢      | Anal pressure record         | 1.77      | 1.35                 | 1.75                     | 1.35                 | 1.75                | 0.17     | 3.29     | 3.69                 | 3.29     | 3.69                    | 00     |
| 91122             | 56         | ∢      | Anal pressure record         | 1.77      | 0.62                 | 1.02                     | 0.62                 | 1.02                | 0.10     | 2.49     | 2.89                 | 2.49     | 2.89                    | 00     |
| 91122             | ပ          | ∢      | Anal pressure record         | 0.00      | 0.73                 | 0.73                     | 0.73                 | 0.73                | 0.07     | 0.80     | 0.80                 | 0.80     | 0.80                    | 00     |
| 91299             |            | ပ      | Gastroenterology procedure   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                    | ×      |
| 91299             | 56         | ပ      | Gastroenterology procedure   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                    | ×      |
| 91299             | ဍ          | ပ      | Gastroenterology procedure   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                    | ×      |
| 92002             |            | ∢      | Eye exam, new patient        | 0.88      | 1.02                 | 0.65                     | 0.34                 | 0.29                | 0.02     | 1.92     | 1.55                 | 1.24     | 1.19                    | ×      |
| 92004             |            | ∢      | Eye exam, new patient        | 1.67      | 1.61                 | 0.87                     | 99.0                 | 0.40                | 0.02     | 3.30     | 2.56                 | 2.37     | 5.09                    | ×      |
| 92012             |            | ∢      | Eye exam established pt      | 0.67      | 1.38                 | 0.71                     | 0.30                 | 0.26                | 0.02     | 2.07     | 1.40                 | 66.0     | 0.95                    | ×      |
| 92014             |            | ∢      | Eye exam & treatment         | 1.10      | 1.28                 | 9.76                     | 0.49                 | 0.35                | 0.02     | 2.40     | 1.88                 | 1.61     | 1.47                    | ×      |
| 92015             |            | z      | Refraction                   | +0.38     | 1.23                 | 0.57                     | 0.14                 | 0.30                | 0.02     | 1.63     | 0.97                 | 0.54     | 0.70                    | ×      |
| 92018             |            | ∢      | New eye exam & treatment     | 1.51      | ¥                    | ¥                        | 1.1                  | 99.0                | 0.02     | ₹        | ₹                    | 2.64     | 2.19                    | ×      |
| 92019             |            | ∢      | Eye exam & treatment         | 1.31      | ¥                    | Ϋ́                       | 98.0                 | 0.41                | 0.02     | ¥        | ¥                    | 2.19     | 1.74                    | ×      |
| 92020             |            | ∢      | Special eye evaluation       | 0.37      | 0.54                 | 0.37                     | 0.18                 | 0.17                | 0.01     | 0.92     | 0.75                 | 0.56     | 0.55                    | ×      |
| 92060             |            | ∢      | Special eye evaluation       | 69.0      | 0.50                 | 0.45                     | 0.50                 | 0.45                | 0.02     | 1.21     | 1.16                 | 1.21     | 1.16                    | ×      |
| 92060             | <b>5</b> 6 | ∢      | Special eye evaluation       | 69.0      | 0.30                 | 0.25                     | 0:30                 | 0.25                | 0.01     | 1.00     | 0.95                 | 1.00     | 0.95                    | ××     |
| 92060             | 5          | ∢      | Special eye evaluation       | 0.00      | 0.20                 | 0.20                     | 0.20                 | 0.20                | 0.01     | 0.21     | 0.21                 | 0.21     | 0.21                    | ×      |
| 92065             |            | ∢      | Orthoptic/pleoptic training  | 0.37      | 0.36                 | 0.38                     | 0.36                 | 0.38                | 0.01     | 0.74     | 9.76                 | 0.74     | 9.76                    | ×      |
| 92065             | 56         | ∢      | Orthoptic/pleoptic training  | 0.37      | 0.19                 | 0.21                     | 0.19                 | 0.21                | 0.01     | 0.57     | 0.59                 | 0.57     | 0.59                    | ×      |
| 92065             | ဥ          | ∢      | Orthoptic/pleoptic training  | 0.00      | 0.17                 | 0.17                     | 0.17                 | 0.17                | 0.00     | 0.17     | 0.17                 | 0.17     | 0.17                    | ×      |
| 92070             |            | ∢      | Fitting of contact lens      | 0.70      | 0.30                 | 1.20                     | 0.35                 | 0.58                | 0.05     | 1.65     | 1.95                 | 1.10     | 1.33                    | ×      |
| 92081             |            | ∢      | Visual field examination(s)  | 0.36      | 0.32                 | 0.34                     | 0.32                 | 0.34                | 0.01     | 69.0     | 0.71                 | 69.0     | 0.71                    | ×      |
| 92081             | 56         | ∢      | Visual field examination(s)  | 0.36      | 0.17                 | 0.18                     | 0.17                 | 0.18                | 0.01     | 0.54     | 0.55                 | 0.54     | 0.55                    | ×      |
| 92081             | ဥ          | ∢      | Visual field examination(s)  | 0.00      | 0.15                 | 0.16                     | 0.15                 | 0.16                | 0.00     | 0.15     | 0.16                 | 0.15     | 0.16                    | ×      |
| 92082             |            | ∢      | Visual field examination(s)  | 0.44      | 0.42                 | 0.51                     | 0.42                 | 0.51                | 0.02     | 0.88     | 0.97                 | 0.88     | 0.97                    | ×      |
| 92082             | <b>5</b> 8 | ∢      | Visual field examination(s)  | 0.44      | 0.21                 | 0.30                     | 0.21                 | 0.30                | 0.01     | 99.0     | 0.75                 | 99.0     | 0.75                    | ×      |
| 92082             | ပ          | ∢      | Visual field examination(s)  | 0.00      | 0.21                 | 0.21                     | 0.21                 | 0.21                | 0.01     | 0.22     | 0.22                 | 0.22     | 0.22                    | ×      |
| 92083             |            | ∢      | Visual field examination(s)  | 0.50      | 0.56                 | 0.81                     | 0.56                 | 0.81                | 0.03     | 1.09     | 1.34                 | 1.09     | 1.34                    | ×      |
| 92083             | 56         | ∢      | Visual field examination(s)  | 0.50      | 0.25                 | 0.51                     | 0.25                 | 0.51                | 0.02     | 0.77     | 1.03                 | 0.77     | 1.03                    | X      |
| 92083             | ည          | ∢      | Visual field examination(s)  | 0.00      | 0.31                 | 0.30                     | 0.31                 | 0.30                | 0.01     | 0.32     | 0.31                 | 0.32     | 0.31                    | ×      |
| 92100             |            | ∢      | Serial tonometry exam(s)     | 0.92      | 0.71                 | 0.38                     | 0.33                 | 0.19                | 0.01     | 1.64     | 1.31                 | 1.26     | 1.12                    | ×      |
| 92120             |            | ∢      | Tonography & eye evaluation  | 0.81      | 0.71                 | 0.43                     | 0.35                 | 0.22                | 0.02     | 1.54     | 1.26                 | 1.18     | 1.05                    | ×      |
| 92130             |            | ∢      | Water provocation tonography | 0.81      | 0.81                 | 09:0                     | 0.41                 | 0.31                | 0.02     | 1.64     | 1.43                 | 1.24     | 1.14                    | ×      |
| 92135             |            | ∢      | Opthalmic dx imaging         | 0.35      | 0.49                 | 0.49                     | 0.49                 | 0.49                | 0.03     | 0.87     | 0.87                 | 0.87     | 0.87                    | ×      |
| 92135             | 56         | ∢      | Opthalmic dx imaging         | 0.35      | 0.18                 | 0.18                     | 0.18                 | 0.18                | 0.02     | 0.55     | 0.55                 | 0.55     | 0.55                    | ×      |
| 92135             | 5          | ∢      | Opthalmic dx imaging         | 0.00      | 0.31                 | 0.31                     | 0.31                 | 0.31                | 0.01     | 0.32     | 0.32                 | 0.32     | 0.32                    | ×      |
| 92140             |            | ∢      | Glaucoma provocative tests   | 0.50      | 0.81                 | 0.45                     | 0.24                 | 0.19                | 0.01     | 1.32     | 96.0                 | 0.75     | 0.70                    | ××     |
|                   |            |        |                              |           |                      |                          |                      |                     |          |          |                      |          |                         |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|         |            |        | ADD                          | А <i>р</i> исмиом В | 4                   | MALOL UMITSIANOS AND ALLATED INTOAMATION | VOSTAIND I          | CLAIED INI               | MIMAIO           | _                |                  |          |                          |        |
|---------|------------|--------|------------------------------|---------------------|---------------------|--|---------------------|--------------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|         |            |        |                              |                     | Non-<br>facility    | Transitioned<br>Non-facility             | Facility            | Transitioned<br>Facility |                  |                  | Transitioned     |          |                          |        |
| CPT 1/  |            |        |                              | Physician<br>work   | practice<br>expense | practice<br>expense                      | practice<br>expense | practice<br>expense      | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| HCPCS 2 | Mod        | Status | Description                  | RVUs 3              | RVUS                | RVUs                                     | RVUs                | RVUs                     | RUYs             | Total            | Total            | Total    | Total                    | Global |
| 92225   |            | ∢      | Special eye exam, initial    | 0.38                | 1.12                | 0.65                                     | 0.15                | 0.23                     | 0.02             | 1.52             | 1.05             | 0.55     | 0.63                     | ×      |
| 92226   |            | ∢      | Special eye exam, subsequent | 0.33                | 1.17                | 0.62                                     | 0.15                | 0.20                     | 0.02             | 1.52             | 26.0             | 0.50     | 0.55                     | ×      |
| 92230   |            | ∢      | Eye exam with photos         | 09:0                | 2.10                | 1.09                                     | 0.22                | 0.34                     | 0.03             | 2.73             | 1.72             | 0.85     | 0.97                     | ×      |
| 92235   |            | ∢      | Eye exam with photos         | 0.81                | 1.47                | 1.65                                     | 1.47                | 1.65                     | 0.07             | 2.35             | 2.53             | 2.35     | 2.53                     | ×      |
| 92235   | 56         | ∢      | Eye exam with photos         | 0.81                | 0.40                | 0.58                                     | 0.40                | 0.58                     | 0.02             | 1.23             | 1.41             | 1.23     | 1.41                     | ×      |
| 92235   | ဥ          | ∢      | Eye exam with photos         | 0.00                | 1.07                | 1.07                                     | 1.07                | 1.07                     | 9.05             | 1.12             | 1.12             | 1.12     | 1.12                     | ×      |
| 92240   |            | ∢      | lcg angiography              | 1.10                | 1.62                | 1.69                                     | 1.62                | 1.69                     | 0.07             | 2.79             | 2.86             | 2.79     | 2.86                     | ×      |
| 92240   | 56         | ∢      | lcg angiography              | 1.10                | 0.55                | 0.62                                     | 0.55                | 0.62                     | 0.02             | 1.67             | 1.74             | 1.67     | 1.74                     | ×      |
| 92240   | ဥ          | ∢      | log angiography              | 0.00                | 1.07                | 1.07                                     | 1.07                | 1.07                     | 0.05             | 1.12             | 1.12             | 1.12     | 1.12                     | ×      |
| 92250   |            | ∢      | Eye exam with photos         | 0.44                | 0.41                | 0.44                                     | 0.41                | 0.44                     | 0.02             | 0.87             | 06.0             | 0.87     | 06.0                     | ×      |
| 92250   | <b>5</b> 6 | ∢      | Eye exam with photos         | 0.44                | 0.22                | 0.26                                     | 0.22                | 0.26                     | 0.01             | 29.0             | 0.71             | 0.67     | 0.71                     | ×      |
| 92250   | ဥ          | ∢      | Eye exam with photos         | 0.00                | 0.19                | 0.18                                     | 0.19                | 0.18                     | 0.01             | 0.20             | 0.19             | 0.20     | 0.19                     | ×      |
| 92260   |            | ∢      | Ophthalmoscopy/dynamometry   | 0.20                | 0.19                | 0.49                                     | 90.0                | 0.25                     | 0.02             | 0.41             | 0.71             | 0.30     | 0.47                     | ×      |
| 92265   |            | ∢      | Eye muscle evaluation        | 0.81                | 0.49                | 0.36                                     | 0.49                | 0.36                     | 0.02             | 1.32             | 1.19             | 1.32     | 1.19                     | ×      |
| 92265   | <b>5</b> 6 | ∢      | Eye muscle evaluation        | 0.81                | 0.25                | 0.12                                     | 0.25                | 0.12                     | 0.00             | 1.06             | 0.93             | 1.06     | 0.93                     | ×      |
| 92265   | ဥ          | ∢      | Eye muscle evaluation        | 0.00                | 0.24                | 0.24                                     | 0.24                | 0.24                     | 0.02             | 0.26             | 0.26             | 0.26     | 0.26                     | ×      |
| 92270   |            | ∢      | Electro-oculography          | 0.81                | 0.65                | 0.71                                     | 0.65                | 0.71                     | 0.04             | 1.50             | 1.56             | 1.50     | 1.56                     | ×      |
| 92270   | 56         | ∢      | Electro-oculography          | 0.81                | 0.32                | 0.38                                     | 0.32                | 0.38                     | 0.02             | 1.15             | 1.21             | 1.15     | 1.21                     | ×      |
| 92270   | ဍ          | ∢      | Electro-oculography          | 0.00                | 0.33                | 0.33                                     | 0.33                | 0.33                     | 0.02             | 0.35             | 0.35             | 0.35     | 0.35                     | ×      |
| 92275   |            | ∢      | Electroretinography          | 1.01                | 0.86                | 0.94                                     | 98.0                | 0.94                     | 0.04             | 1.91             | 1.99             | 1.91     | 1.99                     | ×      |
| 92275   | 56         | ∢      | Electroretinography          | 1.01                | 0.43                | 0.52                                     | 0.43                | 0.52                     | 0.02             | 1.46             | 1.55             | 1.46     | 1.55                     | ×      |
| 92275   | 2          | ∢      | Electroretinography          | 0.00                | 0.43                | 0.42                                     | 0.43                | 0.42                     | 0.02             | 0.45             | 0.44             | 0.45     | 0.44                     | ×      |
| 92283   |            | ∢      | Color vision examination     | 0.17                | 0.20                | 0.28                                     | 0.20                | 0.28                     | 0.01             | 0.38             | 0.46             | 0.38     | 0.46                     | ×      |
| 92283   | 56         | ∢      | Color vision examination     | 0.17                | 0.07                | 0.15                                     | 0.07                | 0.15                     | 0.01             | 0.25             | 0.33             | 0.25     | 0.33                     | ×      |
| 92283   | ဥ          | ∢      | Color vision examination     | 0.00                | 0.13                | 0.13                                     | 0.13                | 0.13                     | 0.00             | 0.13             | 0.13             | 0.13     | 0.13                     | ×      |
| 92284   |            | ∢      | Dark adaptation eye exam     | 0.24                | 0.26                | 0.42                                     | 0.26                | 0.42                     | 0.02             | 0.52             | 89.0             | 0.52     | 0.68                     | ×      |
| 92284   | 56         | ∢      | Dark adaptation eye exam     | 0.24                | 0.07                | 0.24                                     | 0.07                | 0.24                     | 0.01             | 0.32             | 0.49             | 0.32     | 0.49                     | ×      |
| 92284   | ပ္         | ⋖      | Dark adaptation eye exam     | 0.00                | 0.19                | 0.18                                     | 0.19                | 0.18                     | 0.01             | 0.20             | 0.19             | 0.20     | 0.19                     | ž      |
| 92285   |            | ∢      | Eye photography              | 0.20                | 0.21                | 0.29                                     | 0.21                | 0.29                     | 0.01             | 0.42             | 0.50             | 0.42     | 0.50                     | ×      |
| 92285   | 56         | ∢      | Eye photography              | 0.20                | 60.0                | 0.17                                     | 60:0                | 0.17                     | 0.01             | 0.30             | 0.38             | 0.30     | 0.38                     | ×      |
| 92285   | ဥ          | ∢      | Eye photography              | 0.00                | 0.12                | 0.12                                     | 0.12                | 0.12                     | 0.00             | 0.12             | 0.12             | 0.12     | 0.12                     | ×      |
| 92286   |            | ∢      | Internal eye photography     | 99.0                | 0.74                | 1.17                                     | 0.74                | 1.17                     | 90.0             | 1.46             | 1.89             | 1.46     | 1.89                     | ×      |
| 92286   | 56         | ∢      | Internal eye photography     | 99.0                | 0.31                | 0.75                                     | 0.31                | 0.75                     | 0.04             | 1.01             | 1.45             | 1.01     | 1.45                     | ×      |
| 92286   | ဥ          | ∢      | Internal eye photography     | 0.00                | 0.43                | 0.42                                     | 0.43                | 0.42                     | 0.02             | 0.45             | 0.44             | 0.45     | 0.44                     | ×      |
| 92287   |            | ∢      | Internal eye photography     | 0.81                | 3.03                | 2.00                                     | 0.32                | 0.70                     | 90:0             | 3.90             | 2.87             | 1.19     | 1.57                     | ×      |
| 92310   |            | z      | Contact lens fitting         | +1.17               | 98.0                | 1.27                                     | 0.44                | 1.16                     | 0.00             | 2.03             | 2.44             | 1.61     | 2.33                     | ×      |
| 92311   |            | ∢      | Contact lens fitting         | 1.08                | 0.95                | 0.97                                     | 0.40                | 0.47                     | 0.02             | 2.05             | 2.07             | 1.50     | 1.57                     | ×      |
| 92312   |            | ∢      | Contact lens fitting         | 1.26                | 0.93                | 1.18                                     | 0.58                | 0.62                     | 0.02             | 2.21             | 2.46             | 1.86     | 1.90                     | ×      |
| 92313   |            | ∢      | Contact lens fitting         | 0.92                | 0.85                | 0.93                                     | 0.27                | 0.43                     | 0.02             | 1.79             | 1.87             | 1.21     | 1.37                     | ×      |
| 92314   |            | z      | Prescription of contact lens | +0.69               | 0.68                | 0.79                                     | 0.26                | 99:0                     | 0.00             | 1.37             | 1.48             | 0.95     | 1.37                     | ×      |

Page 206 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |     |        |                              |                           | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
|--------------------|-----|--------|------------------------------|---------------------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| ' <sub>1</sub> 185 |     |        |                              | Physician                 | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              | ,                 | Transitioned      |        |
| HCPCS 2            | Мод | Status | Description                  | work <sub>3</sub><br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 92315              |     | ∢      | Prescription of contact lens | 0.45                      | 99.0             | 0.71                         | 0.15            | 0.31                     | 0.02             | 1.13              | 1.18              | 0.62              | 0.78              | ××     |
| 92316              |     | ∢      | Prescription of contact lens | 0.68                      | 0.74             | 96.0                         | 0.34            | 0.48                     | 0.03             | 1.45              | 1.67              | 1.05              | 1.19              | ×      |
| 92317              |     | ∢      | Prescription of contact lens | 0.45                      | 0.80             | 0.52                         | 0.17            | 0.20                     | 0.02             | 1.27              | 66.0              | 0.64              | 0.67              | ×      |
| 92325              |     | ∢      | Modification of contact lens | 0.00                      | 0.41             | 0.41                         | 0.41            | 0.41                     | 0.01             | 0.42              | 0.42              | 0.42              | 0.42              | ×      |
| 92326              |     | ∢      | Replacement of contact lens  | 0.00                      | 1.69             | 1.69                         | 1.69            | 1.69                     | 0.05             | 1.74              | 1.74              | 1.74              | 1.74              | ×      |
| 92330              |     | ∢      | Fitting of artificial eye    | 1.08                      | 0.82             | 1.13                         | 0.37            | 0.56                     | 0.07             | 1.97              | 2.28              | 1.52              | 1.71              | ×      |
| 92335              |     | ∢      | Fitting of artificial eye    | 0.45                      | 0.74             | 1.79                         | 0.15            | 0.84                     | 60.0             | 1.28              | 2.33              | 0.69              | 1.38              | ×      |
| 92340              |     | z      | Fitting of spectacles        | +0.37                     | 0.50             | 0.47                         | 0.14            | 0.37                     | 0.00             | 0.87              | 0.84              | 0.51              | 0.74              | ×      |
| 92341              |     | z      | Fitting of spectacles        | +0.47                     | 0.54             | 0.57                         | 0.18            | 0.47                     | 0.00             | 1.01              | 1.04              | 0.65              | 0.94              | ×      |
| 92342              |     | z      | Fitting of spectacles        | +0.53                     | 0.56             | 0.63                         | 0.20            | 0.52                     | 0.00             | 1.09              | 1.16              | 0.73              | 1.05              | ×      |
| 92352              |     | ω      | Special spectacles fitting   | +0.37                     | 0.50             | 0.37                         | 0.14            | 0.28                     | 0.01             | 0.88              | 0.75              | 0.52              | 99.0              | ×      |
| 92353              |     | 8      | Special spectacles fitting   | +0.50                     | 0.55             | 0.46                         | 0.19            | 0.37                     | 0.01             | 1.06              | 0.97              | 0.70              | 0.88              | ×      |
| 92354              |     | 80     | Special spectacles fitting   | +0.00<br>+                | 9.18             | 9.17                         | 9.18            | 9.17                     | 90.0             | 9.26              | 9.25              | 9.26              | 9.25              | ×      |
| 92355              |     | 80     | Special spectacles fitting   | +0.00                     | 4.49             | 4.48                         | 4.49            | 4.48                     | 0.01             | 4.50              | 4.49              | 4.50              | 4.49              | ×      |
| 92358              |     | 8      | Eye prosthesis service       | +0.00                     | 9.               | 1.00                         | 1.00            | 1.00                     | 0.04             | 1.04              | 1.04              | 1.04              | <b>6</b> .        | ×      |
| 92370              |     | z      | Repair & adjust spectacles   | +0.32                     | 0.37             | 0.39                         | 0.12            | 0.32                     | 0.00             | 69.0              | 0.71              | 0.44              | 0.64              | ×      |
| 92371              |     | œ      | Repair & adjust spectacles   | <del>+</del> 0.00         | 0.64             | 0.64                         | 0.64            | 0.64                     | 0.02             | 99.0              | 99.0              | 99.0              | 99.0              | ××     |
| 92390              |     | z      | Supply of spectacles         | 0.00                      | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | XX     |
| 92391              |     | z      | Supply of contact lenses     | 0.00                      | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 92392              |     | _      | Supply of low vision aids    | <del>+</del> 0.00         | 4.19             | 4.18                         | 4.19            | 4.18                     | 0.02             | 4.21              | 4.20              | 4.21              | 4.20              | ××     |
| 92393              |     | _      | Supply of artificial eye     | +0.00<br>+                | 13.02            | 12.99                        | 13.02           | 12.99                    | 0.52             | 13.54             | 13.51             | 13.54             | 13.51             | ×      |
| 92395              |     | _      | Supply of spectacles         | +0.00                     | 1.43             | 1.42                         | 1.43            | 1.42                     | 0.08             | 1.51              | 1.50              | 1.51              | 1.50              | ×      |
| 95336              |     | _      | Supply of contact lenses     | +0.00<br>+                | 2.39             | 2.38                         | 2.39            | 2.38                     | 90.0             | 2.45              | 2.44              | 2.45              | 2.44              | ×      |
|                    |     | ပ      | Eye service or procedure     | 0.00                      | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
|                    | 26  | ပ      | Eye service or procedure     | 0.00                      | 0.00             | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
|                    | ပ   | ပ      | Eye service or procedure     | 0.00                      | 0.0              | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 92502              |     | ∢ ·    | Ear and throat examination   | 1.51                      | ¥                | ₹<br>Z                       | 1.17            | 1.21                     | 0.09             | ¥                 | ¥                 | 2.77              | 2.81              | 00     |
| 92504              |     | ∢      | Ear microscopy examination   | 0.18                      | 0.74             | 0.40                         | 0.09            | 0.13                     | 0.02             | 0.94              | 0.60              | 0.29              | 0.33              | ×      |
| 92506              |     | ∢      | Speech & hearing evaluation  | 0.86                      | 9.               | 0.67                         | 0.83            | 0.42                     | 0.04             | 1.90              | 1.57              | 1.73              | 1.32              | ××     |
| 92507              |     | ∢      | Speech/hearing therapy       | 0.52                      | 0.87             | 0.49                         | 0.80            | 0.34                     | 0.02             | 1.41              | 1.03              | 1.34              | 0.88              | ×      |
| 92508              |     | ∢      | Speech/hearing therapy       | 0.26                      | 0.62             | 0.31                         | 0.85            | 0.29                     | 0.02             | 0.90              | 0.59              | 1.13              | 0.57              | ×      |
| 92510              |     | ∢      | Rehab for ear implant        | 1.50                      | 1.49             | 1.48                         | 1.51            | 0.93                     | 0.12             | 3.11              | 3.10              | 3.13              | 2.55              | ××     |
| 92511              |     | ∢      | Nasopharyngoscopy            | 0.84                      | 0.93             | 0.92                         | 0.43            | 0.45                     | 0.07             | 1.84              | 1.83              | 1.34              | 1.36              | 000    |
| 92512              |     | ∢      | Nasal function studies       | 0.55                      | 98.0             | 09:0                         | 0.17            | 0.24                     | 0.04             | 1.45              | 1.19              | 0.76              | 0.83              | ×      |
| 92516              |     | ∢      | Facial nerve function test   | 0.43                      | 69.0             | 0.49                         | 0.20            | 0.21                     | 0.03             | 1.15              | 0.95              | 99.0              | 29.0              | ×      |
| 92520              |     | ∢      | Laryngeal function studies   | 9.76                      | 0.54             | 0.57                         | 0.48            | 0.34                     | 0.04             | 1.34              | 1.37              | 1.28              | 1.14              | ×      |
| 92525              |     | ∢      | Oral function evaluation     | 1.50                      | 1.24             | 1.14                         | 1.32            | 0.75                     | 60.0             | 2.83              | 2.73              | 2.91              | 2.34              | XX     |
| 92526              |     | ∢      | Oral function therapy        | 0.55                      | 1.0              | 0.64                         | 69.0            | 0.37                     | 0.04             | 1.60              | 1.23              | 1.28              | 96.0              | ×      |
| 92531              |     | ω      | Spontaneous nystagmus study  | 0.00                      | 0.00             | 00:00                        | 00.0            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 92532              |     | Ф      | Positional nystagmus study   | 0.00                      | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | XX     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |            |        |                              |              | No.             | Terminal A      |                 | Transitional           |                  | 1                 |                   |                   |                   |        |
|------------------------------|------------|--------|------------------------------|--------------|-----------------|-----------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |            |        |                              |              | facility        | Non-facility    | Facility        | rransmoneu<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| 7                            |            |        |                              | Physician    | practice        | practice        | practice        | practice               | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod        | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 92533                        |            | 8      | Caloric vestibular test      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0:00              | 0.00              | 00.0              | ž      |
| 92534                        |            | 8      | Optokinetic nystagmus        | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 92541                        |            | ∢      | Spontaneous nystagmus test   | 0.40         | 0.43            | 99.0            | 0.43            | 99.0                   | 90.0             | 0.89              | 1.12              | 0.89              | 1.12              | ×      |
| 92541                        | <b>5</b> 6 | ∢      | Spontaneous nystagmus test   | 0.40         | 0.19            | 0.42            | 0.19            | 0.42                   | 0.04             | 0.63              | 98.0              | 0.63              | 98.0              | ×      |
| 92541                        | ပ္         | ∢      | Spontaneous nystagmus test   | 0.00         | 0.24            | 0.24            | 0.24            | 0.24                   | 0.02             | 0.26              | 0.26              | 0.26              | 0.26              | ×      |
| 92542                        |            | ∢      | Positional nystagmus test    | 0.33         | 0.42            | 09.0            | 0.42            | 09:0                   | 0.05             | 0.80              | 96.0              | 0.80              | 96.0              | ×      |
| 92542                        | 56         | ∢      | Positional nystagmus test    | 0.33         | 0.15            | 0.33            | 0.15            | 0.33                   | 0.03             | 0.51              | 69.0              | 0.51              | 69.0              | ×      |
| 92542                        | ဥ          | ∢      | Positional nystagmus test    | 0.00         | 0.27            | 0.27            | 0.27            | 0.27                   | 0.02             | 0.29              | 0.29              | 0.29              | 0.29              | ×      |
| 92543                        |            | ∢      | Caloric vestibular test      | 0.10         | 0.16            | 0.21            | 0.16            | 0.21                   | 0.02             | 0.28              | 0.33              | 0.28              | 0.33              | ×      |
|                              | 56         | ∢      | Caloric vestibular test      | 0.10         | 0.05            | 0.10            | 0.05            | 0.10                   | 0.01             | 0.16              | 0.21              | 0.16              | 0.21              | ×      |
|                              | ပ္         | ∢      | Caloric vestibular test      | 0.00         | 0.11            | 0.11            | 0.11            | 0.11                   | 0.01             | 0.12              | 0.12              | 0.12              | 0.12              | ×      |
| 92544                        |            | ∢      | Optokinetic nystagmus test   | 0.26         | 0.34            | 0.47            | 0.34            | 0.47                   | 0.04             | 0.64              | 0.77              | 0.64              | 0.77              | ×      |
| 92544                        | 56         | ∢      | Optokinetic nystagmus test   | 0.26         | 0.12            | 0.25            | 0.12            | 0.25                   | 0.02             | 0.40              | 0.53              | 0.40              | 0.53              | ×      |
| 92544                        | ပ          | ∢      | Optokinetic nystagmus test   | 0.00         | 0.22            | 0.22            | 0.22            | 0.22                   | 0.02             | 0.24              | 0.24              | 0.24              | 0.24              | ×      |
| 92545                        |            | ∢      | Oscillating tracking test    | 0.23         | 0.33            | 0.41            | 0.33            | 0.41                   | 0.04             | 0.60              | 0.68              | 09:0              | 99.0              | ×      |
| 92545                        | 56         | ∢      | Oscillating tracking test    | 0.23         | 0.11            | 0.19            | 0.11            | 0.19                   | 0.02             | 0.36              | 0.44              | 0.36              | 0.44              | X      |
| 92545                        | ဥ          | ∢      | Oscillating tracking test    | 0.00         | 0.22            | 0.22            | 0.22            | 0.22                   | 0.02             | 0.24              | 0.24              | 0.24              | 0.24              | ×      |
| 92546                        |            | ∢      | Sinusoidal rotational test   | 0.29         | 0.37            | 0.53            | 0.37            | 0.53                   | 0.04             | 0.70              | 0.86              | 0.70              | 98.0              | X.     |
| 92546                        | <b>5</b> 6 | ∢      | Sinusoidal rotational test   | 0.29         | 0.12            | 0.28            | 0.12            | 0.28                   | 0.02             | 0.43              | 0.59              | 0.43              | 0.59              | ×      |
| 92546                        | ည          | ∢      | Sinusoidal rotational test   | 0.00         | 0.25            | 0.25            | 0.25            | 0.25                   | 0.02             | 0.27              | 0.27              | 0.27              | 0.27              | ×      |
| 92547                        |            | ∢      | Supplemental electrical test | 0.00         | 0.58            | 0.58            | 0.58            | 0.58                   | 0.05             | 0.63              | 0.63              | 0.63              | 0.63              | 777    |
| 92548                        |            | ∢      | Posturography                | 0.50         | 1.80            | 1.96            | 1.80            | 1.96                   | 0.15             | 2.45              | 2.61              | 2.45              | 2.61              | ×      |
| 92548                        | <b>5</b> 6 | ∢      | Posturography                | 0.50         | 0.27            | 0. <b>44</b>    | 0.27            | 0.44                   | 0.04             | 0.81              | 96.0              | 0.81              | 0.98              | ×      |
| 92548                        | ည          | ∢      | Posturography                | 0.00         | 1.53            | 1.52            | 1.53            | 1.52                   | 0.11             | 1.64              | 1.63              | <u>1</u> .        | 1.63              | ×      |
| 92551                        |            | z      | Pure tone hearing test, air  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 92552                        |            | ∢      | Pure tone audiometry, air    | 0.00         | 0.45            | 0.46            | 0.45            | 0.46                   | 0.03             | 0.48              | 0.49              | 0.48              | 0.49              | ×      |
| 92553                        |            | ∢ ·    | Audiometry, air & bone       | 0.00         | 69.0            | 0.68            | 0.69            | 0.68                   | 0.05             | 0.74              | 0.73              | 0.74              | 0.73              | ž      |
| 92555                        |            | ∢ ⋅    | Speech threshold audiometry  | 00:00        | 0.39            | 0.39            | 0.39            | 0.39                   | 0.03             | 0.42              | 0.42              | 0.42              | 0.42              | ×      |
| 92556                        |            | ∢ •    | Speech audiometry, complete  | 0.00         | 0.59            | 0.59            | 0.59            | 0.59                   | 0.05             | 0.64              | 0.64              | 0.64              | 0.64              | ×      |
| 7525                         |            | ∢ :    | Comprehensive hearing test   | 0.00         | 1.23            | 1.23            | 1.23            | 1.23                   | D. 10            | <br>              | 1.33              | 1.33              | 1.33              | ž      |
| 92559                        |            | Z :    | Group audiometric testing    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| 92560                        |            | z      | Bekesy audiometry, screen    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ž      |
| 92561                        |            | ∢      | Bekesy audiometry, diagnosis | 0.00         | 0.74            | 0.74            | 0.74            | 0.74                   | 0.05             | 0.79              | 0.79              | 0.79              | 0.79              | ×      |
| 92562                        |            | ∢      | Loudness balance test        | 0.00         | 0.43            | 0.42            | 0.43            | 0.42                   | 0.03             | 0.46              | 0.45              | 0.46              | 0.45              | ×      |
| 92563                        |            | ∢      | Tone decay hearing test      | 0.00         | 0.39            | 0.39            | 0.39            | 0.39                   | 0.03             | 0.42              | 0.42              | 0.42              | 0.42              | ×      |
| 92564                        |            | ∢      | Sisi hearing test            | 0.00         | 0.49            | 0.49            | 0.49            | 0.49                   | 0.04             | 0.53              | 0.53              | 0.53              | 0.53              | ×      |
| 92565                        |            | ∢      | Stenger test, pure tone      | 0.00         | 0.41            | 0.41            | 0.41            | 0.26                   | 0.03             | 0.44              | 0.44              | 0.44              | 0.29              | ×      |
| 92567                        |            | ∢      | Tympanometry                 | 0.00         | 0.55            | 0.54            | 0.55            | 0.54                   | 0.05             | 0.60              | 0.59              | 0.60              | 0.59              | ×      |
| 92568                        |            | ∢      | Acoustic reflex testing      | 0.00         | 0.39            | 0.39            | 0.39            | 0.39                   | 0.03             | 0.42              | 0.42              | 0.42              | 0.42              | ×      |
| 92569                        |            | ∢      | Acoustic reflex decay test   | 0.00         | 0.43            | 0.42            | 0.43            | 0.42                   | 0.03             | 0.46              | 0.45              | 0.46              | 0.45              | ×      |

Page 208 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| CPT <sup>1</sup> /<br>HCPG <sup>2</sup><br>92571          |     |        |                               |              | facility        | Hansillonea<br>Mon facility | Earility        | II unismoneu    |                  |                   | , , , , , , , , , , , , , , , , , , , |                                 |                   |        |
|---|-----|--------|-------------------------------|--------------|-----------------|-----------------------------|-----------------|-----------------|------------------|-------------------|---------------------------------------|---------------------------------|-------------------|--------|
| CPT <sup>1</sup> /<br>HCPG <sup>2</sup><br>92571<br>92572 |     |        |                               |              |                 | Mon-racinity                | ruumy           | racility        |                  |                   | Iransmonea                            |                                 |                   |        |
| CPT '/<br>HCPG <sup>2</sup><br>92571<br>92572             |     |        |                               | Physician    | practice        | practice                    | practice        | practice        | Hal-             | Non-              | Non-                                  |                                 | Transitioned      |        |
| 92571<br>92572  | Mod | Status | Description                   | work<br>RVUs | expense<br>RVUs | expense<br>RVUs             | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total                     | Facility<br>Total               | Facility<br>Total | Global |
| 92572   | ı   | ∢      | Filtered speech hearing test  | 0.00         | 0.40            | 0.40                        | 0.40            | 0.25            | 0.03             | 0.43              | 0.43                                  | 0.43                            | 0.28              | ×      |
|   |     | ∢      | Staggered spondaic word test  | 0.00         | 0.09            | 60.0                        | 60:0            | 60.0            | 0.01             | 0.10              | 0.10                                  | 0.10                            | 0.10              | ×      |
| 92573   |     | ∢      | Lombard test                  | 0.00         | 0.36            | 0.36                        | 0.36            | 0.36            | 0.03             | 0.39              | 0.39                                  | 0.39                            | 0.39              | ×      |
| 92575   |     | ∢      | Sensorineural acuity test     | 0.00         | 0.32            | 0.31                        | 0.32            | 0.20            | 0.02             | 0.34              | 0.33                                  | 0.34                            | 0.22              | ×      |
| 92576   |     | ∢      | Synthetic sentence test       | 0.00         | 0.45            | 0.46                        | 0.45            | 0.29            | 0.04             | 0.49              | 0.50                                  | 0.49                            | 0.33              | ×      |
| 92577   |     | ∢      | Stenger test, speech          | 0.00         | 0.73            | 0.74                        | 0.73            | 0.46            | 90:0             | 0.79              | 0.80                                  | 0.79                            | 0.52              | ×      |
| 92579   |     | ∢      | Visual audiometry (vra)       | 0.00         | 0.74            | 0.75                        | 0.74            | 0.75            | 0.05             | 0.79              | 0.80                                  | 0.79                            | 0.80              | ×      |
| 92582   |     | ∢      | Conditioning play audiometry  | 0.00         | 0.73            | 0.75                        | 0.73            | 0.47            | 0.05             | 0.78              | 0.80                                  | 0.78                            | 0.52              | ×      |
| 92583   |     | ∢      | Select picture audiometry     | 0.00         | 0.93            | 0.92                        | 0.93            | 0.92            | 0.07             | 1.00              | 66.0                                  | 1.00                            | 0.99              | ×      |
| 92584   |     | ∢      | Electrocochleography          | 0.00         | 2.56            | 2.56                        | 2.56            | 2.56            | 0.20             | 2.76              | 2.76                                  | 2.76                            | 2.76              | ×      |
| 92585   |     | ∢      | Auditory evoked potential     | 0.50         | 2.13            | 3.18                        | 2.13            | 3.18            | 0.24             | 2.87              | 3.92                                  | 2.87                            | 3.92              | ×      |
| 92585   | 56  | ∢      | Auditory evoked potential     | 0.50         | 0.21            | 1.27                        | 0.21            | 1.27            | 0.11             | 0.82              | 1.88                                  | 0.82                            | 1.88              | ×      |
| 92585 T   | ဥ   | ∢      | Auditory evoked potential     | 0.00         | 1.92            | 1.91                        | 1.92            | 1.91            | 0.13             | 2.05              | 2.04                                  | 2.05                            | 2.04              | ×      |
| 92587   |     | ∢      | Evoked auditory test          | 0.13         | 1.41            | 1.46                        | 1.41            | 1.46            | 0.10             | 1.64              | 1.69                                  | 1.64                            | 1.69              | ×      |
| 92587   | 56  | ∢      | Evoked auditory test          | 0.13         | 0.07            | 0.11                        | 0.07            | 0.11            | 0.01             | 0.21              | 0.25                                  | 0.21                            | 0.25              | ×      |
| 92587 T   | 5   | ∢      | Evoked auditory test          | 0.00         | 1.34            | 1.35                        | 1.34            | 1.35            | 0.09             | 1.43              | 1.44                                  | 1.43                            | 1.44              | ×      |
| 92588   |     | ∢      | Evoked auditory test          | 0.36         | 1.70            | 1.81                        | 1.70            | 1.81            | 0.13             | 2.19              | 2.30                                  | 2.19                            | 2.30              | ×      |
| 92588   | 56  | ∢      | Evoked auditory test          | 0.36         | 0.17            | 0.29                        | 0.17            | 0.29            | 0.02             | 0.55              | 0.67                                  | 0.55                            | 29.0              | X.     |
| 92588 1   | 5   | ∢      | Evoked auditory test          | 0.00         | 1.53            | 1.52                        | 1.53            | 1.52            | 0.11             | 1.64              | 1.63                                  | -<br>-<br>-<br>-<br>-<br>-<br>- | 1.63              | ×      |
| 92589   |     | ∢      | Auditory function test(s)     | 0.00         | 0.56            | 0.55                        | 0.56            | 0.55            | 0.05             | 0.61              | 0.60                                  | 0.61                            | 0.60              | ×      |
| 92590   |     | z      | Hearing aid exam, one ear     | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00            | 0.0              | 0.00              | 0.00                                  | 0.0                             | 0.00              | ž      |
| 92591   |     | z      | Hearing aid exam, both ears   | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00            | 0.0              | 0.0               | 0.00                                  | 0.0                             | 0.00              | ×      |
| 92592   |     | z      | Hearing aid check, one ear    | 0.00         | 0.0             | 0.00                        | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                                  | 0.00                            | 0.00              | ž      |
| 92593   |     | z      | Hearing aid check, both ears  | 0.00         | 0.0             | 0.00                        | 0.00            | 0.00            | 0.00             | 0.0               | 0.00                                  | 0.00                            | 0.0               | ×      |
| 92594   |     | z      | Electro hearing aid test, one | 0.00         | 0.0             | 0.00                        | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                                  | 0.00                            | 0.0               | ×      |
| 92595   |     | z      | Electro hearingaid test,both  | 0.00         | 0.0             | 0.00                        | 0.00            | 0.00            | 0.0              | 0.00              | 0.00                                  | 0.00                            | 0.00              | ž      |
| 9526  |     | ∢      | Ear protector evaluation      | 0.00         | 0.61            | 0.61                        | 0.61            | 0.61            | 0.05             | 9.0               | 99.0                                  | 99.0                            | 9.0               | Š      |
| 92597   |     | ∢      | Oral speech device eval       | 1.35         | 1.39            | 1.17                        | 1.40            | 1.18            | 60.0             | 2.83              | 2.61                                  | 2.84                            | 2.62              | ×      |
| 92598   |     | ∢      | Modify oral speech device     | 0.99         | 0.97            | 0.78                        | 0.56            | 0.68            | 0.05             | 2.01              | 1.82                                  | 9. 5                            | 1.72              | Š      |
|   |     | ပ      | ENT procedure/service         | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                                  | 0.00                            | 0.00              | ž      |
|   | 56  | ပ      | ENT procedure/service         | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                                  | 0.00                            | 0.00              | ž      |
| 92599 T   | ဍ   | ပ      | ENT procedure/service         | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                                  | 0.00                            | 0.00              | ž      |
| 92950   |     | ∢      | Heart/lung resuscitation(CPR  | 3.80         | 1.53            | 2.23                        | 1.12            | 2.13            | 0.13             | 5.46              | 6.16                                  | 5.05                            | 90.9              | 8      |
| 92953   |     | ∢      | Temporary external pacing     | 0.23         | Š               | Ą                           | 0.21            | 0.26            | 0.12             | ¥                 | ¥                                     | 0.56                            | 0.61              | 00     |
| 92960   |     | ∢      | Heart electroconversion       | 2.25         | 1.70            | 1.96                        | 1.61            | 1.93            | 0.13             | 4.08              | 4.34                                  | 3.99                            | 4.31              | 000    |
| 92970   |     | ∢      | Cardioassist, internal        | 3.52         | Š               | ¥                           | 2.90            | 3.55            | 0.32             | ₹                 | ¥                                     | 6.74                            | 7.39              | 00     |
| 92971   |     | ∢      | Cardioassist, external        | 1.77         | ¥               | Š                           | 0.94            | 1.14            | 90.0             | ¥                 | ¥                                     | 2.77                            | 2.97              | 000    |
| 92975   |     | ∢      | Dissolve clot, heart vessel   | 7.25         | Ϋ́              | Υ<br>Y                      | 8.11            | 6.68            | 0.33             | ¥                 | ₹                                     | 15.69                           | 14.26             | 00     |
| 92977   |     | ∢      | Dissolve clot, heart vessel   | 00.00        | Ϋ́              | ¥                           | 8.37            | 8.34            | 0.42             | ¥                 | ₹                                     | 8.79                            | 8.76              | ×      |
| 92978   |     | ∢      | Intravas us, heart add-on     | 1.80         | ¥               | Ϋ́                          | 5.48            | 5.77            | 0.28             | Ž                 | ₹                                     | 7.56                            | 7.85              | 777    |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |     |        |                              |               | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |              |        |
|-----------------------------|-----|--------|------------------------------|---------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|--------------|--------|
| -                           |     |        |                              | Physician     | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned |        |
| CPT /<br>HCPCS <sup>2</sup> | Mod | Ctatus | Decreintion                  | work<br>RVIIs | expense          | expense<br>RVIIc             | expense<br>RVUs | expense                  | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility     | Clohal |
| 92978                       | 26  | <      | Intravas us, heart add-on    | 1.80          | Ϋ́               | ¥                            | 0.75            | 1.05                     | 90.0             | Ϋ́                | AZ AZ             | 2.61              | 2.91         | ZZZ    |
| 92978                       | 2   | ∢      | Intravas us, heart add-on    | 0.00          | ¥                | Š                            | 4.73            | 4.72                     | 0.22             | ¥                 | ¥                 | 4.95              | 4.94         | 777    |
| 92979                       |     | ∢      | Intravas us, heart (add-on)  | 1.44          | ¥                | ¥                            | 2.99            | 3.21                     | 0.16             | ¥                 | ¥                 | 4.59              | 4.81         | 777    |
| 92979                       | 56  | ∢      | Intravas us, heart (add-on)  | 1.44          | Ϋ́               | Ą<br>V                       | 0.61            | 0.84                     | 0.05             | ¥                 | ¥                 | 2.10              | 2.33         | 777    |
| 92979                       | 5   | ∢      | Intravas us, heart (add-on)  | 0.00          | Ϋ́               | Ϋ́                           | 2.38            | 2.37                     | 0.11             | ¥                 | ¥                 | 2.49              | 2.48         | 777    |
| 92980                       |     | ∢      | Insert intracoronary stent   | 14.84         | ¥                | ₹                            | 10.12           | 15.81                    | 0.95             | ¥                 | ¥                 | 25.91             | 31.60        | 00     |
| 92981                       |     | ∢      | Insert intracoronary stent   | 4.17          | ¥                | ¥                            | 1.94            | 4.22                     | 0.34             | ¥                 | ¥                 | 6.45              | 8.73         | 777    |
| 92982                       |     | ∢      | Coronary artery dilation     | 10.98         | ¥                | ¥                            | 7.62            | 11.74                    | 0.95             | ¥                 | ¥                 | 19.55             | 23.67        | 000    |
| 92984                       |     | ∢      | Coronary artery dilation     | 2.97          | ¥                | Ϋ́                           | 1.45            | 3.03                     | 0.34             | ¥                 | ≨                 | 4.76              | 6.34         | 777    |
| 93626                       |     | ∢      | Revision of aortic valve     | 21.80         | ¥                | ¥<br>X                       | 11.28           | 12.62                    | 0.70             | ¥                 | ¥                 | 33.78             | 35.12        | 060    |
| 92987                       |     | ∢      | Revision of mitral valve     | 22.70         | ¥                | Ā                            | 11.59           | 12.83                    | 0.71             | ¥                 | ¥                 | 35.00             | 36.24        | 060    |
| 92990                       |     | ∢      | Revision of pulmonary valve  | 17.34         | ¥                | ¥                            | 90.6            | 10.07                    | 0.56             | ¥                 | ¥                 | 26.96             | 27.97        | 060    |
| 92992                       |     | ပ      | Revision of heart chamber    | 0.00          | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00         | 060    |
| 92993                       |     | ပ      | Revision of heart chamber    | 0.00          | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.0          | 060    |
| 92995                       |     | ∢      | Coronary atherectomy         | 12.09         | ¥                | ₹                            | 8.23            | 12.88                    | 0.95             | ¥                 | ₹                 | 21.27             | 25.92        | 8      |
| 95626                       |     | ∢      | Coronary atherectomy add-on  | 3.26          | ¥                | ¥                            | 1.47            | 3.29                     | 0.34             | ¥                 | Ą                 | 5.07              | 6.89         | 727    |
| 92997                       |     | ∢      | Pul art balloon repair, perc | 12.00         | ¥                | ¥                            | 6.77            | 12.44                    | 0.95             | ¥                 | ¥                 | 19.72             | 25.39        | 00     |
| 95998                       |     | ∢      | Pul art balloon repair, perc | 9.00          | ¥                | ₹                            | 2.34            | 3.68                     | 0.34             | ¥                 | ¥                 | 8.68              | 10.02        | 777    |
| 93000                       |     | ∢      | Electrocardiogram, complete  | 0.17          | 0.52             | 0.61                         | 0.52            | 0.61                     | 0.03             | 0.72              | 0.81              | 0.72              | 0.81         | ×      |
| 93005                       |     | ∢      | Electrocardiogram, tracing   | 0.00          | 0.46             | 0.47                         | 0.46            | 0.47                     | 0.02             | 0.48              | 0.49              | 0.48              | 0.49         | ×      |
| 93010                       |     | ∢      | Electrocardiogram report     | 0.17          | 90.0             | 0.14                         | 90:0            | 0.14                     | 0.01             | 0.24              | 0.32              | 0.24              | 0.32         | ×      |
| 93012                       |     | ∢      | Transmission of ecg          | 0.00          | 2.45             | 2.44                         | 2.45            | 2.44                     | 0.17             | 2.62              | 2.61              | 2.62              | 2.61         | ×      |
| 93014                       |     | ∢      | Report on transmitted ecg    | 0.52          | 0.20             | 0.37                         | 0.20            | 0.37                     | 0.04             | 0.76              | 0.93              | 92.0              | 0.93         | ×      |
| 93015                       |     | ∢      | Cardiovascular stress test   | 0.75          | 2.03             | 2.40                         | 2.03            | 2.40                     | 0.13             | 2.91              | 3.28              | 2.91              | 3.28         | ×      |
| 93016                       |     | ⋖      | Cardiovascular stress test   | 0.45          | 0.18             | 0.36                         | 0.18            | 0.36                     | 0.02             | 0.65              | 0.83              | 0.65              | 0.83         | ×      |
| 93017                       |     | ∢      | Cardiovascular stress test   | 0.00          | 1.74             | 1.74                         | 1.74            | 1.74                     | 0.09             | 1.83              | 1.83              | 1.83              | 1.83         | ×      |
| 93018                       |     | ∢ '    | Cardiovascular stress test   | 0.30          | 0.11             | 0.30                         | 0.11            | 0.30                     | 0.02             | 0.43              | 0.62              | 0.43              | 0.62         | ×      |
| 93024                       |     | ∢ ·    | Cardiac drug stress test     | 1.17          | 3                | 2.33                         | 1.65            | 2.33                     | 0.18             | 3.00              | 3.68              | 3.00              | 3.68         | ×      |
| 93024                       | 56  | ∢      | Cardiac drug stress test     | 1.17          | 0.48             | 1.17                         | 0.48            | 1.17                     | 0.11             | 1.76              | 2.45              | 1.76              | 2.45         | ž      |
| 93024                       | ပ   | ∢      | Cardiac drug stress test     | 0.00          | 1.17             | 1.16                         | 1.17            | 1.16                     | 0.07             | 1.24              | 1.23              | 1.24              | 1.23         | ž      |
| 93040                       |     | ∢      | Rhythm ECG with report       | 0.16          | 0.19             | 0.26                         | 0.19            | 0.26                     | 0.02             | 0.37              | 0.44              | 0.37              | 0.44         | ×      |
| 93041                       |     | ∢      | Rhythm ECG, tracing          | 0.00          | 0.14             | 0.15                         | 0.14            | 0.15                     | 0.01             | 0.15              | 0.16              | 0.15              | 0.16         | ×      |
| 93042                       |     | ∢      | Rhythm ECG, report           | 0.16          | 0.05             | 0.11                         | 0.05            | 0.11                     | 0.01             | 0.22              | 0.28              | 0.22              | 0.28         | ×      |
| 93224                       |     | ∢      | ECG monitor/report, 24 hrs   | 0.52          | 3.75             | 4.06                         | 3.75            | 4.06                     | 0.25             | 4.52              | 4.83              | 4.52              | 4.83         | ×      |
| 93225                       |     | ∢      | ECG monitor/record, 24 hrs   | 0.00          | 1.29             | 1.28                         | 1.29            | 1.28                     | 0.07             | 1.36              | 1.35              | 1.36              | 1.35         | ×      |
| 93226                       |     | ∢      | ECG monitor/report, 24 hrs   | 0.00          | 2.26             | 2.26                         | 2.26            | 2.26                     | 0.13             | 2.39              | 2.39              | 2.39              | 2.39         | ×      |
| 93227                       |     | ∢      | ECG monitor/review, 24 hrs   | 0.52          | 0.20             | 0.52                         | 0.20            | 0.52                     | 0.05             | 0.77              | 1.09              | 0.77              | 1.09         | ×      |
| 93230                       |     | ∢      | ECG monitor/report, 24 hrs   | 0.52          | 4.03             | 4.34                         | 4.03            | 4.34                     | 0.27             | 4.82              | 5.13              | 4.82              | 5.13         | ×      |
| 93231                       |     | ∢      | Ecg monitor/record, 24 hrs   | 0.00          | 1.58             | 1.57                         | 1.58            | 1.57                     | 0.09             | 1.67              | 1.66              | 1.67              | 1.66         | ×      |
| 93232                       |     | ∢      | ECG monitor/report, 24 hrs   | 0.00          | 2.25             | 2.25                         | 2.25            | 2.25                     | 0.12             | 2.37              | 2.37              | 2.37              | 2.37         | ××     |

Page 210 of 271
CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|        |                              |                   | facility            | Non-facility        | Facility            | Facility            | •                |                  | <b>Transitioned</b> |          |                          |        |
|--------|------------------------------|-------------------|---------------------|---------------------|---------------------|---------------------|------------------|------------------|---------------------|----------|--------------------------|--------|
|        |                              | Physician<br>work | practice<br>expense | practice<br>expense | practice<br>expense | practice<br>expense | Mal-<br>practice | Non-<br>facility | Non-<br>facility    | Facility | Transitioned<br>Facility |        |
| Status | Description                  | RVUs              | RVUs                | RVUs                | RVUs                | RVUs                | RUYs             | Total            | Total               | Total    | Total                    | Global |
| 4      | ECG monitor/review, 24 hrs   | 0.52              | 0.20                | 0.52                | 0.20                | 0.52                | 90:0             | 0.78             | 1.10                | 0.78     | 1.10                     | ×      |
| ⋖      | ECG monitor/report, 24 hrs   | 0.45              | 2.91                | 3.17                | 2.91                | 3.17                | 0.18             | 3.54             | 3.80                | 3.54     | 3.80                     | ×      |
| ∢      | ECG monitor/report, 24 hrs   | 0.00              | 2.73                | 2.72                | 2.73                | 2.72                | 0.13             | 2.86             | 2.85                | 2.86     | 2.85                     | ×      |
| ⋖      | ECG monitor/review, 24 hrs   | 0.45              | 0.18                | 0.45                | 0.18                | 0.45                | 0.05             | 0.68             | 0.95                | 99.0     | 0.95                     | ×      |
| ⋖      | ECG record/review            | 0.52              | 0.70                | 3.30                | 0.70                | 3.30                | 0.28             | 1.50             | 4.10                | 1.50     | 4.10                     | ×      |
| <      | ECG recording                | 0.00              | 1.29                | 1.28                | 1.29                | 1.28                | 0.07             | 1.36             | 1.35                | 1.36     | 1.35                     | ×      |
| <      | Ecg/monitoring and anaylysis | 0.00              | 2.45                | 2.44                | 2.45                | 2.44                | 0.17             | 2.62             | 2.61                | 2.62     | 2.61                     | ×      |
| <      | Ecg/review,interpret only    | 0.52              | 0.20                | 0.37                | 0.20                | 0.37                | 0.04             | 0.76             | 0.93                | 0.76     | 0.93                     | ×      |
| ∢      | ECG/signal-averaged          | 0.25              | 1.30                | 4.                  | 1.30                | 1.4                 | 0.14             | 1.69             | 1.83                | 1.69     | 1.83                     | ×      |
| <      | ECG/signal-averaged          | 0.25              | 0.10                | 0.25                | 0.10                | 0.25                | 0.05             | 0.40             | 0.55                | 0.40     | 0.55                     | ×      |
| ⋖      | ECG/signal-averaged          | 0.00              | 1.20                | 1.19                | 1.20                | 1.19                | 0.09             | 1.29             | 1.28                | 1.29     | 1.28                     | ×      |
| ⋖      | Echo transthoracic           | 1.30              | 4.53                | 4.95                | 4.53                | 4.95                | 0.28             | 6.11             | 6.53                | 6.11     | 6.53                     | ×      |
| ∢      | Echo transthoracic           | 1.30              | 0.52                | 0.95                | 0.52                | 0.95                | 0.07             | 1.89             | 2.32                | 1.89     | 2.32                     | ×      |
| ⋖      | Echo transthoracic           | 0.00              | 4.01                | 4.00                | 4.01                | 4.00                | 0.21             | 4.22             | 4.21                | 4.22     | 4.21                     | ×      |
| ⋖      | Echo transthoracic           | 0.75              | 2.31                | 2.64                | 2.31                | 2.64                | 0.15             | 3.21             | 3.54                | 3.21     | 3.54                     | ×      |
| ∢      | Echo transthoracic           | 0.75              | 0.30                | 0.63                | 0.30                | 0.63                | 0.04             | 1.09             | 1.42                | 1.09     | 1.42                     | ×      |
| 4      | Echo transthoracic           | 0.00              | 2.01                | 2.01                | 2.01                | 2.01                | 0.11             | 2.12             | 2.12                | 2.12     | 2.12                     | ×      |
| ∢      | Echo exam of heart           | 0.92              | 4.38                | 4.91                | 4.38                | 4.91                | 0.28             | 5.58             | 6.11                | 5.58     | 6.11                     | ×      |
| ∢      | Echo exam of heart           | 0.92              | 0.37                | 0.91                | 0.37                | 0.91                | 0.07             | 1.36             | 1.90                | 1.36     | 1.90                     | ž      |
| ∢      | Echo exam of heart           | 0.00              | 4.01                | 4.00                | 4.01                | 4.00                | 0.21             | 4.22             | 4.21                | 4.22     | 4.21                     | ×      |
| ∢      | Echo exam of heart           | 0.53              | 2.22                | 2.54                | 2.22                | 2.54                | 0.15             | 2.90             | 3.22                | 2.90     | 3.22                     | ×      |
| ∢      | Echo exam of heart           | 0.53              | 0.21                | 0.53                | 0.21                | 0.53                | 0.0              | 0.78             | 1.10                | 0.78     | 1.10                     | ž      |
| ⋖      | Echo exam of heart           | 0.00              | 2.01                | 2.01                | 2.01                | 2.01                | 0.11             | 2.12             | 2.12                | 2.12     | 2.12                     | ×      |
| ∢      | Echo transesophageal         | 2.20              | 4.68                | 5.21                | 4.68                | 5.21                | 0.35             | 7.23             | 7.76                | 7.23     | 7.76                     | ×      |
| ⋖      | Echo transesophageal         | 2.20              | 0.75                | 1.29                | 0.75                | 1.29                | 0.09             | 3.04             | 3.58                | 3.04     | 3.58                     | ×      |
| ∢      | Echo transesophageal         | 0.00              | 3.93                | 3.92                | 3.93                | 3.92                | 0.26             | 4.19             | 4.18                | 4.19     | 4.18                     | ×      |
| ∢      | Echo transesophageal         | 0.95              | 5.72                | 1.98                | 0.36                | 0.64                | 0.05             | 6.72             | 2.98                | 1.36     | 1.64                     | ×      |
| ∢      | Echo transesophageal         | 1.25              | 4.42                | 4.59                | 4.42                | 4.59                | 0.31             | 5.98             | 6.15                | 5.98     | 6.15                     | ×      |
| ∢      | Echo transesophageal         | 1.25              | 0.49                | 0.67                | 0.49                | 29.0                | 0.05             | 1.79             | 1.97                | 1.79     | 1.97                     | ×      |
| ⋖      | Echo transesophageal         | 0.00              | 3.93                | 3.92                | 3.93                | 3.92                | 0.26             | 4.19             | 4.18                | 4.19     | 4.18                     | ×      |
| 4      | Echo transesophageal         | 2.78              | 4.93                | 5.27                | 4.93                | 5.27                | 0.35             | 8.06             | 8.40                | 8.06     | 8.40                     | ×      |
| ∢      | Echo transesophageal         | 2.78              | 1.00                | 1.35                | 1.00                | 1.35                | 0.09             | 3.87             | 4.22                | 3.87     | 4.22                     | ×      |
| ⋖      | Echo transesophageal         | 00.0              | 3.93                | 3.92                | 3.93                | 3.92                | 0.26             | 4.19             | 4.18                | 4.19     | 4.18                     | ×      |
| <      | Echo transesophageal         | 0.95              | 0.94                | 0.78                | 0.35                | 0.64                | 0.05             | 1.94             | 1.78                | 1.35     | 1.64                     | ž      |
| ⋖      | Echo transesophageal         | 1.83              | 4.56                | 4.63                | 4.56                | 4.63                | 0.31             | 6.70             | 6.77                | 6.70     | 6.77                     | ×      |
| ⋖      | Echo transesophageal         | 1.83              | 0.63                | 0.71                | 0.63                | 0.71                | 0.05             | 2.51             | 2.59                | 2.51     | 2.59                     | ž      |
| ⋖      | Echo transesophageal         | 0.00              | 3.93                | 3.92                | 3.93                | 3.92                | 0.26             | 4.19             | 4.18                | 4.19     | 4.18                     | ×      |
| ∢      | Doppler echo exam, heart     | 0.38              | 1.93                | 2.15                | 1.93                | 2.15                | 0.14             | 2.45             | 2.67                | 2.45     | 2.67                     | 777    |
| ∢      | Doppler echo exam, heart     | 0.38              | 0.15                | 0.38                | 0.15                | 0.38                | 0.04             | 0.57             | 0.80                | 0.57     | 0.80                     | 777    |
| ٥      | 1004                         | 0                 | 1                   | 1                   | ,                   |                     |                  |                  |                     |          |                          |        |

Page 211 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |     |        | AD                          | AUDENDUM D        | <u>_</u>            | テ .                          | NYUS/ AMD NELAIED IN |                         | ONMALION         | <u>.</u>         |                  |          |                          |        |
|--------------------|-----|--------|-----------------------------|-------------------|---------------------|------------------------------|----------------------|-------------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|                    |     |        |                             |                   | Non-<br>facility    | Iransitioned<br>Non-facility | Facility             | Iransiioned<br>Facility |                  |                  | Transitioned     |          |                          |        |
| OPT 1/             |     |        |                             | Physician<br>work | practice<br>expense | practice<br>expense          | practice<br>expense  | practice<br>expense     | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| HCPCS <sup>2</sup> | Wod | Status | Description                 | RVUs              | RVUs                | RVUs                         | RYUs                 | RVUs                    | RUKs             | Total            | Total            | Total    | Total                    | Global |
| 93321              |     | ∢      | Doppler echo exam, heart    | 0.15              | 1.22                | 1.30                         | 1.22                 | 1.30                    | 0.09             | 1.46             | 1.54             | 1.46     | 1.54                     | 777    |
| 93321              | 56  | ∢      | Doppler echo exam, heart    | 0.15              | 90:0                | 0.15                         | 90.0                 | 0.15                    | 0.02             | 0.23             | 0.32             | 0.23     | 0.32                     | 777    |
| 93321              | ဥ   | ∢      | Doppler echo exam, heart    | 0.00              | 1.16                | 1.15                         | 1.16                 | 1.15                    | 0.07             | 1.23             | 1.22             | 1.23     | 1.22                     | 222    |
| 93325              |     | ∢      | Doppler color flow add-on   | 0.07              | 3.04                | 3.04                         | 3.04                 | 3.04                    | 0.20             | 3.31             | 3.31             | 3.31     | 3.31                     | 777    |
| 93325              | 56  | ∢      | Doppler color flow add-on   | 0.07              | 0.03                | 0.04                         | 0.03                 | 0.04                    | 0.01             | 0.11             | 0.12             | 0.11     | 0.12                     | 777    |
| 93325              | 2   | ∢      | Doppler color flow add-on   | 0.00              | 3.01                | 3.00                         | 3.01                 | 3.00                    | 0.19             | 3.20             | 3.19             | 3.20     | 3.19                     | 777    |
| 93350              |     | ∢      | Echo transthoracic          | 0.78              | 2.14                | 2.60                         | 2.14                 | 2.60                    | 0.19             | 3.11             | 3.57             | 3.11     | 3.57                     | ×      |
| 93350              | 56  | ∢      | Echo transthoracic          | 0.78              | 0.31                | 0.78                         | 0.31                 | 0.78                    | 90.0             | 1.17             | 1.64             | 1.17     | 1.64                     | ×      |
| 93350              | 5   | ∢      | Echo transthoracic          | 0.00              | 1.83                | 1.82                         | 1.83                 | 1.82                    | 0.11             | 1.94             | 1.93             | 1.94     | 1.93                     | ×      |
| 93501              |     | ∢      | Right heart catheterization | 3.02              | 18.30               | 20.39                        | 18.30                | 20.39                   | 1.21             | 22.53            | 24.62            | 22.53    | 24.62                    | 000    |
| 93501              | 56  | ∢      | Right heart catheterization | 3.02              | 1.20                | 3.00                         | 1.20                 | 3.00                    | 0.27             | 4.49             | 6.29             | 4.49     | 6.29                     | 000    |
| 93501              | 2   | ∢      | Right heart catheterization | 0.00              | 17.10               | 17.39                        | 17.10                | 17.39                   | 0.94             | 18.04            | 18.33            | 18.04    | 18.33                    | 00     |
| 93503              |     | ∢      | Insert/place heart catheter | 2.91              | 1.06                | 2.19                         | 0.67                 | 2.10                    | 0.28             | 4.25             | 5.38             | 3.86     | 5.29                     | 8      |
| 93505              |     | ∢      | Biopsy of heart lining      | 4.38              | 3.80                | 4.96                         | 3.80                 | 4.96                    | 0.36             | 8.54             | 9.70             | 8.54     | 9.70                     | 00     |
| 93505              | 56  | ∢      | Biopsy of heart lining      | 4.38              | 1.80                | 2.92                         | 1.80                 | 2.92                    | 0.22             | 6.40             | 7.52             | 6.40     | 7.52                     | 00     |
| 93505              | 5   | ∢      | Biopsy of heart lining      | 0.00              | 2.00                | 2.04                         | 2.00                 | 2.04                    | 0.14             | 2.14             | 2.18             | 2.14     | 2.18                     | 00     |
| 93508              |     | ∢      | Cath placement, angiography | 4.10              | 14.30               | 15.61                        | 14.30                | 15.61                   | 0.77             | 19.17            | 20.48            | 19.17    | 20.48                    | 000    |
| 93508              | 56  | ∢      | Cath placement, angiography | 4.10              | 1.55                | 2.65                         | 1.55                 | 2.65                    | 0.18             | 5.83             | 6.93             | 5.83     | 6.93                     | 8      |
| 93508              | ည   | ∢      | Cath placement, angiography | 0.00              | 12.75               | 12.96                        | 12.75                | 12.96                   | 0.59             | 13.34            | 13.55            | 13.34    | 13.55                    | 000    |
| 93510              |     | ∢      | Left heart catheterization  | 4.33              | 39.16               | 40.95                        | 39.16                | 40.95                   | 2.24             | 45.73            | 47.52            | 45.73    | 47.52                    | 00     |
| 93510              | 56  | ∢      | Left heart catheterization  | 4.33              | 1.80                | 2.94                         | 1.80                 | 2.94                    | 0.18             | 6.31             | 7.45             | 6.31     | 7.45                     | 8      |
| 93510              | ဥ   | ∢      | Left heart catheterization  | 0.00              | 37.36               | 38.01                        | 37.36                | 38.01                   | 5.06             | 39.42            | 40.07            | 39.42    | 40.07                    | 8      |
| 93511              |     | ∢      | Left heart catheterization  | 5.03              | 38.46               | 39.65                        | 38.46                | 39.65                   | 2.16             | 45.65            | 46.84            | 45.65    | 46.84                    | 8      |
| 93511              | 56  | ∢      | Left heart catheterization  | 5.03              | 5.09                | 2.65                         | 2.09                 | 2.65                    | 0.16             | 7.28             | 7.84             | 7.28     | 7.84                     | 8      |
| 93511              | ည   | ∢      | Left heart catheterization  | 0.00              | 36.37               | 37.00                        | 36.37                | 37.00                   | 2.00             | 38.37            | 39.00            | 38.37    | 39.00                    | 00     |
| 93514              |     | ∢      | Left heart catheterization  | 7.05              | 39.33               | 41.45                        | 39.33                | 41.45                   | 2.30             | 48.68            | 50.80            | 48.68    | 20.80                    | 8      |
| 93514              | 56  | ∢      | Left heart catheterization  | 7.05              | 2.96                | 4.45                         | 2.96                 | 4.45                    | 0.30             | 10.31            | 11.80            | 10.31    | 11.80                    | 00     |
| 93514              | ဥ   | ∢      | Left heart catheterization  | 0.00              | 36.37               | 37.00                        | 36.37                | 37.00                   | 2.00             | 38.37            | 39.00            | 38.37    | 39.00                    | 00     |
| 93524              |     | ∢      | Left heart catheterization  | 6.95              | 50.42               | 52.86                        | 50.42                | 52.86                   | 2.89             | 60.26            | 62.70            | 60.26    | 62.70                    | 8 8    |
| 93524              | 56  | ∢      | Left heart catheterization  | 6.95              | 2.90                | 4.51                         | 2.90                 | 4.51                    | 0.27             | 10.12            | 11.73            | 10.12    | 11.73                    | 00     |
| 93524              | ဥ   | ∢      | Left heart catheterization  | 0.00              | 47.52               | 48.35                        | 47.52                | 48.35                   | 2.62             | 50.14            | 50.97            | 50.14    | 50.97                    | 000    |
| 93526              |     | ∢      | Rt & Lt heart catheters     | 5.99              | 51.30               | 54.72                        | 51.30                | 54.72                   | 3.00             | 60.29            | 63.71            | 60.29    | 63.71                    | 8      |
| 93526              | 56  | ∢      | Rt & Lt heart catheters     | 5.99              | 2.47                | 5.05                         | 2.47                 | 5.05                    | 0.31             | 8.77             | 11.35            | 8.77     | 11.35                    | 8      |
| 93526              | ဥ   | ∢      | Rt & Lt heart catheters     | 0.00              | 48.83               | 49.67                        | 48.83                | 49.67                   | 2.69             | 51.52            | 52.36            | 51.52    | 52.36                    | 00     |
| 93527              |     | ∢      | Rt & Lt heart catheters     | 7.28              | 50.53               | 54.92                        | 50.53                | 54.92                   | 3.01             | 60.82            | 65.21            | 60.82    | 65.21                    | 8      |
| 93527              | 56  | ∢      | Rt & Lt heart catheters     | 7.28              | 3.01                | 6.57                         | 3.01                 | 6.57                    | 0.39             | 10.68            | 14.24            | 10.68    | 14.24                    | 00     |
| 93527              | 5   | ∢      | Rt & Lt heart catheters     | 0.00              | 47.52               | 48.35                        | 47.52                | 48.35                   | 2.62             | 50.14            | 50.97            | 50.14    | 20.97                    | 00     |
| 93528              |     | ∢      | Rt & Lt heart catheters     | 9.00              | 51.28               | 52.90                        | 51.28                | 52.90                   | 2.88             | 63.16            | 64.78            | 63.16    | 64.78                    | 00     |
| 93528              | 56  | ∢      | Rt & Lt heart catheters     | 9.00              | 3.76                | 4.55                         | 3.76                 | 4.55                    | 0.26             | 13.02            | 13.81            | 13.02    | 13.81                    | 8      |
| 93528              | 2   | ∢      | Rt & Lt heart catheters     | 0.00              | 47.52               | 48.35                        | 47.52                | 48.35                   | 2.62             | 50.14            | 50.97            | 50.14    | 50.97                    | 00     |
|                    |     |        |                             |                   |                     |                              |                      |                         |                  |                  |                  |          |                          |        |

Page 212 of 271 COdes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| # sypanse         expense         expense         practine         practine         foiling         facility         <  |   |                                    |                                  |   | Physician    | Non-<br>facility<br>practice | Transitioned Non-facility practice | Facility<br>practice | Transitioned<br>Facility<br>practice | Mal-             | Non-              | Transitioned<br>Non- |                   | Transitioned      |        |
|--|---|------------------------------------|----------------------------------|---|--------------|------------------------------|------------------------------------|----------------------|--------------------------------------|------------------|-------------------|----------------------|-------------------|-------------------|--------|
| 51.22         49,44         51.22         2.79         57.03         58.81         57.03         58.81         57.03         58.81         57.03         58.81         57.03         58.81         58.91         58.91         58.91         58.91         58.91         58.91         58.81         48.83         58.81   | CPT <sup>1</sup> /<br>Work ext<br>HCPCS Mod Status Description RVUs R | work<br>Works<br>RVUs              | work<br>Works<br>RVUs            |   | · x x        | ense<br>VUs                  | expense<br>RVUs                    | expense<br>RVUs      | expense<br>RVUs                      | practice<br>RUVs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Global |
| 48.36         1.92         2.87         0.17         6.89         7.84         6.89         6.89         7.84         6.89         7.84         6.89         7.84         6.89         7.84         6.89         7.84         7.89         6.89         6.89         6.89         6.89         6.89         6.89         6.89         6.89         6.89         6.89         6.89         6.89 <t< td=""><td>A Rt, Lt heart catheterization 4.80</td><td>Rt, Lt heart catheterization 4.80</td><td>4.80</td><td>4</td><td>49.</td><td>4</td><td>51.22</td><td>49.44</td><td>51.22</td><td>2.79</td><td>57.03</td><td>58.81</td><td>57.03</td><td>58.81</td><td>000</td></t<> | A Rt, Lt heart catheterization 4.80                                   | Rt, Lt heart catheterization 4.80  | 4.80                             | 4 | 49.          | 4                            | 51.22                              | 49.44                | 51.22                                | 2.79             | 57.03             | 58.81                | 57.03             | 58.81             | 000    |
| 46.35         47.62         48.35         26.2         50.14         50.97         50.14         50.97           46.36         18.78         20.75         1.21         24.22         26.19         24.92         50.14         50.97           3.36         1.68         3.36         0.27         1.21         24.22         26.19         24.22         26.19           5.496         3.49         1.60         1.21         2.49         1.60         1.835         1.61         1.83           5.496         3.40         6.18         1.2.10         1.395         1.21         1.395         1.21         1.395         1.835         1.61         1.21         1.395         1.835         1.61         1.835         1.804         1.835         1.804         1.835         1.806         1.835         1.806         1.835         1.806         1.835         1.806         1.835         1.806         1.835         1.806         1.835         1.806         1.835         1.806         1.835         1.806         1.835         1.806         1.835         1.806         1.835         1.806         1.836         1.836         1.836         1.836         1.836         1.836         1.836         1.836  | A Rt, Lt heart catheterization 4.80                                   | Rt, Lt heart catheterization 4.80  | 4.80                             |   | <del>.</del> | 35                           | 2.87                               | 1.92                 | 2.87                                 | 0.17             | 6.89              | 7.84                 | 6.89              | 7.84              | 000    |
| 20.75         18.78         20.75         1.21         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         24.22         26.19         13.35         36.10         33.35         14.36         12.10         13.35         36.14         37.35         36.27         36.27         36.96         36.97         36.27         36.97         36.27         36.95         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62         66.31         63.62   | Rt, Lt heart catheterization 0.00                                     | Rt, Lt heart catheterization 0.00  | 0.00                             |   | 47           | 25                           | 48.35                              | 47.52                | 48.35                                | 2.62             | 50.14             | 20.97                | 50.14             | 50.97             | 00     |
| 3.36         168         3.36         0.27         6.18         7.86         6.18         7.86           7.39         17.10         17.39         0.27         6.18         7.86         6.18         7.86           5.29         5.27         6.496         3.00         6.362         66.31         6.352         60.34         6.35         6.35         6.35         6.35<   | Rt heart cath, congenital 4.23  | Rt heart cath, congenital 4.23     | 4.23                             |   | 8            | .78                          | 20.75                              | 18.78                | 20.75                                | 1.21             | 24.22             | 26.19                | 24.22             | 26.19             | 00     |
| 17.39         17.10         17.39         0.94         18.04         18.33         18.04         18.33           5.29         3.27         5.96         3.00         63.62         63.11         63.96         12.10         13.96         12.10         13.96           5.29         3.44         5.29         0.31         12.10         13.96         12.10         13.96         63.11         63.96         66.31         63.11         64.50         66.17         64.50         66.17         63.96         68.17         69.86         69.87         60.91         60.97         60.14         60.97   | A Rt heart cath, congenital 4.23                                      | Rt heart cath, congenital 4.23     | 4.23                             |   | <del>-</del> | 89                           | 3.36                               | 1.68                 | 3.36                                 | 0.27             | 6.18              | 7.86                 | 6.18              | 7.86              | 8      |
| 5496         52.27         5496         3.00         63.62         66.31         63.62         63.72         63.72         63.74         63.97         63.74         63.97         63.74         63.97         63.74         63.97         63.74         63.97         63.74         63.97         63.74         63.97         63.74         63.97         63.74         63.97         63.74         63.74         63.74         63.74         63.74         63.74         63.74         63.74         63.74         63  | A Rt heart cath, congenital 0.00                                      | Rt heart cath, congenital 0.00     | 0.00                             |   | 17           | 유.                           | 17.39                              | 17.10                | 17.39                                | 0.94             | 18.04             | 18.33                | 18.04             | 18.33             | 000    |
| 529         3.44         5.29         0.31         12.10         13.95         12.10         13.95           49.67         48.83         49.67         2.69         51.52         52.36         51.52         52.36           55.16         51.49         55.16         3.91         64.36         17.20         43.6         17.20           48.35         47.52         48.35         2.62         50.14         50.97         50.14         50.97           51.37         50.07         51.37         2.79         59.56         60.86         59.56         60.86           51.37         50.07         51.37         2.79         59.56         60.86         59.56         60.86           48.35         2.62         50.14         50.97         50.14         50.97         60.97           48.35         2.62         50.14         50.97         50.14         50.97         60.86           51.37         50.07         51.37         2.79         59.56         60.86         59.56         60.86           68.7         6.08         50.50         6.14         50.97         50.14         50.97           78.3         6.14         6.08         50.56  | R & I heart cath, congenital 8.35                                     | R & I heart cath, congenital 8.35  | 8.35                             |   | 52.          | 27                           | 54.96                              | 52.27                | 54.96                                | 3.00             | 63.62             | 66.31                | 63.62             | 66.31             | 000    |
| 4967         4883         4967         269         51.52         52.36         51.52         52.36         51.52         52.36         51.52         52.36         51.52         52.36         51.52         52.36         51.52         52.36         51.57         64.50         68.17         64.50         68.17         64.50         68.17         64.50         68.17         64.50         68.17         64.50         68.17         64.50         68.17         61.37         51.37         27.9         59.56         60.86         59.56         60.86         59.56         60.86         50.77         60.14         50.97         50.14         50.97         60.14         50.97         60.14         50.97         60.14         50.97         60.14         50.97         60.14         60.97         60.14         50.97         60.14         50.97         60.14         60.97         60.14         50.97         60.14         60.97         60.14         60.97         60.14         60.97         60.14         60.97         60.14         60.97         60.14         60.97         60.14         60.97         60.14         60.97         60.14         60.97         60.14         60.97         60.14         60.97         60.14         60.97  | R & I heart cath, congenital 8.35                                     | R & I heart cath, congenital 8.35  | 8.35                             |   | က်           | 4                            | 5.29                               | 3.44                 | 5.29                                 | 0.31             | 12.10             | 13.95                | 12.10             | 13.95             | 000    |
| 55.16         51.49         55.16         3.01         64.50         68.17         64.50         68.17           48.35         4.37         6.81         0.39         14.36         17.20         14.36         17.20           48.35         4.52         48.35         2.79         59.66         60.86         59.66         60.86           3.02         2.55         3.02         0.17         94.2         9.89         9.42         9.89           48.35         47.52         48.35         2.62         50.14         50.97         50.14         50.97           NA         3.20         5.15         0.56         0.89         9.42         9.89           0.87         0.57         0.50         0.17         9.42         9.89         9.42         9.89           0.87         0.50         0.17         9.42         9.89         9.42         9.89           0.87         0.55         0.56         0.14         4.03         0.14         1.05         0.07           0.87         0.55         0.53         0.13         0.14         1.43         1.13         1.05           0.56         0.37         0.53         0.14         0.74 </td <td>R &amp; I heart cath, congenital 0.00</td> <td>R &amp; I heart cath, congenital 0.00</td> <td>0.00</td> <td></td> <td>48.</td> <td>ឌ</td> <td>49.67</td> <td>48.83</td> <td>49.67</td> <td>5.69</td> <td>51.52</td> <td>52.36</td> <td>51.52</td> <td>52.36</td> <td>000</td>   | R & I heart cath, congenital 0.00                                     | R & I heart cath, congenital 0.00  | 0.00                             |   | 48.          | ឌ                            | 49.67                              | 48.83                | 49.67                                | 5.69             | 51.52             | 52.36                | 51.52             | 52.36             | 000    |
| 681       3.97       6.81       0.39       14.36       1720       14.36       1720         48.35       47.52       48.35       2.62       50.14       50.97       50.14       50.97         51.37       51.37       2.17       94.2       989       9.49       9.89         3.02       2.55       3.02       0.17       94.2       9.89       9.49       9.89         48.35       2.62       50.14       50.97       50.14       50.97       50.97       9.89         48.35       2.62       50.14       50.97       50.14       50.97       9.89       9.89         0.87       0.57       0.56       0.76       0.99       9.89       9.49       9.89         0.87       0.57       0.50       0.14       1.18       1.18       1.05       60.97         0.87       0.57       0.50       0.16       1.18       1.48       1.18       1.10         0.87       0.53       0.13       NA       NA       NA       0.74       0.74         0.56       0.37       0.36       0.13       NA       NA       0.74       0.74         0.56       0.37       0.39   | R & I heart cath, congenital 10.00                                    | R & I heart cath, congenital 10.00 | & I heart cath, congenital 10.00 |   | 5.           | 49                           | 55.16                              | 51.49                | 55.16                                | 3.01             | 64.50             | 68.17                | 64.50             | 68.17             | 000    |
| 48.35       47.52       48.35       2.62       50.14       50.97       50.14       50.97         51.37       50.07       51.37       2.79       59.56       60.86       59.56       60.86         48.35       47.52       48.35       2.62       50.14       50.37       50.14       50.97         48.35       47.52       48.35       2.62       50.14       50.97       50.14       50.98         A.8       47.52       48.35       2.62       50.14       50.94       50.42       9.89         A.8       47.52       6.15       0.56       NA       NA       86.1       10.56         0.87       0.57       0.50       0.16       1.14       1.43       1.13       1.06         0.87       0.59       0.53       0.13       NA       NA       0.54       0.74         0.56       0.37       0.03       0.13       NA       NA       0.74       1.10         0.56       0.37       0.36       0.03       0.70       0.90       0.64       0.74         0.57       0.50       0.71       1.17       1.14       1.14       1.14       1.14         0.51       0.52<  | A R & I heart cath, congenital 10.00                                  | R & I heart cath, congenital 10.00 | 10:00                            |   | e,           | 25                           | 6.81                               | 3.97                 | 6.81                                 | 0.39             | 14.36             | 17.20                | 14.36             | 17.20             | 000    |
| 51.37       50.07       51.37       2.79       59.56       60.86       59.56       60.86         3.02       2.55       3.02       0.17       94.2       9.89       9.42       9.89         3.02       48.35       2.62       50.14       50.97       50.97       50.97       9.89         NA       3.20       5.15       0.56       NA       NA       8.61       10.56         0.87       0.59       0.53       0.16       1.14       1.46       1.18       1.12         NA       0.22       0.32       0.13       NA       NA       0.64       0.74         0.86       0.37       0.36       0.013       NA       NA       1.12       1.12         0.86       0.37       0.36       0.13       NA       NA       0.64       0.74         0.56       0.37       0.36       0.01       1.17       1.19       1.16       1.18         0.56       0.37       0.30       0.03       1.17       1.14       1.17       1.14         0.57       6.45       6.75       0.30       0.03       1.16       1.18       1.62       1.14         1.062       10.34   | 0.00  | R & I heart cath, congenital 0.00  | 0.00                             |   | 47.5         | 22                           | 48.35                              | 47.52                | 48.35                                | 2.62             | 50.14             | 50.97                | 50.14             | 20.97             | 00     |
| 3.02       2.55       3.02       0.17       9.42       9.89       9.42       9.89         48.35       47.52       48.35       2.62       50.14       50.97       50.14       50.97       9.89         NA       3.20       5.15       0.56       0.16       1.14       1.43       1.13       1.05         0.87       0.59       0.53       0.16       1.18       1.46       1.13       1.05         0.87       0.59       0.53       0.13       NA       NA       0.64       0.74         0.56       0.37       0.36       0.13       NA       NA       0.79       0.74         0.56       0.37       0.36       0.13       NA       NA       0.79       0.74         0.56       0.37       0.36       0.13       0.79       0.79       0.79       0.74         0.56       0.37       0.39       0.70       0.99       0.75       0.79       0.78         0.56       0.37       0.69       0.76       0.99       0.76       0.79       0.78         0.57       0.57       0.70       0.99       0.75       0.79       0.78         0.57       0.57  |   | R & I heart cath, congenital 6.70  | 6.70                             |   | 20.0         | ۷_                           | 51.37                              | 20.02                | 51.37                                | 2.79             | 59.56             | 98.09                | 59.56             | 98.09             | 8      |
| 48.35       47.52       48.35       2.62       50.14       50.97       50.14       50.97         NA       3.20       5.15       0.56       NA       NA       861       10.56         0.87       0.59       0.53       0.16       1.14       1.43       1.13       1.06         NA       0.22       0.53       0.13       NA       NA       0.64       0.74         0.56       0.37       0.36       0.13       NA       NA       0.79       0.74         0.56       0.37       0.36       0.13       0.70       0.90       0.69       0.76       0.94       0.75       0.74         0.56       0.37       0.36       0.13       0.70       0.90       0.69       0.66       0.76       0.74       0.74       0.74         0.57       0.50       0.10       0.17       1.17       1.14       1.17       1.14       1.17       1.14         1.062       0.53       0.33       0.33       0.81       0.64       0.75       0.74       0.75         0.54       0.54       0.52       0.50       0.10       1.17       1.14       1.17       1.14         1.062   | A R & I heart cath, congenital 6.70                                   | R & I heart cath, congenital 6.70  | 6.70                             |   | 2.5          | ıΩ                           | 3.02                               | 2.55                 | 3.02                                 | 0.17             | 9.42              | 68.6                 | 9.42              | 68.6              | 00     |
| NA         3.20         5.15         0.56         NA         NA         8.61         10.56           0.87         0.57         0.50         0.16         1.14         1.43         1.13         1.06           0.87         0.59         0.53         0.13         NA         NA         0.74         0.74           NA         0.22         0.32         0.13         NA         NA         0.74         0.74           0.56         0.37         0.36         0.03         0.76         0.94         0.75         0.74           0.56         0.37         0.36         0.09         0.76         0.99         0.76         0.99         0.76         0.70 <td></td> <td>R &amp; I heart cath, congenital 0.00</td> <td>00:0</td> <td></td> <td>47.5</td> <td>7</td> <td>48.35</td> <td>47.52</td> <td>48.35</td> <td>2.62</td> <td>50.14</td> <td>50.97</td> <td>50.14</td> <td>50.97</td> <td>8</td>  |   | R & I heart cath, congenital 0.00  | 00:0                             |   | 47.5         | 7                            | 48.35                              | 47.52                | 48.35                                | 2.62             | 50.14             | 50.97                | 50.14             | 50.97             | 8      |
| 0.87         0.57         0.50         0.16         1.14         1.43         1.13         1.06           0.87         0.59         0.53         0.16         1.18         1.46         1.18         1.12           NA         0.22         0.32         0.13         NA         NA         0.74         0.74           0.56         0.37         0.36         0.03         0.76         0.94         0.75         0.78           0.56         0.37         0.36         0.09         0.76         0.99         0.75         0.74           0.57         0.56         0.33         0.30         0.01         1.17         1.10         1.16         1.09           0.57         0.56         0.75         0.33         7.81         7.89         7.81         7.89           0.50         0.30         0.30         0.03         1.17         1.14         1.14         1.14           0.54         0.57         0.50         0.09         0.76         0.99         0.75         0.74           0.51         0.57         0.50         0.16         1.17         1.14         1.14         1.14           0.52         0.34         0.30  | Insert circulation assi 4.85  | Insert circulation assi            | 4.85                             |   | Ž            | 4                            | Ϋ́                                 | 3.20                 | 5.15                                 | 0.56             | ¥                 | ¥                    | 8.61              | 10.56             | 00     |
| 0.87         0.59         0.53         0.16         1.18         1.46         1.18         1.12           NA         0.22         0.32         0.13         NA         NA         0.64         0.74           NA         0.22         0.32         0.13         NA         NA         0.79         0.74           0.56         0.37         0.36         0.03         0.76         0.94         0.75         0.74           0.56         0.37         0.36         0.09         0.70         0.90         0.69         0.75           0.51         0.57         0.50         0.17         1.10         1.16         1.19         1.10           0.51         0.57         0.50         0.17         1.10         1.14         1.17         1.14 <td></td> <td>Injection, cardiac cath 0.40</td> <td>0.40</td> <td></td> <td>0.5</td> <td>œ</td> <td>0.87</td> <td>0.57</td> <td>0.50</td> <td>0.16</td> <td>1.14</td> <td>1.43</td> <td>1.13</td> <td>1.06</td> <td>00</td>  |   | Injection, cardiac cath 0.40       | 0.40                             |   | 0.5          | œ                            | 0.87                               | 0.57                 | 0.50                                 | 0.16             | 1.14              | 1.43                 | 1.13              | 1.06              | 00     |
| NA         0.22         0.32         0.13         NA         NA         0.64         0.74           NA         0.37         0.36         0.13         NA         NA         0.79         0.78           0.56         0.37         0.36         0.13         0.76         0.94         0.75         0.74           0.56         0.37         0.36         0.09         0.76         0.99         0.75         0.74           0.51         0.57         0.50         0.19         1.17         1.10         1.16         1.09           0.57         0.57         0.59         0.78         0.78         0.78         0.78           0.30         0.33         0.30         0.64         0.75         1.14 <td></td> <td>Injection, cardiac cath 0.43</td> <td>0.43</td> <td></td> <td>0.5</td> <td>თ</td> <td>0.87</td> <td>0.59</td> <td>0.53</td> <td>0.16</td> <td>1.18</td> <td>1.46</td> <td>1.18</td> <td>1.12</td> <td>8</td>   |   | Injection, cardiac cath 0.43       | 0.43                             |   | 0.5          | თ                            | 0.87                               | 0.59                 | 0.53                                 | 0.16             | 1.18              | 1.46                 | 1.18              | 1.12              | 8      |
| NA         0.37         0.36         0.13         NA         NA         0.79         0.78           0.56         0.37         0.36         0.09         0.76         0.94         0.75         0.74           0.56         0.35         0.31         0.09         0.70         0.90         0.75         0.74           0.51         0.57         0.50         0.19         1.17         1.10         1.16         1.09           0.51         0.57         0.50         0.19         1.17         1.10         1.16         1.09           0.52         0.52         0.33         0.33         1.21         1.14         1.17         1.14           0.52         0.34         6.45         0.30         6.64         6.75         6.75         1.14           0.62         0.34         0.65         0.30         6.64         6.75         6.75         1.14           0.62         0.34         0.65         0.50         11.67         11.95         11.45         11.45           0.45         0.03         0.05         0.12         1.22         1.33         1.65         1.33         1.65           0.49         0.17         0.14  | Injection for lung angiogram 0.29                                     | Injection for lung angiogram 0.29  | 0.29                             |   | Ż            | ⋖                            | ž                                  | 0.22                 | 0.32                                 | 0.13             | ₹                 | ₹                    | 0.64              | 0.74              | 8      |
| 0.56         0.37         0.36         0.09         0.76         0.94         0.75         0.74           0.56         0.35         0.31         0.09         0.70         0.90         0.69         0.65           0.51         0.57         0.50         0.19         1.17         1.10         1.16         1.09           6.75         6.75         0.33         7.81         7.89         7.81         7.89           0.30         0.33         0.30         0.03         1.17         1.14         1.17         1.14           6.45         6.34         6.45         0.30         6.64         6.75         6.64         6.75           10.62         10.34         10.62         0.50         11.67         11.95         11.45         11.45           10.45         0.34         0.45         0.05         1.22         1.33         1.65         1.33         1.65           10.45         0.17         1.03         0.17         1.03         0.14         1.05         1.045         10.62           0.49         0.17         1.23         1.65         1.33         1.65         1.33         1.65           0.49         0.74  | 0.29  | Injection for heart x-rays 0.29    | 0.29                             |   | 2            | ≤                            | Ϋ́                                 | 0.37                 | 0.36                                 | 0.13             | ¥                 | ₹                    | 0.79              | 0.78              | 00     |
| 0.56         0.35         0.31         0.09         0.70         0.90         0.69         0.65           0.51         0.57         0.50         0.19         1.17         1.10         1.16         1.09           0.51         0.57         0.50         0.19         1.17         1.10         1.16         1.09           0.30         0.33         0.30         0.03         1.17         1.14         1.17         1.14           6.45         6.34         6.45         0.30         6.64         6.75         6.64         6.75           10.62         10.34         10.62         0.50         11.67         11.95         11.45         11.45           10.45         0.34         0.45         0.05         1.22         1.33         1.65         1.33         1.65           10.17         10.30         10.17         0.45         10.45         10.62         1.33         1.65         1.33         1.65           0.49         0.17         1.03         0.14         1.06         0.74         1.06           0.54         0.54         0.05         0.29         0.59         0.59         0.59           0.49         0.74  | Injection for heart x-rays 0.29                                       | Injection for heart x-rays 0.29    | 0.29                             |   | Ö            | 88                           | 0.56                               | 0.37                 | 0.36                                 | 0.09             | 0.76              | 0.94                 | 0.75              | 0.74              | 00     |
| 0.51         0.57         0.50         0.19         1.17         1.10         1.16         1.09           6.75         6.75         0.33         7.81         7.89         7.81         7.89           0.30         0.33         0.30         0.03         1.17         1.14         1.17         1.14           0.45         6.34         6.45         0.30         6.64         6.75         6.64         6.75           10.62         10.34         10.62         0.50         11.67         11.95         11.47         11.49           10.45         0.34         0.45         0.05         1.22         1.33         1.22         1.33           10.17         10.00         10.17         0.45         10.45         10.45         10.62           10.34         0.71         1.03         0.12         1.33         1.65         1.33         1.65           0.49         0.17         0.45         0.05         0.07         1.04         1.045         10.62           0.54         0.54         0.05         0.07         0.74         1.06         0.74         1.06           0.54         0.54         0.54         0.05         0.05  |   | Injection for aortography 0.25     | 0.25                             |   | ö            | ထ္က                          | 0.56                               | 0.35                 | 0.31                                 | 0.09             | 0.70              | 06:0                 | 0.69              | 0.65              | 00     |
| 6.75         6.67         6.75         0.33         7.81         7.89         7.81         7.89           0.30         0.33         0.30         0.03         1.17         1.14         1.17         1.14           6.45         6.34         6.45         0.30         6.64         6.75         6.64         6.75           10.62         10.34         10.62         0.50         11.67         11.95         11.67         11.95           10.45         0.34         0.45         0.05         12.2         1.33         1.22         1.33           10.17         10.00         10.17         0.45         10.65         10.45         10.62           1.03         0.71         1.03         0.12         1.33         1.65         1.33         1.65           0.49         0.17         0.49         0.05         0.07         1.06         0.74         1.06           0.54         0.54         0.05         0.07         0.74         1.06         0.74         1.06           0.54         0.54         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.05         0.06         0.05         0.06  | xrays 0.40  | Injection for coronary xrays 0.40  | 0.40                             |   | 0            | 58                           | 0.51                               | 0.57                 | 0.50                                 | 0.19             | 1.17              | 1.10                 | 1.16              | 1.09              | 00     |
| 0.30         0.33         0.30         0.03         1.17         1.14         1.17         1.14           6.45         6.34         6.45         0.30         6.64         6.75         6.64         6.75           10.62         10.34         10.62         0.50         11.67         11.95         11.67         11.95           10.45         0.34         0.45         0.05         1.22         1.33         1.22         1.33           10.17         10.00         10.17         0.45         10.45         10.62         10.45         10.62           0.49         0.17         0.49         0.17         0.49         0.74         1.06           0.54         0.54         0.54         0.05         0.59         0.59         0.59         0.59           0.49         0.37         0.49         0.06         0.56         0.59         0.59         0.59         0.59           0.49         0.37         0.49         0.06         0.26         0.74         1.06           0.54         0.55         0.69         0.69         0.69         0.69         0.59         0.59           0.49         0.74         0.74         0.74  | Imaging, cardiac cath   | Imaging, cardiac cath              | 0.81                             |   | ø            | .67                          | 6.75                               | 6.67                 | 6.75                                 | 0.33             | 7.81              | 7.89                 | 7.81              | 7.89              | ×      |
| 6.45         6.34         6.45         0.30         6.64         6.75         6.64         6.75           10.62         10.34         10.62         0.50         11.67         11.95         11.67         11.95           0.45         0.34         0.45         0.05         11.22         1.33         1.22         1.33           1.0.7         1.0.0         10.17         0.45         10.45         10.62         10.45         10.62           1.0.3         0.71         1.03         0.12         1.33         1.65         1.33         1.65           0.49         0.77         0.49         0.07         0.74         1.06         0.74         1.06           0.54         0.54         0.59         0.07         0.74         1.06         0.75         0.69           0.49         0.74         0.05         0.05         0.59         0.59         0.59         0.59           0.49         0.37         0.49         0.06         0.26         0.73         0.61         0.73           0.49         0.37         0.49         0.08         0.06         0.26         0.35         0.36         0.36           5.41         5.41   | A Imaging, cardiac cath 0.81  | Imaging, cardiac cath 0.81         | 0.81                             |   | 0            | 33                           | 0.30                               | 0.33                 | 0.30                                 | 0.03             | 1.17              | 1.14                 | 1.17              | 1.14              | ×      |
| 10.62         10.34         10.62         0.50         11.67         11.95         11.67         11.95           0.45         0.34         0.45         0.05         1.22         1.33         1.22         1.33           10.17         10.00         10.17         0.45         10.45         10.62         10.45         10.62           1.03         0.71         1.03         0.12         1.33         1.65         1.33         1.65           0.49         0.71         1.03         0.07         0.74         1.06         0.74         1.06           0.54         0.54         0.54         0.05         0.59         0.59         0.59         0.59           0.49         0.37         0.49         0.06         0.56         0.59         0.59         0.59           0.49         0.37         0.49         0.08         0.61         0.73         0.61         0.73           0.50         0.16         0.05         0.26         0.35         0.36         0.36         0.36           5.41         5.41         0.28         7.49         7.49         7.49         7.49           0.68         0.68         0.68         0.66   | 0.00  | Imaging, cardiac cath 0.00         | 0.00                             |   | 9            | ₩.                           | 6.45                               | 6.34                 | 6.45                                 | 0.30             | 6.64              | 6.75                 | 6.64              | 6.75              | ×      |
| 0.45     0.34     0.45     0.05     1.22     1.33     1.22     1.33       10.17     10.00     10.17     0.45     10.45     10.62     10.45     10.62       1.03     0.71     1.03     0.12     1.33     1.65     1.33     1.65       0.49     0.17     0.49     0.07     0.74     1.06     0.74     1.06       0.54     0.54     0.54     0.05     0.59     0.59     0.59     0.59       0.49     0.37     0.08     0.61     0.73     0.61     0.73       0.16     0.05     0.26     0.37     0.61     0.73       0.33     0.32     0.39     0.36     0.36     0.36       5.41     5.41     0.28     7.49     7.49     7.49       6.8     0.68     0.68     0.06     2.54     2.54     2.54       4.73     4.73     0.22     4.95     4.95     4.95     4.95       5.28     5.28     0.16     6.88     6.88     6.88     6.88       6.55     0.55     0.05     2.04     2.04     2.04  |   | Imaging, cardiac cath 0.83         | 0.83                             |   | 5            | 34                           | 10.62                              | 10.34                | 10.62                                | 0.50             | 11.67             | 11.95                | 11.67             | 11.95             | ×      |
| 10.17     10.00     10.17     0.45     10.45     10.62     10.45     10.62       1.03     0.71     1.03     0.12     1.33     1.65     1.33     1.65       0.49     0.17     0.49     0.07     0.74     1.06     0.74     1.06       0.54     0.54     0.54     0.05     0.59     0.59     0.59     0.59     0.59       0.49     0.37     0.49     0.06     0.61     0.73     0.61     0.73       0.16     0.05     0.16     0.05     0.26     0.37     0.26     0.37       0.33     0.32     0.33     0.03     0.36     0.35     0.36     0.36       5.41     5.41     0.28     7.49     7.49     7.49     7.49       0.68     0.68     0.06     2.54     2.54     2.54     2.54       4.73     4.73     0.22     4.95     4.95     4.95     4.95       5.28     5.28     0.16     6.88     6.88     6.88     6.88       6.55     0.55     0.05     2.04     2.04     2.04     2.04   | A Imaging, cardiac cath 0.83  | Imaging, cardiac cath 0.83         | 0.83                             |   | 0            | 8                            | 0.45                               | 0.34                 | 0.45                                 | 0.05             | 1.22              | 1.33                 | 1.22              | 1.33              | ×      |
| 1.03     0.71     1.03     0.12     1.33     1.65     1.33     1.65       0.49     0.17     0.49     0.07     0.74     1.06     0.74     1.06       0.54     0.54     0.54     0.05     0.59     0.59     0.59     0.59       0.49     0.37     0.49     0.06     0.61     0.73     0.61     0.73       0.16     0.05     0.16     0.05     0.26     0.37     0.26     0.37       0.33     0.32     0.33     0.03     0.36     0.36     0.36     0.36       5.41     5.41     0.28     7.49     7.49     7.49     7.49       0.68     0.68     0.06     2.54     2.54     2.54     2.54       4.73     4.73     0.22     4.95     4.95     4.95     4.95       5.28     5.28     0.16     6.88     6.88     6.88     6.88       6.55     0.55     0.05     2.04     2.04     2.04     2.04   |   | Imaging, cardiac cath 0.00         | 0.00                             |   | 10           | 8                            | 10.17                              | 10.00                | 10.17                                | 0.45             | 10.45             | 10.62                | 10.45             | 10.62             | ×      |
| 0.49         0.17         0.49         0.07         0.74         1.06         0.74         1.06           0.54         0.54         0.54         0.05         0.59         0.59         0.59         0.59         0.59         0.59           0.49         0.37         0.49         0.06         0.61         0.73         0.61         0.73           0.16         0.05         0.16         0.05         0.26         0.37         0.26         0.37           0.33         0.32         0.33         0.03         0.36         0.36         0.36         0.36           5.41         5.41         0.28         7.49         7.49         7.49         7.49           0.68         0.68         0.06         2.54         2.54         2.54         2.54           4.73         4.73         0.22         4.95         4.95         4.95         4.95           5.28         5.28         0.16         6.88         6.88         6.88         6.88           6.55         0.55         0.05         2.04         2.04         2.04         2.04   |   | Cardiac output measurement 0.50    | 0.50                             |   | o            | 7                            | 1.03                               | 0.71                 | 1.03                                 | 0.12             | 1.33              | 1.65                 | 1.33              | 1.65              | 8      |
| 0.54         0.54         0.54         0.05         0.59         0.53         0.53         0.53         0.53         0.53         0.53         0.37         0.73         0.73         0.37         0.37         0.37         0.37         0.37         0.36         0.37         0.36         0.37         0.36         0.37         0.36         0.37         0.36         0.37         0.36         0.37         0.36         0.36         0.36         0.36         0.37         0.36         0.36         0.36         0.36         0.36         0.36         0.37         0.36 <th< td=""><td></td><td>Cardiac output measurement 0.50</td><td>0.50</td><td></td><td>ò</td><td>_</td><td>0.49</td><td>0.17</td><td>0.49</td><td>0.07</td><td>0.74</td><td>1.06</td><td>0.74</td><td>1.06</td><td>8</td></th<>   |   | Cardiac output measurement 0.50    | 0.50                             |   | ò            | _                            | 0.49                               | 0.17                 | 0.49                                 | 0.07             | 0.74              | 1.06                 | 0.74              | 1.06              | 8      |
| 0.49         0.37         0.49         0.08         0.61         0.73         0.61         0.73           0.16         0.05         0.16         0.05         0.26         0.37         0.26         0.37           0.33         0.32         0.33         0.03         0.35         0.36         0.35         0.36           5.41         5.41         5.41         0.28         7.49         7.49         7.49         7.49           0.68         0.68         0.68         0.06         2.54         2.54         2.54         2.54           4.73         4.73         4.73         0.22         4.95         4.95         4.95         4.95           5.28         5.28         0.16         6.88         6.88         6.88         6.88           0.55         0.55         0.05         2.04         2.04         2.04         2.04  | Cardiac output measurement 0.00                                       | Cardiac output measurement 0.00    | 00.0                             |   | 0.5          | 4                            | 0.54                               | 0.54                 | 0.54                                 | 0.05             | 0.59              | 0.59                 | 0.59              | 0.59              | 000    |
| 0.16         0.05         0.16         0.05         0.26         0.37         0.26         0.37           0.33         0.32         0.33         0.03         0.35         0.36         0.35         0.35           5.41         5.41         0.28         7.49         7.49         7.49         7.49         7.49           0.68         0.68         0.06         2.54         2.54         2.54         2.54           4.73         4.73         0.22         4.95         4.95         4.95         4.95           5.28         5.28         0.16         6.88         6.88         6.88         6.88           0.55         0.55         0.05         2.04         2.04         2.04         2.04  | Cardiac output measurement 0.16                                       | Cardiac output measurement 0.16    | 0.16                             |   | 0.3          | 7                            | 0.49                               | 0.37                 | 0.49                                 | 90.0             | 0.61              | 0.73                 | 0.61              | 0.73              | 000    |
| 0.33         0.32         0.33         0.03         0.35         0.36         0.35         0.36 <td< td=""><td>Cardiac output measurement 0.16</td><td>Cardiac output measurement 0.16</td><td>0.16</td><td></td><td>0.0</td><td></td><td>0.16</td><td>0.05</td><td>0.16</td><td>0.05</td><td>0.26</td><td>0.37</td><td>0.26</td><td>0.37</td><td>000</td></td<>               | Cardiac output measurement 0.16                                       | Cardiac output measurement 0.16    | 0.16                             |   | 0.0          |                              | 0.16                               | 0.05                 | 0.16                                 | 0.05             | 0.26              | 0.37                 | 0.26              | 0.37              | 000    |
| 5.41         5.41         5.41         0.28         7.49 <th< td=""><td>Cardiac output measurement 0.00</td><td>Cardiac output measurement 0.00</td><td>0.00</td><td></td><td>0.3</td><td>7</td><td>0.33</td><td>0.32</td><td>0.33</td><td>0.03</td><td>0.35</td><td>0.36</td><td>0.35</td><td>0.36</td><td>000</td></th<>              | Cardiac output measurement 0.00                                       | Cardiac output measurement 0.00    | 0.00                             |   | 0.3          | 7                            | 0.33                               | 0.32                 | 0.33                                 | 0.03             | 0.35              | 0.36                 | 0.35              | 0.36              | 000    |
| 0.68         0.68         0.06         2.54         2.95         4.95 <th< td=""><td>Heart flow reserve measure 1.80</td><td>Heart flow reserve measure 1.80</td><td>1.80</td><td></td><td>'n</td><td><del>*</del></td><td>5.41</td><td>5.41</td><td>5.41</td><td>0.28</td><td>7.49</td><td>7.49</td><td>7.49</td><td>7.49</td><td>777</td></th<>    | Heart flow reserve measure 1.80                                       | Heart flow reserve measure 1.80    | 1.80                             |   | 'n           | <del>*</del>                 | 5.41                               | 5.41                 | 5.41                                 | 0.28             | 7.49              | 7.49                 | 7.49              | 7.49              | 777    |
| 4.73     4.73     4.73     0.22     4.95     4.95     4.95     4.95     4.95       5.28     5.28     0.16     6.88     6.88     6.88     6.88       0.55     0.55     0.05     2.04     2.04     2.04     2.04   | A Heart flow reserve measure 1.80                                     | Heart flow reserve measure 1.80    | 1.80                             |   | 0            | .68                          | 0.68                               | 0.68                 | 0.68                                 | 90.0             | 2.54              | 2.54                 | 2.54              | 2.54              | 777    |
| 5.28     5.28     5.28     0.16     6.88     6.88     6.88     6.88       0.55     0.55     0.05     2.04     2.04     2.04     2.04   | Heart flow reserve measure 0.00                                       | Heart flow reserve measure 0.00    | 0.00                             |   | 4            | .73                          | 4.73                               | 4.73                 | 4.73                                 | 0.22             | 4.95              | 4.95                 | 4.95              | 4.95              | 777    |
| 0.55 0.55 0.55 0.05 2.04 2.04 2.04 2.04  | A Heart flow reserve measure 1.44                                     | Heart flow reserve measure 1.44    | 1.44                             |   | 2            | 88                           | 5.28                               | 5.28                 | 5.28                                 | 0.16             | 6.88              | 6.88                 | 6.88              | 6.88              | 777    |
|  | Heart flow reserve measure 1.44                                       | Heart flow reserve measure 1.44    | 1.44                             |   | 0            | 22                           | 0.55                               | 0.55                 | 0.55                                 | 0.05             | 2.04              | 2.04                 | 2.04              | 2.04              | 727    |

Page 213 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              | per        | ,<br>Global                 |                            |                         |                         |                         |                        |                        |                        |                             |                             |                             |                             |                             |                             |                        |                        |                        |                     |                     |                     |                         |                         |                         |                      |                      |                      |  | 8 8                  |                     |                     |                     |                              |                              |                              |                              |                              |                              |                              |                              |   |
|------------------------------|------------|-----------------------------|----------------------------|-------------------------|-------------------------|-------------------------|------------------------|------------------------|------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------|------------------------|------------------------|---------------------|---------------------|---------------------|-------------------------|-------------------------|-------------------------|----------------------|----------------------|----------------------|--|----------------------|---------------------|---------------------|---------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|---|
|                              | Transition | Facility<br>Total           | 4.84                       | 6.56                    | 4.43                    | 2.13                    | 5.10                   | 3.89                   | 1.21                   | 6.09                        | 4.26                        | 1.83                        | 7.16                        | 5.53                        | 1.63                        | 17.42                  | 14.46                  | 2.96                   | 6.82                | 5.34                | 1.48                | 7.13                    | 5.37                    | 1.76                    | 1.70                 | 1.35                 | 0.35                 | 2.1.0  | 0.35                 | 13.18               | 8.86                | 4.32                | 23.70                        | 15.30                        | 8.40                         | 33.66                        | 23.91                        | 9.75                         | 0.00                         | 26.19                        | 1 |
| -                            |            | Facility<br>Total           |                            |                         |                         |                         |                        |                        |                        |                             |                             |                             |                             |                             |                             |                        |                        |                        |                     |                     |                     |                         |                         |                         |                      |                      |                      |  | 0.35                 |                     |                     |                     |                              |                              |                              |                              |                              |                              |                              |                              |   |
| Trancitional                 | Non-       | facility<br>Total           | 4.84                       | 6.56                    | 4.43                    | 2.13                    | 5.10                   | 3.89                   | 1.21                   | 6.09                        | 4.26                        | 1.83                        | 7.16                        | 5.53                        | 1.63                        | 17.42                  | 14.46                  | 2.96                   | 6.82                | 5.34                | 1.48                | 7.13                    | 5.37                    | 1.76                    | 1.70                 | 1.35                 | 0.35                 | 2.1.<br>2.76                                 | 0.35                 | 13.18               | 8.86                | 4.32                | 23.70                        | 15.30                        | 8.40                         | 33.66                        | 23.91                        | 9.75                         | 0.00                         | 26.19                        |   |
| •                            | Non-       | facility<br>Total           | 4.84                       | 5.32                    | 3.19                    | 2.13                    | 4.33                   | 3.11                   | 1.22                   | 4.96                        | 3.13                        | 1.83                        | 6.40                        | 4.76                        | 1.64                        | 17.42                  | 14.45                  | 2.97                   | 5.87                | 4.39                | 1.48                | 6.15                    | 4.39                    | 1.76                    | 1.57                 | 1.22                 | 0.35                 | 1 94   | 0.35                 | 10.71               | 6.38                | 4.33                | 19.42                        | 11.01                        | 8.41                         | 26.88                        | 17.11                        | 9.77                         | 0.00                         | 18.79                        |   |
|                              | Mal-       | practice<br>RUVs            | 0.11                       | 0.30                    | 0.19                    | 0.11                    | 0.17                   | 0.11                   | 90.0                   | 0.22                        | 0.13                        | 0.09                        | 0.22                        | 0.13                        | 0.09                        | 0.37                   | 0.22                   | 0.15                   | 0.21                | 0.13                | 0.08                | 0.22                    | 0.13                    | 0.09                    | 0.0                  | 0.02                 | 0.02                 | 90.0   | 0.02                 | 0.56                | 0.34                | 0.22                | 1.09                         | 0.67                         | 0.42                         | 1.21                         | 0.74                         | 0.47                         | 0.00                         | 0.87                         |   |
| Transitioned<br>Facility     | practice   | expense<br>RVUs             | 4.73                       | 4.14                    | 2.12                    | 2.02                    | 2.81                   | 1.66                   | 1.15                   | 3.75                        | 2.01                        | 1.74                        | 3.68                        | 2.14                        | 1.54                        | 6.98                   | 4.17                   | 2.81                   | 3.59                | 2.19                | 1.40                | 3.89                    | 2.22                    | 1.67                    | 0.67                 | 0.34                 | 0.33                 | <u> </u>                                     | 0.33                 | 8.36                | 4.26                | 4.10                | 15.29                        | 7.31                         | 7.98                         | 20.86                        | 11.58                        | 9.28                         | 0.00                         | 12.66                        |   |
| Facility                     | practice   | expense<br>RVUs             | 4.73                       | 2.90                    | 0.88                    | 2.02                    | 2.04                   | 0.88                   | 1.16                   | 2.62                        | 0.88                        | 1.74                        | 2.92                        | 1.37                        | 1.55                        | 6.98                   | 4.16                   | 2.82                   | 2.64                | 1.24                | 1.40                | 2.91                    | 1.24                    | 1.67                    | 0.54                 | 0.21                 | 0.33                 | 0.72   | 0.33                 | 5.89                | 1.78                | 4.1                 | 11.01                        | 3.02                         | 7.99                         | 14.08                        | 4.78                         | 9.30                         | 0.00                         | 5.26                         |   |
| Transitioned<br>Non-facility | practice   | expense<br>RVUs             | 4.73                       | 4.14                    | 2.12                    | 2.02                    | 2.81                   | 1.66                   | 1.15                   | 3.75                        | 2.01                        | 1.74                        | 3.68                        | 2.14                        | 1.54                        | 6.98                   | 4.17                   | 2.81                   | 3.59                | 2.19                | 1.40                | 3.89                    | 2.22                    | 1.67                    | 0.67                 | 0.34                 | 0.33                 | 2.5  | 0.33                 | 8.36                | 4.26                | 4.10                | 15.29                        | 7.31                         | 7.98                         | 20.86                        | 11.58                        | 9.28                         | 0.00                         | 12.66                        |   |
| Non-<br>facility             | practice   | expense<br>RVUs             | 4.73                       | 2.90                    | 0.88                    | 2.02                    | 2.04                   | 0.88                   | 1.16                   | 2.62                        | 0.88                        | 1.74                        | 2.92                        | 1.37                        | 1.55                        | 6.98                   | 4.16                   | 2.82                   | 2.64                | 1.24                | 1.40                | 2.91                    | 1.24                    | 1.67                    | 0.54                 | 0.21                 | 0.33                 | 0.39   | 0.33                 | 5.89                | 1.78                | 4.1                 | 11.01                        | 3.02                         | 7.99                         | 14.08                        | 4.78                         | 9.30                         | 0.00                         | 5.26                         |   |
|                              | Physician  | work<br>RVUs                | 0.00                       | 2.12                    | 2.12                    | 0.00                    | 2.12                   | 2.12                   | 0.00                   | 2.12                        | 2.12                        | 0.00                        | 3.26                        | 3.26                        | 0.00                        | 10.01                  | 10.01                  | 0.00                   | 3.02                | 3.02                | 0.00                | 3.02                    | 3.02                    | 0.00                    | 66.0                 | 0.99                 | 0.00                 | 149  | 0.00                 | 4.26                | 4.26                | 0.00                | 7.32                         | 7.32                         | 0.00                         | 11.59                        | 11.59                        | 0.00                         | 0.00                         | 12.66                        |   |
| !                            |            | Description                 | Heart flow reserve measure | Bundle of His recording | Bundle of His recording | Bundle of His recording | Intra-atrial recording | Intra-atrial recording | Intra-atrial recording | Right ventricular recording | Mapping of tachycardia | Mapping of tachycardia | Mapping of tachycardia | Intra-atrial pacing | Intra-atrial pacing | Intra-atrial pacing | Intraventricular pacing | Intraventricular pacing | Intraventricular pacing | Esophageal recording | Esophageal recording | Esophageal recording | Esophageal recording<br>Feonbageal recording | Esophageal recording | Heart rhythm pacing | Heart rhythm pacing | Heart rhythm pacing | Electrophysiology evaluation |   |
|                              |            | Status                      | ⋖                          | ∢                       | ∢                       | ∢                       | ∢                      | ∢                      | ∢                      | ∢                           | ∢                           | ∢                           | ∢                           | ∢                           | ∢                           | ∢                      | ∢                      | ∢                      | ∢                   | ∢                   | ∢                   | ∢                       | ∢                       | ∢ •                     | ∢ •                  | ∢ •                  | < <                  | < ⊲  | < ∢                  | ∢                   | ∢                   | ∢                   | ∢                            | ∢                            | ∢                            | ∢                            | ∢                            | ∢                            | ပ                            | ⋖                            |   |
|                              |            | Mod                         | ဍ                          |                         | 56                      | ည                       |                        | 56                     | ဥ                      |                             | 56                          | ဥ                           |                             | <b>5</b> 9                  | ဥ                           |                        | <b>5</b> 0             | ပ                      |                     | 56                  | ဥ                   |                         | 56                      | ဥ                       | į                    | 9 7                  | ပ္                   | 90   | 2<br>2               |                     | 56                  | ည                   |                              | 56                           | ဥ                            |                              | 56                           | ဥ                            |                              | 56                           |   |
|                              | ,1         | CPT /<br>HCPCS <sup>2</sup> | 93572                      | 93600                   | 93600                   | 93600                   | 93602                  | 93602                  | 93602                  | 93603                       | 93603                       | 93603                       | 93607                       | 93607                       | 93607                       | 63906                  | 93609                  | 60986                  | 93610               | 93610               | 93610               | 93612                   | 93612                   | 93612                   | 93615                | 93615                | 93615                | 93616  | 93616                | 93618               | 93618               | 93618               | 93619                        | 93619                        | 93619                        | 93620                        | 93620                        | 93620                        | 93621                        | 93621                        |   |

Page 214 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |            |        |                              | ZENDOM D.         | ייי אנדאון       | ארסד מווויזלע               | י שווא (כסי | יניייייייייייייייייייייייייייייייייייי |                  | <u>.</u>         |              |          |                   |             |
|--------------------|------------|--------|------------------------------|-------------------|------------------|-----------------------------|-------------|--|------------------|------------------|--------------|----------|-------------------|-------------|
|                    |            |        |                              |                   | non-<br>facility | Iransimoned<br>Non-facility | Facility    | iransinonea<br>Facility                |                  |                  | Transitioned |          |                   |             |
| / <sub>1</sub> Id) |            |        |                              | Physician<br>work | practice         | practice                    | practice    | practice                               | Mal-<br>nractice | Non-<br>facility |              | Leaffer. | Transitioned      |             |
| HCPCS 2            | Mod        | Status | Description                  | RVUs <sup>3</sup> | RVUs             | RVUs                        | RVUs        | RVUs                                   | RUVs             | Total            |              | Total    | racility<br>Total | Global      |
| 93622              |            | ပ      | Electrophysiology evaluation | 0.00              | 0.00             | 0.00                        | 0.00        | 0.00                                   | 0.00             | 0.00             |              | 00.00    | 0.00              | 000         |
| 93622              | 56         | ∢      | Electrophysiology evaluation | 12.74             | 5.25             | 12.71                       | 5.25        | 12.71                                  | 0.84             | 18.83            |              | 18.83    | 26.29             | 000         |
| 93622              | 5          | ပ      | Electrophysiology evaluation | 0.00              | 0.00             | 0.00                        | 0.00        | 00.00                                  | 0.00             | 0.00             |              | 0.00     | 0.00              | 000         |
| 93623              |            | ပ      | Stimulation, pacing heart    | 0.00              | 0.00             | 0.00                        | 0.00        | 0.00                                   | 0.00             | 0.00             |              | 0.00     | 0.00              | 777         |
| 93623              | 56         | ∢      | Stimulation, pacing heart    | 2.85              | 1.18             | 2.56                        | 1.18        | 2.56                                   | 0.16             | 4.19             |              | 4.19     | 5.57              | 222         |
| 93623              | ဥ          | ပ      | Stimulation, pacing heart    | 0.00              | 0.00             | 0.00                        | 0.00        | 0.00                                   | 0.00             | 0.00             |              | 0.00     | 0.00              | 777         |
| 93624              |            | ∢      | Electrophysiologic study     | 4.81              | 3.99             | 4.96                        | 3.99        | 4.96                                   | 0.27             | 9.07             |              | 9.07     | 10.04             | 000         |
| 93624              | 56         | ∢      | Electrophysiologic study     | 4.81              | 1.93             | 2.91                        | 1.93        | 2.91                                   | 0.16             | 9.30             |              | 6.90     | 7.88              | 000         |
| 93624              | ဥ          | ∢      | Electrophysiologic study     | 0.00              | 2.06             | 2.05                        | 2.06        | 2.05                                   | 0.11             | 2.17             |              | 2.17     | 2.16              | 00          |
| 93631              |            | ∢      | Heart pacing, mapping        | 2.60              | 9.55             | 11.84                       | 9.55        | 11.84                                  | 1.07             | 18.22            |              | 18.22    | 20.51             | 000         |
| 93631              | 56         | ∢      | Heart pacing, mapping        | 2.60              | 3.18             | 5.48                        | 3.18        | 5.48                                   | 0.52             | 11.30            |              | 11.30    | 13.60             | 000         |
| 93631              | ည          | ∢      | Heart pacing, mapping        | 0.00              | 6.37             | 6.36                        | 6.37        | 6.36                                   | 0.55             | 6.92             |              | 6.92     | 6.91              | 000         |
| 93640              |            | ∢      | Evaluation heart device      | 3.52              | 8.93             | 10.95                       | 8.93        | 10.95                                  | 98.0             | 13.31            |              | 13.31    | 15.33             | 000         |
| 93640              | 56         | ∢      | Evaluation heart device      | 3.52              | 1.48             | 3.52                        | 1.48        | 3.52                                   | 0.48             | 5.48             |              | 5.48     | 7.52              | 000         |
| 93640              | ည          | ∢      | Evaluation heart device      | 0.00              | 7.45             | 7.43                        | 7.45        | 7.43                                   | 0.38             | 7.83             |              | 7.83     | 7.81              | 00          |
| 93641              |            | ∢      | Electrophysiology evaluation | 5.93              | 9:30             | 13.35                       | 9.90        | 13.35                                  | 98.0             | 16.69            |              | 16.69    | 20.14             | 8           |
| 93641              | 56         | ∢      | Electrophysiology evaluation | 5.93              | 2.45             | 5.92                        | 2.45        | 5.92                                   | 0.48             | 8.86             |              | 8.86     | 12.33             | 00          |
| 93641              | ဥ          | ∢      | Electrophysiology evaluation | 0.00              | 7.45             | 7.43                        | 7.45        | 7.43                                   | 0.38             | 7.83             |              | 7.83     | 7.81              | 0<br>0<br>0 |
| 93642              |            | ∢      | Electrophysiology evaluation | 4.89              | 9.47             | 12.32                       | 9.47        | 12.32                                  | 98.0             | 15.22            |              | 15.22    | 18.07             | 000         |
| 93642              | <b>5</b> 6 | ∢      | Electrophysiology evaluation | 4.89              | 2.02             | 4.89                        | 2.02        | 4.89                                   | 0.48             | 7.39             |              | 7.39     | 10.26             | 00          |
| 93642              | ဥ          | ∢      | Electrophysiology evaluation | 0.00              | 7.45             | 7.43                        | 7.45        | 7.43                                   | 0.38             | 7.83             |              | 7.83     | 7.81              | 000         |
| 93650              |            | ∢      | Ablate heart dysrhythm focus | 10.51             | Š                | ¥                           | 6.25        | 10.98                                  | 1.05             | ¥                |              | 17.81    | 22.54             | 000         |
| 93651              |            | ∢      | Ablate heart dysrhythm focus | 16.25             | ¥                | Ϋ́                          | 10.57       | 17.16                                  | 1.05             | ¥                |              | 27.87    | 34.46             | 00          |
| 93652              |            | ∢      | Ablate heart dysrhythm focus | 17.68             | ₹                | ¥                           | 11.09       | 17.29                                  | 1.05             | Ϋ́               |              | 29.82    | 36.02             | 00          |
| 93660              |            | ပ      | Tilt table evaluation        | 0.00              | 0.00             | 0.00                        | 0.00        | 0.00                                   | 0.00             | 0.00             |              | 0.00     | 0.00              | 000         |
| 93660              | 56         | ∢      | Tilt table evaluation        | 1.89              | 0.77             | 1.36                        | 0.77        | 1.36                                   | 0.13             | 2.79             |              | 2.79     | 3.38              | 00          |
| 93660              | ည          | ပ      | Tilt table evaluation        | 0.00              | 0.00             | 0.00                        | 0.00        | 0.00                                   | 0.00             | 0.00             |              | 0.00     | 0.00              | 000         |
| 93720              |            | ∢      | Total body plethysmography   | 0.17              | 0.77             | 0.92                        | 0.77        | 0.63                                   | 0.07             | 1.01             |              | 1.01     | 0.87              | ×           |
| 93721              |            | < -    | Plethysmography tracing      | 0.00              | 0.72             | 0.73                        | 0.72        | 0.46                                   | 0.05             | 0.77             |              | 0.77     | 0.51              | ×           |
| 93722              |            | ∢      | Plethysmography report       | 0.17              | 0.05             | 0.19                        | 0.05        | 0.17                                   | 0.02             | 0.24             |              | 0.24     | 0.36              | ž           |
| 93724              |            | ∢      | Analyze pacemaker system     | 4.89              | 6.15             | 96.9                        | 6.15        | 96.9                                   | 0.39             | 11.43            |              | 11.43    | 12.24             | 00          |
| 93724              | 56         | ∢      | Analyze pacemaker system     | 4.89              | 2.04             | 2.86                        | 2.04        | 2.86                                   | 0.17             | 7.10             |              | 7.10     | 7.92              | 000         |
| 93724              | ဥ          | ∢      | Analyze pacemaker system     | 0.00              | 4.11             | 4.10                        | 4.11        | 4.10                                   | 0.22             | 4.33             |              | 4.33     | 4.32              | 000         |
| 93731              |            | ∢      | Analyze pacemaker system     | 0.45              | 0.70             | 0.82                        | 0.70        | 0.82                                   | 0.05             | 1.20             |              | 1.20     | 1.32              | ×           |
| 93731              | 56         | ⋖,     | Analyze pacemaker system     | 0.45              | 0.19             | 0.31                        | 0.19        | 0.31                                   | 0.02             | 99.0             |              | 99.0     | 0.78              | ×           |
| 93731              | ည          | ∢      | Analyze pacemaker system     | 0.00              | 0.51             | 0.51                        | 0.51        | 0.51                                   | 0.03             | 0.54             |              | 0.54     | 0.54              | ×           |
| 93732              |            | ∢      | Analyze pacemaker system     | 0.92              | 0.00             | 0.97                        | 0.90        | 26.0                                   | 90.0             | 1.88             |              | 1.88     | 1.95              | ×           |
| 93732              | 56         | ∢      | Analyze pacemaker system     | 0.92              | 0.37             | 0.44                        | 0.37        | 0.44                                   | 0.03             | 1.32             |              | 1.32     | 1.39              | ×           |
| 93732              | 5          | ∢      | Analyze pacemaker system     | 0.00              | 0.53             | 0.53                        | 0.53        | 0.53                                   | 0.03             | 0.56             |              | 0.56     | 0.56              | ×           |
| 93733              |            | ∢      | Telephone analysis,pacemaker | 0.17              | 0.81             | 0.93                        | 0.81        | 0.93                                   | 0.07             | 1.05             |              | 1.05     | 1.17              | ×           |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                  | ped                      | Global                                   | ××                           | ×                             | ×                        | ×                        | ××                       | ×                        | ××                       | ×                        | X                            | ×                            | X                            | X                            |                              |                              |                              |                              |                              |                              |                              |                              |                     |                       | X }                     |                         |                         |                         |                        |                            |               | 000                   | ×                        | ×                        | ×                        | ×                  | ××                 | ×                  | ×                  | ×                  | XXX |
|------------------|--------------------------|--|------------------------------|-------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|---------------------|-----------------------|-------------------------|-------------------------|-------------------------|-------------------------|------------------------|----------------------------|---------------|-----------------------|--------------------------|--------------------------|--------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|-----|
|                  | Transitioned             | Facility<br>Total                        | 0.37                         | 0.80                          | 1.07                     | 0.69                     | 0.38                     | 1.69                     | 1.20                     | 0.49                     | 1.02                         | 0.32                         | 0.70                         | 1.28                         | 0.74                         | C.5                          | 1.91                         | 1.35                         | 0.56                         | 0.61                         | 0.44                         | 0.17                         | 0.00                | 0.00                  | 0.36                    | 0.33                    | 3 6                     | 8 6                     | 0.00                   | 0.00                       | 0.30          | 0.53                  | 0.00                     | 0.00                     | 0.00                     | 1.71               | 0.48               | 1.23               | 5.15               | 0.99               | 7   |
|                  |                          | Facility<br>Total                        | 0.26                         | 0.79                          | 0.93                     | 0.55                     | 0.38                     | 1.55                     | 1.07                     | 0.48                     | 0.93                         | 0.23                         | 0.70                         | 1.20                         | 0.66                         | 0.54<br>4                    | 1.87                         | 1.31                         | 0.56                         | 0.38                         | 0.22                         | 0.16                         | 0.0                 | 0.00                  | 0.26                    | 57.0<br>60.0            | 3 6                     | 8 6                     | 0.00                   | 0.00                       | 0.27          | 0.42                  | 0.00                     | 0.00                     | 0.00                     | 1.58               | 0.34               | 1.24               | 4.99               | 0.82               | .,, |
| T                | напынопеа<br>Моп-        | facility<br>Total                        | 0.37                         | 0.80                          | 1.07                     | 0.69                     | 0.38                     | 1.69                     | 1.20                     | 0.49                     | 1.02                         | 0.32                         | 0.70                         | 1.28                         | 0.74                         | 6.5                          | <del>.</del> 99.             | 1.35                         | 0.56                         | 0.61                         | 0.<br>44.                    | 0.17                         | 0.00                | 0.00                  | 0.36                    | 5.53<br>6.53            | 20.00                   | 8 6                     | 0.00                   | 0.00                       | 0.44          | 0.78                  | 0.00                     | 0.00                     | 0.00                     | 1.71               | 0.48               | 1.23               | 5.15               | 0.99               | ,   |
|                  | Non-                     | facility<br>Total                        | 0.26                         | 0.79                          | 0.93                     | 0.55                     | 0.38                     | 1.55                     | 1.07                     | 0.48                     | 0.93                         | 0.23                         | 0.70                         | 1.20                         | 0.66                         | 0.54<br>40.5                 | 1.87                         | 1.31                         | 0.56                         | 0.38                         | 0.22                         | 0.16                         | 0.00                | 0.00                  | 0.26                    | 0.23                    | 3 6                     | 8 6                     | 0.00                   | 0.00                       | 0.50          | 99.0                  | 0.00                     | 0.00                     | 0.00                     | 1.58               | 0.34               | 1.24               | 4.99               | 0.82               | !   |
|                  | Mal-                     | practice<br>RUVs                         | 0.02                         | 0.05                          | 0.04                     | 0.05                     | 0.02                     | 90:0                     | 0.03                     | 0.03                     | 0.07                         | 0.05                         | 0.05                         | 0.05                         | 0.02                         | 0.03                         | 0.05                         | 0.02                         | 0.03                         | 0.03                         | 0.02                         | 0.01                         | 0.00                | 0.00                  | 0.05                    | 7 O.O.                  | 8 6                     | 8 6                     | 0.00                   | 0.00                       | 0.02          | 0.03                  | 0.00                     | 0.00                     | 0.00                     | 0.14               | 0.05               | 60:0               | 0.34               | 0.03               |     |
| Transitioned     | ractice                  | expense                                  | 0.18                         | 0.75                          | 0.65                     | 0.29                     | 0.36                     | 0.89                     | 0.43                     | 0.46                     | 0.80                         | 0.15                         | 0.65                         | 0.78                         | 0.27                         | 0.51                         | 0.94                         | 0.41                         | 0.53                         | 0.42                         | 0.26                         | 0.16                         | 0.00                | 00.0                  | 0.18                    | υ.<br>Ο 6               | 3 6                     | 800                     | 0.00                   | 0.00                       | 0.10          | 0.22                  | 0.00                     | 0.00                     | 0.00                     | 1.35               | 0.21               | 1.14               | 4.21               | 0.36               |     |
| Facility         | practice                 | expense                                  | 0.07                         | 0.74                          | 0.51                     | 0.15                     | 0.36                     | 0.75                     | 0.30                     | 0.45                     | 0.71                         | 90.0                         | 0.65                         | 0.70                         | 0.19                         | 0.51                         | 0.90                         | 0.37                         | 0.53                         | 0.19                         | 0.04                         | 0.15                         | 0.00                | 0.00                  | 0.08                    | 0.00                    | 3 5                     | 8 6                     | 0.00                   | 0.00                       | 0.07          | 0.11                  | 0.00                     | 0.00                     | 0.00                     | 1.22               | 0.07               | 1.15               | 4.05               | 0.19               |     |
| Transitioned     | non-racility<br>practice | expense                                  | 0.18                         | 0.75                          | 0.65                     | 0.29                     | 0.36                     | 0.89                     | 0.43                     | 0.46                     | 0.80                         | 0.15                         | 0.65                         | 0.78                         | 0.27                         | 0.51                         | 0.94                         | 0.41                         | 0.53                         | 0.42                         | 0.26                         | 0.16                         | 0.00                | 0.00                  | 0.18                    | 0.15<br>60.0            | 500                     | 8 6                     | 0.00                   | 0.00                       | 0.24          | 0.47                  | 0.00                     | 0.00                     | 0.00                     | 1.35               | 0.21               | 1.14               | 4.21               | 0.36               |     |
| Non-<br>facility | practice                 | expense                                  | 0.07                         | 0.74                          | 0.51                     | 0.15                     | 0.36                     | 0.75                     | 0.30                     | 0.45                     | 0.71                         | 90.0                         | 0.65                         | 0.70                         | 0.19                         | 0.51                         | 0.90                         | 0.37                         | 0.53                         | 0.19                         | 0.04                         | 0.15                         | 0.00                | 0.00                  | 0.08                    | S S                     | 20.00                   | 8 6                     | 0.00                   | 0.00                       | 0.30          | 0.35                  | 0.00                     | 0.00                     | 0.00                     | 1.22               | 0.07               | 1.15               | 4.05               | 0.19               |     |
|                  | Physician                | work 3                                   | 0.17                         | 0.00                          | 0.38                     | 0.38                     | 0.00                     | 0.74                     | 0.74                     | 00.00                    | 0.15                         | 0.15                         | 0.00                         | 0.45                         | 0.45                         | 0.00                         | 0.92                         | 0.92                         | 0.00                         | 0.16                         | 0.16                         | 0.00                         | 0.00                | 0.00                  | 0.16                    | 0.16                    | 9 6                     | 8 6                     | 000                    | 0.00                       | 0.18          | 0.28                  | 00.0                     | 00:0                     | 00.0                     | 0.22               | 0.22               | 00.0               | 09.0               | 09:0               |     |
|                  |                          | Description                              | Telephone analysis pacemaker | Telephone analysis, pacemaker | Analyze pacemaker system | Telephone analysis,pacemaker | Telephone analysis,pacemaker | Telephone analysis,pacemaker | Analyze cardio/defibrillator | Temperature gradient studies | Temperature gradient studies | Temperature gradient studies | Cephalic thermogram | Peripheral thermogram | Measure venous pressure | Measure venous pressure | Measure venous pressure | Ambulatory BD recording | Ambulatory BP analysis | Review/report BP recording | Cardiac rehab | Cardiac rehab/monitor | Cardiovascular procedure | Cardiovascular procedure | Cardiovascular procedure | Extracranial study | •   |
|                  |                          | Chatus                                   |                              | < <                           | ∢                        | ∢                        | ∢                        | ∢                        | ∢                        | ∢                        | ∢                            | ∢                            | ∢                            | ∢                            | ∢ ·                          | ∢                            | ∢                            | ∢                            | ⋖                            | ∢                            | ∢                            | ∢                            | z                   | z                     | ∢ ⋅                     | ∢ •                     | ∢ 2                     | Z 2                     | zz                     | z                          | ∢             | ∢                     | ပ                        | ပ                        | ပ                        | ∢                  | ∢                  | ∢                  | ∢                  | ∢                  |     |
|                  |                          | Po <b>TI</b>                             | ~                            | ဥ                             |                          | 92                       | 5                        |                          | 56                       | 5                        |                              | 56                           | ဥ                            |                              | 56                           | ပ                            |                              | <b>5</b> 6                   | ဥ                            |                              | 56                           | ပ                            |                     |                       | ;                       | 7<br>1<br>7<br>1<br>7   | <u>၁</u>                |                         |                        |                            |               |                       |                          | 56                       | ပ္                       |                    | 56                 | ဥ                  |                    | 56                 |     |
|                  |                          | CPT <sup>1</sup> /<br>HCPCS <sup>2</sup> | 93733                        | 93733                         | 93734                    | 93734                    | 93734                    | 93735                    | 93735                    | 93735                    | 93736                        | 93736                        | 93736                        | 93737                        | 93737                        | 93737                        | 93738                        | 93738                        | 93738                        | 93740                        | 93740                        | 93740                        | 93760               | 93762                 | 93770                   | 93770                   | 93770                   | 93784                   | 93788                  | 93790                      | 93797         | 93798                 | 93799                    | 93799                    | 93799                    | 93875              | 93875              | 93875              | 93880              | 93880              |     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|    |            | •                     |                   | Mon.                | Transitioned |                     | Transitioned        |                  |                  |                  |          |                          |        |
|----|------------|-----------------------|-------------------|---------------------|--------------|---------------------|---------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|    |            |                       |                   | facility            | Non-facility | Facility            | Facility            |                  |                  | Iransitioned     |          |                          |        |
|    |            |                       | Physician<br>work | practice<br>expense | practice     | practice<br>expense | practice<br>expense | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| =  | Mod Status | Description           | RVUs 3            | RVUs                | RVUS         | RVUs                | RVUs                | RUVs             | Total            | Total            | Total    | Total                    | Global |
|    | ∢          | Extracranial study    | 0.40              | 2.69                | 2.80         | 2.69                | 2.80                | 0.22             | 3.31             | 3.42             | 3.31     | 3.42                     | XXX    |
| 26 | ∢          | Extracranial study    | 0.40              | 0.13                | 0.24         | 0.13                | 0.24                | 0.02             | 0.55             | 99.0             | 0.55     | 99.0                     | ×      |
| ဥ  | ∢          | Extracranial study    | 0.00              | 2.56                | 2.56         | 2.56                | 2.56                | 0.20             | 2.76             | 2.76             | 2.76     | 2.76                     | ×      |
|    | ∢          | Intracranial study    | 0.94              | 4.72                | 4.79         | 4.72                | 4.79                | 0.39             | 6.05             | 6.12             | 6.05     | 6.12                     | ×      |
| 26 | ∢          | Intracranial study    | 0.94              | 0.35                | 0.43         | 0.35                | 0.43                | 0.04             | 1.33             | 1.41             | 1.33     | 1.41                     | ×      |
| ဍ  | ∢          | Intracranial study    | 0.00              | 4.37                | 4.36         | 4.37                | 4.36                | 0.35             | 4.72             | 4.71             | 4.72     | 4.71                     | ×      |
|    | ∢          | Intracranial study    | 0.62              | 3.14                | 3.19         | 3.14                | 3.19                | 0.26             | 4.02             | 4.07             | 4.02     | 4.07                     | ×      |
| 56 | ∢          | Intracranial study    | 0.62              | 0.23                | 0.28         | 0.23                | 0.28                | 0.02             | 0.87             | 0.92             | 0.87     | 0.92                     | ×      |
| ပ  | ∢          | Intracranial study    | 0.00              | 2.91                | 2.91         | 2.91                | 2.91                | 0.24             | 3.15             | 3.15             | 3.15     | 3.15                     | ×      |
|    | ∢          | Extremity study       | 0.25              | 1.29                | 1.44         | 1.29                | 1.44                | 0.15             | 1.69             | 1.84             | 1.69     | <b>2</b> 6.              | ×      |
| 56 | ∢          | Extremity study       | 0.25              | 60.0                | 0.25         | 60.0                | 0.25                | 0.04             | 0.38             | 0.54             | 0.38     | 0.54                     | ×      |
| ဥ  | ∢          | Extremity study       | 0.00              | 1.20                | 1.19         | 1.20                | 1.19                | 0.11             | 1.31             | 1.30             | 1.31     | 1.30                     | ×      |
|    | ∢          | Extremity study       | 0.45              | 2.41                | 2.70         | 2.41                | 2.70                | 0.27             | 3.13             | 3.42             | 3.13     | 3.42                     | ×      |
| 56 | ⋖          | Extremity study       | 0.45              | 0.15                | 0.44         | 0.15                | 0.44                | 0.07             | 0.67             | 96.0             | 0.67     | 96.0                     | ×      |
| ဥ  | ∢          | Extremity study       | 0.00              | 2.26                | 2.26         | 2.26                | 2.26                | 0.20             | 2.46             | 2.46             | 2.46     | 2.46                     | ×      |
|    | ∢          | Extremity study       | 0.50              | 2.64                | 2.95         | 2.64                | 2.95                | 0.31             | 3.45             | 3.76             | 3.45     | 3.76                     | ×      |
| 56 | ∢          | Extremity study       | 0.50              | 0.18                | 0.50         | 0.18                | 0.50                | 0.08             | 92.0             | 1.08             | 92.0     | 1.08                     | ×      |
| ပ  | ∢          | Extremity study       | 0.00              | 2.46                | 2.45         | 2.46                | 2.45                | 0.23             | 2.69             | 2.68             | 5.69     | 2.68                     | X.     |
|    | ∢          | Lower extremity study | 0.58              | 4.07                | 4.23         | 4.07                | 4.23                | 0.34             | 4.99             | 5.15             | 4.99     | 5.15                     | ×      |
| 28 | ∢          | Lower extremity study | 0.58              | 0.19                | 0.36         | 0.19                | 0.36                | 0.03             | 0.80             | 0.97             | 0.80     | 0.97                     | ž      |
| ပ  | ∢          | Lower extremity study | 0.00              | 3.88                | 3.87         | 3.88                | 3.87                | 0.31             | 4.19             | 4.18             | 4.19     | 4.18                     | ×      |
|    | ∢          | Lower extremity study | 0.39              | 2.71                | 2.82         | 2.71                | 2.82                | 0.23             | 3.33             | 3.44             | 3.33     | 3.44                     | ×      |
| 28 | ∢          | Lower extremity study | 0.39              | 0.12                | 0.24         | 0.12                | 0.24                | 0.02             | 0.53             | 0.65             | 0.53     | 0.65                     | ×      |
| ပ  | ∢          | Lower extremity study | 0.00              | 2.59                | 2.58         | 2.59                | 2.58                | 0.21             | 2.80             | 2.79             | 2.80     | 2.79                     | ×      |
|    | ∢          | Upper extremity study | 0.46              | 4.27                | 4.46         | 4.27                | 4.46                | 0.37             | 5.10             | 5.29             | 5.10     | 5.29                     | ×      |
| 26 | ∢          | Upper extremity study | 0.46              | 0.15                | 0.35         | 0.15                | 0.35                | 9.0              | 0.65             | 0.85             | 0.65     | 0.85                     | ž      |
| ဥ  | ∢          | Upper extremity study | 0.00              | 4.12                | 4.11         | 4.12                | 4.11                | 0.33             | 4.45             | 4.44             | 4.45     | 4.44                     | ×      |
|    | ∢          | Upper extremity study | 0.31              | 2.85                | 2.98         | 2.85                | 2.98                | 0.24             | 3.40             | 3.53             | 3.40     | 3.53                     | ×      |
| 56 | ⋖          | Upper extremity study | 0.31              | 0.10                | 0.24         | 0.10                | 0.24                | 0.02             | 0.43             | 0.57             | 0.43     | 0.57                     | ×      |
| 5  | ∢          | Upper extremity study | 0.00              | 2.75                | 2.74         | 2.75                | 2.74                | 0.22             | 2.97             | 2.96             | 2.97     | 2.96                     | ×      |
|    | ∢          | Extremity study       | 0.35              | 1.24                | 1.47         | 1.24                | 1.47                | 0.15             | 1.74             | 1.97             | 1.74     | 1.97                     | ×      |
| 56 | ∢          | Extremity study       | 0.35              | 0.11                | 0.34         | 0.11                | 0.34                | 0.05             | 0.51             | 0.74             | 0.51     | 0.74                     | ×      |
| ပ  | ∢          | Extremity study       | 0.00              | 1.13                | 1.13         | 1.13                | 1.13                | 0.10             | 1.23             | 1.23             | 1.23     | 1.23                     | ×      |
|    | ∢          | Extremity study       | 0.68              | 4.51                | 4.66         | 4.51                | 4.66                | 0.40             | 5.59             | 5.74             | 5.59     | 5.74                     | ×      |
| 56 | ∢          | Extremity study       | 0.68              | 0.22                | 0.38         | 0.22                | 0.38                | 0.04             | 0.94             | 1.10             | 0.94     | 1.10                     | ×      |
| ဍ  | ∢          | Extremity study       | 0.00              | 4.29                | 4.28         | 4.29                | 4.28                | 0.36             | 4.65             | 4.64             | 4.65     | 4.64                     | ×      |
|    | ∢          | Extremity study       | 0.45              | 2.98                | 3.09         | 2.98                | 3.09                | 0.26             | 3.69             | 3.80             | 3.69     | 3.80                     | ×      |
| 26 | ∢          | Extremity study       | 0.45              | 0.13                | 0.25         | 0.13                | 0.25                | 0.02             | 09:0             | 0.72             | 09.0     | 0.72                     | ×      |
| ပ  | ∢          | Extremity study       | 0.00              | 2.85                | 2.84         | 2.85                | 2.84                | 0.24             | 3.09             | 3.08             | 3.09     | 3.08                     | ×      |
|    | ∢          | Vascular study        | 1.80              | 5.42                | 5.35         | 5.42                | 5.35                | 0.43             | 7.65             | 7.58             | 7.65     | 7.58                     | ×      |
|    |            |                       |                   |                     |              |                     |                     |                  |                  |                  |          |                          |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |     |        |                              |              | Non-            | Iransitioned    |                 | Transitioned    |                  |                   |                     |                   |                   |        |
|-----------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|---------------------|-------------------|-------------------|--------|
|                             |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        | ;                |                   | <b>Transitioned</b> |                   |                   |        |
| 1                           |     |        |                              | Physician    | practice        | practice        | practice        | practice        | Wal              | Non-              | Non-                |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total   | Facility<br>Total | Facility<br>Total | Global |
| 93975                       |     | ∢      | Vascular study               | 1.80         | 0.53            | 0.48            | 0.53            | 0.48            | 0.04             | 2.37              | 2.32                | 2.37              | 2.32              | ×      |
| 93975                       | 5   | ⋖      | Vascular study               | 0.00         | 4.89            | 4.87            | 4.89            | 4.87            | 0.39             | 5.28              | 5.26                | 5.28              | 5.26              | ×      |
| 93976                       |     | ∢      | Vascular study               | 1.21         | 3.59            | 3.55            | 3.59            | 3.55            | 0.29             | 5.09              | 5.05                | 5.09              | 5.05              | ×      |
| 93976                       | 56  | ∢      | Vascular study               | 1.21         | 0.34            | 0.31            | 0.34            | 0.31            | 0.05             | 1.57              | 1.54                | 1.57              | 1.54              | ×      |
| 93976                       | ဥ   | ∢      | Vascular study               | 0.00         | 3.25            | 3.24            | 3.25            | 3.24            | 0.27             | 3.52              | 3.51                | 3.52              | 3.51              | ×      |
| 93978                       |     | ∢      | Vascular study               | 0.65         | 4.22            | 4.36            | 4.22            | 4.36            | 0.37             | 5.24              | 5.38                | 5.24              | 5.38              | ×      |
| 93978                       | 56  | ∢      | Vascular study               | 0.65         | 0.22            | 0.37            | 0.22            | 0.37            | 0.04             | 0.91              | 1.06                | 0.91              | 1.06              | ×      |
| 93978                       | 5   | ∢      | Vascular study               | 0.00         | 4.00            | 3.99            | 4.00            | 3.99            | 0.33             | 4.33              | 4.32                | 4.33              | 4.32              | ×      |
| 93979                       |     | ∢      | Vascular study               | 0.44         | 2.80            | 2.90            | 2.80            | 2.90            | 0.24             | 3.48              | 3.58                | 3.48              | 3.58              | ×      |
| 93979                       | 56  | ∢      | Vascular study               | 0.44         | 0.15            | 0.25            | 0.15            | 0.25            | 0.02             | 0.61              | 0.71                | 0.61              | 0.71              | ×      |
| 93979                       | ဥ   | ∢      | Vascular study               | 0.00         | 2.65            | 2.65            | 2.65            | 2.65            | 0.22             | 2.87              | 2.87                | 2.87              | 2.87              | ×      |
| 93980                       |     | ∢      | Penile vascular study        | 1.25         | 4.03            | 4.39            | 4.03            | 4.39            | 0.35             | 5.63              | 5.99                | 5.63              | 5.99              | ×      |
| 93980                       | 56  | ∢      | Penile vascular study        | 1.25         | 0.40            | 0.77            | 0.40            | 0.77            | 0.05             | 1.70              | 2.07                | 1.70              | 2.07              | ×      |
| 93980                       | 5   | ∢      | Penile vascular study        | 0.00         | 3.63            | 3.62            | 3.63            | 3.62            | 0.30             | 3.93              | 3.92                | 3.93              | 3.92              | ×      |
| 93981                       |     | ∢      | Penile vascular study        | 0.44         | 3.48            | 3.70            | 3.48            | 3.70            | 0.30             | 4.22              | 4.44                | 4.22              | 4.44              | ×      |
| 93981                       | 56  | ∢      | Penile vascular study        | 0.44         | 0.13            | 0.36            | 0.13            | 0.36            | 0.02             | 0.59              | 0.82                | 0.59              | 0.82              | ×      |
| 93981                       | ဥ   | ∢      | Penile vascular study        | 0.00         | 3.35            | 3.34            | 3.35            | 3.34            | 0.28             | 3.63              | 3.62                | 3.63              | 3.62              | ×      |
| 93990                       |     | ∢      | Doppler flow testing         | 0.25         | 2.69            | 2.76            | 2.69            | 2.76            | 0.23             | 3.17              | 3.24                | 3.17              | 3.24              | ×.     |
| 93990                       | 56  | ∢      | Doppler flow testing         | 0.25         | 0.10            | 0.18            | 0.10            | 0.18            | 0.02             | 0.37              | 0.45                | 0.37              | 0.45              | ×      |
| 93990                       | 5   | ∢      | Doppler flow testing         | 0.00         | 2.59            | 2.58            | 2.59            | 2.58            | 0.21             | 2.80              | 2.79                | 2.80              | 2.79              | ×      |
| 94010                       |     | ∢      | Breathing capacity test      | 0.17         | 0.49            | 0.67            | 0.49            | 29.0            | 0.04             | 0.70              | 0.88                | 0.70              | 0.88              | ×      |
| 94010                       | 56  | ∢      | Breathing capacity test      | 0.17         | 0.05            | 0.24            | 0.05            | 0.24            | 0.02             | 0.24              | 0.43                | 0.24              | 0.43              | ×      |
| 94010                       | ဥ   | ∢      | Breathing capacity test      | 0.00         | 0.44            | 0.43            | 0.44            | 0.43            | 0.02             | 0.46              | 0.45                | 0.46              | 0.45              | ×      |
| 94014                       |     | ∢      | Patient recorded spirometry  | 0.52         | 0.63            | 0.63            | 0.63            | 0.63            | 0.04             | 1.19              | 1.19                | 1.19              | 1.19              | ×      |
| 94014                       | 56  | ∢      | Patient recorded spirometry  | 0.52         | 0.20            | 0.20            | 0.20            | 0.20            | 0.02             | 0.74              | 0.74                | 0.74              | 0.74              | ×      |
| 94014                       | 5   | ∢      | Patient recorded spirometry  | 0.00         | 0.43            | 0.43            | 0.43            | 0.43            | 0.02             | 0.45              | 0.45                | 0.45              | 0.45              | ××     |
| 94015                       |     | Ω      | Patient recorded spirometry  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:00               | 0.00              | 0.00              | ×      |
| 94015                       | 56  | 8      | Patient recorded spirometry  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00               | 0.00              | 0.00              | ×      |
| 94015                       | ဥ   | œ      | Patient recorded spirometry  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 94016                       |     | ∢      | Review patient spirometry    | 0.52         | 0.20            | 0.20            | 0.20            | 0.20            | 0.04             | 0.76              | 92.0                | 92.0              | 0.76              | ×      |
| 94060                       |     | ∢      | Evaluation of wheezing       | 0.31         | 1.06            | 1.27            | 1.06            | 1.27            | 0.07             | 1.44              | 1.65                | 1.44              | 1.65              | ×      |
| 94060                       | 56  | ∢      | Evaluation of wheezing       | 0.31         | 0.09            | 0:30            | 0.09            | 0.30            | 0.02             | 0.42              | 0.63                | 0.42              | 0.63              | ×      |
| 94060                       | ည   | ∢      | Evaluation of wheezing       | 0.00         | 0.97            | 0.97            | 0.97            | 0.97            | 0.05             | 1.02              | 1.02                | 1.02              | 1.02              | ××     |
| 94070                       |     | ∢      | Evaluation of wheezing       | 09.0         | 1.70            | 1.86            | 1.70            | 1.86            | 0.10             | 2.40              | 2.56                | 2.40              | 2.56              | ×      |
| 94070                       | 56  | ∢      | Evaluation of wheezing       | 09'0         | 0.18            | 0.35            | 0.18            | 0.35            | 0.02             | 0.80              | 0.97                | 0.80              | 0.97              | ×      |
| 94070                       | 2   | ∢      | Evaluation of wheezing       | 0.00         | 1.52            | 1.51            | 1.52            | 1.51            | 0.08             | 1.60              | 1.59                | 1.60              | 1.59              | ×      |
| 94150                       |     | 80     | Vital capacity test          | +0.07        | 0.12            | 0.17            | 0.12            | 0.17            | 0.02             | 0.21              | 0.26                | 0.21              | 0.26              | ×      |
| 94150                       | 56  | 8      | Vital capacity test          | +0.07        | 0.03            | 0.08            | 0.03            | 90.0            | 0.01             | 0.11              | 0.16                | 0.11              | 0.16              | ×      |
| 94150                       | 5   | 8      | Vital capacity test          | +0.00        | 0.09            | 0.09            | 0.09            | 0.09            | 0.01             | 0.10              | 0.10                | 0.10              | 0.10              | ××     |
| 94200                       |     | ∢      | Lung function test (MBC/MVV) | 0.11         | 0.29            | 0.37            | 0.29            | 0.37            | 0.03             | 0.43              | 0.51                | 0.43              | 0.51              | XX     |
|                             |     |        | •                            |              |                 |                 |                 |                 |                  |                   |                     |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

1 CPT codes and descriptions only are copyright 1996 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              | ры           | Global                      | XX                      | ×                | XX                        | XX                            | ×                            | ××                           | ××                      | ××                      | ×                        | ×                        | ×                        | ×                            | ××                           | ×                            | ××                   | XX                   | ××                   | ×                           | ××                          | ××                          | ×                           | ××                          | ×                           | ×                          | ×                          | ××                         | ×                          | ×                          | ×                          | ×                           | ×                           | ×                           | ××                       | ×                        | ×                        | ××                          | ×                           | ××                          | ×                  | **  |
|------------------------------|--------------|-----------------------------|-------------------------|------------------|---------------------------|-------------------------------|------------------------------|------------------------------|-------------------------|-------------------------|--------------------------|--------------------------|--------------------------|------------------------------|------------------------------|------------------------------|----------------------|----------------------|----------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|--------------------------|--------------------------|--------------------------|-----------------------------|-----------------------------|-----------------------------|--------------------|-----|
|                              | Transitioned | Facility<br>Total           | 2.32                    | 1.45             | 1.46                      | 1.10                          | 0.57                         | 0.54                         | 0.64                    | 0.39                    | 1.1                      | 0.53                     | 0.58                     | 1.96                         | 0.43                         | 1.53                         | 0.69                 | 0.11                 | 0.58                 | 1.41                        | 0.49                        | 0.92                        | 2.34                        | 0.44                        | 1.90                        | 1.10                       | 0.47                       | 0.63                       | 0.29                       | 0.74                       | 1.25                       | 0.64                        | 0.27                        | 0.37                        | 0.00                     | 0.00                     | 0.00                     | 0.00                        | 0.00                        | 0.00                        | 0.11               |     |
|                              | 4            | Facility<br>Total           | 1.67                    | 1.17             | 1.09                      | 1.06                          | 0.58                         | 0.54                         | 0.64                    | 0.39                    | 0.94                     | 0.36                     | 0.58                     | 1.83                         | 0.29                         | 1.54                         | 0.68                 | 0.09                 | 0.59                 | 1.27                        | 0.35                        | 0.92                        | 2.26                        | 0.35                        | 1.91                        | 0.95                       | 0.32                       | 0.63                       | 0.29                       | 0.75                       | 1.26                       | 0.59                        | 0.21                        | 0.38                        | 0.00                     | 0.00                     | 0.00                     | 0.00                        | 0.00                        | 0.00                        | 0.11               | 0   |
| Transitional                 | Non-         | tacility<br>Total           | Ą                       | ¥                | 1.51                      | ¥                             | 0.57                         | 0.54                         | 0.64                    | 0.39                    | 1.1                      | 0.53                     | 0.58                     | 1.96                         | 0.43                         | 1.53                         | 69.0                 | 0.11                 | 0.58                 | 1.41                        | 0.49                        | 0.92                        | 2.34                        | 0.44                        | 1.90                        | 1.10                       | 0.47                       | 0.63                       | 0.29                       | 0.74                       | 1.25                       | 0.64                        | 0.27                        | 0.37                        | 0.00                     | 0.00                     | 0.00                     | 0.00                        | 0.00                        | 00:00                       | 0.11               | 000 |
|                              | Non-         | tacility<br>Total           | ¥                       | ¥                | 1.29                      | ¥                             | 0.58                         | 0.54                         | 0.64                    | 0.39                    | 0.94                     | 0.36                     | 0.58                     | 1.83                         | 0.29                         | 1.54                         | 0.68                 | 0.09                 | 0.59                 | 1.27                        | 0.35                        | 0.92                        | 2.26                        | 0.35                        | 1.91                        | 0.95                       | 0.32                       | 0.63                       | 0.29                       | 0.75                       | 1.26                       | 0.59                        | 0.21                        | 0.38                        | 0.00                     | 0.00                     | 0.00                     | 0.00                        | 0.00                        | 0.00                        | 0.11               | •   |
|                              | Mal-         | practice<br>RUVs            | 60.0                    | 0.04             | 0.05                      | 0.02                          | 0.03                         | 0.04                         | 0.04                    | 0.02                    | 0.07                     | 0.02                     | 0.05                     | 0.13                         | 0.03                         | 0.10                         | 0.03                 | 0.00                 | 0.03                 | 0.07                        | 0.02                        | 0.05                        | 0.11                        | 0.01                        | 0.10                        | 0.05                       | 0.02                       | 0.03                       | 0.02                       | 0.05                       | 0.08                       | 0.08                        | 0.02                        | 90.0                        | 0.00                     | 0.00                     | 0.00                     | 0.00                        | 0.00                        | 0.00                        | 0.01               |     |
| Transitioned<br>Facility     | practice     | expense<br>RVUs             | 1.01                    | 0.58             | 0.65                      | 0.32                          | 0.54                         | 0.50                         | 09.0                    | 0.37                    | 0.78                     | 0.25                     | 0.53                     | 1.63                         | 0.20                         | 1.43                         | 0.59                 | 0.04                 | 0.55                 | 1.08                        | 0.21                        | 0.87                        | 1.97                        | 0.17                        | 1.80                        | 0.82                       | 0.22                       | 09:0                       | 0.27                       | 69.0                       | 1.17                       | 0.41                        | 0.10                        | 0.31                        | 0.00                     | 0.00                     | 0.00                     | 0.00                        | 0.00                        | 0.00                        | 0.10               |     |
| Facility                     | practice     | expense<br>RVUs             | 0.36                    | 0.30             | 0.28                      | 0.28                          | 0.55                         | 0.50                         | 09:0                    | 0.37                    | 0.61                     | 90.0                     | 0.53                     | 1.50                         | 90:0                         | 1.44                         | 0.58                 | 0.02                 | 0.56                 | 0.94                        | 0.07                        | 0.87                        | 1.89                        | 0.08                        | 1.81                        | 0.67                       | 0.07                       | 09:0                       | 0.27                       | 0.70                       | 1.18                       | 0.36                        | 0.04                        | 0.32                        | 00.0                     | 00.00                    | 0.00                     | 0.00                        | 00.0                        | 00.0                        | 0.10               |     |
| Transitioned<br>Non-facility | practice     | expense<br>RVUs             | ¥                       | <b>∀</b>         | 0.70                      | ¥                             | 0.54                         | 0.50                         | 09.0                    | 0.37                    | 0.78                     | 0.25                     | 0.53                     | 1.63                         | 0.20                         | 1.43                         | 0.59                 | 0.04                 | 0.55                 | 1.08                        | 0.21                        | 0.87                        | 1.97                        | 0.17                        | 1.80                        | 0.82                       | 0.22                       | 0.60                       | 0.27                       | 69.0                       | 1.17                       | 0.41                        | 0.10                        | 0.31                        | 0.00                     | 0.00                     | 0.00                     | 0.00                        | 0.00                        | 0.00                        | 0.10               |     |
| Non-<br>facility             | practice     | expense<br>RVUs             | Ą                       | ¥                | 0.48                      | ¥                             | 0.55                         | 0.50                         | 09.0                    | 0.37                    | 0.61                     | 0.08                     | 0.53                     | 1.50                         | 90:0                         | 1.44                         | 0.58                 | 0.02                 | 0.56                 | 0.94                        | 0.07                        | 0.87                        | 1.89                        | 90.0                        | 1.81                        | 0.67                       | 0.07                       | 0.60                       | 0.27                       | 0.70                       | 1.18                       | 0.36                        | 0.04                        | 0.32                        | 0.00                     | 0.00                     | 0.00                     | 0.00                        | 0.00                        | 0.00                        | 0.10               |     |
|                              | Physician    | work<br>RVUs                | 1.22                    | 0.83             | 0.76                      | 0.76                          | 0.00                         | 0.00                         | 0.00                    | 0.00                    | 0.26                     | 0.26                     | 0.00                     | 0.20                         | 0.20                         | 0.00                         | 0.07                 | 0.07                 | 0.00                 | 0.26                        | 0.26                        | 0.00                        | 0.26                        | 0.26                        | 0.00                        | 0.23                       | 0.23                       | 0.00                       | 0.00                       | 0.00                       | 0.00                       | 0.15                        | 0.15                        | 0.00                        | 0.00                     | 0.00                     | 0.00                     | 0.00                        | 0.00                        | 0.00                        | 0.00               |     |
|                              |              | Description                 | Initial ventilator mgmt | Cont. ventilator | Pos airway pressure, CPAP | Neg pressure ventilation, cnp | Aerosol or vapor inhalations | Aerosol or vapor inhalations | Chest wall manipulation | Chest wall manipulation | Exhaled air analysis: O2 | Exhaled air analysis: 02 | Exhaled air analysis: O2 | Exhaled air analysis: 02,C02 | Exhaled air analysis: 02,C02 | Exhaled air analysis: 02,C02 | Exhaled air analysis | Exhaled air analysis | Exhaled air analysis | Monoxide diffusing capacity | Monoxide diffusing capacity | Monoxide diffusing capacity | Membrane diffusion capacity | Membrane diffusion capacity | Membrane diffusion capacity | Pulmonary compliance study | Pulmonary compliance study | Pulmonary compliance study | Measure blood oxygen level | Measure blood oxygen level | Measure blood oxygen level | Exhaled carbon dioxide test | Exhaled carbon dioxide test | Exhaled carbon dioxide test | Breath recording, infant | Breath recording, infant | Breath recording, infant | Pulmonary service/procedure | Pulmonary service/procedure | Pulmonary service/procedure | Allergy skin tests | ì   |
|                              |              | Status                      | ∢                       | ∢                | ∢                         | ∢                             | ∢                            | ∢                            | ∢                       | ∢                       | ∢                        | ∢                        | ∢                        | ∢                            | ∢                            | ∢                            | ∢                    | ∢                    | ∢                    | ∢                           | ∢                           | ∢                           | ∢                           | ∢                           | ∢                           | ∢                          | ∢                          | ∢                          | ∢                          | ⋖                          | ∢                          | ∢                           | ∢                           | ∢                           | ပ                        | ပ                        | ပ                        | ပ                           | ပ                           | ပ                           | ⋖                  |     |
|                              |              | PoW 2                       |                         |                  |                           |                               |                              |                              |                         |                         |                          | 56                       | ဥ                        |                              | 56                           | ဥ                            |                      | 56                   | ပ                    |                             | 56                          | ဥ                           |                             | 56                          | 5                           |                            | 56                         | ဥ                          |                            |                            |                            |                             | 56                          | ဥ                           |                          | 56                       | ဥ                        |                             | 56                          | 5                           |                    |     |
|                              | 1 200        | CPI /<br>HCPCS <sup>2</sup> | 94656                   | 94657            | 94660                     | 94662                         | 94664                        | 94665                        | 94667                   | 94668                   | 94680                    | 94680                    | 94680                    | 94681                        | 94681                        | 94681                        | 94690                | 94690                | 94690                | 94720                       | 94720                       | 94720                       | 94725                       | 94725                       | 94725                       | 94750                      | 94750                      | 94750                      | 94760                      | 94761                      | 94762                      | 94770                       | 94770                       | 94770                       | 94772                    | 94772                    | 94772                    | 94799                       | 94799                       | 94799                       | 95004              |     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|          |          |          | ADA                          | АБИЕМВОМ В | NELWINE V         | - ALLAHITE TALOL OFFICE (ATOS) AND ALLAHED IN | י שאא (נטיו |                        |                  | <u>.</u>   |              |                  |                  |        |
|----------|----------|----------|------------------------------|------------|-------------------|---|-------------|------------------------|------------------|--|--------------|------------------|------------------|--------|
|          |          |          |                              |            | rour-<br>facility | Non-facility                                  | Facility    | n unsmoneu<br>Facility |                  |  | Transitioned |                  |                  |        |
| /1 Tab   |          |          |                              | Physician  | practice          | practice                                      | practice    | practice               | Mal-<br>practice | Non-   | Non-         | Carilia          | Transitioned     |        |
|          | Mod Stat | Status   | Description                  | RVUs       | RVUs              | expense<br>RVUs                               | RVUs        | RVUs                   | RUIS             | Total  | Total        | radiliy<br>Total | raciiiy<br>Total | Global |
| 95015    |          | A Sen    | Sensitivity skin tests       | 0.15       | 0.39              | 0.19  | 90.0        | 90.0                   | 0.01             | 0.55   | 0.35         | 0.22             | 0.22             | XXX    |
| 95024    | •        | A Alle   | Allergy skin tests           | 0.00       | 0.14              | 0.15  | 0.14        | 0.15                   | 0.01             | 0.15   | 0.16         | 0.15             | 0.16             | ×      |
| 95027    | •        |          | Skin end point titration     | 0.00       | 0.14              | 0.15  | 0.14        | 0.15                   | 0.01             | 0.15   | 0.16         | 0.15             | 0.16             | ×      |
| 95028    | •        | A Alle   | Allergy skin tests           | 0.00       | 0.24              | 0.24  | 0.24        | 0.24                   | 0.01             | 0.25   | 0.25         | 0.25             | 0.25             | ×      |
| 95044    |          |          | Allergy patch tests          | 0.00       | 0.21              | 0.21  | 0.21        | 0.21                   | 0.01             | 0.22   | 0.22         | 0.22             | 0.22             | ×      |
| 95052    |          | A Pho    | Photo patch test             | 0.00       | 0.26              | 0.26  | 0.26        | 0.26                   | 0.01             | 0.27   | 0.27         | 0.27             | 0.27             | ×      |
| 92026    |          | A Pho    | Photosensitivity tests       | 0.00       | 0.19              | 0.18  | 0.10        | 60:0                   | 0.01             | 0.20   | 0.19         | 0.11             | 0.10             | ×      |
| 95060    | 7        | A Eye    | Eye allergy tests            | 0.00       | 0.36              | 0.36  | 0.36        | 0.36                   | 0.02             | 0.38   | 0.38         | 0.38             | 0.38             | ×      |
| 92065    | 7        | A Nos    | Nose allergy test            | 0.00       | 0.21              | 0.21  | 0.21        | 0.14                   | 0.01             | 0.22   | 0.22         | 0.22             | 0.15             | ×      |
| 95070    |          | A Bro    | Bronchial allergy tests      | 0.00       | 2.37              | 2.36  | 2.37        | 2.36                   | 0.02             | 2.39   | 2.38         | 2.39             | 2.38             | ×      |
| 95071    |          | A · Bro  | Bronchial allergy tests      | 0.00       | 3.03              | 3.02  | 3.03        | 3.02                   | 0.02             | 3.05   | 3.04         | 3.05             | 3.04             | ×      |
| 95075    | 7        | A Inge   | ngestion challenge test      | 0.95       | 0.68              | 1.78  | 0.38        | 0.90                   | 0.02             | 1.65   | 2.75         | 1.35             | 1.87             | ×      |
| 92078    | •        | A Pro    | Provocative testing          | 0.00       | 0.26              | 0.26  | 0.26        | 0.26                   | 0.02             | 0.28   | 0.28         | 0.28             | 0.28             | ×      |
| 95115    | •        | A Imn    | mmunotherapy, one injection  | 0.00       | 0.40              | 0.40  | 0.40        | 0.40                   | 0.02             | 0.42   | 0.42         | 0.42             | 0.42             | 00     |
| 95117    | 7        | A Imn    | Immunotherapy injections     | 0.00       | 0.52              | 0.52  | 0.52        | 0.52                   | 0.02             | 0.54   | 0.54         | 0.54             | 0.54             | 00     |
| 95120    |          | <u>m</u> | Immunotherapy, one injection | 0.00       | 0.00              | 0.00  | 0.00        | 0.00                   | 0.00             | 0.00   | 0.00         | 0.00             | 0.00             | ×      |
| 95125    |          | _<br>    | Immunotherapy, many antigens | 0.00       | 0.00              | 0.00  | 0.00        | 0.00                   | 0.00             | 0.00   | 0.00         | 0.0              | 0.00             | ×      |
| 95130    |          | <u>ш</u> | mmunotherapy, insect venom   | 0.00       | 0.00              | 0.00  | 0.00        | 0.00                   | 0.00             | 0.00   | 0.00         | 0.00             | 0.00             | ×.     |
| 95131    |          | <u>E</u> | mmunotherapy, insect venoms  | 0.00       | 0.0               | 0.00  | 0.00        | 0.00                   | 0.0              | 0.00   | 0.00         | 0.00             | 0.00             | ž      |
| 95132    |          | <u>E</u> | mmunotherapy, insect venoms  | 0.00       | 0.00              | 0.00  | 0.00        | 0.00                   | 0.00             | 0.00   | 0.00         | 0.0              | 0.0              | ×      |
| 95133    |          | <u>ш</u> | mmunotherapy, insect venoms  | 0.00       | 0.00              | 0.00  | 0.00        | 0.00                   | 0.0              | 0.00   | 0.00         | 0.00             | 0.0              | ×      |
| 95134    |          | <u>=</u> | Immunotherapy, insect venoms | 0.00       | 0.00              | 0.00  | 0.0         | 0.0                    | 0.00             | 0.0  | 0.00         | 0.00             | 0.00             | ×      |
| 95144    | •        | A Ant    | Antigen therapy services     | 90.0       | 0.23              | 0.16  | 0.02        | 90.0                   | 0.01             | 0.30   | 0.23         | 0.09             | 0.13             | 00     |
| 95145    | -        | A Ant    | Antigen therapy services     | 90:0       | 0.40              | 0.38  | 0.02        | 0.15                   | 0.05             | 0.48   | 0.46         | 0.10             | 0.23             | 00     |
| 95146    | -        | A Ant    | Antigen therapy services     | 90:0       | 0.27              | 0.56  | 0.05        | 0.25                   | 0.05             | 0.35   | 0.64         | 0.10             | 0.33             | 000    |
| 95147    | -        | A Ant    | Antigen therapy services     | 90:0       | 0.30              | 0.82  | 0.05        | 0.38                   | 0.05             | 0.38   | 0.90         | 0.10             | 0.46             | 8      |
| 95148    | -        | -        | Antigen therapy services     | 90:0       | 0.33              | 0.83  | 0.02        | 0.38                   | 0.02             | 0.41   | 0.91         | 0.10             | 0.46             | 000    |
| 95149    | •        |          | Antigen therapy services     | 0.06       | 0.48              | 1.05  | 0.02        | 0.47                   | 0.02             | 0.30<br>0.00   | 1.13         | 5.0              | C:20             | 9 8    |
| 95165    | ,        |          | Antigen therapy services     | 90.0       | 0.22              | 0.14  | 0.02        | 0.05                   | 0.0              | 0.29   | 0.21         | 9.0              | 21.0             | 3 8    |
| 95170    |          |          | Antigen therapy services     | 90.0       | 0.23              | 0.34  | 0.0Z        | 0.13                   | 20.0             | 0.5  | 0.42         | 0 0              | 0.43             | 3 8    |
| 95180    |          | _        | Rapid desensitization        | 2.01       |                   | 0.49  |             | 77.0                   | 0.0              | 5.55<br>60<br>60<br>60<br>60<br>60<br>60<br>60<br>60<br>60<br>60<br>60<br>60<br>60 | 16.2         | 2.83             | 67.7             | 9 8    |
| 95199    |          |          | Allergy immunology services  | 0.00       | 0.00              | 0.00  | 0.00        | 0.00                   | 9 6              | 0.0<br>0.0   | 0.0          | 9 6              | 9 6              | 3 }    |
|          |          | _        | Multiple sleep latency test  | 1.88       | 6.02              | 6.00  | 6.02        | 6.00                   | 0.35             | 8.25   | 8.23         | 67.5             | 8.23             | ž      |
| 95805 26 |          | _        | Multiple sleep latency test  | 1.88       | 0.63              | 0.62  | 0.63        | 0.62                   | 0.05             | 2.56   | 2.55         | 2.56             | 2.55             | ž      |
| 95805 TC |          | _        | Multiple sleep latency test  | 0.00       | 5.39              | 5.38  | 5.39        | 5.38                   | 0.30             | 5.69   | 5.68         | 5.69             | 5.68             | ×      |
| 92806    | -        | A Sle    | Sleep study, unattended      | 1.66       | 5.78              | 7.29  | 5.78        | 6.79                   | 0.43             | 7.87   | 9.38         | 7.87             | 8.88<br>9.88     | ×      |
| 95806 26 |          | A Sle    | Sleep study, unattended      | 1.66       | 0.63              | 2.15  | 0.63        | 1.65                   | 0.15             | 2.44   | 3.96         | 2.44             | 3.46             | ×      |
| 95806 TC |          | A Sle    | Sleep study, unattended      | 0.00       | 5.15              | 5.14  | 5.15        | 5.14                   | 0.28             | 5.43   | 5.42         | 5.43             | 5.42             | ×      |
| 95807    | ,        | A Sle    | Sleep study, attended        | 1.66       | 7:37              | 8.47  | 7.37        | 8.47                   | 0.53             | 9.26   | 10.66        | 9.26             | 10.66            | ×      |
| 95807 26 | (O       | A Sle    | Sleep study, attended        | 1.66       | 0.51              | 1.62  | 0.51        | 1.62                   | 0.15             | 2.32   | 3.43         | 2.32             | 3.43             | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |            |        |                              |                | Men Men         | Transitions J   |                 | Transitioned    | :                |                   |                   |                   |                   |        |
|------------------------------|------------|--------|------------------------------|----------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |            |        |                              |                | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| I.                           |            |        |                              | Physician      | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | Mod        | Status | Description                  | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 95852                        | 1          | ∢      | Range                        | 0.11           | 0.30            | 0.20            | 0.05            | 0.07            | 0.02             | 0.43              | 0.33              | 0.18              | 0.20              | ×      |
| 95857                        |            | ∢      | Tensilon test                | 0.53           | 0.54            | 0.54            | 0.22            | 0.26            | 0.03             | 1.10              | 1.10              | 0.78              | 0.82              | ×      |
| 95858                        |            | ∢      | Tensilon test & myogram      | 1.56           | 1.05            | 1.09            | 1.05            | 1.09            | 0.07             | 2.68              | 2.72              | 2.68              | 2.72              | ×      |
| 95858                        | 56         | ∢      | Tensilon test & myogram      | 1.56           | 0.64            | 0.68            | 0.64            | 0.68            | 0.04             | 2.24              | 2.28              | 2.24              | 2.28              | ×      |
| 95858                        | ည          | ∢      | Tensilon test & myogram      | 0.00           | 0.41            | 0.41            | 0.41            | 0.41            | 0.03             | 0.44              | 0.44              | 0.44              | 0.44              | ×      |
| 95860                        |            | ∢      | Muscle test, one limb        | 96.0           | 0.79            | 1.08            | 0.79            | 1.08            | 0.07             | 1.82              | 2.11              | 1.82              | 2.11              | ×      |
| 95860                        | 56         | ∢      | Muscle test, one limb        | 96.0           | 0.40            | 69.0            | 0.40            | 69.0            | 0.05             | 1.41              | 1.70              | 1.41              | 1.70              | ×      |
| 95860                        | 5          | ∢      | Muscle test, one limb        | 0.00           | 0.39            | 0.39            | 0.39            | 0.39            | 0.02             | 0.41              | 0.41              | 0.41              | 0.41              | ×      |
| 95861                        |            | ∢      | Muscle test, two limbs       | <b>1</b> .     | 1.39            | 1.96            | 1.39            | 1.96            | 0.13             | 3.06              | 3.63              | 3.06              | 3.63              | ×      |
| 95861                        | 56         | ∢      | Muscle test, two limbs       | 1.54           | 0.64            | 1.20            | 0.64            | 1.20            | 0.08             | 2.26              | 2.82              | 2.26              | 2.82              | ×      |
| 95861                        | 5          | ∢      | Muscle test, two limbs       | 0.00           | 0.75            | 9.76            | 0.75            | 9.76            | 0.05             | 0.80              | 0.81              | 0.80              | 0.81              | ×      |
| 95863                        |            | ∢      | Muscle test, 3 limbs         | 1.87           | 1.73            | 2.31            | 1.73            | 2.31            | 0.14             | 3.74              | 4.32              | 3.74              | 4.32              | ×      |
| 95863                        | 56         | ∢      | Muscle test, 3 limbs         | 1.87           | 92.0            | 1.34            | 92.0            | 1.34            | 0.09             | 2.72              | 3.30              | 2.72              | 3.30              | ×      |
| 95863                        | 5          | ∢      | Muscle test, 3 limbs         | 0.00           | 0.97            | 0.97            | 0.97            | 0.97            | 0.05             | 1.02              | 1.02              | 1.02              | 1.02              | ×      |
| 95864                        |            | ∢      | Muscle test, 4 limbs         | 1.99           | 2.68            | 3.47            | 2.68            | 3.47            | 0.21             | 4.88              | 2.67              | 4.88              | 2.67              | ×      |
| 95864                        | 56         | ∢      | Muscle test, 4 limbs         | 1.99           | 0.83            | 1.63            | 0.83            | 1.63            | 0.11             | 2.93              | 3.73              | 2.93              | 3.73              | X      |
| 95864                        | ဥ          | ∢      | Muscle test, 4 limbs         | 0.00           | 1.85            | 1.84            | 1.85            | 1.84            | 0.10             | 1.95              | 1.94              | 1.95              | 1.94              | ž      |
| 95867                        |            | ∢      | Muscle test, head or neck    | 0.79           | 0.94            | 1.16            | 0.94            | 1.16            | 0.07             | 1.80              | 2.02              | 1.80              | 2.02              | X.     |
| 95867                        | <b>5</b> 6 | ∢      | Muscle test, head or neck    | 0.79           | 0.34            | 0.56            | 0.34            | 0.56            | 0.04             | 1.17              | 1.39              | 1.17              | 1.39              | ××     |
| 95867                        | ည          | ∢      | Muscle test, head or neck    | 0.00           | 09:0            | 09.0            | 09:0            | 0.60            | 0.03             | 0.63              | 0.63              | 0.63              | 0.63              | ×      |
| 95868                        |            | ∢      | Muscle test, head or neck    | 1.18           | 1.18            | 1.86            | 1.18            | 1.86            | 0.12             | 2.48              | 3.16              | 2.48              | 3.16              | ×      |
| 95868                        | 56         | ∢      | Muscle test, head or neck    | 1.18           | 0.46            | 1.14            | 0.46            | 1.14            | 0.08             | 1.72              | 2.40              | 1.72              | 2.40              | ×      |
| 95868                        | ဥ          | ∢      | Muscle test, head or neck    | 0.00           | 0.72            | 0.72            | 0.72            | 0.72            | 0.04             | 92.0              | 92.0              | 9.76              | 92.0              | ×      |
| 95869                        |            | ∢      | Muscle test, thor paraspinal | 0.37           | 0.37            | 0.53            | 0.37            | 0.53            | 0.04             | 0.78              | 0.94              | 0.78              | 0.94              | ×      |
| 95869                        | 56         | ∢      | Muscle test, thor paraspinal | 0.37           | 0.15            | 0.31            | 0.15            | 0.31            | 0.02             | 0.54              | 0.70              | 0.54              | 0.70              | ×      |
| 95869                        | ဥ          | ∢      | Muscle test, thor paraspinal | 0.00           | 0.22            | 0.22            | 0.22            | 0.22            | 0.02             | 0.24              | 0.24              | 0.24              | 0.24              | ×      |
| 95870                        |            | ∢      | Muscle test, non-paraspinal  | 0.37           | 0.36            | 0.53            | 0.36            | 0.53            | 0.04             | 0.77              | 0.94              | 0.77              | 0.94              | ×      |
| 95870                        | 56         | ∢      | Muscle test, non-paraspinal  | 0.37           | 0.14            | 0.31            | 0.14            | 0.31            | 0.02             | 0.53              | 0.70              | 0.53              | 0.70              | ×      |
| 95870                        | ည          | ∢      | Muscle test, non-paraspinal  | 0.00           | 0.22            | 0.22            | 0.22            | 0.22            | 0.02             | 0.24              | 0.24              | 0.24              | 0.24              | ×      |
| 95872                        |            | ∢      | Muscle test, one fiber       | 1.50           | 1.21            | 1.32            | 1.21            | 1.32            | 0.09             | 2.80              | 2.91              | 2.80              | 2.91              | ×      |
| 95872                        | 56         | ∢      | Muscle test, one fiber       | 1.50           | 0.59            | 0.70            | 0.59            | 0.70            | 0.05             | 2.14              | 2.25              | 2.14              | 2.25              | ×      |
| 95872                        | ဥ          | ∢      | Muscle test, one fiber       | 0.00           | 0.62            | 0.62            | 0.62            | 0.62            | 0.04             | 99.0              | 99.0              | 99.0              | 99.0              | ×      |
| 95875                        |            | ∢      | Limb exercise test           | 1.34           | 0.95            | 0.73            | 0.95            | 0.73            | 0.08             | 2.37              | 2.15              | 2.37              | 2.15              | ×      |
| 95875                        | 56         | ∢      | Limb exercise test           | 1.34           | 0.54            | 0.32            | 0.54            | 0.32            | 0.03             | 1.91              | 1.69              | 1.91              | 1.69              | ×      |
| 95875                        | 2          | ∢      | Limb exercise test           | 0.00           | 0.41            | 0.41            | 0.41            | 0.41            | 0.05             | 0.46              | 0.46              | 0.46              | 0.46              | ×      |
| 95900                        |            | ∢      | Motor nerve conduction test  | 0.42           | 0.47            | 0.62            | 0.47            | 0.62            | 0.04             | 0.93              | 1.08              | 0.93              | 1.08              | ×      |
| 95900                        | 56         | ∢      | Motor nerve conduction test  | 0.42           | 0.18            | 0.33            | 0.18            | 0.33            | 0.02             | 0.62              | 0.77              | 0.62              | 0.77              | ×      |
| 95900                        | ဥ          | ∢      | Motor nerve conduction test  | 0.00           | 0.29            | 0.29            | 0.29            | 0.29            | 0.02             | 0.31              | 0.31              | 0.31              | 0.31              | ×      |
| 95903                        |            | ∢      | Motor nerve conduction test  | 09.0           | 0.51            | 0.61            | 0.51            | 0.61            | 0.04             | 1.15              | 1.25              | 1.15              | 1.25              | ×      |
| 95903                        | 56         | ∢      | Motor nerve conduction test  | 09.0           | 0.25            | 0.35            | 0.25            | 0.35            | 0.02             | 0.87              | 0.97              | 0.87              | 0.97              | ×      |
|                              |            |        |                              |                |                 |                 |                 |                 |                  |                   |                   |                   |                   |        |

Page 223 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |            |        | ADL                          | JENDOM D  | יונאוויי         | ADDLINDOM D ALLAINE TALOL OMIISĮATOS/AND ALLAILD IMIONIMINOM | A NOS / AIND I | בושודה וווי              |                  | _                |                  |          |                          |        |
|--------------------|------------|--------|------------------------------|-----------|------------------|--|----------------|--------------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|                    |            |        |                              |           | Non-<br>facility | Transitioned<br>Non-facility                                 | Facility       | Iransitioned<br>Facility |                  |                  | Transitioned     |          |                          |        |
| / <sub>1</sub> 1d) |            |        |                              | Physician | practice         | practice   | practice       | practice                 | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| HCPCS 2            | Mod        | Status | Description                  | RVUs 3    | RVUs             | RYUs   | RVUs           | RVUs                     | RUYs             | Total            | Total            | Total    | Total                    | Global |
| 95903              | ပ္         | ⋖      | Motor nerve conduction test  | 0.00      | 0.26             | 0.26   | 0.26           | 0.26                     | 0.02             | 0.28             | 0.28             | 0.28     | 0.28                     | ×      |
| 95904              |            | ∢      | Sense nerve conduction test  | 0.34      | 0.36             | 0.54   | 0.36           | 0.54                     | 0.04             | 0.74             | 0.92             | 0.74     | 0.92                     | ×      |
| 95904              | 26         | ∢      | Sense nerve conduction test  | 0.34      | 0.13             | 0.31   | 0.13           | 0.31                     | 0.02             | 0.49             | 0.67             | 0.49     | 0.67                     | ×      |
| 95904              | 5          | ∢      | Sense nerve conduction test  | 0.00      | 0.23             | 0.23   | 0.23           | 0.23                     | 0.02             | 0.25             | 0.25             | 0.25     | 0.25                     | ×      |
| 95920              |            | ∢      | Intraop nerve test add-on    | 2.11      | ¥                | ¥  | 2.24           | 2.74                     | 0.15             | ¥                | ¥                | 4.50     | 2.00                     | 777    |
| 95920              | 56         | ∢      | Intraop nerve test add-on    | 2.11      | ¥                | ¥  | 06.0           | 1.39                     | 60.0             | ¥                | Š                | 3.10     | 3.59                     | 222    |
| 95920              | 5          | ∢      | Intraop nerve test add-on    | 0.00      | ¥                | ¥  | 1.34           | 1.35                     | 90.0             | ¥                | ¥                | 1.40     | 1.41                     | 222    |
| 95921              |            | ∢      | Autonomic nervous func test  | 06.0      | 0.73             | 0.74   | 0.73           | 0.74                     | 0.04             | 1.67             | 1.68             | 1.67     | 1.68                     | ×      |
| 95921              | 56         | ∢      | Autonomic nervous func test  | 06.0      | 0.34             | 0.35   | 0.34           | 0.35                     | 0.02             | 1.26             | 1.27             | 1.26     | 1.27                     | ž      |
| 95921              | 5          | ∢      | Autonomic nervous func test  | 0.00      | 0.39             | 0.39   | 0.39           | 0.39                     | 0.02             | 0.41             | 0.41             | 0.41     | 0.41                     | ×      |
| 95922              |            | ∢      | Autonomic nervous func test  | 96.0      | 0.77             | 97.0   | 0.77           | 9.76                     | 0.04             | 1.77             | 1.76             | 1.77     | 1.76                     | ×      |
| 95922              | 56         | ∢      | Autonomic nervous func test  | 96.0      | 0.38             | 0.37   | 0.38           | 0.37                     | 0.02             | 1.36             | 1.35             | 1.36     | 1.35                     | ×      |
| 95922              | 5          | ∢      | Autonomic nervous func test  | 0.00      | 0.39             | 0.39   | 0.39           | 0.39                     | 0.02             | 0.41             | 0.41             | 0.41     | 0.41                     | ×      |
| 95923              |            | ∢      | Autonomic nervous func test  | 06.0      | 0.74             | 0.74   | 0.74           | 0.74                     | 0.04             | 1.68             | 1.68             | 1.68     | 1.68                     | ×      |
| 95923              | 56         | ∢      | Autonomic nervous func test  | 0.00      | 0.35             | 0.35   | 0.35           | 0.35                     | 0.02             | 1.27             | 1.27             | 1.27     | 1.27                     | ×      |
| 95923              | ဥ          | ∢      | Autonomic nervous func test  | 0.00      | 0.39             | 0.39   | 0.39           | 0.39                     | 0.02             | 0.41             | 0.41             | 0.41     | 0.41                     | ×      |
| 95925              |            | ∢      | Somatosensory testing        | 0.54      | 1.17             | 1.51   | 1.17           | 1.51                     | 0.09             | 1.80             | 2.14             | 1.80     | 2.14                     | ž      |
| 95925              | 56         | ∢      | Somatosensory testing        | 0.54      | 0.22             | 0.57   | 0.22           | 0.57                     | 0.04             | 0.80             | 1.15             | 0.80     | 1.15                     | ×.     |
| 95925              | ဥ          | ∢      | Somatosensory testing        | 0.00      | 0.95             | 0.94   | 0.95           | 0.94                     | 0.05             | 1.00             | 66.0             | 9.0      | 0.99                     | ž      |
| 92656              |            | ∢      | Somatosensory testing        | 0.54      | 1.18             | 1.52   | 1.18           | 1.52                     | 0.09             | 1.81             | 2.15             | 1.81     | 2.15                     | ž      |
| 92656              | 56         | ∢      | Somatosensory testing        | 0.54      | 0.23             | 0.58   | 0.23           | 0.58                     | 0.04             | 0.81             | 1.16             | 0.81     | 1.16                     | ×      |
| 92656              | ဥ          | ∢      | Somatosensory testing        | 0.00      | 0.95             | 0.94   | 0.95           | 0.94                     | 0.05             | 1.00             | 66.0             | 9.       | 0.99                     | ž      |
| 95927              |            | ∢      | Somatosensory testing        | 0.54      | 1.18             | 1.52   | 1.18           | 1.52                     | 60.0             | 1.81             | 2.15             | 1.81     | 2.15                     | ž      |
| 95927              | <b>5</b> 6 | ∢      | Somatosensory testing        | 0.54      | 0.23             | 0.58   | 0.23           | 0.58                     | 0.0              | 0.81             | 1.16             | 0.81     | 1.16                     | ×      |
| 95927              | 2          | ∢      | Somatosensory testing        | 0.00      | 0.95             | 0.94   | 0.95           | 0.94                     | 0.05             | 1.00             | 66.0             | 1.0      | 66.0                     | ž      |
| 95930              |            | ∢      | Visual evoked potential test | 0.35      | 0.40             | 0.78   | 0.40           | 0.78                     | 0.04             | 0.79             | 1.17             | 0.79     | 1.17                     | ž      |
| 92930              | 56         | ∢      | Visual evoked potential test | 0.35      | 0.13             | 0.51   | 0.13           | 0.51                     | 0.03             | 0.51             | 0.89             | 0.51     | 0.89                     | ×      |
| 95930              | ဥ          | ∢      | Visual evoked potential test | 0.00      | 0.27             | 0.27   | 0.27           | 0.27                     | 0.01             | 0.28             | 0.28             | 0.28     | 0.28                     | ×      |
| 95933              |            | ∢      | Blink reflex test            | 0.59      | 1.05             | 1.27   | 1.05           | 1.27                     | 0.08             | 1.72             | 1.94             | 1.72     | 1.94                     | ×      |
| 95933              | 56         | ∢      | Blink reflex test            | 0.59      | 0.23             | 0.46   | 0.23           | 0.46                     | 0.03             | 0.85             | 1.08             | 0.85     | 1.08                     | ×      |
| 95933              | 5          | ∢      | Blink reflex test            | 0.00      | 0.82             | 0.81   | 0.82           | 0.81                     | 0.05             | 0.87             | 0.86             | 0.87     | 0.86                     | ×      |
| 95934              |            | ∢      | 'h' reflex test              | 0.51      | 0.44             | 0.55   | 0.44           | 0.55                     | 0.04             | 0.99             | 1.10             | 0.99     | 1.10                     | ×      |
| 95934              | 56         | ∢      | 'h' reflex test              | 0.51      | 0.22             | 0.33   | 0.22           | 0.33                     | 0.02             | 0.75             | 98.0             | 0.75     | 0.86                     | ž      |
| 95934              | ဥ          | ∢      | 'h' reflex test              | 0.00      | 0.22             | 0.22   | 0.22           | 0.22                     | 0.02             | 0.24             | 0.24             | 0.24     | 0.24                     | ×      |
| 92636              |            | ∢      | 'h' reflex test              | 0.55      | 0.46             | 0.56   | 0.46           | 0.56                     | 0.04             | 1.05             | 1.15             | 1.05     | 1.15                     | ž      |
| 92636              | 56         | ∢      | 'h' reflex test              | 0.55      | 0.24             | 0.34   | 0.24           | 0.34                     | 0.02             | 0.81             | 0.91             | 0.81     | 0.91                     | ž      |
| 92636              | ဥ          | ∢      | 'h' reflex test              | 0.00      | 0.22             | 0.22   | 0.22           | 0.22                     | 0.02             | 0.24             | 0.24             | 0.24     | 0.24                     | ×      |
| 95937              |            | ∢      | Neuromuscular junction test  | 0.65      | 0.61             | 0.78   | 0.61           | 0.78                     | 0.05             | 1.31             | 1.48             | 1.31     | 1.48                     | ž      |
| 95937              | 56         | ∢      | Neuromuscular junction test  | 0.65      | 0.26             | 0.43   | 0.26           | 0.43                     | 0.03             | 0.94             | 1.11             | 0.94     | 1.1                      | ž      |
| 95937              | 5          | ∢      | Neuromuscular junction test  | 0.00      | 0.35             | 0.35   | 0.35           | 0.35                     | 0.02             | 0.37             | 0.37             | 0.37     | 0.37                     | ž      |

Page 224 of 271 t CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|        |                               |                           | ערראוונד ו                  | Transferral                 | 7112 /co 1                  | Transitional                |                          | <u>.</u>                  |                           |                   |                                   |        |
|--------|-------------------------------|---------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|--------------------------|---------------------------|---------------------------|-------------------|-----------------------------------|--------|
|        |                               | 70                        | facility                    | Non-facility                | Facility                    | Facility                    | no!                      | 1                         | Transitioned              |                   | ;                                 |        |
| Status | Description                   | rnysician<br>work<br>RVUs | practice<br>expense<br>RVUs | practice<br>expense<br>RVUs | procince<br>expense<br>RVUs | practice<br>expense<br>RVUs | mal-<br>practice<br>RUVs | Non-<br>facility<br>Total | Non-<br>facility<br>Total | Facility<br>Total | Iransitioned<br>Facility<br>Total | Global |
| ∢      | Ambulatory eeg monitoring     | 1.51                      | 7.17                        | 7.69                        | 7.17                        | 7.69                        | 0.47                     | 9.15                      | 29.6                      | 9.15              | 9.67                              | ×      |
| ∢      | Ambulatory eeg monitoring     | 1.51                      | 0.59                        | 1.13                        | 0.59                        | 1.13                        | 80.0                     | 2.18                      | 2.72                      | 2.18              | 2.72                              | ×      |
| ∢      | Ambulatory eeg monitoring     | 0.00                      | 6.58                        | 6.56                        | 6.58                        | 6.56                        | 0.39                     | 6.97                      | 6.95                      | 6.97              | 6.95                              | ×      |
| ∢      | EEG monitoring/videorecord    | 9.00                      | 10.36                       | 9.78                        | 10.36                       | 9.78                        | 0.50                     | 16.86                     | 16.28                     | 16.86             | 16.28                             | ×      |
| ∢      | EEG monitoring/videorecord    | 9.00                      | 2.39                        | 1.82                        | 2.39                        | 1.82                        | 0.09                     | 8.48                      | 7.91                      | 8.48              | 7.91                              | ×      |
| ∢      | EEG monitoring/videorecord    | 0.00                      | 7.97                        | 2.96                        | 7.97                        | 7.96                        | 0.41                     | 8.38                      | 8.37                      | 8.38              | 8.37                              | ×      |
| ∢      | EEG monitoring/computer       | 3.08                      | 7.79                        | 7.85                        | 7.79                        | 7.85                        | 0.47                     | 11.34                     | 11.40                     | 11.34             | 11.40                             | ž      |
| ∢      | EEG monitoring/computer       | 3.08                      | 1.21                        | 1.29                        | 1.21                        | 1.29                        | 90.0                     | 4.37                      | 4.45                      | 4.37              | 4.45                              | ×      |
| ∢      | EEG monitoring/computer       | 0.00                      | 6.58                        | 6.56                        | 6.58                        | 6.56                        | 0.39                     | 6.97                      | 6.95                      | 6.97              | 6.95                              | ×      |
| ∢      | EEG monitoring/giving drugs   | 2.45                      | 1.47                        | 2.26                        | 1.47                        | 2.26                        | 0.22                     | 4.14                      | 4.93                      | 4.14              | 4.93                              | ž      |
| ∢      | EEG monitoring/giving drugs   | 2.45                      | 96.0                        | 1.77                        | 0.98                        | 1.77                        | 0.17                     | 3.60                      | 4.39                      | 3.60              | 4.39                              | ×      |
| ∢      | EEG monitoring/giving drugs   | 0.00                      | 0.49                        | 0.49                        | 0.49                        | 0.49                        | 0.05                     | 0.54                      | 0.54                      | 0.54              | 0.54                              | ×      |
| ∢      | EEG during surgery            | 1.01                      | 2.38                        | 2.96                        | 2.38                        | 2.96                        | 0.24                     | 3.63                      | 4.21                      | 3.63              | 4.21                              | ×      |
| ∢      | EEG during surgery            | 1.01                      | 0.34                        | 0.93                        | 0.34                        | 0.93                        | 0.09                     | 1.44                      | 2.03                      | 1.44              | 2.03                              | ×      |
| ∢      | EEG during surgery            | 0.00                      | 2.04                        | 2.03                        | 2.04                        | 2.03                        | 0.15                     | 2.19                      | 2.18                      | 2.19              | 2.18                              | ×.     |
| ∢      | EEG monitoring/cable/radio    | 3.08                      | 7.81                        | 8.09                        | 7.81                        | 8.09                        | 0.48                     | 11.37                     | 11.65                     | 11.37             | 11.65                             | ×      |
| ∢      | EEG monitoring/cable/radio    | 3.08                      | 1.23                        | 1.53                        | 1.23                        | 1.53                        | 0.09                     | 4.40                      | 4.70                      | 4.40              | 4.70                              | ×      |
| ∢      | EEG monitoring/cable/radio    | 0.00                      | 6.58                        | 6.56                        | 6.58                        | 6.56                        | 0.39                     | 6.97                      | 6.95                      | 6.97              | 6.95                              | ×      |
| ∢      | EEG digital analysis          | 1.98                      | 2.56                        | 2.47                        | 2.56                        | 2.47                        | 0.14                     | 4.68                      | 4.59                      | 4.68              | 4.59                              | ×      |
| ⋖      | EEG digital analysis          | 1.98                      | 0.79                        | 0.71                        | 0.79                        | 0.71                        | 0.04                     | 2.81                      | 2.73                      | 2.81              | 2.73                              | ž      |
| ⋖      | EEG digital analysis          | 0.00                      | 1.77                        | 1.76                        | 1.77                        | 1.76                        | 0.10                     | 1.87                      | 1.86                      | 1.87              | 1.86                              | ×      |
| ⋖      | EEG monitoring/function test  | 4.25                      | 3.41                        | 4.83                        | 3.41                        | 4.83                        | 0.41                     | 8.07                      | 9.49                      | 8.07              | 9.49                              | ×      |
| ∢      | EEG monitoring/function test  | 4.25                      | 1.60                        | 3.03                        | 1.60                        | 3.03                        | 0.30                     | 6.15                      | 7.58                      | 6.15              | 7.58                              | ž      |
| ∢      | EEG monitoring/function test  | 0.00                      | 1.81                        | 1.80                        | 1.81                        | 1.80                        | 0.11                     | 1.92                      | 1.91                      | 1.92              | 1.9                               | ž      |
| ⋖      | Electrode stimulation, brain  | 2.97                      | 2.59                        | 2.83                        | 2.59                        | 2.83                        | 0.15                     | 5.71                      | 5.95                      | 5.71              | 5.95                              | ×      |
| ⋖      | Electrode stimulation, brain  | 2.97                      | 1.25                        | 1.48                        | 1.25                        | 1.48                        | 0.09                     | 4.31                      | 4.54                      | 4.31              | 4.54                              | ×      |
| ⋖      | Electrode stimulation, brain  | 0.00                      | 1.34                        | 1.35                        | 1.34                        | 1.35                        | 90.0                     | 1.40                      | 1.41                      | 1.40              | 1.41                              | ×      |
| ∢      | Electrode stimulation, brain  | 3.21                      | 2.66                        | 2.84                        | 2.66                        | 2.84                        | 0.15                     | 6.02                      | 6.20                      | 6.02              | 6.20                              | 777    |
| ∢      | Electrode stimulation, brain  | 3.21                      | 1.32                        | 1.49                        | 1.32                        | 1.49                        | 0.09                     | 4.62                      | 4.79                      | 4.62              | 4.79                              | 222    |
| ∢      | Electrode stimulation, brain  | 0.00                      | 1.34                        | 1.35                        | 1.34                        | 1.35                        | 90:0                     | 1.40                      | 1.41                      | 1.40              | 1.41                              | 777    |
| ∢      | Neurostim analyze, no program | 0.45                      | 0.12                        | 0.12                        | 0.10                        | 0.10                        | 0.09                     | 99.0                      | 99.0                      | 0.64              | 0.64                              | ×      |
| ∢      | Simple neurostim analyze      | 0.78                      | 0.21                        | 0.21                        | 0.18                        | 0.18                        | 0.09                     | 1.08                      | 1.08                      | 1.05              | 1.05                              | ×      |
| ∢      | Complex neurostim analyze     | 1.50                      | 0.40                        | 0.40                        | 0.35                        | 0.35                        | 0.09                     | 1.99                      | 1.99                      | 1.94              | 1.94                              | ž      |
| ∢      | Complex neurostim analyze     | 0.92                      | 0.25                        | 0.25                        | 0.22                        | 0.22                        | 0.09                     | 1.26                      | 1.26                      | 1.23              | 1.23                              | 777    |
| ∢      | Complex cranial neurostim     | 3.00                      | 96.0                        | 96.0                        | 0.74                        | 0.74                        | 0.09                     | 4.05                      | 4.05                      | 3.83              | 3.83                              | ×      |
| ∢      | Complex cranial neurostim     | 1.70                      | 0.62                        | 0.62                        | 0.49                        | 0.49                        | 0.09                     | 2.41                      | 2.41                      | 2.28              | 2.28                              | 777    |
| ပ      | Neurological procedure        | 0.00                      | 0.00                        | 0.00                        | 0.00                        | 0.00                        | 0.00                     | 0.00                      | 00.0                      | 0.00              | 0.00                              | ×      |
| ∢      | Psychological testing         | 0.00                      | 1.83                        | 1.82                        | 1.83                        | 1.82                        | 0.16                     | 1.99                      | 1.98                      | 1.99              | 1.98                              | ×      |
| ⋖      | Assessment of aphasia         | 0.00                      | 1.83                        | 1.82                        | 1.83                        | 1.82                        | 0.16                     | 1.99                      | 1.98                      | 1.99              | 1.98                              | ×      |
| ပ      | Developmental test, lim       | 0.00                      | 0.00                        | 0.00                        | 0.00                        | 0.00                        | 0.00                     | 0.00                      | 0.00                      | 0.00              | 0.00                              | ×      |
|        |                               |                           |                             |                             |                             |                             |                          |                           |                           |                   |                                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        |                               |                | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Trancitionad      |                   |                   |        |
|------------------------------|-----|--------|-------------------------------|----------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |     |        |                               | Physician      | practice         | practice                     | practice        | practice                 | -Wal             | Non-              | Non-              |                   | Transitioned      |        |
| CPT '/<br>HCPCS <sup>2</sup> | Mod | Status | Description                   | work 3<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 96111                        | ı   | ∢      | Developmental test, extend    | 0.00           | 1.83             | 1.82                         | 1.83            | 1.82                     | 0.16             | 1.99              | 1.98              | 1.99              | 1.98              | ×      |
| 96115                        |     | ∢      | Neurobehavior status exam     | 0.00           | 1.83             | 1.82                         | 1.83            | 1.82                     | 0.16             | 1.99              | 1.98              | 1.99              | 1.98              | ×      |
| 96117                        |     | ∢      | Neuropsych test battery       | 0.00           | 1.83             | 1.82                         | 1.83            | 1.82                     | 0.16             | 1.99              | 1.98              | 1.99              | 1.98              | ×      |
| 96400                        |     | ∢      | Chemotherapy, (SC)/(IM)       | 00:00          | 0.14             | 0.14                         | 0.14            | 0.14                     | 0.01             | 0.15              | 0.15              | 0.15              | 0.15              | ×      |
| 96405                        |     | ∢      | Intralesional chemo admin     | 0.52           | 1.43             | 0.67                         | 0.23            | 0.22                     | 0.02             | 1.97              | 1.21              | 0.77              | 92.0              | 000    |
| 96406                        |     | ∢      | Intralesional chemo admin     | 0.80           | 1.71             | 0.89                         | 0.28            | 0.30                     | 0.03             | 2.54              | 1.72              | 1.1               | 1.13              | 8      |
| 96408                        |     | ∢      | Chemotherapy, push technique  | 0.00           | 1.00             | 1.00                         | 1.00            | 1.00                     | 0.05             | 1.05              | 1.05              | 1.05              | 1.05              | ×      |
| 96410                        |     | ∢      | Chemotherapy, infusion method | 0.00           | 1.60             | 1.60                         | 1.60            | 1.60                     | 0.07             | 1.67              | 1.67              | 1.67              | 1.67              | ×      |
| 96412                        |     | ∢      | Chemotx infuse method add-on  | 00.00          | 1.20             | 1.19                         | 1.20            | 1.19                     | 90.0             | 1.26              | 1.25              | 1.26              | 1.25              | 777    |
| 96414                        |     | ∢      | Chemotx infuse method add-on  | 00.00          | 1.37             | 1.38                         | 1.37            | 1.38                     | 0.07             | <del>1.</del>     | 1.45              | 1.44              | 1.45              | ×      |
| 96420                        |     | ∢      | Chemotherapy, push technique  | 00.00          | 1.30             | 1.29                         | 1.30            | 1.29                     | 0.07             | 1.37              | 1.36              | 1.37              | 1.36              | ×      |
| 96422                        |     | ∢      | Chemotherapy, infusion method | 00.00          | 1.28             | 1.27                         | 1.28            | 1.27                     | 0.07             | 1.35              | 1.34              | 1.35              | 1.34              | ×      |
| 96423                        |     | ∢      | Chemotx infuse method add-on  | 00.0           | 0.50             | 0.50                         | 0.50            | 0.50                     | 0.02             | 0.52              | 0.52              | 0.52              | 0.52              | 777    |
| 96425                        |     | ∢      | Chemotherapy, infusion method | 00.00          | 1.48             | 1.48                         | 1.48            | 1.48                     | 0.07             | 1.55              | 1.55              | 1.55              | 1.55              | ×      |
| 96440                        |     | ∢      | Chemotherapy, intracavitary   | 2.37           | 6.22             | 2.22                         | 1.01            | 0.91                     | 0.05             | 8.64              | 4.64              | 3.43              | 3.33              | 000    |
| 96445                        |     | ∢      | Chemotherapy, intracavitary   | 2.20           | 5.94             | 2.28                         | 0.91            | 0.63                     | 0.07             | 8.21              | 4.55              | 3.18              | 2.90              | 000    |
| 96450                        |     | ∢      | Chemotherapy, into CNS        | 1.89           | 4.57             | 1.85                         | 0.84            | 0.56                     | 0.05             | 6.51              | 3.79              | 2.78              | 2.50              | 00     |
| 96520                        |     | ∢      | Pump refilling, maintenance   | 00.00          | 0.93             | 0.92                         | 0.93            | 0.92                     | 0.05             | 0.98              | 26.0              | 0.98              | 0.97              | ×      |
| 96530                        |     | ∢      | Pump refilling, maintenance   | 00:00          | 1.09             | 1.10                         | 1.09            | 1.10                     | 0.05             | 1.14              | 1.15              | 1.14              | 1.15              | ×      |
| 96542                        |     | ∢      | Chemotherapy injection        | 1.42           | 2.93             | 1.62                         | 0.67            | 0.61                     | 0.10             | 4.45              | 3.14              | 2.19              | 2.13              | ×      |
| 96545                        |     | œ      | Provide chemotherapy agent    | 0.00           | 0.0              | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 96549                        |     | ပ      | Chemotherapy, unspecified     | 0.00           | 0.0              | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| 00696                        |     | ∢      | Ultraviolet light therapy     | 0.00           | 0.41             | 0.41                         | 0.41            | 0.41                     | 0.02             | 0.43              | 0.43              | 0.43              | 0.43              | ×      |
| 96902                        |     | Ф      | Trichogram                    | +0.41          | 0.22             | 0.29                         | 0.15            | 0.27                     | 0.02             | 0.65              | 0.72              | 0.58              | 0.70              | ×      |
| 96910                        |     | ∢      | Photochemotherapy with UV-B   | 0.00           | 09:0             | 0.60                         | 09.0            | 09.0                     | 0.03             | 0.63              | 0.63              | 0.63              | 0.63              | ×      |
| 96912                        |     | ∢      | Photochemotherapy with UV-A   | 0.00           | 69.0             | 0.68                         | 69.0            | 0.68                     | 0.04             | 0.73              | 0.72              | 0.73              | 0.72              | ž      |
| 96913                        |     | ∢      | Photochemotherapy, UV-A or B  | 0.00           | 1.40             | 1.40                         | 4.<br>6         | 1.40                     | 0.08             | 1.48              | 1.48              | 1.48              | 1.48              | ×      |
| 66696                        |     | ပ      | Dermatological procedure      | 0.00           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 97001                        |     | ∢      | Pt evaluation                 | 1.20           | 0.34             | 0.37                         | 0.41            | 0.39                     | 0.09             | 1.63              | 1.66              | 1.70              | 1.68              | ×      |
| 97002                        |     | ∢      | Pt re-evaluation              | 0.60           | 0.25             | 0.09                         | 0.21            | 0.08                     | 0.01             | 0.86              | 0.70              | 0.82              | 0.69              | ž      |
| 97003                        |     | ∢      | Ot evaluation                 | 1.20           | 0.54             | 0.42                         | 0.45            | 0.40                     | 0.09             | 1.83              | 1.71              | 1.74              | 1.69              | ×      |
| 97004                        |     | ∢      | Ot re-evaluation              | 0.60           | 0.28             | 0.10                         | 0.19            | 0.08                     | 0.01             | 0.89              | 0.71              | 0.80              | 69.0              | ž      |
| 97010                        |     | Ω      | Hot or cold packs therapy     | +0.06          | 0.12             | 0.20                         | 0.01            | 0.18                     | 0.02             | 0.20              | 0.28              | 0.0               | 0.26              | ×      |
| 97012                        |     | ∢      | Mechanical traction therapy   | 0.25           | 0.14             | 0.19                         | 0.02            | 0.16                     | 0.02             | 0.41              | 0.46              | 0.29              | 0.43              | ×      |
| 97014                        |     | ∢      | Electric stimulation therapy  | 0.18           | 0.13             | 0.20                         | 0.02            | 0.17                     | 0.02             | 0.33              | 0.40              | 0.22              | 0.37              | ×      |
| 97016                        |     | ∢      | Vasopneumatic device therapy  | 0.18           | 0.13             | 0.24                         | 0.02            | 0.21                     | 0.02             | 0.33              | 0.44              | 0.22              | 0.41              | ×      |
| 97018                        |     | ∢      | Paraffin bath therapy         | 90.0           | 0.11             | 0.22                         | 0.01            | 0.20                     | 0.02             | 0.19              | 0.30              | 0.09              | 0.28              | ×      |
| 97020                        |     | ∢      | Microwave therapy             | 90.0           | 0.12             | 0.20                         | 0.01            | 0.17                     | 0.02             | 0.20              | 0.28              | 0.09              | 0.25              | ×      |
| 97022                        |     | ∢      | Whirlpool therapy             | 0.17           | 0.13             | 0.19                         | 0.02            | 0.16                     | 0.02             | 0.32              | 0.38              | 0.21              | 0.35              | ×      |
| 97024                        |     | ∢      | Diathermy treatment           | 90.0           | 0.12             | 0.20                         | 0.01            | 0.18                     | 0.02             | 0.20              | 0.28              | 60:0              | 0.26              | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Denial Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| 0.16 0.02 0.19<br>0.16 0.01 0.20<br>0.12 0.01 0.40<br>0.09 0.01 0.36<br>0.10 0.01 0.36<br>0.10 0.01 0.36<br>0.10 0.01 0.36<br>0.12 0.02 0.36<br>0.12 0.02 0.36 | 0.02<br>0.01<br>0.01<br>0.01<br>0.02<br>0.02<br>0.03<br>0.02<br>0.02<br>0.02<br>0.03<br>0.02<br>0.03<br>0.02<br>0.03<br>0.02<br>0.03<br>0.02<br>0.03<br>0.02 | 0.02 0.19<br>0.01 0.20<br>0.01 0.40<br>0.02 0.45<br>0.01 0.36<br>0.02 0.48<br>0.02 0.48<br>0.02 0.66<br>0.01 0.61<br>0.01 0.61<br>0.00 0.00 | 0.02 0.19<br>0.01 0.20<br>0.01 0.40<br>0.02 0.45<br>0.01 0.36<br>0.02 0.48<br>0.02 0.36<br>0.02 0.66<br>0.01 0.61<br>0.00 0.00<br>0.01 0.50 | 0.02<br>0.01<br>0.01<br>0.01<br>0.02<br>0.02<br>0.03<br>0.02<br>0.02<br>0.03<br>0.02<br>0.03<br>0.02<br>0.03<br>0.02<br>0.04<br>0.02<br>0.03<br>0.01<br>0.05<br>0.01<br>0.05<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.19<br>0.20<br>0.40<br>0.36<br>0.36<br>0.65<br>0.00<br>0.56<br>0.00 | 0.19<br>0.20<br>0.40<br>0.36<br>0.36<br>0.36<br>0.61<br>0.63<br>0.50<br>0.50<br>0.63 | 0.19<br>0.20<br>0.40<br>0.36<br>0.36<br>0.66<br>0.66<br>0.63<br>0.56<br>0.00<br>0.00<br>0.00 | 0.19 0.20 0.20 0.45 0.36 0.36 0.66 0.66 0.67 0.00 0.00 0.00 0.00                                     |  |   |  |  |  |  |   |  |  | 0.27<br>0.28<br>0.34<br>0.35<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.27<br>0.28<br>0.39<br>0.65<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 0.27<br>0.28<br>0.34<br>0.45<br>0.05<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  |
|--|--|---|---|--|--|--|--|--|--|---|--|--|--|--|---|--|--|--|--|--|--|--|
| 0.15<br>0.12<br>0.12<br>0.09<br>0.09<br>0.10<br>0.18<br>0.02<br>0.12<br>0.02<br>0.02   | 20000000000000000000000000000000000000   | 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   | 0   | 0.00 0.  |  |  |  |  |  |   |  |  |  |  |   |  | 2 4 4 4 4 4 4 4 4 4 6 6 6 6 6 6 6 6 6 6  | 000000000000000000000000000000000000000  | 000  | 00000000000000000000000000000000000000   | 26   | 0 4 4 8 8 8 8 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  |
|  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.12<br>0.12<br>0.00  | 2 2 2 3 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3   | , w o o o o o o o o o o o o  |  |  | 000000000000000000   |  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0   | 0.000000000000000000000000000000000000   |  |  |  |   |  |  |  |  |  |  |  |
|  |  |   |   | 0.00 0.  | 0.00<br>0.10<br>0.12<br>0.12<br>0.12<br>0.10<br>0.10<br>0.10         | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  |  |  |  |   |  |  | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  |   |  | 0  |  | 000000000000000000000000000000000000000  | 000000000000000000000000000000000000000  | 000000000000000000000000000000000000000  |  |
| 3 2 2 8 2 2 4 2  | 0.000000000000000000000000000000000000   | 50.00.00.00.00.00.00.00.00.00.00.00.00.0  |   |  |  |  |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |
|  |  |   |   |  |  |  |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |
| 0.23<br>0.23<br>0.13<br>0.15   | 0.13<br>0.22<br>0.23<br>0.15<br>0.14   | 0.02<br>0.23<br>0.15<br>0.15<br>0.00  | 0.22<br>0.23<br>0.15<br>0.15<br>0.00<br>0.00  | 0.02<br>0.23<br>0.15<br>0.15<br>0.00<br>0.00<br>0.13   | 0.00<br>0.02<br>0.03<br>0.03<br>0.00<br>0.00<br>0.00<br>0.03<br>0.03 | 0.00<br>0.02<br>0.03<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00                         | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0                                  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 6.00<br>6.00<br>7.00<br>7.00<br>7.00<br>7.00<br>7.00<br>7.00  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 2. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 2. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0          | 2.0<br>2.0<br>2.0<br>3.0<br>3.0<br>3.0<br>4.0<br>5.0<br>5.0<br>6.0<br>6.0<br>6.0<br>6.0<br>6.0<br>6.0<br>6.0<br>6.0<br>6.0<br>6  | 2.0<br>2.0<br>2.0<br>3.0<br>3.0<br>4.0<br>5.0<br>6.0<br>6.0<br>7.0<br>7.0<br>7.0<br>7.0<br>7.0<br>7.0<br>7.0<br>7  | 2.0<br>2.0<br>2.0<br>3.0<br>3.0<br>4.0<br>5.0<br>6.0<br>6.0<br>7.0<br>7.0<br>7.0<br>7.0<br>7.0<br>7.0<br>7.0<br>7  | 2.00<br>2.00<br>2.00<br>3.00<br>3.00<br>3.00<br>3.00<br>3.00   | 2.00<br>2.00<br>2.00<br>3.00<br>3.00<br>3.00<br>3.00<br>3.00   | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.0  | 2. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   |
|  |  |   |   |  |  |  |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |
|  |  |   |   |  |  |  |  |  |  |   |  |  |  |  |   |  |  |  |  |  |  |  |
| 0.20<br>0.45<br>0.45   | 0.20<br>0.45<br>0.45<br>0.44   | 0.20<br>0.45<br>0.45<br>0.40<br>0.00  | 0.20<br>0.45<br>0.45<br>0.40<br>0.00<br>0.35  |  |  | 0  |  | 0  | <b>70</b>  |   | 0  |  | , c D  | , c D  | ,   | , E 50   | , E 50   | ,a 50  |  | , E D  | , E 50   | , E D  |
|  | _  | _   | -   |  |  | 0  |  |  | 0  |   | a  | 0  | , c D  | , c 5  | o 50  | , c 5  | , E 50   | , E 50   | , E D  | , E D  | , E D  | , E D  |
| exercises<br>lar reeducation   | Therapeutic exercises  Veuromuscular reeducation Aquatic therapy/exercises   | exercises Ilar reeducation apy/exercises therapy iion therapy   | exercises Ilar reeducation apy/exercises therapy ion therapy  |  |  | 0  | a  |  |  | 0   |  | 0  | , c D  | ر م  | , c D   | , E D  | , E D  | , E D  | a 50   | , c D  | , c D  | رم جان الم   |
|  |  | ution<br>es   | es  |  |  | 0  |  | 0  | 0  |   | 0  |  | , c D  | , c b  | , E D   | , E 50   | , E 50   | , E 50   | , E 50   | , E 50   | , E 50   | , E D  |
|  | 0.44 0.17  | es 0.44 0.17 0.40 0.00  | es 0.44 0.17 0.00 0.00 0.35 0.14  | 0.44 0.17 0.40 0.15 0.00 0.00 0.00 0.14 0.15 0.14 0.13 0.14  | 0.44 0.15 0.00 0.00 0.35 0.14 0.13 0.18 0.18                         | 0.44 0.17 0.40 0.15 0.00 0.00 0.00 0.014 0.13 0.14 0.18 0.18 0.18 0.18               | 0.44 0.17 0.15 0.16 0.00 0.00 0.00 0.00 0.00 0.00 0.00                                       | 0.44 0.17 0.40 0.15 0.14 0.18 0.18 0.00 0.00 0.00 0.00 0.00 0.00                                     | 0.44 0.17 0.40 0.15 0.00 0.00 0.00 0.00 0.00 0.00 0.0  | 6.44 0.17<br>0.40 0.15<br>0.35 0.14<br>0.21 0.13<br>0.43 0.18<br>0.00 0.00<br>0.00 0.00<br>0.45 0.13              | 0.44<br>0.40<br>0.40<br>0.35<br>0.14<br>0.21<br>0.43<br>0.43<br>0.18<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.04<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05 | 0.44<br>0.40<br>0.35<br>0.00<br>0.35<br>0.14<br>0.27<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05 | 5. 0.44<br>0.40<br>0.35<br>0.00<br>0.35<br>0.44<br>0.15<br>0.44<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.04<br>0.04<br>0.04<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.0 | 0.44<br>0.40<br>0.35<br>0.00<br>0.35<br>0.14<br>0.27<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05 | 0.44 0.17 0.40 0.00 0.00 0.00 0.00 0.00 0.00 0.0  | 0.44 0.17 0.40 0.00 0.00 0.00 0.00 0.00 0.00 0.0   | 0.00<br>0.00<br>0.35<br>0.00<br>0.35<br>0.14<br>0.27<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05 | 0.00<br>0.00<br>0.35<br>0.00<br>0.35<br>0.14<br>0.27<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.35<br>0.00<br>0.035<br>0.14<br>0.27<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00  | 0.00<br>0.00<br>0.35<br>0.00<br>0.035<br>0.04<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00                | 0.00<br>0.00<br>0.35<br>0.00<br>0.35<br>0.14<br>0.27<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.35<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 |
|  | 0.44 0.17  | 0.40 0.15 0.00 0.00 0.00  | 0.40 0.15 0.00 0.00 0.35 0.14   | 0.40 0.15 0.00 0.00 0.35 0.14 0.13 0.13  | 0.40 0.15 0.00 0.35 0.14 0.13 0.43 0.18                              | 0.40 0.15 0.00 0.00 0.00 0.00 0.00 0.00 0.0  | 0.00<br>0.00<br>0.35<br>0.21<br>0.21<br>0.00<br>0.00<br>0.00                                 | 0.44 0.17<br>0.00 0.00<br>0.35 0.14<br>0.21 0.13<br>0.43 0.18<br>0.00 0.00<br>0.00 0.00<br>0.00 0.00 | 0.00<br>0.00<br>0.35<br>0.14<br>0.21<br>0.43<br>0.43<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.44 0.17<br>0.00 0.00<br>0.35 0.14<br>0.21 0.13<br>0.43 0.18<br>0.00 0.00<br>0.00 0.00<br>0.00 0.00<br>0.45 0.13 | 0.44 0.15 0.00 0.00 0.00 0.00 0.00 0.00 0.00   | 0.00<br>0.00<br>0.35<br>0.44<br>0.27<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00   | 0.00<br>0.00<br>0.35<br>0.44<br>0.21<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.04<br>0.04<br>0.04<br>0.04<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05   | 0.00<br>0.00<br>0.35<br>0.44<br>0.27<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05 | 0.44 0.15 0.16 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.05<br>0.15<br>0.15<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.05<br>0.15<br>0.15<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05<br>0.05 | 6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00 | 6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00<br>6.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00<br>0.00 | 6 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.  |

Page 227 of 271 CODEs and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |         |        |                               |              | עניים איני      | Territory                   |                 | Transitioned          |                  | _                 |                   |                   |                   |        |
|-----------------------------|---------|--------|-------------------------------|--------------|-----------------|-----------------------------|-----------------|-----------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |         |        |                               |              | racility        | iransinonea<br>Non-facility | Facility        | nansnonea<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| l.                          |         |        |                               | Physician    | practice        | practice                    | practice        | practice              | Wal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Mod Sta | Status | Description                   | work<br>RVUs | expense<br>RVUs | expense<br>RVUs             | expense<br>RVUs | expense<br>RVUs       | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 98940                       |         | ∢      | Chiropractic manipulation     | 0.45         | 0.23            | 0.29                        | 0.11            | 0.15                  | 0.01             | 69.0              | 0.75              | 0.57              | 0.61              | 000    |
| 98941                       |         | ∢      | Chiropractic manipulation     | 0.65         | 0.29            | 0.31                        | 0.17            | 0.16                  | 0.01             | 0.95              | 0.97              | 0.83              | 0.82              | 8      |
| 98942                       |         | ∢      | Chiropractic manipulation     | 0.87         | 0.34            | 0.32                        | 0.23            | 0.18                  | 0.01             | 1.22              | 1.20              | 1.1               | 1.06              | 00     |
| 98943                       |         | z      | Chiropractic manipulation     | +0.40        | 0.30            | 0.31                        | 0.15            | 0.27                  | 0.01             | 0.71              | 0.72              | 0.56              | 0.68              | ×      |
| 00066                       |         | В      | Specimen handling             | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 99001                       |         | ω      | Specimen handling             | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 99002                       |         | 8      | Device handling               | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 99024                       |         | 8      | Post-op follow-up visit       | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 99025                       |         | ω      | Initial surgical evaluation   | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 99050                       |         | ω      | Medical services after hrs    | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 99052                       |         | 8      | Medical services at night     | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 99054                       |         | 8      | Medical services, unusual hrs | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 93056                       |         | œ      | Non-office medical services   | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 85066                       |         | 8      | Office emergency care         | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| 99070                       |         | 8      | Special supplies              | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ž      |
| 99071                       |         | 8      | Patient education materials   | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 99075                       |         | z      | Medical testimony             | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 82066                       |         | ω      | Group health education        | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| 99080                       |         | 8      | Special reports or forms      | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| 99082                       |         | ပ      | Unusual physician travel      | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| 06066                       |         | Ф      | Computer data analysis        | 0.00         | 0.00            | 0.00                        | 0.0             | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| 99100                       |         | Ω      | Special anesthesia service    | 0.00         | 0.0             | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | 777    |
| 99116                       |         | ω      | Anesthesia with hypothermia   | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.0               | 0.0               | 777    |
| 99135                       |         | Ω      | Special anesthesia procedure  | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | 777    |
| 99140                       |         | ω      | Emergency anesthesia          | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | 777    |
| 99141                       |         | 2      | Sedation, iv/im or inhalant   | +0.80        | 1.47            | 1.04                        | 0.37            | 0.77                  | 0.04             | 2.31              | 1.88              | 1.21              | 1.61              | ž      |
| 99142                       |         | ω      | Sedation, oral/rectal/nasal   | +0.60        | 1.38            | 0.85                        | 0.30            | 0.58                  | 0.03             | 2.01              | 1.48              | 0.93              | 1.21              | ×      |
| 99175                       |         | ∢      | Induction of vomiting         | 0.00         | 1.45            | 1.44                        | 1.45            | 1.44                  | 0.08             | 1.53              | 1.52              | 1.53              | 1.52              | ž      |
| 99183                       |         | ∢      | Hyperbaric oxygen therapy     | 2.34         | 0.73            | 1.54                        | 0.74            | 1.54                  | 0.09             | 3.16              | 3.97              | 3.17              | 3.97              | ž      |
| 99185                       |         | ∢      | Regional hypothermia          | 0.00         | ¥               | ¥                           | 0.67            | 99.0                  | 0.03             | ₹                 | ₹                 | 0.70              | 69.0              | ž      |
| 99186                       |         | ∢      | Total body hypothermia        | 0.00         | <b>∀</b>        | ¥<br>Z                      | 1.85            | 1.84                  | 0.41             | ₹                 | ₹<br>Z            | 2.26              | 2.25              | ž      |
| 99190                       |         | ×      | Special pump services         | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ž      |
| 99191                       |         | ×      | Special pump services         | 0.00         | 0.0             | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ×      |
| 99192                       |         | ×      | Special pump services         | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| 99195                       |         | ∢      | Phlebotomy                    | 0.00         | 0.45            | 0.46                        | 0.45            | 0.46                  | 0.05             | 0.47              | 0.48              | 0.47              | 0.48              | ž      |
| 99199                       |         | ပ      | Special service or report     | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ž      |
| 99201                       |         | ∢      | Office/outpatient visit, new  | 0.45         | 0.70            | 0.52                        | 0.36            | 0.24                  | 0.03             | 1.18              | 1.00              | 0.84              | 0.72              | ×      |
| 99202                       |         | 4      | Office/outpatient visit, new  | 0.88         | 0.95            | 0.65                        | 0.54            | 0.32                  | 0.04             | 1.87              | 1.57              | 1.46              | 1.24              | ×      |
| 99203                       |         | 4      | Office/outpatient visit, new  | 1.34         | 1.26            | 0.80                        | 0.74            | 0.40                  | 0.05             | 2.65              | 2.19              | 2.13              | 1.79              | ×      |
| 99204                       |         | ∢      | Office/outpatient visit, new  | 2.00         | 1.68            | 1.14                        | 1.00            | 0.57                  | 90:0             | 3.74              | 3.20              | 3.06              | 2.63              | ×      |
|                             |         |        |                               |              |                 |                             |                 |                       |                  |                   |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                  |            |   |              | -io             | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|------------------|------------|---|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                  |            |   |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
|                  |            |   | Physician    | practice        | practice        | practice        | practice        | Wa!              | Non-              | Non-              | •                 | Transitioned      |        |
| OFF /<br>HCPCS 2 | Mod Status | us Description                                    | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 99205            |            | Office/outpatient visit, new                      | 2.67         | 1.90            | 1.26            | 1.23            | 0.65            | 0.07             | 4.64              | 4.00              | 3.97              | 3.39              | ××     |
| 99211            | ∢.         | A Office/outpatient visit, est                    | 0.17         | 0.44            | 0.28            | 0.20            | 0.13            | 0.02             | 0.63              | 0.47              | 0.39              | 0.32              | ××     |
| 99212            | ∢          | A Office/outpatient visit, est                    | 0.45         | 0.53            | 0.40            | 0.30            | 0.19            | 0.02             | 1.00              | 0.87              | 0.77              | 99.0              | X      |
| 99213            | ∢          | <ul> <li>Office/outpatient visit, est</li> </ul>  | 0.67         | 0.63            | 0.51            | 0.36            | 0.25            | 0.02             | 1.32              | 1.20              | 1.05              | 0.94              | ×      |
| 99214            | ⋖          | <ul> <li>Office/outpatient visit, est</li> </ul>  | 1.10         | 0.95            | 0.70            | 0.57            | 0.35            | 0.03             | 2.08              | 1.83              | 1.70              | 1.48              | ×      |
| 99215            | ∢          | <ul> <li>Office/outpatient visit, est</li> </ul>  | 1.77         | 1.21            | 1.00            | 0.82            | 0.51            | 0.05             | 3.03              | 2.82              | 2.64              | 2.33              | ×      |
| 99217            | ∢          | A Observation care discharge                      | 1.28         | ¥               | ž               | 0.56            | 0.56            | 0.03             | ¥                 | ¥                 | 1.87              | 1.87              | ×      |
| 99218            | ∢          | A Observation care                                | 1.28         | ¥               | ¥               | 0.64            | 0.72            | 0.05             | ¥                 | ¥                 | 1.97              | 2.05              | ×      |
| 99219            | ∢          | A Observation care                                | 2.14         | ¥               | ¥               | 0.92            | 1.09            | 0.07             | ¥                 | ¥                 | 3.13              | 3.30              | ×      |
| 99220            | ⋖          | A Observation care                                | 2.99         | ¥               | ¥               | 1.26            | 1.25            | 0.07             | ¥                 | <b>∀</b>          | 4.32              | 4.31              | ×      |
| 99221            | ⋖          | A Initial hospital care                           | 1.28         | ¥               | ¥               | 0.65            | 0.71            | 0.05             | ¥                 | ¥                 | 1.98              | 2.04              | ××     |
| 99222            | ⋖.         | A Initial hospital care                           | 2.14         | ¥               | ¥               | 0.93            | 1.08            | 0.07             | ¥                 | ¥                 | 3.14              | 3.29              | ×      |
| 99223            | ∢          | A Initial hospital care                           | 2.99         | ¥               | ¥               | 1.25            | 1.24            | 90.0             | ¥                 | ¥                 | 4.30              | 4.29              | ×      |
| 99231            | ∢          | A Subsequent hospital care                        | 0.64         | ¥               | ¥               | 0.27            | 0.38            | 0.02             | ¥                 | ¥                 | 0.93              | 1.04              | ×      |
| 99232            | ∢          | A Subsequent hospital care                        | 1.06         | ¥               | ¥               | 0.41            | 0.47            | 0.03             | ¥                 | ¥                 | 1.50              | 1.56              | ×      |
| 99233            | ⋖          | A Subsequent hospital care                        | 1.51         | ¥               | ¥               | 0.59            | 0.64            | 0.04             | ¥                 | ž                 | 2.14              | 2.19              | ×      |
| 99234            | ٩          | <ul> <li>A Observ/hosp same date</li> </ul>       | 2.56         | ¥               | ¥               | 1.07            | 0.82            | 0.05             | ¥                 | ¥                 | 3.68              | 3.43              | ×      |
| 99235            | ٩          | <ul> <li>A Observ/hosp same date</li> </ul>       | 3.42         | ≨               | ¥               | 1.35            | 1.19            | 0.07             | ₹                 | ¥                 | 4.84              | 4.68              | ×      |
| 99236            | ٩          | <ul> <li>Observ/hosp same date</li> </ul>         | 4.27         | ¥               | ¥               | 1.68            | 1.35            | 0.07             | ¥                 | ¥                 | 6.02              | 5.69              | ×      |
| 99238            | ₹          | <ul> <li>Hospital discharge day</li> </ul>        | 1.28         | ¥               | ¥               | 0.57            | 0.56            | 0.03             | ₹                 | ž                 | 1.88              | 1.87              | ××     |
| 99239            | ⋖          | <ul> <li>Hospital discharge day</li> </ul>        | 1.75         | ¥               | ¥               | 0.72            | 0.59            | 0.03             | ¥                 | ¥                 | 2.50              | 2.37              | ×      |
| 99241            | ⋖          | A Office consultation                             | 0.64         | 98.0            | 0.73            | 0.41            | 0.37            | 90.0             | 1.56              | 1.43              | 1.1               | 1.07              | ×      |
| 99242            | ٩          | A Office consultation                             | 1.29         | 1.26            | 0.95            | 0.67            | 0.48            | 0.07             | 2.62              | 2.31              | 2.03              | 1.84              | ×      |
| 99243            | ٩          | A Office consultation                             | 1.72         | 1.53            | 1.17            | 0.89            | 0.62            | 0.08             | 3.33              | 2.97              | 5.69              | 2.42              | ×      |
| 99244            | ⋖          | A Office consultation                             | 2.58         | 1.92            | 1.48            | 1.21            | 0.81            | 0.09             | 4.59              | 4.15              | 3.88              | 3.48              | ×      |
| 99245            | ∢          | A Office consultation                             | 3.43         | 2.26            | 1.94            | 1.52            | 1.07            | 0.13             | 5.82              | 5.50              | 5.08              | 4.63              | ×      |
| 99251            | ٩          | A Initial inpatient consult                       | 99.0         | ¥               | ¥               | 0.43            | 99.0            | 90.0             | ₹                 | ¥                 | 1.15              | 1.38              | ×      |
| 99252            | ٩          | <ul> <li>A Initial inpatient consult</li> </ul>   | 1.32         | ₹               | ¥               | 0.72            | 0.80            | 0.07             | ₹                 | ¥                 | 2.11              | 2.19              | ×      |
| 99253            | ⋖          | <ul> <li>A Initial inpatient consult</li> </ul>   | 1.82         | ¥               | ¥               | 0.95            | 1.01            | 0.08             | ¥                 | Ϋ́                | 2.85              | 2.91              | ×      |
| 99254            | ∢          | A Initial inpatient consult                       | 2.64         | Š               | ¥               | 1.26            | 1.29            | 0.0              | ₹                 | ¥                 | 3.99              | 4.02              | ×      |
| 99255            | ⋖          | <ul> <li>A Initial inpatient consult</li> </ul>   | 3.65         | ¥               | ¥               | 1.65            | 1.69            | 0.11             | ₹                 | ¥                 | 5.41              | 5.45              | ×      |
| 99261            | ⋖          | <ul> <li>A Follow-up inpatient consult</li> </ul> | 0.42         | ₹               | ¥               | 0.33            | 0.35            | 0.02             | ¥                 | ¥                 | 0.77              | 0.79              | ×      |
| 99262            | ٩          | A Follow-up inpatient consult                     | 0.85         | ¥               | ¥               | 0.51            | 0.50            | 0.03             | ¥                 | <b>₹</b>          | 1.39              | 1.38              | ×      |
| 99263            | ⋖          | <ul> <li>A Follow-up inpatient consult</li> </ul> | 1.27         | ₹               | ¥               | 0.67            | 0.72            | 0.03             | ¥                 | ₹                 | 1.97              | 2.02              | ×      |
| 99271            | ∢          | <ul> <li>Confirmatory consultation</li> </ul>     | 0.45         | 0.51            | 09.0            | 0.34            | 0.33            | 0.05             | 1.9               | 1.10              | 0.84              | 0.83              | ×      |
| 99272            | ∢          | <ul> <li>Confirmatory consultation</li> </ul>     | 0.84         | 0.70            | 0.75            | 0.53            | 0.43            | 0.07             | 1.61              | 1.66              | 1.44              | 1.34              | ×      |
| 99273            | ∢          | A Confirmatory consultation                       | 1.19         | 0.93            | 1.07            | 0.65            | 0.58            | 60.0             | 2.21              | 2.35              | 1.93              | 1.86              | ×      |
| 99274            | ∢          | A Confirmatory consultation                       | 1.73         | 1.22            | 1.30            | 0.88            | 0.72            | 0.09             | 3.04              | 3.12              | 2.70              | 2.54              | ×      |
| 99275            | ∢          | A Confirmatory consultation                       | 2.31         | 1.42            | 1.77            | 1.04            | 1.68            | 0.13             | 3.86              | 4.21              | 3.48              | 4.12              | ×      |
| 99281            | ٩          | A Emergency dept visit                            | 0.33         | ¥               | ¥               | 0.12            | 0.26            | 0.01             | Š                 | ¥                 | 0.46              | 0.60              | ××     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |            |                                 |           | Non-     | Iransitioned   |          | Transitioned |                  |                  |                  |          |                          |        |
|--------------------|------------|---------------------------------|-----------|----------|----------------|----------|--------------|------------------|------------------|------------------|----------|--------------------------|--------|
|                    |            |                                 | ,         | facility | Non-facility   | Facility | Facility     | :                |                  | Transitioned     |          |                          |        |
| / <sub>1</sub> 1d) |            |                                 | Physician | practice | practice       | practice | practice     | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| 7                  | Mod Status | Description                     | RVUs 3    | RVUs     | RVUS           | RVUs     | RVUs         | RUYs             | Total            | Total            | Total    | Total                    | Global |
| 99360              | ×          | Physician standby services      | 0.00      | 0.00     | 0.00           | 0.00     | 0.00         | 00.00            | 0.00             | 0.00             | 0.00     | 0.00                     | XX     |
| 99361              | 8          | Physician/team conference       | 0.00      | 0.00     | 0.00           | 0.00     | 0.00         | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ×      |
| 99362              | ω          | Physician/team conference       | 0.00      | 0.00     | 0.00           | 0.00     | 0.00         | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ×      |
| 99371              | 80         | Physician phone consultation    | 0.00      | 0.00     | 0.00           | 0.00     | 0.00         | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ×      |
| 99372              | Ω.         | Physician phone consultation    | 0.00      | 0.00     | 0.00           | 0.00     | 0.00         | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ×      |
| 99373              | ω          | Physician phone consultation    | 0.00      | 0.00     | 0.00           | 0.00     | 0.00         | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ×      |
| 99374              | 80         | Home health care supervision    | +1.10     | 1.03     | 0.67           | 0.80     | 0.61         | 0.03             | 2.16             | 1.80             | 1.93     | 1.74                     | ×      |
| 99375              | ∢          | Home health care supervision    | 1.73      | 1.1      | 69.0           | 0.92     | 0.64         | 0.03             | 2.87             | 2.45             | 2.68     | 2.40                     | ×      |
| 99377              | Ω.         | Hospice care supervision        | +1.10     | 1.03     | 0.67           | 0.80     | 0.61         | 0.03             | 2.16             | 1.80             | 1.93     | 1.74                     | ×      |
| 99378              | ∢          | Hospice care supervision        | 1.73      | 1.16     | 0.70           | 0.88     | 0.63         | 0.03             | 2.92             | 2.46             | 2.64     | 2.39                     | ×      |
| 99379              | ω          | Nursing fac care supervision    | +1.10     | 1.03     | 0.67           | 0.80     | 0.61         | 0.03             | 2.16             | 1.80             | 1.93     | 1.74                     | ×      |
| 99380              | 8          | Nursing fac care supervision    | +1.73     | 1.27     | 0.73           | 1.03     | 29.0         | 0.03             | 3.03             | 2.49             | 2.79     | 2.43                     | ×      |
| 99381              | z          | Preventive visit, new,infant    | +1.19     | 1.08     | 1.27           | 0.45     | 1.11         | 90.0             | 2.33             | 2.52             | 1.70     | 2.36                     | ×      |
| 99382              | z          | Preventive visit, new, age 1-4  | +1.36     | 1.13     | 1.43           | 0.52     | 1.28         | 0.07             | 2.56             | 2.86             | 1.95     | 2.71                     | ×      |
| 99383              | z          | Preventive visit, new, age5-11  | +1.36     | 1.11     | 1.43           | 0.52     | 1.28         | 0.07             | 2.54             | 2.86             | 1.95     | 2.71                     | ×      |
| 99384              | z          | Preventive visit, new, 12-17    | +1.53     | 1.18     | 1.59           | 0.58     | 1.44         | 0.08             | 2.79             | 3.20             | 2.19     | 3.05                     | ×      |
| 99385              | z          | Preventive visit, new, 18-39    | +1.53     | 1.18     | <del>1</del> . | 0.58     | 1.29         | 0.07             | 2.78             | 3.04             | 2.18     | 2.89                     | ×      |
| 99386              | z          | Preventive visit, new, 40-64    | +1.88     | 1.34     | 1.74           | 0.71     | 1.58         | 0.08             | 3.30             | 3.70             | 2.67     | 3.54                     | ×      |
| 99387              | z          | Preventive visit, new, 65& over | +2.06     | 1.45     | 1.89           | 0.77     | 1.72         | 0.09             | 3.60             | 4.04             | 2.92     | 3.87                     | ×      |
| 99391              | z          | Preventive visit, est,infant    | +1.02     | 9.76     | 1.05           | 0.38     | 96.0         | 0.05             | 1.83             | 2.12             | 1.45     | 2.03                     | ×      |
| 99392              | z          | Preventive visit, est, age 1-4  | +1.19     | 0.83     | 1.21           | 0.45     | 1.11         | 90.0             | 2.08             | 2.46             | 1.70     | 2.36                     | ×      |
| 99393              | z          | Preventive visit, est, age 5-11 | +1.19     | 0.83     | 1.21           | 0.45     | 1.1          | 90.0             | 2.08             | 2.46             | 1.70     | 2.36                     | ž      |
| 99394              | z          | Preventive visit, est, 12-17    | +1.36     | 0.90     | 1.37           | 0.52     | 1.28         | 0.07             | 2.33             | 2.80             | 1.95     | 2.71                     | ×      |
| 99395              | z          | Preventive visit, est, 18-39    | +1.36     | 0.92     | 1.25           | 0.77     | 1.21         | 90.0             | 2.34             | 2.67             | 2.19     | 2.63                     | ž      |
| 96266              | z          | Preventive visit, est, 40-64    | +1.53     | 1.00     | 1.39           | 0.84     | 1.35         | 0.07             | 2.60             | 2.99             | 2.44     | 2.95                     | ×      |
| 99397              | z          | Preventive visit, est, 65& over | +1.71     | 1.08     | 1.54           | 0.91     | 1.50         | 0.08             | 2.87             | 3.33             | 2.70     | 3.29                     | ×      |
| 99401              | Ż          | Preventive counseling, indiv    | +0.48     | 0.44     | 0.48           | 0.34     | 0.45         | 0.02             | 0.94             | 0.98             | 0.84     | 0.95                     | ×      |
| 99402              | z          | Preventive counseling, indiv    | +0.98     | 99.0     | 0.89           | 0.54     | 0.86         | 0.0              | 1.68             | 1.91             | 1.56     | 1.88                     | ×      |
| 99403              | z          | Preventive counseling, indiv    | +1.46     | 0.88     | 1.31           | 0.71     | 1.27         | 90.0             | 2.40             | 2.83             | 2.23     | 2.79                     | ×      |
| 99404              | z          | Preventive counseling, indiv    | +1.95     | 1.08     | 1.72           | 0.90     | 1.67         | 0.0              | 3.12             | 3.76             | 2.94     | 3.71                     | ž      |
| 99411              | z          | Preventive counseling, group    | +0.15     | 0.13     | 0.15           | 0.09     | 0.14         | 0.0              | 0.29             | 0.31             | 0.25     | 0.30                     | ×      |
| 99412              | z          | Preventive counseling, group    | +0.25     | 0.19     | 0.24           | 0.13     | 0.22         | 0.01             | 0.45             | 0.50             | 0.39     | 0.48                     | ž      |
| 99420              | z          | Health risk assessment test     | 0.00      | 0.00     | 0.00           | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| 99429              | z          | Unlisted preventive service     | 0.00      | 0.00     | 0.00           | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ž      |
| 99431              | ∢          | Initial care, normal newborn    | 1.17      | ₹        | ž              | 0.57     | 1.13         | 90.0             | ¥                | Ϋ́               | 1.80     | 2.36                     | ž      |
| 99432              | ∢.         | Newborn care not in hospital    | 1.26      | 0.90     | 1.29           | 0.36     | 1.16         | 90.0             | 2.22             | 2.61             | 1.68     | 2.48                     | ×      |
| 99433              | ⋖          | Normal newborn care, hospital   | 0.62      | ¥        | ď<br>Z         | 0.23     | 0.58         | 0.03             | ≨                | ž                | 0.88     | 1.23                     | ×      |
| 99435              | ∢          | Hospital NB discharge day       | 1.50      | Ą        | ¥<br>Y         | 0.57     | 1.40         | 0.08             | ¥                | ž                | 2.15     | 2.98                     | ×      |
| 99436              | ∢          | Attendance, birth               | 1.50      | 0.65     | 1.42           | 3.24     | 2.07         | 0.08             | 2.23             | 3.00             | 4.82     | 3.65                     | ×      |
| 99440              | ∢          | Newborn resuscitation           | 2.93      | Ϋ́       | ¥              | 3.92     | 3.46         | 0.15             | Ϋ́               | Ϋ́               | 7.00     | 6.54                     | ×      |

Page 231 of 271 2 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|         |     |        |                              |                   | Non-     | Transitioned        |          | Transitioned |          |                  |                  |          |                        |        |
|---------|-----|--------|------------------------------|-------------------|----------|---------------------|----------|--------------|----------|------------------|------------------|----------|------------------------|--------|
|         |     |        |                              | D. C. C. C.       | facility | Non-facility        | Facility | Facility     | Mal.     | No.              | Transitioned     |          | T. 121                 |        |
| CPT 1/  |     |        |                              | rnysician<br>work | prutine  | practice<br>expense | expense  | expense      | practice | ron-<br>facility | ron-<br>facility | Facility | Iransmoned<br>Facility |        |
| HCPCS Z | Mod | Status | Description                  | RVUs              | RVUS     | RVUs                | RVUs     | RVUS         | RUYs     | Total            | Total            | Total    | Total                  | Global |
| 99450   |     | z      | Life/disability evaluation   | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ××     |
| 99455   |     | œ      | Disability examination       | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| 99456   |     | œ      | Disability examination       | 0.00              | 0.00     | 00.00               | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| 99499   |     | ပ      | Unlisted E/M service         | 0.00              | 0.00     | 00.00               | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0021   |     | -      | Outside state ambulance serv | 0.00              | 0.00     | 00:00               | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0030   |     | ×      | Air ambulance service        | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0040   |     | ×      | Helicopter ambulance service | 0.00              | 0.00     | 00.00               | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0050   |     | ×      | Water amb service emergency  | 0.00              | 0.00     | 00:00               | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0080   |     | -      | Noninterest escort in non er | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0090   |     | -      | Interest escort in non er    | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0100   |     | -      | Nonemergency transport taxi  | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0110   |     | -      | Nonemergency transport bus   | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0120   |     | _      | Noner transport mini-bus     | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0130   |     | -      | Noner transport wheelch van  | 0.00              | 0.00     | 00.00               | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0140   |     | -      | Nonemergency transport air   | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0160   |     | -      | Noner transport case worker  | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0170   |     | -      | Noner transport parking fees | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0180   |     | -      | Noner transport lodgng recip | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0190   |     | -      | Noner transport meals recip  | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0200   |     | -      | Noner transport lodgng escrt | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0210   |     | -      | Noner transport meals escort | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0225   |     | ×      | Neonatal emergency transport | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0300   |     | ×      | Ambulance basic non-emer all | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0302   |     | ×      | Ambulance basic emergeny all | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0304   |     | ×      | Amb adv non-er no serv all   | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.0                    | ×      |
| A0306   |     | ×      | Amb adv non-er spec serv all | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0308   |     | ×      | Amb adv er no spec serv all  | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0310   |     | ×      | Amb adv er spec serv all     | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0320   |     | ×      | Amb basic non-er + supplies  | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0322   |     | ×      | Amb basic emerg + supplies   | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.00     | 0.0              | 0.00             | 0.0      | 0.00                   | ×      |
| A0324   |     | ×      | Adv non-er serv sep mileage  | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0326   |     | ×      | Adv non-er no serv sep mile  | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0328   |     | ×      | Adv er no serv sep mileage   | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0330   |     | ×      | Adv er spec serv sep mile    | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0340   |     | ×      | Amb basic non-er + mileage   | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0342   |     | ×      | Ambul basic emer + mileage   | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0344   |     | ×      | Amb adv non-er no serv +mile | 0.00              | 0.0      | 0.00                | 0.00     | 0.00         | 0.0      | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0346   |     | ×      | Amb adv non-er serv + mile   | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0348   |     | ×      | Adv emer no spec serv + mile | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |
| A0350   |     | ×      | Adv emer spec serv + mileage | 0.00              | 0.00     | 0.00                | 0.00     | 0.00         | 0.00     | 0.00             | 0.00             | 0.00     | 0.00                   | ×      |

Page 232 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |     |            |                              |                | Non-            | Trancitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|-----------------------------|-----|------------|------------------------------|----------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |     |            |                              |                | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| 1                           |     |            |                              | Physician      | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Wod | Status     | Description                  | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| A0360                       |     | ×          | Basic non-er sep mile & supp | 00:0           | 00.0            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 00.0              | ××     |
| A0362                       |     | ×          | Basic emer sep mile & supply | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| A0364                       |     | ×          | Adv non-er no serv sep mi&su | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0366                       |     | ×          | Adv non-er serv sep mil&supp | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0368                       |     | ×          | Adv er no serv sep mile&supp | 0.00           | 0.00            | 00.00           | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0370                       |     | ×          | Adv er spec serv sep miåsupp | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0380                       |     | ×          | Basic life support mileage   | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0382                       |     | ×          | Basic support routine suppls | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0384                       |     | ×          | Bls defibrillation supplies  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0390                       |     | ×          | Advanced life support mileag | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0392                       |     | ×          | Als defibrillation supplies  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0394                       |     | ×          | Als IV drug therapy supplies | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0396                       |     | ×          | Als esophageal intub suppls  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0398                       |     | ×          | Als routine disposble suppls | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0420                       |     | ×          | Ambulance waiting 1/2 hr     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0422                       |     | ×          | Ambulance 02 life sustaining | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0424                       |     | ×          | Extra ambulance attendant    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0888                       |     | z          | Noncovered ambulance mileage | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A0999                       |     | ×          | Unlisted ambulance service   | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4206                       |     | -          | 1 CC sterile syringe&needle  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4207                       |     | -          | 2 CC sterile syringe&needle  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4208                       |     | -          | 3 CC sterile syringe&needle  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4209                       |     | -          | 5+ CC sterile syringe&needle | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4210                       |     | z          | Nonneedle injection device   | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4211                       |     | Ω.         | Supp for self-adm injections | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4212                       |     | ٩          | Non coring needle or stylet  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4213                       |     | -          | 20+ CC syringe only          | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4214                       |     | <u>α</u> . | 30 CC sterile water/saline   | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4215                       |     | -          | Sterile needle               | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4220                       |     | <u>o</u>   | Infusion pump refill kit     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4221                       |     | ×          | Maint drug infus cath per wk | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4222                       |     | ×          | Drug infusion pump supplies  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4230                       |     | z          | Infus insulin pump non needl | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4231                       |     | z          | Infusion insulin pump needle | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4232                       |     | z          | Syringe w/needle insulin 3cc | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4244                       |     | -          | Alcohol or peroxide per pint | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4245                       |     | -          | Alcohol wipes per box        | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4246                       |     | -          | Betadine/phisohex solution   | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4247                       |     | -          | Betadine/iodine swabs/wipes  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4250                       |     | z          | Urine reagent strips/tablets | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                  |            |                              |                | 100             | Transitioned    |                 | roncitionod     |                  |                   |                   |                   |                     |        |
|----------------------------------|------------|------------------------------|----------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|---------------------|--------|
|                                  |            |                              |                | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                     |        |
| -                                |            |                              | Physician      | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              |                   | <b>Transitioned</b> |        |
| CPT '/<br>HCPCS <sup>2</sup> Mod | Status     | Description                  | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total   | Global |
| ı                                | ٦          | Blood glucose/reagent strips | 00:00          | 0.00            | 0.00            | 00:00           | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4254                            | ×          | Battery for glucose monitor  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4255                            | ×          | Glucose monitor platforms    | 00.0           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4256                            | Δ.         | Calibrator solution/chips    | 00.00          | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00                | ×      |
| A4258                            | <b>□</b>   | Lancet device each           | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                | ×      |
| A4259                            | Δ.         | Lancets per box              | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00                | ×      |
| A4260                            | z          | Levonorgestrel implant       | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00                | ××     |
| A4261                            | z          | Cervical cap contraceptive   | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4262                            | 8          | Temporary tear duct plug     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00                | ×      |
| A4263                            | ∢          | Permanent tear duct plug     | 0.00           | 0.00            | 0.77            | 0.00            | 0.77            | 0.00             | 0.00              | 0.77              | 0.00              | 0.77                | ×      |
| A4265                            | ۵.         | Paraffin                     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4270                            | <b>6</b> 0 | Disposable endoscope sheath  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00                | ×      |
| A4300                            | ∢          | Cath impl vasc access portal | 0.00           | 0.00            | 0.77            | 0.00            | 0.77            | 0.00             | 0.00              | 0.77              | 0.00              | 0.77                | ×      |
| A4301                            | ۵          | Implantable access syst perc | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4305                            | <u>α</u>   | Drug delivery system >≕50 ML | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4306                            | ۵          | Drug delivery system <=5 ML  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00                | ×      |
| A4310                            | ۵.         | Insert tray w/o bag/cath     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4311                            | ۵.         | Catheter w/o bag 2-way latex | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4312                            | ۵.         | Cath w/o bag 2-way silicone  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0                 | ×      |
| A4313                            | ۵.         | Catheter w/bag 3-way         | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0                 | ×      |
| A4314                            | <b>□</b> . | Cath w/drainage 2-way latex  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00                | ×      |
| A4315                            | <b>a</b>   | Cath w/drainage 2-way silcne | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4316                            | <u>α</u>   | Cath w/drainage 3-way        | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0                 | ×      |
| A4320                            | <u>a</u>   | Irrigation tray              | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0                 | ×      |
| A4321                            | ×          | Cath therapeutic irrig agent | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.0                 | ×      |
| A4322                            | <b></b>    | Irrigation syringe           | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0                 | ×      |
| A4323                            | <u>α</u>   | Saline irrigation solution   | 0.00           | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0                 | ×      |
| A4326                            | <b>□</b>   | Male external catheter       | 0.00           | 0.0             | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.0                 | ž      |
| A4327                            | <b>_</b>   | Fem urinary collect dev cup  | 0.00           | 0.0             | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.0                 | ×      |
| A4328                            | <u>α</u>   | Fem urinary collect pouch    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.0                 | ×      |
| A4329                            | <u>α</u>   | External catheter start set  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.0                 | ×      |
| A4330                            | <u>α</u>   | Stool collection pouch       | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0                 | ×      |
| A4335                            | <b>∟</b>   | Incontinence supply          | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00                | ×      |
| A4338                            | <b>a</b>   | Indwelling catheter latex    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0,00              | 0.00                | ×      |
| A4340                            | <b>□</b>   | Indwelling catheter special  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00                | ×      |
| A4344                            | <u>a</u>   | Cath indw foley 2 way silicn | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00                | ×      |
| A4346                            | <b>□</b>   | Cath indw foley 3 way        | 00.00          | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4347                            | <b>_</b>   | Male external catheter       | 0.00           | 0.00            | 0.00            | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |
| A4351                            | Ω.         | Straight tip urine catheter  | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ××     |
| A4352                            | ۵          | Coude tip urinary catheter   | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00                | ×      |

Page 234 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|       |            | ADL                          | ADDENDOM D   | ייי ארנאווער א   | - ALLAHIT YALUL UMIISIATUS) AMD ALLAHLD IMI OAMAHUM | NOS/AID         | יייי יי                  | UNIMITO          | <u>.</u>          |                   |                   |                   |        |
|-------|------------|------------------------------|--------------|------------------|---|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|       |            |                              |              | Non-<br>facility | Iransitioned<br>Non-facility                        | Facility        | Iransitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| , l   |            |                              | Physician    | practice         | practice  | practice        | practice                 | Mal-             | Non-              | Non-              | ÷                 | Transitioned      |        |
| 7     | Mod Status | s Description                | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs                                     | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | tacility<br>Total | tacility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| A4353 | ×          | Intermittent urinary cath    | 0.00         | 0.00             | 0.00  | 00.0            | 0.00                     | 00.0             | 00.0              | 0.00              | 0.00              | 0.00              | ×      |
| A4354 | <b>a</b>   | Cath insertion tray w/bag    | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4355 | <b>□</b>   | Bladder irrigation tubing    | 00:00        | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4356 | Δ.         | Ext ureth clmp or compr dvc  | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4357 | <b>□</b>   | Bedside drainage bag         | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4358 | <u>α</u>   | Urinary leg bag              | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4359 | <b>□</b>   | Urinary suspensory w/o leg b | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4361 | <u>α</u>   | Ostomy face plate            | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4362 | <b>□</b>   | Solid skin barrier           | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4363 | Δ.         | Liquid skin barrier          | 00.0         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4364 | <u>α</u>   | Ostomy/cath adhesive         | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4365 | ×          | Ostomy adhesive remover wipe | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4367 | <b>∟</b>   | Ostomy belt                  | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4368 | ×          | Ostomy filter                | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4397 | Δ.         | Irrigation supply sleeve     | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4398 | Δ.         | _                            | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4399 | Δ.         | Ostomy irrig cone/cath w brs | 0.00         | 0:00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4400 | Δ.         | Ostomy irrigation set        | 0.00         | 0:00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| A4402 | Δ.         | Lubricant per ounce          | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4404 | <u>α</u>   | Ostomy ring each             | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4421 | <u>α</u>   | Ostomy supply misc           | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4454 | Δ.         | Tape all types all sizes     | 0.00         | 0.0              | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4455 | <u>а</u>   | Adhesive remover per ounce   | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4460 | <u>α</u>   | Elastic compression bandage  | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4462 | ×          | Abdmnl drssng holder/binder  | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| A4465 | Δ.         | Non-elastic extremity binder | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4470 | <u>a</u>   | Gravlee jet washer           | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4480 | <b>△</b>   | Vabra aspirator              | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4481 | ×          | Tracheostoma filter          | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4483 | ×          | Moisture exchanger           | 0.00         | 0.00             | 0.00  | 0.00            | 0:00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| A4490 | Z          | •                            | 0.00         | 0.0              | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4495 | z          | Thigh length surg stocking   | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4500 | z          | _                            | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4510 | z          | Full length surg stocking    | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4550 | ∢          | Surgical trays               | 0.00         | 0.00             | 0.77  | 0.00            | 0.77                     | 0.00             | 0.00              | 0.77              | 0.00              | 0.77              | ×      |
| A4554 | z          | Disposable underpads         | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4556 | Δ.         | Electrodes                   | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4557 | <u>α</u>   | Lead wires                   | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4558 | σ.         | Conductive paste or gel      | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4560 | ×          | Pessary                      | 0.00         | 0.00             | 0.00  | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
|       |            |                              |              |                  |   |                 |                          |                  |                   |                   |                   |                   |        |

Page 235 of 271
2 Copyright 1994 American Denies and description. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                              |      |            |                              |              | Non-<br>facility | Transitioned | Facility        | Transitioned Facility |                  | _                 | Transition        |                   |                   |        |
|------------------------------|------|------------|------------------------------|--------------|------------------|--------------|-----------------|-----------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |      |            |                              | Physician    | practice         | practice     | practice        | practice              | Mal-             | Мол-              | Non-              |                   | Transitioned      |        |
| CPT '/<br>HCPCS <sup>2</sup> | Poff | Status     | Description                  | work<br>RVUs | expense<br>RVUs  | expense      | expense<br>RVUs | expense<br>RVUs       | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| A4565                        |      | ×          | Slinds                       | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 00.0              | ×      |
| A4570                        |      | ×          | Splint                       | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| A4572                        |      | ×          | Rib belt                     | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| A4575                        |      | z          | Hyperbaric o2 chamber disps  | 00.0         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| A4580                        |      | ×          | Cast supplies (plaster)      | 00.00        | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| A4590                        |      | ×          | Special casting material     | 00.0         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4595                        |      | ×          | TENS suppl 2 lead per month  | 00.0         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4611                        |      | ×          | Heavy duty battery           | 00.00        | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4612                        |      | ×          | Battery cables               | 00.0         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4613                        |      | ×          | Battery charger              | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4614                        |      | ×          | Hand-held PEFR meter         | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4615                        |      | ×          | Cannula nasal                | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| A4616                        |      | ×          | Tubing (oxygen) per foot     | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4617                        |      | ×          | Mouth piece                  | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4618                        |      | ×          | Breathing circuits           | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4619                        |      | ×          | Face tent                    | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4620                        |      | ×          | Variable concentration mask  | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4621                        |      | ×          | Tracheotomy mask or collar   | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4622                        |      | ×          | Tracheostomy or larngectomy  | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4623                        |      | ×          | Tracheostomy inner cannula   | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| A4624                        |      | ×          | Tracheal suction tube        | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| A4625                        |      | ×          | Trach care kit for new trach | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| A4626                        |      | ×          | Tracheostomy cleaning brush  | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4627                        |      | z          | Spacer bag/reservoir         | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4628                        |      | ×          | Oropharyngeal suction cath   | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4629                        |      | ×          | Tracheostomy care kit        | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| A4630                        |      | ×          | Repl bat t.e.n.s. own by pt  | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.0               | 0.0               | ž      |
| A4631                        |      | ×          | Wheelchair battery           | 0.00         | 0.0              | 0.00         | 0.0             | 0.0                   | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ×      |
| A4635                        |      | ×          | Underarm crutch pad          | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| A4636                        |      | ×          | Handgrip for cane etc        | 0.00         | 0.0              | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| A4637                        |      | ×          | Repl tip cane/crutch/walker  | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| A4640                        |      | ×          | Alternating pressure pad     | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ž      |
| A4641                        |      | ш          | Diagnostic imaging agent     | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| A4642                        |      | ш          | Satumomab pendetide per dose | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.0               | 0:00              | 0.00              | 0.00              | ×      |
| A4643                        |      | ш          | High dose contrast MRI       | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4644                        |      | ш          | Contrast 100-199 MGs iodine  | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| A4645                        |      | ш          | Contrast 200-299 MGs iodine  | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4646                        |      | ш          | Contrast 300-399 MGs iodine  | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| A4647                        |      | ω          | Supp- paramagnetic contr mat | 0.00         | 0.0              | 0.00         | 0.0             | 0.00                  | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| A4649                        |      | <u>α</u> . | Surgical supplies            | 0.00         | 0.00             | 0.00         | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                                |            |                              |              |                  | A / CO / CO                  |                 | TOTAL THE CHILD          |                  |                   |                   |                   |                   |        |
|--------------------------------|------------|------------------------------|--------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                                |            |                              |              | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Iransitioned<br>Facility |                  |                   | Transitionad      |                   |                   |        |
| 7                              |            |                              | Physician    | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              | •                 | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> MA | Mod Status | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| A4650                          | ×          | Supp esrd centrifuge         | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 00.0              | 0.00              | 00.0              | 0.00              | XX     |
| A4655                          | ×          | Esrd syringe/needle          | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4660                          | ×          | Esrd blood pressure device   | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4663                          | ×          | Esrd blood pressure cuff     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4670                          | Z          | Auto blood pressure monitor  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4680                          | ×          | Activated carbon filters     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4690                          | ×          | Dialyzers                    | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4700                          | ×          | Standard dialysate solution  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4705                          | ×          | Bicarb dialysate solution    | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4712                          | ×          | Sterile water                | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4714                          | ×          | Treated water for diatysis   | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4730                          | ×          | Fistula cannulation set dial | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4735                          | ×          | Local/topical anesthetics    | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4740                          | ×          | Esrd shunt accessory         | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4750                          | ×          | Arterial or venous tubing    | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4755                          | ×          | Arterial and venous tubing   | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4760                          | ×          | Standard testing solution    | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.0               | ×      |
| A4765                          | ×          | Dialysate concentrate        | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| A4770                          | ×          | Blood testing supplies       | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4771                          | ×          | Blood clotting time tube     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ž      |
| A4772                          | ×          | Dextrostick/glucose strips   | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.0               | 0.0               | ×      |
| A4773                          | ×          | Hemostix                     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.0               | ×      |
| A4774                          | ×          | Ammonia test paper           | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4780                          | ×          | Esrd sterilizing agent       | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4790                          | ×          | Esrd cleansing agents        | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4800                          | ×          | Heparin/antidote dialysis    | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4820                          | ×          | Supplies hemodialysis kit    | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ž      |
| A4850                          | ×          | Rubber tipped hemostats      | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.0               | 0.0               | ×      |
| A4860                          | ×          | Disposable catheter caps     | 0.00         | 0.0              | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ž      |
| A4870                          | ×          | Płumbing/electrical work     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| A4880                          | ×          | Water storage tanks          | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4890                          | œ          | Contracts/repair/maintenance | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| A4900                          | ×          | Capd supply kit              | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4901                          | ×          | Ccpd supply kit              | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4905                          | ×          | Ipd supply kit               | 0.00         | 00.0             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4910                          | ×          | Esrd nonmedical supplies     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4912                          | ×          | Gomco drain bottle           | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4913                          | ×          | Esrd supply                  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4914                          | ×          | Preparation kit              | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A4918                          | ×          | Venous pressure clamp        | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|        |     |          |                               |           | Non-     | Transitioned             |                      | Transitioned         |          |          |                      |          |                        |          |
|--------|-----|----------|-------------------------------|-----------|----------|--------------------------|----------------------|----------------------|----------|----------|----------------------|----------|------------------------|----------|
|        |     |          |                               | Physician | tacility | Non-tacility<br>practice | Facility<br>nractice | racility<br>practice | Mal.     | Non-     | Transitioned<br>Non- |          | Trancitionad           |          |
| CPT 1/ |     |          | :                             | Work 3    | expense  | expense                  | expense              | expense              | practice | facility | facility             | Facility | radismoneu<br>Facility | -        |
|        | Mod | states > | Description                   | KVUS      | 4 A      | SA CO                    | 6                    | 8 6                  | 200      | 10101    | 10101                | 10101    | lotal                  | piopai   |
| A4919  |     | < >      | Supp dialysis dialyzer florde | 8 6       | 8 6      | 8.6                      | 8 6                  | 8 8                  | 8 8      | 8 6      | 8.6                  | 8 6      | 3 5                    | {        |
| A4921  |     | < ×      | Measuring cylinder            | 000       | 00.0     | 0.00                     | 8 0                  | 000                  | 000      | 00.0     | 000                  | 0.00     | 000                    | Š        |
| A4927  |     | : ×      | Gloves                        | 0.0       | 0.0      | 0.00                     | 0.0                  | 0.00                 | 00.0     | 0.00     | 0.00                 | 0.0      | 0.0                    | ×        |
| A5051  |     | ۵.       | Pouch clsd w barr attached    | 00.0      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5052  |     | ۵        | Clsd ostomy pouch w/o barr    | 00.0      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5053  |     | Δ.       | Clsd ostomy pouch faceplate   | 00.00     | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5054  |     | <u>α</u> | Clsd ostomy pouch w/flange    | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5055  |     | ۵        | Stoma cap                     | 00:00     | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5061  |     | ۵        | Pouch drainable w barrier at  | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.0      | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5062  |     | ۵        | Drnble ostomy pouch w/o barr  | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.0      | 0.00                   | ×        |
| A5063  |     | ۵        | Drain ostomy pouch w/flange   | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5064  |     | -        | Drain ostomy pouch w/fceplte  | 00.0      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5065  |     | -        | Drain ostomy pouch on fcplte  | 00.00     | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5071  |     | ۵        | Urinary pouch w/barrier       | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5072  |     | ۵        | Urinary pouch w/o barrier     | 00.00     | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5073  |     | ۵        | Urinary pouch on barr w/fing  | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5074  |     | -        | Urinary pouch w/faceplate     | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.0      | 0.00                   | ×        |
| A5075  |     | -        | Urinary pouch on faceplate    | 0.00      | 0.0      | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5081  |     | ۵        | Continent stoma plug          | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.0      | 0.00                   | ×        |
| A5082  |     | ۵        | Continent stoma catheter      | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5093  |     | Δ        | Ostomy accessory convex inse  | 0.00      | 0.0      | 0.00                     | 0.00                 | 0.00                 | 0.0      | 0.00     | 0.00                 | 0.0      | 0.0                    | ×        |
| A5102  |     | ۵        | Bedside drain btl w/wo tube   | 0.00      | 0.0      | 0.00                     | 0.00                 | 0.00                 | 0.0      | 0.00     | 0.00                 | 0.0      | 0.00                   | ž        |
| A5105  |     | ۵        | Urinary suspensory            | 0.00      | 0.0      | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.0      | 0.00                   | ×        |
| A5112  |     | ۵        | Urinary leg bag               | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.0      | 0.00     | 0.00                 | 0.0      | 0.0                    | ×        |
| A5113  |     | ۵        | Latex leg strap               | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.0      | 0.00     | 0.00                 | 0.0      | 0.00                   | ×        |
| A5114  |     | ۵        | Foam/fabric leg strap         | 0.00      | 0.0      | 0.00                     | 0.0                  | 0.0                  | 0.0      | 0.0      | 0.00                 | 0.0      | 0.0                    | ×        |
| A5119  |     | <u>α</u> | Skin barrier wipes box pr 50  | 0.00      | 0.0      | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | X        |
| A5121  |     | ۵. ا     | Solid skin barrier 6x6        | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | X        |
| A5122  |     | ۵.       | Solid skin barrier 8x8        | 0.00      | 90.0     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.0      | 0.00                 | 0.00     | 9.0                    | <b>X</b> |
| A5123  |     | Δ, (     | Skin barrier with flange      | 0.00      | 90.0     | 0.00                     | S 6                  | 0.00                 | 0.00     | S 6      | 0.00                 | 0.0      | 0.0                    | ž        |
| A5126  |     | ۵.       | Adhesive disc/toam pad        | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 9.0      | 0.00                 | 0.00     | 0.00                   | <b>X</b> |
| A5131  |     | ۵.       | Appliance cleaner             | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.0      | 0.0                    | ž        |
| A5149  |     | <u>α</u> | Incontinence/ostomy supply    | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.0      | 0.00                   | ž        |
| A5200  |     | ×        | Percutaneous catheter anchor  | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.0      | 0.00                   | ž        |
| A5500  |     | ×        | Diab shoe for density insert  | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.0      | 0.00                   | ž        |
| A5501  |     | ×        | Diabetic custom molded shoe   | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5502  |     | ×        | Diabetic shoe density insert  | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.0      | 0.00                   | ×        |
| A5503  |     | ×        | Diabetic shoe w/roller/rockr  | 0.00      | 0.0      | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ×        |
| A5504  |     | ×        | Diabetic shoe with wedge      | 0.00      | 0.00     | 0.00                     | 0.00                 | 0.00                 | 0.00     | 0.00     | 0.00                 | 0.00     | 0.00                   | ž        |

Page 238 of 271 Codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                              |         |              |                              |              | Mon-            | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |            |
|------------------------------|---------|--------------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
|                              |         |              |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |            |
| _                            |         |              |                              | Physician    | practice        | practice        | practice        | practice        | -Wal             | Non-              | Non-              |                   | Transitioned      |            |
| CPT //<br>HCPCS <sup>2</sup> | Mod Str | Status       | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
| 1                            |         | ×            | Diab shoe w/metatarsal bar   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A5506                        |         | ×            | Diabetic shoe w/off set heel | 0.00         | 0.00            | 00:0            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×          |
| A5507                        |         | ×            | Modification diabetic shoe   | 0.00         | 0.00            | 00:00           | 0.00            | 0.00            | 0.00             | 0.00              | 00:0              | 0.00              | 0.00              | ×          |
| A6020                        |         | ۵            | Collagen wound dressing      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6025                        |         | _            | Silicone gel sheet, each     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6154                        |         | ۵            | Wound pouch each             | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6196                        |         | ۵.           | Alginate dressing <=16 sq in | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6197                        |         | ۵.           | Alginate drsg >16 <=48 sq in | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×          |
| A6198                        |         | ۵            | alginate dressing > 48 sq in | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6199                        |         | ۵            | Alginate drsg wound filler   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6200                        |         | ×            | Compos drsg <=16 no border   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6201                        |         | ×            | Compos drsg >16<=48 no bdr   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:0              | 0.00              | 0.00              | ×          |
| A6202                        |         | ×            | Compos drsg >48 no border    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6203                        |         | ۵.           | Composite drsg <= 16 sq in   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6204                        |         | ۵.           | Composite drsg >16<=48 sq in | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6205                        |         | ۵            | Composite drsg > 48 sq in    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6206                        |         | ۵            | Contact layer <= 16 sq in    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×          |
| A6207                        |         | a.           | Contact layer >16<= 48 sq in | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6208                        |         | ۵            | Contact layer > 48 sq in     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6209                        |         | ۵.           | Foam drsg <=16 sq in w/o bdr | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ž          |
| A6210                        |         | ۵            | Foam drg >16<=48 sq in w/o b | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.0               | ×          |
| A6211                        |         | ۵            | Foam drg > 48 sq in w/o brdr | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.0               | 0.0               | ×          |
| A6212                        |         | ۵.           | Foam drg <=16 sq in w/border | 0.00         | 0.00            | 0.00            | 0.0             | 0.00            | 0.00             | 0.00              | 0.00              | 0.0               | 0.0               | ž          |
| A6213                        |         | ۵.           | Foam drg >16<=48 sq in w/bdr | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ×          |
| A6214                        |         | ۵            | Foam drg > 48 sq in w/border | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž          |
| A6215                        |         | ۵.           | Foam dressing wound filler   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.0               | ž          |
| A6216                        |         | <b>a</b> . ( | Non-sterile gauze<=16 sq in  | 0.00         | 0.00            | 0.00            | 0.00            | 0.0             | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ž š        |
| A6217                        |         | LC           | Non-sternle gauze/10/-46 sq  | 00.0         | 8.6             | 8.8             | 8 8             | 8 6             | 8 8              | 9 6               | 00.0              | 8 6               | 8 8               | <b>{ }</b> |
| A6219                        |         | LΩ           | Gauze <= 16 sq in w/border   | 000          | 8 8             | 000             | 00.0            | 800             | 8 0              | 00.0              | 000               | 00.0              | 800               | { ×        |
| A6220                        |         | ۵            | Gauze >16 <=48 sq in w/bordr | 0.00         | 0.00            | 0.00            | 0.0             | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6221                        |         | ۵            | Gauze > 48 sq in w/border    | 0.00         | 0.00            | 00:0            | 0.00            | 00.0            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×          |
| A6222                        |         | ۵            | Gauze <=16 in no w/sal w/o b | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×          |
| A6223                        |         | ۵            | Gauze >16<=48 no w/sal w/o b | 0.00         | 0.00            | 0.00            | 00.0            | 00:0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6224                        |         | ۵            | Gauze > 48 in no w/sal w/o b | 0.00         | 0.00            | 0.00            | 0.00            | 00.00           | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6228                        |         | ۵            | Gauze <= 16 sq in water/sal  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6229                        |         | ۵            | Gauze >16<≂48 sq in watr/sal | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×          |
| A6230                        |         | ۵            | Gauze > 48 sq in water/saine | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6234                        |         | ۵.           | Hydrocolld drg <=16 w/o bdr  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| A6235                        |         | ۵            | Hydrocolld drg >16<=48 w/o b | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |

Page 239 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |     |          |                              |              | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Transitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
|-----------------------------|-----|----------|------------------------------|--------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| 7                           |     |          |                              | Physician    | practice         | practice                     | practice        | practice                 | Maj-             | Non-              | Non-              | į                 | Transitioned      |        |
| CPI /<br>HCPCS <sup>2</sup> | Mod | Status   | Description                  | work<br>RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | procince<br>RUVs | tacility<br>Total | tacility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| A6236                       |     | ۵        | Hydrocolld drg > 48 in w/o b | 0.00         | 0.00             | 0.00                         | 00.0            | 00:0                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6237                       |     | ۵        | Hydrocolld drg <=16 in w/bdr | 0.00         | 0.00             | 0.00                         | 0.00            | 00.0                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6238                       |     | ۵.       | Hydrocolld drg >16<=48 w/bdr | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| A6239                       |     | ۵        | Hydrocolld drg > 48 in w/bdr | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6240                       |     | ۵        | Hydrocolld drg filler paste  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6241                       |     | ۵        | Hydrocolloid drg filler dry  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6242                       |     | ۵        | Hydrogel drg <=16 in w/o bdr | 0.00         | 0.00             | 0.00                         | 0.00            | 00.00                    | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| A6243                       |     | ۵        | Hydrogel drg >16<=48 w/o bdr | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6244                       |     | ۵        | Hydrogel drg >48 in w/o bdr  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6245                       |     | ۵        | Hydrogel drg <= 16 in w/bdr  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6246                       |     | ۵        | Hydrogel drg >16<=48 in w/b  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6247                       |     | ۵        | Hydrogel drg > 48 sq in w/b  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| A6248                       |     | ۵        | Hydrogel drsg gel filler     | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6250                       |     | ۵        | Skin seal protect moisturizr | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6251                       |     | ۵        | Absorpt drg <=16 sq in w/o b | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6252                       |     | ۵.       | Absorpt drg >16 <=48 w/o bdr | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6253                       |     | α.       | Absorpt drg > 48 sq in w/o b | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6254                       |     | <u>α</u> | Absorpt drg <=16 sq in w/bdr | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| A6255                       |     | <u>а</u> | Absorpt drg >16<=48 in w/bdr | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| A6256                       |     | ۵        | Absorpt drg > 48 sq in w/bdr | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| A6257                       |     | ۵        | Transparent film <= 16 sq in | 0.00         | 0.00             | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.0               | ×      |
| A6258                       |     | ۵        | Transparent film >16<=48 in  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| A6259                       |     | Δ.       | Transparent film > 48 sq in  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| A6260                       |     | ۵        | Wound cleanser any type/size | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6261                       |     | <u>α</u> | Wound filler gel/paste /oz   | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6262                       |     | ۵        | Wound filler dry form / gram | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ××     |
| A6263                       |     | ۵        | Non-sterile elastic gauze/yd | 0.00         | 0.00             | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6264                       |     | ۵        | Non-sterile no elastic gauze | 0.00         | 0.00             | 0.00                         | 0.0             | 0.00                     | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×:     |
| A6265                       |     | <u>α</u> | Tape per 18 sq inches        | 0.00         | 0.00             | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×:     |
| A6266                       |     | <u>α</u> | Impreg gauze no h20/sal/yard | 0.00         | 0.00             | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ž      |
| A6402                       |     | <u>α</u> | Sterile gauze <= 16 sq in    | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×:     |
| A6403                       |     | Δ.       | Sterile gauze>16 <= 48 sq in | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| A6404                       |     | ۵        | Sterile gauze > 48 sq in     | 0.00         | 0.00             | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6405                       |     | Δ.       | Sterile elastic gauze /yd    | 0.00         | 0.00             | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A6406                       |     | ۵        | Sterile non-elastic gauze/yd | 0.00         | 0.00             | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A9150                       |     | ш        | Misc/exper non-prescript dru | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| A9160                       |     | z        | Podiatrist non-covered servi | 0.00         | 0.00             | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.0               | ×      |
| A9170                       |     | z        | Chiropractor non-covered ser | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ××     |
| A9190                       |     | z        | Misc/expe personal comfort i | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| A9270                       |     | z        | Non-covered item or service  | 0.00         | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                     |         |          |                              |                | Non-<br>facility | Transitioned<br>Non-facility | Facility | Transitioned<br>Facility |                  |                 | Transitioned     |                  |                   |        |
|---------------------|---------|----------|------------------------------|----------------|------------------|------------------------------|----------|--------------------------|------------------|-----------------|------------------|------------------|-------------------|--------|
| / <sub>1</sub> 10.7 |         |          |                              | Physician      | practice         | practice                     | practice | practice                 | Mal-<br>practice | Non-            | Non-             | . da             | Transitioned      |        |
| HCPCS 2             | Mod Str | Status   | Description                  | WORK 3<br>RVUs | RVUs             | expense<br>RVUs              | RVUs     | RVUs                     | RUVs             | racimy<br>Total | raciiny<br>Total | raciiny<br>Total | racility<br>Total | Global |
| A9300               |         | z        | Exercise equipment           | 0.00           | 00.0             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | XX     |
| A9500               |         | щ        | Technetium TC 99m sestamibi  | 0.00           | 0.00             | 0.00                         | 0.00     | 00.00                    | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ž      |
| A9502               |         | ×        | Technetium TC99M tetrofosmin | 0.00           | 0.00             | 0.00                         | 0.00     | 00.00                    | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ž      |
| A9503               |         | ш        | Technetium TC 99m medronate  | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| A9505               |         | ш        | Thallous chloride TL 201/mci | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| A9507               |         | ×        | Indium/111 capromab pendetid | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| A9600               |         | ×        | Strontium-89 chloride        | 0.00           | 0.00             | 0.00                         | 0.00     | 00.00                    | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| A9605               |         | ×        | Samarium sm153 lexidronamm   | 0.00           | 0.00             | 0.00                         | 0.00     | 00.0                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ž      |
| D0120               |         | z        | Periodic oral evaluation     | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| D0140               |         | z        | Limit oral eval problm focus | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.0               | ×      |
| D0150               |         | œ        | Comprehensve oral evaluation | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ₹      |
| D0160               |         | z        | Extensv oral eval prob focus | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| D0210               |         |          | Intraor complete film series | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| D0220               |         | _        | Intraoral periapical first f | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| D0230               |         | _        | Intraoral periapical ea add  | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| D0240               |         | œ        | Intraoral occlusal film      | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ₹      |
| D0250               |         | œ        | Extraoral first film         | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ₹      |
| D0260               |         | œ        | Extraoral ea additional film | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ₹      |
| D0270               |         | œ        | Dental bitewing single film  | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ₹      |
| D0272               |         | œ        | Dental bitewings two films   | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.0              | 0.00            | 0.00             | 0.00             | 0.0               | ₹      |
| D0274               |         | œ        | Dental bitewings four films  | 0.00           | 0.00             | 0.00                         | 0.0      | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ₹      |
| D0290               |         | -        | Dental film skull/facial bon | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| D0310               |         | _        | Dental saliography           | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| D0320               |         | -        | Dental tmj arthrogram incl i | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ž      |
| D0321               |         | -        | Dental other tmj films       | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.0              | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| D0322               |         | -        | Dental tomographic survey    | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.0              | 0.00              | ×      |
| D0330               |         | _        | Dental panoramic film        | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.0               | ×      |
| D0340               |         | _        | Dental cephalometric film    | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.0              | 0.00            | 0.00             | 0.0              | 0.0               | ×      |
| D0415               |         | z        | Bacteriologic study          | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.0              | 0.00            | 0.00             | 0.0              | 0.0               | ×      |
| D0425               |         | z        | Caries susceptibility test   | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.0              | 0.00            | 0.00             | 0.00             | 0.0               | ×      |
| D0460               |         | ď        | Putp vitality test           | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.0              | 0.00            | 0.00             | 0.0              | 0.0               | ₹      |
| D0470               |         | z        | Diagnostic casts             | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.0              | 0.00            | 0.00             | 0.0              | 0.0               | ×      |
| D0471               |         | ď        | Diagnostic photographs       | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ₹      |
| D0501               |         | ~        | Histopathologic examinations | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ₹      |
| D0502               |         | <u>~</u> | Other oral pathology procedu | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ₹      |
| 6660 <b>0</b>       |         | ď        | Unspecified diagnostic proce | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.0              | 0.00            | 0.00             | 0.0              | 0.00              | ₹      |
| D1110               |         | z        | Dental prophylaxis adult     | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| D1120               |         | z        | Dental prophylaxis child     | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.0              | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| D1201               |         | z        | Topical fluor w prophy child | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |
| D1203               |         | z        | Topical fluor w/o prophy chi | 0.00           | 0.00             | 0.00                         | 0.00     | 0.00                     | 0.00             | 0.00            | 0.00             | 0.00             | 0.00              | ×      |

Page 241 of 271 COPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |            |                              |                   | Won.     | Transitional |                     | Transitioned        |                  |                  |                  |          |                          |        |
|--------------------|------------|------------------------------|-------------------|----------|--------------|---------------------|---------------------|------------------|------------------|------------------|----------|--------------------------|--------|
|                    |            |                              |                   | facility | Non-facility | Facility            | Facility            |                  |                  | Transitioned     |          |                          |        |
| / <sub>1</sub> Id) |            |                              | Physician<br>work | practice | practice     | practice<br>expense | practice<br>expense | Mal-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| HCPCS 2 M          | Mod Status | Description                  | RVUs 3            | RYUS     | RVUs         | RVUs                | RVUs                | RUVs             | Total            | Total            | Total    | Total                    | Global |
| D1204              | z          | Topical fluor w/o prophy adu | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 00.00            | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| D1205              | z          | Topical fluoride w/ prophy a | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| D1310              | z          | Nutri counsel-control caries | 00.0              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 00.00            | 0.00     | 0.00                     | ×      |
| D1320              | z          | Tobacco counseling           | 00.0              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 00:00            | 0.00     | 0.00                     | ×      |
| D1330              | z          | Oral hygiene instruction     | 00.0              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 00.00            | 0.00     | 0.00                     | ×      |
| D1351              | z          | Dental sealant per tooth     | 00.0              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 00.00            | 0.00     | 0.00                     | ×      |
| D1510              | œ          | Space maintainer fxd unilat  | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ₹      |
| D1515              | œ          | Fixed bilat space maintainer | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ₹      |
| D1520              | œ          | Remove unilat space maintain | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ₹      |
| D1525              | œ          | Remove bilat space maintain  | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ₹      |
| D1550              | œ          | Recement space maintainer    | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ₹      |
| D2110              | z          | Amalgam one surface primary  | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| D2120              | z          | Amalgam two surfaces primary | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| D2130              | z          | Amalgam three surfaces prima | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| D2131              | z          | Amalgam four/more surf prima | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ž      |
| D2140              | z          | Amalgam one surface permanen | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.0              | 0.00             | 0.00             | 0.00     | 0.00                     | ž      |
| D2150              | z          | Amalgam two surfaces permane | 0.00              | 0.00     | 0.00         | 0.0                 | 0.00                | 0.00             | 0.00             | 0.00             | 0.0      | 0.00                     | ×      |
| D2160              | z          | Amalgam three surfaces perma | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.0              | 0.00             | 0.00             | 0.00     | 0.00                     | ž      |
| D2161              | z          | Amalgam 4 or > surfaces perm | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.0              | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| D2210              | z          | Silcate cement per restorat  | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.0              | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| D2330              | z          | Resin one surface-anterior   | 0.00              | 0.00     | 0.00         | 0.0                 | 0.00                | 0.00             | 0.00             | 0.00             | 0.0      | 0.00                     | ž      |
| D2331              | z          | Resin two surfaces-anterior  | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.0              | 0.00             | 0.00             | 0.0      | 0.00                     | ×      |
| D2332              | z          | Resin three surfaces-anterio | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.0              | 0.00             | 0.0      | 0.00                     | ×      |
| D2335              | z          | Resin 4/> surf or w incis an | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.0      | 0.00                     | ×      |
| D2336              | z          | Composite resin crown        | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.0              | 0.00             | 0.00     | 0.00                     | ž      |
| D2380              | z          | Resin one surf poster primar | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| D2381              | z          | Resin two surf poster primar | 0.00              | 0.0      | 0.00         | 0.0                 | 0.00                | 0.0              | 0.00             | 0.00             | 0.0      | 0.00                     | ×      |
| D2382              | z          | Resin three/more surf post p | 0.00              | 0.0      | 0.00         | 0.0                 | 0.00                | 0.0              | 0.0              | 0.00             | 0.0      | 0.00                     | ž      |
| D2385              | Z          | Resin one surf poster perman | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | X      |
| D2386              | Z          | Resin two surf poster perman | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.0              | 0.00             | 0.00     | 0.00                     | ž      |
| D2387              | z          | Resin three/more surf post p | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.0              | 0.00             | 0.00     | 0.00                     | ž      |
| D2410              | z          | Dental gold foil one surface | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.0              | 0.00             | 0.00             | 0.0      | 0.00                     | ×      |
| D2420              | z          | Dental gold foil two surface | 0.00              | 0.0      | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.0      | 0.00                     | ×      |
| D2430              | z          | Dental gold foil three surfa | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.0      | 0.00                     | ×      |
| D2510              | z          | Dental inlay metalic 1 surf  | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0:00     | 0.00                     | ×      |
| D2520              | z          | Dental inlay metallic 2 surf | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.0              | 0.00             | 0.00             | 0.00     | 0.00                     | ž      |
| D2530              | z          | Dental inlay metl 3/more sur | 0.00              | 0.0      | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| D2543              | z          | Dental onlay metallic 3 surf | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| D2544              | z          | Dental onlay metl 4/more sur | 0.00              | 0.0      | 0.00         | 0.0                 | 0.00                | 0.0              | 0.0              | 0.00             | 0.00     | 0.00                     | ×      |
| D2610              | z          | Inlay porcelain/ceramic 1 su | 0.00              | 0.00     | 0.00         | 0.00                | 0.00                | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ž      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                                 |          |                              |              | - N             | 7                           |                 | Transitioned          |                  |                   |                   |                   |                   |        |
|---------------------------------|----------|------------------------------|--------------|-----------------|-----------------------------|-----------------|-----------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                                 |          |                              |              | facility        | Iransinonea<br>Non-facility | Facility        | nansmonea<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| 1                               |          |                              | Physician    | practice        | practice                    | practice        | practice              | Wal-             | Non               | Non-              | ,                 | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> Mod | d Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs             | expense<br>RVUs | expense<br>RVUs       | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| ı                               | z        | Inlay porcelain/ceramic 2 su | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | XX     |
| D2630                           | z        | Dental onlay porc 3/more sur | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| D2642                           | z        | Dental onlay porcelin 2 surf | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2643                           | z        | Dental onlay porcelin 3 surf | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| D2644                           | z        | Dental onlay porc 4/more sur | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2650                           | z        | Inlay composite/resin one su | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| D2651                           | z        | Inlay composite/resin two su | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2652                           | z        | Dental inlay resin 3/mre sur | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2662                           | z        | Dental onlay resin 2 surface | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2663                           | z        | Dental onlay resin 3 surface | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2664                           | z        | Dental onlay resin 4/mre sur | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2710                           | z        | Crown resin laboratory       | 00.0         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2720                           | z        | Crown resin w/ high noble me | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2721                           | z        | Crown resin w/ base metal    | 00.0         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2722                           | z        | Crown resin w/ noble metal   | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2740                           | z        | Crown porcelain/ceramic subs | 00.0         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| D2750                           | z        | Crown porcelain w/ h noble m | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2751                           | z        | Crown porcelain fused base m | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.0              | 0.00              | 0.00              | 0.00              | 0.0               | ž      |
| D2752                           | z        | Crown porcelain w/ noble met | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2790                           | z        | Crown full cast high noble m | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2791                           | z        | Crown full cast base metal   | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.0              | 0.00              | 0.00              | 0.0               | 0.0               | ž      |
| D2792                           | z        | Crown full cast noble metal  | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2810                           | z        | Crown 3/4 cast metallic      | 00.00        | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2910                           | z        | Dental recement inlay        | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2920                           | z        | Dental recement crown        | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.0              | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| D2930                           | z        | Prefab stnlss steel crwn pri | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| D2931                           | z        | Prefab stnlss steel crown pe | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| D2932                           | z        | Prefabricated resin crown    | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ž      |
| D2933                           | z        | Prefab stainless steel crown | 0.00         | 0.00            | 0.00                        | 0.00            | 0.0                   | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ž      |
| D2940                           | z        | Dental sedative filling      | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.0               | 0.0               | ž      |
| D2950                           | z        | Core build-up incl any pins  | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.0              | 0.00              | 0.00              | 0.0               | 0.0               | ×      |
| D2951                           | z        | Tooth pin retention          | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.0              | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| D2952                           | z        | Post and core cast + crown   | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2954                           | z        | Prefab post/core + crown     | 00.0         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2955                           | z        | Post removal                 | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| D2960                           | z        | Laminate labial veneer       | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| D2961                           | z        | Lab labial veneer resin      | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2962                           | z        | Lab labial veneer porcelain  | 00.0         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| D2970                           | <u>«</u> | Temporary- fractured tooth   | 00.0         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹      |
| D2980                           | Z        | Crown repair                 | 0.00         | 0.00            | 0.00                        | 0.00            | 0.00                  | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |

Page 243 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                  |          |                              | ביים שויים שייים ביים | 4                | 5.                           | מאא (כטיה       | ٠.                       |                  | <u>.</u>          |                   |                   |                   |                         |
|----------------------------------|----------|------------------------------|-----------------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------------|
|                                  |          |                              |                       | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Iransitioned<br>Facility |                  |                   | Transitioned      |                   |                   |                         |
| -                                |          |                              | Physician             | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |                         |
| CPT '/<br>HCPCS <sup>2</sup> Mod | f Status | Description                  | work<br>RVUs          | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global                  |
|                                  |          | Dental                       | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | $\lambda\lambda\lambda$ |
| D3110                            | z        | Pulp cap direct              | 0.00                  | 0.00             | 0.00                         | 0.00            | 00:0                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×                       |
| D3120                            | z        | Pulp cap indirect            | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×                       |
| D3220                            | z        | Therapeutic pulpotomy        | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×                       |
| D3230                            | z        | Pulpal therapy anterior prim | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×                       |
| D3240                            | z        | Pulpal therapy posterior pri | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×                       |
| D3310                            | z        | Anterior                     | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×                       |
| D3320                            | z        | Root canal therapy 2 canals  | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×                       |
| D3330                            | z        | Root canal therapy 3 canals  | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×                       |
| D3346                            | z        | Retreat root canal anterior  | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×                       |
| D3347                            | z        | Retreat root canal bicuspid  | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×                       |
| D3348                            | z        | Retreat root canal molar     | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×                       |
| D3351                            | z        | Apexification/recalc initial | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ž                       |
| D3352                            | z        | Apexification/recalc interim | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ž                       |
| D3353                            | z        | Apexification/recalc final   | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×                       |
| D3410                            | z        | Apicoect/perirad surg anter  | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž                       |
| D3421                            | z        | Root surgery bicuspid        | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ž                       |
| D3425                            | z        | Root surgery molar           | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×                       |
| D3426                            | z        | Root surgery ea add root     | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ž                       |
| D3430                            | z        | Retrograde filling           | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×                       |
| D3450                            | z        | Root amputation              | 0.00                  | 0.0              | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×                       |
| D3460                            | <u>«</u> | Endodontic endosseous implan | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ₹                       |
| D3470                            | z        | Intentional replantation     | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ž                       |
| D3910                            | z        | Isolation- tooth w rubb dam  | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×                       |
| D3920                            | z        | Tooth splitting              | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×                       |
| D3950                            | z        | Canal prep/fitting of dowel  | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×                       |
| D3960                            | z        | Bleaching of discolored toot | 0.00                  | 0.0              | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ž                       |
| D3999                            | ~        | Endodontic procedure         | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | <u>}</u>                |
| D4210                            | _        | Gingivectomy/plasty per quad | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.0                      | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž į                     |
| D4211                            | -        | Gingivectomy/plasty per toot | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 9.6               | 0.00              | 0.00              | 0.0               | ž                       |
| D4220                            | Z        | Gingival curettage per quadr | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | X<br>X                  |
| D4240                            | Z        | Gingival flap proc w/ planin | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž                       |
| D4249                            | z        | Crown lengthen hard tissue   | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ž                       |
| D4250                            | ~        | Mucogingival surg per quadra | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ₹                       |
| D4260                            | <u>~</u> | Osseous surgery per quadrant | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ₹                       |
| D4263                            | <u>~</u> | Bone reploe graft first site | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ₹                       |
| D4264                            | ~        | Bone repice graft each add   | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ₹                       |
| D4266                            | z        | Guided tiss regen resorble   | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×                       |
| D4267                            | z        | Guided tiss regen nonresorb  | 0.00                  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×                       |
| D4270                            | œ        | Pedicle soft tissue graft pr | 0.00                  | 00.0             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹                       |

Page 244 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |            | ţ  |           | Non-<br>facility | Transitioned          | Facility | Transitioned<br>Facility |          |          | Transitioned |          |              |       |
|--------------------|------------|--|-----------|------------------|-----------------------|----------|--------------------------|----------|----------|--------------|----------|--------------|-------|
|                    |            |  | Physician | practice         | non-roamy<br>practice | practice | practice                 | Mal-     | Non-     | Mon-         |          | Transitioned |       |
| (PT <sup>1</sup> / |            |  | work 3    | expense          | expense               | expense  | expense                  | practice | facility | facility     | Facility | Facility     | -     |
|                    | Mod Status | 1  | SO S      | \$ 6 G           | KNUS                  | 6 G      | 90                       | G G      | 10101    | lordi        | loral    | iotal        | popol |
| D42/1              | צנ         |  | 00.0      | 3 6              | 8.6                   | 9 6      | 8 6                      | 8 6      | 3 6      | 8.6          | 3 6      | 8 8          | = }   |
| D4273              | Y Z        | Coupepimenal usade grant                         | 00.0      | 8 8              | 8.6                   | 8 6      | 8 6                      | 8 6      | 8 6      | 900          | 8 8      | 8 6          | - X   |
| D42/4              | 2 2        |  | 800       | 000              | 000                   | 8 0      | 000                      | 800      | 00.0     | 00.0         | 00.0     | 000          | X     |
| D4321              | : Z        |  | 0.00      | 0.00             | 0.00                  | 0.0      | 0.00                     | 0.00     | 0.00     | 0.00         | 0.0      | 0.0          | ×     |
| D4341              | Z          |  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D4355              | ~          |  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | λ     |
| D4381              | œ          | _  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | Х     |
| D4910              | Z          | Periodontal maint procedures                     | 0.00      | 0.00             | 00.00                 | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D4920              | Z          | Unscheduled dressing change                      | 0.00      | 0.00             | 00.00                 | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D4999              | z          | Unspecified periodontal proc                     | 0.00      | 0.00             | 0.00                  | 00.00    | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5110              | Z          | V Dentures complete maxillary                    | 0.00      | 0.00             | 0.00                  | 00.00    | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5120              | z          | V Dentures complete mandible                     | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5130              | z          | J Dentures immediat maxillary                    | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5140              | Z          | V Dentures immediat mandible                     | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5211              | Z          | J Dentures maxill part resin                     | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5212              | Z          | V Dentures mand part resin                       | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5213              | Z          | _  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5214              | Z          | V Dentures mandibl part metal                    | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5281              | z          | _  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5410              | z          | _  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.0      | 0.00         | ×     |
| D5411              | Z          | _  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.0      | 0.0          | ×     |
| D5421              | Z          | _  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.0      | 0.00         | ×     |
| D5422              | z          | _  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5510              | z          | <ul> <li>Dentur repr broken compl bas</li> </ul> | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ž     |
| D5520              | Z          | Neplace denture teeth complt                     | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5610              | z          | V Dentures repair resin base                     | 0.00      | 0.00             | 0.00                  | 0.0      | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5620              | Z          |  | 0.00      | 0.0              | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.0      | 0.0          | ×     |
| D5630              | Z          |  | 0.00      | 0.00             | 0.00                  | 0.0      | 0.00                     | 0.00     | 0.00     | 0.00         | 0.0      | 0.00         | ×     |
| D5640              | Z          | N Replace part denture teeth                     | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.0          | ž     |
| D5650              | Z          |  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ž     |
| D5660              | z          | •  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.0          | ž     |
| D5710              | Z          | V Dentures rebase cmplt maxil                    | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5711              | Z          | V Dentures rebase cmplt mand                     | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.0      | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5720              | z          | V Dentures rebase part maxili                    | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5721              | z          | <ul> <li>Dentures rebase part mandbl</li> </ul>  | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5730              | z          | V Denture rein cmplt maxil ch                    | 0.00      | 0.00             | 00.0                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ××    |
| D5731              | z          | Denture rein cmpit mand chr                      | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5740              | Z          | Denture rein part maxil chr                      | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |
| D5741              | 2          | V Denture rein part mand chr                     | 0.00      | 0.00             | 0.00                  | 0.00     | 0.00                     | 0.00     | 0.00     | 0.00         | 0.00     | 0.00         | ×     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |            |   | ADDENDUM B RELATIVE VALUE UNITSTANDS AND RELATED INFORMATION | ACLAIIVE         | ALUE UMITOLI                 | AND AND         | VELMIED INT              | UKMHIIVII        | <u>.</u>          |                   |                   |                   |        |
|--------------------|------------|---|--|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                    |            |   |  | Non-<br>facility | Transitioned<br>Non-facility | Facility        | Iransitioned<br>Facility |                  |                   | Transitioned      |                   |                   |        |
| 7                  |            |   | Physician  | practice         | practice                     | practice        | practice                 | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT /<br>HCPCS 2 M | Mod Status | us Description                                  | work 3<br>RVUs   | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| D5750              |            | Denture rein cmplt max lab                      | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 00.00             | 0.00              | ××     |
| D5751              | z          | V Denture rein cmplt mand lab                   |  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| D5760              | Z          | V Denture reln part maxil lab                   | 0.00   | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5761              | z          | V Denture rein part mand lab                    | 0.00   | 0.00             | 00.0                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5810              | z          |   | 0.00   | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5811              | Z          | Denture interm cmplt mandbl                     |  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5820              | Z          | V Denture interm part maxill                    | 0.00   | 0.00             | 00.0                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5821              | z          | N Denture interm part mandbl                    | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| D5850              | z          |   |  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5851              | z          | <ul> <li>Denture tiss condtin mandbl</li> </ul> |  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| D5860              | Z          | <ul> <li>Overdenture complete</li> </ul>        | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5861              | z          | Overdenture partial                             | 0.00   | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5862              | z          | V Precision attachment                          | 0.00   | 0.00             | 00.0                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5899              | z          | N Removable prosthodontic proc                  |  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| D5911              | ű.         | Racial moutage sectional                        | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | Х      |
| D5912              | œ          | Racial moutage complete                         | 0.00   | 0.00             | 00.0                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | Х      |
| D5913              | _          | Nasal prosthesis                                | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| D5914              | _          | Auricular prosthesis                            | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| D5915              | _          | Orbital prosthesis                              | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5916              | _          | Ocular prosthesis                               | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| D5919              | _          | Facial prosthesis                               | 0.00   | 0.0              | 0.0                          | 0.00            | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| D5922              | -          | Nasal septal prosthesis                         | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| D5923              |            | Ocular prosthesis interim                       | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| D5924              | -          | Cranial prosthesis                              |  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| D5925              |            | Facial augmentation implant                     |  | 0.0              | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| D5926              |            | Replacement nasal prosthesis                    | sis 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5927              | _          | Auricular replacement                           | 0.00   | 0.0              | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5928              | _          | Orbital replacement                             | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| D5929              | _          | Facial replacement                              | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.0               | 0.0               | 0.00              | ×      |
| D5931              | _          | Surgical obturator                              | 0.00   | 0.0              | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×:     |
| D5932              | _          | Postsurgical obturator                          | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5933              | _          | Refitting of obturator                          |  | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5934              | _          | Mandibular flange prosthesis                    |  | 0.0              | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| D5935              | _          | Mandibular denture prosth                       | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5936              | _          | Temp obturator prosthesis                       | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5937              | _          | Trismus appliance                               | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5951              | œ          | ለ Feeding aid                                   | 0.00   | 0.00             | 00:00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ХХ     |
| D5952              | _          | Pediatric speech aid                            | 0.00   | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5953              | _          | Adult speech aid                                | 0.00   | 0.00             | 00:00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D5954              | -          | Superimposed prosthesis                         | 0.00   | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
|                    |            |   |  |                  |                              |                 |                          |                  |                   |                   |                   |                   |        |

Page 246 of 271 Copes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|       |     |            |   |           | Non-     | Transitioned            | Facility | Transitioned Exciting |                   |                   | 3                 |                   |              |      |
|-------|-----|------------|---|-----------|----------|-------------------------|----------|-----------------------|-------------------|-------------------|-------------------|-------------------|--------------|------|
| •     |     |            |   | Physician | practice | non-ratiniy<br>practice | practice | practice              | Mal-              | Non-              | nansmonea<br>Non- |                   | Transitioned |      |
| / LdD | 7.7 | j          | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | work 3    | expense  | expense                 | expense  | expense               | practice<br>RIIVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility     | Chal |
| 1     | 1   | Santa<br>- | Dalatal lift prosthesis                 | 000       | 000      | 0.00                    | 000      | 0.00                  | 0.00              | 00.0              | 0.00              | 0.00              | 0.00         | ×    |
| D5958 |     | -          | Intraoral con def inter plt             | 0.00      | 0.00     | 0.00                    | 0.0      | 0.0                   | 0.00              | 0.0               | 0.00              | 0.0               | 0.0          | ×    |
| D5959 |     | _          | Intraoral con def mod palat             | 00.0      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D2960 |     |            | Modify speech aid prosthesis            | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D5982 |     |            | Surgical stent                          | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D5983 |     | œ          | Radiation applicator                    | 00.00     | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | Х    |
| D5984 |     | œ          | Radiation shield                        | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ₹    |
| D5985 |     | œ          | Radiation cone locator                  | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ₹    |
| D5986 |     | z          | Fluoride applicator                     | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ××   |
| D5987 |     | œ          | Commissure splint                       | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ₹    |
| D5988 |     | -          | Surgical splint                         | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D2999 |     | -          | Maxillofacial prosthesis                | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6010 |     | -          | Odontics endosteal implant              | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6020 |     | -          | Odontics abutment placement             | 00.00     | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6040 |     | -          | Odontics eposteal implant               | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.0               | 0.00              | 0.00              | 0.00         | ×    |
| De050 |     | -          | Odontics transosteal implnt             | 00.00     | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6055 |     | -          | Implant connecting bar                  | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| De080 |     | -          | Implant maintenance                     | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| De090 |     | -          | Repair implant                          | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.0               | 0.00         | ×    |
| De095 |     | _          | Odontics repr abutment                  | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.0               | 0.00         | ž    |
| D6100 |     | -          | Removal of implant                      | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.0               | 0.0               | 0.00              | 0:00              | 0.00         | ž    |
| D6199 |     | -          | Implant procedure                       | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.0               | 0.0               | 0.00              | 0.00              | 0.00         | ×    |
| D6210 |     | z          | Prosthodont high noble metal            | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.0               | 0.0               | 0.00              | 0.0               | 0.0          | ž    |
| D6211 |     | z          | Bridge base metal cast                  | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.0               | 0.0               | 0.00              | 0.0               | 0.00         | ×    |
| D6212 |     | z          | Bridge noble metal cast                 | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.0               | 0.0               | 0.00              | 0.0               | 0.0          | ž    |
| D6240 |     | z          | Bridge porcelain high noble             | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6241 |     | z          | Bridge porcelain base metal             | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.0               | 0.00         | ×    |
| D6242 |     | z          | Bridge porcelain nobel metal            | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.0               | 0.00              | 0.0               | 0.0          | ž    |
| D6250 |     | z          | Bridge resin w/high noble               | 0.00      | 0.0      | 0.00                    | 0.00     | 0.00                  | 0.0               | 0.0               | 0.00              | 0.0               | 0.00         | ×    |
| D6251 |     | z          | Bridge resin base metal                 | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.0               | 0.0               | 0.00              | 0.0               | 0.00         | ž    |
| D6252 |     | z          | Bridge resin w/noble metal              | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.0               | 0.00              | 0.0               | 0.00         | ž    |
| D6520 |     | z          | Dental retainer two surfaces            | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6530 |     | z          | Retainer metallic 3+ surface            | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6543 |     | z          | Dental retainr onlay 3 surf             | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6544 |     | z          | Dental retainr onlay 4/more             | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6545 |     | z          | Dental retainr cast meti                | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6720 |     | z          | Retain crown resin w hi nble            | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6721 |     | z          | Crown resin w/base metal                | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |
| D6722 |     | z          | Crown resin w/noble metal               | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.0               | 0.0               | 0.00              | 0.0               | 0.00         | ž    |
| D6750 |     | z          | Crown porcelain high noble              | 0.00      | 0.00     | 0.00                    | 0.00     | 0.00                  | 0.00              | 0.00              | 0.00              | 0.00              | 0.00         | ×    |

Page 247 of 271
2 Copyright 1994 American Denial Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|               |     |        |                              |           | Non-<br>facility | Transitioned             | Facility | Transitioned |                  |                   | 7                 |                   |                   |        |
|---------------|-----|--------|------------------------------|-----------|------------------|--------------------------|----------|--------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
| •             |     |        |                              | Physician | practice         | non-racinity<br>practice | practice | practice     | Mal-             | Non-              | nunsmoneu<br>Non- |                   | Transitioned      |        |
| CPT //        | Pon | Chatur | Docreintion                  | work 3    | expense          | expense<br>PVIIs         | expense  | expense      | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| D6751         |     | Z      | Crown porcelain base metal   | 00:0      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6752         |     | z      | Crown porcelain noble metal  | 00.00     | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6780         |     | z      | Crown 3/4 high noble metal   | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6790         |     | z      | Crown full high noble metal  | 00.00     | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6791         |     | z      | Crown full base metal cast   | 00:00     | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6792         |     | z      | Crown full noble metal cast  | 00.00     | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6920         |     | œ      | Dental connector bar         | 00.00     | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹      |
| De930         |     | z      | Dental recement bridge       | 00.00     | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6940         |     | z      | Stress breaker               | 00.0      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| De950         |     | z      | Precision attachment         | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6970         |     | z      | Post & core plus retainer    | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6971         |     | z      | Cast post bridge retainer    | 00.0      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6972         |     | z      | Prefab post & core plus reta | 00.0      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6973         |     | z      | Core build up for retainer   | 00.00     | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D6975         |     | z      | Coping metal                 | 00.00     | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| De980         |     | z      | Bridge repair                | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 6669 <b>0</b> |     | z      | Fixed prosthodontic proc     | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7110         |     | œ      | Oral surgery single tooth    | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹      |
| D7120         |     | œ      | Each add tooth extraction    | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ₹      |
| D7130         |     | œ      | Tooth root removal           | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ₹      |
| D7210         |     | œ      | Rem imp tooth w mucoper fip  | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ₹      |
| D7220         |     | œ      | Impact tooth remov soft tiss | 0.00      | 0.0              | 0.00                     | 0.0      | 0.00         | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ₹      |
| D7230         |     | œ      | Impact tooth remov part bony | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ₹      |
| D7240         |     | ď      | Impact tooth remov comp bony | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ₹      |
| D7241         |     | œ      | Impact tooth rem bony w/comp | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ₹      |
| D7250         |     | ď      | Tooth root removal           | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ₹      |
| D7260         |     | ď      | Orai antral fistula closure  | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | }      |
| D7270         |     | z      | Tooth reimplantation         | 0.00      | 0.0              | 0.00                     | 0:00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | X      |
| D7272         |     | Z      | Tooth transplantation        | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7280         |     | Z      | Exposure impact tooth orthod | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 9.6              | 0.00              | 0.00              | 0.00              | 0.00              | X      |
| D7281         |     | z      | Exposure tooth aid eruption  | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | X      |
| D7285         |     |        | Biopsy of oral tissue hard   | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| D7286         |     |        | Biopsy of oral tissue soft   | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| D7290         |     | z      | Repositioning of teeth       | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ×      |
| D7291         |     | œ      | Transseptal fiberotomy       | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ₹      |
| D7310         |     |        | Alveoplasty w/ extraction    | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ž      |
| D7320         |     | _      | Alveoplasty w/o extraction   | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ×      |
| D7340         |     | -      | Vestibuloplasty ridge extens | 0.00      | 0.0              | 0.00                     | 0.00     | 0.00         | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| D7350         |     | -      | Vestibuloplasty exten graft  | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ž      |
| D7410         |     | -      | Rad exc lesion up to 1.25 cm | 0.00      | 0.00             | 0.00                     | 0.00     | 0.00         | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |     |        |                              |              | Mon             | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|-----------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                             |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| 7                           |     |        |                              | Physician    | practice        | practice        | practice        | practice        | Wal-             | Non-              | Non-              | ;                 | Transitioned      |        |
| CPT /<br>HCPCS <sup>2</sup> | Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | tacility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| D7420                       | ı   | -      | Lesion > 1.25 cm             | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | X      |
| D7430                       |     | -      | Exc benign tumor to 1.25 cm  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7431                       |     | -      | Benign tumor exc > 1.25 cm   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7440                       |     | -      | Malig tumor exc to 1.25 cm   | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7441                       |     | -      | Malig tumor > 1.25 cm        | 0.00         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7450                       |     | -      | Rem odontogen cyst to 1.25cm | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7451                       |     | _      | Rem odontogen cyst > 1.25 cm | 0.00         | 0.0             | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7460                       |     | -      | Rem nonodonto cyst to 1.25cm | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7461                       |     | -      | Rem nonodonto cyst > 1.25 cm | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7465                       |     | -      | Lesion destruction           | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7470                       |     | -      | Rem exostosis maxilla/mandib | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7480                       |     | _      | Partial ostectomy            | 00.0         | 0.00            | 0.00            | 0.00            | 00.0            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7490                       |     |        | Mandible resection           | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7510                       |     |        | I&d absc intraoral soft tiss | 00.0         | 00.00           | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7520                       |     | -      | I&d abscess extraoral        | 00.0         | 00.00           | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7530                       |     | -      | Removal fb skin/areolar tiss | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7540                       |     | -      | Removal of fb reaction       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| D7550                       |     | -      | Removal of sloughed off bone | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7560                       |     | -      | Maxillary sinusotomy         | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| D7610                       |     | -      | Maxilla open reduct simple   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7620                       |     | -      | Clsd reduct simpl maxilla fx | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7630                       |     | -      | Open red simpl mandible fx   | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| D7640                       |     | -      | Clsd red simpl mandible fx   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| D7650                       |     | -      | Open red simp malar/zygom fx | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D2660                       |     | -      | Clsd red simp malar/zygom fx | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7670                       |     | -      | Open red simple alveolus fx  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| D7680                       |     | -      | Reduct simple facial bone fx | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| D7710                       |     | _      | Maxilla open reduct compound | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| D7720                       |     | -      | Clsd reduct compd maxilla fx | 0.00         | 0.0             | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7730                       |     |        | Open reduct compd mandble fx | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7740                       |     |        | Cisd reduct compd mandble fx | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7750                       |     |        | Open red comp malar/zygma fx | 0.00         | 00.00           | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7760                       |     |        | Clsd red comp malar/zygma fx | 00.0         | 00.0            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7770                       |     |        | Open reduc compd alveolus fx | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7780                       |     |        | Reduct compnd facial bone fx | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7810                       |     |        | Tmj open reduct-dislocation  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7820                       |     | -      | Closed tmp manipulation      | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7830                       |     | -      | Tmj manipulation under anest | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7840                       |     | -      | Removal of tmj condyle       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| D7850                       |     | -      | Tmj meniscectomy             | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

Page 250 of 271 Codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                   |            |  | ADDLINOM D. | - MLEANNE        | יאבטב טווויטלו               | י שווא לכט וי   | יי יי ד                  |                  | 1                 |                   |                   |                   |            |
|-------------------|------------|--|-------------|------------------|------------------------------|-----------------|--------------------------|------------------|-------------------|-------------------|-------------------|-------------------|------------|
|                   |            |  |             | Non-<br>facility | Iransitioned<br>Non-facility | Facility        | Iransitioned<br>Facility |                  |                   | Transitioned      |                   |                   |            |
|                   |            |  | Physician   | practice         | practice                     | practice        | practice                 | Wal              | Non-              | Non-              |                   | Transitioned      |            |
| CPT //<br>HCPCS 2 | Mod Status | us Description                                   | work 3 RVUs | expense<br>RVUs  | expense<br>RVUs              | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global     |
|                   | 1          | Synthe   |             | 0:00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| D7996             | _          | I Implant mandible for augment                   |             | 0.00             | 00.0                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| D7999             |            | Oral surgery procedure                           | 0.00        | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| D8010             | ~          | V Limited dental tx primary                      | 0.00        | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| D8020             | 4          | <ul> <li>Limited dental tx transition</li> </ul> |             | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| D8030             | _          | V Limited dental tx adolescent                   |             | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž          |
| D8040             | _          | N Limited dental tx adult                        |             | 0.00             | 00.00                        | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×          |
| D8050             | _          | V Intercep dental tx primary                     |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ž          |
| D8060             | _          | Intercep dental tx transitn                      |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×          |
| D8070             | _          | V Compre dental tx transition                    |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×          |
| D8080             | _          | <ul> <li>Compre dental tx adolescent</li> </ul>  |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ž          |
| D8090             | _          | N Compre dental tx adult                         | 0.00        | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ×          |
| D8210             | _          | <ul> <li>Orthodontic rem appliance tx</li> </ul> |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×          |
| D8220             | <u>د</u>   | <ul> <li>Fixed appliance therapy habt</li> </ul> |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×          |
| D8660             | <u> </u>   | N Preorthodontic tx visit                        |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.0               | ×          |
| D8670             | _          | N Periodic orthodontc tx visit                   |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×          |
| D8680             | _          | N Orthodontic retention                          | 0.00        | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0:0               | ž          |
| D8690             | ~          | N Orthodontic treatment                          | 0.00        | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.0               | ž          |
| D8999             | _          | N Orthodontic procedure                          |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.0               | ž          |
| D9110             | _          | R Tx dental pain minor proc                      |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.0               | ₹          |
| D9210             |            | I Dent anesthesia w/o surgery                    | 2           | 0.00             | 0.00                         | 0.0             | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | Ž          |
| D9211             | _          | I Regional block anesthesia                      |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | X          |
| D9212             | _          | I Trigeminal block anesthesia                    |             | 0.0              | 0.00                         | 0.0             | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | Š          |
| D9215             | _          | I Local anesthesia                               | 0.00        | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž          |
| D9220             |            | l General anesthesia                             |             | 0.00             | 0.00                         | 0.00            | 0.0                      | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž š        |
| D9221             | - 1        | General anesthesia ea ad 15n                     | _           | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.0              | 0.0               | 0.00              | 0.00              | 00.0              | <b>X X</b> |
| D9230             |            | R Analgesia                                      | 0.00        | 9.0              | 8.5                          | 3 5             | 8.6                      | 9 6              | 9 6               | 3 6               | 8 6               | 3 5               | E X        |
| D9310             |            | 1 Dental consultation                            | 00.0        | 0.00             | 00:0                         | 000             | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 00.0              | ×          |
| D9410             |            | Dental house call                                | 00.0        | 0.00             | 0.00                         | 0.00            | 0:0                      | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| D9420             | -          | I Hospital call                                  | 0.00        | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| D9430             |            | 1 Office visit during hours                      | 0.00        | 0.00             | 0.00                         | 00.00           | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| D9440             |            | <ol> <li>Office visit after hours</li> </ol>     | 0.00        | 0.00             | 0.00                         | 00.00           | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| D9610             |            | I Dent therapeutic drug inject                   |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |
| D9630             |            | R Other drugs/medicaments                        |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ₹          |
| D9910             | _          | N Dent appl desensitizing med                    |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×          |
| D9920             | -          | N Behavior management                            | 0.00        | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž          |
| D9930             |            | R Treatment of complications                     |             | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | Χ          |
| D9940             | -          | R Dental occlusal guard                          | 0.00        | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ₹          |
| D9941             | _          | N Fabrication athletic guard                     | 00.00       | 0.00             | 0.00                         | 0.00            | 0.00                     | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×          |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

| Non-facility         Facility         Facility         Hadi-<br>practice         Mod-<br>practice  |            |   |                              |                   | ;        | Transitioned | )        | Transitioned |                  |                  |                  |          |                          |        |
|---|------------|---|------------------------------|-------------------|----------|--------------|----------|--------------|------------------|------------------|------------------|----------|--------------------------|--------|
| Main   |            |   |                              |                   | facility | Non-facility | Facility | Facility     | :                | :                | Transitioned     |          | ,                        |        |
| No.   Parameter   Parameter |            |   |                              | Physician<br>work | practice | practice     | practice | practice     | Mai-<br>practice | Non-<br>facility | Non-<br>facility | Facility | Transitioned<br>Facility |        |
| R. Complete coctaed adjustment   0.00 0.00 0.00 0.00 0.00 0.00 0.00 0   |            |   |                              | RVUs 3            | RVUs     | RVUs         | RVUs     | RVUs         | RUYS             | Total            | Total            | Total    | Total                    | Global |
| R. Complete occlusial adjustment         0.00  |            | ~ | Occlusion analysis           | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 00.00            | 0.00             | 00:00    | 0.00                     | XXX    |
| R Camprishe conclass adjustment         0.00   |            | œ | Limited occlusal adjustment  | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ₹      |
| N   Furnation chicachesinen   0.00  |            | œ | Complete occlusal adjustment | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 00.00            | 0.00     | 0.0                      | ₹      |
| A coloraving blood for specimen   |            | z | Enamel microabrasion         | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| X         Deswing blood for specimen         0.00         0.  |            | - | Adjunctive procedure         | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| A ECG starsmy phys review & intri         0.50         2.86         1.29         0.17         0.61         0.02         3.8         1.9         1.13           A ECG starsmy phys review & intricans and sandysis on a manalysis of a manaly  |            | × | Drawing blood for specimen   | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ×      |
| A         ECO transm plays review & int         0.52         7.72         7.88         0.51         8.75         8.91         8.75         1.39         1.35 <th< td=""><td></td><td>∢</td><td>Temporary urinary catheter</td><td>0.50</td><td>2.86</td><td>1.29</td><td>0.17</td><td>0.61</td><td>0.02</td><td>3.38</td><td>1.81</td><td>69.0</td><td>1.13</td><td>8</td></th<>  |            | ∢ | Temporary urinary catheter   | 0.50              | 2.86     | 1.29         | 0.17     | 0.61         | 0.02             | 3.38             | 1.81             | 69.0     | 1.13                     | 8      |
| A         ECG2 4 hour recording         0.00         1.29         1.29         1.29         0.07         1.35         0.00 <td></td> <td>∢</td> <td>ECG transm phys review &amp; int</td> <td>0.52</td> <td>7.72</td> <td>7.88</td> <td>7.72</td> <td>7.88</td> <td>0.51</td> <td>8.75</td> <td>8.91</td> <td>8.75</td> <td>8.91</td> <td>×</td>   |            | ∢ | ECG transm phys review & int | 0.52              | 7.72     | 7.88         | 7.72     | 7.88         | 0.51             | 8.75             | 8.91             | 8.75     | 8.91                     | ×      |
| A ECOT phrasensision & analysis         0.00         6.24         6.23         6.24         6.23         6.44         6.53         6.64         6.63         6.64   |            | ∢ | ECG 24 hour recording        | 0.00              | 1.29     | 1.28         | 1.29     | 1.28         | 0.07             | 1.36             | 1.35             | 1.36     | 1.35                     | ×      |
| A ECG ply review & interpret         0.52         0.19         0.37         0.19         0.77         0.04         0.75         0.93         0.75         0.93           X Admin influenza vitus vac         0.00 <td< td=""><td></td><td>∢</td><td>ECG transmission &amp; analysis</td><td>0.00</td><td>6.24</td><td>6.23</td><td>6.24</td><td>6.23</td><td>0.40</td><td>6.64</td><td>6.63</td><td>6.64</td><td>6.63</td><td>×</td></td<>  |            | ∢ | ECG transmission & analysis  | 0.00              | 6.24     | 6.23         | 6.24     | 6.23         | 0.40             | 6.64             | 6.63             | 6.64     | 6.63                     | ×      |
| X Admini influence avirates virac         0.00   |            | ∢ | ECG phy review & interpret   | 0.52              | 0.19     | 0.37         | 0.19     | 0.37         | 0.04             | 0.75             | 0.93             | 0.75     | 0.93                     | ×      |
| X         Admini preaumencocal vaccine         0.00   |            | × | Admin influenza virus vac    | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ×      |
| X         Admini hepatitis b vaccine         0.00         0.  |            | × | Admin pneumococcal vaccine   | 0.00              | 0.00     | 0.00         | 0.0      | 0.00         | 0.0              | 0.0              | 0.00             | 0.00     | 0.0                      | ×      |
| A Post symptom ECG tracing         0.00         6.24         6.23         6.24         6.23         0.40         6.64         6.63         6.64         6.63           A Post symptom ECG racking         0.00         6.24         6.23         6.24         6.23         0.24         0.38         0.24         0.89         0.99         0.89         0.89         0.99           A Collage symptom ECG and review         0.52         0.24         0.77         0.00 <td< td=""><td></td><td>×</td><td>Admin hepatitis b vaccine</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.0</td><td>0.00</td><td>0.00</td><td>0.00</td><td>×</td></td<>  |            | × | Admin hepatitis b vaccine    | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.0              | 0.00             | 0.00     | 0.00                     | ×      |
| A Post symptom ECO multiple         0.52         0.24         0.38         0.04         0.80         0.94         0.80         0.94           X Focal eleukocyte examination         0.00         <   |            | ∢ | Post symptom ECG tracing     | 0.00              | 6.24     | 6.23         | 6.24     | 6.23         | 0.40             | 6.64             | 6.63             | 6.64     | 6.63                     | ×      |
| A Collegen skin test kitt  A Collegen skin test kit est kit test kit kit test kit kit test kit kit kit kit kit kit kit kit kit ki  |            | ∢ | Post symptom ECG md review   | 0.52              | 0.24     | 0.38         | 0.24     | 0.38         | 0.04             | 0.80             | 0.94             | 0.80     | 0.94                     | ×      |
| X         Fecal leukocyte examination         0.00         0  |            | ∢ | Collagen skin test kit       | 0.00              | 0.00     | 0.77         | 0.0      | 0.77         | 0.00             | 0.00             | 0.77             | 0.00     | 0.77                     | ×      |
| X         Sement analysis         0.00   |            | × | Fecal leukocyte examination  | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.0              | 0.0              | 0.00             | 0.0      | 0.0                      | ×      |
| C         PET imaging prev PET single         0.00         0  |            | × | Semen analysis               | 0.00              | 0.00     | 0.00         | 0.0      | 0.00         | 0.00             | 0.00             | 0.00             | 0.0      | 0.00                     | ×      |
| A         PET imaging prev PET single         1.50         0.52         0.52         0.52         0.65         2.07         2  |            | ပ | PET imaging prev PET single  | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.0              | 0.00             | 0.00             | 0.0      | 0.0                      | ž      |
| C PET imaging prev PET single 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.   | 56         | ∢ | PET imaging prev PET single  | 1.50              | 0.52     | 0.52         | 0.52     | 0.52         | 0.05             | 2.07             | 2.07             | 2.07     | 2.07                     | ×      |
| C         PET imaging prev PET multiple         0.00 <th< td=""><td>ပ</td><td>ပ</td><td>PET imaging prev PET single</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.00</td><td>0.0</td><td>0.0</td><td>0.00</td><td>0.00</td><td>0.0</td><td>ž</td></th<>   | ပ          | ပ | PET imaging prev PET single  | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.0              | 0.0              | 0.00             | 0.00     | 0.0                      | ž      |
| A PET imaging prev PET multiple         1.87         0.70         0.71         0.71         0.08         2.65         2.66         2.65         2.66           C PET imaging prev PET multiple         0.00  |            | ပ | PET imaging prev PET multple | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| C         PET imaging prev PET multiple         0.00 <th< td=""><td>56</td><td>∢</td><td>PET imaging prev PET multple</td><td>1.87</td><td>0.70</td><td>0.71</td><td>0.70</td><td>0.71</td><td>0.08</td><td>2.65</td><td>2.66</td><td>2.65</td><td>5.66</td><td>×</td></th<>  | 56         | ∢ | PET imaging prev PET multple | 1.87              | 0.70     | 0.71         | 0.70     | 0.71         | 0.08             | 2.65             | 2.66             | 2.65     | 5.66                     | ×      |
| C         PET follow SPECT 78464 singl         0.00   | ပ          | ပ | PET imaging prev PET multple | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ×      |
| A         PET follow SPECT 78464 singl         1.50         0.52         0.52         0.52         0.52         0.52         0.52         0.52         0.52         0.52         0.52         0.52         0.52         0.52         0.57         2.07         2.07         2.07         2.07           C         PET follow SPECT 78464 mult         0.00<   |            | ပ | PET follow SPECT 78464 singl | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ×      |
| C PET follow SPECT 78464 singl 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.  | 26         | ∢ | PET follow SPECT 78464 singl | 1.50              | 0.52     | 0.52         | 0.52     | 0.52         | 0.05             | 2.07             | 2.07             | 2.07     | 2.07                     | ×      |
| C PET follow SPECT 78464 mult 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.   | ပ          | ပ | PET follow SPECT 78464 singl | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.0              | 0.00             | 00.0             | 0.00     | 0.00                     | ×      |
| A         PET follow SPECT 78464 mult         1.87         0.70         0.71         0.70         0.71         0.70         0.71         0.70         0.71         0.70         0.71         0.70         0.70         0.60         0.00         0  |            | ပ | PET follow SPECT 78464 mult  | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| C PET follow SPECT 78464 mult 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.   | 56         | ∢ | PET follow SPECT 78464 mult  | 1.87              | 0.70     | 0.71         | 0.70     | 0.71         | 0.08             | 2.65             | 2.66             | 2.65     | 5.66                     | ×      |
| C PET follow SPECT 76865 singl 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.  | ဥ          | ပ | PET follow SPECT 78464 mult  | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 00.0             | 0.00     | 0.00                     | ×      |
| A         PET follow SPECT 76865 singl         1.50         0.52         0.50         0.00   |            | ပ | PET follow SPECT 76865 singl | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 00:00            | 0.00     | 0.00                     | ×      |
| C PET follow SPECT 76865 singl 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.  | 26         | ∢ | PET follow SPECT 76865 singl | 1.50              | 0.52     | 0.52         | 0.52     | 0.52         | 0.05             | 2.07             | 2.07             | 2.07     | 2.07                     | ×      |
| C PET follow SPECT 78465 mult 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.   | ဥ          | ပ | PET follow SPECT 76865 singl | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 00.00            | 0.00     | 0.00                     | ×      |
| A PET follow SPECT 78465 mult 1.87 0.70 0.71 0.70 0.71 0.08 2.65 2.66 2.65 2.66 2.66 2.66 2.66 2.66   |            | ပ | PET follow SPECT 78465 mult  | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.0              | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| C PET follow SPECT 78465 mult 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.   | <b>5</b> 8 | ∢ | PET follow SPECT 78465 mult  | 1.87              | 0.70     | 0.71         | 0.70     | 0.71         | 0.08             | 2.65             | 2.66             | 2.65     | 5.66                     | ×      |
| C PET follow corrny angio sing 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.  | ပ္         | ပ | PET follow SPECT 78465 mult  | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| A PET follow cornry angio sing 1.50 0.52 0.52 0.52 0.52 0.05 2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.07  |            | ပ | PET follow cornry angio sing | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |
| C PET follow cornry angio sing 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.  | 56         | ∢ | PET follow cornry angio sing | 1.50              | 0.52     | 0.52         | 0.52     | 0.52         | 0.05             | 2.07             | 2.07             | 2.07     | 2.07                     | ×      |
|   | ဥ          | ပ | PET follow cornry angio sing | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00     | 0.00                     | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

| Non- Transitioned Transitioned facility Facility Facility practice practice practice | Non- Transitioned Transitioned facility Facility Facility practice practice practice | Non- Transitioned Transitioned facility Facility Facility practice practice practice | Non- Transitioned Transitioned facility Facility Facility practice practice practice | Transitioned Transitioned Non-facility Facility practice practice practice | Transitioned<br>Facility Facility<br>practice practice | Transitioned<br>Facility<br>practice |                |      | Mal-             | Non-              | Transitioned<br>Non- |                   | Transitioned      |            |
|--|--|--|--|--|--|--------------------------------------|----------------|------|------------------|-------------------|----------------------|-------------------|-------------------|------------|
| expense expense RVUs RVUs  | Work expense expense expense RVUs RVUs RVUs  | Work expense expense expense RVUs RVUs RVUs  | expense expense RVUs RVUs  | expense expense<br>RVUs RVUs   | expense<br>RVUs  |                                      | expen:<br>RVUs | g    | practice<br>RUVs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total |            |
| PET follow comry angio mult 0.00 0.00 0.00 0.00                                      | PET follow comry angio mult 0.00 0.00 0.00 0.00                                      | 0.00 0.00 0.00   | 0.00 0.00 0.00   | 0.00 0.00  | 0.00   |                                      | 0.0            | 6    | 0.00             | 00.00             | 0.00                 | 0.00              | 0.00              | ×          |
| 26 A PET follow cornry angio mult 1.87 0.70 0.71 0.70 0.71                           | PET follow cornry angio mult 1.87 0.70 0.71 0.70                                     | 1.87 0.70 0.71 0.70  | 0.70 0.71 0.70   | 0.74 0.70  | 0.70   |                                      | ).<br>0.0      |      | 80.0             | 2.65              | 2.66                 | 2.65              | 5.66              | ž š        |
| C PET follow myocard perf sing 0.00 0.00 0.00 0.00 0.00                              | PET follow myocard perf sing 0.00 0.00 0.00 0.00 0.00                                | 0.00 00.0 00.0   | 0.00 0.00  | 00:00  | 0.00   |                                      | Ö              | 0.00 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×          |
| PET follow myocard perf sing 1.50 0.52 0.52 0.52                                     | PET follow myocard perf sing 1.50 0.52 0.52 0.52                                     | 1.50 0.52 0.52 0.52  | 0.52 0.52 0.52   | 0.52 0.52  | 0.52   |                                      | O              | 0.52 | 0.05             | 2.07              | 2.07                 | 2.07              | 2.07              | ×          |
| PET follow myocard perf sing 0.00 0.00 0.00 0.00                                     | PET follow myocard perf sing 0.00 0.00 0.00 0.00                                     | follow myocard perf sing 0.00 0.00 0.00 0.00   | 0.00 0.00 0.00   | 0.00 0.00  | 0.00   |                                      | o              | 0.00 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×          |
| C PET follow myocard perf mult 0.00 0.00 0.00 0.00                                   | PET follow myocard perf mult 0.00 0.00 0.00 0.00                                     | follow myocard perf mult 0.00 0.00 0.00 0.00   | 0.00 0.00 0.00   | 0.00   | 0.00   |                                      | 0 0            | 0.00 | 0.00             | 0.00              | 0.00                 | 0.0               | 0.00              | × >        |
| A PEI follow myocard perf mult 1.8/ 0.70 0.71 0.70                                   | PET follow myocard perf mult 1.87 0.70 0.71 0.70                                     | follow myocard perf mult 1.87 0.70 0.71 0.70   | 0.70 0.70  | 0.70   | 0.70   |                                      | ٠ ر            |      | 8 6              | 60.0              | 00.7                 | 00.7              | 0 0               | ₹ >        |
| 00.0   | PET follow effects exhibiting 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.                  | follow myocard pert mult   | 00.0   | 00.0   | 00.0   |                                      | , ,            | 000  | 8 8              | 000               | 00.00                | 8 0               | 8 6               | ⋛          |
| PET follow stress echo singl 1.50 0.52 0.52 0.52                                     | PET follow stress echo singl 1.50 0.52 0.52 0.52                                     | follow stress echo single 1.50 0.52 0.52 0.52  | 0.52 0.52 0.52   | 0.52 0.52  | 0.52   |                                      |                | 0.52 | 0.05             | 2.07              | 2.07                 | 2.07              | 2.07              | ×          |
| C PET follow stress echo singl 0.00 0.00 0.00 0.00 0.00                              | PET follow stress echo singl 0.00 0.00 0.00 0.00 0.00                                | 0.00 0.00 0.00   | 0.00 0.00 0.00   | 0.00 0.00  | 0.00   |                                      | _              | 0.00 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×          |
| PET follow stress echo mult 0.00 0.00 0.00   | PET follow stress echo mult 0.00 0.00 0.00   | follow stress echo mult 0.00 0.00 0.00   | 0.00 0.00  | 0.00   |  | 0.00                                 |                | 0.00 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | 8          |
| A PET follow stress echo mult 1.87 0.70 0.71   | PET follow stress echo mult 1.87 0.70 0.71   | 1.87 0.70 0.71   | 0.70 0.71  | 0.71   |  | 0.70                                 |                | 0.71 | 0.08             | 2.65              | 2.66                 | 2.65              | 5.66              | 8          |
| 0.00 0.00 0.00   | PET follow stress echo mult 0.00 0.00 0.00   | 0.00 0.00 0.00   | 0.00 0.00  | 0.00   |  | 0.00                                 |                | 0.00 | 0.00             | 0.0               | 0.00                 | 0.00              | 0.00              | Ž          |
| C PET follow ventriculogm sing 0.00 0.00   | PET follow ventriculogm sing 0.00 0.00 0.00  | 0.00 0.00 0.00   | 0.00 0.00  | 0.00   |  | 0.00                                 |                | 0.0  | 0.00             | 0.0               | 0.00                 | 0.00              | 0.00              | € :        |
| A PET follow ventriculogm sing 1.50 0.52 0.52  | PET follow ventriculogm sing 1.50 0.52 0.52  | 1.50 0.52 0.52   | 0.52 0.52  | 0.52   |  | 0.52                                 |                | 0.52 | 0.05             | 2.07              | 2.07                 | 2.07              | 2.07              | 8          |
| PET follow ventriculogm sing 0.00  | PET follow ventriculogm sing 0.00 0.00 0.00  | 0.00 0.00 0.00   | 0.00   | 0.00   |  | 0.00                                 |                | 0.00 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | \$         |
| PET follow ventriculogm mult 0.00 0.00 0.00  | PET follow ventriculogm mult 0.00 0.00 0.00  | 0.00 0.00 0.00<br>1 87 0 70 0 71   | 0.00   | 0.00   |  | 9.6                                  |                | 0.00 | S 6              | 0.00<br>2.65      | 0.00<br>990          | 0.00<br>2,65      | 0.00<br>9.00      | <b>X</b> X |
| C PET follow ventriculorm mult 0 00 0 00 0 000                                       | PET follow ventriculoum mult 0.00 0.00 0.00  | 000 000 000  | 000  | 00.0   |  | 000                                  |                | 000  | 00.0             | 000               | 0.00                 | 000               | 00.0              | 2          |
| C PET following rest ECG singl 0.00 0.00   | PET following rest ECG singl 0.00 0.00 0.00  | 0.00 0.00 0.00   | 0.00   | 0.00   |  | 0.00                                 |                | 0.00 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | 8          |
| PET following rest ECG singl 1.50 0.52 0.52  | PET following rest ECG singl 1.50 0.52 0.52  | 1.50 0.52 0.52   | 0.52 0.52  | 0.52   |  | 0.52                                 |                | 0.52 | 0.05             | 2.07              | 2.07                 | 2.07              | 2.07              | ŝ          |
| 0.00 0.00 0.00   | PET following rest ECG singl 0.00 0.00 0.00  | 0.00 0.00 0.00   | 0.00 0.00  | 0.00   |  | 0.00                                 |                | 0.00 | 0.00             | 0.0               | 0.00                 | 0.00              | 0.00              | Ž.         |
| C PET following rest ECG mult 0.00 0.00  | PET following rest ECG mult 0.00 0.00 0.00   | 0.00 0.00 0.00   | 0.00   | 0.00   |  | 0.00                                 |                | 0.00 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | 8          |
| A PET following rest ECG mult 1.87 0.70 0.71   | PET following rest ECG mult 1.87 0.70 0.71   | 1.87 0.70 0.71   | 0.70 0.71  | 0.71   |  | 0.70                                 |                | 0.71 | 0.08             | 2.65              | 2.66                 | 2.65              | 2.66              | \$ \$      |
| PET following rest ECG mult 0.00   | PET following rest ECG mult 0.00 0.00 0.00   | 0.00 0.00  | 0.00   | 00.0   |  | 9 6                                  |                | 9 6  | 9 6              | 8 8               | 0.00                 | 9 6               | 8 8               | 3 5        |
| PET follow stress ECG singl 0.00 0.00 0.00 0.00 DET follow stress ECG singl 150 0.52 | PET follow stress ECG singl 0.00 0.00 0.00 0.00 DET follow stress ECG singl 150 0.52 | 150 0.50 0.00  | 0.00   | 0.00   |  | 0.00                                 |                | 0.00 | 0.00             | 200               | 200                  | 200               | 20.02             | ? ?        |
| C PET follow stress ECG single 0.00 0.00 0.00  | PET follow stress ECG single 0.00 0.00 0.00 0.00                                     | 0.00 00.0  | 00.0   | 0.0  |  | 0.0                                  |                | 0.00 | 0.0              | 0.0               | 0.0                  | 0.0               | 0.0               | ×          |
| C PET follow stress ECG mult 0.00 0.00 0.00  | PET follow stress ECG mult 0.00 0.00 0.00  | 0.00 0.00 0.00   | 0.00 0.00  | 0.00   |  | 0.00                                 |                | 0.00 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | 8          |
| PET follow stress ECG mult 1.87 0.70 0.71  | PET follow stress ECG mult 1.87 0.70 0.71  | 1.87 0.70 0.71   | 0.70 0.71  | 0.71   |  | 0.70                                 |                | 0.71 | 0.08             | 2.65              | 5.66                 | 2.65              | 2.66              | 8          |
| PET follow stress ECG mult 0.00 0.00 0.00  | PET follow stress ECG mult 0.00 0.00 0.00  | 0.00 0.00 0.00   | 0.00 0.00  | 0.00   |  | 0.00                                 |                | 0.00 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | 8          |
| Residual urine by ultrasound 0.00 0.88 0.88  | Residual urine by ultrasound 0.00 0.88 0.88  | 0.00 0.88 0.88   | 0.88 0.88  | 0.88   |  | 0.88                                 |                | 0.88 | 0.04             | 0.92              | 0.92                 | 0.92              | 0.92              | 8          |
| 0.51   | CA screen;pelvic/breast exam 0.45 0.51 0.35  | 0.45 0.51 0.35   | 0.51 0.35  | 0.35   |  | 0.32                                 |                | 0.31 | 0.02             | 0.98              | 0.82                 | 0.79              | 0.78              | ž          |
| CA screen;flexi sigmoidscope 0.96 4.27 2.07  | CA screen;flexi sigmoidscope 0.96 4.27 2.07  | 0.96 4.27 2.07   | 4.27 2.07  | 2.07   |  | 0.44                                 |                | 0.55 | 0.09             | 5.32              | 3.12                 | 1.49              | 1.60              | 8          |
| Colorectal scrn; hi risk ind 3.70 5.65 4.77  | Colorectal scrn; hi risk ind 3.70 5.65 4.77  | 3.70 5.65 4.77   | 5.65 4.77  | 4.77   |  | 1.95                                 |                | 3.80 | 0.31             | 9.66              | 8.78                 | 5.96              | 7.81              | 8          |
| Colon CA screen;barium enema 0.99 2.68 2.77  | Colon CA screen;barium enema 0.99 2.68 2.77  | 0.99 2.68 2.77   | 2.68 2.77  | 2.77   |  | 2.68                                 |                | 2.77 | 0.16             | 3.83              | 3.92                 | 3.83              | 3.92              | ž          |
| A Colon CA screen;barium enema 0.99 0.37 0.46  | Colon CA screen;barium enema 0.99 0.37 0.46  | 0.99 0.37 0.46   | 0.37 0.46  | 0.46   |  | 0.37                                 |                | 0.46 | 0.05             | 1.41              | 1.50                 | 1.4               | 1.50              | 8          |
| TC A Colon CA screen; barium enema 0.00 2.31 2.31 2.31                               | Colon CA screen;barium enema 0.00 2.31 2.31  | 0.00 2.31 2.31   | 2.31 2.31  | 2.31   |  | 2.31                                 |                | 2.31 | 0.11             | 2.42              | 2.42                 | 2.42              | 2.42              | ž          |
|  |  |  |  |  |  |                                      |                |      |                  |                   |                      |                   |                   |            |

Page 253 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 chidicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                        |     |         |                                |           | Non-                 | Transitioned             |                      | Transitioned        |                   |                   | •                    |          |              |     |
|------------------------|-----|---------|--------------------------------|-----------|----------------------|--------------------------|----------------------|---------------------|-------------------|-------------------|----------------------|----------|--------------|-----|
|                        |     |         |                                | Physician | tacility<br>practice | Non-tacility<br>practice | racility<br>practice | raciiny<br>practice | Mal-              | Non-              | Iransitioned<br>Non- |          | Transitioned |     |
| $\frac{1}{2}$ Solution |     |         |                                | work      | ехрепѕе              | expense                  | expense              | expense             | practice<br>RIIVs | facility<br>Total | facility             | Facility | Facility     | 177 |
| 70467                  | Wod | signs > | Description food blood test    | 000       | 6                    | 8000                     | 6                    | 600                 |                   |                   | 000                  | 000      | 000          | XXX |
| 2010                   |     | < <     | Dish manage tra per indiv      | 8 6       | 20.0                 | 0.00                     | 5.00                 | 6.00                | 9 5               | 1.00              | 1.65                 |          |              | XX  |
| 90109                  |     | < ∢     | Diab manage trn ind/oroup      | 800       | 96.0                 | 0.97                     | 96.                  | 0.97                | 0.01              | 0.97              | 86.0                 | 0.97     | 86.0         | × × |
| 90110                  |     | ( 02    | Nett oulm-rehab educ: ind      | 06:0      | 0.70                 | 0.39                     | 0.34                 | 0:30                | 0.03              | 1.63              | 1.32                 | 1.27     | 1.23         | ×   |
| G0111                  |     | · œ     | Nett pulm-rehab educ; group    | 0.27      | 0.26                 | 0.23                     | 0.10                 | 0.19                | 0.02              | 0.55              | 0.52                 | 0.39     | 0.48         | ×   |
| G0112                  |     | · œ     | Nett:nutrition quid, initial   | 1.72      | 1.35                 | 1.13                     | 0.92                 | 1.02                | 0.08              | 3.15              | 2.93                 | 2.72     | 2.82         | ×   |
| G0113                  |     | ~       | Nett; nutrition guid, subsegnt | 1.29      | 1.15                 | 0.92                     | 0.73                 | 0.81                | 0.07              | 2.51              | 2.28                 | 5.09     | 2.17         | ×   |
| G0114                  |     | œ       | Nett; psychosocial consult     | 1.20      | 0.54                 | 0.42                     | 0.45                 | 0.40                | 0.09              | 1.83              | 1.71                 | 1.74     | 1.69         | ×   |
| G0115                  |     | œ       | Nett; psychological testing    | 1.20      | 0.61                 | 0.44                     | 0.45                 | 0.40                | 0.09              | 1.90              | 1.73                 | 1.74     | 1.69         | ×   |
| G0116                  |     | œ       | Nett; psychosocial counsel     | 1.11      | 29.0                 | 0.45                     | 0.60                 | 0.44                | 0.04              | 1.82              | 1.60                 | 1.75     | 1.59         | ×   |
| G0120                  |     | ⋖       | Colon ca scrn; barium enema    | 66.0      | 2.68                 | 2.77                     | 2.68                 | 2.77                | 0.16              | 3.83              | 3.92                 | 3.83     | 3.92         | ×   |
| G0120                  | 26  | ∢       | Colon ca scrn; barium enema    | 66.0      | 0.37                 | 0.46                     | 0.37                 | 0.46                | 0.05              | 1.41              | 1.50                 | 1.41     | 1.50         | ×   |
| G0120                  | ဥ   | ∢       | Colon ca scrn; barium enema    | 0.00      | 2.31                 | 2.31                     | 2.31                 | 2.31                | 0.11              | 2.42              | 2.42                 | 2.42     | 2.42         | ×   |
| G0121                  |     | z       | Colon ca scrn not hi rsk ind   | +3.70     | 5.65                 | 4.77                     | 1.95                 | 3.80                | 0.31              | 9.66              | 8.78                 | 5.96     | 7.81         | ×   |
| G0122                  |     | z       | Colon ca scm; barium enema     | +0.99     | 2.68                 | 2.77                     | 2.68                 | 2.77                | 0.16              | 3.83              | 3.92                 | 3.83     | 3.92         | ×   |
| G0122                  | 26  | z       | Colon ca scrn; barium enema    | +0.99     | 0.37                 | 0.46                     | 0.37                 | 0.46                | 0.05              | 1.41              | 1.50                 | 1.41     | 1.50         | ×   |
| G0122                  | 2   | z       | Colon ca scrn; barium enema    | +0.00     | 2.31                 | 2.31                     | 2.31                 | 2.31                | 0.11              | 2.42              | 2.42                 | 2.42     | 2.42         | ×   |
| G0123                  |     | ×       | Screen cerv/vag thin layer     | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×   |
| G0124                  |     | ∢       | Screen c/v thin layer by MD    | 0.42      | 0.15                 | 0.30                     | 0.15                 | 0.30                | 0.03              | 09:0              | 0.75                 | 0.60     | 0.75         | ×   |
| G0124                  | 56  | I       | Screen c/v thin layer by MD    | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×   |
| G0125                  |     | ∢       | Lung image (PET)               | 1.50      | 56.15                | 56.15                    | 56.15                | 56.15               | 2.16              | 59.81             | 59.81                | 59.81    | 59.81        | ×   |
| G0125                  | 56  | ∢       | Lung image (PET)               | 1.50      | 0.52                 | 0.52                     | 0.52                 | 0.52                | 0.05              | 2.07              | 2.07                 | 2.07     | 2.07         | ×   |
| G0125                  | 5   | ∢       | Lung image (PET)               | 0.00      | 55.63                | 55.63                    | 55.63                | 55.63               | 2.11              | 57.74             | 57.74                | 57.74    | 57.74        | ×   |
| G0126                  |     | ∢       | Lung image (PET) staging       | 1.87      | 56.33                | 56.34                    | 56.33                | 56.34               | 2.19              | 60.39             | 60.40                | 60.39    | 60.40        | ×   |
| G0126                  | 26  | ∢       | Lung image (PET) staging       | 1.87      | 0.70                 | 0.71                     | 0.70                 | 0.71                | 0.08              | 2.65              | 2.66                 | 2.65     | 2.66         | ×   |
| G0126                  | 2   | ∢       | Lung image (PET) staging       | 0.00      | 55.63                | 55.63                    | 55.63                | 55.63               | 2.11              | 57.74             | 57.74                | 57.74    | 57.74        | ×   |
| G0127                  |     | œ       | Trim nail(s)                   | 0.11      | 0.41                 | 0.30                     | 0.04                 | 0.11                | 0.02              | 0.54              | 0.43                 | 0.17     | 0.24         | 00  |
| G0128                  |     | œ       | CORF skilled nursing service   | 0.08      | 0.18                 | 0.18                     | 0.08                 | 0.08                | 0.01              | 0.27              | 0.27                 | 0.17     | 0.17         | ×   |
| G0130                  |     | ∢       | Single energy x-ray study      | 0.22      | 0.30                 | 0.89                     | 0.90                 | 0.89                | 90.0              | 1.18              | 1.17                 | 1.18     | 1.17         | ×   |
| G0130                  | 56  | ∢       | Single energy x-ray study      | 0.22      | 0.11                 | 0.11                     | 0.11                 | 0.11                | 0.02              | 0.35              | 0.35                 | 0.35     | 0.35         | ×   |
| G0130                  | ဥ   | ∢       | Single energy x-ray study      | 0.00      | 0.79                 | 0.78                     | 0.79                 | 0.78                | 0.04              | 0.83              | 0.82                 | 0.83     | 0.82         | ×   |
| G0131                  |     | ∢       | CT scan, bone density study    | 0.25      | 3.18                 | 3.18                     | 3.18                 | 3.18                | 0.16              | 3.59              | 3.59                 | 3.59     | 3.59         | ×   |
| G0131                  | 56  | ∢       | CT scan, bone density study    | 0.25      | 0.13                 | 0.13                     | 0.13                 | 0.13                | 0.02              | 0.40              | 0.40                 | 0.40     | 0.40         | ×   |
| G0131                  | ဥ   | ∢       | CT scan, bone density study    | 0.00      | 3.05                 | 3.05                     | 3.05                 | 3.05                | 0.14              | 3.19              | 3.19                 | 3.19     | 3.19         | ×   |
| G0132                  |     | ∢       | CT scan, bone density study    | 0.22      | 06.0                 | 0.89                     | 0.90                 | 0.89                | 90.0              | 1.18              | 1.17                 | 1.18     | 1.17         | ×   |
| G0132                  | 56  | ∢       | CT scan, bone density study    | 0.22      | 0.11                 | 0.11                     | 0.11                 | 0.11                | 0.02              | 0.35              | 0.35                 | 0.35     | 0.35         | ×   |
| G0132                  | 5   | ∢       | CT scan, bone density study    | 0.00      | 0.79                 | 0.78                     | 0.79                 | 0.78                | 0.04              | 0.83              | 0.82                 | 0.83     | 0.82         | ×   |
| G0133                  |     | ٥       | Echo exam, bone density study  | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×   |
| G0133                  | 56  | ۵       | Echo exam,bone density study   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ×   |
| G0133                  | ဥ   | ۵       | Echo exam,bone density study   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                | 0.00              | 0.00              | 0.00                 | 0.00     | 0.00         | ××  |
|                        |     |         |                                |           |                      |                          |                      |                     |                   |                   |                      |          |              |     |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                   |     |        |                              |                | Non-                 | Non- Transitioned Transitioned |                      | Transitioned         |                  |                   |                      |                   |                   |        |
|-------------------|-----|--------|------------------------------|----------------|----------------------|--------------------------------|----------------------|----------------------|------------------|-------------------|----------------------|-------------------|-------------------|--------|
|                   |     |        |                              | Physician      | tacility<br>practice | Non-facility<br>practice       | racility<br>practice | Facility<br>practice | Mal-             | Non-              | Transitioned<br>Non- |                   | Transitioned      |        |
| OPT '/<br>HCPCS 2 | Mod | Status | Description                  | work 3<br>RVUs | expense<br>RVUs      | expense<br>RVUs                | expense<br>RVUs      | expense<br>RVUs      | practice<br>RUVs | facility<br>Total | facility<br>Total    | Facility<br>Total | Facility<br>Total | Global |
| G0141             | 1   | ∢      | Scr c/v cyto, autosys and md | 0.42           | 0.15                 | 0.15                           | 0.15                 | 0.15                 | 0.03             | 09.0              | 09:0                 | 09.0              | 09:0              | X      |
| G0143             |     | ×      | Scr c/v cyto,thinlayer,rescr | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 00.0                 | 0.00              | 0.00              | ×      |
| G0144             |     | ×      | Scr c/v cyto,thinlayer,rescr | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 00.0                 | 0.00              | 0.00              | ×      |
| G0145             |     | ×      | Scr c/v cyto,thinlayer,rescr | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| G0147             |     | ×      | Scr c/v cyto, automated sys  | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| G0148             |     | ×      | Scr c/v cyto, autosys, rescr | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 00.00                | 0.00              | 0.00              | ×      |
| J0120             |     | ш      | Tetracyclin injection        | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0130             |     | Ш      | Abciximab injection          | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 00.00                | 0.00              | 0.00              | ×      |
| J0150             |     | ш      | Injection adenosine 6 MG     | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 00.0                 | 0.00              | 0.00              | ×      |
| J0151             |     | ш      | Adenosine injection          | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0170             |     | ш      | Adrenalin epinephrin inject  | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0190             |     | ш      | Inj biperiden lactate/5 mg   | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0205             |     | ш      | Alglucerase injection        | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0207             |     | ш      | Amifostine                   | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0210             |     | Ш      | Methyldopate hcl injection   | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| 30256             |     | ш      | Alpha 1 proteinase inhibitor | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0270             |     | ш      | Alprostadil for injection    | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0275             |     | ш      | Alprostadil urethral suppos  | 0.00           | 0.0                  | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0280             |     | ш      | Aminophyllin 250 MG inj      | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0285             |     | ш      | Amphotericin B               | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.0               | ×      |
| J0286             |     | Ш      | Amphotericin B lipid complex | 0.00           | 0.0                  | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.0               | 0.00                 | 0.00              | 0.00              | ×      |
| J0290             |     | ш      | Ampicillin 500 MG inj        | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| <b>J</b> 0295     |     | ш      | Ampicillin sodium per 1.5 gm | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| 10300             |     | ш      | Amobarbital 125 MG inj       | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.0               | ž      |
| 10330             |     | ш      | Succinycholine chloride inj  | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ž      |
| J0340             |     | ш      | Nandrolon phenpropionate inj | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.0               | 0.00                 | 0.00              | 0.00              | ž      |
| 10350             |     | ш      | Injection anistreplase 30 u  | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ž      |
| 10360             |     | Ш      | Hydralazine hcl injection    | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ž      |
| 10380             |     | ш      | Inj metaraminol bitartrate   | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ž      |
| 10390             |     | ш      | Chloroquine injection        | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.0               | ×      |
| J0395             |     | ш      | Arbutamine HCI injection     | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.0               | 0.00                 | 0.00              | 0.00              | ž      |
| J0400             |     | Ш      | Inj trimethaphan camsylate   | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0460             |     | Ш      | Atropine sulfate injection   | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0470             |     | ш      | Dimecaprol injection         | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0475             |     | ш      | Baclofen 10 MG injection     | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ž      |
| J0476             |     | ш      | Baclofen intrathecal trial   | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| 10500             |     | ш      | Dicyclomine injection        | 0.00           | 0.0                  | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0510             |     | Ш      | Benzquinamide injection      | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.00              | 0.00                 | 0.00              | 0.00              | ×      |
| J0515             |     | ш      | Inj benztropine mesylate     | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.0              | 0.0               | 0.00                 | 0.00              | 0.00              | ×      |
| J0520             |     | Ш      | Bethanechol chloride inject  | 0.00           | 0.00                 | 0.00                           | 0.00                 | 0.00                 | 0.00             | 0.00              | 0.00                 | 0.00              | 0.00              | ž      |
|                   |     |        |                              |                |                      |                                |                      |                      |                  |                   |                      |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

Page 256 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                |          |        |                              |                | Non-<br>facility | Non- Transitioned facility |                 | Transitioned<br>Facility |                  |  | Transitioned      |                   |                   |        |
|--------------------------------|----------|--------|------------------------------|----------------|------------------|----------------------------|-----------------|--------------------------|------------------|--|-------------------|-------------------|-------------------|--------|
| ~                              |          |        |                              | Physician      | practice         | practice                   | practice        | practice                 | -July            | Non-   | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> M | Mod Stat | Status | Description                  | work 3<br>RVUs | expense<br>RVUs  | expense<br>RVUs            | expense<br>RVUs | expense<br>RVUs          | practice<br>RUYs | facility<br>Total  | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| J0895                          |          | _<br>w | Deferoxamine mesylate inj    | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 00.0             | 00:00  | 0.00              | 0.00              | 0.00              | ××     |
| 10900                          |          | ш      | Testosterone enanthate inj   | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J0945                          |          | w      | Brompheniramine maleate inj  | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J0970                          |          | ш      | Estradiol valerate injection | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1000                          |          | ш      | Depo-estradiol cypionate inj | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1020                          |          | ш      | Methylprednisolone 20 MG inj | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1030                          |          | ш      | Methylprednisolone 40 MG inj | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1040                          |          | ш      | Methylprednisolone 80 MG inj | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1050                          |          | ш      | Medroxyprogesterone inj      | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1055                          | _        | z      | Medrxyprogester acetate inj  | 0.00           | 0.00             | 0.00                       | 0.00            | 0:00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1060                          |          | ш      | Testosterone cypionate 1 ML  | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1070                          |          | ш      | Testosterone cypionat 100 MG | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1080                          | -        | ш      | Testosterone cypionat 200 MG | 0.00           | 0.0              | 0.00                       | 0.00            | 0.00                     | 0.0              | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1090                          |          | ш      | Testosterone cypionate 50 MG | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1095                          | -        | ш      | Inj dexamethasone acetate    | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.0              | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1100                          |          | ш      | Dexamethosone sodium phos    | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1110                          | -        | ш      | Inj dihydroergotamine mesylt | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.0              | 0:00   | 0.00              | 0.00              | 0.00              | ×      |
| J1120                          | -        | ш      | Acetazolamid sodium injectio | 0.00           | 0.0              | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1160                          | -        | ш      | Digoxin injection            | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.0              | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1165                          | -        | Ш      | Phenytoin sodium injection   | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1170                          |          | ш      | Hydromorphone injection      | 0.00           | 0.0              | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.0               | 0.00              | ×      |
| J1180                          |          | ш      | Dyphylline injection         | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.0              | 0.0  | 0.00              | 0.00              | 0.0               | ×      |
| J1190                          |          | ш      | Dexrazoxane HCI injection    | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.0  | 0.00              | 0.0               | 0.0               | ž      |
| J1200                          |          | ш      | Diphenhydramine hol injectio | 0.00           | 0.0              | 0.00                       | 0.00            | 0.0                      | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1205                          |          | Ш      | Chlorothiazide sodium inj    | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1212                          |          | ш      | Dimethyl sulfoxide 50% 50 ML | 0.00           | 0.0              | 0.00                       | 0.00            | 0.0                      | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1230                          |          | Ш      | Methadone injection          | 0.00           | 0.0              | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1240                          |          | ш      | Dimenhydrinate injection     | 0.00           | 0.0              | 0.00                       | 0.00            | 0.0                      | 0.00             | 0.00   | 0.00              | 0.0               | 0.00              | ž      |
| J1245                          |          | ш      | Dipyridamole injection       | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1250                          |          | ш      | Inj dobutamine HCL/250 mg    | 0.00           | 0.0              | 0.00                       | 0.00            | 0.0                      | 0.0              | 0.00   | 0.00              | 0.00              | 0.00              | X      |
| J1260                          |          | ш      | Dolasetron mesylate          | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ž      |
| J1320                          |          | ш      | Amitriptyline injection      | 0.00           | 0.0              | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ž      |
| J1325                          |          | Ш      | Epoprostenol injection       | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1330                          |          | ш      | Ergonovine maleate injection | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1362                          |          | Ш      | Erythromycin glucep / 250 MG | 0.00           | 0.0              | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.0  | 0.00              | 0.00              | 0.00              | ×      |
| 11364                          |          | ш      | Erythro lactobionate /500 MG | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1380                          |          | ш      | Estradiol valerate 10 MG inj | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1390                          |          | ш      | Estradiol valerate 20 MG inj | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
| J1410                          |          | ш      | Inj estrogen conjugate 25 MG | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.0              | 0.00   | 0.00              | 0.0               | 0.00              | ×      |
| J1435                          |          | ш      | Injection estrone per 1 MG   | 0.00           | 0.00             | 0.00                       | 0.00            | 0.00                     | 0.00             | 0.00   | 0.00              | 0.00              | 0.00              | ×      |
|                                |          |        |                              |                |                  |                            |                 |                          |                  | age of the contract of the con |                   |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                              |     |        |                              |              | Non-            | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|------------------------------|-----|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |     |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| -                            |     |        |                              | Physician    | practice        | practice        | practice        | practice        | Mal-             | Hon-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> | PoW | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| J1436                        |     | ш      | Etidronate disodium inj      | 0.00         | 0.00            | 0.00            | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1440                        |     | W      | Filgrastim 300 mcg injeciton | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1441                        |     | Ш      | Filgrastim 480 mcg injection | 00:00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1455                        |     | Щ      | Foscarnet sodium injection   | 00.0         | 0.00            | 0.00            | 00.00           | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1460                        |     | ш      | Gamma globulin 1 CC inj      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1470                        |     | ш      | Gamma globulin 2 CC inj      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1480                        |     | ш      | Gamma głobulin 3 CC inj      | 00:0         | 0.00            | 0.00            | 00.00           | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1490                        |     | ш      | Gamma globulin 4 CC inj      | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1500                        |     | Ш      | Gamma globulin 5 CC inj      | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1510                        |     | Ш      | Gamma globulin 6 CC inj      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1520                        |     | ш      | Gamma globulin 7 CC inj      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1530                        |     | ш      | Gamma globulin 8 CC inj      | 0.00         | 0.00            | 0.00            | 00.0            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| J1540                        |     | ш      | Gamma globulin 9 CC inj      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1550                        |     | Ш      | Gamma globulin 10 CC inj     | 0.00         | 0.00            | 00.00           | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| J1560                        |     | Ш      | Gamma globulin > 10 CC inj   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1561                        |     | ш      | Immune globulin 500 mg       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1562                        |     | ш      | Immune globulin 5 gms        | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| J1565                        |     | ш      | RSV-ivig                     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1570                        |     | ш      | Ganciclovir sodium injection | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1580                        |     | ш      | Garamycin gentamicin inj     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| J1600                        |     | ш      | Gold sodium thiomaleate inj  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ž      |
| J1610                        |     | Ш      | Glucagon hydrochloride/1 MG  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1620                        |     | Ш      | Gonadorelin hydroch/ 100 mcg | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ž      |
| J1626                        |     | ш      | Granisetron HCI injection    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| J1630                        |     | Ш      | Haloperidol injection        | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| J1631                        |     | Ш      | Haloperidol decanoate inj    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| J1642                        |     | Ш      | Inj heparin sodium per 10 u  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| J1644                        |     | Ш      | Inj heparin sodium per 1000u | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.0               | ž      |
| J1645                        |     | Ш      | Dalteparin sodium            | 0.00         | 0.0             | 0.00            | 0.0             | 0.00            | 0.00             | 0.00              | 0.00              | 0.0               | 0.0               | ž      |
| J1650                        |     | ш      | Inj enoxaparin sodium 30 mg  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.0               | ž      |
| J1670                        |     | Ш      | Tetanus immune globulin inj  | 0.00         | 0.0             | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.0               | ž      |
| J1690                        |     | ш      | Prednisolone tebutate inj    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| J1700                        |     | ш      | Hydrocortisone acetate inj   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1710                        |     | Ш      | Hydrocortisone sodium ph inj | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| J1720                        |     | ш      | Hydrocortisone sodium succ i | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1730                        |     | ш      | Diazoxide injection          | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| J1739                        |     | ш      | Hydroxyprogesterone cap 125  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1741                        |     | Ш      | Hydroxyprogesterone cap 250  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J1742                        |     | Ш      | Ibutilide fumarate injection | 0.00         | 0.00            | 0.00            | 00.0            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| J1760                        |     | Ш      | Iron dextran 2 CC inj        | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |

Page 258 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|        |     |        |                              |           | Non-                 | Transitioned             |                      | Transitioned         |                  | _        |                      |          |              |                            |
|--------|-----|--------|------------------------------|-----------|----------------------|--------------------------|----------------------|----------------------|------------------|----------|----------------------|----------|--------------|----------------------------|
|        |     |        |                              | Physician | facility<br>practice | Non-facility<br>practice | Facility<br>practice | Facility<br>practice | Mal-             | Non-     | Transitioned<br>Non- |          | Transitioned |                            |
| CPT 1/ |     |        | •                            | work      | expense              | expense                  | expense<br>pwir-     | expense              | practice<br>pro- | facility | facility             | Facility | Facility     | -                          |
| 25     | Wod | Status | Description                  | KVUS      | KNUS                 | KVUS                     | SO C                 | VALOS                | CLON             | roral    | 10101                | lorai    | 10101        | cional                     |
| J1770  |     | ш      | Iron dextran 5 CC inj        | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.0              | 0.00     | 0.00                 | 9.0      | 0.00         | ž                          |
| 11780  |     | ш      | Iron dextran 10 CC inj       | 0.00      | 0.00                 | 0.00                     | 0.00                 | 00.0                 | 9.0              | 0.00     | 0.00                 | 20.00    | S 6          | <b>{</b> }                 |
| J1785  |     | ш      | Injection imiglucerase /unit | 9.0       | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 90.0         | <b>X X X X X X X X X X</b> |
| J1790  |     | Ш      | Droperidol injection         | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 00.0         | ž                          |
| J1800  |     | ш      | Propranolol injection        | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ž                          |
| J1810  |     | ш      | Droperidol/fentanyl inj      | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.0              | 0.00     | 0.00                 | 0.00     | 0.0          | ž                          |
| J1820  |     | ш      | Insulin injection            | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.0      | 0.0          | ž                          |
| J1825  |     | ш      | Interferon beta-1a           | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ×                          |
| J1830  |     | ш      | Interferon beta-1b / .25 MG  | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ×                          |
| J1840  |     | ш      | Kanamycin sulfate 500 MG inj | 0.00      | 0.00                 | 0.00                     | 00.00                | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ×                          |
| J1850  |     | Ш      | Kanamycin sulfate 75 MG inj  | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ×                          |
| J1885  |     | Ш      | Ketorolac tromethamine inj   | 0.00      | 0.00                 | 0.00                     | 00.00                | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ×                          |
| J1890  |     | Ш      | Cephalothin sodium injection | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ×                          |
| J1910  |     | ш      | Kutapressin injection        | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ×                          |
| J1930  |     | ш      | Propiomazine injection       | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ž                          |
| J1940  |     | ш      | Furosemide injection         | 0.00      | 0.00                 | 0.00                     | 00:00                | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ×                          |
| J1950  |     | ш      | Leuprolide acetate /3.75 MG  | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ž                          |
| J1955  |     | ш      | Inj levocarnitine per 1 gm   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ž                          |
| J1956  |     | ш      | Levofloxacin injection       | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.0          | ×                          |
| J1960  |     | Ш      | Levorphanol tartrate inj     | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ×                          |
| J1970  |     | Ш      | Methotrimeprazine injection  | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.0          | ×                          |
| J1980  |     | ш      | Hyoscyamine sulfate inj      | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.0      | 0.00         | ž                          |
| J1990  |     | ш      | Chlordiazepoxide injection   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.0      | 0.0          | ž                          |
| 12000  |     | Ш      | Lidocaine injection          | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.0      | 0.0          | ×                          |
| J2010  |     | ш      | Lincomycin injection         | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ž                          |
| 12060  |     | Ш      | Lorazepam injection          | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.0          | ×                          |
| J2150  |     | Ш      | Mannitol injection           | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.0      | 0.0          | ž                          |
| J2175  |     | Ш      | Meperidine hydrochl /100 MG  | 0.00      | 0.0                  | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.0          | ž                          |
| J2180  |     | ш      | Meperidine/promethazine inj  | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.0      | 0.00                 | 0.0      | 0.0          | ž                          |
| J2210  |     | ш      | Methylergonovin maleate inj  | 0.00      | 0.0                  | 0.00                     | 0.00                 | 0.00                 | 0.0              | 0.00     | 0.00                 | 0.00     | 0.0          | ž                          |
| J2240  |     | ш      | Metocurine iodide injection  | 0.00      | 0.0                  | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.0      | 0.00                 | 0.00     | 0.0          | ž                          |
| J2250  |     | ш      | Inj midazolam hydrochloride  | 0.00      | 0.0                  | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.0      | 0.00                 | 0.0      | 0.0          | ž                          |
| J2260  |     | ш      | Inj milrinone lactate / 5 ML | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.0      | 0.0          | ž                          |
| J2270  |     | ш      | Morphine sulfate injection   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.0          | ž                          |
| J2271  |     | ш      | Morphine so4 injection 100mg | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ×                          |
| J2275  |     | ш      | Morphine sulfate injection   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0:00                 | 0.00     | 0.00         | ×                          |
| J2300  |     | ш      | Inj nalbuphine hydrochloride | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ×                          |
| J2310  |     | Щ      | Inj naloxone hydrochloride   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.0      | 0.00                 | 0.00     | 0.0          | ×                          |
| J2320  |     | ш      | Nandrolone decanoate 50 MG   | 0.00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.0      | 0.0          | ×                          |
| J2321  |     | ш      | Nandrolone decanoate 100 MG  | 0:00      | 0.00                 | 0.00                     | 0.00                 | 0.00                 | 0.00             | 0.00     | 0.00                 | 0.00     | 0.00         | ž                          |

7 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                 |        |                              |              |                 | Transitioned    |                 | Transitioned    |                  |                   |                   |                   |                   |        |
|---------------------------------|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                                 |        |                              |              | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| 1,1                             |        |                              | Physician    | practice        | practice        | practice        | practice        | Mal-             | Non-              | Non-              | 4                 | Transitioned      |        |
| CPI /<br>HCPCS <sup>2</sup> Mod | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUYs | tacility<br>Total | tacility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| ı                               | ı      | Nandr                        | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:0              | 00.0              | 00.00             | XXX    |
| J2330                           | ш      | Thiothixene injection        | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| J2350                           | ш      | Niacinamide/niacin injection | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00             | 0.00              | 0.00              | ×      |
| J2355                           | ш      | Oprelvekin injection         | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2360                           | Ш      | Orphenadrine injection       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:00             | 0.00              | 0.00              | ×      |
| J2370                           | Ш      | Phenylephrine hcl injection  | 0.00         | 0.00            | 0.0             | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2400                           | ш      | Chloroprocaine hcl injection | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2405                           | Ш      | Ondansetron hcl injection    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.0              | 0.00              | 0.00              | ×      |
| J2410                           | Ш      | Oxymorphone hcl injection    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2430                           | ш      | Pamidronate disodium /30 MG  | 0.00         | 0.00            | 0.00            | 0.0             | 0.00            | 0.00             | 0.0               | 00:0              | 0.00              | 0.00              | ×      |
| J2440                           | Ш      | Papaverin hcl injection      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2460                           | Ш      | Oxytetracycline injection    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2480                           | Ш      | Hydrochlorides of opium inj  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2510                           | Ш      | Penicillin g procaine inj    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ž      |
| J2512                           | ш      | Inj pentagastrin per 2 ML    | 0.00         | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| J2515                           | Ш      | Pentobarbital sodium inj     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ×      |
| J2540                           | ш      | Penicillin g potassium inj   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.0               | ž      |
| J2545                           | ш      | Pentamidine isethionte/300mg | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.0               | 0.00              | ž      |
| J2550                           | Ш      | Promethazine hcl injection   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.00              | ž      |
| J2560                           | ш      | Phenobarbital sodium inj     | 0.00         | 0.00            | 0.00            | 0.0             | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2590                           | Ш      | Oxytocin injection           | 0.00         | 0.00            | 0.00            | 0.0             | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.0               | ž      |
| J2597                           | ш      | Inj desmopressin acetate     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.0               | 0.00              | ž      |
| J2640                           | ш      | Prednisolone sodium ph inj   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| J2650                           | Ш      | Prednisolone acetate inj     | 0.00         | 0.0             | 0.00            | 0.0             | 0.00            | 0.0              | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2670                           | Ш      | Totazoline hcl injection     | 0.00         | 0.0             | 0.00            | 0.0             | 0.00            | 0.0              | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| J2675                           | Ш      | Inj progesterone per 50 MG   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| J2680                           | Ш      | Fluphenazine decanoate 25 MG | 0.00         | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | X :    |
| J2690                           | ш      | Procainamide hcl injection   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 9.9               | 0.00              | ×      |
| J2700                           | ш      | Oxacillin sodium injeciton   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.6<br>0.6        | 0.00              | X :    |
| J2710                           | Ш      | Neostigmine methylslfte inj  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 00.0              | 0.00              | ×      |
| J2720                           | ш      | Inj protamine sulfate/10 MG  | 0.00         | 0.0             | 0.00            | 0.0             | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2725                           | ш      | Inj protirelin per 250 mcg   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| J2730                           | Ш      | Pralidoxime chloride inj     | 0.00         | 0.00            | 0.00            | 0.0             | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| J2760                           | ш      | Phentolaine mesylate inj     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2765                           | ш      | Metoclopramide hcl injection | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2790                           | Ш      | Rho d immune globulin inj    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.0               | ž      |
| J2792                           | Ш      | Rho(D) immune globulin h, sd | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2800                           | W      | Methocarbamol injection      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J2810                           | Ш      | Inj theophylline per 40 MG   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| J2820                           | ш      | Sargramostim injection       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |

Page 260 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Undicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|  |     |        | ADA                          | ALMUOMI D    |                 | ADDLINDOM D NLLAMITE TALOL OMITO(NTOS) AND ALLAMED IN | י שחה (נטיו     | יייייייייייייייייייייייייייייייייייייי |                  | •                 |                     |                   |                   |        |
|--|-----|--------|------------------------------|--------------|-----------------|---|-----------------|--|------------------|-------------------|---------------------|-------------------|-------------------|--------|
|  |     |        |                              |              | Non-            | Transitioned  | Earilthy        | Transitioned<br>Exciting               |                  |                   | 7                   |                   |                   |        |
|  |     |        |                              | Physician    | practice        | non-racility<br>practice                              | practice        | practice                               | Mal-             | Non-              | iransinonea<br>Non- |                   | Transitioned      |        |
| CPT <sup>1</sup> /<br>HCPCS <sup>2</sup> | Por | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs                                       | expense<br>RVUs | expense<br>RVUs                        | practice<br>RUYs | facility<br>Total | facility<br>Total   | Facility<br>Total | Facility<br>Total | Global |
| 1  | ı   | П      | Secoparbital sodium ini      | 0:00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 00.0              | š      |
| J2910                                    |     | ш      | Aurothioglucose injection    | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J2912                                    |     | Ш      | Sodium chloride injection    | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J2920                                    |     | ш      | Methylprednisolone injection | 00.0         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J2930                                    |     | w      | Methylprednisolone injection | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J2950                                    |     | ш      | Promazine hol injection      | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J2970                                    |     | ш      | Methicillin sodium injection | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J2994                                    |     | ш      | Reteplase double bolus       | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J2995                                    |     | ш      | Inj streptokinase /250000 IU | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J2996<br>J2996                           |     | ш      | Alteplase recombinant inj    | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 13000                                    |     | ш      | Streptomycin injection       | 0.00         | 0.00            | 00.00   | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J3010                                    |     | ш      | Fentanyl citrate injeciton   | 0.00         | 0.00            | 00.00   | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 13030                                    |     | ш      | Sumatriptan succinate / 6 MG | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J3070                                    |     | ш      | Pentazocine hcl injeciton    | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J3080                                    |     | ш      | Chlorprothixene injection    | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ž      |
| J3105                                    |     | ш      | Terbutaline sulfate inj      | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J3120                                    |     | ш      | Testosterone enanthate inj   | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.0               | 0.00                | 0.00              | 0.00              | ž      |
| J3130                                    |     | Ш      | Testosterone enanthate inj   | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.0              | 0.0               | 0.00                | 0.00              | 0.00              | ž      |
| J3140                                    |     | ш      | Testosterone suspension inj  | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.0               | 0.00                | 0.00              | 0.0               | ž      |
| J3150                                    |     | m      | Testosteron propionate inj   | 0.00         | 0.0             | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.0               | 0.00                | 0.00              | 0.00              | ×      |
| <b>J3230</b>                             |     | ш      | Chlorpromazine hcl injection | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.0               | 0.00                | 0.00              | 0.00              | ×      |
| <b>J324</b> 0                            |     | ш      | Thyrotropin injection        | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.0              | 0.0               | 0.00                | 0.0               | 0.0               | ž      |
| J3250                                    |     | ш      | Trimethobenzamide hcl inj    | 0.00         | 0.0             | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.0               | 0.00                | 0.0               | 0.0               | ž      |
| J3260                                    |     | ш      | Tobramycin sulfate injection | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.0               | ×      |
| <b>J3265</b>                             |     | ш      | Injection torsemide 10 mg/ml | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.0              | 0.0               | 0.00                | 0.00              | 0.00              | ×      |
| J3270                                    |     | ш      | Imipramine hol injection     | 0.00         | 0.00            | 00:00   | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J3280                                    |     | ш      | Thiethylperazine maleate inj | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.0               | 0.00                | 0.00              | 0.00              | ×      |
| J3301                                    |     | ш      | Triamcinolone acetonide inj  | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.0               | 0.00                | 0.00              | 0.0               | ž      |
| J3302                                    |     | ш      | Triamcinolone diacetate inj  | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.0              | 0.0               | 0.00                | 0.00              | 0.00              | ×      |
| <b>J3303</b>                             |     | ш      | Triamcinolone hexacetonl inj | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.0              | 0.0               | 0.00                | 0.00              | 0.0               | ž      |
| <b>J3305</b>                             |     | ш      | Inj trimetrexate glucoronate | 0.00         | 0.0             | 0.00  | 0.00            | 0.00                                   | 0.0              | 0.0               | 0.00                | 0.00              | 0.00              | ×      |
| J3310                                    |     | ш      | Perphenazine injeciton       | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ž      |
| J3320                                    |     | ш      | Spectinomycn di-hcl inj      | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J3350                                    |     | ш      | Urea injection               | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 13360                                    |     | ш      | Diazepam injection           | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| <b>J3364</b>                             |     | ш      | Urokinase 5000 IU injection  | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.0              | 0.0               | 0.00                | 0.00              | 0.00              | ×      |
| <b>J3365</b>                             |     | ш      | Urokinase 250,000 IU inj     | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| J3370                                    |     | œ      | Vancomycin hcl injeciton     | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
| 13390                                    |     | ш      | Methoxamine injection        | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.0              | 0.00              | 0.00                | 0.00              | 0.00              | ž      |
| J3400                                    |     | ш      | Triflupromazine hcl inj      | 0.00         | 0.00            | 0.00  | 0.00            | 0.00                                   | 0.00             | 0.00              | 0.00                | 0.00              | 0.00              | ×      |
|  |     |        |                              |              |                 |   |                 |  |                  |                   |                     |                   |                   |        |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                   |            |  |             | No.             | Transitioned    | /               | Trancitioned    |                  | _                 |                   |                   |                   |        |
|-------------------|------------|--|-------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                   |            |  |             | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned      |                   |                   |        |
| 1.                |            |  | Physician   | practice        | practice        | practice        | practice        | - Wal            | Non-              | Non-              | •                 | Transitioned      |        |
| CPT //<br>HCPCS 2 | Mod Status | us Description                                 | work 3 RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
|                   | 1          | Hydro  | 0.00        | 0.00            | 0:00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 00:00             | XX     |
| J3420             | ш          | E Vitamin b12 injection                        | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J3430             | Ш          | E Vitamin k phytonadione inj                   | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J3450             | Ш          | E Mephentermine sulfate inj                    | 0.00        | 0.00            | 0.00            | 00.00           | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J3470             | Ш          |  | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J3475             | Ш          |  | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J3480             | Ш          | E Inj potassium chloride                       | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J3490             | ш          | E Drugs unclassified injection                 | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J3520             | Z.         | N Edetate disodium per 150 mg                  | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J3530             | ш          | E Nasal vaccine inhalation                     | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J3535             | z          | N Metered dose inhaler drug                    | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |
| J3570             | Z          | N Laetrile amygdalin vit B17                   | 0.00        | 0.00            | 0.00            | 00.0            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J7030             | ш          | E Normal saline solution infus                 | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J7040             | ш          | E Normal saline solution infus                 | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J7042             | ш          | E 5% dextrose/normal saline                    | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| J7050             | ш          | E Normal saline solution infus                 | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| J7051             | ш          | E Sterile saline/water                         | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| 17060             | ш          | E 5% dextrose/water                            | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| J7070             | ш          | E D5w infusion                                 | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.0               | 0.0               | ×      |
| J7100             | ш          | E Dextran 40 infusion                          | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0:0               | 0.00              | 0.00              | 0.0               | ×      |
| J7110             | ш          | E Dextran 75 infusion                          | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J7120             | ш          |  | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| J7130             | ш          | <ul> <li>Hypertonic saline solution</li> </ul> | 0.00        | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ž      |
| J7190             | ×          |  | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.0               | 0.0               | ×      |
| J7191             | ×          | X Factor VIII (porcine)                        | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| J7192             | ×          | X Factor viii recombinant                      | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ž      |
| J719 <b>4</b>     | ×          | X Factor ix complex                            | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.0               | 0.00              | ×      |
| J7196             | ×          | _  | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ×      |
| J7197             | ×          | •  | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | X      |
| 17300             | _          |  | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×.     |
| J7310             | ш          | E Ganciclovir long act implant                 | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| J7315             | ш          |  | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ž      |
| J7320             | ш          |  | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.0               | 0.0               | ×      |
| J7500             | *          | X Azathiop po tab 50mg 100s ea                 | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| J7501             | *          | X Azathioprine parenteral                      | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| J7503             | *          | X Cyclosporine parenteral                      | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.00              | ž      |
| J7504             | *          | X Lymphocyte immune głobulin                   | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00              | 0.00              | 0.0               | ×      |
| J7505             | ~          | X Monoclonal antibodies                        | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 17506             | *          | X Prednisone oral                              | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| 17507             | ш          | E Tacrolimus oral per 1 MG                     | 0.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ž      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                    |         |        |   |                   | Non-     | Transitioned |          | Transitioned |                  | _                |                  |        |                          |            |
|--------------------|---------|--------|---|-------------------|----------|--------------|----------|--------------|------------------|------------------|------------------|--------|--------------------------|------------|
|                    |         |        |   | :                 | facility | Non-facility | Facility | Facility     | 1-11             | •                | Iransitioned     |        | :                        |            |
| / <sub>1</sub> LdJ |         |        |   | Physician<br>work | practice | practice     | practice | practice     | Mai-<br>nractice | Non-<br>facility | Non-<br>facility | Earith | Transitioned<br>Carilton |            |
| 7                  | Mod Sto | Status | Description                                     | RVUs 3            | RVUs     | RVUs         | RVUs     | RVUs         | RUVs             | Total            | Total            | Total  | Total                    | Global     |
| J7508              |         | В      | Tacrolimus oral per 5 MG                        | 0.00              | 0.00     | 0.00         | 0.00     | 00.0         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | XX         |
| J7509              |         | ×      | Methylprednisolone oral                         | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7510              |         | ×      | Prednisolone oral per 5 mg                      | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7513              |         | ш      | Daclizumab, parenteral                          | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7599              |         | ×      | Immunosuppressive drug noc                      | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7610              |         | ш      | Acetylcysteine 10% injection                    | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7615              |         | ш      | Acetylcysteine 20% injection                    | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7620              |         | ш      | Albuterol sulfate .083%/ml                      | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7625              |         | ш      | Albuterol suffate .5% inj                       | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7627              |         | ш      | Bitolterolmesylate inhal sol                    | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ž          |
| J7630              |         | ш      | Cromolyn sodium injeciton                       | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7640              |         | ш      | Epinephrine injection                           | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7645              |         | w      | Ipratropium bromide .02%/ml                     | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7650              |         | ш      | Isoetharine hcl .1% inj                         | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7651              |         | ш      | Isoetharine hcl .125% inj                       | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7652              |         | ш      | Isoetharine hcl .167% inj                       | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7653              |         | ш      | Isoetharine hcl .2%/ inj                        | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7654              |         | ш      | Isoetharine hcl .25% inj                        | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7655              |         | ш      | Isoetharine hcl 1% inj                          | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ž          |
| J7660              |         | ш      | Isoproterenol hcl .5% inj                       | 0.00              | 0.0      | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7665              |         | ш      | Isoproterenol hcl 1% inj                        | 0.00              | 0.00     | 0.00         | 0.0      | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7670              |         | ш      | Metaproterenol sulfate .4%                      | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J7672              |         | ш      | Metaproterenol sulfate .6%                      | 0.00              | 0.0      | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.0    | 0.00                     | X<br>X     |
| J7675              |         | ш      | Metaproterenol sulfate 5%                       | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.0              | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| 17699              |         | ш      | Inhalation solution for DME                     | 0.00              | 0.00     | 0.00         | 0.0      | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ž š        |
| 9775               |         | ш :    | Non-inhalation drug for DME                     | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | <b>X</b>   |
| J8499<br>Jacon     |         | zu     | Oral prescrip drug non chemo                    | 9 6               | 0.0      | 0.00         | 9 6      | 00.0         | 8 8              | 0.00             | 9 6              | 9 6    | 0.00                     | <b>X</b> X |
| 18560              |         | , ц    | Cyclopinospiramico oral 20 Etoposide oral 50 MG | 00.0              | 800      | 000          | 000      |              | 00.0             | 00.0             | 000              | 000    | 000                      | X          |
| 18600              |         | ш      | Melphalan oral 2 MG                             | 0.00              | 0.0      | 0.00         | 0.00     | 0.0          | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J8610              |         | ш      | Methotrexate oral 2.5 MG                        | 0.00              | 0.0      | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| 18999              |         | ш      | Oral prescription drug chemo                    | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| 0006               |         | ш      | Doxorubic hcl 10 MG vl chemo                    | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J9015              |         | ш      | Aldesleukin/single use vial                     | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J9020              |         | ш      | Asparaginase injection                          | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J9031              |         | ш      | Bcg live intravesical vac                       | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J9040              |         | ш      | Bleomycin sulfate injection                     | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J9045              |         | ш      | Carboplatin injection                           | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| J9050              |         | ш      | Carmus bischl nitro inj                         | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
| 0906f              |         | ш      | Cisplatin 10 MG injeciton                       | 0.00              | 0.00     | 0.00         | 0.00     | 0.00         | 0.00             | 0.00             | 0.00             | 0.00   | 0.00                     | ×          |
|                    |         |        |   |                   |          |              |          |              |                  |                  |                  |        |                          |            |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                             |         |        |                              |              | Non-            | Iransitioned    |                 | Transitioned    |      |                  |                   |                   |                   |        |
|-----------------------------|---------|--------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------|------------------|-------------------|-------------------|-------------------|--------|
|                             |         |        |                              |              | facility        | Non-facility    | Facility        | Facility        | ;    |                  | Transitioned      |                   |                   |        |
| , and 1                     |         |        |                              | Physician    | practice        | practice        | practice        | practice        | Mal- | Non-             | Non-              | į                 | Transitioned      |        |
| UTI /<br>HCPCS <sup>2</sup> | Mod Sta | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | RUYs | raciiny<br>Total | tacılıry<br>Total | racility<br>Total | Facility<br>Total | Global |
| J9062                       |         | س      | Cisplatin 50 MG injeciton    | 0.00         | 0.00            | 00:00           | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 00.0              | 00.00             | X      |
| J9065                       |         | ш      | Inj cladribine per 1 MG      | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 00:0              | 0.00              | 0.00              | ×      |
| J9070                       |         | Ш      | Cyclophosphamide 100 MG inj  | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 00:0              | 0.00              | 0.00              | ×      |
| 19080                       |         | ш      | Cyclophosphamide 200 MG inj  | 00.00        | 0.00            | 0.00            | 0.00            | 00:00           | 0.00 | 0.00             | 00:00             | 0.00              | 0.00              | ××     |
| 0606f                       |         | ш      | Cyclophosphamide 500 MG inj  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 00:0              | 0.00              | 0.00              | ×      |
| 19091                       |         | ш      | Cyclophosphamide 1.0 grm inj | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 00.0              | 0.00              | 0.00              | ×      |
| J9092                       |         | ш      | Cyclophosphamide 2.0 grm inj | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 00.0              | 0.00              | 0.00              | ×      |
| J9093                       |         |        | Cyclophosphamide lyophilized | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 00.0              | 0.00              | 0.00              | ×      |
| <b>J9094</b>                |         | ш      | Cyclophosphamide lyophilized | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| 36066                       |         | ш      | Cyclophosphamide lyophilized | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| 9606f                       |         | ш      | Cyclophosphamide Iyophilized | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| 1909L                       |         | ш      | Cyclophosphamide lyophilized | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| J9100                       |         | ш      | Cytarabine hcl 100 MG inj    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| J9110                       |         | Ш      | Cytarabine hcl 500 MG inj    | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 00.0              | 0.00              | 0.00              | ×      |
| J9120                       |         | ш      | Dactinomycin actinomycin d   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| J9130                       |         | ш      | Dacarbazine 10 MG inj        | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| <b>J9140</b>                |         | ш      | Dacarbazine 200 MG inj       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| J9150                       |         | ш      | Daunorubicin                 | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.00             | 0.00              | 0.00              | 0.00              | ž      |
| J9151                       |         | ш      | Daunorubicin citrate liposom | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| <b>J9165</b>                |         | ш      | Diethylstilbestrol injection | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| J9170                       |         | ш      | Docetaxel                    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.00              | 0.0               | ×      |
| J9181                       |         | ш      | Etoposide 10 MG inj          | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.00              | 0.00              | ×      |
| J9182                       |         | Ш      | Etoposide 100 MG inj         | 0.00         | 0.0             | 0.00            | 0.00            | 0.00            | 0.00 | 0.0              | 0.00              | 0.00              | 0.00              | ×      |
| <b>J9185</b>                |         | ш      | Fludarabine phosphate inj    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| J9190                       |         | ш      | Fluorouracil injection       | 0.00         | 0.00            | 0.00            | 0.0             | 0.00            | 0.0  | 0.0              | 0.00              | 0.0               | 0.00              | ×      |
| J9200                       |         | ш      | Floxuridine injection        | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.00              | 0.00              | ×      |
| J9201                       |         | ш      | Gemcitabine HCI              | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.00              | 0.0               | ×      |
| J9202                       |         | w      | Goserelin acetate implant    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.0               | 0.0               | ×      |
| J9206                       |         | W      | Irinotecan injection         | 0.00         | 0.0             | 0.00            | 0.00            | 0.00            | 0.00 | 0.0              | 0.00              | 0.0               | 0.0               | X<br>X |
| 19208                       |         |        | Ifosfomide injection         | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.00              | 0.00              | ž      |
| J9209                       |         | ш      | Mesna injection              | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.00              | 0.00              | ×      |
| J9211                       |         | ш      | Idarubicin hcl injeciton     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0:00 | 0.0              | 0.00              | 0.00              | 0.00              | ×      |
| J9212                       |         | w      | Interferon alfacon-1         | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.00              | 0.00              | ×      |
| J9213                       |         | ш      | Interferon alfa-2a inj       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| J9214                       |         | ш      | Interferon alfa-2b inj       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| J9215                       |         | ш      | Interferon alfa-n3 inj       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| J9216                       |         | ш      | Interferon gamma 1-b inj     | 00.0         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| J9217                       |         | ш      | Leuprolide acetate suspnsion | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 00.0              | 0.00              | 0.00              | ×      |
| J9218                       |         | ш      | Leuprolide acetate injeciton | 0.00         | 00.0            | 0.00            | 0.00            | 00.0            | 0.00 | 0.00             | 00:0              | 0.00              | 0.00              | ×      |
| J9230                       |         | ш      | Mechlorethamine hol inj      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
|                             |         |        |                              |              |                 |                 |                 |                 |      |                  |                   |                   |                   |        |

Page 264 of 271
2 Copyright 1994 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hndicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|              | med                      | y<br>Global                 |                              |                         | XX                      |                      |                              |                       |                              |                    |                     |                     |                              |                            |                        |                    |           |                         |                              |                              |                              |                            | XX              |                   |                           |                  |              |                          |                       |                     |                             |                              |                           |                      |               |                        |                   | •                            |                             | •     | ××                          |
|--------------|--------------------------|-----------------------------|------------------------------|-------------------------|-------------------------|----------------------|------------------------------|-----------------------|------------------------------|--------------------|---------------------|---------------------|------------------------------|----------------------------|------------------------|--------------------|-----------|-------------------------|------------------------------|------------------------------|------------------------------|----------------------------|-----------------|-------------------|---------------------------|------------------|--------------|--------------------------|-----------------------|---------------------|-----------------------------|------------------------------|---------------------------|----------------------|---------------|------------------------|-------------------|------------------------------|-----------------------------|-------|-----------------------------|
|              | 1                        | , Facility<br>Total         | 00.0                         | 0.00                    | 0.00                    | 0.00                 | 0.00                         | 0.00                  | 0.00                         | 0.00               | 0.0                 | 0.00                | 0.0                          | 0.00                       | 0.0                    | 0.00               | 0.0       | 0.0                     | 0.00                         | 0.00                         | 0.00                         | 0.00                       | 0.00            | 0.0               | 0.60                      | 0.0              | 0.0          | 0.00                     | 0.00                  | 0.00                | 0.0                         | 0.00                         | 0.0                       | 0.00                 | 0.0           | 0.0                    | 0.0               | 0.0                          | 0.76                        | 6     | 3.0                         |
| _            |                          | Facility<br>Total           | 0.00                         | 0.00                    | 0.00                    | 0.00                 | 0.00                         | 0.00                  | 0.00                         | 0.00               | 0.00                | 0.00                | 0.00                         | 0.00                       | 0.00                   | 0.00               | 0.00      | 0.00                    | 0.00                         | 0.00                         | 0.00                         | 0.00                       | 0.00            | 0.00              | 0.58                      | 0.00             | 0.00         | 0.00                     | 0.00                  | 0.00                | 0.00                        | 0.00                         | 0.00                      | 0.00                 | 0.00          | 0.00                   | 0.00              | 0.00                         | 0.63                        | 6     | 3                           |
| :            | Iransitioned<br>Non-     | facility<br>Total           | 0.00                         | 0.00                    | 0.00                    | 0.00                 | 0.00                         | 0.00                  | 0.00                         | 0.00               | 0.00                | 0.00                | 0.00                         | 0.00                       | 0.00                   | 0.00               | 0.00      | 0.00                    | 0.00                         | 0.00                         | 0.00                         | 0.00                       | 0.00            | 0.00              | 0.60                      | 0.00             | 0.00         | 0.00                     | 0.00                  | 0.00                | 0.00                        | 0.00                         | 0.00                      | 0.00                 | 0.00          | 0.00                   | 0.00              | 0.00                         | 0.76                        | 0     | 0.00                        |
| ł            | Non-                     | facility<br>Total           | 0.00                         | 0.00                    | 0.00                    | 0.00                 | 0.00                         | 0.00                  | 0.00                         | 0.00               | 0.00                | 0.00                | 0.00                         | 0.00                       | 0.00                   | 0.00               | 0.00      | 0.00                    | 0.00                         | 0.00                         | 0.00                         | 0.00                       | 0.00            | 0.00              | 0.60                      | 0.00             | 0.00         | 0.00                     | 0.00                  | 0.00                | 0.00                        | 0.00                         | 0.00                      | 0.00                 | 0.00          | 0.00                   | 0.00              | 0.00                         | 0.63                        | 6     | 3                           |
|              | Mal-                     | practice<br>RUVs            | 0.00                         | 0.00                    | 0.00                    | 0.00                 | 0.00                         | 0.00                  | 0.00                         | 0.00               | 0.00                | 0.00                | 0.00                         | 0.00                       | 0.00                   | 0.00               | 0.00      | 0.00                    | 0.00                         | 0.00                         | 0.00                         | 0.00                       | 0.00            | 0.00              | 0.02                      | 0.00             | 0.00         | 0.00                     | 0.00                  | 0.00                | 0.00                        | 0.00                         | 0.00                      | 0.00                 | 0.00          | 0.00                   | 0.00              | 0.00                         | 0.03                        | 0     | 5                           |
| Transitioned | raciiny<br>practice      | expense<br>RVUs             | 0.00                         | 0.00                    | 0.00                    | 0.00                 | 0.00                         | 0.00                  | 0.00                         | 0.00               | 0.00                | 0.00                | 0.0                          | 0.00                       | 0.00                   | 0.00               | 0.00      | 0.00                    | 0.00                         | 0.00                         | 0.00                         | 0.00                       | 0.00            | 0.00              | 0.21                      | 0.00             | 0.00         | 0.00                     | 0.00                  | 0.00                | 0.00                        | 0.00                         | 0.00                      | 0.00                 | 0.00          | 0.00                   | 0.00              | 0.00                         | 0.31                        | 2     | 3                           |
| 4            | radiny<br>practice       | expense<br>RVUs             | 0.00                         | 0.00                    | 0.00                    | 0.00                 | 0.00                         | 0.00                  | 0.00                         | 0.00               | 0.00                | 0.00                | 0.00                         | 0.00                       | 0.00                   | 0.00               | 0.00      | 0.00                    | 0.00                         | 0.00                         | 0.00                         | 0.00                       | 0.00            | 0.00              | 0.19                      | 0.00             | 0.00         | 0.00                     | 0.00                  | 0.00                | 0.00                        | 0.00                         | 0.00                      | 0.00                 | 0.00          | 0.00                   | 0.00              | 0.00                         | 0.18                        | 6     | 3                           |
| Transitioned | Non-tacility<br>practice | expense<br>RVUs             | 0.00                         | 0.00                    | 0.00                    | 0.00                 | 0.00                         | 0.00                  | 0.00                         | 0.00               | 0.00                | 0.00                | 0.00                         | 0.00                       | 0.00                   | 0.00               | 0.00      | 0.00                    | 0.00                         | 0.00                         | 0.00                         | 0.00                       | 0.00            | 0.00              | 0.21                      | 0.00             | 0.00         | 0.00                     | 0.00                  | 0.00                | 0.00                        | 0.00                         | 0.00                      | 0.00                 | 0.00          | 0.00                   | 0.00              | 0.00                         | 0.31                        | 000   | 0.00                        |
| Mon-         | racinny<br>practice      | expense<br>RVUs             | 0.00                         | 0.00                    | 0.00                    | 0.00                 | 0.00                         | 0.00                  | 0.00                         | 0.00               | 0.00                | 0.00                | 0.00                         | 0.00                       | 0.00                   | 0.00               | 0.00      | 0.00                    | 0.00                         | 0.00                         | 0.00                         | 0.00                       | 0.00            | 0.00              | 0.21                      | 0.00             | 0:00         | 0.00                     | 0.00                  | 0.00                | 0.00                        | 0.00                         | 0.00                      | 0.00                 | 0.00          | 0.00                   | 0.00              | 0.00                         | 0.18                        | 6     | 20.0                        |
|              | Physician                | work<br>RVUs                | 0.00                         | 0.00                    | 0.00                    | 0.00                 | 0.00                         | 0.00                  | 0.00                         | 0.00               | 0.00                | 0.00                | 0.00                         | 0.00                       | 0.00                   | 0.00               | 0.00      | 0.00                    | 0.00                         | 0.00                         | 0.00                         | 0.00                       | 0.00            | 0.00              | 0.37                      | 0.00             | 0.00         | 0.00                     | 0.00                  | 0.00                | 0.00                        | 0.00                         | 0.00                      | 0.00                 | 0.00          | 0.00                   | 0.00              | 0.00                         | 0.42                        | 6     | 0.00                        |
|              |                          | Description                 | Inj melphalan hydrochl 50 MG | Methotrexate sodium inj | Methotrexate sodium inj | Paclitaxel injection | Pegaspargase/singl dose vial | Pentostatin injection | Plicamycin (mithramycin) inj | Mitomycin 5 MG inj | Mitomycin 20 MG inj | Mitomycin 40 MG inj | Mitoxantrone hydrochl / 5 MG | Rituximab cancer treatment | Streptozocin injection | Thiotepa injection | Topotecan | Vinblastine sulfate inj | Vincristine sulfate 1 MG inj | Vincristine sulfate 2 MG inj | Vincristine sulfate 5 MG inj | Vinorelbine tartrate/10 mg | Porfimer sodium | Chemotherapy drug | Visit for drug monitoring | Cellular therapy | Prolotherapy | Intragastric hypothermia | Foot care hygienic/pm | IV chelationtherapy | Fabric wrapping of aneurysm | Assessment of cardiac output | Cephalin floculation test | Congo red blood test | Hair analysis | Blood thymol turbidity | Blood mucoprotein | Screen pap by tech w md supv | Screening pap smear by phys |       | Screening pap smear by phys |
|              |                          | f Status                    | Е                            | ш                       | ш                       | ш                    | ш                            | ш                     | ш                            | ш                  | ш                   | ш                   | ш                            | ш                          | щ                      | ш                  | ш         | ш                       | ш                            | ш                            | ш                            | ш                          | ш               | ш                 | ∢                         | z                | z            | z                        | ۵                     | z                   | z                           | z                            | ×                         | ×                    | z             | ×                      | ×                 | ×                            | ∢                           | -     | E                           |
|              |                          | , Mod                       |                              |                         |                         |                      |                              |                       |                              |                    |                     |                     |                              |                            |                        |                    |           |                         |                              |                              |                              |                            |                 |                   |                           |                  |              |                          |                       |                     |                             |                              |                           |                      |               |                        |                   |                              |                             | ć     | q                           |
|              | ~                        | CPT /<br>HCPCS <sup>2</sup> | J9245                        | <b>J9250</b>            | <b>J9260</b>            | <b>J9265</b>         | <b>J9266</b>                 | <b>J9268</b>          | J9270                        | <b>J9280</b>       | <b>J9290</b>        | <b>J9291</b>        | <b>J9293</b>                 | <b>J9310</b>               | <b>J</b> 9320          | <b>J9340</b>       | 19350     | 19360                   | J9370                        | <b>J9375</b>                 | 19380                        | 19390                      | 0096r           | 6666f             | M0064                     | M0075            | M0076        | M0100                    | M0101                 | M0300               | M0301                       | M0302                        | P2028                     | P2029                | P2031         | P2033                  | P2038             | P3000                        | P3001                       | D2001 | 200                         |

Page 265 of 271
2 Copyright 1994 American Dental Association. All Rights Reserved. Applicable FARS/DFARS Apply.
3 Hindicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

Page 266 of 271 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUs) AND RELATED INFORMATION -

|                                |            |                              | בייים הייים    |                 | CENTROLL V. ALLANIA, TARGE OMISSIANS ALLANIA IN OMINANON | 103/2116          |                 |                  | •                 |                    |                   |                   |        |
|--------------------------------|------------|------------------------------|----------------|-----------------|--|-------------------|-----------------|------------------|-------------------|--------------------|-------------------|-------------------|--------|
|                                |            |                              |                | Non-            | Transitioned   | Carility          | Transitioned    |                  |                   | ;                  |                   |                   |        |
| -                              |            |                              | Physician      | practice        | non-raciiny<br>practice                                  | ruumy<br>practice | ractice         | Mal-             | Non-              | Iransmonea<br>Non- |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> M | Mod Status | S                            | work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs  | expense<br>RVUs   | expense<br>RVUs | practice<br>RUVs | facility<br>Total | facility<br>Total  | Facility<br>Total | Facility<br>Total | Global |
| Q0167                          | E          | Dronabinol 2.5mg oral        | 0.00           | 0.00            | 00.0   | 00.0              | 0.00            | 0.00             | 0.00              | 0.00               | 00.00             | 0.00              | XX     |
| Q0168                          | ш          | Dronabinol 5mg oral          | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0169                          | Ш          | Promethazine HCI 12.5mg oral | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0170                          | Ш          | Promethazine HCI 25 mg oral  | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0171                          | ш          | Chlorpromazine HCI 10mg oral | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0172                          | ш          | Chlorpromazine HCI 25mg oral | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0173                          | ш          | Trimethobenzamide HCI 250mg  | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0174                          | w          | Thiethylperazine maleate10mg | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0175                          | ш          |                              | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0176                          | ш          | Perphenazine 8mg oral        | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0177                          | ш          | Hydroxyzine pamoate 25mg     | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0178                          | ш          | Hydroxyzine pamoate 50mg     | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0179                          | ш          | Ondansetron HCl 8mg oral     | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0180                          | ш          | Dolasetron mesylate oral     | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ž      |
| Q0181                          | ×          | Unspecified oral anti-emetic | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0183                          | ш          | Nonmetabolic active tissue   | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0184                          | ш          | Metabolically active tissue  | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q0185                          | Ш          | Metabolic active D/E tissue  | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ž      |
| Q9920                          | ш          | Epoetin with hct <= 20       | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.0               | 0.00               | 0.0               | 0.00              | ž      |
| Q9921                          | ш          | Epoetin with $hct = 21$      | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.0               | 0.00               | 0.0               | 0.00              | ×      |
| Q9922                          | ш          | Epoetin with $hct = 22$      | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.0               | 0.00               | 0:0               | 0.00              | ×      |
| Q9923                          | ш          | Epoetin with $hct = 23$      | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.0               | 0.00               | 0.00              | 0.00              | ×      |
| Q9924                          | ш          | Epoetin with $hct = 24$      | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ž      |
| Q9925                          | ш          | Epoetin with $hct = 25$      | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q9926                          | ш          |                              | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ž      |
| Q9927                          | Ш          |                              | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q9928                          | Ш          |                              | 0.00           | 0.0             | 0.00   | 0.00              | 0.00            | 0.0              | 0.00              | 0.00               | 0.0               | 0.0               | ž      |
| Q9929                          | Ш          | Epoetin with hct             | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.0               | 0.00               | 0.00              | 0.0               | ×      |
| Q9930                          | ш          |                              | 0.00           | 0.00            | 00:0   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q9931                          | ш          | Epoetin with hct             | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.0               | 0.00               | 0.00              | 0.00              | ž      |
| Q9932                          | Ш          | ii –                         | 0.00           | 0.0             | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q9933                          | Ш          | Epoetin with hct = 33        | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q9934                          | ш          | Epoetin with $hct = 34$      | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q9935                          | Ш          | Epoetin with hct = 35        | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q9936                          | ш          | Epoetin with $hct = 36$      | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q9937                          | Ш          | Epoetin with $hct = 37$      | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q9938                          | ш          | Epoetin with hct = 38        | 0.00           | 0.00            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q9939                          | ш          | _                            | 0.00           | 00.0            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| Q9940                          | ш          | Epoetin with hct >= 40       | 0.00           | 00.0            | 0.00   | 0.00              | 0.00            | 0.00             | 0.00              | 0.00               | 0.00              | 0.00              | ×      |
| R0070                          | ∢          | Transport portable x-ray     | 0.00           | 1.64            | 1.64   | 1.64              | 1.64            | 0.01             | 1.65              | 1.65               | 1.65              | 1.65              | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|         |         |        |                                 |                | Non-            | Transitioned    |                 | Transitioned    |                  |                   |                  |                  |                   |            |
|---------|---------|--------|---------------------------------|----------------|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|------------------|------------------|-------------------|------------|
|         |         |        |                                 |                | facility        | Non-facility    | Facility        | Facility        |                  |                   | Transitioned     |                  |                   |            |
| ' Las   |         |        |                                 | Physician      | practice        | practice        | practice        | practice        | Mal-<br>practice | Non-              | Non-             | ÷                | Transitioned      |            |
| HCPCS 2 | Mod Sta | Status | Description                     | Work 3<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | RUVs             | racılıry<br>Total | raciiny<br>Total | raciity<br>Total | racility<br>Total | Global     |
| R0075   |         | ⋖      | Transport port x-ray multipl    | 0.00           | 69.0            | 69.0            | 69.0            | 69.0            | 0.01             | 0.70              | 0.70             | 0.70             | 0.70              | ××         |
| R0076   |         | Ф      | Transport portable EKG          | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:00            | 0.00             | 0.00              | ×          |
| V2020   | -       | ×      | Vision svcs frames purchases    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00.00            | 0.00             | 0.00              | ×          |
| V2025   | _       | z      | Eyeglasses delux frames         | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ×          |
| V2100   | -       | ×      | Lens spher single plano 4.00    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 00:00            | 0.00             | 0.00              | ×          |
| V2101   | -       | ×      | Single visn sphere 4.12-7.00    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ×          |
| V2102   | -       | ×      | Singl visn sphere 7.12-20.00    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ×          |
| V2103   |         | ×      | Spherocylindr 4.00d/12-2.00d    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ×          |
| V2104   | -       | ×      | Spherocylindr 4.00d/2.12-4d     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ž          |
| V2105   | -       | ×      | Spherocylinder 4.00d/4.25-6d    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ž          |
| V2106   | -       | ×      | Spherocylinder 4.00d/>6.00d     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00             | 0.00             | 0.00              | ž          |
| V2107   | -       | ×      | Spherocylinder 4.25d/12-2d      | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ×          |
| V2108   | •       | ×      | Spherocylinder 4.25d/2.12-4d    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00             | 0.00             | 0.00              | ×          |
| V2109   | -       | ×      | Spherocylinder 4.25d/4.25-6d    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ž          |
| V2110   | -       | ×      | Spherocylinder 4.25d/over 6d    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ×          |
| V2111   | -       | ×      | Spherocylindr 7.25d/.25-2.25    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ×          |
| V2112   | -       | ×      | Spherocylindr 7.25d/2.25-4d     | 0.00           | 0.0             | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ×          |
| V2113   | -       | ×      | Spherocylindr 7.25d/4.25-6d     | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ×          |
| V2114   | -       | ×      | Spherocylinder over 12.00d      | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00             | 0.00             | 0.00              | ×          |
| V2115   | -       | ×      | Lens lenticular bifocal         | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.00              | 0.00             | 0.00             | 0.00              | ×          |
| V2116   | -       | ×      | Nonaspheric lens bifocal        | 0.00           | 0.00            | 0.00            | 0.0             | 0.00            | 0.00             | 0.0               | 0.00             | 0.0              | 0.00              | ×          |
| V2117   | -       | ×      | Aspheric lens bifocal           | 0.00           | 0.00            | 0.00            | 0.0             | 0.00            | 0.00             | 0.0               | 0.00             | 0.00             | 0.00              | ×          |
| V2118   | •       | ×      | Lens aniseikonic single         | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.0              | 0.0               | 0.00             | 0.00             | 0.00              | ž          |
| V2199   | -       | ×      | Lens single vision not oth c    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00             | 0.00             | 0.00              | ×          |
| V2200   |         | ×      | Lens spher bifoc plano 4.00d    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00             | 0.0              | 0.00              | ž          |
| V2201   | -       | ×      | Lens sphere bifocal 4.12-7.0    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.0               | 0.00             | 0.00             | 0.00              | ž          |
| V2202   | - 1     | ×      | Lens sphere bifocal 7.12-20.    | 0.00           | 0.00            | 0.00            | 0.00            | 0.0             | 0.00             | 0.0               | 0.00             | 0.0              | 0.0               | ×          |
| V2203   |         | × :    | Lens sphcyl bifocal 4.00d/.1    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | ž          |
| V2204   |         | × :    | Lens sphcy bifocal 4.00d/2.1    | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 0.00              | 0.00             | 0.00             | 0.00              | X :        |
| V2205   | Í       | < >    | Lens spincy bildeal 4.00d/4.2   | 9.0            | 9 6             | 90.0            | 8 8             | 90.0            | 9 6              | 9.6               | 0.0              | 0.0              | 0.00              | <b>{</b> } |
| V2205   | •       | < >    | Lens splicy bilocal 4.000/ove   | 8.0            | 8 6             | 8.0             | 8 6             | 8 6             | 8 8              | 3 5               | 9.6              | 8 6              | 3 6               | { }        |
| 72207   | -       | < >    | Lens spindy bilded 4:20-70/.    | 8 6            | 8 6             | 800             | 8 6             | 8 6             | 8 6              | 8 6               | 00.0             | 80.0             | 8 6               | <b>{</b> } |
| V2209   |         | < >    | Lens spincy billocal 4.23-772.  | 0.0            | 8 6             | 8 6             | 8 6             | 8 6             | 8 6              | 8 6               | 00.0             | 9 6              | 8 6               | {          |
| 72210   | •       | < ×    | Lens spirely billocal 4.25-774. | 000            | 8 6             | 000             | 000             | 000             |                  | 8 6               | 000              | 800              | 8 6               | Š          |
| 72213   | •       | < ×    | Lens sphot bifo 7 25-12/25      | 000            | 000             | 000             | 000             | 000             | 800              | 000               | 00.0             |                  | 8 6               | X          |
| V2212   |         | < ×    | Lens sphey bife 7.25-12/2.2     | 00.00          | 0.00            | 00.0            | 0.00            | 000             | 000              | 0.00              | 000              | 000              | 000               | ₹ ×        |
| V2213   |         | < ×    | Lens sphcyl bifo 7.25-12/4.2    | 00.0           | 0.00            | 00:0            | 0.00            | 00:0            | 00.0             | 00.0              | 0.00             | 00.0             | 00.0              | ×          |
| V2214   |         | < ×    | Lens sphey hifocal over 12.     | 000            | 00.0            | 0.00            | 00.0            | 00.0            | 000              | 000               | 000              | 00 0             | 000               | X          |
| V2215   |         | ×      | Lens lenticular bifocal         | 0.00           | 0.00            | 0.00            | 0.00            | 0.00            | 0.00             | 00.0              | 0.00             | 0.00             | 0.00              | ×          |
|         |         |        |                                 |                |                 |                 |                 |                 |                  |                   |                  |                  |                   |            |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|       |            | · ·                          |              | Mai.            | Transitioned    |                 | Transitioned    |      |                  |                   |                   |                   |        |
|-------|------------|------------------------------|--------------|-----------------|-----------------|-----------------|-----------------|------|------------------|-------------------|-------------------|-------------------|--------|
|       |            |                              |              | facility        | Non-facility    | Facility        | Facility        |      |                  | Transitioned      |                   |                   |        |
| , l   |            |                              | Physician    | practice        | practice        | practice        | practice        | Mal- | Non-             | Non-              | į                 | Transitioned      |        |
| 7     | Mod Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | RUYs | taciiny<br>Total | tacility<br>Total | racility<br>Total | Facility<br>Total | Global |
| V2216 | ×          | Lens lenticular nonaspheric  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 00:00             | 0.00              | XX     |
| V2217 | ×          | Lens lenticular aspheric bif | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2218 | ×          | Lens aniseikonic bifocal     | 00:00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2219 | ×          | Lens bifocal seg width over  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2220 | ×          | Lens bifocal add over 3.25d  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 00.0              | 0.00              | 0.00              | ×      |
| V2299 | ×          | Lens bifocal speciality      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2300 | ×          | Lens sphere trifocal 4.00d   | 00:00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2301 | ×          | Lens sphere trifocal 4.12-7. | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 00.0              | 0.00              | 0.00              | ×      |
| V2302 | ×          | Lens sphere trifocal 7.12-20 | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2303 | ×          | Lens sphcy trifocal 4.0/.12- | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2304 | ×          | Lens sphcy trifocal 4.0/2.25 | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.0              | 0.00              | 0.00              | 0.00              | ×      |
| V2305 | ×          | Lens sphcy trifocal 4.0/4.25 | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2306 | ×          | Lens sphcyl trifocal 4.00/>6 | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 00.00             | 0.00              | 0.00              | ×      |
| V2307 | ×          | Lens sphcy trifocal 4.25-7/. | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2308 | ×          | Lens sphc trifocal 4.25-7/2. | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2309 | ×          | Lens sphc trifocal 4.25-7/4. | 0.00         | 0.00            | 0.00            | 0.00            | 00.00           | 0.00 | 0.00             | 00.00             | 0.00              | 0.00              | ×      |
| V2310 | ×          | Lens sphc trifocal 4.25-7/>6 | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.0               | ×      |
| V2311 | ×          | Lens sphc trifo 7.25-12/.25- | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.0               | ×      |
| V2312 | ×          | Lens sphc trifo 7.25-12/2.25 | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2313 | ×          | Lens sphc trifo 7.25-12/4.25 | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.0               | 0.0               | ×      |
| V2314 | ×          | Lens sphcyl trifocal over 12 | 0.00         | 0.0             | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.0               | 0.00              | ž      |
| V2315 | ×          | Lens lenticular trifocal     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.00              | 0.0               | ž      |
| V2316 | ×          | Lens lenticular nonaspheric  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.0               | 0.0               | ×      |
| V2317 | ×          | Lens lenticular aspheric tri | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.0              | 0.00              | 0.00              | 0.0               | ×      |
| V2318 | ×          | Lens aniseikonic trifocal    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.0              | 0.00              | 0.00              | 0.0               | ž      |
| V2319 | ×          | Lens trifocal seg width > 28 | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.0              | 0.00              | 0.00              | 0.0               | ×      |
| V2320 | ×          | Lens trifocal add over 3.25d | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.00             | 0.00              | 0.0               | 0.0               | ×      |
| V2399 | ×          | Lens trifocal speciality     | 0.00         | 0.0             | 0.00            | 0.00            | 0.00            | 0.0  | 0.00             | 0.00              | 0.0               | 0.0               | ×      |
| V2410 | ×          | Lens variab asphericity sing | 0.00         | 0.0             | 0.00            | 0.0             | 0.00            | 0.0  | 0.00             | 0.00              | 0.00              | 0.0               | ×      |
| V2430 | ×          | Lens variable asphericity bi | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.00             | 0.00              | 0.0               | 0.0               | ž      |
| V2499 | ×          | Variable asphericity lens    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ž      |
| V2500 | ×          | Contact lens pmma spherical  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.00             | 0.00              | 0.0               | 0.0               | ×      |
| V2501 | ×          | Cntct lens pmma-toric/prism  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2502 | ×          | Contact lens pmma bifocal    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2503 | ×          | Cntct lens pmma color vision | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.0  | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2510 | ×          | Cntct gas permeable sphericl | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.0               | ×      |
| V2511 | ×          | Cntct toric prism ballast    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2512 | ×          | Cntct lens gas permbl bifocl | 00.00        | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2513 | ×          | Contact lens extended wear   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |
| V2520 | <u>α</u>   | Contact lens hydrophilic     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00            | 0.00 | 0.00             | 0.00              | 0.00              | 0.00              | ×      |

7 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

Page 270 of 271 codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +indicates RVUs are not used for Medicare payment.

ADDENDUM B. - RELATIVE VALUE UNITS(RVUS) AND RELATED INFORMATION -

|                                 |        |        |                              |              | Mon Won         | Transferred     | and least       | Transitioned           |                  |                   |                   |                   |                   |        |
|---------------------------------|--------|--------|------------------------------|--------------|-----------------|-----------------|-----------------|------------------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                                 |        |        |                              |              | facility        | Non-facility    | Facility        | n unsmoneu<br>Facility |                  |                   | Transitioned      |                   |                   |        |
|                                 |        |        |                              | Physician    | practice        | practice        | practice        | practice               | -Hal-            | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> Mo | Nod St | Status | Description                  | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs        | practice<br>RUVs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| V5014                           |        | z      | Hearing aid repair/modifying | 0.00         | 00.0            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| V5020                           |        | z      | Conformity evaluation        | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5030                           |        | z      | Body-worn hearing aid air    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5040                           |        | z      | Body-worn hearing aid bone   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5050                           |        | z      | Body-worn hearing aid in ear | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| V5060                           |        | z      | Behind ear hearing aid       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5070                           |        | z      | Glasses air conduction       | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5080                           |        | z      | Glasses bone conduction      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5090                           |        | z      | Hearing aid dispensing fee   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5100                           |        | z      | Body-worn bilat hearing aid  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.0               | ×      |
| V5110                           |        | z      | Hearing aid dispensing fee   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5120                           |        | z      | Body-worn binaur hearing aid | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5130                           |        | z      | In ear binaural hearing aid  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5140                           |        | z      | Behind ear binaur hearing ai | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5150                           |        | z      | Glasses binaural hearing aid | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5160                           |        | z      | Dispensing fee binaural      | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5170                           |        | z      | Within ear cros hearing aid  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5180                           |        | z      | Behind ear cros hearing aid  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5190                           |        | z      | Glasses cros hearing aid     | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5200                           |        | z      | Cros hearing aid dispens fee | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5210                           |        | z      | In ear bicros hearing aid    | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5220                           |        | z      | Behind ear bicros hearing ai | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 00.0              | 0.00              | ×      |
| V5230                           |        | z      | Glasses bicros hearing aid   | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| V5240                           |        | z      | Dispensing fee bicros        | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ××     |
| V5299                           |        | œ      | Hearing service              | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5336                           |        | z      | Repair communication device  | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5362                           |        | œ      | Speech screening             | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5363                           |        | œ      | Language screening           | 0.00         | 0.00            | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |
| V5364                           |        | œ      | Dysphagia screening          | 0.00         | 0.0             | 0.00            | 0.00            | 0.00                   | 0.00             | 0.00              | 0.00              | 0.00              | 0.00              | ×      |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.

ADDENDUM C. - CODES WITH INTERIM RVUS

|                          | ioned<br>ity                | d Global           |            |                   |                |                       |                  |                         |                       |                  |                       |                      |                       |                        |                          |                   |                        |                        |                        |                          |                          |                     |                     |                     | 3 090               |                             |                              |                             |                            |                              |                            |                      |                             |                              |                             |                            |                          |                     |                   |  |
|--------------------------|-----------------------------|--------------------|------------|-------------------|----------------|-----------------------|------------------|-------------------------|-----------------------|------------------|-----------------------|----------------------|-----------------------|------------------------|--------------------------|-------------------|------------------------|------------------------|------------------------|--------------------------|--------------------------|---------------------|---------------------|---------------------|---------------------|-----------------------------|------------------------------|-----------------------------|----------------------------|------------------------------|----------------------------|----------------------|-----------------------------|------------------------------|-----------------------------|----------------------------|--------------------------|---------------------|-------------------|--|
|                          | Transitioned<br>ty Facility |                    |            |                   |                |                       |                  |                         |                       |                  |                       |                      |                       |                        |                          |                   |                        |                        |                        |                          |                          |                     |                     |                     |                     |                             |                              |                             |                            |                              |                            |                      |                             |                              |                             |                            |                          |                     |                   |  |
| 7                        | _                           | Total              |            |                   |                |                       |                  |                         |                       |                  |                       |                      |                       |                        |                          |                   |                        |                        |                        |                          |                          |                     |                     |                     |                     |                             |                              |                             |                            |                              |                            |                      |                             |                              |                             |                            |                          |                     |                   |  |
| Transition               | Non-<br>Non-<br>facility    | Total              | 6.72       | 1.90              | 7.70           | 1.67                  | 5.92             | 1.67                    | ₹                     | 8.96             | 10.24                 | 6.24                 | 6.67                  | 6.73                   | 5.89                     | 8.09              | ¥                      | 12.76                  | 14.57                  | ₹                        | ¥                        | 11.67               | ₹                   | 17.76               | 57.10               | 9.67                        | 32.57                        | 39.83                       | 39.46                      | 42.03                        | 18.29                      | 20.11                | ¥                           | ¥                            | ₹                           | ¥                          | ₹                        | 6.02                | 0.55              |  |
|                          | Non-<br>facility            | Total              | 99.9       | 1.90              | 10.80          | 1.67                  | 7.82             | 1.67                    | ¥                     | 8.96             | 10.24                 | 6.12                 | 6.67                  | 6.73                   | 5.89                     | 8.09              | ₹                      | 12.76                  | 14.57                  | ₹                        | ₹                        | 11.67               | ₹                   | 17.76               | 57.10               | 9.67                        | 32.57                        | 39.83                       | 39.46                      | 42.03                        | 16.22                      | 20.11                | ₹                           | ₹                            | ¥                           | ¥                          | ¥                        | 6.02                | 0.55              |  |
|                          | Mal-<br>practice            |                    |            |                   |                |                       |                  |                         |                       |                  |                       |                      |                       |                        |                          |                   |                        |                        |                        |                          |                          |                     |                     |                     |                     |                             |                              |                             |                            |                              |                            |                      |                             |                              |                             |                            |                          |                     |                   |  |
| Transitioned<br>Facility | practice<br>expense         | RVUs               | 2.23       | 0.48              | 2.64           | 0.45                  | 1.92             | 0.45                    | 19.40                 | 2.83             | 3.12                  | 2.79                 | 1.25                  | 1.26                   | 1.23                     | 2.17              | 7.73                   | 2.74                   | 3.22                   | 8.15                     | 8.91                     | 2.98                | 7.17                | 4.49                | 13.63               | 2.37                        | 8.53                         | 9.36                        | 10.12                      | 9.36                         | 5.10                       | 6.54                 | 9.63                        | 8.74                         | 9.79                        | 6.65                       | 8.32                     | 1.83                | 0.11              |  |
| Facility                 | practice<br>expense         | RVUs               | 1.93       | 0.48              | 3.58           | 0.45                  | 4.22             | 0.45                    | 23.30                 | 2.83             | 3.12                  | 1.12                 | 1.25                  | 1.26                   | 1.23                     | 2.17              | 2.05                   | 2.74                   | 3.22                   | 5.87                     | 8.90                     | 2.98                | 5.56                | 4.49                | 13.63               | 2.37                        | 8.53                         | 9.36                        | 10.12                      | 96.6                         | 5.69                       | 6.54                 | 7.49                        | 5.90                         | 6.95                        | 6.07                       | 7.64                     | 1.83                | 0.11              |  |
| Transitioned             | practice<br>expense         | RVUS               | 2.31       | 0.49              | 3.37           | 0.41                  | 1.79             | 0.41                    | Ϋ́                    | 2.44             | 2.78                  | 3.30                 | 3.33                  | 3.35                   | 1.73                     | 2.11              | Ϋ́                     | 2.81                   | 3.32                   | Ϋ́                       | Ϋ́                       | 2.38                | ΑΝ                  | 4.52                | 13.90               | 2.45                        | 8.71                         | 9.80                        | 9.43                       | 10.00                        | 9.10                       | 6.61                 | Ϋ́                          | Y<br>Y                       | ¥                           | Ϋ́                         | Ϋ́                       | 1.83                | 0.11              |  |
| Non-<br>facility         | practice<br>expense         | RVUs               | 2.25       | 0.49              | 6.47           | 0.41                  | 3.69             | 0.41                    | ¥                     | 2.44             | 2.78                  | 3.18                 | 3.33                  | 3.35                   | 1.73                     | 2.11              | Š                      | 2.81                   | 3.32                   | Š                        | ¥                        | 2.38                | Š                   | 4.52                | 13.90               | 2.45                        | 8.71                         | 9.80                        | 9.43                       | 10.00                        | 7.03                       | 6.61                 | ¥                           | ¥                            | ¥                           | Ϋ́                         | ¥                        | 1.83                | 0.11              |  |
|                          | Physician<br>work           | RVUs               | 4.00       | 1.00              | 4.00           | 1.00                  | 4.00             | 1.00                    | 41.00                 | 5.78             | 7.04                  | 2.67                 | 3.07                  | 3.11                   | 3.50                     | 5.71              | 1.60                   | 7.20                   | 8.50                   | 10.13                    | 17.00                    | 8.00                | 10.50               | 11.95               | 38.39               | 6.36                        | 23.00                        | 27.00                       | 27.00                      | 29.00                        | 8.82                       | 13.13                | 4.33                        | 4.06                         | 4.49                        | 3.98                       | 4.93                     | 3.46                | 0.41              |  |
|                          |                             | Description        | Skin graft | Skin graft add-on | Skin homograft | Skin homograft add-on | Skin heterograft | Skin heterograft add-on | Breast reconstruction | Remove knee cyst | Repair hallux rigidus | Dx bronchoscope/wash | Dx bronchoscope/brush | Dx bronchoscope/lavage | Dx bronchoscope/catheter | Fotal lung lavage | Composite bypass graft | Composite bypass graft | Composite bypass graft | Removal of clot in graft | Removal of clot in graft | Av fistula excision | Av fistula revision | Av fistula revision | Pelvic exenteration | Remove vagina wall, partial | Remove vagina tissue/partial | Vaginectomy partial w/nodes | Remove vagina tissue/compl | Vaginectomy complete w/nodes | reatment of retinal lesion | Freat choroid lesion | Revise eye muscle(s) add-on | Eye surgery follow-up add-on | Rerevise eye muscles add-on | Revise eye muscle w/suture | Revise eye muscle add-on | Microsurgery add-on | K-ray stress view |  |
|                          |                             | Status             | A Ski      | A SK              | A Ski          |                       |                  |                         |                       | A<br>Re          |                       | A<br>D<br>V          | A<br>A                |                        |                          | •                 | δ<br>V                 | ق<br>۷                 | Ō<br>▼                 | A<br>Re                  | A<br>Re                  | A<br>A              | A<br>A              | ¥<br>Y              | A Pel               | A<br>Re                     | A<br>Re                      | A Vag                       | A<br>Re                    | A<br>Va                      | A Tre                      | A                    | A<br>Re                     | A<br>Ey                      | A Re                        | A<br>Re                    | _                        | R                   |                   |  |
|                          |                             | Mod                |            |                   |                |                       |                  |                         |                       |                  |                       |                      |                       |                        |                          |                   |                        |                        |                        |                          |                          |                     |                     |                     |                     |                             |                              |                             |                            |                              |                            |                      |                             |                              |                             |                            |                          |                     |                   |  |
|                          | / LD                        | HCPCS <sup>2</sup> | 15000      | 15001             | 15350          | 15351                 | 15400            | 15401                   | 19364                 | 27347            | 28289                 | 31622                | 31623                 | 31624                  | 31643                    | 32001             | 35681                  | 35682                  | 35683                  | 35875                    | 35876                    | 36831               | 36832               | 36833               | 45126               | 57106                       | 57107                        | 57109                       | 57111                      | 57112                        | 67210                      | 67220                | 67320                       | 67331                        | 67332                       | 67334                      | 67340                    | 06669               | 20092             |  |

1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply. 2 Copyright 1994 American Dental Association. All rights reserved. 3 +indicates RVUs are not used for Medicare payment.

|                              |    |            |                               |              | ADDENDUM        | C - CODES       | WITH INTERIM RVUS | M RVUs          |                  |                   |                   |                   |                   |        |
|------------------------------|----|------------|-------------------------------|--------------|-----------------|-----------------|-------------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|--------|
|                              |    |            |                               |              | Non-            | Transitioned    |                   | Transitioned    |                  |                   |                   |                   |                   |        |
|                              |    |            |                               |              | facility        | Non-facility    | Facility          | Facility        |                  |                   | Transitioned      |                   |                   |        |
| -                            |    |            |                               | Physician    | practice        | practice        | practice          | practice        | Mal-             | Non-              | Non-              |                   | Transitioned      |        |
| CPT //<br>HCPCS <sup>2</sup> |    | Mod Status | Description                   | work<br>RVUs | expense<br>RVUs | expense<br>RVUs | expense<br>RVUs   | expense<br>RVUs | practice<br>RUYs | facility<br>Total | facility<br>Total | Facility<br>Total | Facility<br>Total | Global |
| 78020                        |    | ∢          | Thyroid met uptake            | 09.0         | 0.17            | 0.17            | 0.17              | 0.17            | 0.08             | 0.85              | 0.85              |                   | 0.85              | 777    |
| 78206                        | 56 | ∢          | Liver image (3-d) w/flow      | 96.0         | 0.28            | 0.28            | 0.28              | 0.28            | 0.03             | 1.27              | 1.27              | 1.27              | 1.27              | ×      |
| 78494                        | 56 | ∢          | Heart image, spect            | 1.19         | 0.36            | 0.36            | 0.36              | 0.36            | 0.05             | 1.60              | 1.60              | 1.60              | 1.60              | ×      |
| 78496                        | 56 | ∢          | Heart first pass add-on       | 0.50         | 0.19            | 0.19            | 0.19              | 0.19            | 0.05             | 0.74              | 0.74              | 0.74              | 0.74              | 777    |
| 78588                        | 56 | ∢          | Perfusion lung image          | 1.09         | 0.30            | 0:30            | 0.30              | 0:30            | 0.04             | 1.43              | 1.43              | 1.43              | 1.43              | ×      |
| 88291                        |    | ∢          | Cyto/molecular report         | 0.52         | 0.21            | 0.21            | 0.21              | 0.21            | 0.01             | 0.74              | 0.74              | 0.74              | 0.74              | ×      |
| 92135                        | 56 | ∢          | Opthalmic dx imaging          | 0.35         | 0.18            | 0.18            | 0.18              | 0.18            | 0.02             | 0.55              | 0.55              | 0.55              | 0.55              | ×      |
| 93571                        | 56 | ∢          | Heart flow reserve measure    | 1.80         | 99.0            | 0.68            | 0.68              | 0.68            | 90:0             | 2.54              | 2.54              | 2.54              | 2.54              | 777    |
| 93572                        | 56 | ∢          | Heart flow reserve measure    | 1.44         | 0.55            | 0.55            | 0.55              | 0.55            | 0.05             | 2.04              | 2.04              | 2.04              | 2.04              | 777    |
| 94014                        | 56 | ∢          | Patient recorded spirometry   | 0.52         | 0.20            | 0.20            | 0.20              | 0.20            | 0.02             | 0.74              | 0.74              | 0.74              | 0.74              | ×      |
| 94016                        |    | ∢          | Review patient spirometry     | 0.52         | 0.20            | 0.20            | 0.20              | 0.20            | 0.04             | 97.0              | 92.0              | 92.0              | 92.0              | ×      |
| 94621                        | 56 | ∢          | Pulm stress test/complex      | 0.88         | 0.27            | 0.27            | 0.27              | 0.27            | 0.04             | 1.19              | 1.19              | 1.19              | 1.19              | ×      |
| 95970                        |    | ∢          | Neurostim analyze, no program | 0.45         | 0.12            | 0.12            | 0.10              | 0.10            | 0.09             | 99.0              | 99.0              | 0.64              | 0.64              | ×      |
| 95971                        |    | ∢          | Simple neurostim analyze      | 0.78         | 0.21            | 0.21            | 0.18              | 0.18            | 0.09             | 1.08              | 1.08              | 1.05              | 1.05              | ×      |
| 95972                        |    | ∢          | Complex neurostim analyze     | 1.50         | 0.40            | 0.40            | 0.35              | 0.35            | 0.09             | 1.99              | 1.99              | 1.94              | 1.94              | ×      |
| 95973                        |    | ∢          | Complex neurostim analyze     | 0.92         | 0.25            | 0.25            | 0.22              | 0.22            | 60.0             | 1.26              | 1.26              | 1.23              | 1.23              | 77     |
| 95974                        |    | ∢          | Complex cranial neurostim     | 3.00         | 96.0            | 96.0            | 0.74              | 0.74            | 0.09             | 4.05              | 4.05              | 3.83              | 3.83              | ×      |
| 95975                        |    | ∢          | Complex cranial neurostim     | 1.70         | 0.62            | 0.62            | 0.49              | 0.49            | 0.09             | 2.41              | 2.41              | 2.28              | 2.28              | 777    |
| 97140                        |    | ∢          | Manual therapy                | 0.43         | 0.18            | 0.18            | 0.04              | 0.04            | 0.02             | 0.63              | 0.63              | 0.49              | 0.49              | ×      |
| 99298                        |    | ∢          | Neonatal critical care        | 2.75         | 0.94            | 0.94            | 0.88              | 0.88            | 0.30             | 3.99              | 3.99              | 3.93              | 3.93              | ×      |
| G0141                        |    | ∢          | Scr c/v cyto, autosys and md  | 0.42         | 0.15            | 0.15            | 0.15              | 0.15            | 0.03             | 09.0              | 09:0              | 09.0              | 09.0              | ×      |

Page 2 of 2
1 CPT codes and descriptions only are copyright 1998 American Medical Association. All Rights Reserved. Applicable FARS/DFARS Apply.
2 Copyright 1994 American Dental Association. All rights reserved.
3 +Indicates RVUs are not used for Medicare payment.